

2010 Texas Integrated Report - Texas 303(d) List (Category 5)

As required under Sections 303(d) and 304(a) of the federal Clean Water Act, this list identifies the water bodies in or bordering Texas for which effluent limitations are not stringent enough to implement water quality standards, and for which the associated pollutants are suitable for measurement by maximum daily load.

In addition, the TCEQ also develops a schedule identifying Total Maximum Daily Loads (TMDLs) that will be initiated in the next two years for priority impaired waters. Issuance of permits to discharge into 303(d)-listed water bodies is described in the TCEQ regulatory guidance document *Procedures to Implement the Texas Surface Water Quality Standards* (January 2003, RG-194).

Impairments are limited to the geographic area described by the Assessment Unit and identified with a six or seven-digit AU_ID. A TMDL for each impaired parameter will be developed to allocate pollutant loads from contributing sources that affect the parameter of concern in each Assessment Unit. The TMDL will be identified and counted using a six or seven-digit AU_ID. Water Quality permits that are issued before a TMDL is approved will not increase pollutant loading that would contribute to the impairment identified for the Assessment Unit.

The 2010 Texas 303(d) List was developed using the EPA approved Texas Surface Water Quality Standards (TSWQS) which are under revision. The current TSWQS proposal includes specific revisions to the E. coli criterion associated with the freshwater recreational uses. To accommodate the concurrent processes for the revisions and the development of the 303(d) List, the TCEQ is not listing new recreational use impairments based on only the single sample grab criterion.

Explanation of Column Headings

SegID and Name:	The unique identifier (SegID), segment name, and location of the water body. The SegID may be one of two types of numbers. The first type is a classified segment number (4 digits, e.g., 0218), as defined in Appendix A of the Texas Surface Water Quality Standards (TSWQS). The second type (five digits, e.g., 0218A) is a partially classified water body described in Appendix D of the TSWQS, or an unclassified water body, not defined in the TSWQS, though associated with a classified water body because it is in the same watershed. The segment name and description immediately follow SegID.
Area:	Identifies the assessment unit (AU_ID, six or seven digits, e.g., 0101A_01) and describes the location of the specific area in which one or more water quality standards are not met.
Parameter(s):	Pollutants or water quality conditions that assessment procedures indicate do not meet assigned water quality standards.
Category:	One of three subcategories was assigned to each impaired parameter to provide information about water quality status and management activities on that water body. The categories are defined below: <u>Category 5:</u> The water body does not meet applicable water quality standards or is threatened for one or more designated uses by one or more pollutants. <i>Category 5a</i> - A TMDL is underway, scheduled, or will be scheduled. <i>Category 5b</i> - A review of the water quality standards for this water body will be conducted before a TMDL is scheduled. <i>Category 5c</i> - Additional data and information will be collected before a TMDL is scheduled.
Year Segment First Listed:	The assessment year the pollutant or water quality condition in this water body (Segment, not specifically the year for each AU_ID) initially did not meet water quality standards.

2010 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0101A Dixon Creek (unclassified water body)

From confluence of the Canadian River upstream to the confluence of the East, Middle, and West Forks of Dixon Creek

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2000
0101A_01	From the confluence with the Canadian River upstream to the confluence with the permitted outfall receiving waters tributary	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5b	2000
0101A_01	From the confluence with the Canadian River upstream to the confluence with the permitted outfall receiving waters tributary	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
selenium in water	5c	2010
0101A_01	From the confluence with the Canadian River upstream to the confluence with the permitted outfall receiving waters tributary	

SegID: 0101B Rock Creek (unclassified water body)

Perennial stream from the confluence with the Canadian River upstream to the headwaters in Carson County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2006
0101B_01	Appendix D, Perennial stream from the confluence with the Canadian River up to SH 136 in the City of Borger	

2010 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0102

Lake Meredith

From Sanford Dam in Hutchinson County to a point immediately upstream of the confluence of Camp Creek in Potter County, up to normal pool level of 2936.5 feet (impounds Canadian River)

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
chloride	5c	2006
0102_01	Reservoir downstream of a line from red starboard marker 14 at Blue West Campground to green port marker 11 north of Fritch Canyon	
0102_02	Reservoir upstream of a line from red starboard marker 14 at Blue West Campground to green port marker 11 north of Fritch Canyon	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
mercury in edible tissue	5c	2002
0102_01	Reservoir downstream of a line from red starboard marker 14 at Blue West Campground to green port marker 11 north of Fritch Canyon	
0102_02	Reservoir upstream of a line from red starboard marker 14 at Blue West Campground to green port marker 11 north of Fritch Canyon	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
sulfate	5c	2006
0102_01	Reservoir downstream of a line from red starboard marker 14 at Blue West Campground to green port marker 11 north of Fritch Canyon	
0102_02	Reservoir upstream of a line from red starboard marker 14 at Blue West Campground to green port marker 11 north of Fritch Canyon	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
total dissolved solids	5c	2006
0102_01	Reservoir downstream of a line from red starboard marker 14 at Blue West Campground to green port marker 11 north of Fritch Canyon	
0102_02	Reservoir upstream of a line from red starboard marker 14 at Blue West Campground to green port marker 11 north of Fritch Canyon	

SegID: 0103

Canadian River Above Lake Meredith

From a point immediately upstream of the confluence of Camp Creek in Potter County to the New Mexico State Line in Oldham County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
chloride	5c	2006
0103_01	From the headwaters of Lake Meredith upstream to the confluence with Sand Creek	
0103_02	From the confluence with Sand Creek upstream to the confluence with Punta de Agua Creek	
0103_03	From the confluence with Punta de Agua Creek upstream to the New Mexico State Line	

SegID: 0103C

Unnamed Tributary to West Amarillo Creek (unclassified water body)

From the confluence with West Amarillo Creek upstream to the headwaters near Amarillo Blvd. in west Amarillo

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2010
0103C_01	Entire water body	

2010 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0104 Wolf Creek

From the Oklahoma State Line in Lipscomb County to a point 2.0 kilometers (1.2 miles) upstream of FM 3045 in Ochiltree County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2010
0104_02	From the confluence with Plum Creek upstream to Lake Fryer Dam	

SegID: 0105 Rita Blanca Lake

From Rita Blanca Dam in Hartley County up to normal pool level of 3860 feet (impounds Rita Blanca Creek)

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
pH	5b	2006
0105_01	Entire water body	

SegID: 0201A Mud Creek (unclassified water body)

From the confluence of the Red River to the upstream perennial portion of the stream northwest of De Kalb in Bowie County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2002
0201A_01	Entire water body	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	2006
0201A_01	Entire water body	

SegID: 0202A Bois D' Arc Creek (unclassified water body)

From the confluence of the Red River upstream to the headwaters northwest of Whitewright in Grayson County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2010
0202A_01	From the confluence with the Red River upstream to the confluence with Sandy Creek	
0202A_02	Appendix D, Perennial stream from the confluence with Sandy Creek upstream to the confluence with Pace Creek	

SegID: 0202F Choctaw Creek (unclassified water body)

From the confluence with the Red River east of Denison to the upstream perennial portion near the intersection of SH 56 and SH 289 in Grayson County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2010
0202F_01	From the confluence with the Red River upstream to the confluence with Post Oak Creek	
0202F_02	From the confluence with Post Oak Creek upstream to the headwaters near the intersection of SH 56 and SH 289 in Grayson County	

2010 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0202G Smith Creek (unclassified water body)

From the confluence with Pine Creek north of Paris to the upstream portion of the stream in north Paris in Lamar County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2006
0202G_01 Entire water body		

SegID: 0202K Iron Ore Creek (unclassified water body)

From the confluence with Choctaw Creek upstream to the headwaters near FM 120 west of Denison

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2010
0202K_01 Entire water body		

SegID: 0206B South Groesbeck Creek (unclassified water body)

From the confluence of Groesbeck Creek NNW of Quanah in Hardeman County to the upstream portion 7.8 miles (12.6 Km) southwest of Childress

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2006
0206B_01 Entire water body		

SegID: 0207 Lower Prairie Dog Town Fork Red River

From a point immediately upstream of the confluence of Buck Creek in Hardeman County to the confluence of a point 100 meters (110 yards) upstream of the confluence of Salt Fork Creek in Armstrong County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2006
0207_04 From the confluence with Battle Creek upstream to the confluence with Salt Fork in Armstrong County		

2010 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0211 Little Wichita River

From the confluence with the Red River in Clay County to Lake Arrowhead Dam in Clay County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5b	1996
0211_02	From the confluence with the East Fork Little Wichita River upstream to the Lake Arrowhead Dam	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
sulfate	5b	2010
0211_01	From the confluence with the Red River upstream to the confluence with the East Fork Little Wichita River	
0211_02	From the confluence with the East Fork Little Wichita River upstream to the Lake Arrowhead Dam	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
total dissolved solids	5b	2010
0211_01	From the confluence with the Red River upstream to the confluence with the East Fork Little Wichita River	
0211_02	From the confluence with the East Fork Little Wichita River upstream to the Lake Arrowhead Dam	

SegID: 0214 Wichita River Below Diversion Lake Dam

From the confluence with the Red River in Clay County to Diversion Dam in Archer County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2006
0214_02	From an un-named tributary immediately upstream of FM 2393 upstream to the River Road WWTP	
0214_05	From the confluence with Beaver Creek upstream to the Diversion Lake Dam	

SegID: 0214A Beaver Creek (unclassified water body)

From the confluence of the Wichita River west of Wichita Falls in Wichita County upstream to the headwaters west of Crowell in Foard County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2006
0214A_02	From the confluence with Bull Creek upstream to the Santa Rosa Lake dam	

SegID: 0214B Buffalo Creek (unclassified water body)

From the confluence of the Wichita River west of Wichita Falls in Wichita County to the upstream perennial portion of the stream east of Electra in Wichita County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2010
0214B_01	Entire water body	

2010 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0222 Salt Fork Red River

From the Oklahoma State Line in Collingsworth County to Greenbelt Dam in Donley County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2010
0222_01	Oklahoma State Line to Lake Creek confluence	

SegID: 0224A McClellan Creek (unclassified water body)

From the confluence with the North Fork Red River upstream to the headwaters southwest of Panhandle in Carson County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2010
0224A_01	From the confluence with the North Fork Red River upstream to the Lake McClellan dam	

SegID: 0226 South Fork Wichita River

From the confluence with the North Fork Wichita River in Knox County to a point 15.0 kilometers (9.3 miles) upstream of US 82 in Dickens County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
chloride	5c	2006
0226_01	Lower end of segment to SH 6	
0226_02	From SH 6 to confluence with Willow Creek	
0226_03	From confluence with Willow Creek to confluence with Long Canyon Creek	
0226_04	Low-water dam to 0.5 mile upstream	

SegID: 0229 Upper Prairie Dog Town Fork Red River

From a point 100 meters (110 yards) upstream of the confluence of Salt Fork Creek in Armstrong County to Lake Tanglewood Dam in Randall County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
pH	5c	2006
0229_02	Palo Duro Canyon State Park upstream boundary to upper end of segment at Tanglewood Dam	

SegID: 0230A Paradise Creek (unclassified water body)

From the confluence with the Pease River east of Vernon to the upstream perennial portion near Thalia in Foard County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2006
0230A_03	Lower 5 miles of water body	

2010 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0299A Sweetwater Creek (unclassified water body)

From the Oklahoma State Line in Wheeler County to the upstream perennial portion of the stream northwest of Wheeler in Wheeler County (tributary of North Fork Red River)

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2002
0299A_01	From Oklahoma State Line to confluence with Graham Creek	

SegID: 0302 Wright Patman Lake

From Wright Patman Lake Dam in Bowie/Cass County to a point 1.5 kilometers (0.9 miles) downstream of Bassett Creek in Bowie/Cass County, up to the normal pool elevation of 225 feet (impounds the Sulphur River)

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5a	1996
0302_02	300 acres at International Paper intake	
0302_10	4000 acres in upper portion of lake	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
pH	5a	2000
0302_02	300 acres at International Paper intake	
0302_04	500 acres in the northeast corner of lake	
0302_05	200 acres in the northwestern tip of lake	
0302_06	Big Creek arm	
0302_07	4000 acres mid-lake	
0302_08	1600 acres in upper mid-lake	

SegID: 0303B White Oak Creek (unclassified water body)

From the confluence of the Sulphur River north of Naples in Morris County to the upstream perennial portion of the stream east of Sulphur Springs in Hopkins County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2006
0303B_01	Portion of White Oak Creek from the confluence with the South Sulphur River approximately 40 km (25 mi) upstream to the confluence with Lacy Creek.	
0303B_04	Portion of White Oak Creek from the confluence with the Stouts Creek approximately 46 km (28 mi) upstream to Midget Creek.	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5b	2000
0303B_01	Portion of White Oak Creek from the confluence with the South Sulphur River approximately 40 km (25 mi) upstream to the confluence with Lacy Creek.	
0303B_02	Portion of White Oak Creek from the confluence with the Lacy Creek approximately 42 km (26 mi) upstream to the confluence with Ripley Creek.	
0303B_03	Portion of White Oak Creek from the confluence with the Ripley Creek approximately 42 km (26 mi) upstream to Stouts Creek.	
0303B_04	Portion of White Oak Creek from the confluence with the Stouts Creek approximately 46 km (28 mi) upstream to Midget Creek.	

2010 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0304A Swampoodle Creek (unclassified water body)

From the confluence of Days Creek in central Texarkana in Bowie County to the upstream perennial portion of the stream in northern Texarkana in Bowie County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
impaired fish community	5b	2006
0304A_01 Entire water body		

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
impaired macrobenthic community	5b	2006
0304A_01 Entire water body		

SegID: 0304B Cowhorn Creek (unclassified water body)

From the confluence of Wagner Creek in southern Texarkana in Bowie County to the upstream perennial portion of the stream in northern Texarkana in Bowie County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
impaired fish community	5b	2006
0304B_01 Entire water body		

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
impaired macrobenthic community	5b	2006
0304B_01 Entire water body		

SegID: 0305 North Sulphur River

From the confluence with the South Sulphur River in Lamar County to a point 6.7 km (4.2 miles) upstream of FM 68 in Fannin County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
impaired fish community	5b	2006
0305_02 Portion of the North Sulphur River from the confluence with Morrison Creek upstream approximately 37 km (23 mi) to the headwaters.		

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
impaired macrobenthic community	5b	2006
0305_02 Portion of the North Sulphur River from the confluence with Morrison Creek upstream approximately 37 km (23 mi) to the headwaters.		

SegID: 0306 Upper South Sulphur River

From a point 1.0 km (0.6 miles) upstream of SH 71 in Delta/Hopkins County to SH 78 in Fannin County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
pH	5b	2008
0306_01 Portion of the Upper South Sulphur River from a point 1 km (.6 mi) upstream of SH 71 upstream approximately 10 km (6 mi) to Dunbar Creek.		
0306_02 Portion of the Upper South Sulphur River from the confluence with Dunbar Creek approximately 42 km (26 mi) to Hickory Creek..		
0306_03 Portion of the Upper South Sulphur River from the confluence with Hickory Creek approximately 19 km (12 mi) to SH 71.		

2010 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0307 Cooper Lake

from Cooper Lake dam in Delta/Hopkins County to a point 1.0 kilometers (0.6 mile) upstream of SH 71 on the South Sulphur River arm in Delta/Hopkins County and 300 meters (330 yards) below the confluence of Barnett Creek on the Middle Sulphur River arm in Delta County, up to a conservation pool elevation of 440 feet (impounds the Middle Sulphur/South Sulphur River)

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
pH	5b	2000
0307_01	Lower 5000 acres near dam	
0307_03	Middle 5000 acres	
0307_04	Middle 2000 acre Johns Creek arm	

SegID: 0401 Caddo Lake

From the Louisiana State Line in Harrison/Marion County to a point 12.3 km (7.6 miles) downstream of SH 43 in Harrison/Marion County, up to pool elevation of 168.5 feet (impounds Big Cypress Creek)

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	2000
0401_02	Harrison Bayou arm	
0401_03	Goose Prairie arm	
0401_05	Clinton Lake	
0401_07	Mid-lake near Uncertain	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
mercury in edible tissue	5c	1996
0401_01	Lower 5000 acres	
0401_02	Harrison Bayou arm	
0401_03	Goose Prairie arm	
0401_05	Clinton Lake	
0401_07	Mid-lake near Uncertain	
0401_08	Remainder of segment	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
pH	5b	1996
0401_03	Goose Prairie arm	

SegID: 0401A Harrison Bayou (unclassified water body)

From the confluence of Caddo Lake east of Karnack in Harrison County to the upstream perennial portion of the stream east of Marshall in Harrison County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5b	2000
0401A_01	From Caddo Lake upstream 21.8 km (13.5 mi) to the confluence with NHD RC 11140306000177, an unnamed tributary approximately 2 km downstream from FM 1998	

2010 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0402 Big Cypress Creek Below Lake O' the Pines

From a point 12.3 km (7.6 miles) downstream of SH 43 in Harrison/Marion County to Ferrell's Bridge Dam in Marion County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5b	2010
0402_02	From the confluence with Haggerty Creek upstream 25 km (15.5 mi) to the confluence with Black Cypress Bayou.	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
mercury in edible tissue	5c	1998
0402_01	From the confluence with Caddo Lake upstream 15 km (9 mi) to Haggerty Creek	
0402_02	From the confluence with Haggerty Creek upstream 25 km (15.5 mi) to the confluence with Black Cypress Bayou.	
0402_03	From the confluence with Black Cypress Bayou upstream 23.8 km (14.7 mi) to French Creek.	
0402_04	From the confluence with French Creek upstream 13 km (8 mi) to Lake O' the Pines	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
pH	5b	2000
0402_01	From the confluence with Caddo Lake upstream 15 km (9 mi) to Haggerty Creek	

SegID: 0402A Black Cypress Bayou (unclassified water body)

Perennial stream from the confluence with Big Cypress in Marion County up to 7.5 miles above FM 250 in Cass County.

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2006
0402A_04	From Pruitt Lake 26.4 km (16.4 mi) upstream to the confluence with Arbery Branch	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
copper in water	5c	2010
0402A_03	Pruitt Lake beginning near HWY 155, extending upstream 1.8 km (1.1 mi)	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5b	2000
0402A_01	From the confluence with Big Cypress Creek upstream 25 km (15.5 mi) to the confluence with White Oak Creek	
0402A_02	From the confluence with White Oak Creek upstream 31.3 km (19.4 mi) to Pruitt Lake	
0402A_03	Pruitt Lake beginning near HWY 155, extending upstream 1.8 km (1.1 mi)	
0402A_05	From the confluence with Arbery Branch upstream 24 km (14.1 mi) to the headwaters near US 259	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
mercury in edible tissue	5c	2000
0402A_03	Pruitt Lake beginning near HWY 155, extending upstream 1.8 km (1.1 mi)	

2010 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0404 Big Cypress Creek Below Lake Bob Sandlin

From a point 1.0 km (0.6 miles) downstream of US 259 in Morris/Upshur Counties to Fort Sherman Dam in Camp/Titus Counties

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2002
0404_02	From the confluence with an unnamed tributary NHD RC 11140305002717 upstream 37.2 km (23 mi) to Lake Bob Sandlin	

SegID: 0404A Ellison Creek Reservoir (unclassified water body)

From the Morris County Dam up to normal pool elevation near Lone Star in Morris County (impounds Ellison Creek)

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
copper in water	5c	2010
0404A_01	Entire water body	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2006
0404A_01	Entire water body	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
toxicity in sediment	5c	2006
0404A_01	Entire water body	

SegID: 0404B Tankersley Creek (unclassified water body)

Perennial stream from the confluence with Big Cypress Creek upstream to the confluence with an unnamed tributary 250 meters upstream of IH 30

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2000
0404B_01	From the confluence with Big Cypress Creek upstream 16.1 km (10 mi) to Tankersley Lake. WQS Appendix D portion of the creek.	

SegID: 0404C Hart Creek (unclassified water body)

Perennial stream from the confluence with Big Cypress Creek upstream to 0.2 km upstream of FM 1402

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2006
0404C_01	Entire water body and WQS Appendix D portion of the water body.	

SegID: 0404N Lake Daingerfield (unclassified water body)

Southeast of the City of Daingerfield in Daingerfield State Park in Morris County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
mercury in edible tissue	5c	2002
0404N_01	Entire reservoir	

2010 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0406 Black Bayou
 From the Louisiana State Line in Cass County to FM 96 in Cass County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2006
0406_01	Black Bayou from the LA state line upstream 19.1 km (11.8 mi) to the confluence with Hurricane Creek	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5b	2002
0406_01	Black Bayou from the LA state line upstream 19.1 km (11.8 mi) to the confluence with Hurricane Creek	
0406_02	From the confluence with Hurricane Creek upstream 28.6 km (17.7 mi) to NHD RC 11140304000881 near FM 96	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
pH	5b	2006
0406_01	Black Bayou from the LA state line upstream 19.1 km (11.8 mi) to the confluence with Hurricane Creek	
0406_02	From the confluence with Hurricane Creek upstream 28.6 km (17.7 mi) to NHD RC 11140304000881 near FM 96	

SegID: 0407 James' Bayou
 From the Louisiana State Line in Marion County to Club Lake Road northwest of Linden in Cass County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2006
0407_02	From the confluence with Bear Creek upstream 29.8 km (18.5 mi) to approximately 2 km north of HWY 11	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5b	2000
0407_01	From the LA state line upstream 31.6 km (19.6 mi) to the confluence with Bear Creek.	
0407_02	From the confluence with Bear Creek upstream 29.8 km (18.5 mi) to approximately 2 km north of HWY 11	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
pH	5b	2008
0407_01	From the LA state line upstream 31.6 km (19.6 mi) to the confluence with Bear Creek.	

2010 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0409 Little Cypress Bayou (Creek)

From the confluence of Big Cypress Creek in Harrison/Marion County to a point 1.0 km (0.6 miles) upstream of FM 2088 in Wood County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2006
0409_02	From the confluence with Lawrence Creek upstream 29.2 km (18.1 mi) to the confluence with NHD RC 11140307000368	
0409_03	From the confluence with NHD RC 11140307000368 upstream 52.2 km (32.6 mi) to the confluence with Kelsey Creek	
0409_04	From the confluence with NHD RC 11140307001531 upstream 41.1 km (29.2 mi) to the headwaters at FM 2088	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5b	2000
0409_01	From the confluence with Big Cypress Creek upstream 41 km (25.4 mi) to the confluence with Lawrence Creek	
0409_02	From the confluence with Lawrence Creek upstream 29.2 km (18.1 mi) to the confluence with NHD RC 11140307000368	
0409_03	From the confluence with NHD RC 11140307000368 upstream 52.2 km (32.6 mi) to the confluence with Kelsey Creek	

SegID: 0409B South Lilly Creek (unclassified water body)

From the confluence of Lilly Creek to approximately 2 miles west of FM 1647

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2006
0409B_01	Entire water body	

2010 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0501B Little Cypress Bayou (unclassified water body)

From the confluence with the Sabine River to the headwaters west of Reese in Orange County.

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2006
0501B_01 Lower 4.2 miles of bayou		
0501B_02 0.3 mile upstream to 0.5 mile downstream of Bear Path Road		
0501B_03 Upper 3.2 miles of bayou		

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	2006
0501B_01 Lower 4.2 miles of bayou		
0501B_02 0.3 mile upstream to 0.5 mile downstream of Bear Path Road		
0501B_03 Upper 3.2 miles of bayou		

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
toxicity in water	5c	2004
0501B_01 Lower 4.2 miles of bayou		
0501B_02 0.3 mile upstream to 0.5 mile downstream of Bear Path Road		
0501B_03 Upper 3.2 miles of bayou		

SegID: 0502A Nichols Creek (unclassified water body)

From the confluence of the Sabine River to the upstream perennial portion of the stream south of Kirbyville in Newton and Jasper Counties

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2002
0502A_01 Lower 25 miles of creek		

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	2002
0502A_01 Lower 25 miles of creek		

SegID: 0502B Caney Creek (unclassified water body)

Perennial stream from the Sabine River upstream to the confluence with Martin Branch

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2006
0502B_02 From Davison Street upstream to the confluence with Caney Branch and Little Caney Branch		

2010 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0502E Cypress Creek (unclassified water body)

From the confluence of Sabine River upstream to headwaters 2.5 miles northeast of Buna in Jasper County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5b	2010
0502E_01 Entire water body		

SegID: 0504 Toledo Bend Reservoir

From Toledo Bend Dam in Newton County to a point immediately upstream of the confluence of Murvaul Creek in Panola County, up to the normal pool elevation of 172 feet (impounds the Sabine River)

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
mercury in edible tissue	5c	1998
0504_01 Lowermost 5200 acres of reservoir, adjacent to dam, including Indian Creek arm		
0504_02 Six Mile Boat Lane arm		
0504_03 Sunshine Bay arm		
0504_04 Near SH 21		
0504_05 Patroon Bayou Branch arm		
0504_06 Tenaha Creek arm		
0504_07 Uppermost 5120 acres of reservoir		
0504_08 Negreet Bayou arm		
0504_09 San Miguel arm		
0504_10 San Patricia arm		
0504_11 Toledo Bend reservoir near Buzzard Bend		
0504_12 Remainder of reservoir		

SegID: 0504E Clear Lake (unclassified water body)

Oxbow lake 12 miles northwest of Logansport, LA

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
mercury in edible tissue	5c	2006
0504E_01 Oxbow lake 12 miles northwest of Logansport, LA		

SegID: 0505 Sabine River Above Toledo Bend Reservoir

From a point immediately upstream of the confluence of Murvaul Creek in Panola County to a point 100 meters (110 yards) downstream of US 271 in Gregg County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5a	2002
0505_04 Sabine River from Hatley Creek upstream to Grace Creek in Gregg County		

2010 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0505B Grace Creek (unclassified water body)

Perennial stream from the confluence with the Sabine River up to FM 1844 in Gregg County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2000
0505B_02	Remainder of segment in the City of Longview upstream to headwaters	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	2000
0505B_02	Remainder of segment in the City of Longview upstream to headwaters	

SegID: 0505G Wards Creek (unclassified water body)

From the confluence with Hatley Creek to the headwaters east of Hallsville in Harrison County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	2000
0505G_01	Entire segment	

SegID: 0505O Hills Lake (unclassified water body)

Oxbow lake 13 miles east of Carthage

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
mercury in edible tissue	5c	2006
0505O_01	Entire segment	

SegID: 0506A Harris Creek (unclassified water body)

From the confluence of the Sabine River northeast of Winona in Smith County to the upstream perennial portion of the stream east of Tyler in Smith County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5b	2000
0506A_01	Entire segment	

SegID: 0507 Lake Tawakoni

From Iron Bridge Dam in Rains County up to normal pool elevation of 437 feet (impounds Sabine River)

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
pH	5c	2008
0507_04	Cowleech Fork of Sabine River arm	

2010 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0512A Running Creek (unclassified water body)

From the confluence with Lake Fork Reservoir to the headwaters southeast of Martin Springs in Hopkins County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2002
0512A_01 Entire creek		

SegID: 0512B Elm Creek (unclassified water body)

From the confluence with Lake Fork Reservoir in Rains County to the headwaters northwest of Shirley in Hopkins County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2002
0512B_01 Entire creek		

SegID: 0514 Big Sandy Creek

From the confluence with the Sabine River in Upshur County to a point 2.6 km (1.6 miles) upstream of SH 11 in Hopkins County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2006
0514_01 From confluence with Sabine River to just upstream of FM 49		
0514_02 From just upstream of FM 49 to upper end of segment		

SegID: 0602 Neches River Below B. A. Steinhagen Lake

From the Neches River Saltwater Barrier, which is at a point 0.8 kilometers (0.5 miles) downstream of the confluence of Pine Island Bayou, Orange County to Town Bluff Dam in Jasper/Tyler County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
mercury in edible tissue	5c	2010
0602_02 From the confluence with Village Creek 0608 upstream to the confluence with Black Branch NHD RC 12020003000695		
0602_03 From the confluence with Black Branch upstream to confluence with unnamed tributary at NHD RC 12020003000058		
0602_04 From the confluence with unnamed tributary at NHD RC 12020003000058 upstream to Town Bluff Dam		

2010 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0603 B. A. Steinhagen Lake

From Town Bluff Dam in Jasper/Tyler County to a point immediately upstream of the confluence of Hopson Mill Creek on the Neches River Arm in Jasper/Tyler County and to a point immediately upstream of the confluence of Indian Creek on the Angelina River Arm in Jasper County, up to the normal pool elevation of 83 feet (impounds Neches River)

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
mercury in edible tissue	5c	1998
0603_01	Main pool by dam to include all the area below the US HWY 190 bridge	
0603_02	Area above the US HWY 190 bridge to the upper boundaries of the segment at points immediately upstream of confluences Hopson Mill Creek (Neches Arm) and Indian Creek (Angelina Arm)	

SegID: 0603A Sandy Creek in Jasper County (unclassified water body)

From the confluence of B.A. Steinhagen Lake southwest of City of Jasper in Jasper County to the confluence of Big and Little Sandy Creeks in City of Jasper in Jasper County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2000
0603A_01	From the confluence with B.A. Steinhagen Lake upstream to confluence with Little Sandy Creek about 0.5 km downstream of Hwy 776, per WQS App. D	

SegID: 0603B Wolf Creek (unclassified water body)

From the confluence of B. A. Steinhagen Lake southeast of Colmesneil in Tyler County to the upstream perennial portion of the stream south of Colmesneil in Tyler County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2006
0603B_01	From the confluence of B.A. Steinhagen Lake upstream to the Lake Amanda dam.	

SegID: 0604 Neches River Below Lake Palestine

From a point immediately upstream of the confluence of Hopson Mill Creek in Jasper/Tyler County to Blackburn Crossing Dam in Anderson/Cherokee County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
mercury in edible tissue	5c	2010
0604_01	Lower boundary to a point immediately upstream of confluence of Biloxi Creek 0604M at NHD RC 12020002001061	
0604_02	From the confluence of Biloxi Creek (0604M) upstream to the upper confluence of Old River at NHD RC 12020002000037	
0604_03	From the upper confluence of Old River upstream to the confluence with Cedar Creek in Cherokee County at NHD RC 12020002000085 near Hargrove Lake	

2010 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0604A Cedar Creek (unclassified water body)

From the confluence of the Neches River southwest of Lufkin in Angelina County to the upstream perennial portion of the stream in Lufkin in Angelina County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2000
0604A_02	From the confluence with Jack Creek (0604C) upstream to confluence with unnamed tributary adjacent to State Loop 287, per App. D in WQS, at NHD RC 12020002000436	

SegID: 0604B Hurricane Creek (unclassified water body)

Perennial stream from the confluence with Cedar Creek to the confluence of two unnamed tributaries 100 meters upstream of SH Loop 287 in Lufkin

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2000
0604B_01	From the confluence with Cedar Creek (0604A) upstream to confluence with unnamed tributary 100m above State Loop 287 in Lufkin, per WQS App. D, at NHD RC 12020002000043	

SegID: 0604C Jack Creek (unclassified water body)

From the confluence of Cedar Creek southwest of Lufkin in Angelina County to the upstream perennial portion of the stream in northeast Lufkin in Angelina County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2000
0604C_01	From the confluence with Cedar Creek (0604A) upstream to confluence with unnamed tributary 1.6km SW of US Hwy 69 NW of Lufkin at NHD RC 12020002012470.	

SegID: 0604D Piney Creek (unclassified water body)

From the confluence of the Neches River at the Polk/Tyler/Angelina County lines east of Corrigan to the upstream perennial portion of the stream east of Crockett in Houston County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	2004
0604D_01	Middle portion of the stream from the confluence with Bear Creek (0604L) in Polk County upstream to the confluence with Caney Creek (0604O) in Trinity County at NHD RC 12020002000163.	
0604D_01	Middle portion of the stream from the confluence with Bear Creek (0604L) in Polk County upstream to the confluence with Caney Creek (0604O) in Trinity County at NHD RC 12020002000163.	

2010 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0604M Biloxi Creek (unclassified water body)

From the confluence with the Neches River southeast of Diboll to FM 325 east of Lufkin in Angelina County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2004
0604M_02	From the confluence with Neches River (0604) upstream to confluence with One Eye Creek in Angelina County SE of Lufkin.	
0604M_03	From the confluence with One Eye Creek in Angelina County SE of Lufkin upstream to FM 325 east of Lufkin	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	2006
0604M_03	From the confluence with One Eye Creek in Angelina County SE of Lufkin upstream to FM 325 east of Lufkin	

SegID: 0604T Lake Ratcliff (unclassified water body)

Lake in Houston County 3.4 miles northeast of Kennard

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
mercury in edible tissue	5c	2002
0604T_01	Entire lake	

SegID: 0605 Lake Palestine

From Blackburn Crossing Dam in Anderson/Cherokee County to a point 6.7km (4.2 miles) downstream of FM 279 in Henderson/Smith County, up to normal pool elevation of 345 feet (impounds Neches River)

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
pH	5a	2006
0605_03	Upper mid-lake including Tyler Public Water Supply intake	
0605_09	Flat Creek Arm	
0605_10	Upper Lake	

SegID: 0605A Kickapoo Creek in Henderson County (unclassified water body)

From the confluence of Lake Palestine east of Brownsboro in Henderson County to the upstream perennial portion of the stream northeast of Murchison in Henderson County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2000
0605A_01	From the confluence with Lake Palestine (0605) east of Brownsboro in Henderson County to the confluence with Slater Creek (0605E).	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	2006
0605A_01	From the confluence with Lake Palestine (0605) east of Brownsboro in Henderson County to the confluence with Slater Creek (0605E).	

2010 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0606 Neches River Above Lake Palestine

Neches River Above Lake Palestine - from a point 2.2 kilometers (1.4 miles) downstream of SH 31 [6.7 kilometers (4.2 miles) downstream of FM 279] in Henderson/Smith County to Rhines Lake Dam in Van Zandt County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2008
0606_01	From a point approximately 0.06km (0.03 mi) south of St. Louis Southwestern Railroad upstream to the confluence with Prairie Creek (0606A).	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	2004
0606_02	From the confluence with Prairie Creek (0606A) upstream to the Rhines Lake Dam	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
pH	5b	2002
0606_02	From the confluence with Prairie Creek (0606A) upstream to the Rhines Lake Dam	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
zinc in water	5c	1996
0606_02	From the confluence with Prairie Creek (0606A) upstream to the Rhines Lake Dam	

SegID: 0606A Prairie Creek (unclassified water body)

Perennial stream from the confluence with the Neches River to an unnamed tributary approximately 0.6km downstream of the US 69 bridge crossing.

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2002
0606A_01	From the confluence with Neches River (0606), per WQS App. D first entry for Prairie Creek at NHD RC 12020001000071 in Smith County upstream to the confluence with Black Fork Creek (0606D) at NHD RC 12020001000071 .	
0606A_03	From the confluence with Caney Creek upstream to confluence with unnamed tributary appx. 0.6 km downstream of the US 69 bridge crossing, which is located appx. 0.6 km south of the City of Lindale, per App. D second line entry	

2010 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0607 Pine Island Bayou

From the confluence with the Neches River in Hardin/Jefferson County to FM 787 in Hardin County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2008
0607_03	From the confluence with Black Creek upstream to the confluence with Willow Creek (0607C)	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5b	2000
0607_01	From the confluence with the Neches River upstream to unnamed tributary at NHD RC 12020007001215 that runs through Sherwood Drive in northern City of Beaumont.	
0607_02	From the confluence with unnamed tributary that runs through Sherwood Drive in northern City of Beaumont upstream to the confluence with Black Creek	
0607_03	From the confluence with Black Creek upstream to the confluence with Willow Creek (0607C)	
0607_04	From the confluence with Willow Creek (0607C) upstream to the confluence with Mayhaw Slough near oil fields	
0607_04	From the confluence with Willow Creek (0607C) upstream to the confluence with Mayhaw Slough near oil fields	

SegID: 0607A Boggy Creek (unclassified water body)

From the confluence of Pine Island Bayou upstream to the confluence with an unnamed tributary 4 km downstream of the crossing of the Southern Pacific Railroad.

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5b	2000
0607A_02	From the confluence with unnamed tributary 0.39 km downstream of CR 421 upstream to confluence with unnamed tributary 4 km downstream of the crossing of the Southern Pacific Railroad, per WQS App. D, at NHD RC 12020007003034.	

SegID: 0607B Little Pine Island Bayou (unclassified water body)

From the confluence of Pine Island Bayou southwest of Lumberton in Hardin County to the upstream perennial portion of the stream west of Kountze in Hardin County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2006
0607B_01	From the confluence with Pine Island Bayou (0607) at the Hardin/Jefferson Counties border upstream to unnamed tributary 1.1 km SE of intersection of FM 770 and FM 787 at NHD RC 12020007000021, same tributary as Big Thicket National Park boundary.	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5b	2000
0607B_01	From the confluence with Pine Island Bayou (0607) at the Hardin/Jefferson Counties border upstream to unnamed tributary 1.1 km SE of intersection of FM 770 and FM 787 at NHD RC 12020007000021, same tributary as Big Thicket National Park boundary.	

2010 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0607C Willow Creek (unclassified water body)

From the confluence of Pine Island Bayou north of Nome in Jefferson County to the upstream perennial portion of the stream east of Devers in Liberty County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5b	2000
0607C_01	From the confluence with Pine Island Bayou (0607) at the State Hwy 326 bridge at NHD RC 12020007000258 upstream to headwaters NE of Devers in Liberty County at NHD RC 12020007000200.	
0607C_01	From the confluence with Pine Island Bayou (0607) at the State Hwy 326 bridge at NHD RC 12020007000258 upstream to headwaters NE of Devers in Liberty County at NHD RC 12020007000200.	

SegID: 0608 Village Creek

From the confluence with the Neches River in Hardin County to Lake Kimble Dam in Hardin County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
mercury in edible tissue	5c	2010
0608_01	From the confluence with Neches River (0602) upstream to confluence with Cypress Creek (0608C)	
0608_02	From the confluence with Cypress Creek (0608C) upstream to confluence with Beech Creek (0608A)	
0608_03	From the confluence with Beech Creek (0608A) upstream to confluence with Big Sandy Creek and Kimball Creek in Hardin County	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
pH	5b	2000
0608_02	From the confluence with Cypress Creek (0608C) upstream to confluence with Beech Creek (0608A)	

SegID: 0608A Beech Creek (unclassified water body)

From the confluence of Village Creek northeast of Kountze in Hardin County to the upstream perennial portion of the stream southeast of Woodville in Tyler County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2006
0608A_01	From the confluence with Village Creek (0608) at NHD RC 12020006000017 upstream to the confluence with Drakes Branch 0.35 km upstream of FM1943 RD E at NHD RC 12020006000025	

SegID: 0608B Big Sandy Creek (unclassified water body)

From the confluence of Village and Kimball Creeks in Hardin County upstream to headwaters in Polk County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2000
0608B_04	From the confluence with Bear Creek in Polk County upstream to headwaters about 5 km SE of intersection of US Hwy 59 and FM 62 at NHD RC 12020006000133.	

2010 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0608C Cypress Creek (unclassified water body)

From the confluence of Village Creek (0608) east of Kountze in Hardin County to the confluence with Bad Luck Creek northwest of Kountze in Hardin County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2006
0608C_01	Upper portion from the confluence with unnamed tributary upstream of Pea Monk Branch upstream to confluence with Bad Luck Creek, per WQS App. D, at NHD RC 12020006000148.	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5b	2000
0608C_01	Upper portion from the confluence with unnamed tributary upstream of Pea Monk Branch upstream to confluence with Bad Luck Creek, per WQS App. D, at NHD RC 12020006000148.	
0608C_01	Upper portion from the confluence with unnamed tributary upstream of Pea Monk Branch upstream to confluence with Bad Luck Creek, per WQS App. D, at NHD RC 12020006000148.	

SegID: 0608E Mill Creek in Hardin County (unclassified water body)

From the confluence of Village Creek (0608) west of Silsbee in Hardin County upstream to headwaters northwest of Silsbee in Hardin County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	2000
0608E_01	Entire water body	

SegID: 0608F Turkey Creek (unclassified water body)

Perennial stream from the confluence with Village Creek up to 1.6 km above U.S. 69 north of City of Woodville

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2000
0608F_02	From the confluence with Big Cypress Creek in Tyler County upstream to confluence with unnamed tributary about 1.6 km above U.S. 69 north of City of Woodville, per WQS App. D, at NHD RC 12020006000057	

SegID: 0608G Lake Kimball (unclassified water body)

From Kimble Creek Dam northwest of Kountze in Hardin County to normal pool elevation in Tyler County (impounds Kimble and Village Creeks)

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
mercury in edible tissue	5c	2000
0608G_01	Entire lake	

2010 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0610 Sam Rayburn Reservoir

From Sam Rayburn Dam in Jasper County to a point 5.6 kilometers (3.5 miles) upstream of Marion's Ferry on the Angelina River Arm in Angelina/Nacogdoches County and to a point 3.9 km (2.4 miles) downstream of Curry Creek on the Attoyac Bayou Arm in Nacogdoches/San Augustine County, up to the normal pool elevation of 164 feet (except on the Angelina River Arm) (impounds Angelina River and Attoyac Bayou)

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
mercury in edible tissue	5c	1996
0610_01	Sam Rayburn main pool by the dam to the Bear Creek and Ayish Arms	
0610_02	Sam Rayburn lower Angelina River arm	
0610_03	Sam Rayburn mid-Angelina River arm (area around SH 147)	
0610_04	Sam Rayburn upper mid-Angelina River arm	
0610_05	Sam Rayburn lower Attoyac Bayou arm	
0610_06	Sam Rayburn upper Attoyac Bayou arm	
0610_07	Sam Rayburn upper Angelina arm	
0610_08	Sam Rayburn Bear Creek arm	
0610_09	Sam Rayburn lower Ayish Bayou arm	
0610_10	Sam Rayburn upper Ayish Bayou arm	

SegID: 0610A Ayish Bayou (unclassified water body)

Perennial stream from the headwaters of Sam Rayburn Reservoir to the dam impounding Bland Lake approximately 0.1km upstream of FM 1279 near the City of San Augustine

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2000
0610A_01	From the headwaters of Sam Rayburn Reservoir, per WQS App. D, about 2.4 km north of FM 83 upstream to confluence with unnamed tributary about 0.4 km SW of intersection of SH 147 and AT and SF Railroad at NHD RC 12020005000036.	
0610A_02	From the confluence with unnamed tributary about 0.4 km SW of intersection of SH 147 and AT and SF Railroad in the City of San Augustine upstream to the Bland Lake dam, per WQS App. D.	

SegID: 0611 Angelina River Above Sam Rayburn Reservoir

From the aqueduct crossing 1.0 kilometer (0.6 mile) upstream of the confluence of Paper Mill Creek in Angelina/Nacogdoches County to the confluence of Barnhardt Creek and Mill Creek at FM 225 in Rusk County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2000
0611_03	From a point immediately upstream of the confluence with Mud Creek (0611C) upstream to the confluence with East Fork Angelina River (0611A)	
0611_04	From a point immediately upstream of confluence with East Fork Angelina River (0611A) upstream to confluence with Barnhardt and Mill Creeks.	

2010 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0611A East Fork Angelina River (unclassified water body)

From the confluence of the Angelina River at the Rusk/Nacogdoches county line upstream to the confluence with Wooten Creek in Rusk County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2002
0611A_01	From the confluence with Angelina River (0611) at Rusk/Nacogdoches county line upstream to confluence with Beech Creek (0611J) in Rusk County	

SegID: 0611B La Nana Bayou (unclassified water body)

From the confluence of the Angelina River south of Nacogdoches in Nacogdoches County to the upstream perennial portion of the stream north of Nacogdoches in Nacogdoches County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2000
0611B_01	From the confluence with Angelina River (0611), per WQS App. D, upstream to State Loop 224 in City of Nacogdoches	
0611B_02	From the upstream side of State Loop 224 upstream to FM 1878 in City of Nacogdoches, per WQS App. D.	

SegID: 0611C Mud Creek (unclassified water body)

Perennial stream from the confluence with the Angelina River upstream to a point immediately upstream of the confluence of Prairie Creek in Smith County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2010
0611C_01	From the confluence with Angelina River (0611), per WQS App. D, at the Cherokee and Nacogdoches county line south of City of Reklaw upstream to top of channelized/dredged portion about 2.3 km south of US hwy 79 at -95.150452N/31.956933W	

SegID: 0611D West Mud Creek (unclassified water body)

Perennial stream from the confluence with Mud Creek in Cherokee County to the confluence of an unnamed tributary 300 meters upstream of the most northern crossing of US 69 (approximately 2.25 km south of the intersection of Loop 323) in the City of Tyler, per WQS App. D

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2010
0611D_01	From the confluence with Mud Creek (0611C), per WQS App. D, upstream to confluence with unnamed tributary about 75 m north of WWTP in City of Tyler at NHD RC 12020004000212.	
0611D_02	From the confluence with unnamed tributary about 75 m north of WWTP in City of Tyler upstream to confluence of unnamed tributary about 300 meters upstream of the most northern crossing of US 69 in City of Tyler, per WQS App. D, at NHD RC 12020004000212.	

2010 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0612

Attoyac Bayou

From a point 3.9 km (2.4 miles) downstream of Curry Creek in Nacogdoches/San Augustine County to FM 95 in Rusk County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2004
0612_01	From the lower boundary approximately at confluence with Granberry Branch upstream to confluence with Polly Branch.	
0612_02	From a point immediately upstream of Polly Branch confluence upstream to confluence with Bear Bayou.	
0612_03	From a point immediately upstream of Bear Bayou upstream to upper boundary at FM 95.	

SegID: 0615

Angelina River/Sam Rayburn Reservoir

The riverine portion of Sam Rayburn Reservoir from a point 5.6 kilometers (3.5 miles) upstream of Marion's Ferry to the aqueduct crossing 1.0 kilometer (0.6 mile) upstream of the confluence of Paper Mill Creek

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2006
0615_01	Entire water body	
depressed dissolved oxygen	5b	2002
0615_01	Entire water body	
impaired fish community	5c	2002
0615_01	Entire water body	
mercury in edible tissue	5c	2002
0615_01	Entire water body	

SegID: 0615A

Paper Mill Creek (unclassified water body)

From the confluence with Angelina River/Sam Rayburn Reservoir (0615) upstream to confluence with Mill Creek (0615B)

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2006
0615A_01	From the confluence of Angelina River/Sam Rayburn (0615) upstream to confluence with Mill Creek (0615B)	

2010 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0701 Taylor Bayou/North Fork Taylor Bayou Above Tidal

From the saltwater lock 7.7 km (4.8 miles) downstream of SH 73 in Jefferson County to the Lower Neches Valley Authority Canal in Jefferson County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5b	1996
0701_01	From the saltwater lock 7.7 km (4.8 miles) downstream of SH 73 in Jefferson County, per WQS App. C, upstream to the confluence with Hillebrandt Bayou (0704).	
0701_02	From the confluence with Hillebrandt Bayou upstream to confluences with North Fork Taylor Bayou and South Fork Bayou.	

SegID: 0701D Shallow Prong Lake (unclassified water body)

Widest upper portion of Big Hill Bayou about 2.0 km (1.26 miles) north of Blind Lake

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	2004
0701D_01	Portion of Big Hill Bayou, Shallow Prong portion of NHD RC 12040201006920	

SegID: 0702 Intracoastal Waterway Tidal

From the confluence with Galveston Bay at Port Bolivar in Galveston County to the confluence with the Sabine-Neches Canal in Jefferson County (including Taylor Bayou Tidal from the confluence with the Intracoastal Waterway up to the saltwater lock 7.7 km

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue	5a	2010
0702_03	From the eastern most boundary of East Bay to Port Bolivar	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2010
0702_03	From the eastern most boundary of East Bay to Port Bolivar	

SegID: 0702A Alligator Bayou and Main Canals A, B, C, and D (unclassified water body)

All perennial canals in Jefferson County Drainage District No. 7 that eventually drain into the tidal portion of Taylor Bayou at the pump house gate, including Alligator Bayou.

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
toxicity in sediment	5c	1998
0702A_01	From Taylor Bayou Tidal (0702) to confluence with Main Canal D above SH 82.	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
toxicity in water	5c	1998
0702A_02	Alligator Bayou from confluence with Main Canal D upstream to include small canals that drain into Alligator Bayou	
0702A_03	Main Canal D from the confluence with Alligator Bayou at SH 82 upstream to about 0.35 km upstream of confluence with Canal A	

2010 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0704 Hillebrandt Bayou

From the confluence of Taylor Bayou in Jefferson County to a point 100 meters (110 yards) upstream of SH 124 in Jefferson County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2010
0704_02	From the confluence with Willow Marsh Bayou (0704A) upstream to a point 100 meters (110 yards) upstream of SH 124 in Jefferson County	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5b	1998
0704_01	From the confluence with Taylor Bayou Above Tidal (0701) upstream to confluence with Willow Marsh Bayou (0704A)	
0704_02	From the confluence with Willow Marsh Bayou (0704A) upstream to a point 100 meters (110 yards) upstream of SH 124 in Jefferson County	

SegID: 0801C Cotton Bayou (unclassified water body)

From the confluence of Cotton Lake southeast of Mont Belvieu in Chambers County upstream to a point (NHD RC 12040203000496) approximately 1 mile north of IH 10 in Chambers County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2010
0801C_01	Entire Segment	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5b	2006
0801C_01	Entire Segment	

2010 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0803 Lake Livingston

From Livingston Dam in Polk/San Jacinto County to a point 1.8 km (1.1 miles) upstream of Boggy Creek in Houston/Leon County, up to normal pool elevation of 131 feet (impounds Trinity River)

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
pH	5c	2008
0803_01	Lowermost portion of reservoir, adjacent to dam	
0803_06	Middle portion of reservoir, centering on US 190	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
sulfate	5b	2006
0803_01	Lowermost portion of reservoir, adjacent to dam	
0803_02	Lower portion of reservoir, East Wolf Creek	
0803_03	Lower portion of reservoir, East Willow Springs	
0803_04	Middle portion of reservoir, East Pointblank	
0803_05	Middle portion of reservoir, downstream of Kickapoo Creek	
0803_06	Middle portion of reservoir, centering on US 190	
0803_07	Upper portion of reservoir, west of Carlisle	
0803_08	Cove off upper portion of reservoir, East Trinity	
0803_09	West Carolina Creek cove, off upper portion of reservoir	
0803_10	Upper portion of reservoir, centering on SH 19	
0803_11	Riverine portion of reservoir, centering on SH 21	
0803_12	Remainder of reservoir	

SegID: 0803G Lake Madisonville (unclassified water body)

From Lake Madisonville Dam in Madison County up to the normal pool elevation of 285 feet (impounds Town Branch)

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
mercury in edible tissue	5c	2010
0803G_01	Entire water body	

SegID: 0804 Trinity River Above Lake Livingston

From a point 1.8 km (1.1 miles) upstream of Boggy Creek in Houston/Leon County to a point immediately upstream of the confluence of the Cedar Creek Reservoir discharge canal in Henderson/Navarro County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue	5a	2010
0804_07	From just above the confluence with Richland Creek in Henderson County, up to the upper end of the segment.	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2010
0804_07	From just above the confluence with Richland Creek in Henderson County, up to the upper end of the segment.	

2010 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0804G Catfish Creek (unclassified water body)

Twenty mile stretch of Catfish Creek running upstream from US 287 in Anderson Co., to Catfish Creek Ranch Lake just upstream of SH 19 in Henderson Co.

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2010
0804G_01 Entire Segment		

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5b	2006
0804G_01 Entire Segment		

SegID: 0804H Upper Keechi Creek (unclassified water body)

From confluence with segment 0804 Trinity River to the upper end of NHD stream Upper Keechi Creek (NHD RC 12030201001075)

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5b	2010
0804H_01 From the confluence with segment 0804 Trinity River up to confluence with Twin Branch (NHD RC 12030201027099)		

SegID: 0805 Upper Trinity River

From a point immediately upstream of the confluence of the Cedar Creek Reservoir discharge canal in Henderson/Navarro County to a point immediately upstream of the confluence of Elm Fork Trinity River in Dallas County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5a	1996
0805_03 From the confluence of Fivemile Creek upstream to the confluence of Cedar Creek.		
0805_04 From confluence of Cedar Creek upstream to confluence of Elm Fork Trinity River		

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue	5a	2010
0805_01 From confluence of the Cedar Creek Reservoir discharge canal upstream to confluence of Smith Creek.		
0805_02 From confluence of Smith Creek upstream to confluence of Tenmile Creek.		
0805_03 From the confluence of Fivemile Creek upstream to the confluence of Cedar Creek.		
0805_04 From confluence of Cedar Creek upstream to confluence of Elm Fork Trinity River		
0805_06 From confluence of Tenmile Creek upstream to confluence of Fivemile Creek		

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2002
0805_01 From confluence of the Cedar Creek Reservoir discharge canal upstream to confluence of Smith Creek.		
0805_02 From confluence of Smith Creek upstream to confluence of Tenmile Creek.		
0805_03 From the confluence of Fivemile Creek upstream to the confluence of Cedar Creek.		
0805_04 From confluence of Cedar Creek upstream to confluence of Elm Fork Trinity River		
0805_06 From confluence of Tenmile Creek upstream to confluence of Fivemile Creek		

2010 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0806 West Fork Trinity River Below Lake Worth

From a point immediately upstream of the confluence of Village Creek in Tarrant County to Lake Worth Dam in Tarrant County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue	5a	2010
0806_01	From confluence of Village Creek upstream to confluence of Clear Fork Trinity River	
0806_02	From confluence of Clear Fork Trinity River upstream to Lake Worth Dam	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	1996
0806_01	From confluence of Village Creek upstream to confluence of Clear Fork Trinity River	
0806_02	From confluence of Clear Fork Trinity River upstream to Lake Worth Dam	

SegID: 0806D Marine Creek (unclassified water body)

Two mile stretch of Marine Creek running upstream from confluence with the W. Fork of Trinity River to Tenmile Bridge Road in Fort Worth.

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2006
0806D_01	Marine Creek from the confluence with W. Fork Trinity River 2 miles upstream to Tenmile Bridge Rd. in Ft. Worth	

SegID: 0806E Sycamore Creek (unclassified water body)

Five mile stretch of Sycamore Creek running upstream from confluence with the W. Fork of Trinity River to confluence with Echo Lake Tributary in Fort Worth.

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2006
0806E_01	Five mile stretch of Sycamore Creek running upstream from confluence with the W. Fork of Trinity River to confluence with Echo Lake Tributary in Fort Worth	

SegID: 0810 West Fork Trinity River Below Bridgeport Reservoir

From a point 0.6 km (0.4 miles) downstream of the confluence of Oates Branch in Wise County to Bridgeport Dam in Wise County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	1998
0810_01	Lower 25 miles of segment	

SegID: 0810A Big Sandy Creek (unclassified water body)

Fifteen mile stretch of Sycamore Creek running upstream from confluence with Waggoner Creek to FM 1810, west of Alvord, Wise County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2006
0810A_01	Fifteen mile stretch of Big Sandy Creek running from confluence with Waggoner Creek to FM 1810 West of Alvord, Wise Co.	

2010 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0810B Garrett Creek (unclassified water body)

Eighteen mile stretch of Garrett Creek running upstream from confluence with Salt Creek to Wise County Road approximately 14 miles upstream of SH114, Wise County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2006
0810B_01	Eighteen mile stretch of Garrett Creek running upstream from confluence with Salt Creek to Wise County Road approximately 14 miles upstream of SH114, Wise Co.	

SegID: 0810C Martin Branch (unclassified water body)

The eight mile stretch of Martin Branch running upstream from confluence with Center Creek to FM 730 south of Decatur, Wise County.

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2006
0810C_01	Eight mile stretch of Martin Branch running upstream from confluence with Center Creek to FM 730 south of Decatur, Wise County.	

SegID: 0810D Salt Creek (unclassified water body)

Eleven mile stretch of Salt Creek running upstream from confluence with Garrett Creek, Wise County.

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2006
0810D_01	Eleven mile stretch of Salt Creek running upstream from confluence with Garrett Creek, Wise County.	

SegID: 0812 West Fork Trinity River Above Bridgeport Reservoir

From a point immediately upstream of the confluence of Bear Hollow in Jack County to SH 79 in Archer County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
chloride	5b	1998
0812_01	Lower 25 miles of segment	
0812_02	Upper 60 miles of segment	
<hr/>		
<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5b	1998
0812_01	Lower 25 miles of segment	

2010 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0818 Cedar Creek Reservoir

From Joe B. Hoggsett Dam in Henderson County up to normal pool elevation of 322 feet (impounds Cedar Creek)

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
pH	5c	2002
0818_01	Lowermost portion of the reservoir, adjacent to the dam.	
0818_02	Caney Creek cove	
0818_03	Clear Creek cove	
0818_05	Cove off lower portion of reservoir adjacent to Clearview Estates	
0818_06	Middle portion of reservoir downstream of Twin Creeks cove	
0818_07	Twin Creeks cove	
0818_08	Prairie Creek cove	
0818_09	Upper portion of reservoir adjacent to Lacy Fork cove	
0818_11	Upper portion of reservoir east of Tolosa	
0818_12	Uppermost portion of reservoir downstream of Kings Creek	

SegID: 0819 East Fork Trinity River

From the confluence with the Trinity River in Kaufman County to Rockwall-Forney Dam in Kaufman County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
chloride	5c	2008
0819_01	Entire segment	
sulfate	5c	2008
0819_01	Entire segment	
total dissolved solids	5c	2008
0819_01	Entire segment	

SegID: 0821C Wilson Creek (unclassified water body)

From the confluence with Lake Lavon in Collin County up to West FM 455 (NHD RC 12030106000086), just east of Celina, Collin Co., TX.

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2010
0821C_01	Entire water body	

2010 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0821D East Fork Trinity River above Lake Lavon (unclassified water body)

A portion of the East Fork Trinity River extending from the confluence with Lake Lavon (segment 0821) to the upper end of the water body (NHD RC 12030106000074) in Collin County, Texas.

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2010
0821D_01 Entire water body		

SegID: 0822A Cottonwood Branch (unclassified water body)

A 6 mile stretch of Cottonwood Branch running upstream from confluence with Hackberry Creek, to Valley View Road in Dallas County.

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2006
0822A_02 A 3.5 mile stretch of Cottonwood Branch running upstream from approximately 0.5 miles downstream of N. Story Rd. to Valley View Rd, Dallas, Co.		

SegID: 0822B Grapevine Creek (unclassified water body)

From the confluence with Elm Fork Trinity River in Dallas County upstream to its headwaters west of International Parkway at DFW Airport in Tarrant County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2006
0822B_01 Entire water body		

SegID: 0828A Village Creek (unclassified water body)

From the confluence with Lake Arlington in Tarrant County to the headwaters east of Joshua in Johnson County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2010
0828A_01 From Lake Arlington to the headwaters		

2010 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0829 **Clear Fork Trinity River Below Benbrook Lake**
 From the confluence with the West Fork Trinity River in Tarrant County to Benbrook Dam in Tarrant County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue	5a	2010
0829_01	From the confluence with West Fork Trinity River to 1 mile upstream.	
0829_02	From 1 mile upstream of the confluence with West Fork Trinity River up to the confluence with Mary's Creek.	
0829_03	From the confluence with Mary's Creek up to Benbrook Dam in Tarrant County, TX.	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	1996
0829_01	From the confluence with West Fork Trinity River to 1 mile upstream.	
0829_02	From 1 mile upstream of the confluence with West Fork Trinity River up to the confluence with Mary's Creek.	
0829_03	From the confluence with Mary's Creek up to Benbrook Dam in Tarrant County, TX.	

SegID: 0831 **Clear Fork Trinity River Below Lake Weatherford**
 From a point 200 meters (220 yards) downstream of US 377 in Tarrant County to Weatherford Dam in Parker County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5b	1996
0831_04	2 mi upstream of South Fork Trinity River confluence to Squaw Ck. Confluence	
0831_05	From the confluence of Squaw Ck. to Lake Weatherford Dam	

SegID: 0833 **Clear Fork Trinity River Above Lake Weatherford**
 From a point 3.1 km (1.9 miles) upstream of FM 1707 in Parker County, to FM 3107 in Parker County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5b	1998
0833_02	Upper 11 miles of segment	
0833_02	Upper 11 miles of segment	
0833_03	From the confluence of McKnight Branch to the confluence of Cottonwood Ck.	
0833_04	From the confluence with Dobbs Branch to confluence with McKnight Branch	

SegID: 0836B **Cedar Creek (unclassified water body)**
 From the confluence with Richland Chambers Reservoir to the upper end of the creek (NHD RC 12030109012807)

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5b	2010
0836B_01	Entire segment.	

2010 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0838C Walnut Creek (unclassified water body)

A 7 mile stretch of Walnut Creek running upstream from Holland Road, to confluence with Willow Branch, NW Mansfield, Tarrant County.

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2006
0838C_01	Entire segment.	

SegID: 0841 Lower West Fork Trinity River

From a point immediately upstream of the confluence of the Elm Fork Trinity River in Dallas County to a point immediately upstream of the confluence of Village Creek in Tarrant County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5a	1996
0841_01	From confluence of the Elm Fork Trinity River to the Tarrant/Dallas county line	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue	5a	2010
0841_01	From confluence of the Elm Fork Trinity River to the Tarrant/Dallas county line	
0841_02	From the Tarrant/Dallas county line upstream to the confluence of Village Creek	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	1996
0841_01	From confluence of the Elm Fork Trinity River to the Tarrant/Dallas county line	
0841_02	From the Tarrant/Dallas county line upstream to the confluence of Village Creek	

SegID: 0841B Bear Creek (unclassified water body)

A 12 mile stretch of Bear Creek running upstream from confluence with West Fork Trinity River, to the confluence with Little Bear Creek just upstream of HWY 183 in Euless, Tarrant County, TX.

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2006
0841B_01	Entire segment.	

SegID: 0841C Arbor Creek (unclassified water body)

A 2.2 mile stretch of Arbor Creek running upstream from confluence with Johnson Creek, to approx. 0.5 miles upstream of Tarrant/Dallas county line.

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2006
0841C_01	Entire segment.	

2010 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0841E Copart Branch Mountain Creek (unclassified water body)

A 2.8 mile stretch of Copart Branch running upstream from confluence with Mountain Creek to approximately 0.3 miles upstream of Camden Road on Dallas Naval Academy, Dallas County.

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2006
0841E_01	Entire segment.	

SegID: 0841F Cottonwood Creek (unclassified water body)

A 6.5 mile stretch of Cottonwood Creek running upstream from approx. 0.1 mi. upstream of Mountain Creek Reservoir in Dallas Co., to SH 360 in, Tarrant Co.

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2006
0841F_01	Entire segment.	

SegID: 0841G Dalworth Creek (unclassified water body)

A 2.2 mile stretch of Dalworth Creek running upstream from confluence with Lower W. Fork Trinity to County Line Road in Grand Prairie, Dallas Co.

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2006
0841G_01	Entire segment.	

SegID: 0841H Delaware Creek (unclassified water body)

An 8.5 mile stretch of Delaware Creek running upstream from confluence with Lower W. Fork Trinity to Finley Road in Irving.

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2006
0841H_01	Entire segment.	

SegID: 0841J Estelle Creek (unclassified water body)

A 4 mile stretch of Estelle Creek running upstream from confluence with Bear Creek to Valley View Lane in Irving, Dallas County.

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2006
0841J_01	Entire segment.	

SegID: 0841K Fish Creek (unclassified water body)

A 15 mile stretch of Fish Creek running upstream from the confluence with Mountain Creek Reservoir in Grand Prairie, Dallas Co., to the upper end of the creek (NHD RC 12030102000107) in Arlington, Tarrant Co.

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2006
0841K_01	Entire segment.	

2010 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0841L Johnson Creek (unclassified water body)

Four mile stretch of Johnson Creek running upstream from confluence with the Arbor Creek to just upstream of I30 in Grand Prairie, Tarrant Co.

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2010
0841L_01	Entire segment.	

SegID: 0841M Kee Branch (unclassified water body)

Six mile stretch of Kee Branch running upstream from confluence with Rush Creek to upper end of the creek (NHD RC 12030102000165).

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2006
0841M_01	Three mile stretch of Kee Branch running upstream from confluence with Rush Creek to approx. 300 m upstream of Polly-Webb Road in Arlington, Tarrant Co. Sta. ID 10792	

SegID: 0841N Kirby Creek (unclassified water body)

Four mile stretch of Kirby Creek running upstream from confluence with Fish Creek in Grand Prairie, Dallas Co., to just upstream of Great Southwest Parkway in Arlington, Tarrant Co.

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2006
0841N_01	Entire segment	

SegID: 0841R Rush Creek (unclassified water body)

A 5 mile stretch of Rush Creek running upstream from confluence with Village Creek to confluence with Kee Branch in Arlington, Tarrant Co.

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2010
0841R_01	Entire segment.	

SegID: 0841S Vilbig Lakes (unclassified water body)

A 5 acre area in NW corner of Vilbig Lakes, near confluence with unnamed creek, approx. 100 m south of intersection of Rusdell Rd./Marvel Dr. in Irving, Dallas, Co.

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2006
0841S_01	A 5 acre area in NW corner of Vilbig Lakes, near confluence with unnamed creek, approx. 100 m south of intersection of Rusdell Rd./Marvel Dr. in Irving, Dallas, Co.	

2010 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0841T Village Creek (unclassified water body)

A 7 mile stretch of Village Creek running upstream from confluence with West Fork Trinity River to SH 303 approx. 0.75 mi. downstream of Lake Arlington.

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2010
0841T_01	A 7 mile stretch of Village Creek running upstream from confluence with West Fork Trinity River to SH 303 approx. 0.75 mi. downstream of Lake Arlington.	

SegID: 0841U West Irving Creek (unclassified water body)

A 4 mile stretch of West Irving Branch running upstream from approx. 0.4 mi. downstream of Oakdale Rd. to just south of Sowers Road in Irving, Dallas Co.

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2006
0841U_01	A 4 mile stretch of West Irving Branch running upstream from approx. 0.4 mi. downstream of Oakdale Rd. to just south of Sowers Road in Irving, Dallas Co.	

SegID: 0841V Crockett Branch (unclassified water body)

A 1 mile (1.5 KM) stretch of Crockett Branch extending upstream from the confluence with Cottonwood Creek to the upper end of the creek (NHD RC 12030102044745)

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2010
0841V_01	Entire Segment.	

SegID: 0901 Cedar Bayou Tidal

From the confluence with Galveston Bay 1.0 km (0.6 miles) downstream of Tri-City Beach Road in Chambers County to a point 2.2 km (1.4 miles) upstream of IH 10 in Chambers/Harris County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2006
0901_01	From the confluence with Galveston Bay 1.0 km (0.6 miles) downstream of Tri-City Beach Road to a point 2.2 km (1.4 miles) upstream of IH 10	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue	5a	2002
0901_01	From the confluence with Galveston Bay 1.0 km (0.6 miles) downstream of Tri-City Beach Road to a point 2.2 km (1.4 miles) upstream of IH 10	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2008
0901_01	From the confluence with Galveston Bay 1.0 km (0.6 miles) downstream of Tri-City Beach Road to a point 2.2 km (1.4 miles) upstream of IH 10	

2010 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1001 San Jacinto River Tidal

From a point 100 meters (110yards) downstream of IH 10 in Harris County to Lake Houston Dam in Harris County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue	5a	2000
1001_01	From Lake Houston Dam to US Hwy 90	
1001_02	From US Hwy 90 to IH 10	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2002
1001_02	From US Hwy 90 to IH 10	

SegID: 1002 Lake Houston

From Lake Houston Dam in Harris County to the confluence of Spring Creek on the West Fork San Jacinto Arm in Harris/Montgomery County and to the confluence of Caney Creek on the East Fork San Jacinto Arm in Harris County, up to normal pool elevation of 44.5 feet (impounds San Jacinto River)

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5a	2006
1002_06	From the confluence with Spring Creek to West Lake Houston Pkwy	

SegID: 1002C Lake Isabell (unclassified water body)

Small lake located at the southern end of Lake Houston Park northeast of the Caney Creek (1010) and East Fork of the San Jacinto River (1003) confluence in Harris County.

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
mercury in edible tissue	5c	2010
1002C_01	Small lake located at the southern end of Lake Houston Park northeast of the Caney Creek (1010) and East Fork of the San Jacinto River (1003) confluence in Harris County.	

SegID: 1003 East Fork San Jacinto River

From the confluence of Caney Creek in Harris County to US 190 in Walker County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5a	2006
1003_01	From the Caney Creek confluence upstream to US 59	
1003_02	From US Hwy 59 to a point 40 km (25 mi) upstream (just upstream of Clear Creek confluence)	
1003_03	From a point 40 km (25 mi) upstream (just upstream of Clear Creek confluence) to US 190 (upper segment boundary)	

2010 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1004 West Fork San Jacinto River

From the confluence of Spring Creek in Harris/Montgomery County to Conroe Dam in Montgomery County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5a	2002
1004_01	From the Spring Creek confluence upstream to the Stewart Creek confluence	
1004_02	From the Stewart Creek confluence upstream to the Lake Conroe Dam	

SegID: 1004D Crystal Creek (unclassified water body)

From the West Fork of the San Jacinto River confluence to the confluence of the east and west forks of Crystal Creek

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5a	2006
1004D_01	From the Confluence with West Fork San Jacinto River upstream to confluence of the East and West Forks of Crystal Creek	

SegID: 1004E Stewarts Creek (unclassified water body)

From headwaters northwest of old Montgomery Rd to confluence with West Fork of the San Jacinto River

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5a	2006
1004E_02	From Airport Rd to confluence with West Fork San Jacinto River	

SegID: 1005 Houston Ship Channel/San Jacinto River Tidal

From the confluence with Galveston Bay at Morgan's Point in Harris/Chambers County to a point 100 meters (110 yards) downstream of IH 10 in Harris County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue	5a	1996
1005_01	Downstream I-10 to Lynchburg Ferry Road	
1005_02	Lynchburg Ferry Road to Goose Island	
1005_03	Goose Island to SH 146	
1005_04	SH 146 to Morgans Point	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2002
1005_01	Downstream I-10 to Lynchburg Ferry Road	
1005_02	Lynchburg Ferry Road to Goose Island	
1005_03	Goose Island to SH 146	
1005_04	SH 146 to Morgans Point	

2010 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1006

Houston Ship Channel Tidal

From the confluence with the San Jacinto River in Harris County to a point immediately upstream of Greens Bayou in Harris County, including tidal portions of tributaries

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2006
1006_01	Houston Ship Channel Tidal-From the Greens Bayou confluence to the Patrick Bayou confluence	
1006_03	Greens Bayou Tidal- From the Houston Ship Channel confluence to a point 0.7 km (0.4 miles) upstream of the Halls Bayou confluence	
1006_05	Goodyear Creek-From confluence with Greens Bayou Tidal to Granada St. in Harris County	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	2006
1006_05	Goodyear Creek-From confluence with Greens Bayou Tidal to Granada St. in Harris County	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue	5a	1996
1006_01	Houston Ship Channel Tidal-From the Greens Bayou confluence to the Patrick Bayou confluence	
1006_02	Houston Ship Channel Tidal- From the Patrick Bayou confluence to the Houston Ship Channel/San Jacinto River Tidal (1005) confluence	
1006_03	Greens Bayou Tidal- From the Houston Ship Channel confluence to a point 0.7 km (0.4 miles) upstream of the Halls Bayou confluence	
1006_04	Patrick Bayou Tidal - From the confluence with the Houston Ship Channel to 100 m (328 ft) upstream of the railroad bridge	
1006_05	Goodyear Creek-From confluence with Greens Bayou Tidal to Granada St. in Harris County	
1006_06	Tucker Bayou- From the Houston Ship Channel confluence to a point 2.7 km (1.7 mi) upstream	
1006_07	Carpenters Bayou-From the Houston Ship Channel confluence to the lower boundary of 1006B (2.3 m/ 1.4 mi) upstream from the Houston Ship Channel confluence)	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
mercury in water	5c	1998
1006_04	Patrick Bayou Tidal - From the confluence with the Houston Ship Channel to 100 m (328 ft) upstream of the railroad bridge	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2002
1006_01	Houston Ship Channel Tidal-From the Greens Bayou confluence to the Patrick Bayou confluence	
1006_02	Houston Ship Channel Tidal- From the Patrick Bayou confluence to the Houston Ship Channel/San Jacinto River Tidal (1005) confluence	
1006_03	Greens Bayou Tidal- From the Houston Ship Channel confluence to a point 0.7 km (0.4 miles) upstream of the Halls Bayou confluence	
1006_04	Patrick Bayou Tidal - From the confluence with the Houston Ship Channel to 100 m (328 ft) upstream of the railroad bridge	
1006_05	Goodyear Creek-From confluence with Greens Bayou Tidal to Granada St. in Harris County	
1006_06	Tucker Bayou- From the Houston Ship Channel confluence to a point 2.7 km (1.7 mi) upstream	
1006_07	Carpenters Bayou-From the Houston Ship Channel confluence to the lower boundary of 1006B (2.3 m/ 1.4 mi) upstream from the Houston Ship Channel confluence)	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
toxicity in sediment	5c	2000

2010 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1006 Houston Ship Channel Tidal

From the confluence with the San Jacinto River in Harris County to a point immediately upstream of Greens Bayou in Harris County, including tidal portions of tributaries

1006_04	Patrick Bayou Tidal - From the confluence with the Houston Ship Channel to 100 m (328 ft) upstream of the railroad bridge
1006_04	Patrick Bayou Tidal - From the confluence with the Houston Ship Channel to 100 m (328 ft) upstream of the railroad bridge

SegID: 1006D Halls Bayou (unclassified water body)

From the Greens Bayou confluence upstream to Frick Road in Harris County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5a	2002
1006D_01	From the Greens Bayou confluence upstream to US 59	
1006D_02	From US 59 upstream to Frick Road	

SegID: 1006F Big Gulch Above Tidal (unclassified water body)

From the confluence with Greens Bayou Tidal to Wallisville Road in Harris County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5a	2002
1006F_01	Entire water body	

SegID: 1006H Spring Gully Above Tidal (unclassified water body)

From confluence with Greens Bayou to US 90 in Harris County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5a	2002
1006H_01	Entire water body	

SegID: 1006I Unnamed Tributary of Halls Bayou (unclassified water body)

From the confluence with Halls Bayou to a point 0.13 miles upstream of Richland Drive in Harris County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5a	2002
1006I_01	Entire water body	

2010 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1006J Unnamed Tributary of Halls Bayou (unclassified water body)

From the confluence with Halls Bayou (east of US 59 and south of Langley Road) to Mount Houston Road
in Harris County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5a	2002
1006J_01	From the Halls Bayou confluence (east of US 59 and south of Langley Road) to Mount Houston Road	

2010 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1007 Houston Ship Channel/Buffalo Bayou Tidal

From a point immediately upstream of Greens Bayou in Harris County to a point 100 meters (110 yards) upstream of US 59 in Harris County, including tidal portion of tributaries

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2006
1007_01	Houston Ship Channel - From a point immediately upstream of Greens Bayou Tidal to immediately upstream of the 69th Street WWTP outfall	
1007_03	Hunting Bayou Tidal - From the Houston Ship Channel confluence to IH-10	
1007_04	Brays Bayou Tidal - From the Houston Ship Channel confluence to downstream of IH-45	
1007_05	Vince Bayou Tidal - From the Houston Ship Channel confluence to SH 225	
1007_07	Buffalo Bayou - From immediately upstream of 69th Street WWTP outfall to US 59	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue	5a	1996
1007_01	Houston Ship Channel - From a point immediately upstream of Greens Bayou Tidal to immediately upstream of the 69th Street WWTP outfall	
1007_02	Sims Bayou Tidal - From the Houston Ship Channel confluence to a point 11 km (6.8 mi) upstream	
1007_03	Hunting Bayou Tidal - From the Houston Ship Channel confluence to IH-10	
1007_04	Brays Bayou Tidal - From the Houston Ship Channel confluence to downstream of IH-45	
1007_05	Vince Bayou Tidal - From the Houston Ship Channel confluence to SH 225	
1007_06	Berry Bayou - From the Houston Ship Channel confluence to a point 2.4 km (1.5 mi) upstream of the Sims Bayou confluence	
1007_07	Buffalo Bayou - From immediately upstream of 69th Street WWTP outfall to US 59	
1007_08	Little Vince Bayou Tidal - From the Vince Bayou confluence to SH 225	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2002
1007_01	Houston Ship Channel - From a point immediately upstream of Greens Bayou Tidal to immediately upstream of the 69th Street WWTP outfall	
1007_02	Sims Bayou Tidal - From the Houston Ship Channel confluence to a point 11 km (6.8 mi) upstream	
1007_03	Hunting Bayou Tidal - From the Houston Ship Channel confluence to IH-10	
1007_04	Brays Bayou Tidal - From the Houston Ship Channel confluence to downstream of IH-45	
1007_05	Vince Bayou Tidal - From the Houston Ship Channel confluence to SH 225	
1007_06	Berry Bayou - From the Houston Ship Channel confluence to a point 2.4 km (1.5 mi) upstream of the Sims Bayou confluence	
1007_07	Buffalo Bayou - From immediately upstream of 69th Street WWTP outfall to US 59	
1007_08	Little Vince Bayou Tidal - From the Vince Bayou confluence to SH 225	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
toxicity in sediment	5c	2000
1007_05	Vince Bayou Tidal - From the Houston Ship Channel confluence to SH 225	
1007_05	Vince Bayou Tidal - From the Houston Ship Channel confluence to SH 225	

2010 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1007A Canal C-147 Tributary of Sims Bayou Above Tidal (unclassified water body)
 From the Sims Bayou confluence upstream to a point 0.71 km (0.44 mi) east of Beltway 8 in Harris County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2006
1007A_01	From the Sims Bayou confluence upstream to a point 0.71 km (0.44 mi) east of Beltway 8	

SegID: 1007B Brays Bayou Above Tidal (unclassified water body)
 From a point 11.5 km (7.1 mi) upstream of confluence with Houston Ship Channel up to SH 6

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5a	2002
1007B_01	From a point 11.5 km (7.1 mi) upstream of confluence with Houston Ship Channel up to SH 6	
1007B_02	From State Highway 6 upstream to Clodine Road	

SegID: 1007C Keegans Bayou Above Tidal (unclassified water body)
 From the Brays Bayou confluence upstream to Harris County line

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5a	2002
1007C_01	From the Brays Bayou confluence to the Harris County Line	

SegID: 1007D Sims Bayou Above Tidal (unclassified water body)
 Perennial stream from 11.0 km upstream of confluence with Houston Ship Channel upstream to Hiram Clark Drive

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5a	2002
1007D_01	From 0.4 miles north of Beltway 8 to Hiram Clark	
1007D_02	From Hiram Clark to 11 miles upstream of the confluence with the Houston Ship Channel	
1007D_03	From 11 miles upstream of the Houston Ship Channel confluence to SH 35	

SegID: 1007E Willow Waterhole Bayou Above Tidal (unclassified water body)
 From the Brays Bayou confluence upstream to South Garden (in Missouri City)

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5a	2002
1007E_01	From the Brays Bayou confluence upstream to South Garden Street	

2010 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1007F Berry Bayou Above Tidal (unclassified water body)

From a point 2.4 km (1.5 mi) upstream of the Sims Bayou confluence to the southern city limits of South Houston

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5a	2002
1007F_01	From a point 2.4 km (1.5 mi) upstream of the Sims Bayou confluence to SH 3	

SegID: 1007G Kuhlman Gully Above Tidal (unclassified water body)

From Brays Bayou confluence to Atchison, Topeka and Santa Fe Railroad tracks in Harris County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5a	2002
1007G_01	From Brays Bayou confluence to Atchison, Topeka and Santa Fe Railroad tracks	

SegID: 1007H Pine Gully Above Tidal (unclassified water body)

From the Sims Bayou confluence to 0.11 km (0.07 mi) east of Broadway Street in Harris County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5a	2002
1007H_01	From the Sims Bayou confluence to 0.11 km (0.07 mi) east of Broadway Street	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	2010
1007H_01	From the Sims Bayou confluence to 0.11 km (0.07 mi) east of Broadway Street	

SegID: 1007I Plum Creek Above Tidal (unclassified water body)

From the Sims Bayou confluence to Telephone Road in Harris County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5a	2002
1007I_01	From the Sims Bayou confluence to Telephone Road in Harris County	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	2010
1007I_01	From the Sims Bayou confluence to Telephone Road in Harris County	

2010 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1007K Country Club Bayou Above Tidal (unclassified water body)

From just downstream of South Lockwood Drive to the confluence with Brays Bayou to approximately 0.5 miles upstream of North Wayside Drive in Harris County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5a	2002
1007K_01	From just downstream of South Lockwood Drive to the confluence with Brays Bayou	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	2002
1007K_01	From just downstream of South Lockwood Drive to the confluence with Brays Bayou	

SegID: 1007L Unnamed Tributary of Brays Bayou (unclassified water body)

From the Brays Bayou confluence near Fondren Road to a point 0.97 km (0.60 mi) upstream in Harris County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5a	2002
1007L_01	From the Brays Bayou confluence near Fondren Road to a point (0.37 km) 0.60 miles upstream in Harris County	

SegID: 1007M Unnamed Tributary of Hunting Bayou (unclassified water body)

From the confluence with Hunting Bayou to Mercury Road in Harris County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5a	2002
1007M_01	Entire water body	

SegID: 1007N Unnamed Tributary of Sims Bayou (unclassified water body)

From the confluence with Sims Bayou, south of Airport Road, east of SH 288 in Harris County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5a	2002
1007N_01	Entire water body	

SegID: 1007O Unnamed Tributary of Buffalo Bayou (unclassified water body)

From the confluence with Buffalo Bayou to IH-10 between Hirsch Road and Lockwood in Harris County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5a	2002
1007O_01	Entire water body	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	2002
1007O_01	Entire water body	

2010 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1007R Hunting Bayou Above Tidal (unclassified water body)

From the confluence with Hunting Bayou Tidal at IH-10 to Maury Street on the north fork and Bain Street on the south fork

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5a	2002
1007R_01	From Bain Street to Sayers Street (South Fork)	
1007R_02	From just east of Elysian Street to Falls Street (North Fork)	
1007R_03	From Falls Street to Loop 610 East	
1007R_04	From Loop 610 East to IH 10	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	2002
1007R_01	From Bain Street to Sayers Street (South Fork)	

SegID: 1007S Poor Farm Ditch (unclassified water body)

From the Brays Bayou confluence upstream 3.6 km (2.3 mi) to the Bissonnet Road bridge crossing

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5a	2010
1007S_01	From the Brays Bayou confluence upstream 3.6 km (2.3 mi) to the Bissonnet Road bridge crossing	

SegID: 1007T Bintliff Ditch (unclassified water body)

From the Brays Bayou confluence upstream 5.8 km (3.6 mi) to the Fondren Road bridge crossing

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5a	2010
1007T_01	From the Brays Bayou confluence to 0.57 km (0.35 mi) upstream of the Fondren Road bridge crossing	

SegID: 1007U Mimosa Ditch (unclassified water body)

From the Brays Bayou confluence upstream 2.9 km (1.8 mi) to the Chimney Rock bridge crossing

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5a	2010
1007U_01	From the Brays Bayou confluence upstream 2.9 km (1.8 mi) to the Chimney Rock bridge crossing	

SegID: 1007V Unnamed Tributary of Hunting Bayou (unclassified water body)

From the Hunting Bayou confluence to 1.7 km (1.1 mi) upstream of the confluence (0.3 km west of Collingsworth Street)

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5a	2010
1007V_01	From the Hunting Bayou confluence to 1.7 km (1.1 mi) upstream of the confluence (0.3 km west of Collingsworth Street)	

2010 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1008 Spring Creek

From the confluence with the West Fork San Jacinto River in Harris/Montgomery County to the most upstream crossing of FM 1736 in Waller County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5a	1996
1008_02	Field Store Road to SH 249	
1008_03	SH 249 to IH 45	
1008_04	IH 45 to confluence with Lake Houston	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5b	1996
1008_02	Field Store Road to SH 249	

SegID: 1008B Upper Panther Branch (unclassified water body)

From the normal pool elevation of 125 feet of Lake Woodlands upstream to Old Conroe Road

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5a	2006
1008B_01	From the Lake Woodlands confluence upstream to the Bear Branch confluence	
1008B_02	From the Bear Branch confluence to Old Conroe Road	

SegID: 1008C Lower Panther Branch (unclassified water body)

From the Spring Creek confluence upstream to the dam impounding Lake Woodlands in Montgomery County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2010
1008C_01	From Spring Creek confluence upstream to Saw Dust Road	
1008C_02	From Saw Dust Road to the Lake Woodlands Dam	

SegID: 1008E Bear Branch (unclassified water body)

From the Upper Panther Branch confluence to south of FM 1488 in Montgomery County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2010
1008E_01	From Upper Panther Branch confluence to south of FM 1488	

SegID: 1008H Willow Creek (unclassified water body)

From the Spring Creek confluence to a point 0.48 km (0.3 mi) north of Juergen Rd

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5a	2006
1008H_01	From the Spring Creek confluence to a point 0.48 km (0.3 mi) north of Juergen Rd	

2010 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1009 Cypress Creek
 From the confluence with Spring Creek in Harris County to the confluence of Snake Creek and Mound Creek in Waller County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5a	1996
1009_01	Upper portion of segment to downstream of US 290	
1009_02	US 290 to SH 249	
1009_03	SH 249 to IH 45	
1009_04	IH 45 to confluence with Spring Creek	

SegID: 1009C Faulkey Gully (unclassified water body)
 From Cypress Creek confluence with upstream 3.2 km (2.0 mi), which is approximately 1.0 km upstream of Louetta Road

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5a	2006
1009C_01	From the Cypress Creek confluence to a point 11.7 km (7.2 mi) upstream	

SegID: 1009D Spring Gully (unclassified water body)
 From the Cypress Creek confluence upstream to near Spring Cypress Road

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5a	2006
1009D_01	From the Cypress Creek confluence upstream to near Spring Cypress Road	

SegID: 1009E Little Cypress Creek (unclassified water body)
 From the Cypress Creek confluence to a point 11 km (6.8 mi) upstream in Harris County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5a	2006
1009E_01	From the Cypress Creek confluence to a point 11 km (6.8 mi) upstream	

SegID: 1010 Caney Creek
 From the confluence with the East Fork San Jacinto River in Harris County to SH 150 in Walker County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5a	2006
1010_02	From the Spring Branch confluence upstream to the Cagle Branch confluence	
1010_03	From the Cagle Branch confluence upstream to the Camp Creek confluence	
1010_04	From the Camp Creek confluence upstream to State Hwy 150	

2010 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1011 Peach Creek

From the confluence with Caney Creek in Montgomery County to SH 150 in Walker County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5a	2006
1011_01	Upper segment boundary to US Hwy 59	
1011_02	US Hwy 59 to confluence with Caney Creek	

SegID: 1013A Little White Oak Bayou (unclassified water body)

From the White Oak Bayou confluence to Yale Street in Harris County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	2002
1013A_01	From the confluence of White Oak Bayou upstream to the RR Tracks north of IH 610	
1013A_01	From the confluence of White Oak Bayou upstream to the RR Tracks north of IH 610	
1013A_01	From the confluence of White Oak Bayou upstream to the RR Tracks north of IH 610	

SegID: 1014M Newman Branch (Neimans Bayou) (unclassified water body)

From the Buffalo Bayou Above Tidal confluence to 0.1 km (0.06 mi) upstream of Hammerly Blvd in Harris County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5b	2002
1014M_01	From the Buffalo Bayou confluence to 0.1 km (0.06 mi) upstream of Hammerly Blvd	
<hr/>		
<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
impaired fish community	5b	2010
1014M_01	From the Buffalo Bayou confluence to 0.1 km (0.06 mi) upstream of Hammerly Blvd	
<hr/>		
<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
impaired macrobenthic community	5b	2010
1014M_01	From the Buffalo Bayou confluence to 0.1 km (0.06 mi) upstream of Hammerly Blvd	

SegID: 1016 Greens Bayou Above Tidal

From a point 0.7 km (0.4 miles) above the confluence of Halls Bayou in Harris County to a point 100 meters (110 yards) above FM 1960 in Harris County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5a	1996
1016_01	Upper segment boundary (FM 1960) to IH 45	
1016_02	IH 45 to US 59	
1016_03	From US 59 to the downstream boundary 0.7 km (0.4 miles) upstream of the Halls Bayou confluence	

2010 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1016A Garners Bayou (unclassified water body)

Perennial stream from the confluence with Williams Gully upstream to 1.5 km north Atascocita Road

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5a	2002
1016A_02	From the confluence with Williams Gully upstream to 1.5 km north of Atascocita Road	
1016A_03	From Atascocita Road upstream to 1.7 km (1.1 mi) upstream of Will Clayton Pkwy	

SegID: 1016B Unnamed Tributary of Greens Bayou (unclassified water body)

From confluence with Greens Bayou to Hirsch Road in Harris County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5a	2002
1016B_01	Entire water body	

SegID: 1016C Unnamed Tributary of Greens Bayou (unclassified water body)

From the confluence with Greens Bayou, east of Aldine Westfield Road, to the Hardy Toll Road in Harris County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5a	2002
1016C_01	Entire water body	

SegID: 1016D Unnamed Tributary of Greens Bayou (unclassified water body)

From the confluence with Greens Bayou, west of El Dorado Country Club to Lee Road, west of US Hwy 59 in Harris County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5a	2002
1016D_01	Entire water body	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	2002
1016D_01	Entire water body	

SegID: 1017C Vogel Creek (unclassified water body)

From the White Oak Bayou Above Tidal confluence to a point 3.2 km (2.0 mi) upstream of the White Oak Bayou confluence to just south of State Hwy 249 in Harris County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5a	2010
1017C_01	From the White Oak Bayou confluence to a point 3.2 km (2.0 mi) upstream	

2010 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1017D Unnamed Tributary of Whiteoak Bayou (unclassified water body)

From the confluence with White Oak Bayou downstream of TC Jester, to Hempstead Hwy, north of US Hwy 290 in Harris County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	2002
1017D_01 Entire water body		

SegID: 1101 Clear Creek Tidal

From the Clear Lake confluence at a point 3.2 km (2.0 miles) downstream of El Camino Real in Galveston/Harris County to a point 100 m (110 yards) upstream of FM528 in Galveston/Harris County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue	5a	2010
1101_01 Upper segment boundary to Chigger Creek confluence		
1101_02 Chigger Creek confluence to IH 45		
1101_03 IH 45 to Cow Bayou confluence		
1101_04 Cow Bayou confluence to confluence with Clear Lake		

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2010
1101_01 Upper segment boundary to Chigger Creek confluence		
1101_02 Chigger Creek confluence to IH 45		
1101_03 IH 45 to Cow Bayou confluence		
1101_04 Cow Bayou confluence to confluence with Clear Lake		

SegID: 1101A Magnolia Creek (unclassified water body)

From the Clear Creek Tidal confluence upstream to 0.8 km (0.5 mi) upstream of the confluence with the second unnamed tributary

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5a	2010
1101A_01 From the Clear Creek Tidal confluence upstream 7.7 km (4.8 mi)		

SegID: 1101C Cow Bayou (unclassified water body)

From the Clear Creek Tidal confluence to SH 3 in Galveston County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5a	2010
1101C_01 From the Clear Creek Tidal confluence to SH3		

2010 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1101E Unnamed Trib of Clear Creek Tidal (unclassified water body)

From Clear Creek Tidal confluence to a point 3.2 km (2.0 mi) immediately downstream of I-45 in Galveston County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5a	2010
1101E_01	From the Clear Creek Tidal confluence to a point 3.0 km (1.9 mi) upstream	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	2010
1101E_01	From the Clear Creek Tidal confluence to a point 3.0 km (1.9 mi) upstream	

SegID: 1102 Clear Creek Above Tidal

From a point 100 meters (110 yards) upstream of FM 528 in Galveston/Harris County to Rouen Road in Fort Bend County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2010
1102_01	Upper segment boundary (Rouen Road) to SH 288	
1102_02	SH 288 to Hickory Slough confluence	
1102_03	Hickory Slough confluence to Turkey Creek confluence	
1102_04	Turkey Creek confluence to Mary's Creek confluence	
1102_05	Mary's Creek confluence to lower segment boundary	

SegID: 1102G Unnamed Tributary of Mary's Creek (unclassified water body)

From the Mary's Creek confluence 1.3 km (0.84 mi) west of FM 1128 to a point 1.2 km (0.75 mi) upstream to the confluence of an unnamed tributary

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5a	2010
1102G_01	From the Mary's Creek confluence 1.3 km (0.84 mi) west of FM 1128 to a point 1.2 km (0.75 mi) upstream to the confluence of an unnamed tributary	

2010 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1103 Dickinson Bayou Tidal

From the Dickinson Bay confluence 2.1 km (1.3 miles) downstream of SH 146 in Galveston County to a point 4.0 km (2.5 miles) downstream of FM 517 in Galveston County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5a	1996
1103_01	From the Dickinson Bay confluence (downstream of State Hwy 146) upstream to the Gum Bayou confluence	
1103_03	From the Benson Bayou confluence upstream to the Bordens Gully confluence	
1103_04	From the Bordens Gully confluence upstream to a point 4.0 km (2.5 mi) downstream of FM 517	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5a	1996
1103_02	From the Gum Bayou confluence upstream to the Benson Bayou confluence	
1103_02	From the Gum Bayou confluence upstream to the Benson Bayou confluence	
1103_03	From the Benson Bayou confluence upstream to the Bordens Gully confluence	
1103_04	From the Bordens Gully confluence upstream to a point 4.0 km (2.5 mi) downstream of FM 517	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue	5a	2010
1103_01	From the Dickinson Bay confluence (downstream of State Hwy 146) upstream to the Gum Bayou confluence	
1103_02	From the Gum Bayou confluence upstream to the Benson Bayou confluence	
1103_03	From the Benson Bayou confluence upstream to the Bordens Gully confluence	
1103_04	From the Bordens Gully confluence upstream to a point 4.0 km (2.5 mi) downstream of FM 517	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2010
1103_01	From the Dickinson Bay confluence (downstream of State Hwy 146) upstream to the Gum Bayou confluence	
1103_02	From the Gum Bayou confluence upstream to the Benson Bayou confluence	
1103_03	From the Benson Bayou confluence upstream to the Bordens Gully confluence	
1103_04	From the Bordens Gully confluence upstream to a point 4.0 km (2.5 mi) downstream of FM 517	

SegID: 1103A Bensions Bayou (unclassified water body)

From the Dickinson Bayou confluence to point 0.6 km (0.37 mi) upstream of FM 646 in Galveston County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5a	2002
1103A_01	From the Dickinson Bayou Tidal confluence to point 0.6 km (0.37 mi) upstream of FM 646	

SegID: 1103B Bordens Gully (unclassified water body)

From the Dickinson Bayou Tidal confluence to a point 1.4 km (0.87 mi) upstream of FM 646 in Galveston County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5a	2002
1103B_01	From the Dickinson Bayou Tidal confluence to a point 1.4 km (0.87 mi) upstream of FM 646	

2010 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1103C Geisler Bayou (unclassified water body)

From the Dickinson Bayou Tidal confluence to a point 1.37 km (0.85 mi) upstream of FM 646 in Galveston County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5a	2002
1103C_01	From the Dickinson Bayou Tidal confluence to a point 1.37 km (0.85 mi) upstream of FM 646	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	2010
1103C_01	From the Dickinson Bayou Tidal confluence to a point 1.37 km (0.85 mi) upstream of FM 646	

SegID: 1103D Gum Bayou (unclassified water body)

From the Dickinson Bayou Tidal confluence to State Hwy 96 in Galveston County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2010
1103D_01	From Dickinson Bayou Tidal confluence to State Hwy 96	

SegID: 1103E Cedar Creek (unclassified water body)

From the Dickinson Bayou Tidal confluence to a point 0.63 km (0.39 mi) upstream FM 517 in Galveston County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2010
1103E_01	From the Dickinson Bayou Tidal confluence to a point 0.63 km (0.39 mi) upstream FM 517	

SegID: 1104 Dickinson Bayou Above Tidal

From a point 4.0 km (2.5 miles) downstream of FM 517 in Galveston County to FM 528 in Galveston County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	1996
1104_02	From FM 517 upstream to FM 528	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	2006
1104_01	From the lower segment boundary (a point 4.0 km (2.5 mi) downstream of FM 517) to FM 517	

SegID: 1105A Flores Bayou (unclassified water body)

From a point 2.6 km (1.6 mi) downstream of County Road 171 upstream to SH 35 in Brazoria County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2010
1105A_01	From a point 2.6 km (1.6 mi) downstream of County Road 171 upstream to SH 35	

2010 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1105E Brushy Bayou (unclassified water body)

From the confluence with Austin Bayou Above Tidal (1105C) upstream to end of canal approximately 0.4 miles upstream of FM 210 crossing east of the City of Angleton in Brazoria County.

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2010
1105E_01 Entire water body		

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	2010
1105E_01 Entire water body		

SegID: 1107 Chocolate Bayou Tidal

From the Chocolate Bay confluence 1.4 km (0.9 miles) downstream of FM 2004 to a point 4.2 km (2.6 miles) downstream of SH 35 in Brazoria County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2010
1107_01 From the Chocolate Bay confluence 1.4 km (0.9 mi) downstream of FM 2004 to a point 4.2 km (2.6 mi) downstream of SH 35		

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue	5a	2010
1107_01 From the Chocolate Bay confluence 1.4 km (0.9 mi) downstream of FM 2004 to a point 4.2 km (2.6 mi) downstream of SH 35		

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2010
1107_01 From the Chocolate Bay confluence 1.4 km (0.9 mi) downstream of FM 2004 to a point 4.2 km (2.6 mi) downstream of SH 35		

SegID: 1110 Oyster Creek Above Tidal

From a point 100 meters (110 yards) upstream of FM 2004 in Brazoria County to the Brazos River Authority diversion dam 1.8 km (1.1 miles) upstream of SH 6 in Fort Bend County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2006
1110_01 From the lower segment boundary immediately upstream of FM 2004 to the Styles Bayou confluence		
1110_02 From Styles Bayou upstream to an unnamed tributary [2.9 km (1.8 mi) downstream of FM 1462]		

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5b	1996
1110_01 From the lower segment boundary immediately upstream of FM 2004 to the Styles Bayou confluence		

2010 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1113 Armand Bayou Tidal

From the Clear Lake confluence (at NASA Road 1 bridge) in Harris County to a point 0.8 km (0.5 miles) downstream of Genoa-Red Bluff Road in Pasadena in Harris County (includes Mud Lake/Pasadena Lake)

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5b	1996
1113_02	From the Horsepen Bayou confluence to the Big Island Slough confluence	
1113_02	From the Horsepen Bayou confluence to the Big Island Slough confluence	
1113_03	From the Big Island Slough confluence upstream to a point 0.8 km (0.5 mi) downstream of Genoa-Red Bluff Road	
1113_03	From the Big Island Slough confluence upstream to a point 0.8 km (0.5 mi) downstream of Genoa-Red Bluff Road	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue	5a	2010
1113_01	From the Clear Lake confluence at Nasa Road 1 to the Horsepen Bayou confluence	
1113_02	From the Horsepen Bayou confluence to the Big Island Slough confluence	
1113_03	From the Big Island Slough confluence upstream to a point 0.8 km (0.5 mi) downstream of Genoa-Red Bluff Road	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2010
1113_01	From the Clear Lake confluence at Nasa Road 1 to the Horsepen Bayou confluence	
1113_02	From the Horsepen Bayou confluence to the Big Island Slough confluence	
1113_03	From the Big Island Slough confluence upstream to a point 0.8 km (0.5 mi) downstream of Genoa-Red Bluff Road	

SegID: 1113A Armand Bayou Above Tidal (unclassified water body)

From the upper segment boundary of Armand Bayou Tidal, 0.8 km (0.5 miles) downstream of Genoa-Red Bluff Road), upstream to Beltway 8 in Harris County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	1998
1113A_01	From the upper segment boundary of Armand Bayou Tidal (point 0.8 km (0.5 miles) downstream of Genoa-Red Bluff Road) upstream to Beltway 8	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5b	1998
1113A_01	From the upper segment boundary of Armand Bayou Tidal (point 0.8 km (0.5 miles) downstream of Genoa-Red Bluff Road) upstream to Beltway 8	

SegID: 1113B Horsepen Bayou Tidal (unclassified water body)

From the Armand Bayou confluence to the SH3

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2006
1113B_01	From the Armand Bayou confluence to the SH3	

2010 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1113C Unnamed Tributary to Horsepen Bayou (unclassified water body)

From the Horsepen Bayou confluence to Reseda Road

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2010
1113C_01	From the Horsepen Bayou confluence to Reseda Road	

SegID: 1113D Willow Springs Bayou (unclassified water body)

From the Armand Bayou confluence to a point 2.8 km (1.8 mi) upstream to an unnamed tributary

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2010
1113D_01	From the Armand Bayou confluence to a point 2.8 km (1.8 mi) upstream to an unnamed tributary	

SegID: 1202H Allen's Creek (unclassified water body)

From the confluence with the Brazos River, two miles northeast of Wallis, to the headwaters one mile north of IH 10 in Austin County.

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2002
1202H_01	Entire water body	

SegID: 1202K Mill Creek (unclassified water body)

From confluence of East and West Mill Creeks downstream to confluence with Brazos River

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2010
1202K_01	Portion of Mill Creek from confluence with Brazos River upstream to confluence with East/West Forks Mill Creek in Austin County.	

SegID: 1204A Camp Creek (unclassified water body)

From its confluence with the Brazos River downstream of Lake Granbury, upstream to its headwaters, 0.9 miles north of US Hwy 67 in Johnson County.

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2010
1204A_01	entire water body	

2010 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1208 Brazos River Above Possum Kingdom Lake

From a point immediately upstream of the confluence of Cove Creek at Salem Bend in Young County to the confluence of the Double Mountain Fork Brazos River and the Salt Fork Brazos River in Stonewall County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2008
1208_01	Portion of segment from confluence with Possum Kingdom Reservoir headwaters upstream to confluence with Spring Branch in Young County.	
1208_02	Portion of segment from confluence with Spring Branch upstream to confluence with Fish Creek	
1208_04	From confluence with Boggy Creek upstream to confluence with Millers Creek	
1208_05	From confluence with Millers Creek upstream to confluence with Lake Creek	

SegID: 1209 Navasota River Below Lake Limestone

From the confluence with the Brazos River in Grimes County to Sterling C. Robertson Dam in Leon/Robertson County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2002
1209_02	Portion of Navasota River from confluence with Rocky Creek upstream to confluence with Sandy Branch in Grimes County.	
1209_03	Portion of Navasota River from confluence with Sandy Branch upstream to confluence with Shepherd Branch in Madison County.	
1209_05	Portion of Navasota River from confluence with Camp Creek upstream to Lake Limestone Dam in Robertson County.	

SegID: 1209A Country Club Lake (unclassified water body)

From the Country Club Branch Dam up to normal pool elevation in Bryan in Brazos County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
toxicity in sediment	5c	1999
1209A_01	Entire reservoir	

SegID: 1209B Fin Feather Lake (unclassified water body)

From Fin Feather Dam up to normal pool elevation in northwest Bryan in Brazos County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
toxicity in sediment	5c	2000
1209B_01	Entire reservoir	

2010 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1209C Carters Creek (unclassified water body)

Perennial stream from the confluence with the Navasota River southeast of College Station in Brazos County upstream to the confluence of an unnamed tributary 0.5 km upstream of FM 158 in Brazos County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5a	1999
1209C_01	Entire water body	

SegID: 1209D Country Club Branch (unclassified water body)

From the confluence with Country Club Lake in Bryan in Brazos County to the dam at Fin Feather Lake in Bryan

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2006
1209D_01	Entire water body	

SegID: 1209E Wickson Creek (unclassified water body)

Perennial stream from the confluence with an unnamed first order tributary (approximately 1.3 km upstream of Reliance Road crossing) upstream to the confluence with an unnamed first order tributary approximately 15 meters upstream of Dilly Shaw Road

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2006
1209E_01	Entire water body	

SegID: 1209G Cedar Creek (unclassified water body)

From the confluence with the Navasota River in Brazos County to the confluence with Moores Branch and Rocky Branch in Robertson County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2002
1209G_01	Entire water body	

SegID: 1209H Duck Creek (unclassified water body)

From the confluence with the Navasota river in Robertson County to Twin Oak Reservoir dam in Robertson County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2006
1209H_01	Portion of Duck Creek from confluence with Navasota River upstream to confluence with Mineral Creek in Robertson County.	
1209H_02	Portion of Duck Creek from confluence with Mineral Creek in Robertson County upstream to headwaters in Limestone County.	

2010 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1209I Gibbons Creek (unclassified water body)

From confluence with Navasota River in Grimes County to SH 90 in Grimes County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2002
1209I_01	Portion of Gibbons Creek from confluence with Navasota River upstream to confluence with Dry Creek in Grimes County.	

SegID: 1209J Shepherd Creek (unclassified water body)

From the confluence with the Navasota River in Madison County to a point 0.7 miles upstream of FM 1452 in Madison County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2002
1209J_01	Entire water body	

SegID: 1209K Steele Creek (unclassified water body)

From confluence with Navasota River in Robertson County to a point 2.4 miles upstream of FM 147 in Limestone County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2002
1209K_02	Portion of Steele Creek from confluence with Willow Creek upstream to headwaters in Limestone County.	

SegID: 1209L Burton Creek (unclassified water body)

From the confluence with Carters Creek in College Station, upstream to its headwaters located 0.4 miles east of Fin Feather Lake in Brazos County.

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5a	2006
1209L_01	From confluence with Carters Creek in College Station upstream to un-named tributary, 0.5 km downstream of E. 29th Street.	

SegID: 1210A Navasota River above Lake Mexia (unclassified water body)

From the confluence with the headwaters of Lake Mexia in Limestone County to a point 1.25 miles upstream of SH 31 in Hill County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2002
1210A_01	Entire water body	

2010 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1211A Davidson Creek (unclassified water body)

Intermittent stream with perennial pools from the confluence with Yegua Creek to 0.2 km above SH 21 near Caldwell in Burleson County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2002
1211A_02	Portion of Davidson Creek from confluence with unnamed tributary (NHD RC 12070102001903) upstream to headwaters in Milam County.	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5b	2010
1211A_02	Portion of Davidson Creek from confluence with unnamed tributary (NHD RC 12070102001903) upstream to headwaters in Milam County.	

SegID: 1212 Somerville Lake

From Somerville Dam in Burleson/Washington County up to normal pool elevation of 238 feet (impounds Yegua Creek)

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	2008
1212_01	Eastern end of reservoir near dam	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
pH	5c	2002
1212_01	Eastern end of reservoir near dam	
1212_03	Middle of reservoir near Birch Creek State Park	
1212_04	Western end of reservoir near upper segment boundary	

SegID: 1212A Middle Yegua Creek (unclassified water body)

From the confluence with East Yegua and Yegua Creeks in Lee County to the Lee County/Williamson County line

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2010
1212A_02	From confluence with West Yegua Creek upstream to headwaters of water body in Williamson County.	

SegID: 1212B East Yegua Creek (unclassified water body)

From the confluence with Middle Yegua and Yegua Creeks southeast of Dime Box in Lee County to the upstream portion of the stream, south of Alcoa Lake in Milam County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2002
1212B_01	Portion of East Yegua Creek from confluence with Middle Yegua Creek in Burleson County upstream to confluence with Allen Creek in Lee County.	

2010 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1213 Little River

From the confluence with the Brazos River in Milam County to the confluence of the Leon River and the Lampasas River in Bell County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2006
1213_01	From the confluence with Brazos River upstream to confluence with City of Cameron WWTP receiving water	
1213_04	From confluence with Boggy Creek upstream to its confluence with Leon and Lampasas Rivers	

SegID: 1213A Big Elm Creek (unclassified water body)

From the confluence with Little River in Milam county, 4.5 km northeast of the City of Cameron , upstream to its headwaters in McLennan County, 0.7 km west of Moody.

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2010
1213A_01	Portion of Big Elm Creek from the confluence with the Little River upstream to confluence with Little Elm Creek.	

SegID: 1214 San Gabriel River

From the confluence with the Little River in Milam County to Granger Lake Dam in Williamson County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5a	2006
1214_01	From confluence with Little River upstream to confl. with Alligator Creek	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
chloride	5c	2008
1214_01	From confluence with Little River upstream to confl. with Alligator Creek	
1214_02	From confluence with Alligator Creek upstream to Lake Granger	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
sulfate	5c	2006
1214_01	From confluence with Little River upstream to confl. with Alligator Creek	
1214_02	From confluence with Alligator Creek upstream to Lake Granger	

SegID: 1215 Lampasas River Below Stillhouse Hollow Lake

From the confluence with the Leon River in Bell County to Stillhouse Hollow Lake Dam in Bell County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2010
1215_01	Entire segment	

2010 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1216A Trimmier Creek (unclassified water body)

From confluence with Stillhouse Hollow Lake upstream to its headwaters, southwest of Killeen in Bell County.

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2010
1216A_01 entire water body		

SegID: 1217B Sulphur Creek (unclassified water body)

From the confluence of the Lampasas River east of Lampasas in Lampasas County to the confluences of Donalson Creek and Espy Branch west of Lampasas in Lampasas County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	2010
1217B_02 Portion of Sulphur Creek from the confluence with Burleson Creek upstream to the confluences with Donalson Creek and Espy Branch west of Lampasas in Lampasas County		

SegID: 1217D North Rocky Creek (unclassified water body)

From its confluence with South Rocky Creek, upstream to its headwaters 7 miles west of US Hwy 183 in Burnet County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5b	2006
1217D_01 Entire water body		

SegID: 1218 Nolan Creek/ South Nolan Creek

From the confluence with the Leon River in Bell County to a point 100 meters (110 yards) upstream to the most upstream crossing of US 190 and Loop 172 in Bell County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	1996
1218_02 Portion of South Nolan Creek from confluence with North Nolan / Nolan Creek fork upstream to confluence with Liberty Ditch in city of Killeen in Bell County.		

SegID: 1218C Little Nolan Creek (unclassified water body)

From the confluence with Nolan Creek/South Nolan Creek upstream to headwaters in the city of Killeen, Bell County.

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2010
1218C_01 Entire water body		

2010 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1220A Cowhouse Creek (unclassified water body)

From the confluence of Belton Lake in Bell County south of Gatesville in Coryell County to the upstream perennial portion of the stream north of Goldthwaite in Mills County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2006
1220A_03	Upstream portion of water body	

SegID: 1221 Leon River Below Proctor Lake

From a point 100 meters (110 yards) upstream of FM 236 in Coryell County to Proctor Dam in Comanche County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	1996
1221_01	Portion of Leon River from confluence with Lake Belton upstream to confluence with unnamed tributary (NHD RC 12070201005989) in Coryell County.	
1221_04	From the confluence with Plum Creek, upstream to the confluence with Pecan Creek	
1221_05	From confluence with Pecan Creek, upstream to confluence with South Leon Creek	
1221_06	From confluence with South Leon Creek upstream to confluence with Walnut Creek	
1221_07	From the confluence with Walnut Creek upstream to Lake Proctor	

SegID: 1221A Resley Creek (unclassified water body)

From the confluence of the Leon River east of Gustine in Comanche County to the upstream perennial portion of the stream north of Gustine in Comanche County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2004
1221A_01	Portion of Resley Creek from confluence with Leon River upstream to conf. with unnamed tributary (NHD RC 12070201007823), approx. 1.0 mile N. of Comanche County Line	
1221A_02	Portion of Resley Creek from confluence with unnamed tributary (NHD RC 12070201007823), upstream to headwaters in Erath County.	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	2006
1221A_01	Portion of Resley Creek from confluence with Leon River upstream to conf. with unnamed tributary (NHD RC 12070201007823), approx. 1.0 mile N. of Comanche County Line	

SegID: 1221B South Leon River (unclassified water body)

From the confluence of the Leon River south of Gustine in Comanche County to the upstream perennial portion of the stream south of Comanche in Comanche County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2006
1221B_01	Entire water body	

2010 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1221D Indian Creek (unclassified water body)

Perennial stream from an unnamed second order tributary (approximately 0.7 km downstream of Live Oak Street crossing) upstream to the confluence with Bachelor Prong Creek

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2006
1221D_01	From confluence with Leon River, upstream to confluence with Armstrong Creek	
1221D_02	From confluence with Armstrong Creek upstream to headwaters of water body	

SegID: 1221F Walnut Creek (unclassified water body)

From its confluence with Leon River upstream to its headwaters 2.4 miles west of Dublin in Erath County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2006
1221F_01	entire water body	

SegID: 1222A Duncan Creek (unclassified water body)

From the confluence of Proctor Lake northeast of Comanche in Comanche County to the upstream perennial portion of the stream west of Comanche in Comanche County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	1999
1222A_01	Entire creek	

SegID: 1222B Rush-Copperas Creek (unclassified water body)

From the confluence of Proctor Lake northeast of Comanche in Comanche County to the upstream perennial portion of the stream northwest of Comanche in Comanche County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2006
1222B_01	Entire water body	

SegID: 1222C Sabana River (unclassified water body)

From the confluence of Proctor Lake northeast of Comanche in Comanche County to the upstream perennial portion of the stream northwest of Rising Star in Eastland County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2006
1222C_01	Portion of Sabana River from confluence with Lake Belton in Comanche County upstream to confluence with Elm Creek in Eastland County.	

2010 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1222E Sweetwater Creek (unclassified water body)

From its confluence with Copperas Creek, upstream to its headwaters, 6.3 miles west of Comanche in Comanche County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2006
1222E_01 entire water body		

SegID: 1223 Leon River Below Leon Reservoir

From a point immediately upstream of the confluence of Mill Branch in Comanche County to Leon Dam in Eastland County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2006
1223_01 Entire Segment		

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	2008
1223_01 Entire Segment		

SegID: 1223A Armstrong Creek (unclassified water body)

From its confluence with the Leon River downstream of Leon Reservoir, upstream to its headwaters in Erath County 6.2 miles east of State Hwy 16.

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2006
1223A_01 entire water body		

SegID: 1226B Green Creek (unclassified water body)

From the confluence of the North Bosque River south of Clairette in Erath County upstream to its headwaters 10km west of Stephenville in Erath County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	2006
1226B_01 Entire water body		

SegID: 1226E Indian Creek (unclassified water body)

From the confluence with the North Bosque River in Erath County to the headwaters 3.5 miles east of Stephenville in Erath County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2002
1226E_01 Entire water body		

2010 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1226F Sims Creek (unclassified water body)

From the confluence with the North Bosque River in Erath County to the headwaters 6 miles southeast of Stephenville in Erath County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2002
1226F_01 Entire water body		

SegID: 1226H Alarm Creek (unclassified water body)

From its confluence with the North Bosque River, upstream to its headwaters 3 miles west of Stephenville in Erath County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2010
1226H_01 entire water body		

SegID: 1226K Little Duffau Creek (unclassified water body)

From its confluence with Duffau Creek, upstream to its headwaters 2.4 miles south west of US 67 in Erath County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2006
1226K_01 entire water body		

SegID: 1226M Little Green Creek (unclassified water body)

From its confluence with Green Creek, upstream to its confluence with the North and South Forks of Little Green Creek, 2.4 miles south of SH 6 in Erath County.

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2010
1226M_01 entire water body		

2010 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1227 Nolan River

From a point immediately upstream of the confluence of Rock Creek in Hill County to Cleburne Dam in Johnson County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
chloride	5b	2006
1227_01	Portion of Nolan River from confluence with Whitney Lake upstream to confluence with Mustang Creek in Hill County.	
1227_02	Portion of Nolan River from confluence with Mustang Creek in Hill County upstream to confluence with Lake Pat Cleburne Dam in Johnson County.	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
sulfate	5b	2002
1227_01	Portion of Nolan River from confluence with Whitney Lake upstream to confluence with Mustang Creek in Hill County.	
1227_02	Portion of Nolan River from confluence with Mustang Creek in Hill County upstream to confluence with Lake Pat Cleburne Dam in Johnson County.	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
total dissolved solids	5b	2006
1227_01	Portion of Nolan River from confluence with Whitney Lake upstream to confluence with Mustang Creek in Hill County.	
1227_02	Portion of Nolan River from confluence with Mustang Creek in Hill County upstream to confluence with Lake Pat Cleburne Dam in Johnson County.	

SegID: 1232A California Creek (unclassified water body)

From the confluence of Paint Creek southeast of Haskell in Haskell County to the headwaters southwest of Stamford in Jones County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2010
1232A_01	Portion of California Creek from confluence with Paint Creek in Haskell County upstream to confluence with Thompson Creek in Jones County.	

SegID: 1232B Deadman Creek (unclassified water body)

From the confluence of the Clear Fork Brazos River south of Lueders in Jones County to the headwaters north of Hamby in Jones County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2006
1232B_01	From the confluence with Clear Fork Brazos, upstream to city of Abilene WWTP receiving water	

2010 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1240 White River Lake

From White River Dam in Crosby County up to normal pool elevation of 2369 feet (impounds White River)

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
chloride	5b	2002
1240_01 Entire segment		
sulfate	5b	2010
1240_01 Entire segment		
total dissolved solids	5b	2006
1240_01 Entire segment		

SegID: 1241 Double Mountain Fork Brazos River

From the confluence with the Salt Fork Brazos River in Stonewall County to the confluence of the North Fork Double Mountain Fork Brazos River in Kent County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2010
1241_01 25 miles near Hwy 83		
chloride	5b	2006
1241_01 25 miles near Hwy 83		
1241_02 Remainder of segment		
total dissolved solids	5b	2010
1241_01 25 miles near Hwy 83		
1241_02 Remainder of segment		

SegID: 1241A North Fork Double Mountain Fork Brazos River (unclassified water body)

Perennial stream from the confluence with Double Mountain Fork Brazos River to the dam forming Lake Ransom Canyon

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2004
1241A_02 Upstream portion, from confluence with Lake Buffalo Springs upstream to confluence with Yellow House Draw		

SegID: 1241B Lake Alan Henry (unclassified water body)

Impounded Double Mountain Fork Brazos Rive, 20.0 miles south east of Post in Garza and Kent Counties.

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
mercury in edible tissue	5c	2010
1241B_01 entire water body		

2010 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1242B Cottonwood Branch (unclassified water body)

Intermittent stream with perennial pools from the confluence with Still Creek upstream 0.95 km to the confluence with an unnamed tributary

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2006
1242B_01	Portion of Cottonwood Branch from confluence with Still Creek upstream to unnamed tributary (NHD RC 12070101000835) in Brazos County.	
1242B_02	Portion of Cottonwood Branch from confluence with unnamed tributary (NHD RC 12070101000835) upstream to headwaters in Brazos County.	

SegID: 1242C Still Creek (unclassified water body)

Perennial stream from the confluence with Thompson's Creek upstream to the confluence with Cottonwood Branch

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2006
1242C_01	Portion of Still Creek from confluence with Thompsons Creek in Brazos County upstream to confluence with unnamed tributary (NHD RC 12070101006127).	
1242C_02	Portion of Still Creek from confluence with unnamed tributary (NHD RC 12070101006127) upstream to headwaters in Brazos County.	

SegID: 1242D Thompsons Creek (unclassified water body)

From the confluence with the Brazos River upstream to headwaters in Brazos County.

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2002
1242D_01	Portions of Thompsons Creek from confluence with Brazos River upstream to confluence with Still Creek in Brazos County.	
1242D_02	Portion of Thompsons Creek from confluence with Still Creek upstream to headwaters in Brazos County.	
depressed dissolved oxygen	5c	2006
1242D_02	Portion of Thompsons Creek from confluence with Still Creek upstream to headwaters in Brazos County.	

SegID: 1242F Pond Creek (unclassified water body)

Perennial stream from the confluence with the Brazos River in Milam County up to the confluence with Live Oak Creek in Falls County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2010
1242F_01	From the Brazos confluence upstream to Live Oak Creek confluence	

2010 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1242I Campbells Creek (unclassified water body)

From the confluence with the Little Brazos River upstream to the headwaters, one mile west of Old San Antonio Road

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2002
1242I_01 Entire water body		

SegID: 1242J Deer Creek (unclassified water body)

From the confluence with the Brazos River upstream to the confluence of West Fork Deer Creek and East Fork Deer Creek in Falls County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2006
1242J_01 Entire water body		

SegID: 1242K Mud Creek (unclassified water body)

From confluence with the Little Brazos River, upstream to the confluence with Touchstone Branch and Wolf Den Branch, in Robertson County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2002
1242K_01 Entire water body		

SegID: 1242L Pin Oak Creek (unclassified water body)

From the confluence with the Little Brazos River in Robertson County upstream to the headwaters, 2.07 miles south of Franklin

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2002
1242L_01 Entire water body		

SegID: 1242M Spring Creek (unclassified water body)

From the confluence with the Little Brazos River in Robertson County, upstream to the headwaters, 1.5 miles north of FM 391

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2002
1242M_01 Entire water body		

SegID: 1242O Walnut Creek (unclassified water body)

From the confluence with the Little Brazos River in Robertson County, upstream to the headwaters, one mile south of White Rock

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2006
1242O_01 Entire water body		

2010 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1242P Big Creek (unclassified water body)

From the confluence with Little Brazos River in Falls County upstream to the confluence with unnamed creeks near Mart in the northeast corner of Falls County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2002
1242P_01	Downstream portion of water body	

SegID: 1244 Brushy Creek

From the confluence with the San Gabriel River in Milam County to the confluence of South Brushy Creek in Williamson County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2006
1244_03	From confluence with Cottonwood Branch upstream to City of Round Rock WWTP outfall	
1244_04	From immediately upstream of City of Round Rock WWTP outfall upstream to end of segment	

SegID: 1245 Upper Oyster Creek

From Steep Bank Creek/Brazos River confluence in Fort Bend County to pumping station on Jones Creek confluence at Brazos River in Fort Bend County (includes portions of Steep Bank Creek, Flat Bank Creek, and Jones Creek)

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5a	1996
1245_01	From the confluence with the Brazos River upstream to Dam #3	
1245_02	From Dam #3 upstream to Harmon St. crossing in Sugar Land	
1245_03	From Harmon St. crossing in Sugar Land upstream to the end of the segment	

SegID: 1245C Bullhead Bayou (unclassified water body)

From its confluence with Steep Bank Creek in Fort Colony, upstream to its headwaters in Pecan Grove in Fort Bend County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2006
1245C_01	Entire water body	

SegID: 1245D Unnamed Tributary of Bullhead Bayou (unclassified water body)

Tributary to Bullhead Bayou in Fort Bend County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2006
1245D_01	Entire water body	

2010 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1245F Alcorn Bayou (unclassified water body)

From the confluence with Steep Bank Creek upstream to its headwaters 0.5km east of Pecan Grove in Fort Bend county

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2010
1245F_01 Entire water body		

SegID: 1245I Steep Bank Creek (unclassified water body)

From confluence with Oyster Creek (Flat Bank Creek portion) upstream to end of water body, 0.2 km east of US 59 in city of First Colony, Fort Bend County.

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2010
1245I_01 Entire water body		

SegID: 1247A Willis Creek (unclassified water body)

From the confluence with the headwaters of Granger Lake in Williamson County to CR 313 in Williamson County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2002
1247A_01 Entire water body		

SegID: 1248 San Gabriel/North Fork San Gabriel River

From point 1.9 km (1.2 miles) downstream of SH 95 in Williamson County to North San Gabriel Dam in Williamson County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
chloride	5b	2010
1248_01 Entire segment		

SegID: 1248C Mankins Branch (unclassified water body)

Perennial stream from the confluence with the San Gabriel River in Williamson County to the intersection of CR 105 and 104 in Williamson County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2004
1248C_01 Entire water body		

2010 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1255 Upper North Bosque River

From a point immediately above the confluence of Indian Creek in Erath County to the confluence of the North Fork and South Fork of the Bosque River in Erath County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	1996
1255_01	Portion of Upper North Bosque River from confluence with Indian Creek upstream to confluence with Dry Branch in Erath County.	
1255_02	Portion of Upper North Bosque River from confluence with Dry Branch upstream to confluence with North/South Forks North Bosque River in Erath County.	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	2008
1255_02	Portion of Upper North Bosque River from confluence with Dry Branch upstream to confluence with North/South Forks North Bosque River in Erath County.	

SegID: 1255A Goose Branch (unclassified water body)

From the confluence with the south fork of the North Bosque River 2.5 miles (4.0 km) west of Stephenville, upstream to the headwaters 0.5 miles (0.8 km) north of FM 8 in Erath County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2002
1255A_01	Entire water body	

SegID: 1255B North Fork Upper North Bosque River (unclassified water body)

From the confluence with the South Fork of the Upper North Bosque River in Stephenville, upstream to the headwaters, 2.0 miles north of FM 219

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2002
1255B_01	Entire water body	

SegID: 1255C Scarborough Creek (unclassified water body)

From the confluence with the North Fork of the upper North Bosque River, upstream to the headwaters 0.1 miles (0.2 km) southeast of FM 219 in Erath County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2002
1255C_01	Entire water body	

SegID: 1255D South Fork North Bosque River (unclassified water body)

From the confluence with the North Fork of the upper North Bosque River in Stephenville, upstream to the headwaters 3 miles (4.8 km) north of FM 219 in Erath County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2010
1255D_01	Entire water body	

2010 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1255E Unnamed Tributary of Goose Branch (unclassified water body)

From the confluence with Goose Branch in Erath County to its headwaters, 0.2 miles southeast of the intersection of FM 8 and Farm Road 1219

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2002
1255E_01 Entire water body		

SegID: 1255F Unnamed Tributary of Scarborough Creek (unclassified water body)

From the confluence with Scarborough Creek, 1.0 mile west of SH 108 in Erath County, upstream to the headwaters, 0.3 mile north of FM 219

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2002
1255F_01 Entire water body		

SegID: 1255G Woodhollow Branch (unclassified water body)

From the confluence with the South Fork of the North Bosque River, 6 miles northwest of Stephenville, upstream to the headwaters, 1.5 miles north of FM 219 in Erath County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2002
1255G_01 Entire water body		

SegID: 1255I Dry Branch (unclassified water body)

From its confluence with the Upper North Bosque River, upstream to its headwaters 2.3 miles east of SH 106 in Erath County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2010
1255I_01 entire water body		

SegID: 1301 San Bernard River Tidal

From the confluence with the Intracoastal Waterway in Brazoria County to a point 3.2 km (2.0 miles) upstream of SH 35 in Brazoria County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2006
1301_01 Entire Segment		

2010 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1302 San Bernard River Above Tidal

From a point 3.2 km (2.0 miles) upstream of SH 35 in Brazoria County to the county road southeast of New Ulm in Austin County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2002
1302_01	From the confluence with the Intracoastal Waterway in Brazoria County to confluence with Peach Creek	
1302_02	From the confluence with Peach Creek to the unnamed tributary at NHD RC 12090401001535 at N-96.03, W29.51	
1302_03	From the confluence with unnamed tributary at NHD RC 12090401001535 at N-96.03, W29.51 to the confluence with Coushatta Creek	

SegID: 1302A Gum Tree Branch (unclassified water body)

From the confluence with West Bernard Creek near Wharton CR 252 to the headwaters approximately 15 miles upstream near RR 102

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2006
1302A_01	Entire Water Body	

SegID: 1302B West Bernard Creek (unclassified water body)

From the confluence with the San Bernard River Above Tidal downstream of US highway 59 to the headwaters approximately 40 miles upstream near FM 1093

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2006
1302B_02	From the confluence with Clarks Branch to the upper end of segment	
depressed dissolved oxygen	5c	2006
1302B_01	From the confluence with the San Bernard River Above Tidal to the confluence with Clarks Branch	

SegID: 1304 Caney Creek Tidal

From the confluence with the Intracoastal Waterway in Matagorda County to a point 1.9 km (1.2 miles) upstream of the confluence of Linville Bayou in Matagorda County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2006
1304_01	From the downstream end of segment to the confluence with Dead Slough	

SegID: 1304A Linnville Bayou (unclassified water body)

Intermittent stream with perennial pools from a point 1.1 km above the confluence with Caney Creek in Matagorda County up to a point 0.1 km above SH 35 in Brazoria/Matagorda Counties

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2010
1304A_01	Entire Water Body	

2010 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1305 Caney Creek Above Tidal

From a point 1.9 km (1.2 miles) upstream of the confluence of Linnville Bayou in Matagorda County to Old Caney Road in Wharton County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2002
1305_02	From the confluence with Hardeman Slough to the confluence with Snead Slough	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5b	1999
1305_02	From the confluence with Hardeman Slough to the confluence with Snead Slough	
1305_03	From the confluence with Snead Slough to the upper end of segment	

SegID: 1401 Colorado River Tidal

From the confluence with the Gulf of Mexico in Matagorda County to a point 2.1 km (1.3 miles) downstream of the Missouri-Pacific Railroad in Matagorda County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2006
1401_01	Entire water body	

SegID: 1402C Buckners Creek (unclassified water body)

Perennial stream from the confluence with the Colorado River upstream to the headwaters at Patterson Road southeast of the City of Rosanky in Bastrop County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	2010
1402C_01	Perennial stream from the confluence with the Colorado River upstream to the confluence with Chandler Branch 1.6 km upstream of FM 154 in Fayette County	

SegID: 1402H Skull Creek (unclassified water body)

From the confluence with the Colorado River west of Eagle Lake in Colorado County to the upstream perennial portion southwest of Columbus

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2010
1402H_01	Entire water body	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5b	2008
1402H_01	Entire water body	

SegID: 1403A Bull Creek (unclassified water body)

From the confluence of Lake Austin in northwest Austin in Travis County to the upstream perennial portion of the stream north of Austin in Travis County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	2010
1403A_05	From the Spicewood Springs Rd. crossing near the Oak Grove cemetery upstream to the end of segment	

2010 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1403J Spicewood Tributary to Shoal Creek (unclassified water body)

From the confluence of an unnamed tributary west of the MoPac Expressway in north Austin in Travis County upstream to the head waters north of Williamsburg Circle in Travis County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2002
1403J_01 Entire water body		

SegID: 1403K Taylor Slough South (unclassified water body)

From the confluence of Lake Austin in Travis County to the headwaters near South Meadow Circle on the Texas Department of Aging and Disability Services campus in Austin in Travis County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2002
1403K_01 Entire water body		

SegID: 1403R Westlake-Davenport Tributary to Lake Austin (unclassified water body)

From the confluence of Lake Austin in Travis County upstream to the headwaters 150 ft. southeast of the intersection of Waymaker Way and Round Table road in Austin in Travis County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2006
1403R_01 Entire water body		

SegID: 1407A Clear Creek (unclassified water body)

From the confluence with Inks Lake in Burnet County west of Burnet upstream to a point 2 miles (3.2 km) west of FM 2341 near Potato Hill northwest of Burnet

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
aluminum in water	5c	2010
1407A_01 From the confluence with Inks Lake upstream to FM 2341		

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
pH	5c	2010
1407A_01 From the confluence with Inks Lake upstream to FM 2341		

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
sulfate	5c	2010
1407A_01 From the confluence with Inks Lake upstream to FM 2341		

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
total dissolved solids	5c	2010
1407A_01 From the confluence with Inks Lake upstream to FM 2341		

2010 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1412 Colorado River Below Lake J. B. Thomas

From a point immediately upstream of the confluence of Little Silver Creek in Coke County to Colorado River Dam in Scurry County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2008
1412_02	From the confluence of Beals Creek upstream to the dam below Barber Reservoir pump station	

SegID: 1412B Beals Creek (unclassified water body)

From the confluence of the Colorado River south of Colorado City in Mitchell County to the confluence of Mustang Draw and Sulphur Springs Draw in Howard County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2010
1412B_03	From the confluence of Guthrie Draw upstream to the confluence of Mustang Draw and Sulphur Springs Draw	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
selenium in water	5c	2010
1412B_03	From the confluence of Guthrie Draw upstream to the confluence of Mustang Draw and Sulphur Springs Draw	

SegID: 1413 Lake J. B. Thomas

From Colorado River Dam in Scurry County up to normal pool elevation of 2258 feet (impounds Colorado River)

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
chloride	5c	2008
1413_01	Entire water body	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
total dissolved solids	5c	2010
1413_01	Entire water body	

SegID: 1416 San Saba River

From the confluence with the Colorado River in San Saba County to the confluence of the North Valley Prong and the Middle Valley Prong in Schleicher County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2008
1416_01	From the confluence with the Colorado River in San Saba County upstream to the US 190	

SegID: 1416A Brady Creek (unclassified water body)

From the confluence of the San Saba River southwest of San Saba in San Saba County to Brady Lake Dam west of Brady in McCulloch County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	2004
1416A_03	From FM 714 upstream to Brady Lake dam	

2010 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1421 Concho River

From a point 2 km (1.2 miles) above the confluence of Fuzzy Creek in Concho County to San Angelo Dam on the North Concho River in Tom Green County and to Nasworthy Dam on the South Concho River in Tom Green County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2008
1421_08	North Concho River, from the confluence with the South Concho River upstream to O.C. Fisher dam	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	2008
1421_08	North Concho River, from the confluence with the South Concho River upstream to O.C. Fisher dam	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
impaired macrobenthic community	5c	2002
1421_07	From the dam near Vines Road upstream to the confluence of the North Concho River and the South Concho River	

SegID: 1427A Slaughter Creek (unclassified water body)

Intermittent stream with perennial pools from the confluence with Onion Creek to above US 290 west of Austin

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
impaired macrobenthic community	5b	2002
1427A_01	Entire water body	

SegID: 1428 Colorado River Below Town Lake

From a point 100 meters (110 yards) upstream of FM 969 near Utley in Bastrop County to Longhorn Dam in Travis County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2006
1428_03	Walnut Creek to Longhorn Dam	

SegID: 1428B Walnut Creek (unclassified water body)

From the confluence of the Colorado River in east Austin in Travis County to the upstream perennial portion of the stream in north Austin in Travis County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2006
1428B_05	From MoPac/Loop 1 upstream to railroad tracks west of Loop 1	

SegID: 1429B Eanes Creek (unclassified water body)

From the confluence of Town Lake in central Austin in Travis County to the upstream perennial portion of the stream in west Austin in Travis County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	1999
1429B_01	Entire water body	

2010 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1429C Waller Creek (unclassified water body)

From the confluence of Town Lake in central Austin in Travis County to the upstream portion of the stream in north Austin in Travis County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2004
1429C_01	From the confluence with Town Lake to East MLK Blvd.	
1429C_02	From East MLK Blvd. to East 41st Street	
1429C_03	Upper portion of creek	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
impaired macrobenthic community	5c	2002
1429C_01	From the confluence with Town Lake to East MLK Blvd.	

SegID: 1431 Mid Pecan Bayou

From a point immediately upstream of the confluence of Mackinally Creek in Brown County to a point immediately upstream of Willis Creek in Brown County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2006
1431_01	Entire water body	

SegID: 1501 Tres Palacios Creek Tidal

From the confluence with Tres Palacios Bay in Matagorda County to a point 1.0 km (0.6 miles) upstream of the confluence of Wilson creek in Matagorda County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2006
1501_01	From the confluence with Willow Dam Creek at Tres Palacios Bay/Turtle Bay upstream to a point 1.0 km (0.6 miles) upstream of the confluence of Wilson creek in Matagorda County	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5b	1999
1501_01	From the confluence with Willow Dam Creek at Tres Palacios Bay/Turtle Bay upstream to a point 1.0 km (0.6 miles) upstream of the confluence of Wilson creek in Matagorda County	
1501_01	From the confluence with Willow Dam Creek at Tres Palacios Bay/Turtle Bay upstream to a point 1.0 km (0.6 miles) upstream of the confluence of Wilson creek in Matagorda County	

2010 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1602 Lavaca River Above Tidal

From a point 8.6 km (5.3 miles) downstream of US 59 in Jackson County to a point 5.5 km (3.4 miles) upstream of SH 95 in Lavaca County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2008
1602_02	From the confluence of Beard Branch upstream to confluence of Campbell Branch in Hallettsville.	
1602_03	Lower portion of segment from confluence with NHD RC 12100101002463 south of Edna in Jackson County upstream to confluence with Beard Branch	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5b	2004
1602_01	From confluence of Campbell Branch in Hallettsville upstream to end of segment	

SegID: 1803A Elm Creek (unclassified water body)

From the confluence of Sandies Creek east of Smiley in Gonzales County to the upstream perennial portion of the stream southwest of Smiley in Gonzales County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5b	1999
1803A_01	Entire water body	

SegID: 1803B Sandies Creek (unclassified water body)

From the confluence of the Guadalupe River west of Cuero in DeWitt County to the upstream perennial portion of the stream northwest of Smiley in Gonzales County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2002
1803B_01	From the confluence with the Guadalupe River to the confluence with Elm Ck.	
1803B_02	From the confluence with Elm Creek to upper end of water body	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5b	1999
1803B_01	From the confluence with the Guadalupe River to the confluence with Elm Ck.	
1803B_02	From the confluence with Elm Creek to upper end of water body	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
impaired fish community	5b	2010
1803B_01	From the confluence with the Guadalupe River to the confluence with Elm Ck.	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
impaired macrobenthic community	5b	2010
1803B_01	From the confluence with the Guadalupe River to the confluence with Elm Ck.	

2010 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1803C Peach Creek (unclassified water body)

From the confluence of the Guadalupe River southeast of Gonzales in Gonzales County to the upstream perennial portion of the stream northeast of Waelder in Gonzales County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2002
1803C_01	Lower 25 miles of water body	
1803C_03	From approx. 1.2 mi. downstream of FM 1680 in Gonzales Co. to confluence with Elm Cr. In Fayette Co.	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	2006
1803C_01	Lower 25 miles of water body	
1803C_03	From approx. 1.2 mi. downstream of FM 1680 in Gonzales Co. to confluence with Elm Cr. In Fayette Co.	

SegID: 1803F Denton Creek (unclassified water body)

From the confluence with Peach Creek (1803C) up to the upper end of the creek (NHD RC 12100202000370) E/NE of Gonzales, Gonzales County.

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2010
1803F_01	Entire segment.	

SegID: 1803G Sandy Fork (unclassified water body)

From the confluence with Peach Creek (1803C) up to the upper end of the creek (NHD RC 12100202021868)

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2010
1803G_01	From the confluence with Sandy Creek up to the confluence with Scruggs Creek.	

SegID: 1804A Geronimo Creek (unclassified water body)

From the confluence of the Guadalupe River south of Seguin in Guadalupe County to the upstream perennial portion north of Seguin in Guadalupe County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2006
1804A_01	Entire water body	

2010 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1805 Canyon Lake

From Canyon Dam in Comal County to a point 2.7 km (1.7 miles) downstream of Rebecca Creek Road in Comal County, up to normal pool elevation of 909 feet (impounds Guadalupe River)

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
mercury in edible tissue	5c	2006
1805_01	Cove around Jacob's Creek Park	
1805_02	North end of Crane's Mill Park peninsula to south end of Canyon Park	
1805_03	Upper end of segment	
1805_04	Lower end of reservoir from dam upstream to Canyon Park	

SegID: 1806A Camp Meeting Creek (unclassified water body)

From the confluence of Flatrock Lake in southeast Kerrville in Kerr County to the upstream perennial portion of the stream west of Kerrville in Kerr County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5b	1999
1806A_03	Upper 9 miles	

SegID: 1806D Quinlan Creek (unclassified water body)

From the confluence of the Guadalupe River in Kerrville in Kerr County to the upstream perennial portion of the stream north of Kerrville in Kerr County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5a	2010
1806D_01	Entire water body	

SegID: 1806E Town Creek (unclassified water body)

From the confluence of the Guadalupe River in Kerrville in Kerr County to the upstream perennial portion of the stream north of Kerrville in Kerr County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5a	2010
1806E_01	From the confluence with segment 1806 of the Guadalupe River in Kerrville, Kerr County Texas up to the upper end of the segment (NHD RC 12100201000572)	

SegID: 1811A Dry Comal Creek (unclassified water body)

From the confluence of the Comal River in New Braunfels in Comal County to the upstream perennial portion of the stream southwest of New Braunfels in Comal County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2010
1811A_01	Lower 25 miles of water body	

2010 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1814 Upper San Marcos River

From a point 1.0 km (0.6 miles) upstream of the confluence of the Blanco River in Hays County to a point 0.7 km (0.4 miles) upstream of Loop 82 in San Marcos in Hays County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
total dissolved solids	5c	2010
1814_01	Lower 1.5 miles of segment	
1814_02	From sub-segment 01 to IH 35 east frontage road	
1814_03	From IH 35 east frontage road to Spring Lake Dam	
1814_04	Remainder of segment	

SegID: 1902 Lower Cibolo Creek

From the confluence with the San Antonio River in Karnes County to a point 100 meters (110 yards) downstream of IH 10 in Bexar/Guadalupe County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2004
1902_01	Lower 5 miles of segment	
1902_02	From 5 miles upstream of confluence with the San Antonio River to FM 541	
1902_03	From FM 541 to confluence with Clifton Branch	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
impaired fish community	5c	2006
1902_02	From 5 miles upstream of confluence with the San Antonio River to FM 541	

SegID: 1902B Salatrillo Creek (unclassified water body)

From the confluence with Martinez Creek to approximately 1.3 miles upstream of FM 1976.

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2010
1902B_01	From the confluence with Martinez Creek to FM 78 in Converse	

SegID: 1903 Medina River Below Medina Diversion Lake

From the confluence with the San Antonio River in Bexar County to Medina Diversion Dam in Medina County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2010
1903_02	From 5 mi upstream of San Antonio River to 1.5 mi upstream of Leon Creek	

2010 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1906 Lower Leon Creek

From the confluence with the Medina River in Bexar County to a point 100 meters (110 yards) upstream of SH 16 northwest of San Antonio in Bexar County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5a	1999
1906_02	From 3 miles upstream lower end of segment to confluence with Indian Creek	
1906_04	From Hwy 353 (New Laredo Hwy) to two miles upstream	
1906_05	From 2 miles upstream of Hwy 353 to Hwy 90	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2004
1906_03	From confluence with Indian Creek to Hwy 353 (New Laredo Hwy)	
1906_04	From Hwy 353 (New Laredo Hwy) to two miles upstream	
1906_05	From 2 miles upstream of Hwy 353 to Hwy 90	
1906_06	Remainder of segment	

SegID: 1908 Upper Cibolo Creek

From the Missouri-Pacific Railroad Bridge west of Bracken in Comal County to a point 1.5 km (0.9 miles) upstream of the confluence of Champee Springs in Kendall County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2006
1908_02	From approx. 2 mi. upstream of Hwy 87 in Boerne to upper end of segment	

SegID: 1910 Salado Creek

From the confluence with the San Antonio River in Bexar County to Rocking Horse Lane west of Camp Bullis in Bexar County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
impaired fish community	5b	2004
1910_03	From the confluence with Pershing Creek up to the confluence with Walzem Creek.	
1910_07	From the confluence with Lewis Creek to the upper end of the segment.	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
impaired macrobenthic community	5b	2006
1910_03	From the confluence with Pershing Creek up to the confluence with Walzem Creek.	
1910_07	From the confluence with Lewis Creek to the upper end of the segment.	

SegID: 1911 Upper San Antonio River

From a point 600 meters (660 yards) downstream of FM 791 at Mays Crossing near Falls City in Karnes County to a point 100 meters (110 yards) upstream of Hildebrand Avenue at San Antonio in Bexar County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
impaired fish community	5c	2006
1911_09	From just upstream of the confluence with San Pedro Creek up to the upper end of the segment.	

2010 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1911B Apache Creek (unclassified water body)

From the confluence with San Pedro Creek up to the upper end of the segment at State Highway 421 (NHD RC 12100301001439).

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5a	2010
1911B_01	From the confluence with San Pedro Creek up to just upstream of the confluence with Zarzamora Creek.	

SegID: 1911C Alazan Creek (unclassified water body)

From the confluence with Apache Creek up to 0.4 KM (0.25 Mi.) upstream of St. Cloud Road (NHD RC 12100301000163) in San Antonio, Bexar County, Texas.

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5a	2010
1911C_01	From the confluence with Apache Creek up to the confluence with Martinez Creek.	

SegID: 1911D San Pedro Creek (unclassified water body)

From the confluence with segment 1911 to the upper end of the water body, NHD RC 12100301000867

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5a	2010
1911D_01	From the confluence with segment 1911 up to the confluence with Apache Creek.	
1911D_02	From the confluence with Apache Creek to the upper end of the segment, NHD RC 12100301000867	

SegID: 1913 Mid Cibolo Creek

From a point 100 meters (110 yards) downstream of IH 10 in Bexar/Guadalupe County to the Missouri-Pacific Railroad bridge west of Bracken in Comal County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2006
1913_03	From 100 meters upstream of Cibolo Creek Municipal WWTP up to the upper end of the segment.	

SegID: 2001 Mission River Tidal

From the confluence with Mission Bay in Refugio County to a point 7.4 kilometers (4.6 miles) downstream of US 77 in Refugio County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5a	2004
2001_01	Entire Water Body	

2010 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 2003 Aransas River Tidal

From the confluence with Copano Bay in Aransas/Refugio County to a point 1.6 kilometers (1.0 mile) upstream of US 77 in Refugio/San Patricio County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5a	2004
2003_01 Entire Water Body		

SegID: 2004A Aransas Creek (unclassified water body)

From confluence with the Aransas River to the headwaters of the stream about 10 km upstream of US Highway 59.

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2006
2004A_01 Entire 20 miles of segment		

SegID: 2103 Lake Corpus Christi

From Wesley E. Seale Dam in Jim Wells/San Patricio County to a point 100 meters (110 yards) upstream of US 59 in Live Oak County, up to normal pool elevation of 94 feet (impounds Nueces River)

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
total dissolved solids	5c	2010
2103_01 Mid-lake near dam		
2103_02 Area approx. 4 mi. SE of FM 3162 and FM 534 intersection near western shore		
2103_03 Western arm of lake near Lagarto Creek inlet		
2103_04 Upper portion of lake on opposite shore from Hideaway Hill		
2103_05 Upper arm of reservoir in more riverine section surrounding FM 534		
2103_06 Uppermost riverine part of reservoir upstream of FM 534 to upper end of segment to just upstream of US Highway 59.		

SegID: 2104 Nueces River Above Frio River

From the confluence of the Frio River in Live Oak County to Holland Dam in LaSalle County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
impaired fish community	5c	2010
2104_01 From the downstream end of the segment to the confluence with Dragon Creek		

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
impaired macrobenthic community	5c	2010
2104_01 From the downstream end of the segment to the confluence with Dragon Creek		

2010 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 2106 Nueces/Lower Frio River

From a point 100 meters (110 yards) upstream of US 59 in Live Oak County to Choke Canyon Dam in Live Oak County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
total dissolved solids	5b	2006
2106_01	The Nueces river from the downstream end of segment to the confluence with the Frio River	
2106_02	The Frio River from the confluence with the Nueces River to Choke Canyon Dam	

SegID: 2107 Atascosa River

From the confluence with the Frio River in Live Oak County to the confluence of the West Prong Atascosa River and the North Prong Atascosa River in Atascosa County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	1996
2107_01	From the downstream end of the segment at the confluence with the Frio River to the confluence with Borrego Creek	
2107_02	From the confluence with Borrego Creek to the confluence with Galvan Creek	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5b	1996
2107_02	From the confluence with Borrego Creek to the confluence with Galvan Creek	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
impaired fish community	5b	2006
2107_02	From the confluence with Borrego Creek to the confluence with Galvan Creek	
2107_03	From the confluence with Galvan Creek to the confluence with Palo Alto Creek	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
impaired macrobenthic community	5b	2010
2107_02	From the confluence with Borrego Creek to the confluence with Galvan Creek	
2107_03	From the confluence with Galvan Creek to the confluence with Palo Alto Creek	

SegID: 2108 San Miguel Creek

From a point immediately upstream of the confluence of Mustang Branch in McMullen County to the confluence of San Francisco Perez Creek and Chacon Creek in Frio County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2006
2108_01	From the downstream end of the segment to the confluence of Liveoak Creek	

2010 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 2109

Leona River

From the confluence with the Frio River in Frio County to US 83 in Uvalde County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2006
2109_01	From the downstream end of segment to the confluence of Yoledigo Creek	
2109_02	From the confluence of Yoledigo Creek to the confluence of Camp Lake Slough	
2109_03	From the confluence of Camp Lake Slough to the upper end of segment	

SegID: 2113

Upper Frio River

From a point 100 meters (110 yards) upstream of US 90 in Uvalde County to the confluence of the West Frio River and the East Frio River in Real County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
impaired fish community	5c	2006
2113_01	From the downstream end of the segment to the confluence with Bear Creek	
impaired macrobenthic community	5c	2006
2113_01	From the downstream end of the segment to the confluence with Bear Creek	

SegID: 2116

Choke Canyon Reservoir

From Choke Canyon Dam in Live Oak County to a point 4.2 km (2.6 miles) downstream of SH 16 on the Frio River Arm in McMullen County and to a point 100 meters (110 yards) upstream of the confluence of Mustang Branch on the San Miguel Creek Arm in McMullen County, up to the normal pool elevation of 220.5 feet (impounds Frio River)

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	2006
2116_06	Western end of lake up to RR 99 bridge	

SegID: 2117

Frio River Above Choke Canyon Reservoir

From a point 4.2 km (2.6 miles) downstream of SH 16 in McMullen County to a point 100 meters (110 yards) upstream of US 90 in Uvalde County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2008
2117_02	From the confluence with Esperanza Creek to the confluence with Ruiz Creek	

2010 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 2201 Arroyo Colorado Tidal

From confluence with Laguna Madre in Cameron/Willacy County to a point 100 meters (110 yards) downstream of Cemetery Road south of Port Harlingen in Cameron County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2006
2201_03	From the confluence with an unnamed drainage ditch with NHD RC 12110108005353 at point N-97.53, W 26.31 to the confluence with Harding Ranch Ditch tributary	
2201_04	From the confluence with Harding Ranch Ditch tributary to just upstream of the City of Hondo Wastewater Discharge at point N-97.58359, W26.247186	
2201_05	From just upstream of the City of Hondo Wastewater Discharge at point N-97.58359, W26.247186 to the upstream end of the segment	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
DDE in edible tissue	5a	2010
2201_05	From just upstream of the City of Hondo Wastewater Discharge at point N-97.58359, W26.247186 to the upstream end of the segment	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5a	1996
2201_04	From the confluence with Harding Ranch Ditch tributary to just upstream of the City of Hondo Wastewater Discharge at point N-97.58359, W26.247186	
2201_05	From just upstream of the City of Hondo Wastewater Discharge at point N-97.58359, W26.247186 to the upstream end of the segment	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
mercury in edible tissue	5c	2008
2201_05	From just upstream of the City of Hondo Wastewater Discharge at point N-97.58359, W26.247186 to the upstream end of the segment	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2008
2201_05	From just upstream of the City of Hondo Wastewater Discharge at point N-97.58359, W26.247186 to the upstream end of the segment	

SegID: 2201B Unnamed Drainage Ditch Tributary (B) in Cameron County Drainage District #3 (unclassified water body)

From the confluence with the Arroyo Colorado in Cameron County in the Rio Hondo turning basin at -97.6, 26.196 decimal degrees to a point 17.6 km upstream at the FM 510 crossing.

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2010
2201B_01	Entire Water Body	

2010 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 2202 Arroyo Colorado Above Tidal

From a point 100 meters (110 yards) downstream of Cemetery Road south of Port Harlingen in Cameron County to FM 2062 in Hidalgo County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	1996
2202_01	From the downstream end of segment to the confluence with Little Creek just upstream of State Loop 499.	
2202_02	From the confluence with Little Creek to the confluence with La Feria Main Canal just upstream of Dukes Highway.	
2202_03	From the confluence with La Feria Main Canal just upstream of Dukes Highway to the confluence with La Cruz Resaca just downstream of FM 907	
2202_04	From the confluence with La Cruz Resaca to the upper end of segment at FM 2062	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
mercury in edible tissue	5c	2008
2202_01	From the downstream end of segment to the confluence with Little Creek just upstream of State Loop 499.	
2202_02	From the confluence with Little Creek to the confluence with La Feria Main Canal just upstream of Dukes Highway.	
2202_03	From the confluence with La Feria Main Canal just upstream of Dukes Highway to the confluence with La Cruz Resaca just downstream of FM 907	
2202_04	From the confluence with La Cruz Resaca to the upper end of segment at FM 2062	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2008
2202_01	From the downstream end of segment to the confluence with Little Creek just upstream of State Loop 499.	
2202_02	From the confluence with Little Creek to the confluence with La Feria Main Canal just upstream of Dukes Highway.	
2202_03	From the confluence with La Feria Main Canal just upstream of Dukes Highway to the confluence with La Cruz Resaca just downstream of FM 907	
2202_04	From the confluence with La Cruz Resaca to the upper end of segment at FM 2062	

SegID: 2202B Unnamed Drainage Ditch Tributary (B) to S. Arroyo Colorado (unclassified water body)

Perennial drainage ditches that flow into the segment in Cameron and Hidalgo counties

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2010
2202B_01	Entire segment	

SegID: 2203 Petronila Creek Tidal

From the confluence of Chiltipin Creek in Kleberg County to a point 1 km (0.6 miles) upstream of private road crossing near Laureles Ranch in Kleberg County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2010
2203_01	Entire segment	

2010 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 2302 Rio Grande Below Falcon Reservoir

From a point 10.8 km (6.7 miles) downstream of the International Bridge in Cameron County to Falcon Dam in Starr County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	1996
2302_01	From the El Jardin Pump Station upstream to the Rancho Viejo Floodway	
2302_04	From the McAllen Int'l Bridge (US Hwy 281) upstream to Anzalduas Dam	

SegID: 2302A Arroyo Los Olmos (unclassified water body)

From Rio Grande confluence at Rio Grande City to El Sauz in Starr County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2004
2302A_01	From the Rio Grande confluence near Rio Grande City upstream to a point 39.4 km (24.5 mi) near El Sauz	

SegID: 2304 Rio Grande Below Amistad Reservoir

From the confluence of the Arroyo Salado (Mexico) in Zapata County to Amistad Dam in Val Verde County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	1996
2304_01	From the Arroyo Salado confluence upstream to the San Idelfonso Creek confluence	
2304_02	From the San Idelfonso Creek confluence upstream to International Bridge #2	
2304_03	From the International Bridge #2 upstream to the City of Laredo water treatment plant intake	
2304_07	From El Indio upstream to downstream of US Hwy 277 (Eagle Pass)	
2304_09	From the Las Moras Creek confluence upstream to the San Felipe Creek confluence	

2010 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 2306 Rio Grande Above Amistad Reservoir

From a point 1.8 km (1.1 miles) downstream of the confluence of Ramsey Canyon in Val Verde County to the confluence of the Rio Conchos (Mexico) in Presidio County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	1999
2306_08	From Alamito Creek confluence upstream to the Rio Conchos confluence	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
chloride	5c	2010
2306_01	From the lower segment boundary at Ramsey Canyon upstream to the confluence of Panther Gulch	
2306_02	From the confluence of Panther Gulch upstream to FM 2627	
2306_03	From FM 2627 upstream to Boquillas Canyon	
2306_04	From Boquillas Canyon upstream to Mariscal Canyon	
2306_05	From Mariscal Canyon to a point upstream of the IBWC gage at Johnson Ranch	
2306_06	From a point upstream of the IBWC gage at Johnson Ranch to the mouth of Santa Elena Canyon at the Terlingua Creek confluence	
2306_07	From the mouth of Santa Elena Canyon at the Terlingua Creek confluence upstream to the Alamito Creek confluence	
2306_08	From Alamito Creek confluence upstream to the Rio Conchos confluence	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
sulfate	5c	2010
2306_01	From the lower segment boundary at Ramsey Canyon upstream to the confluence of Panther Gulch	
2306_02	From the confluence of Panther Gulch upstream to FM 2627	
2306_03	From FM 2627 upstream to Boquillas Canyon	
2306_04	From Boquillas Canyon upstream to Mariscal Canyon	
2306_05	From Mariscal Canyon to a point upstream of the IBWC gage at Johnson Ranch	
2306_06	From a point upstream of the IBWC gage at Johnson Ranch to the mouth of Santa Elena Canyon at the Terlingua Creek confluence	
2306_07	From the mouth of Santa Elena Canyon at the Terlingua Creek confluence upstream to the Alamito Creek confluence	
2306_08	From Alamito Creek confluence upstream to the Rio Conchos confluence	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
total dissolved solids	5c	2010
2306_01	From the lower segment boundary at Ramsey Canyon upstream to the confluence of Panther Gulch	
2306_02	From the confluence of Panther Gulch upstream to FM 2627	
2306_03	From FM 2627 upstream to Boquillas Canyon	
2306_04	From Boquillas Canyon upstream to Mariscal Canyon	
2306_05	From Mariscal Canyon to a point upstream of the IBWC gage at Johnson Ranch	
2306_06	From a point upstream of the IBWC gage at Johnson Ranch to the mouth of Santa Elena Canyon at the Terlingua Creek confluence	
2306_07	From the mouth of Santa Elena Canyon at the Terlingua Creek confluence upstream to the Alamito Creek confluence	
2306_08	From Alamito Creek confluence upstream to the Rio Conchos confluence	

2010 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 2307 Rio Grande Below Riverside Diversion Dam

From the confluence of the Rio Conchos (Mexico) in Presidio County to Riverside Diversion Dam in El Paso County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2002
2307_03	From Little Box Canyon upstream to the Alamo Grade Structure	
2307_04	From the Alamo Grade Structure upstream to the Guadalupe Bridge	
2307_05	From the Guadalupe Bridge to downstream of the Riverside Diversion Dam	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
chloride	5c	1996
2307_01	From immediately upstream of the Rio Conchos confluence to a point 40.2 km (25 mi) upstream	
2307_02	From a point 40.2 km (25 mi) upstream of the Rio Conchos confluence to Little Box Canyon	
2307_03	From Little Box Canyon upstream to the Alamo Grade Structure	
2307_04	From the Alamo Grade Structure upstream to the Guadalupe Bridge	
2307_05	From the Guadalupe Bridge to downstream of the Riverside Diversion Dam	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
total dissolved solids	5c	1996
2307_01	From immediately upstream of the Rio Conchos confluence to a point 40.2 km (25 mi) upstream	
2307_02	From a point 40.2 km (25 mi) upstream of the Rio Conchos confluence to Little Box Canyon	
2307_03	From Little Box Canyon upstream to the Alamo Grade Structure	
2307_04	From the Alamo Grade Structure upstream to the Guadalupe Bridge	
2307_05	From the Guadalupe Bridge to downstream of the Riverside Diversion Dam	

SegID: 2311 Upper Pecos River

From a point immediately upstream of the confluence of Independence Creek in Crockett/Terrell County to Red Bluff Dam in Loving/Reeves County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	2006
2311_03	From US Hwy 67 upstream to FM 1776	
2311_04	From FM 1776 upstream to US Hwy 80 (Bus 20)	

SegID: 2314 Rio Grande Above International Dam

From International Dam in El Paso County to the New Mexico State Line in El Paso County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2002
2314_01	From the International Dam upstream to the Anthony Drain confluence	

2010 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 2421 Upper Galveston Bay

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue	5a	1996
2421_01	Red Bluff to Five Mile Cut to Houston Point to Morgans Point	
2421_02	Western portion of the bay	
2421_03	Eastern portion of the bay	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2004
2421_01	Red Bluff to Five Mile Cut to Houston Point to Morgans Point	
2421_02	Western portion of the bay	
2421_03	Eastern portion of the bay	

SegID: 2421A Clear Lake Channel (unclassified water body)
From the Lower Galveston Bay confluence to SH 146

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue	5a	2010
2421A_01	From Lower Galveston Bay confluence to SH 146	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2010
2421A_01	From Lower Galveston Bay confluence to SH 146	

SegID: 2422 Trinity Bay

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue	5a	2010
2422_01	Upper half of bay	
2422_02	Lower half of bay	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2010
2422_01	Upper half of bay	
2422_02	Lower half of bay	

2010 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 2422B Double Bayou West Fork (unclassified water body)
 From the Trinity Bay confluence to Belton Road in Chambers County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2006
2422B_01 From the Trinity Bay confluence to Belton Road		

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5b	2004
2422B_01 From the Trinity Bay confluence to Belton Road		

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue	5a	2010
2422B_01 From the Trinity Bay confluence to Belton Road		

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2010
2422B_01 From the Trinity Bay confluence to Belton Road		

SegID: 2422D Double Bayou East Fork (unclassified water body)
 From the Trinity Bay confluence to a point 2.6 km (1.6 mi) upstream of SH 65

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue	5a	2010
2422D_01 From the Trinity Bay confluence to a point 2.6 km (1.6 mi) upstream of SH 65		

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2010
2422D_01 From the Trinity Bay confluence to a point 2.6 km (1.6 mi) upstream of SH 65		

SegID: 2423 East Bay

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue	5a	2010
2423_01 Area adjacent to the ICWW (Segment 0702)		
2423_02 Remainder of segment		

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2010
2423_01 Area adjacent to the ICWW (Segment 0702)		
2423_02 Remainder of segment		

2010 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 2423A Oyster Bayou (unclassified water body)

From the East Bay confluence to a point 2.2 km (1.4 mi) upstream from SH 65 in Chambers County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue	5a	2010
2423A_01	From the East Bay confluence to a point 2.2 km (1.4 mi) upstream from SH 65	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2010
2423A_01	From the East Bay confluence to a point 2.2 km (1.4 mi) upstream from SH 65	

SegID: 2424 West Bay

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue	5a	2010
2424_01	Main portion of water body	
2424_02	Area adjacent to Lower Galveston Island	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2010
2424_01	Main portion of water body	
2424_02	Area adjacent to Lower Galveston Island	

2010 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 2424A Highland Bayou (unclassified water body)

From Jones Bay confluence to Avenue Q 0.8 km (0.5 mi) north of SH 6 between Arcadia and Alta Loma in Galveston County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2002
2424A_02	From Bayou Lane upstream to Lake Road	
2424A_03	From Lake Road upstream to FM 519	
2424A_04	From FM 519 upstream to FM 2004	
2424A_05	From FM 2004 to the headwaters just west of FM 1764	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5b	2002
2424A_05	From FM 2004 to the headwaters just west of FM 1764	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue	5a	2010
2424A_01	From the Jones Bay confluence upstream to Bayou Lane	
2424A_02	From Bayou Lane upstream to Lake Road	
2424A_03	From Lake Road upstream to FM 519	
2424A_04	From FM 519 upstream to FM 2004	
2424A_05	From FM 2004 to the headwaters just west of FM 1764	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2010
2424A_01	From the Jones Bay confluence upstream to Bayou Lane	
2424A_02	From Bayou Lane upstream to Lake Road	
2424A_03	From Lake Road upstream to FM 519	
2424A_04	From FM 519 upstream to FM 2004	
2424A_05	From FM 2004 to the headwaters just west of FM 1764	

SegID: 2424C Marchand Bayou (unclassified water body)

From Highland Bayou confluence to 0.72 km (0.45 mi) north of IH 45 in Galveston County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5a	2002
2424C_01	From Highland Bayou confluence 0.72 km (0.45 mi) north of IH-45	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	2002
2424C_01	From Highland Bayou confluence 0.72 km (0.45 mi) north of IH-45	

2010 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 2424D Offatts Bayou (unclassified water body)

Located on the east end of Galveston Island, running parallel with the southern terminus of IH 45, and joins West Bay near Teichman Point

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue	5a	2010
2424D_01	Upper area bordered by SH 342 and 71st Street	
2424D_02	Middle area bordered by 71st Street and Walsh Street	
2424D_03	Lower area bordered by Walsh Street and Techmann Point	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2010
2424D_01	Upper area bordered by SH 342 and 71st Street	
2424D_02	Middle area bordered by 71st Street and Walsh Street	
2424D_03	Lower area bordered by Walsh Street and Techmann Point	

SegID: 2425 Clear Lake

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue	5a	2010
2425_01	Entire segment	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2010
2425_01	Entire segment	

SegID: 2425A Taylor Lake (unclassified water body)

From the Clear Lake confluence to the Taylor Bayou confluence near Red Bluff Road in Galveston County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue	5a	2010
2425A_01	From the Clear Lake confluence to the Taylor Bayou confluence near Red Bluff Road	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2010
2425A_01	From the Clear Lake confluence to the Taylor Bayou confluence near Red Bluff Road	

2010 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 2425B Jarbo Bayou (unclassified water body)

From Clear Lake confluence with Clear Lake to 1.1 km (0.67 mi) upstream of FM 518 in Galveston County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5a	2002
2425B_01	From the Clear Lake confluence upstream to Lawrence Road	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue	5a	2010
2425B_01	From the Clear Lake confluence upstream to Lawrence Road	
2425B_02	From Lawrence Road to the headwaters 1.1 km (0.67 mi) upstream of FM 518	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2010
2425B_01	From the Clear Lake confluence upstream to Lawrence Road	
2425B_02	From Lawrence Road to the headwaters 1.1 km (0.67 mi) upstream of FM 518	

SegID: 2425D Taylor Bayou (unclassified water body)

From the Taylor Lake confluence to a point 4.6 km (2.8 mi) upstream of State Hwy 146

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue	5a	2010
2425D_01	From the Taylor Lake confluence to a point 4.6 km (2.8 mi) upstream of State Hwy 146	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2010
2425D_01	From the Taylor Lake confluence to a point 4.6 km (2.8 mi) upstream of State Hwy 146	

SegID: 2426 Tabbs Bay

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue	5a	1996
2426_01	Entire segment	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2004
2426_01	Entire segment	

2010 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 2426C Goose Creek Tidal (unclassified water body)

From the Tabbs Bay confluence upstream to the East Fork of Goose Creek confluence

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue	5a	2010
2426C_01	From the Tabbs Bay confluence upstream to the East Fork of Goose Creek confluence	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2010
2426C_01	From the Tabbs Bay confluence upstream to the East Fork of Goose Creek confluence	

SegID: 2427 San Jacinto Bay

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue	5a	1996
2427_01	Entire segment	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2004
2427_01	Entire segment	

SegID: 2428 Black Duck Bay

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue	5a	1998
2428_01	Entire segment	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2004
2428_01	Entire segment	

SegID: 2429 Scott Bay

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue	5a	1998
2429_01	Entire segment	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2004
2429_01	Entire segment	

2010 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 2430 Burnett Bay

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue	5a	1998
2430_01 Entire segment		

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2004
2430_01 Entire segment		

SegID: 2430A Crystal Bay (unclassified water body)

Crystal Bay, a side bay of Burnett Bay, located between Burnett and Scott (Segment 2429) Bays adjacent to the San Jacinto Monument and Houston Ship Channel (Segment 1005)

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue	5a	2010
2430A_01 Entire segment		

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2010
2430A_01 Entire segment		

SegID: 2431 Moses Lake

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue	5a	2010
2431_01 Entire segment		

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2010
2431_01 Entire segment		

SegID: 2431A Moses Bayou (unclassified water body)

From Moses Lake confluence to 2.2 km (1.4 mi) upstream of SH 3 in Galveston County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue	5a	2010
2431A_01 From Moses Lake confluence to 2.2 km (1.4 mi) upstream of SH 3		

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2010
2431A_01 From Moses Lake confluence to 2.2 km (1.4 mi) upstream of SH 3		

2010 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 2432 Chocolate Bay

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue	5a	2010
2432_01 Entire segment		

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2010
2432_01 Entire segment		

SegID: 2432C Halls Bayou Tidal (unclassified water body)

From the Chocolate Bay confluence upstream to a point 31.5 km (19.6 mi) upstream

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue	5a	2010
2432C_01 From the Chocolate Bay confluence upstream to a point 31.5 km (19.6 mi) upstream		

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2010
2432C_01 From the Chocolate Bay confluence upstream to a point 31.5 km (19.6 mi) upstream		

SegID: 2433OW Bastrop Bay/Oyster Lake (Oyster Waters)

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (oyster waters)	5a	2006
2433OW_02 Oyster Lake		

SegID: 2434OW Christmas Bay (Oyster Waters)

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (oyster waters)	5a	2006
2434OW_01 Area adjacent to West Bay		

2010 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 2436 Barbours Cut

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue	5a	1998
2436_01 Entire segment		

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2004
2436_01 Entire segment		

SegID: 2437 Texas City Ship Channel

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue	5a	2010
2437_01 Entire segment		

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2010
2437_01 Entire segment		

SegID: 2438 Bayport Channel

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue	5a	2000
2438_01 Entire segment		

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2004
2438_01 Entire segment		

SegID: 2439 Lower Galveston Bay

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue	5a	2010
2439_01 Area adjacent to the Texas City Ship Channel and Moses Lake		
2439_02 Main portion of the bay		

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2010
2439_01 Area adjacent to the Texas City Ship Channel and Moses Lake		
2439_02 Main portion of the bay		

2010 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 2441OW East Matagorda Bay (Oyster Waters)

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (oyster waters)	5a	1998
2441OW_01 Caney Creek arm and western shoreline area		

SegID: 2442OW Cedar Lakes (Oyster Waters)

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (oyster waters)	5a	1998
2442OW_01 Entire segment		

SegID: 2451OW Matagorda Bay/Powderhorn Lake (Oyster Waters)

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (oyster waters)	5a	1996
2451OW_01 Northern end of Matagorda Bay		

SegID: 2452OW Tres Palacios Bay/Turtle Bay (Oyster Waters)

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (oyster waters)	5a	1998
2452OW_01 Turtle Bay and Tres Palacios Creek Arm		

SegID: 2453A Garcitas Creek Tidal (unclassified water body)

From the Lavaca Bayou confluence to a point 13.7 km (8.5 mi) upstream of FM 616 in Jackson County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5b	1999
2453A_01 From the Lavaca Bay confluence to a point 13.7 km (8.5 mi) upstream of FM 616		

SegID: 2453C Arenosa Creek (unclassified water body)

From Garcitas Creek confluence upstream to J-2 Ranch Road

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2010
2453C_01 From Garcitas Creek confluence upstream to J-2 Ranch Road		

2010 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 2453D Lavaca Bay Ship Channel Area (unclassified water body)

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	2006
2453D_01 Entire segment		

SegID: 2453OW Lavaca Bay/Chocolate Bay (Oyster Waters)

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (oyster waters)	5a	1996
2453OW_02 North-northeastern portion of the bay near Point Comfort		
2453OW_03 Chocolate Bay area		

SegID: 2454OW Cox Bay (Oyster Waters)

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (oyster waters)	5a	2006
2454OW_01 North end of bay near Cox Creek		

SegID: 2455OW Keller Bay (Oyster Waters)

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (oyster waters)	5a	2006
2455OW_01 Upper arm		

SegID: 2456 Carancahua Bay

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2006
2456_02 Upper half of bay		

2010 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 2456A West Carancahua Creek Tidal (unclassified water body)

From the Carancahua Bay confluence to Jackson CR 440, 10.1 km (6.3 mi) upstream of FM 616 in Jackson County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	2006
2456A_01	From the Carancahua Bay confluence to Jackson CR 440, 10.1 km (6.3 mi) upstream of FM 616 in Jackson County	
2456A_01	From the Carancahua Bay confluence to Jackson CR 440, 10.1 km (6.3 mi) upstream of FM 616 in Jackson County	

SegID: 2456OW Carancahua Bay (Oyster Waters)

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (oyster waters)	5a	1996
2456OW_01	Lower portion of bay	

SegID: 2462OW San Antonio Bay/Hynes Bay/Guadalupe Bay (Oyster Waters)

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (oyster waters)	5a	1996
2462OW_01	Guadalupe Bay	

SegID: 2472OW Copano Bay/Port Bay/Mission Bay (Oyster Waters)

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (oyster waters)	5a	1998
2472OW_01	Mission Bay, Aransas River arm, Port Bay, and eastern shoreline	

SegID: 2481CB Corpus Christi Bay (Recreational Beaches)

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5a	2010
2481CB_03	Cole Park (Beach ID TX259473)	
2481CB_04	Ropes Park (Beach ID TX821303)	

2010 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 2483OW Redfish Bay (Oyster Waters)

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (oyster waters)	5a	2006
2483OW_01 Entire segment		

SegID: 2485 Oso Bay

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5b	1996
2485_02 Middle bay (State Park Road 22 to Holly Road)		

SegID: 2485A Oso Creek (unclassified water body)

From the Oso Bay confluence in southern Corpus Christi to a point 4.8 km (3 mi) upstream of SH 44, west of Corpus Christi in Nueces County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5a	2002
2485A_01 From the Oso Bay confluence in southern Corpus Christi to a point 4.8 km (3 mi) upstream of SH 44, west of Corpus Christi		

SegID: 2485OW Oso Bay (Oyster Waters)

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (oyster waters)	5a	2006
2485OW_01 Entire bay		

SegID: 2491 Laguna Madre

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2010
2491_02 Area adjacent to the Arroyo Colorado confluence		

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5b	1999
2491_01 Upper portion of bay north of the Arroyo Colorado confluence		
2491_02 Area adjacent to the Arroyo Colorado confluence		

2010 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 2491OW Laguna Madre (Oyster Waters)

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (oyster waters)	5a	2006
2491OW_02 Area adjacent to the Arroyo Colorado confluence		

SegID: 2492A San Fernando Creek (unclassified water body)

From the Gayo Del Grullo confluence in Kleberg County to the Lake Alice Dam in Jim Wells County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5a	2006
2492A_01 From the Cayo Del Grullo confluence to the Lake Alice Dam		

SegID: 2494 Brownsville Ship Channel

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2010
2494_01 From the Laguna Madre confluence upstream to the Port of Brownsville		

SegID: 2494A Port Isabel Fishing Harbor (unclassified water body)

From the Laguna Madre confluence to 0.4 km (0.25 mi) south of SH 100 in Port Isabel in Cameron County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2010
2494A_01 From the Laguna Madre confluence to 0.4 km (0.25 mi) south of SH 100 in Port Isabel		

2010 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 2501

Gulf of Mexico

From the Gulf shoreline to the limit of Texas' jurisdiction between Sabine Pass and the Rio Grande

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2010
2501_02	Jefferson-Chambers County line area	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
mercury in edible tissue	5c	1998
2501_01	Sabine Pass to Sea Rim Park area	
2501_02	Jefferson-Chambers County line area	
2501_03	Bolivar Point to San Luis Pass area	
2501_04	Freeport Area	
2501_05	Area between Freeport and Port Aransas	
2501_06	Port Aransas Area	
2501_07	Area between Port Aransas and Port Mansfield	
2501_08	Port Mansfield area	
2501_09	Area between Port Mansfield and Port Isabel	
2501_10	Port Isabel area	