

Page 1 of 2

**EXECUTIVE SUMMARY - ENFORCEMENT MATTER**  
**DOCKET NO.: 2007-0758-MWD-E TCEQ ID: RN101607299 CASE NO.: 33599**  
**RESPONDENT NAME: EL Dorado Utility District**

<b>ORDER TYPE:</b>		
<input checked="" type="checkbox"/> 1660 AGREED ORDER	<input type="checkbox"/> FINDINGS AGREED ORDER	<input type="checkbox"/> FINDINGS ORDER FOLLOWING SOAH HEARING
<input type="checkbox"/> FINDINGS DEFAULT ORDER	<input type="checkbox"/> SHUTDOWN ORDER	<input type="checkbox"/> IMMINENT AND SUBSTANTIAL ENDANGERMENT ORDER
<input type="checkbox"/> AMENDED ORDER	<input type="checkbox"/> EMERGENCY ORDER	
<b>CASE TYPE:</b>		
<input type="checkbox"/> AIR	<input type="checkbox"/> MULTI-MEDIA (check all that apply)	<input type="checkbox"/> INDUSTRIAL AND HAZARDOUS WASTE
<input type="checkbox"/> PUBLIC WATER SUPPLY	<input type="checkbox"/> PETROLEUM STORAGE TANKS	<input type="checkbox"/> OCCUPATIONAL CERTIFICATION
<input checked="" type="checkbox"/> WATER QUALITY	<input type="checkbox"/> SEWAGE SLUDGE	<input type="checkbox"/> UNDERGROUND INJECTION CONTROL
<input type="checkbox"/> MUNICIPAL SOLID WASTE	<input type="checkbox"/> RADIOACTIVE WASTE	<input type="checkbox"/> DRY CLEANER REGISTRATION
<p><b>SITE WHERE VIOLATION(S) OCCURRED:</b> EL Dorado UD, located immediately south of and adjacent to Garners Bayou; approximately one-half mile east of the Old Humble Road crossing of Garners Bayou and two miles east of U.S. Highway 59, Harris County</p> <p><b>TYPE OF OPERATION:</b> Wastewater treatment</p> <p><b>SMALL BUSINESS:</b> <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No</p> <p><b>OTHER SIGNIFICANT MATTERS:</b> There are no complaints. There is no record of additional pending enforcement actions regarding this facility location.</p> <p><b>INTERESTED PARTIES:</b> No one other than the ED and the Respondent has expressed an interest in this matter.</p> <p><b>COMMENTS RECEIVED:</b> The <i>Texas Register</i> comment period expired on October 8, 2007. No comments were received.</p> <p><b>CONTACTS AND MAILING LIST:</b>  <b>TCEQ Attorney/SEP Coordinator:</b> None  <b>TCEQ Enforcement Coordinator:</b> Ms. Deana Holland, Enforcement Division, Enforcement Team 1, MC 169, (512) 239-2504; Mr. David Van Soest, Enforcement Division, MC 219, (512) 239-0468  <b>Respondent:</b> Mr. Peter Hwang, Board President, EL Dorado Utility District, 3 East Greenway Plaza, Suite 2000, Houston, Texas 77046  <b>Respondent's Attorney:</b> Not represented by counsel on this enforcement matter</p>		

VIOLATION SUMMARY CHART:		
VIOLATION INFORMATION	PENALTY CONSIDERATIONS	CORRECTIVE ACTIONS TAKEN/REQUIRED
<p><b>Type of Investigation:</b>  <input type="checkbox"/> Complaint  <input type="checkbox"/> Routine  <input type="checkbox"/> Enforcement Follow-up  <input checked="" type="checkbox"/> Records Review</p> <p><b>Date(s) of Complaints Relating to this Case:</b> None</p> <p><b>Date of Investigation Relating to this Case:</b> April 17, 2007</p> <p><b>Date of NOV/NOE Relating to this Case:</b> May 2, 2007 (NOE)</p> <p><b>Background Facts:</b> This was a routine record review. One violation was documented.</p> <p><b>WATER</b></p> <p>Failed to comply with the permitted effluent limits [30 TEX. ADMIN. CODE § 305.125(1), TEX. WATER CODE § 26.121(a), and Texas Pollutant Discharge Elimination System Permit No. WQ0011302001, Effluent Limitations and Monitoring Requirements No. 1].</p>	<p><b>Total Assessed:</b> \$1,200</p> <p><b>Total Deferred:</b> \$240  <input checked="" type="checkbox"/> Expedited Settlement  <input type="checkbox"/> Financial Inability to Pay</p> <p><b>SEP Conditional Offset:</b> \$0</p> <p><b>Total Paid to General Revenue:</b> \$960</p> <p><b>Site Compliance History Classification</b>  <input type="checkbox"/> High <input checked="" type="checkbox"/> Average <input type="checkbox"/> Poor</p> <p><b>Person Compliance History Classification</b>  <input type="checkbox"/> High <input checked="" type="checkbox"/> Average <input type="checkbox"/> Poor</p> <p><b>Major Source:</b> <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No</p> <p><b>Applicable Penalty Policy:</b> September 2002</p>	<p><b>Corrective Actions Taken:</b></p> <p>The Executive Director recognizes that the District has become compliant with permitted effluent limitations as of February 2007, by completing Phase 1 (50%) of the rehabilitation of the sanitary sewer system on January 9, 2007.</p>

Additional ID No(s): WQ0011302001



# Penalty Calculation Worksheet (PCW)

Policy Revision 2 (September 2002)

PCW Revision November 17, 2006

## TCEQ

DATES	Assigned	7-May-2007	Screening	14-May-2007	EPA Due	
	PCW	26-May-2007				

<b>RESPONDENT/FACILITY INFORMATION</b>	
Respondent	EL Dorado Utility District
Reg. Ent. Ref. No.	RN101607299
Facility/Site Region	12-Houston
Major/Minor Source	Minor

<b>CASE INFORMATION</b>			
Enf./Case ID No.	33599	No. of Violations	1
Docket No.	2007-0758-MWD-E	Order Type	1660
Media Program(s)	Water Quality	Enf. Coordinator	Deana Holland
Multi-Media		EC's Team	EnforcementTeam 1
Admin. Penalty \$	Limit Minimum \$0	Maximum	\$10,000

## Penalty Calculation Section

<b>TOTAL BASE PENALTY (Sum of violation base penalties)</b>	Subtotal 1	\$1,000
---	------------	---------

### ADJUSTMENTS (+/-) TO SUBTOTAL 1

Subtotals 2-7 are obtained by multiplying the Total Base Penalty (Subtotal 1) by the indicated percentage.

<b>Compliance History</b>	45% Enhancement	Subtotals 2, 3, & 7	\$450
---------------------------	-----------------	---------------------	-------

Notes: A 45% enhancement is recommended for having four months of self reported effluent data violations, one NOV with a same or similar violation, and one Agreed Order within the last five years.

<b>Culpability</b>	No	0% Enhancement	Subtotal 4	\$0
--------------------	----	----------------	------------	-----

Notes: The Respondent does not meet the culpability criteria.

<b>Good Faith Effort to Comply</b>	25% Reduction	Subtotal 5	\$250
------------------------------------	---------------	------------	-------

	Before NOV	NOV to EDPRP/Settlement Offer
Extraordinary		
Ordinary	X	
N/A		(mark with x)

Notes: The Respondent achieved compliance in February 2007.

<b>0% Enhancement*</b>	Subtotal 6	\$0
Total EB Amounts	\$680	*Capped at the Total EB \$ Amount
Approx. Cost of Compliance	\$17,400	

<b>SUM OF SUBTOTALS 1-7</b>	Final Subtotal	\$1,200
-----------------------------	----------------	---------

<b>OTHER FACTORS AS JUSTICE MAY REQUIRE</b>	Adjustment	\$0
---	------------	-----

Reduces or enhances the Final Subtotal by the indicated percentage. (Enter number only; e.g. -30 for -30%.)

Notes

Final Penalty Amount \$1,200

<b>STATUTORY LIMIT ADJUSTMENT</b>	Final Assessed Penalty	\$1,200
-----------------------------------	------------------------	---------

<b>DEFERRAL</b>	20% Reduction	Adjustment	-\$240
-----------------	---------------	------------	--------

Reduces the Final Assessed Penalty by the indicated percentage. (Enter number only; e.g. 20 for 20% reduction.)

Notes

Deferral offered for expedited settlement.

<b>PAYABLE PENALTY</b>	\$960
------------------------	-------

Screening Date 14-May-2007

Docket No. 2007-0758-MWD-E

PCW

Respondent EL Dorado Utility District

Policy Revision 2 (September 2002)

Case ID No. 33599

PCW Revision November 17, 2006

Reg. Ent. Reference No. RN101607299

Media [Statute] Water Quality

Enf. Coordinator Deana Holland

### Compliance History Worksheet

>> Compliance History Site Enhancement (Subtotal 2)

Component	Number of...	Enter Number Here	Adjust.
NOVs	Written NOVs with same or similar violations as those in the current enforcement action (number of NOVs meeting criteria)	5	25%
	Other written NOVs	0	0%
Orders	Any agreed final enforcement orders containing a denial of liability (number of orders meeting criteria)	1	20%
	Any adjudicated final enforcement orders, agreed final enforcement orders without a denial of liability, or default orders of this state or the federal government, or any final prohibitory emergency orders issued by the commission	0	0%
Judgments and Consent Decrees	Any non-adjudicated final court judgments or consent decrees containing a denial of liability of this state or the federal government (number of judgements or consent decrees meeting criteria)	0	0%
	Any adjudicated final court judgments and default judgments, or non-adjudicated final court judgments or consent decrees without a denial of liability, of this state or the federal government	0	0%
Convictions	Any criminal convictions of this state or the federal government (number of counts)	0	0%
Emissions	Chronic excessive emissions events (number of events)	0	0%
Audits	Letters notifying the executive director of an intended audit conducted under the Texas Environmental, Health, and Safety Audit Privilege Act, 74th Legislature, 1995 (number of audits for which notices were submitted)	0	0%
	Disclosures of violations under the Texas Environmental, Health, and Safety Audit Privilege Act, 74th Legislature, 1995 (number of audits for which violations were disclosed)	0	0%
<i>Please Enter Yes or No</i>			
Other	Environmental management systems in place for one year or more	No	0%
	Voluntary on-site compliance assessments conducted by the executive director under a special assistance program	No	0%
	Participation in a voluntary pollution reduction program	No	0%
	Early compliance with, or offer of a product that meets future state or federal government environmental requirements	No	0%

Adjustment Percentage (Subtotal 2) 45%

>> Repeat Violator (Subtotal 3)

No

Adjustment Percentage (Subtotal 3) 0%

>> Compliance History Person Classification (Subtotal 7)

Average Performer

Adjustment Percentage (Subtotal 7) 0%

>> Compliance History Summary

Compliance History Notes

A 45% enhancement is recommended for having four months of self reported effluent data violations, one NOV with a same or similar violation, and one Agreed Order within the last five years.

Total Adjustment Percentage (Subtotals 2, 3, & 7) 45%

Screening Date 14-May-2007

Docket No. 2007-0758-MWD-E

PCW

Respondent EL Dorado Utility District

Policy Revision 2 (September 2002)

Case ID No. 33599

PCW Revision November 17, 2006

Reg. Ent. Reference No. RN101607299

Media [Statute] Water Quality

Enf. Coordinator Deana Holland

Violation Number 1

Rule Cite(s) 30 Tex. Admin. Code § 305.125(1), and Tex. Water Code § 26.121(a), TPDES Permit No. WQ0011302001, Effluent Limitations and Monitoring Requirements No. 1

Violation Description Failed to comply with the permitted effluent limits as documented during a record review conducted on April 17, 2007. See attached effluent violation table.

Base Penalty \$10,000

>> Environmental, Property and Human Health Matrix

Release	Harm			Percent
	Major	Moderate	Minor	
Actual			X	10%
Potential				

>> Programmatic Matrix

Falsification	Major	Moderate	Minor	Percent
				0%

Matrix Notes

Human health or the environment has been exposed to insignificant amounts of pollutants which did not exceed levels that are protective of human health or environmental receptors as a result of the violation.

Adjustment \$9,000

\$1,000

Violation Events

Number of Violation Events 1 Number of violation days 62

mark only one with an x	daily	
	monthly	
	quarterly	X
	semiannual	
	annual	
	single event	

Violation Base Penalty \$1,000

One quarterly event is recommended.

Economic Benefit (EB) for this violation

Statutory Limit Test

Estimated EB Amount \$680

Violation Final Penalty Total \$1,200

This violation Final Assessed Penalty (adjusted for limits) \$1,200

## Economic Benefit Worksheet

**Respondent** EL Dorado Utility District  
**Case ID No.** 33599  
**Reg. Ent. Reference No.** RN101607299  
**Media** Water Quality  
**Violation No.** 1

<b>Percent Interest</b>	<b>Years of Depreciation</b>
5.0	15

Item Description	Item Cost	Date Required	Final Date	Yrs	Interest Saved	Onetime Costs	EB Amount
------------------	-----------	---------------	------------	-----	----------------	---------------	-----------

No commas or \$

### Delayed Costs

Equipment				0.0	\$0	\$0	\$0
Buildings				0.0	\$0	\$0	\$0
Other (as needed)				0.0	\$0	\$0	\$0
Engineering/construction	\$15,000	31-Jul-2006	28-Feb-2007	0.6	\$29	\$581	\$610
Land				0.0	\$0	n/a	\$0
Record Keeping System				0.0	\$0	n/a	\$0
Training/Sampling	\$2,400	31-Jul-2006	28-Feb-2007	0.6	\$70	n/a	\$70
Remediation/Disposal				0.0	\$0	n/a	\$0
Permit Costs				0.0	\$0	n/a	\$0
Other (as needed)				0.0	\$0	n/a	\$0

#### Notes for DELAYED costs

Estimated costs of evaluating the causes of the effluent noncompliances is \$5,000 and \$10,000 is the estimated cost for implementation of Phase 1 (50%) of the rehabilitation of the sanitary sewer system. Estimated costs of additional operator training and process control testing is based on \$100 per month. Date required is the beginning of the effluent noncompliances and the final date is the date of compliance.

### Avoided Costs

#### ANNUALIZE [1] avoided costs before entering item (except for one-time avoided costs)

Disposal				0.0	\$0	\$0	\$0
Personnel				0.0	\$0	\$0	\$0
Inspection/Reporting/Sampling				0.0	\$0	\$0	\$0
Supplies/equipment				0.0	\$0	\$0	\$0
Financial Assurance [2]				0.0	\$0	\$0	\$0
ONE-TIME avoided costs [3]				0.0	\$0	\$0	\$0
Other (as needed)				0.0	\$0	\$0	\$0

#### Notes for AVOIDED costs

Approx. Cost of Compliance

\$17,400

**TOTAL**

\$680

**Effluent Violation Table**  
 El Dorado Utility District  
 TPDES Permit No. WQ0011302001  
 Docket No. 2007-0758-MWD-E

Monitoring Period End Date	Permitted Effluent Limits		
	Total Suspended Solids Daily Average 56 lbs/Day	Total Suspended Solids Daily Average 15 mg/L	Total Suspended Solids Daily Grab 60 mg/L
12/31/2006	84.414	32.600	80
01/31/2007	99.325	30.000	c

lbs/Day = pounds per day	mg/L = milligrams per liter	c = compliant
-----------------------------	-----------------------------------	---------------



# Compliance History

Customer/Respondent/Owner-Operator:	CN600861496	El Dorado Utility District	Classification: AVERAGE	Rating: 0.23
Regulated Entity:	RN101607299	EL DORADO UD	Classification: AVERAGE	Site Rating: 0.23
ID Number(s):	WASTEWATER	PERMIT		WQ0011302001
	WASTEWATER	PERMIT		TPDES0025623
	WASTEWATER	PERMIT		TX0025623
	WASTEWATER LICENSING	LICENSE		WQ0011302001
Location:	located immediately south of and adjacent to Garners Bayou; approximately 1/2 mile east of the Old Humble Road crossing of Garners Bayou and two miles east of U.S. Highway 59 in Harris County, Texas			Rating Date: 9/1/2006 Repeat Violator: NO
TCEQ Region:	REGION 12 - HOUSTON			
Date Compliance History Prepared:	May 12, 2007			
Agency Decision Requiring Compliance History:	Enforcement			
Compliance Period:	May 12, 2002 to May 12, 2007			
TCEQ Staff Member to Contact for Additional Information Regarding this Compliance History				
Name:	<u>Deana Holland</u>	Phone:	<u>239-2504</u>	

## Site Compliance History Components

- |  |     |
|--|-----|
| 1. Has the site been in existence and/or operation for the full five year compliance period? | Yes |
| 2. Has there been a (known) change in ownership of the site during the compliance period?    | No  |
| 3. If Yes, who is the current owner?   | N/A |
| 4. If Yes, who was/were the prior owner(s)?  | N/A |
| 5. When did the change(s) in ownership occur?  | N/A |

### Components (Multimedia) for the Site :

- A. Final Enforcement Orders, court judgements, and consent decrees of the state of Texas and the federal government.
- |     |  |                            |
|-----|--|----------------------------|
| N/A | Effective Date: 10/19/2006   | ADMINORDER 2006-0550-MWD-E |
|     | Classification: Moderate   |                            |
|     | Citation: 30 TAC Chapter 305, SubChapter F 305.125(1)  |                            |
|     | 30 TAC Chapter 305, SubChapter F 305.125(4)  |                            |
|     | 30 TAC Chapter 305, SubChapter F 305.125(5)  |                            |
|     | TWC Chapter 26 26.121(a)(1)  |                            |
|     | Rqmt Prov: No. 11302-001 Page 7, No. 2g PERMIT   |                            |
|     | Description: Failure to prevent an unauthorized discharge of waste into or adjacent to any water in the State. |                            |
- B. Any criminal convictions of the state of Texas and the federal government.
- N/A
- C. Chronic excessive emissions events.
- N/A
- D. The approval dates of investigations. (CCEDS Inv. Track. No.)
- |   |            |          |
|---|------------|----------|
| 1 | 05/22/2002 | (172515) |
| 2 | 06/24/2002 | (172518) |
| 3 | 07/23/2002 | (172521) |
| 4 | 08/21/2002 | (172524) |
| 5 | 09/25/2002 | (172527) |
| 6 | 10/21/2002 | (172530) |
| 7 | 11/22/2002 | (172534) |
| 8 | 12/20/2002 | (172538) |
| 9 | 01/21/2003 | (172542) |

10 02/21/2003 (172505)  
 11 03/21/2003 (301363)  
 12 04/22/2003 (172512)  
 13 05/22/2003 (301367)  
 14 06/20/2003 (301369)  
 15 07/18/2003 (301371)  
 16 08/22/2003 (301373)  
 17 10/24/2003 (301377)  
 18 10/29/2003 (252055)  
 19 11/24/2003 (301379)  
 20 12/29/2003 (301381)  
 21 01/23/2004 (301383)  
 22 02/23/2004 (301362)  
 23 03/22/2004 (301365)  
 24 03/22/2004 (264794)  
 25 04/26/2004 (354505)  
 26 05/24/2004 (354506)  
 27 06/24/2004 (354507)  
 28 07/22/2004 (354508)  
 29 08/30/2004 (354509)  
 30 09/13/2004 (354511)  
 31 09/20/2004 (354510)  
 32 10/25/2004 (354512)  
 33 11/24/2004 (383197)  
 34 12/27/2004 (383198)  
 35 01/24/2005 (383199)  
 36 02/22/2005 (421034)  
 37 04/22/2005 (421035)  
 38 05/24/2005 (421036)  
 39 06/27/2005 (421037)  
 40 07/25/2005 (441993)  
 41 08/22/2005 (441994)  
 42 09/28/2005 (441995)  
 43 10/24/2005 (470810)  
 44 11/21/2005 (470811)  
 45 12/27/2005 (470812)  
 46 01/23/2006 (470813)  
 47 02/23/2006 (470808)  
 48 03/22/2006 (470809)  
 49 04/21/2006 (499742)  
 50 05/05/2006 (459723)  
 51 05/10/2006 (499743)  
 52 06/13/2006 (499744)  
 53 07/13/2006 (499745)  
 54 08/12/2006 (521826)  
 55 09/16/2006 (521827)  
 56 10/12/2006 (521828)  
 57 11/09/2006 (546464)  
 58 12/12/2006 (546465)  
 59 01/15/2007 (546466)  
 60 02/17/2007 (546463)  
 61 05/02/2007 (557264)

E. Written notices of violations (NOV). (CCEDS Inv. Track. No.)

Date	10/29/2003	(252055)		
Self Report?	NO		Classification	Moderate
Citation:	TWC Chapter 26 26.121			
Description:	Failure to prevent sanitary sewer overflows (SSOs) from the collection system.			
Self Report?	NO		Classification	Minor
Citation:	30 TAC Chapter 317 317.7(b)			
Rqmt Prov:	PERMIT TPDES Permit No. 11302-001			
Description:	Failure to properly maintain the handrails at the WWTP.			
Self Report?	NO		Classification	Minor
Citation:	30 TAC Chapter 305, SubChapter F 305.125(1)			

Description: Failure to provide a readily accessible sampling point at the V-notch weir in the chlorine contact chamber.  
 Date 03/31/2004 (354505)  
 Self Report? YES Classification Moderate  
 Citation: 30 TAC Chapter 305, SubChapter F 305.125(1)  
 TWC Chapter 26 26.121(a)[G]  
 Description: Failure to meet the limit for one or more permit parameter  
 Date 10/31/2005 (470811)  
 Self Report? YES Classification Moderate  
 Citation: 30 TAC Chapter 305, SubChapter F 305.125(1)  
 TWC Chapter 26 26.121(a)[G]  
 Description: Failure to meet the limit for one or more permit parameter  
 Date 12/31/2006 (546466)  
 Self Report? YES Classification Moderate  
 Citation: 30 TAC Chapter 305, SubChapter F 305.125(1)  
 TWC Chapter 26 26.121(a)[G]  
 Description: Failure to meet the limit for one or more permit parameter  
 Date 01/31/2007 (546463)  
 Self Report? YES Classification Moderate  
 Citation: 30 TAC Chapter 305, SubChapter F 305.125(1)  
 TWC Chapter 26 26.121(a)[G]  
 Description: Failure to meet the limit for one or more permit parameter

F. Environmental audits.

N/A

G. Type of environmental management systems (EMSs).

N/A

H. Voluntary on-site compliance assessment dates.

N/A

I. Participation in a voluntary pollution reduction program.

N/A

J. Early compliance.

N/A

Sites Outside of Texas

N/A



# TEXAS COMMISSION ON ENVIRONMENTAL QUALITY



**IN THE MATTER OF AN  
ENFORCEMENT ACTION  
CONCERNING  
EL DORADO UTILITY DISTRICT  
RN101607299**

§  
§  
§  
§  
§

**BEFORE THE  
TEXAS COMMISSION ON  
ENVIRONMENTAL QUALITY**

## **AGREED ORDER DOCKET NO. 2007-0758-MWD-E**

### **I. JURISDICTION AND STIPULATIONS**

At its \_\_\_\_\_ agenda, the Texas Commission on Environmental Quality ("the Commission" or "TCEQ") considered this agreement of the parties, resolving an enforcement action regarding El Dorado Utility District ("the District") under the authority of TEX. WATER CODE chs. 7 and 26. The Executive Director of the TCEQ, through the Enforcement Division, and the District appear before the Commission and together stipulate that:

1. The District owns and operates a wastewater treatment plant located immediately south of and adjacent to Garners Bayou; approximately one-half mile east of the Old Humble Road crossing of Garners Bayou and two miles east of U.S. Highway 59 in Harris County, Texas (the "Facility").
2. The District has discharged wastewater into or adjacent to any water in the state under TEX. WATER CODE ch. 26.
3. The Commission and the District agree that the Commission has jurisdiction to enter this Agreed Order, and that the District is subject to the Commission's jurisdiction.
4. The District received notice of the violations alleged in Section II ("Allegations") on or about May 7, 2007.
5. The occurrence of any violation is in dispute and the entry of this Agreed Order shall not constitute an admission by the District of any violation alleged in Section II ("Allegations"), nor of any statute or rule.



6. An administrative penalty in the amount of One Thousand Two Hundred Dollars (\$1,200) is assessed by the Commission in settlement of the violations alleged in Section II ("Allegations"). The District has paid Nine Hundred Sixty Dollars (\$960) of the administrative penalty and Two Hundred Forty Dollars (\$240) is deferred contingent upon the District's timely and satisfactory compliance with all the terms of this Agreed Order. The deferred amount will be waived upon full compliance with the terms of this Agreed Order. If the District fails to timely and satisfactorily comply with all requirements of this Agreed Order, the Executive Director may require the District to pay all or part of the deferred penalty.
7. Any notice and procedures, which might otherwise be authorized or required in this action, are waived in the interest of a more timely resolution of the matter.
8. The Executive Director of the TCEQ and the District have agreed on a settlement of the matters alleged in this enforcement action, subject to the approval of the Commission.
9. The Executive Director recognizes that the District has become compliant with permitted effluent limitations as of February 2007, by completing Phase 1 (50%) of the rehabilitation of the sanitary sewer system on January 9, 2007.
10. The Executive Director may, without further notice or hearing, refer this matter to the Office of the Attorney General of the State of Texas ("OAG") for further enforcement proceedings if the Executive Director determines that the District has not complied with one or more of the terms or conditions in this Agreed Order.
11. This Agreed Order shall terminate five years from its effective date or upon compliance with all the terms and conditions set forth in this Agreed Order, whichever is later.
12. The provisions of this Agreed Order are deemed severable and, if a court of competent jurisdiction or other appropriate authority deems any provision of this Agreed Order unenforceable, the remaining provisions shall be valid and enforceable.

## **II. ALLEGATIONS**

As owner and operator of the Facility, the District is alleged to have failed to comply with the permitted effluent limits, in violation of 30 TEX. ADMIN. CODE § 305.125(1), and TEX. WATER CODE § 26.121(a), and Texas Pollutant Discharge Elimination System ("TPDES") Permit No. WQ0011302001, Effluent Limitations and Monitoring Requirements No. 1, as documented during a record review conducted on April 17, 2007, and as shown in the following table:



Effluent Violation Table			
El Dorado Utility District TPDES Permit No. WQ0011302001 Docket No. 2007-0758-MWD-E			
Monitoring Period End Date	Permitted Effluent Limits		
	Total Suspended Solids Daily Average 56 lbs/Day	Total Suspended Solids Daily Average 15 mg/L	Total Suspended Solids Daily Grab 60 mg/L
12/31/2006	84.414	32.600	80
01/31/2007	99.325	30.000	c
lbs/Day = pounds per day	mg/L = milligrams per liter	c = compliant	

**III. DENIALS**

The District generally denies each allegation in Section II ("Allegations").

**IV. ORDERING PROVISIONS**

1. It is, therefore, ordered by the TCEQ that the District pay an administrative penalty as set forth in Section I, Paragraph 6 above. The payment of this administrative penalty and the District's compliance with all the terms and conditions set forth in this Agreed Order resolve only the allegations in Section II. The Commission shall not be constrained in any manner from requiring corrective action or penalties for violations, which are not raised here. Administrative penalty payments shall be made payable to "TCEQ" and shall be sent with the notation "Re: El Dorado Utility District, Docket No. 2007-0758-MWD-E" to:

Financial Administration Division, Revenues Section  
 Attention: Cashier's Office, MC 214  
 Texas Commission on Environmental Quality  
 P.O. Box 13088  
 Austin, Texas 78711-3088

2. The provisions of this Agreed Order shall apply to and be binding upon the District. The District is ordered to give notice of the Agreed Order to personnel who maintain day-to-day control over the operations referenced in this Agreed Order.



3. This Agreed Order, issued by the Commission, shall not be admissible against the District in a civil proceeding, unless the proceeding is brought by the OAG to: (1) enforce the terms of this Agreed Order; or (2) pursue violations of a statute within the Commission's jurisdiction, or of a rule adopted or an order or permit issued by the Commission under such a statute.
4. This agreement may be executed in multiple counterparts, which together shall constitute a single original instrument. Any executed signature page to this Agreement may be transmitted by facsimile transmission to the other parties, which shall constitute an original signature for all purposes.
5. Under 30 TEX. ADMIN. CODE § 70.10(b), the effective date is the date of hand-delivery of the Order to the District, or three days after the date on which the Commission mails notice of the Order to the District, whichever is earlier. The Chief Clerk shall provide a copy of this Agreed Order to each of the parties.



## SIGNATURE PAGE

TEXAS COMMISSION ON ENVIRONMENTAL QUALITY

\_\_\_\_\_  
For the Commission

  
\_\_\_\_\_  
For the Executive Director


10/9/07  
Date

I, the undersigned, have read and understand the attached Agreed Order. I am authorized to agree to the attached Agreed Order on behalf of the entity indicated below my signature, and I do agree to the terms and conditions specified therein. I further acknowledge that the TCEQ, in accepting payment for the penalty amount, is materially relying on such representation.

I also understand that failure to comply with the Ordering Provisions, if any, in this order and/or failure to timely pay the penalty amount, may result in:

- A negative impact on compliance history;
- Greater scrutiny of any permit applications submitted;
- Referral of this case to the Attorney General's Office for contempt, injunctive relief, additional penalties, and/or attorney fees, or to a collection agency;
- Increased penalties in any future enforcement actions;
- Automatic referral to the Attorney General's Office of any future enforcement actions; and
- TCEQ seeking other relief as authorized by law.

In addition, any falsification of any compliance documents may result in criminal prosecution.

  
\_\_\_\_\_  
Signature

6/27/07  
Date

Peter Huang  
\_\_\_\_\_  
Name (Printed or typed)  
Authorized Representative of  
El Dorado Utility District

President, Board of Directors  
\_\_\_\_\_  
Title

**Instructions:** Send the original, signed Agreed Order with penalty payment to the Financial Administration Division, Revenues Section at the address in Section IV, Paragraph 1 of this Agreed Order.

