

Texas Commission on Environmental Quality

INTEROFFICE MEMORANDUM

To: Commissioners' Agenda **Date:** June 7, 2007

Thru: John F. Steib, Jr., Deputy
Office of Compliance & Enforcement

From: Steve Spaw, P.E., Director
Monitoring Operations Division

Subject: Docket # 2007-0853-MIS SURFACE WATER QUALITY MONITORING
Consideration of the Submission to the U.S. Environmental Protection Agency (EPA) of the 2006 Texas Water Quality Assessment and List of Impaired Waters as Required by the Federal Clean Water Act Sections 305(b) and 303(d)

Issue - Consideration of the submission to the U.S. Environmental Protection Agency of the 2006 Texas Water Quality Assessment and List of Impaired Waters as required by the federal Clean Water Act Sections 305(b) and 303(d).

Background and Current Practice - The Texas Water Quality Assessment and List of Impaired Waters was prepared following the EPA guidance for an integrated Water Quality Assessment and List of Impaired Waters pursuant to Clean Water Act Sections 305(b) and 303(d). The Integrated Report is prepared and submitted by the Texas Commission on Environmental Quality (TCEQ) to the EPA and summarizes the degree to which water bodies support uses designated in the Texas Surface Water Quality Standards (TSWQS). The projected submittal date to the EPA is June 30, 2007.

This submission to EPA includes the 303(d) List, a list of water bodies to be removed from the 2004 303(d) List, an index of all impaired waters, response to public comments, and revisions made to the draft 2006 303(d) List in response to public comments and internal program direction. Also included is a schedule of Total Maximum Daily Load priorities over the next two years.

The draft Texas Water Quality Assessment and List of Impaired Waters was made available for public comment from March 19 through April 18, 2007.

Discussion - TCEQ is required by Sections 305(b) and 303(d) of the Clean Water Act to submit a 2006 Water Quality Assessment and List of Impaired Waters. EPA has the statutory authority to develop and approve a list of impaired waters for the State of Texas if the Commission does not.

Draft 2006 Texas Water Quality Inventory and 303(d) List (June 27, 2007)

Overview

Background

The Texas Commission on Environmental Quality (TCEQ) works to protect the state's natural resources. In keeping with that mission, the TCEQ regularly monitors the condition of the state's surface waters, and assesses the status of water quality every two years. The TCEQ submits this assessment to the U.S. Environmental Protection Agency (EPA). The report is also published on the TCEQ Web site as the *2006 Texas Water Quality Inventory and 303(d) List* (Inventory and List).

Requirements for the Inventory and List are codified in the federal Clean Water Act, Sections 305(b) and 303(d). Further requirements are set out in state law in Title 30 of the Texas Administrative Code (30 TAC), and in rules and guidance established by the TCEQ.

The assessment describes the status of all surface water bodies of the state that were evaluated for the given assessment period. The TCEQ uses data collected during the most recent five-year period in making its assessment. The data are gathered by many different organizations that all operate according to approved quality control guidelines and sample collection procedures. The quality of waters described represents a snapshot of conditions during the limited time period considered in the assessment. Water quality is dynamic and constantly changing.

Guidance for developing the assessment, which includes a description of the 303(d) process, is based on a set of methods that apply the surface water quality standards. These methods are developed by the TCEQ with the advice of a diverse group of stakeholders, and are detailed in the *2006 Guidance for Assessing and Reporting Surface Water Quality in Texas*. The 303(d) List is an important management tool produced as part of the assessment. It identifies waters for which the existing preventive measures—such as permits that limit discharges of wastewater and the technology used by the dischargers—are not sufficient to achieve water quality standards. The 303(d) List is subject to review and approval by the EPA.

Categories Indicate Water Quality Status

The Inventory and List assign each assessed water body to one of five categories to provide information to the public, EPA, and internal agency programs about water quality status and management activities (see Table 1). The categories indicate the status of the water body, and how the state will approach identified water quality problems.

Higher category numbers correspond to higher levels of effort required to manage water quality. For example, water bodies in Category 5 constitute the 303(d) List, and require remedial action by the state to restore water quality.

For water bodies in Category 5a, the state must develop a scientific model called a *total maximum daily load* (TMDL) and a plan to implement it. Water bodies in Category 1 are meeting all their uses, and simply require routine monitoring and preventive action.

Further, these categories must be applied to each combination of designated use and criteria (or parameter) for determining support. The combination of the use with the pollutant or condition of concern is called an *impairment*. For example, the concentration of dissolved oxygen is one of the criteria used to determine the support of the aquatic life use. If dissolved oxygen concentrations are too low, one impairment would exist for the water body under examination.

Since a water body has multiple uses, it may fall into different categories for different uses. In that case, the overall category for the water body is the one with the highest category number.

Table 1. Categories of Use Attainment in the Water Quality Inventory

Category 1	Attaining the water quality standard and no use is threatened.
Category 2	Attaining some of the designated uses; no use is threatened; and insufficient or no data and information are available to determine if the remaining uses are attained or threatened.
Category 3	Insufficient or no data and information to determine if any designated use is attained.
Category 4	Standard is not supported or is threatened for one or more designated uses but does not require the development of a TMDL.
Category 4a	TMDL has been completed and approved by EPA.
Category 4b	Other pollution control requirements are reasonably expected to result in the attainment of the water quality standard in the near future.
Category 4c	Nonsupport of the water quality standard is not caused by a pollutant.
Category 5	Category 5 is the 303(d) list. The water body does not meet applicable water quality standards or is threatened for one or more designated uses by one or more pollutants.
Category 5a	A TMDL is underway, scheduled, or will be scheduled.
Category 5b	A review of the water quality standards will be conducted before a TMDL is scheduled.
Category 5c	Additional data and information will be collected before a TMDL or review of the water quality standard is scheduled.

Summary of the Assessment and 2006 303(d) List

For 2006, the TCEQ conducted a state-wide water quality assessment of 926 water bodies. A significantly larger number of water bodies were assessed than in previous years primarily, due to new monitoring data contributed by the Clean Rivers Program partners and their local cooperators.

As more water bodies and data have become available for assessment, there has been a 30% increase in the number of impairments on the 303(d) list. The largest net increase was for bacteria, a 60 % increase. Most of the new water bodies are small streams and this type of water body often does not support the criteria for bacteria. There is also a large increase in biological listings because these data, used to directly evaluate the health of aquatic communities, is increasingly available. Substantially more impairments will be delisted in 2006. Most are now identified as meeting criteria, the result of more complete and accurate data sets.

Summary of the Recent Changes to the 303(d) List between 2004 and 2006

	2004	2006	% Increase from 2004
<u>Water Bodies</u> Assessed	732	926	27
<u>Water Bodies</u> on the 303(d) List... TMDL may be required	306	399	30
<u>Impairments</u> on the List ... some water bodies have more than one	416	542	30
<u>Impairments</u> Removed from the List	34	78	
<u>Impairments</u> in Category 4 ... TMDL approved or not required	48	61	27

For More Information

The Texas Water Quality Inventory and 303(d) List is compiled and published on the TCEQ Web page at:

<http://www.tceq.state.tx.us/compliance/monitoring/water/quality/data/06twqi/twqi06.html>

The water quality management program and role of the 303(d) List in agency planning is described in the publication “Preserving and Improving Water Quality”, available on the TCEQ Web page at:

http://www.tceq.state.tx.us/comm_exec/forms_pubs/pubs/gi/gi-351.html

DRAFT 2006 Texas 303(d) List (June 27, 2007)

As required under Sections 303(d) and 304(a) of the federal Clean Water Act, this list identifies the water bodies in or bordering Texas for which effluent limitations are not stringent enough to implement water quality standards, and for which the associated pollutants are suitable for measurement by maximum daily load.

In addition, the TCEQ also develops a schedule identifying Total Maximum Daily Loads (TMDLs) that will be initiated in the next two years for priority impaired waters. Issuance of permits to discharge into 303(d)-listed water bodies is described in the TCEQ regulatory guidance document *Procedures to Implement the Texas Surface Water Quality Standards* (August 2002, RG-194).

Impairments are limited to the geographic area described by the Assessment Unit and identified with a six or seven-digit AU_ID. A TMDL for each impaired parameter will be developed to allocate pollutant loads from contributing sources that affect the parameter of concern in each Assessment Unit. The TMDL will be identified and counted using a four or five-digit SegID. Water Quality permits that are issued before a TMDL is approved will not increase pollutant loading that would contribute to the impairment identified for the Assessment Unit.

Information Provided

- SegID and Name: The unique identifier (SegID), segment name, and location of the water body. The SegID may be one of two types of numbers. The first type is a classified segment number (4 digits, *e.g.*, 0218), as defined in Appendix A of the Texas Surface Water Quality Standards (TSWQS). The second type (five digits, *e.g.*, 0218A) is a partially classified water body described in Appendix D of the TSWQS, or an unclassified water body, not defined in the TSWQS, though associated with a classified water body because it is in the same watershed. The segment name and description immediately follow SegID.
- Area: Identifies the assessment unit (AU_ID, six or seven digits, *e.g.*, 0101A_01) and describes the location of the specific area in which one or more water quality standards are not met.
- Parameter(s): Pollutants or water quality conditions that assessment procedures indicate do not meet assigned water quality standards.
- Category: In the 2006 Assessment, one of three subcategories was assigned to each impaired parameter to provide information about water quality status and management activities on that water body. The categories are defined below:
- Category 5: The water body does not meet applicable water quality standards or is threatened for one or more designated uses by one or more pollutants.
- Category 5a* - A TMDL is underway, scheduled, or will be scheduled.
- Category 5b* - A review of the water quality standards for this water body will be conducted before a TMDL is scheduled.
- Category 5c* - Additional data and information will be collected before a TMDL is scheduled.
- Year First Listed: The assessment year the pollutant or water quality condition initially did not meet water quality standards as indicated by screening procedures.

SegID: 0101A Dixon Creek (unclassified water body)

From confluence of the Canadian River to the upstream perennial portion of the stream east of Borger in Hutchinson County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0101A_01 <i>Dixon Creek downstream of Phillips</i>		
bacteria	5c	2000
depressed dissolved oxygen	5b	2000

SegID: 0101B Rock Creek (unclassified water body)

Perennial stream from the confluence with the Canadian River up to SH 136 in the City of Borger

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0101B_01 <i>Perennial stream from the confluence with the Canadian River up to SH 136 in the City of Borger</i>		
bacteria	5c	2006

SegID: 0102 Lake Meredith

From Sanford Dam in Hutchinson County to a point immediately upstream of the confluence of Camp Creek in Potter County, up to normal pool level of 2936.5 feet (impounds Canadian River)

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0102_01 <i>Downstream half of lake including Big Blue Creek arm</i>		
chloride	5c	2006
mercury in edible tissue	5c	2002
sulfate	5c	2006
total dissolved solids	5c	2006
0102_02 <i>Upstream half of lake, above Big Blue Creek arm</i>		
chloride	5c	2006
mercury in edible tissue	5c	2002
sulfate	5c	2006
total dissolved solids	5c	2006

SegID: 0103 Canadian River Above Lake Meredith

From a point immediately upstream of the confluence of Camp Creek in Potter County to the New Mexico State Line in Oldham County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0103_01 Lake Meredith headwaters to Sand Creek chloride	5c	2006
0103_02 Sand Creek to Punta de Agua Creek chloride	5c	2006
0103_03 Punta de Agua Creek to New Mexico State Line chloride	5c	2006

SegID: 0104 Wolf Creek

From the Oklahoma State Line in Lipscomb County to a point 2.0 kilometers (1.2 miles) upstream of FM 3045 in Ochiltree County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0104_02 Plum Creek to Lake Fryer Dam bacteria	5c	2006

SegID: 0105 Rita Blanca Lake

From Rita Blanca Dam in Hartley County up to normal pool level of 3860 feet (impounds Rita Blanca Creek)

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0105_01 Entire segment pH	5c	2006

SegID: 0199A Palo Duro Reservoir (unclassified water body)

From Palo Duro dam up to normal pool elevation of 2,892 feet north of Spearman in Hansford County (impounds Palo Duro Creek)

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0199A_01 Entire reservoir depressed dissolved oxygen	5c	2000

SegID: 0201A Mud Creek (unclassified water body)

From the confluence of the Red River to the upstream perennial portion of the stream northwest of De Kalb in Bowie County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0201A_01 <i>Entire water body</i>		
bacteria	5c	2002
depressed dissolved oxygen	5c	2006

SegID: 0202G Smith Creek (unclassified water body)

From the confluence with Pine Creek north of Paris to the upstream portion of the stream in north Paris in Lamar County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0202G_01 <i>Entire segment</i>		
bacteria	5c	2006

SegID: 0206B South Groesbeck Creek (unclassified water body)

From the confluence of Groesbeck Creek NNW of Quanah in Hardeman County to the upstream portion 7.8 miles (12.6 Km) southwest of Childress

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0206B_01 <i>Entire segment</i>		
bacteria	5c	2006

SegID: 0207 Lower Prairie Dog Town Fork Red River

From a point immediately upstream of the confluence of Buck Creek in Hardeman County to the confluence of a point 100 meters (110 yards) upstream of the confluence of Salt Fork Creek in Armstrong County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0207_04 <i>SH 70 to upstream end of segment</i>		
bacteria	5c	2006

SegID: 0207A Buck Creek (unclassified water body)

From Oklahoma State Line east of Childress in Childress County to the upstream perennial portion of the stream west of Wellington in Collinsworth County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0207A_01 <i>From Oklahoma state line to House Log Creek</i> bacteria	5c	2000

SegID: 0211 Little Wichita River

From the confluence with the Red River in Clay County to Lake Arrowhead Dam in Clay County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0211_02 <i>East Fork confluence to dam</i> depressed dissolved oxygen	5b	1996

SegID: 0214 Wichita River Below Diversion Lake Dam

From the confluence with the Red River in Clay County to Diversion Dam in Archer County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0214_02 <i>FM 2393 to River Road WWTP</i> bacteria	5c	2006
0214_05 <i>From Beaver Creek to Diversion Dam</i> bacteria	5c	2006

SegID: 0214A Beaver Creek (unclassified water body)

From the confluence of the Wichita River west of Wichita Falls in Wichita County to the upstream perennial portion of the stream south of Vernon in Wilbarger County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0214A_02 <i>From Bull Creek to Santa Rosa Lake dam</i> bacteria	5c	2006
depressed dissolved oxygen	5c	2000

SegID: 0226 South Fork Wichita River

From the confluence with the North Fork Wichita River in Knox County to a point 15.0 kilometers (9.3 miles) upstream of US 82 in Dickens County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0226_01 Lower end of segment to SH 6 chloride	5c	2006
0226_02 From SH 6 to confluence with Willow Creek chloride	5c	2006
0226_03 From confluence with Willow Creek to confluence with Long Canyon Creek chloride	5c	2006
0226_04 Low-water dam to 0.5 mile upstream chloride	5c	2006

SegID: 0229 Upper Prairie Dog Town Fork Red River

From a point 100 meters (110 yards) upstream of the confluence of Salt Fork Creek in Armstrong County to Lake Tanglewood Dam in Randall County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0229_02 Palo Duro Canyon State Park upstream boundary to upper end of segment at Tanglewood Dam pH	5c	2006

SegID: 0230A Paradise Creek (unclassified water body)

From the confluence with the Pease River east of Vernon to the upstream perennial portion near Thalia in Foard County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0230A_03 Lower 5 miles of water body bacteria	5c	2006

SegID: 0299A Sweetwater Creek (unclassified water body)

From the Oklahoma State Line in Wheeler County to the upstream perennial portion of the stream northwest of Wheeler in Wheeler County (tributary of North Fork Red River)

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0299A_01 From Oklahoma State Line to confluence with Graham Creek bacteria	5c	2002

SegID: 0302 Wright Patman Lake

From Wright Patman Lake Dam in Bowie/Cass County to a point 1.5 kilometers (0.9 miles) downstream of Bassett Creek in Bowie/Cass County, up to the normal pool elevation of 225 feet (impounds the Sulphur River)

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0302_01 800 acres near dam depressed dissolved oxygen	5a	1996
0302_02 300 acres at International Paper intake depressed dissolved oxygen	5a	1996
0302_04 500 acres in the northeast corner of lake pH	5c	2000
0302_05 200 acres in the northwestern tip of lake pH	5c	2000
0302_06 Big Creek arm pH	5c	2000
0302_07 4000 acres mid-lake pH	5c	2000
0302_08 1600 acres in upper mid-lake pH	5c	2000
0302_10 4000 acres in upper portion of lake depressed dissolved oxygen	5a	1996

SegID: 0303B White Oak Creek (unclassified water body)

From the confluence of the Sulphur River north of Naples in Morris County to the upstream perennial portion of the stream east of Sulphur Springs in Hopkins County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0303B_01 Lower 25 miles of segment depressed dissolved oxygen	5b	2000
0303B_02 Middle 25 miles near Hwy 271 depressed dissolved oxygen	5b	2000
0303B_03 Upper 25 miles of segment depressed dissolved oxygen bacteria	5b 5c	2000 2006

SegID: 0304A Swampoodle Creek (unclassified water body)

From the confluence of Days Creek in central Texarkana in Bowie County to the upstream perennial portion of the stream in northern Texarkana in Bowie County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0304A_01 <i>Entire segment</i>		
impaired fish community	5c	2006
impaired macrobenthic community	5c	2006

SegID: 0304B Cowhorn Creek (unclassified water body)

From the confluence of Wagner Creek in southern Texarkana in Bowie County to the upstream perennial portion of the stream in northern Texarkana in Bowie County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0304B_01 <i>Entire water body</i>		
impaired fish community	5c	2006
impaired macrobenthic community	5c	2006

SegID: 0305 North Sulphur River

From the confluence with the South Sulphur River in Lamar County to a point 6.7 km (4.2 miles) upstream of FM 68 in Fannin County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0305_02 <i>Upper 23 miles</i>		
impaired fish community	5b	2006
impaired habitat	5b	2006
impaired macrobenthic community	5b	2006

SegID: 0307 Cooper Lake

from Cooper Lake dam in Delta/Hopkins County to a point 1.0 kilometers (0.6 mile) upstream of SH 71 on the South Sulphur River arm in Delta/Hopkins County and 300 meters (330 yards) below the confluence of Barnett Creek on the Middle Sulphur River arm in Delta County, up to a conservation pool elevation of 440 feet (impounds the Middle Sulphur/South Sulphur River)

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0307_01 Lower 5000 acres near dam pH	5c	2000
0307_02 Lower 3000 acre Doctors Creek arm pH	5c	2000
0307_03 Middle 5000 acres pH	5c	2000
0307_04 Middle 2000 acre Johns Creek arm pH	5c	2000

SegID: 0401 Caddo Lake

From the Louisiana State Line in Harrison/Marion County to a point 12.3 km (7.6 miles) downstream of SH 43 in Harrison/Marion County, up to pool elevation of 168.5 feet (impounds Big Cypress Creek)

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0401_01 Lower 5000 acres mercury in edible tissue	5c	1996
0401_02 Harrison Bayou arm mercury in edible tissue	5c	1996
	pH	5c
0401_03 Goose Prairie arm mercury in edible tissue	5c	1996
	pH	5c
0401_05 Clinton Lake mercury in edible tissue	5c	1996
	pH	5c
0401_06 Pine Island mercury in edible tissue	5c	1996
0401_07 Mid-lake near Uncertain mercury in edible tissue	5c	1996
0401_08 Remainder of segment mercury in edible tissue	5c	1996

SegID: 0401A Harrison Bayou (unclassified water body)

From the confluence of Caddo Lake east of Karnack in Harrison County to the upstream perennial portion of the stream east of Marshall in Harrison County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0401A_01 Lower 5 miles depressed dissolved oxygen	5c	2000
0401A_02 Middle 3 miles near FM 134 depressed dissolved oxygen	5c	2000

SegID: 0402 Big Cypress Creek Below Lake O' the Pines

From a point 12.3 km (7.6 miles) downstream of SH 43 in Harrison/Marion County to Ferrell's Bridge Dam in Marion County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0402_01 Lower 9 miles mercury in edible tissue	5c	1998
pH	5c	2000
0402_02 11 miles below Black Cypress Creek mercury in edible tissue	5c	1998
pH	5c	2000
0402_03 Middle 15 miles near Jefferson mercury in edible tissue	5c	1998
0402_04 Upper 7 miles mercury in edible tissue	5c	1998

SegID: 0402A Black Cypress Bayou (unclassified water body)

Perennial stream from the confluence with Big Cypress in Marion County up to 7.5 miles above FM 250 in Cass County.

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0402A_02 Middle 17 miles near CR 1617 depressed dissolved oxygen	5b	2000
bacteria	5c	2006
0402A_03 Middle 1 mile, Pruitt Lake depressed dissolved oxygen	5b	2000
mercury in edible tissue	5c	2000
0402A_05 Upper 10 miles of water body depressed dissolved oxygen	5b	2000

SegID: 0404 Big Cypress Creek Below Lake Bob Sandlin

From a point 1.0 km (0.6 miles) downstream of US 259 in Morris/Upshur Counties to Fort Sherman Dam in Camp/Titus Counties

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0404_02 Upper 18 miles bacteria	5a	1996

SegID: 0404A Ellison Creek Reservoir (unclassified water body)

From the Morris County Dam up to normal pool elevation near Lone Star in Morris County (impounds Ellison Creek)

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0404A_01 Entire reservoir toxicity in sediment	5c	2006
PCBs in edible tissue	5c	2006

SegID: 0404B Tankersley Creek (unclassified water body)

Perennial stream from the confluence with Big Cypress Creek upstream to the confluence with an unnamed tributary 250 meters upstream of IH 30

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0404B_01 Lower 3 miles bacteria	5c	2000
0404B_02 Middle 2 miles near FM 127 bacteria	5c	2000
0404B_03 3 miles below Tankersley Lake bacteria	5c	2000

SegID: 0404C Hart Creek (unclassified water body)

Perennial stream from the confluence with Big Cypress Creek upstream to 0.2 km upstream of FM 1402

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0404C_01 Entire water body bacteria	5c	2006

SegID: 0404N Lake Daingerfield (unclassified water body)

Southeast of the City of Daingerfield in Daingerfield State Park in Morris County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0404N_01 <i>Entire lake</i> mercury in edible tissue	5c	2006

SegID: 0405 Lake Cypress Springs

From Franklin County Dam in Franklin County up to the normal pool elevation of 378 feet (impounds Big Cypress Creek)

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0405_03 <i>Panther Arm</i> depressed dissolved oxygen	5c	2006

SegID: 0406 Black Bayou

From the Louisiana State Line in Cass County to FM 96 in Cass County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0406_01 <i>Lower 12 miles</i> depressed dissolved oxygen	5b	1996
bacteria	5c	2006
pH	5c	2006
0406_02 <i>Upper 12 miles</i> depressed dissolved oxygen	5b	1996
pH	5c	2006

SegID: 0407 James' Bayou

From the Louisiana State Line in Marion County to Club Lake Road northwest of Linden in Cass County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0407_01 <i>Lower 15 miles of segment</i> depressed dissolved oxygen	5b	2000
0407_02 <i>Upper 25 miles of segment</i> depressed dissolved oxygen	5b	2000
bacteria	5c	2006

SegID: 0409 Little Cypress Bayou (Creek)

From the confluence of Big Cypress Creek in Harrison/Marion County to a point 1.0 km (0.6 miles) upstream of FM 2088 in Wood County

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
0409_01	<i>Lower 25 miles of segment</i>		
	bacteria	5c	2006
	depressed dissolved oxygen	5c	2000
0409_02	<i>Middle 18 miles above Hwy 154</i>		
	bacteria	5c	2006
	depressed dissolved oxygen	5c	2000
0409_03	<i>Middle 25 miles below Hwy 271</i>		
	depressed dissolved oxygen	5c	2000
0409_04	<i>Upper 25 miles</i>		
	bacteria	5c	2006

SegID: 0409B South Lilly Creek (unclassified water body)

From the confluence of Lilly Creek to approximately 2 miles west of FM 1647

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
0409B_01	<i>Entire segment</i>		
	bacteria	5c	2006

SegID: 0501 Sabine River Tidal

From the confluence with Sabine Lake in Orange County to West Bluff in Orange County

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
0501_02	<i>Upper 14 miles of segment</i>		
	bacteria	5c	2006

SegID: 0501B Little Cypress Bayou (unclassified water body)

From the confluence with the Sabine River to the headwaters west of Reese in Orange County.

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
<i>0501B_01 Lower 4.2 miles of bayou</i>		
bacteria	5c	2006
depressed dissolved oxygen	5c	2006
toxicity in water	5c	2004
<i>0501B_02 0.3 mile upstream to 0.5 mile downstream of Bear Path Road</i>		
bacteria	5c	2006
toxicity in water	5c	2004
depressed dissolved oxygen	5c	2006
<i>0501B_03 Upper 3.2 miles of bayou</i>		
bacteria	5c	2006
depressed dissolved oxygen	5c	2006
toxicity in water	5c	2004

SegID: 0502A Nichols Creek (unclassified water body)

From the confluence of the Sabine River to the upstream perennial portion of the stream south of Kirbyville in Newton and Jasper Counties

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
<i>0502A_01 Lower 25 miles of creek</i>		
bacteria	5c	2002
depressed dissolved oxygen	5c	2002
toxicity in water	5c	2002

SegID: 0502B Caney Creek (unclassified water body)

Perennial stream from the Sabine River upstream to the confluence with Martin Branch

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
<i>0502B_02 From Davison Street upstream to the confluence with Caney Branch and Little Caney Branch</i>		
bacteria	5c	2006

SegID: 0504 Toledo Bend Reservoir

From Toledo Bend Dam in Newton County to a point immediately upstream of the confluence of Murvaul Creek in Panola County, up to the normal pool elevation of 172 feet (impounds the Sabine River)

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
0504_01	Lowermost 5200 acres of reservoir, adjacent to dam, including Indian Creek arm mercury in edible tissue	5c	1998
0504_02	Six Mile Boat Lane arm mercury in edible tissue	5c	1998
0504_03	Sunshine Bay arm mercury in edible tissue	5c	1998
0504_04	Near SH 21 mercury in edible tissue	5c	1998
0504_05	Patroon Bayou Branch arm mercury in edible tissue	5c	1998
0504_06	Tenaha Creek arm mercury in edible tissue depressed dissolved oxygen	5c 5c	1998 2000
0504_07	Uppermost 5120 acres of reservoir mercury in edible tissue	5c	1998
0504_08	Negreet Bayou arm mercury in edible tissue	5c	1998
0504_09	San Miguel arm mercury in edible tissue	5c	1998
0504_10	San Patricia arm mercury in edible tissue	5c	1998
0504_11	Toledo Bend reservoir near Buzzard Bend mercury in edible tissue	5c	1998
0504_12	Remainder of reservoir mercury in edible tissue	5c	1998

SegID: 0504C Palo Gaucho Bayou (unclassified water body)

From the confluence with Toledo Bend Reservoir in Sabine County to the headwaters northeast of San Augustine in San Augustine County

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
0504C_01	Entire segment toxicity in water	5c	2002

SegID: 0504E Clear Lake

Oxbow lake 12 miles northwest of Logansport, LA

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0504E_01 <i>Oxbow lake 12 miles northwest of Logansport, LA</i> mercury in edible tissue	5c	2006

SegID: 0505 Sabine River Above Toledo Bend Reservoir

From a point immediately upstream of the confluence of Murvaul Creek in Panola County to a point 100 meters (110 yards) downstream of US 271 in Gregg County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0505_03 <i>22 mile reach near SH 149</i> bacteria	5c	2002

SegID: 0505B Grace Creek (unclassified water body)

Perennial stream from the confluence with the Sabine River up to FM 1844 in Gregg County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0505B_02 <i>Upper 12.3 miles</i> depressed dissolved oxygen	5c	2000
bacteria	5c	2000

SegID: 0505G Wards Creek (unclassified water body)

From the confluence with Hatley Creek to the headwaters east of Hallsville in Harrison County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0505G_01 <i>Wards Creek from the confluence with Sewell Creek upstream to the confluence with unnamed 2nd order stream</i> depressed dissolved oxygen	5c	2000

SegID: 0505O Hills Lake

Oxbow lake 13 miles east of Carthage

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0505O_01 Entire segment mercury in edible tissue	5c	2006

SegID: 0506A Harris Creek (unclassified water body)

From the confluence of the Sabine River northeast of Winona in Smith County to the upstream perennial portion of the stream east of Tyler in Smith County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0506A_01 Entire segment depressed dissolved oxygen	5b	2000

SegID: 0506G Little White Oak Creek (unclassified water body)

From the confluence with the Sabine River to the headwaters southwest of Gilmer in Upshur County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0506G_01 Entire water body toxicity in water	5c	2004

SegID: 0507G South Fork of Sabine River (unclassified water body)

From the confluence with Lake Tawakoni upstream to the confluence with Klutts and Sabine Creeks

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0507G_01 Entire segment bacteria	5c	2006

SegID: 0508 Adams Bayou Tidal

From the confluence with the Sabine River in Orange County to a point 1.1 km (0.7 miles) upstream of IH 10 in Orange County

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
0508_01	<i>Lower 3 miles of segment</i>		
	bacteria	5a	1996
	depressed dissolved oxygen	5a	1996
0508_02	<i>2 mile reach near Western Avenue</i>		
	bacteria	5a	1996
	depressed dissolved oxygen	5a	1996
0508_03	<i>1 mile reach near Green Avenue</i>		
	bacteria	5a	1996
	depressed dissolved oxygen	5a	1996
0508_04	<i>Upper 2 miles of segment</i>		
	bacteria	5a	1996
	depressed dissolved oxygen	5a	1996

SegID: 0508A Adams Bayou Above Tidal (unclassified water body)

From a point 1.1 km (0.7 miles) upstream of IH 10 in Orange County to the upstream perennial portion of the stream northwest of Orange in Orange Count

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
0508A_01	<i>Entire bayou above tidal</i>		
	bacteria	5a	2000
	depressed dissolved oxygen	5a	2000

SegID: 0508B Gum Gully (unclassified water body)

From the confluence of Adams Bayou to the upstream perennial portion of the stream northwest of Orange in Orange County

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
0508B_01	<i>Entire creek</i>		
	depressed dissolved oxygen	5a	2000
	bacteria	5a	2000

SegID: 0508C Hudson Gully (unclassified water body)

From the confluence with Adams Bayou to the headwaters near US 890 in Pinehurst in Orange County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0508C_01 <i>Entire creek</i>		
bacteria	5a	2002
depressed dissolved oxygen	5a	2002

SegID: 0511 Cow Bayou Tidal

From the confluence with the Sabine River in Orange County to a point 4.8 km (3.0 miles) upstream of IH 10 in Orange County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0511_01 <i>Lower 5 miles</i>		
bacteria	5a	2000
0511_02 <i>6 mile reach near FM 105</i>		
depressed dissolved oxygen	5a	2000
0511_03 <i>5 mile reach near FM 1442 (north crossing)</i>		
bacteria	5a	2000
depressed dissolved oxygen	5a	2000
0511_04 <i>Upper 4 miles</i>		
bacteria	5a	2000
depressed dissolved oxygen	5a	2000
pH	5a	2000

SegID: 0511A Cow Bayou Above Tidal (unclassified water body)

From a point 4.8 km (3.0 miles) upstream of IH 10 in Orange County to the upstream perennial portion of the stream northeast of Vidor in Orange County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0511A_02 <i>Upper 5.3 miles of above-tidal reach</i>		
depressed dissolved oxygen	5a	2000

SegID: 0511B Coon Bayou (unclassified water body)

From the confluence with Cow Bayou up to the extent of tidal limit in Orange County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0511B_01 <i>Entire tidal reach</i>		
bacteria	5a	2000
depressed dissolved oxygen	5a	2000

SegID: 0511C Cole Creek (unclassified water body)

From the confluence of Cow Bayou west of Orange in Orange County to the upstream perennial portion of the stream south of Mauriceville in Orange Count

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0511C_01 <i>Entire tidal reach</i>		
depressed dissolved oxygen	5a	2000
bacteria	5a	2000

SegID: 0511E Terry Gully (unclassified water body)

From the confluence with Cow Bayou in Orange County to the headwaters northeast of Vidor in Orange County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0511E_01 <i>Entire creek</i>		
bacteria	5a	2002

SegID: 0512A Running Creek (unclassified water body)

From the confluence with Lake Fork Reservoir to the headwaters southeast of Martin Springs in Hopkins County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0512A_01 <i>Entire creek</i>		
bacteria	5c	2002

SegID: 0512B Elm Creek (unclassified water body)

From the confluence with Lake Fork Reservoir in Rains County to the headwaters northwest of Shirley in Hopkins County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0512B_01 <i>Entire creek</i> bacteria	5c	2002

SegID: 0514 Big Sandy Creek

From the confluence with the Sabine River in Upshur County to a point 2.6 km (1.6 miles) upstream of SH 11 in Hopkins County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0514_02 <i>From just upstream of FM 49 to upper end of segment</i> bacteria	5c	2006

SegID: 0602A Booger Branch (unclassified water body)

From the confluence of Massey Lake Slough south of Silsbee to a point 0.6 miles (1.0 km) upstream of US 96 in Hardin County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0602A_01 <i>Entire water body</i> depressed dissolved oxygen	5b	2000

SegID: 0603 B. A. Steinhagen Lake

From Town Bluff Dam in Jasper/Tyler County to a point immediately upstream of the confluence of Hopson Mill Creek on the Neches River Arm in Jasper/Tyler County and to a point immediately upstream of the confluence of Indian Creek on the Angelina River Arm in Jasper County, up to the normal pool elevation of 83 feet (impounds Neches River)

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0603_01 <i>Main pool by dam</i> mercury in edible tissue	5c	1998
0603_02 <i>Remainder of reservoir</i> mercury in edible tissue	5c	1998

SegID: 0603A Sandy Creek (unclassified water body)

From the confluence of B.A. Steinhagen Lake southwest of Jasper in Jasper County to the confluence of Big and Little Sandy Creeks in Jasper in Jasper County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0603A_01 Lower 11.5 miles bacteria	5c	2000

SegID: 0603B Wolf Creek (unclassified water body)

From the confluence of B. A. Steinhagen Lake southeast of Colmesneil in Tyler County to the upstream perennial portion of the stream south of Colmesneil in Tyler County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0603B_01 Entire creek bacteria	5c	2006

SegID: 0604 Neches River Below Lake Palestine

From a point immediately upstream of the confluence of Hopson Mill Creek in Jasper/Tyler County to Blackburn Crossing Dam in Anderson/Cherokee County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0604_02 From US 69 to SH 94 bacteria	5c	2006
0604_04 From SH 21 to US 84 lead in water	5c	2002

SegID: 0604A Cedar Creek (unclassified water body)

From the confluence of the Neches River southwest of Lufkin in Angelina County to the upstream perennial portion of the stream in Lufkin in Angelina County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0604A_01 Lower area downstream of FM 2497 bacteria	5c	2000
0604A_02 Upper area upstream of FM 2497 bacteria	5c	2000

SegID: 0604B Hurricane Creek (unclassified water body)

From the confluence of Cedar Creek south of Lufkin in Angelina County to the upstream perennial portion of the stream in Lufkin in Angelina County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0604B_01 Upper 2 miles bacteria	5c	2000

SegID: 0604C Jack Creek (unclassified water body)

From the confluence of Cedar Creek southwest of Lufkin in Angelina County to the upstream perennial portion of the stream in northeast Lufkin in Angelina County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0604C_01 Entire water body bacteria	5c	2000

SegID: 0604D Piney Creek (unclassified water body)

From the confluence of the Neches River at the Polk/Tyler/Angelina County lines east of Corrigan to the upstream perennial portion of the stream east of Crockett in Houston County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0604D_01 Lower 25 miles bacteria	5c	2006
depressed dissolved oxygen	5c	2004

SegID: 0604M Biloxi Creek (unclassified water body)

From the confluence with the Neches River southeast of Diboll to FM 325 east of Lufkin in Angelina County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0604M_02 Lower portion below CR 228 bacteria	5c	2004
0604M_03 Upper portion above CR 228 bacteria	5c	2004
depressed dissolved oxygen	5c	2006

SegID: 0604T Lake Ratcliff (unclassified water body)
 Lake in Houston County 3.4 miles northeast of Kennard

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0604T_01 Entire lake mercury in edible tissue	5c	2002

SegID: 0605 Lake Palestine
 From Blackburn Crossing Dam in Anderson/Cherokee County to a point 6.7km (4.2 miles) downstream of FM 279 in Henderson/Smith County, up to normal pool elevation of 345 feet (impounds Neches River)

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0605_03 Mid-lake near Tyler PWS intake pH	5c	2006

SegID: 0605A Kickapoo Creek (unclassified water body)
 From the confluence of Lake Palestine east of Brownsboro in Henderson County to the upstream perennial portion of the stream northeast of Murchinson in Henderson County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0605A_01 Downstream of FM 1803 depressed dissolved oxygen	5c	2006
bacteria	5c	2000

SegID: 0606 Neches River Above Lake Palestine
 From a point 6.7 km (4.2 miles) downstream of FM 279 in Henderson/Smith County to Rhines Lake Dam in Van Zandt County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0606_02 Prairie Creek to river mile 7.0 zinc in water	5c	1996
pH	5c	2002
depressed dissolved oxygen	5c	1996
0606_03 River mile 7.0 to headwaters pH	5c	2002

SegID: 0606A Prairie Creek (unclassified water body)

From the confluence of the Neches River west of Tyler in Smith County to the upstream perennial portion of the stream south of Lindale in Smith County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0606A_01 Lower 4 miles bacteria	5c	2002

SegID: 0607 Pine Island Bayou

From the confluence with the Neches River in Hardin/Jefferson County to FM 787 in Hardin County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0607_01 Mouth to river mile 5.7 depressed dissolved oxygen	5b	1996
0607_02 River Mile 5.7 to mile 12.1 depressed dissolved oxygen	5b	1996
0607_03 River Mile 12.1 to mile 35.4 at confluence with Willow Creek (0607C) depressed dissolved oxygen	5b	1996
0607_04 River Mile 35.4 at confluence with Willow Creek (0607C) to mile 60.4 depressed dissolved oxygen	5b	1996
0607_05 River Mile 60.4 to top of segment at FM 787 depressed dissolved oxygen	5b	1996

SegID: 0607A Boggy Creek (unclassified water body)

From the confluence of Pine Island Bayou south of Lumberton in Hardin County to the upstream perennial portion of the stream west of Lumberton in Hardin County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0607A_01 Entire creek depressed dissolved oxygen	5b	2000

SegID: 0607B Little Pine Island Bayou (unclassified water body)

From the confluence of Pine Island Bayou southwest of Lumberton in Hardin County to the upstream perennial portion of the stream west of Kountze in Hardin County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0607B_01 Lower 25 miles		
depressed dissolved oxygen	5b	2000
bacteria	5c	2006

SegID: 0607C Willow Creek (unclassified water body)

From the confluence of Pine Island Bayou north of Nome in Jefferson County to the upstream perennial portion of the stream east of Devers in Liberty County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0607C_01 Entire creek		
depressed dissolved oxygen	5b	2000

SegID: 0608 Village Creek

From the confluence with the Neches River in Hardin County to Lake Kimble Dam in Hardin County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0608_02 From FM 418 to Lake Kimble dam		
pH	5b	2000

SegID: 0608A Beech Creek (unclassified water body)

From the confluence of Village Creek northeast of Kountze in Hardin County to the upstream perennial portion of the stream southeast of Woodville in Tyler County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0608A_01 Lower 20 miles of water body		
bacteria	5c	2006

SegID: 0608B Big Sandy Creek (unclassified water body)

From the confluence of Village Creek northwest of Kountze in Hardin County to the upstream perennial portion of the stream northeast of Livingston in Polk County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0608B_01 Lower 30 miles downstream of US 190 bacteria	5c	2000

SegID: 0608C Cypress Creek (unclassified water body)

From the confluence of Village Creek east of Kountze in Hardin County to the upstream perennial portion of the stream northwest of Kountze in Hardin County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0608C_01 Entire water body aluminum in water	5c	2004
bacteria	5c	2006
depressed dissolved oxygen	5c	2000

SegID: 0608E Mill Creek (unclassified water body)

From the confluence of Village Creek southwest of Silsbee in Hardin County to the upstream perennial portion of the stream northwest of Silsbee in Hardin County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0608E_01 Entire water body depressed dissolved oxygen	5c	2006

SegID: 0608F Turkey Creek (unclassified water body)

From the confluence of Village Creek north of Kountze in Hardin County to the upstream perennial portion of the stream southeast of Woodville in Tyler County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0608F_01 Lower 25 miles of segment bacteria	5c	2000

SegID: 0608G Lake Kimball (unclassified water body)

From Kimble Creek Dam northwest of Kountze in Hardin County to normal pool elevation in Tyler County (impounds Kimble and Village Creeks)

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0608G_01 <i>Entire lake</i> mercury in edible tissue	5c	2000

SegID: 0610 Sam Rayburn Reservoir

From Sam Rayburn Dam in Jasper County to a point 5.6 kilometers (3.5 miles) upstream of Marion's Ferry on the Angelina River Arm in Angelina/Nacogdoches County and to a point 3.9 km (2.4 miles) downstream of Curry Creek on the Attoyac Bayou Arm in Nacogdoches/San Augustine County, up to the normal pool elevation of 164 ft (except on the Angelina River Arm)(impounds Angelina River and Attoyac Bayou)

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0610_01 <i>Main pool by the dam</i> mercury in edible tissue	5c	1996
0610_02 <i>Lower Angelina River arm</i> mercury in edible tissue	5c	1996
0610_03 <i>Mid-Angelina River arm (SH 147)</i> mercury in edible tissue	5c	1996
0610_04 <i>Upper mid-Angelina River arm</i> mercury in edible tissue	5c	1996
	depressed dissolved oxygen	5c
0610_05 <i>Lower Attoyac Bayou arm</i> mercury in edible tissue	5c	1996
	depressed dissolved oxygen	5c
0610_06 <i>Upper Attoyac Bayou arm</i> mercury in edible tissue	5c	1996
0610_07 <i>Upper Angelina River arm</i> depressed dissolved oxygen	5c	1996
	mercury in edible tissue	5c
0610_08 <i>Bear Creek arm</i> mercury in edible tissue	5c	1996
0610_09 <i>Lower Ayish Bayou arm</i> mercury in edible tissue	5c	1996
0610_10 <i>Upper Ayish Bayou arm</i> depressed dissolved oxygen	5c	1996
	mercury in edible tissue	5c

SegID: 0610A Ayish Bayou (unclassified water body)

From the confluence of Sam Rayburn Reservoir south of San Augustine in San Augustine County to the upstream perennial portion of the stream north of San Augustine in San Augustine County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0610A_01 Lower portion downstream of US 96 bacteria	5c	2000
0610A_02 Middle portion from US 96 to SH 21 bacteria	5c	2000
0610A_03 Upper portion from SH 21 to headwaters bacteria	5c	2000

SegID: 0611 Angelina River Above Sam Rayburn Reservoir

From the aqueduct crossing 1.0 km (0.6 miles) upstream of the confluence of Paper Mill Creek in Angelina/Nacogdoches County to the confluence of Barnhardt Creek and Mill Creek at FM 225 in Rusk County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0611_01 Lower boundary to FM 1911 bacteria	5c	2000
0611_03 FM 343 to US 84 bacteria	5c	2000

SegID: 0611A East Fork Angelina River (unclassified water body)

From the confluence of the Angelina River at the Rusk/Nacogdoches county line to the upstream perennial portion of the stream west of Mount Enterprise in Rusk County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0611A_01 Confluence with Grassy Lake area bacteria	5c	2002
	lead in water	5c
0611A_02 Grassy Lake area to county road near Happy Valley lead in water	5c	2000
0611A_03 County road near Happy Valley to Wooten Creek lead in water	5c	2000
0611A_04 Wooten Creek to headwaters lead in water	5c	2000

SegID: 0611B La Nana Bayou (unclassified water body)

From the confluence of the Angelina River south of Nacogdoches in Nacogdoches County to the upstream perennial portion of the stream north of Nacogdoches in Nacogdoches County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0611B_01 Mouth to unimproved road near FM 3228/1275 bacteria	5c	2000
0611B_02 Unimproved road near FM 3228/1275 to SH 7 bacteria	5c	2000

SegID: 0612 Attoyac Bayou

From a point 3.9 km (2.4 miles) downstream of Curry Creek in Nacogdoches/San Augustine County to FM 95 in Rusk County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0612_01 Mouth to 8.2 miles downstream of SH 7 bacteria	5c	2004
0612_03 Bear Creek to headwaters bacteria	5c	2004

SegID: 0615 Angelina River/Sam Rayburn Reservoir

The riverine portion of Sam Rayburn Reservoir from a point 5.6 kilometers (3.5 miles) upstream of Marion's Ferry to a point 2.75 kilometers (1.71 miles) upstream of the confluence of Paper Mill Creek

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0615_01 Upstream of Papermill Creek bacteria	5c	2006
depressed dissolved oxygen	5c	2002
mercury in edible tissue	5c	2002
0615_02 Downstream of Papermill Creek bacteria	5c	2006
mercury in edible tissue	5c	2002
impaired fish community	5c	2002
depressed dissolved oxygen	5c	2002

SegID: 0615A Papermill Creek (unclassified water body)

From the confluence of Sam Rayburn Reservoir (Angelina River Arm) northeast of Lufkin in Angelina County to the upstream perennial portion of the stream in Lufkin in Angelina County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0615A_01 Lower 9 miles bacteria	5c	2006

SegID: 0701 Taylor Bayou Above Tidal

From the saltwater lock 7.7 km (4.8 miles) downstream of SH 73 in Jefferson County to the Lower Neches Valley Authority Canal in Jefferson County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0701_01 From saltwater lock to 8 miles upstream depressed dissolved oxygen	5a	1996
0701_02 from 8 miles upstream of saltwater lock to the confluence of N and S Forks Taylor Bayou depressed dissolved oxygen	5a	1996

SegID: 0701D Shallow Prong Lake (unclassified water body)

Reservoir on Big Hill Bayou located approximately 3.5 miles downstream of the confluence with Taylor Bayou in Jefferson County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0701D_01 Entire water body depressed dissolved oxygen	5c	2004

SegID: 0702 Intracoastal Waterway Tidal

From the confluence with Galveston Bay at Port Bolivar in Galveston County to the confluence with the Sabine-Neches Canal in Jefferson County (including Taylor Bayou Tidal from the confluence with the Intracoastal Waterway up to the saltwater lock 7.7 km (4.8 mi) downstream of SH 73 in Jefferson County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0702_01 From East Bay to confluence with Sabine-Neches Canal Tidal (0703) bacteria	5c	2006
0702_03 From Port Bolivar to top of East Bay bacteria	5c	2006

SegID: 0702A Alligator Bayou (unclassified water body)

From the Alligator Bayou pump station at the Jefferson County hurricane protection levee one mile downstream of Spur 215 in Port Arthur to a point immediately upstream of the confluence with Jefferson county Drainage District No. 7 city outfall canal

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0702A_02 <i>Lower portion from SH82 to its confluence with Taylor Bayou</i>		
impaired fish community	5c	2002
toxicity in sediment	5c	1998
0702A_03 <i>Upper portion from its headwaters at the Port Arthur Canal to SH82</i>		
toxicity in water	5c	1998
0702A_04 <i>Drainage canal leading into Alligator Bayou approx. 0.8 miles north of SH82</i>		
toxicity in water	5c	1998

SegID: 0704 Hillebrandt Bayou

From the confluence of Taylor Bayou in Jefferson County to a point 100 meters (110 yards) upstream of SH 124 in Jefferson County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0704_02 <i>From confluence with Bayou Din to upper end of segment</i>		
depressed dissolved oxygen	5a	1998

SegID: 0801C Cotton Bayou (unclassified water body)

From the confluence of Cotton Lake southeast of Mont Belvieu in Chambers County upstream to a point approximately 1 mile north of IH 10 in Chambers County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0801C_01 <i>Upper half of bayou</i>		
depressed dissolved oxygen	5b	2006

SegID: 0803 Lake Livingston

From Livingston Dam in Polk/San Jacinto County to a point 1.8 km (1.1 miles) upstream of Boggy Creek in Houston/Leon County, up to normal pool elevation of 131 feet (impounds Trinity River)

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0803_01 <i>Lowermost portion of reservoir, adjacent to dam</i>		
sulfate	5c	2006
depressed dissolved oxygen	5c	1998
0803_02 <i>Lower portion of reservoir, East Wolf Creek</i>		
depressed dissolved oxygen	5c	1998
sulfate	5c	2006
0803_03 <i>Lower portion of reservoir, East Willow Springs</i>		
depressed dissolved oxygen	5c	1998
sulfate	5c	2006
0803_04 <i>Middle portion of reservoir, East Pointblank</i>		
depressed dissolved oxygen	5c	1998
sulfate	5c	2006
0803_05 <i>Middle portion of reservoir, downstream of Kickapoo Creek</i>		
sulfate	5c	2006
0803_06 <i>Middle portion of reservoir, centering on US 190</i>		
sulfate	5c	2006
0803_07 <i>Upper portion of reservoir, west of Carlisle</i>		
sulfate	5c	2006
0803_08 <i>Cove off upper portion of reservoir, East Trinity</i>		
sulfate	5c	2006
depressed dissolved oxygen	5c	1998
0803_09 <i>West Carolina Creek cove, off upper portion of reservoir</i>		
sulfate	5c	2006
0803_10 <i>Upper portion of reservoir, centering on SH 19</i>		
sulfate	5c	2006
0803_11 <i>Riverine portion of reservoir, centering on SH 21</i>		
sulfate	5c	2006
0803_12 <i>Remainder of reservoir</i>		
sulfate	5c	2006

SegID: 0804G Catfish Creek (unclassified water body)

Twenty mile stretch of Catfish Creek running upstream from US 287 in Anderson Co., to Catfish Creek Ranch Lake just upstream of SH 19 in Henderson Co.

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0804G_01 <i>Entire Segment</i>		
depressed dissolved oxygen	5c	2006
impaired macrobenthic community	5c	2006

SegID: 0805 Upper Trinity River

From a point immediately upstream of the confluence of the Cedar Creek Reservoir discharge canal in Henderson/Navarro County to a point immediately upstream of the confluence of Elm Fork Trinity River in Dallas County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0805_01 <i>25 mile reach near FM 85</i>		
PCBs in edible tissue	5a	2002
0805_02 <i>25 mile reach near SH 34</i>		
PCBs in edible tissue	5a	2002
0805_03 <i>11 mile reach near S. Loop 12</i>		
bacteria	5a	1996
PCBs in edible tissue	5a	2002
0805_04 <i>Upper 8 miles</i>		
bacteria	5a	1996
PCBs in edible tissue	5a	2002
0805_05 <i>Remainder of segment</i>		
PCBs in edible tissue	5a	2002
0805_06 <i>From 15.57 mi. upstream of SH 34 to 4.71 mi. downstream of S Loop 12</i>		
PCBs in edible tissue	5a	2002

SegID: 0806 West Fork Trinity River Below Lake Worth

From a point immediately upstream of the confluence of Village Creek in Tarrant County to Lake Worth Dam in Tarrant County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0806_01 <i>Lower 22 miles of the segment</i>		
PCBs in edible tissue	5a	1996
bacteria	5a	1996

SegID: 0806D Marine Creek (unclassified water body)

Two mile stretch of Marine Creek running upstream from confluence with the W. Fork of Trinity River to Tenmile Bridge Road in Fort Worth.

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0806D_01 <i>Marine Creek from the confluence with W. Fork Trinity River 2 miles upstream to Tenmile Bridge Rd. in Ft. Worth</i> bacteria	5c	2006

SegID: 0806E Sycamore Creek (unclassified water body)

Five mile stretch of Sycamore Creek running upstream from confluence with the W. Fork of Trinity River to confluence with Echo Lake Tributary in Fort Worth.

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0806E_01 <i>Five mile stretch of Sycamore Creek running upstream from confluence with the W. Fork of Trinity River to confluence with Echo Lake Tributary in Fort Worth</i> bacteria	5c	2006

SegID: 0810 West Fork Trinity River Below Bridgeport Reservoir

From a point 0.6 km (0.4 miles) downstream of the confluence of Oates Branch in Wise County to Bridgeport Dam in Wise County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0810_01 <i>Lower 25 miles of segment</i> bacteria	5c	1998

SegID: 0810A Big Sandy Creek (unclassified water body)

Fifteen mile stretch of Sycamore Creek running upstream from confluence with Waggoner Creek to FM 1810, west of Alvord, Wise County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0810A_01 <i>Fifteen mile stretch of Big Sandy Creek running from confluence with Waggoner Creek to FM 1810 West of Alvord, Wise Co.</i> bacteria	5c	2006

SegID: 0810B Garrett Creek (unclassified water body)

Eighteen mile stretch of Garrett Creek running upstream from confluence with Salt Creek to Wise County Road approximately 14 miles upstream of SH114, Wise County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0810B_01 <i>Eighteen mile stretch of Garrett Creek running upstream from confluence with Salt Creek to Wise County Road approximately 14 miles upstream of SH114, Wise Co.</i> bacteria	5c	2006

SegID: 0810C Martin Branch (unclassified water body)

The eight mile stretch of Martin Branch running upstream from confluence with Center Creek to FM 730 south of Decatur, Wise County.

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0810C_01 <i>Eight mile stretch of Martin Branch running upstream from confluence with Center Creek to FM 730 south of Decatur, Wise County.</i> bacteria	5c	2006

SegID: 0810D Salt Creek (unclassified water body)

Eleven mile stretch of Salt Creek running upstream from confluence with Garrett Creek, Wise County.

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0810D_01 <i>Eleven mile stretch of Salt Creek running upstream from confluence with Garrett Creek, Wise County.</i> bacteria	5c	2006

SegID: 0812 West Fork Trinity River Above Bridgeport Reservoir

From a point immediately upstream of the confluence of Bear Hollow in Jack County to SH 79 in Archer County

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
0812_01	<i>Lower 25 miles of segment</i>		
	chloride	5b	1998
	depressed dissolved oxygen	5b	1998
	total dissolved solids	5b	1998
0812_02	<i>Upper 60 miles of segment</i>		
	chloride	5b	1998
	total dissolved solids	5b	1998

SegID: 0814 Chambers Creek Above Richland-Chambers Reservoir

From a point 4.0 km (2.5 miles) downstream of Tupelo Branch in Navarro County to the confluence of North Fork Chambers Creek and South Fork Chambers Creek

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
0814_01	<i>From confluence with Cummins Creek to a point 16.5 miles upstream</i>		
	depressed dissolved oxygen	5c	1998

SegID: 0818 Cedar Creek Reservoir
 From Joe B. Hoggsett Dam in Henderson County up to normal pool elevation of 322 feet
 (impounds Cedar Creek)

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0818_01 Lowermost portion of reservoir adjacent to dam pH	5c	2002
0818_02 Caney Creek cove pH	5c	2002
0818_03 Clear Creek cove pH	5c	2002
0818_04 Lower portion of reservoir east of Key Ranch Estates pH	5c	2002
0818_05 Cove off lower portion of reservoir adjacent to Clearview Estates pH	5c	2002
0818_06 Middle portion of reservoir downstream of Twin Creeks cove pH	5c	2002
0818_07 Twin Creeks cove pH	5c	2002
0818_08 Prairie Creek cove pH	5c	2002
0818_09 Upper portion of reservoir adjacent to Lacy Fork cove pH	5c	2002
0818_11 Upper portion of reservoir east of Tolosa pH	5c	2002
0818_12 Uppermost portion of reservoir downstream of Kings Creek pH	5c	2002

SegID: 0820C Muddy Creek (unclassified water body)
 From the confluence with Lake Ray Hubbard, in Dallas County, to the headwaters east of Allen, in Collin County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0820C_01 Entire creek bacteria	5c	2002

SegID: 0822 Elm Fork Trinity River Below Lewisville Lake

From the confluence with the West Fork Trinity River in Dallas County to Lewisville Dam in Denton County

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
0822_02	4.5 miles upstream to 7.5 miles downstream DWU intake bacteria	5c	2006

SegID: 0822A Cottonwood Branch (unclassified water body)

A 6 mile stretch of Cottonwood Branch running upstream from confluence with Hackberry Creek, to Valley View Road in Dallas County.

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
0822A_02	A 3.5 mile stretch of Cottonwood Branch running upstream from approximately 0.5 miles downstream of N. Story Rd. to Valley View Rd, Dallas, Co. bacteria	5c	2006

SegID: 0822B Grapevine Creek (unclassified water body)

A 5.5 mile stretch of Grapevine Creek running upstream from Coppell Rd. in Coppell, Dallas Co., to approximately 1.5 miles upstream of SH 21, Tarrant County.

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
0822B_01	A 5.5 mile stretch of Grapevine Creek running upstream from Coppell Rd. in Coppell, Dallas Co., to approximately 1.5 miles upstream of SH 21, Tarrant County. bacteria	5c	2006

SegID: 0823A Little Elm Creek (unclassified water body)

From confluence with Lake Lewisville in Denton Co., up to 1.4 km above FM 453 in Collin Co.

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
0823A_01	From the confluence with Lake Lewisville in Denton Co., up to FM 455 in Collin Co. (Lower 12 miles of segment). bacteria	5c	2002

SegID: 0829 Clear Fork Trinity River Below Benbrook Lake
 From the confluence with the West Fork Trinity River in Tarrant County to Benbrook Dam in Tarrant County

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
0829_01	Lower mile of segment PCBs in edible tissue	5a	1996

SegID: 0831 Clear Fork Trinity River Below Lake Weatherford
 From a point 200 meters (220 yards) downstream of US 377 in Tarrant County to Weatherford Dam in Parker County

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
0831_04	2 mi upstream of South Fork Trinity River confluence to Squaw Ck. Confluence depressed dissolved oxygen	5b	1996
0831_05	From the confluence of Squaw Ck. to Lake Weatherford Dam depressed dissolved oxygen	5b	1996

SegID: 0833 Clear Fork Trinity River Above Lake Weatherford
 From a point 3.1 km (1.9 miles) upstream of FM 1707 in Parker County, to FM 3107 in Parker County

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
0833_02	Upper 11 miles of segment depressed dissolved oxygen	5b	1998
0833_03	From the confluence of McKnight Branch to the confluence of Cottonwood Ck. depressed dissolved oxygen	5b	1998
0833_04	From the confluence with Dobbs Branch to confluence with McKnight Branch depressed dissolved oxygen	5b	1998

SegID: 0838C Walnut Creek (unclassified water body)

A 7 mile stretch of Walnut Creek running upstream from Holland Road, to confluence with Willow Branch, NW Mansfield, Tarrant County.

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0838C_01 <i>Entire segment.</i> bacteria	5c	2006

SegID: 0841 Lower West Fork Trinity River

From a point immediately upstream of the confluence of the Elm Fork Trinity River in Dallas County to a point immediately upstream of the confluence of Village Creek in Tarrant County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0841_01 <i>Lower 14 miles of segment</i> bacteria	5a	1996
PCBs in edible tissue	5a	1996
0841_02 <i>Upper 13 miles of segment</i> PCBs in edible tissue	5a	1996

SegID: 0841B Bear Creek (unclassified water body)

A 10 mile stretch of Bear Creek running upstream from confluence with West Fork Trinity River, to just upstream of HWY 183, Dallas County.

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0841B_01 <i>Entire segment.</i> bacteria	5c	2006

SegID: 0841C Arbor Creek (unclassified water body)

A 2.2 mile stretch of Arbor Creek running upstream from confluence with Johnson Creek, to approx. 0.5 miles upstream of Tarrant/Dallas county line.

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0841C_01 <i>Entire segment.</i> bacteria	5c	2006

SegID: 0841D Big Bear Creek (unclassified water body)

An 8 mile stretch of Big Bear Creek running upstream from confluence with Little Bear Creek to SH 26, Tarrant Co.

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0841D_01 Entire segment. bacteria	5c	2006

SegID: 0841E Copart Branch Mountain Creek (unclassified water body)

A 2.8 mile stretch of Copart Branch running upstream from confluence with Mountain Creek to approximately 0.3 miles upstream of Camden Road on Dallas Naval Academy, Dallas County.

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0841E_01 Entire segment. bacteria	5c	2006

SegID: 0841F Cottonwood Creek (unclassified water body)

A 6.5 mile stretch of Cottonwood Creek running upstream from approx. 0.1 mi. upstream of Mountain Creek Reservoir in Dallas Co., to SH 360 in, Tarrant Co.

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0841F_01 Entire segment. bacteria	5c	2006

SegID: 0841G Dalworth Creek (unclassified water body)

A 2.2 mile stretch of Dalworth Creek running upstream from confluence with Lower W. Fork Trinity to County Line Road in Grand Prairie, Dallas Co.

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0841G_01 Entire segment. bacteria	5c	2006

SegID: 0841H Delaware Creek (unclassified water body)

An 8.5 mile stretch of Delaware Creek running upstream from confluence with Lower W. Fork Trinity to Finley Road in Irving.

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0841H_01 Entire segment. bacteria	5c	2006

SegID: 0841J Estelle Creek (unclassified water body)

A 4 mile stretch of Estelle Creek running upstream from confluence with Bear Creek to Valley View Lane in Irving, Dallas County.

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0841J_01 Entire segment. bacteria	5c	2006

SegID: 0841K Fish Creek (unclassified water body)

A 10.5 mile stretch of Fish Creek running upstream from approx. 100 m downstream of FM 382 in Grand Prairie, Dallas Co., to approx. 0.25 mi. upstream of Collins Rd. in Arlington, Tarrant Co. Includes north and south branches of Fish Creek.

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0841K_01 Entire segment. bacteria	5c	2006

SegID: 0841M Kee Branch (unclassified water body)

Three mile stretch of Kee Branch running upstream from confluence with Rush Creek to approx. 300 m upstream of Polly-Webb Road in Arlington, Tarrant Co. Sta. ID 10792

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0841M_01 Entire segment. bacteria	5c	2006

SegID: 0841N Kirby Creek (unclassified water body)

Four mile stretch of Kirby Creek running upstream from confluence with Fish Creek in Grand Prairie, Dallas Co., to just upstream of Great Southwest Parkway in Arlington, Tarrant Co.

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0841N_01 <i>Entire segment</i> bacteria	5c	2006

SegID: 0841S Vilbig Lakes (unclassified water body)

A 5 acre area in NW corner of Vilbig Lakes, near confluence with unnamed creek, approx. 100 m south of intersection of Rusdell Rd./Marvel Dr. in Irving, Dallas, Co.

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0841S_01 <i>A 5 acre area in NW corner of Vilbig Lakes, near confluence with unnamed creek, approx. 100 m south of intersection of Rusdell Rd./Marvel Dr. in Irving, Dallas, Co.</i> bacteria	5c	2006

SegID: 0841U West Irving Creek (unclassified water body)

A 4 mile stretch of West Irving Branch running upstream from approx. 0.4 mi. downstream of Oakdale Rd. to just south of Sowers Road in Irving, Dallas Co.

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0841U_01 <i>A 4 mile stretch of West Irving Branch running upstream from approx. 0.4 mi. downstream of Oakdale Rd. to just south of Sowers Road in Irving, Dallas Co.</i> bacteria	5c	2006

SegID: 0901 Cedar Bayou Tidal

From the confluence with Galveston Bay 1.0 km (0.6 miles) downstream of Tri-City Beach Road in Chambers County to a point 2.2 km (1.4 miles) upstream of IH 10 in Chambers/Harris County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
0901_01 <i>Entire segment</i> dioxin in edible tissue	5a	2002
bacteria	5c	2006

SegID: 0902 Cedar Bayou Above Tidal

From a point 2.2 km (1.4 miles) upstream of IH 10 in Chambers/Harris County to a point 7.4 km (4.6 miles) upstream of FM 1960 in Liberty County

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
0902_01	Entire segment		
	bacteria	5c	2006
	impaired macrobenthic community	5c	2006

SegID: 1001 San Jacinto River Tidal

From a point 100 meters (110yards) downstream of IH 10 in Harris County to Lake Houston Dam in Harris County

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
1001_01	From Lake Houston Dam to US Hwy 90		
	dioxin in edible tissue	5a	2000
1001_02	From US Hwy 90 to IH 10		
	dioxin in edible tissue	5a	2000
	PCBs in edible tissue	5a	2002

SegID: 1002 Lake Houston

From Lake Houston Dam in Harris County to the confluence of Spring Creek on the West Fork San Jacinto Arm in Harris/Montgomery County and to the confluence of Caney Creek on the East Fork San Jacinto Arm in Harris County, up to normal pool elevation of 44.5 feet (impounds San Jacinto River)

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
1002_06	Confluence with Spring Creek to West Lake Houston Pkwy		
	bacteria	5a	2006

SegID: 1003 East Fork San Jacinto River

From the confluence of Caney Creek in Harris County to US 190 in Walker County

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
1003_01	Confluence with Caney Creek upstream to US 59 bacteria	5a	2006
1003_02	US Hwy 59 to 25 miles upstream (just upstream of Clear Creek confluence) bacteria	5a	2006
1003_03	25 miles upstream of US 59 to US 190 (upper segment boundary) bacteria	5a	2006

SegID: 1004 West Fork San Jacinto River

From the confluence of Spring Creek in Harris/Montgomery County to Conroe Dam in
Montgomery County

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
1004_01	Lake Conroe Dam to IH45 impaired macrobenthic community	5c	2006
1004_02	IH 45 to the Spring Creek confluence bacteria	5a	1996

SegID: 1004D Crystal Creek (unclassified water body)

From the confluence of the east and west forks of Crystal Creek to the confluence with the West
Fork of the San Jacinto River.

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
1004D_01	Confluence with West Fork San Jacinto River upstream to confluence of the East and West Forks of Crystal Creek bacteria	5a	2006

SegID: 1004E Stewarts Creek (unclassified water body)

From headwaters northwest of old Montgomery Rd to confluence with West Fork of the San Jacinto River.

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
<i>1004E_02 From Airport Rd to confluence with West Fork San Jacinto River</i>		
bacteria	5a	2006

SegID: 1005 Houston Ship Channel/San Jacinto River Tidal

From the confluence with Galveston Bay at Morgan's Point in Harris/Chambers County to a point 100 meters (110 yards) downstream of IH 10 in Harris County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
<i>1005_01 Downstream I-10 to Lynchburg Ferry Road</i>		
PCBs in edible tissue	5a	2002
dioxin in edible tissue	5a	1996
<i>1005_02 Lynchburg Ferry Road to Goose Island</i>		
dioxin in edible tissue	5a	1996
PCBs in edible tissue	5a	2002
bacteria	5c	2006
<i>1005_03 Goose Island to SH 146</i>		
dioxin in edible tissue	5a	1996
PCBs in edible tissue	5a	2002
<i>1005_04 SH 146 to Morgans Point</i>		
dioxin in edible tissue	5a	1996
PCBs in edible tissue	5a	2002
bacteria	5c	2006

SegID: 1006 Houston Ship Channel Tidal
 From the confluence with the San Jacinto River in Harris County to a point immediately upstream of Greens Bayou in Harris County, including tidal portions of tributaries

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
<i>1006_01 Houston Ship Channel Tidal-Greens Bayou confluence to Patrick Bayou confluence</i>		
bacteria	5c	2006
dioxin in edible tissue	5a	1996
PCBs in edible tissue	5a	2002
<i>1006_02 Houston Ship Channel Tidal- Patrick Bayou confluence to lower segment boundary</i>		
bacteria	5c	2006
dioxin in edible tissue	5a	1996
PCBs in edible tissue	5a	2002
<i>1006_03 Greens Bayou Tidal</i>		
dioxin in edible tissue	5a	1996
PCBs in edible tissue	5a	2002
<i>1006_04 Patrick Bayou Tidal</i>		
dioxin in edible tissue	5a	1996
mercury in water	5a	1998
PCBs in edible tissue	5a	2002
toxicity in sediment	5c	2000
<i>1006_05 Goodyear Creek Tidal</i>		
dioxin in edible tissue	5a	1996
PCBs in edible tissue	5a	2002
depressed dissolved oxygen	5c	2006

SegID: 1006D Halls Bayou (unclassified water body)
 Perennial stream from the confluence with Greens Bayou up to US 59 in Harris County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
<i>1006D_01 From the confluence with Greens Bayou to US 59</i>		
bacteria	5a	2002
<i>1006D_02 From Hirsch Road to Homestead Road</i>		
bacteria	5a	2002

SegID: 1006F Big Gulch Above Tidal (unclassified water body)

From the confluence with Greens Bayou Tidal to Wallisville Road in Harris County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1006F_01 Entire water body bacteria	5a	2002

SegID: 1006H Spring Gully Above Tidal (unclassified water body)

From confluence with Greens Bayou to US 90 in Harris County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1006H_01 Entire water body bacteria	5a	2002

SegID: 1006I Unnamed Tributary of Halls Bayou (unclassified water body)

From the confluence with Halls Bayou to a point 0.13 miles upstream of Richland Drive in Harris County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1006I_01 Entire water body bacteria	5a	2002

SegID: 1006J Unnamed Tributary of Halls Bayou (unclassified water body)

From the confluence of Halls Bayou (east of US 59 and south of Langley Road) to Mount Houston Road in Harris County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1006J_01 Entire water body bacteria	5a	2002

SegID: 1007 Houston Ship Channel/Buffalo Bayou Tidal

From a point immediately upstream of Greens Bayou in Harris County to a point 100 meters (110 yards) upstream of US 59 in Harris County, including tidal portion of tributaries

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
<i>1007_01 Houston Ship Channel/Buffalo Bayou Tidal</i>		
dioxin in edible tissue	5a	1996
PCBs in edible tissue	5a	2002
<i>1007_02 Sims Bayou Tidal (upstream of SH 35 to Houston Ship Channel confluence)</i>		
dioxin in edible tissue	5a	1996
PCBs in edible tissue	5a	2002
<i>1007_03 Hunting Bayou Tidal (I-10 to confluence with Houston Ship Channel)</i>		
dioxin in edible tissue	5a	1996
PCBs in edible tissue	5a	2002
<i>1007_04 Brays Bayou Tidal (downstream of I 45 to confluence with the Houston Ship Channel)</i>		
dioxin in edible tissue	5a	1996
PCBs in edible tissue	5a	2002
<i>1007_05 Vince Bayou Tidal (SH 225 to confluence with the Houston Ship Channel)</i>		
PCBs in edible tissue	5a	2002
bacteria	5c	2006
dioxin in edible tissue	5a	1996
toxicity in sediment	5c	2000
<i>1007_06 Berry Bayou Tidal (2.4 km upstream of the Sims Bayou confluence)</i>		
dioxin in edible tissue	5a	1996
PCBs in edible tissue	5a	2002
<i>1007_07 Buffalo Bayou (US 59 to upstream of 69th Street WWTP)</i>		
dioxin in edible tissue	5a	1996
PCBs in edible tissue	5a	2002
bacteria	5c	2006
<i>1007_08 Little Vince Bayou</i>		
dioxin in edible tissue	5a	1996
PCBs in edible tissue	5a	2002

SegID: 1007A Canal C-147 tributary of Sims Bayou Above Tidal (unclassified water body)
Houston Ship Channel/Buffalo Bayou Tidal tributary

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1007A_01 <i>From confluence with an unnamed flood control ditch near Corsair St to the confluence with Sims Bayou</i> bacteria	5c	2006

SegID: 1007B Brays Bayou Above Tidal (unclassified water body)
Perennial stream from 11.5 km upstream of confluence with Houston Ship Channel up to SH 6

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1007B_01 <i>From 11.5km upstream of confluence with Brays Bayou Tidal to SH 6</i> bacteria	5a	2002
1007B_02 <i>SH 6 to Clodine Road</i> bacteria	5a	2002

SegID: 1007C Keegans Bayou Above Tidal (unclassified water body)
Perennial stream from confluence with Brays Bayou upstream to Harris County line

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1007C_01 <i>From Harris County line to confluence with Brays Bayou</i> bacteria	5a	2002

SegID: 1007D Sims Bayou Above Tidal (unclassified water body)

Perennial stream from 11.0 km upstream of confluence with Houston Ship Channel upstream to Hiram Clark Drive

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1007D_01 <i>From 0.4 miles north of Beltway 8 to Hiram Clark</i> bacteria	5a	2002
1007D_02 <i>From Hiranman Clark to 11 miles upstream of the</i> <i>confluence with the Houston Ship Channel</i> bacteria	5a	2002
1007D_03 <i>From 11 miles upstream of the Houston Ship Channel</i> <i>confluence to SH 35</i> bacteria	5a	2002

SegID: 1007E Willow Waterhole Bayou Above Tidal (unclassified water body)

Perennial stream from confluence with Brays Bayou upstream to South Garden (in Missouri City)

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1007E_01 <i>Entire water body</i> bacteria	5a	2002

SegID: 1007F Berry Bayou Above Tidal (unclassified water body)

Perennial stream from 2.4 km upstream from the confluence with Sims Bayou to the southern city limits of South Houston

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1007F_01 <i>1.5 miles upstream from confluence with Sims Bayou to SH</i> <i>3</i> bacteria	5a	2002

SegID: 1007G Kuhlman Gully Above Tidal (unclassified water body)

From confluence with Brays Bayou in Harris County to Atchison, Topeka and Santa Fe Railroad tracks in Harris County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1007G_01 <i>Entire water body</i> bacteria	5a	2002

SegID: 1007H Pine Gully Above Tidal (unclassified water body)

From the confluence with Sims Bayou in Harris County to Broadway in Harris County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1007H_01 <i>Entire water body</i> bacteria	5a	2002

SegID: 1007I Plum Creek Above Tidal (unclassified water body)

From the confluence with Sims Bayou in Harris County to Telephone Road in Harris County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1007I_01 <i>Entire water body</i> bacteria	5a	2002

SegID: 1007K Country Club Bayou Above Tidal (unclassified water body)

From just downstream of South Lockwood Drive to the confluence with Brays Bayou to approximately 0.5 miles upstream of North Wayside Drive in Harris County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1007K_01 <i>From just downstream of South Lockwood Drive to the confluence with Brays Bayou</i> bacteria	5a	2002
depressed dissolved oxygen	5c	2002

SegID: 1007L Unnamed Non-Tidal Tributary of Brays Bayou (unclassified water body)

From the confluence with Brays Bayou near Fondren Road to a point 0.60 miles upstream in Harris County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1007L_01 <i>Entire perennial portion of water body</i> bacteria	5a	2002

SegID: 1007M Unnamed Non-Tidal Tributary of Hunting Bayou (unclassified water body)

From the confluence with Hunting Bayou to Mercury Road in Harris County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1007M_01 Entire water body		
bacteria	5a	2002

SegID: 1007N Unnamed Non-Tidal Tributary of Sims Bayou (unclassified water body)

From confluence with Sims Bayou, south of Airport Road, to Reed Road, east of SH 288 in Harris County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1007N_01 Entire water body		
bacteria	5a	2002

SegID: 1007O Unnamed Non-Tidal Tributary of Buffalo Bayou (unclassified water body)

From confluence with Buffalo Bayou to IH-10 between Hirsch Road and Lockwood in Harris County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1007O_01 Entire water body		
depressed dissolved oxygen	5c	2002
bacteria	5a	2002

SegID: 1007R Hunting Bayou Above Tidal (unclassified water body)

From the confluence with Hunting Bayou Tidal at IH-10 to Maury Street on the north fork and Bain Street on the south fork

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
<i>1007R_01 From Bain Street to Sayers Street (South Fork)</i>		
bacteria	5a	2002
depressed dissolved oxygen	5c	2002
<i>1007R_02 From just east of Elysian Street to Falls Street (North Fork)</i>		
bacteria	5a	2002
<i>1007R_03 From Falls Street to Loop 610 East</i>		
bacteria	5a	2002
<i>1007R_04 From Loop 610 East to IH 10</i>		
bacteria	5a	2002

SegID: 1008 Spring Creek

From the confluence with the West Fork San Jacinto River in Harris/Montgomery County to the most upstream crossing of FM 1736 in Waller County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
<i>1008_02 Field Store Road to SH 249</i>		
bacteria	5a	1996
depressed dissolved oxygen	5c	1996
<i>1008_03 SH 249 to IH 45</i>		
bacteria	5a	1996
<i>1008_04 IH 45 to confluence with Lake Houston</i>		
bacteria	5a	1996

SegID: 1008B Upper Panther Branch (unclassified water body)

Intermittent stream with perennial pools from the normal pool elevation of 125 feet of Lake Woodlands upstream to Old Conroe Road

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
<i>1008B_01 From Old Conroe Road to the confluence with Bear Branch</i>		
bacteria	5a	2006

SegID: 1008H Willow Creek (unclassified water body)

From 0.3 miles north of Juergen Rd to the confluence with Spring Creek

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1008H_01 <i>Entire water body</i> bacteria	5a	2006

SegID: 1009 Cypress Creek

From the confluence with Spring Creek in Harris County to the confluence of Snake Creek and Mound Creek in Waller County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1009_01 <i>Upper portion of segment to downstream of US 290</i> bacteria	5a	1996
1009_02 <i>US 290 to SH 249</i> bacteria	5a	1996
1009_03 <i>SH 249 to IH 45</i> bacteria	5a	1996
1009_04 <i>IH 45 to confluence with Spring Creek</i> bacteria	5a	1996

SegID: 1009C Faulkey Gully (unclassified water body)

Perennial stream from its confluence with Cypress Creek upstream 3.2 km, which is approximately 1.0 km upstream of Louetta Road

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1009C_01 <i>From an unnamed lake 0.3 miles southeast of Telge Road to the confluence with Cypress Creek</i> bacteria	5c	2006

SegID: 1009D Spring Gully (unclassified water body)

Perennial stream from a point 1 km upstream of Louetta Road upstream to Spring Cypress Road

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1009D_01 <i>Entire water body</i> bacteria	5c	2006

SegID: 1009E Little Cypress Creek

From the confluence with Cypress Creek upstream to Hwy 290A.

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
1009E_01	Entire water body bacteria	5a	2006

SegID: 1010 Caney Creek

From the confluence with the East Fork San Jacinto River in Harris County to SH 150 in Walker County

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
1010_02	FM 1097 to SH 105 bacteria	5a	2006
1010_04	FM 2090 to lower segment boundary bacteria	5a	2006

SegID: 1011 Peach Creek

From the confluence with Caney Creek in Montgomery County to SH 150 in Walker County

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
1011_02	US Hwy 59 to confluence with Caney Creek bacteria	5a	2006

SegID: 1013 Buffalo Bayou Tidal

From a point 100 meters (110 yards) upstream of US 59 in Harris County to a point 400 meters (440 yards) upstream of Shepard Drive in Harris County

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
1013_01	Entire segment bacteria	5a	1996

SegID: 1013A Little White Oak Bayou (unclassified water body)

Perennial stream from the confluence with Whiteoak Bayou up to RR tracks north of IH 610

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1013A_01 From RR tracks north of IH 610 to Trimble St		
bacteria	5a	2002
depressed dissolved oxygen	5c	2002
1013A_02 From Trimble St to confluence with White Oak Bayou		
bacteria	5a	2002

SegID: 1013C Unnamed Non-Tidal Tributary of Buffalo Bayou Tidal (unclassified water body)

Located approximately 1.8 miles upstream of the Buffalo Bayou/White Oak Bayou confluence between IH-10 and Memorial Drive west of IH-45 in Harris County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1013C_01 Entire water body		
bacteria	5a	2002

SegID: 1014 Buffalo Bayou Above Tidal

From a point 400 meters (440 yards) upstream of Shepherd Drive in Harris County to SH 6 in Harris County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1014_01 Entire segment		
bacteria	5a	1996

SegID: 1014A Bear Creek (unclassified water body)

Perennial stream from the confluence with South Mayde Creek upstream to the confluence with an unnamed tributary 1.24 km north of Logenbaugh Road

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1014A_01 Confluence with South Mayde Creek to a point upstream of an unnamed tributary north of Langenbaugh Road		
bacteria	5a	2006

SegID: 1014B Buffalo Bayou (unclassified water body)

Perennial stream from SH 6 in Harris County upstream to the confluence with Willow Fork Buffalo Bayou in Fort Bend County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1014B_01 <i>From SH6 to the confluence with Willow Fork Buffalo Bayou</i> bacteria	5a	2006

SegID: 1014E Langham Creek (unclassified water body)

Perennial stream from the confluence with Dinner Creek upstream to FM 529

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1014E_01 <i>Confluence with Bear Creek upstream to the confluence with Dinner Creek</i> bacteria	5a	2006

SegID: 1014H South Mayde Creek (unclassified water body)

Perennial stream in the Addicks Reservoir flood pool area, from the confluence with Buffalo Bayou upstream to the confluence with an unnamed tributary 0.62 km east of Barker-Cypress Road.

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1014H_01 <i>From the confluence with Buffalo Bayou upstream to the confluence with an unnamed tributary 0.62 km east of Barker-Cypress Road</i> bacteria	5a	2002
1014H_02 <i>From the confluence with an unnamed tributary 0.62 km east of Barker-Cypress Road upstream to an unnamed tributary 1.05 km south of Clay Road</i> bacteria	5a	2002

SegID: 1014K Turkey Creek (unclassified water body)

Perennial stream from the confluence with South Mayde Creek in Harris County upstream to the headwaters south of Clay Road in Harris County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1014K_01 <i>From the confluence with South Mayde Creek upstream to a point south of Clay Road</i> bacteria	5a	2002
1014K_02 <i>From south of Clay Road upstream to north of Tanner Road</i> bacteria	5a	2002

SegID: 1014L Mason Creek (unclassified water body)

Perennial stream from the confluence with Buffalo Bayou upstream to channelization, 1.55 km south of Franz Road

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1014L_01 <i>Confluence with Buffalo Bayou upstream to the channelization south of Franz Rd.</i> bacteria	5a	2006

SegID: 1014M Neimans Bayou (unclassified water body)

From confluence with Buffalo Bayou Above Tidal to upstream of IH 10

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1014M_01 <i>Entire water body</i> bacteria	5a	2002
depressed dissolved oxygen	5c	2002

SegID: 1014N Rummel Creek (unclassified water body)

From confluence with Buffalo Bayou Above Tidal in Harris County to IH 10/Beltway 8 in Harris County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1014N_01 <i>Entire water body</i> bacteria	5a	2002

SegID: 1014O Spring Branch (unclassified water body)

From confluence with Buffalo Bayou in Harris County to Blalock Road in Harris County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1014O_01 Entire water body bacteria	5a	2002

SegID: 1016 Greens Bayou Above Tidal

From a point 0.7 km (0.4 miles) above the confluence of Halls Bayou in Harris County to a point 100 meters (110 yards) above FM 1960 in Harris County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1016_01 Upper segment boundary (FM 1960) to IH 45 bacteria	5a	1996
1016_02 IH 45 to US 59 bacteria	5a	1996
1016_03 US 59 to lower segment boundary at the Halls Bayou confluence bacteria	5a	1996

SegID: 1016A Garners Bayou (unclassified water body)

Perennial stream from the confluence with Williams Gully upstream to 1.5 km north of Atascocita Road

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1016A_02 From the confluence with Williams Gully upstream to 1.5 km north of Atascocita Road bacteria	5a	2002
1016A_03 From the confluence with Greens Bayou upstream to the confluence with Williams Gully bacteria	5a	2002

SegID: 1016B Unnamed Tributary of Greens Bayou (unclassified water body)

From confluence with Greens Bayou to Hirsch Road in Harris County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1016B_01 Entire water body bacteria	5a	2002

SegID: 1016C Unnamed Tributary of Greens Bayou (unclassified water body)

From the confluence with Greens Bayou, east of Aldine Westfield Road, to the Hardy Toll Road in Harris County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1016C_01 Entire water body bacteria	5a	2002

SegID: 1016D Unnamed Tributary of Greens Bayou (unclassified water body)

From confluence with Greens Bayou, west of El Dorado Country Club to Lee Road, west of US Hwy 59 in Harris County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1016D_01 Entire water body bacteria	5a	2002
depressed dissolved oxygen	5c	2002

SegID: 1017 Whiteoak Bayou Above Tidal

From a point immediately upstream of the confluence of Little White Oak Bayou in Harris County to a point 3.0 km (1.9 miles) upstream of FM 1960 in Harris County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1017_01 Huffsmith Rd to the confluence with Vogel Creek bacteria	5a	1996
1017_02 Vogel Creek to the Cole Creek confluence bacteria	5a	1996
1017_03 Cole Creek confluence to the Brickhouse Gully confluence bacteria	5a	1996
1017_04 Brickhouse Gully confluence to lower segment boundary bacteria	5a	1996

SegID: 1017A Brickhouse Gully/Bayou (unclassified water body)

Perennial stream from the confluence with Whiteoak Bayou up to Gessner Road

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1017A_01 Entire water body bacteria	5a	2002

SegID: 1017B Cole Creek (unclassified water body)

Perennial stream from the confluence with White Oak Bayou up to south of Beltway 8

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1017B_02 <i>From Flintlock Street to confluence with White Oak Bayou</i> bacteria	5a	2002

SegID: 1017D Unnamed Tributary of Whiteoak Bayou (unclassified water body)

From confluence with Whiteoak Bayou downstream of TC Jester, to Hempstead Hwy, north of US Hwy 290 in Harris County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1017D_01 <i>Entire water body</i> bacteria	5a	2002
depressed dissolved oxygen	5c	2002

SegID: 1017E Unnamed Tributary of White Oak Bayou (unclassified water body)

From the confluence with White Oak Bayou, near W 11th Street, to just upstream of W 26th Street, south of Loop 610 W in Harris County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1017E_01 <i>Entire water body</i> bacteria	5a	2002

SegID: 1101 Clear Creek Tidal

From the confluence with Clear Lake at a point 3.2 km (2.0 miles) downstream of El Camino Real in Galveston/Harris County to a point 100 m (110 yards) upstream of FM528 in Galveston/Harris County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1101_01 <i>Upper segment boundary to Chigger Creek confluence</i> bacteria	5a	1996
1101_02 <i>Chigger Creek confluence to IH 45</i> bacteria	5a	1996
1101_03 <i>IH45 to Cow Bayou confluence</i> bacteria	5a	1996

SegID: 1101B Chigger Creek (unclassified water body)

From the confluence of Clear Creek Tidal to the Brazos River Authority Canal near CR 143 in Galveston County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1101B_01 <i>From the headwaters to FM 528</i> bacteria	5a	2002
1101B_02 <i>FM 528 to the confluence with Clear Creek</i> bacteria	5a	2002

SegID: 1101D Robinson Bayou (unclassified water body)

From confluence with Clear Creek to 0.33 mile upstream of Webster Street in Galveston County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1101D_01 <i>From headwater to Abilene St.</i> bacteria	5c	2006
1101D_02 <i>From Abilene St. to confluence with Clear Lake</i> bacteria	5c	2006

SegID: 1102 Clear Creek Above Tidal

From a point 100 meters (110 yards) upstream of FM 528 in Galveston/Harris County to Rouen Road in Fort Bend County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1102_01 <i>Upper segment boundary (Rouen Road) to SH 288</i> bacteria	5a	1996
1102_02 <i>SH 288 to Hickory Slough confluence</i> bacteria	5a	1996
impaired fish community	5c	2006
impaired habitat	5c	2006
1102_03 <i>Hickory Slough confluence to Turkey Creek confluence</i> bacteria	5a	1996
1102_04 <i>Turkey Creek confluence to Mary's Creek confluence</i> bacteria	5a	1996
1102_05 <i>Mary's Creek confluence to lower segment boundary</i> bacteria	5a	1996

SegID: 1102A Cowart Creek (unclassified water body)

Intermittent stream with perennial pools from the confluence with Clear Creek in Galveston County to SH 35 in Brazoria County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1102A_01 <i>Sunset Drive to SH35</i> bacteria	5a	2002
1102A_02 <i>Confluence with Clear Creek to Sunset Drive</i> bacteria	5a	2002

SegID: 1102B Mary's Creek/ North Fork Mary's Creek (unclassified water body)

Perennial stream from the confl. with Clear Creek upstrm to confl. with N. and S. Fork Mary's Creek near FM 1128, approx. 5 km SW of Pearland. Includes perennial portion of N. Fork Mary's Creek to confl. with unnamed trib approx. 3.2 km upstrm of FM 1128

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1102B_01 <i>Entire water body</i> bacteria	5a	2002

SegID: 1102C Hickory Slough (unclassified water body)

From approximately 0.3 miles upstream of CR 92 to the confluence with Clear Creek.

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1102C_01 <i>From confluence with Clear Creek to (approx. 0.3 miles) upstream of CR 93</i> bacteria	5c	2006

SegID: 1102D Turkey Creek (unclassified water body)

From IH 45 to confluence with Clear Creek

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1102D_01 <i>Confluence with Clear Creek to IH 45</i> bacteria	5c	2006

SegID: 1102E Mud Gully (unclassified water body)
 From Beamer Rd to the confluence with Clear Creek

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1102E_01 <i>Beamer Road to confluence with Clear Creek</i> bacteria	5c	2006

SegID: 1103 Dickinson Bayou Tidal
 From the confluence with Dickinson Bay 2.1 km (1.3 miles) downstream of SH 146 in Galveston County to a point 4.0 km (2.5 miles) downstream of FM 517 in Galveston County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1103_01 <i>From 25 miles downstream of FM 517 to the Bordens Gully confluence</i> bacteria	5a	1996
depressed dissolved oxygen	5a	1996
1103_02 <i>From the Bordens Gully confluence to the Benson Bayou confluence</i> bacteria	5a	1996
depressed dissolved oxygen	5a	1996
1103_03 <i>From the Benson Bayou confluence to the confluence with Gum Bayou</i> bacteria	5a	1996
depressed dissolved oxygen	5a	1996

SegID: 1103A Bensons Bayou (unclassified water body)
 From the confluence with Dickinson Bayou Tidal to 0.37 miles upstream of FM 646 in Galveston County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1103A_01 <i>From confluence with Dickinson Bayou Tidal to 0.37 miles upstream of FM 646</i> bacteria	5c	2002

SegID: 1103B Bordens Gully (unclassified water body)
 From confluence with Dickinson Bayou Tidal to upstream of Calder Road in Galveston County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1103B_01 Entire water body bacteria	5a	2002

SegID: 1103C Geisler Bayou (unclassified water body)
 From confluence with Dickinson Bayou tidal to IH 45 in Galveston County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1103C_01 Entire water body bacteria	5a	2002

SegID: 1104 Dickinson Bayou Above Tidal
 From a point 4.0 km (2.5 miles) downstream of FM 517 in Galveston County to FM 528 in Galveston County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1104_01 From lower segment boundary upstream to FM 517 bacteria	5a	1996
depressed dissolved oxygen	5c	2006
1104_02 From lower segment boundary upstream to FM 517 bacteria	5a	1996

SegID: 1110 Oyster Creek Above Tidal
 From a point 100 meters (110 yards) upstream of FM 2004 in Brazoria County to the Brazos River Authority diversion dam 1.8 km (1.1 miles) upstream of SH 6 in Fort Bend County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1110_02 4 mi upstream South Texas Water Co. Canal to just above Ramsey Prison Unit bacteria	5c	2006
1110_03 From just upstream of Ramsey Prison Unit (Cow Cr) to CR 290/S Walker St. depressed dissolved oxygen	5b	1996
bacteria	5c	2006

SegID: 1113 Armand Bayou Tidal

From the confluence with Clear Lake (at NASA Road 1 bridge) in Harris County to a point 0.8 km (0.5 miles) downstream of Genoa-Red Bluff road in Pasadena in Harris County (includes Mud Lake)

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
1113_01	Upper segment boundary to confluence with Big Island Slough		
	depressed dissolved oxygen	5b	1996
1113_02	Big Island Slough confluence to Horsepen Bayou confluence		
	depressed dissolved oxygen	5b	1996
	bacteria	5c	2006

SegID: 1113A Armand Bayou Above Tidal (unclassified water body)

From a point 0.8 km (0.5 miles) downstream of Genoa-Red Bluff Road in Pasadena in Harris County

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
1113A_01	0.5 miles downstream of Genoa Red Bluff to Preston Road		
	bacteria	5c	1998
	depressed dissolved oxygen	5c	1998

SegID: 1113B Horsepen Bayou (unclassified water body)

From SH3 to the confluence of Armand Bayou Tidal

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
1113B_01	Confluence with Armand Bayou to SH 3		
	bacteria	5c	2006

SegID: 1202H Allen's Creek (unclassified water body)

From the confluence with the Brazos River, two miles northeast of Wallis, to the headwaters one mile north of IH 10 in Austin County.

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
1202H_01	Entire water body		
	bacteria	5c	2002

SegID: 1202J Big Creek (unclassified water body)

From the confluence of Cottonwood and Coon Creeks, 5 miles north of Needville in Fort Bend County, downstream to the confluence with the Brazos River

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
1202J_01	<i>Upstream portion of water body to Whaley-Longpoint Road</i>		
	impaired fish community	5b	2006
	impaired habitat	5b	2006
	bacteria	5c	2002

SegID: 1206 Brazos River Below Possum Kingdom Lake

From a point 100 meters (110 yards) upstream of FM 2580 in Parker County to Morris Shepard Dam in Palo Pinto County

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
1206_01	<i>Downstream portion of segment</i>		
	chloride	5b	2006
1206_02	<i>Middle Portion of Segment</i>		
	chloride	5b	2006
1206_03	<i>Upstream portion of segment</i>		
	chloride	5b	2006

SegID: 1209 Navasota River Below Lake Limestone

From the confluence with the Brazos River in Grimes County to Sterling C. Robertson Dam in Leon/Robertson County

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
1209_02	<i>From confluence with Rocky Creek to confluence with Sandy Branch</i>		
	bacteria	5a	2002
1209_05	<i>From confluence with Camp Creek to 25 miles upstream</i>		
	bacteria	5a	2002

SegID: 1209A Country Club Lake (unclassified water body)

From the Country Club Branch Dam up to normal pool elevation in Bryan in Brazos County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1209A_01 <i>Entire reservoir</i> toxicity in sediment	5c	1999

SegID: 1209B Fin Feather Lake (unclassified water body)

From Fin Feather Dam up to normal pool elevation in northwest Bryan in Brazos County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1209B_01 <i>Entire reservoir</i> toxicity in sediment	5c	2000

SegID: 1209C Carters Creek (unclassified water body)

Perennial stream from the confluence with the Navasota River southeast of College Station in Brazos County upstream to the confluence of an unnamed tributary 0.5 km upstream of FM 158 in Brazos County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1209C_01 <i>Entire water body</i> bacteria	5a	1999

SegID: 1209D Country Club Branch (unclassified water body)

From the confluence with Country Club Lake in Bryan in Brazos County to the dam at Fin Feather Lake in Bryan

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1209D_01 <i>entire water body</i> bacteria	5c	2006

SegID: 1209E Wickson Creek (unclassified water body)

Perennial stream from the confluence with an unnamed first order tributary (approximately 1.3 km upstream of Reliance Road crossing) upstream to the confluence with an unnamed first order tributary approximately 15 meters upstream of Dilly Shaw Road

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1209E_01 <i>Entire water body</i> bacteria	5c	2006

SegID: 1209G Cedar Creek (unclassified water body)

From the confluence with the Navasota River in Brazos County to the confluence with Moores Branch and Rocky Branch in Robertson County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1209G_01 <i>Entire water body</i> bacteria	5c	2002

SegID: 1209H Duck Creek (unclassified water body)

From the confluence with the Navasota river in Robertson County to Twin Oak Reservoir dam in Robertson County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1209H_01 <i>From the lower end of the creek to FM 2096</i> bacteria	5c	2006
1209H_02 <i>From FM 2096 to Twin Oak Reservoir dam</i> bacteria	5c	2006

SegID: 1209I Gibbons Creek (unclassified water body)

From confluence with Navasota River in Grimes County to SH 90 in Grimes County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1209I_01 <i>From lower end to confluence with Dry Creek</i> bacteria	5c	2002

SegID: 1209J Shepherd Creek (unclassified water body)

From the confluence with the Navasota River in Madison County to a point 0.7 miles upstream of FM 1452 in Madison County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1209J_01 Entire water body bacteria	5c	2002

SegID: 1209K Steele Creek (unclassified water body)

From confluence with Navasota River in Robertson County to a point 2.4 miles upstream of FM 147 in Limestone County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1209K_02 From the confluence with Willow Creek upstream to the end of the water body bacteria	5c	2002

SegID: 1209L Burton Creek (unclassified water body)

From the confluence with Carters Creek in College Station, upstream to its headwaters located 0.4 miles east of Fin Feather Lake in Brazos County.

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1209L_01 entire water body bacteria	5c	2006

SegID: 1210A Navasota River above Lake Mexia (unclassified water body)

From the confluence with the headwaters of Lake Mexia in Limestone County to a point 1.25 miles upstream of SH 31 in Hill County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1210A_01 Entire water body bacteria	5c	2002

SegID: 1211A Davidson Creek (unclassified water body)

Intermittent stream with perennial pools from the confluence with Yegua Creek to 0.2 km above SH 21 near Caldwell in Burleson County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1211A_02 <i>Upper 25 miles</i> bacteria	5c	2002

SegID: 1212 Somerville Lake

From Somerville Dam in Burleson/Washington County up to normal pool elevation of 238 feet (impounds Yegua Creek)

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1212_01 <i>Eastern end of reservoir near dam</i> pH	5c	2002
1212_03 <i>Middle of reservoir near Birch Creek State Park</i> pH	5c	2002

SegID: 1212B East Yegua Creek (unclassified water body)

From the confluence with Middle Yegua and Yegua Creeks southeast of Dime Box in Lee County to the upstream portion of the stream, south of Alcoa Lake in Milam County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1212B_01 <i>Lower 25 miles</i> bacteria	5c	2002

SegID: 1213 Little River

From the confluence with the Brazos River in Milam County to the confluence of the Leon River and the Lampasas River in Bell County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1213_01 <i>From the confluence with Brazos River upstream to confluence with City of Cameron WWTP receiving water</i> bacteria	5c	2006

SegID: 1214 San Gabriel River

From the confluence with the Little River in Milam County to Granger Lake Dam in Williamson County

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
1214_01	<i>From confluence with Little River upstream to confl. with Alligator Creek</i>		
	bacteria	5a	2006
	sulfate	5c	2006
1214_02	<i>From confluence with Alligator Creek upstream to Lake Granger</i>		
	sulfate	5c	2006

SegID: 1215 Lampasas River Below Stillhouse Hollow Lake

From the confluence with the Leon River in Bell County to Stillhouse Hollow Lake Dam in Bell County

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
1215_01	<i>Entire segment</i>		
	bacteria	5c	2006

SegID: 1217 Lampasas River Above Stillhouse Hollow Lake

From a point immediately upstream of the confluence of Rock Creek in Bell County to FM 2005 in Hamilton County

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
1217_04	<i>From the FM 1690 crossing to the CR 117 crossing</i>		
	bacteria	5c	2002

SegID: 1217D North Fork Rocky Creek (unclassified water body)

From its confluence with South Rocky Creek, upstream to its headwaters 7 miles west of US Hwy 183 in Burnet County

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
1217D_01	<i>entire water body</i>		
	depressed dissolved oxygen	5b	2006

SegID: 1218 Nolan Creek/ South Nolan Creek

From the confluence with the Leon River in Bell County to a point 100 meters (110 yards) upstream to the most upstream crossing of US 190 and Loop 172 in Bell County

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
1218_01	Entire segment bacteria	5a	1996

SegID: 1220A Cowhouse Creek (unclassified water body)

From the confluence of Belton Lake in Bell County south of Gatesville in Coryell County to the upstream perennial portion of the stream north of Goldthwaite in Mills County

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
1220A_03	Upstream portion of water body bacteria	5c	2006

SegID: 1221 Leon River Below Proctor Lake

From a point 100 meters (110 yards) upstream of FM 236 in Coryell County to Proctor Dam in Comanche County

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
1221_01	Directly upstream of Lake Belton bacteria	5a	1996
1221_02	Portion directly downstream of City of Gatesville WWTP bacteria	5a	1996
1221_05	From confluence with Pecan Creek, upstream to confluence with South Leon Creek bacteria	5a	1996
1221_06	From confluence with South Leon Creek upstream to confluence with Walnut Creek bacteria	5a	1996
1221_07	From the confluence with Walnut Creek upstream to Lake Proctor bacteria	5a	1996

SegID: 1221A Resley Creek (unclassified water body)

From the confluence of the Leon River east of Gustine in Comanche County to the upstream perennial portion of the stream north of Gustine in Comanche County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1221A_01 <i>Downstream portion, from confluence with Leon River upstream to conf. with unnamed tributary, approx. 1.0 mile N. of Comanche County Line</i>		
depressed dissolved oxygen	5c	2006
bacteria	5c	2004
1221A_02 <i>From confluence with unnamed tributary, upstream to end of water body, approx. 1.0 mile north west of Dublin</i>		
bacteria	5c	2004

SegID: 1221B South Leon River (unclassified water body)

From the confluence of the Leon River south of Gustine in Comanche County to the upstream perennial portion of the stream south of Comanche in Comanche County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1221B_01 <i>Entire water body</i>		
bacteria	5c	2006

SegID: 1221C Pecan Creek (unclassified water body)

Perennial stream from the confluence with the Leon River upstream to the confluence with an unnamed tributary approximately 3.5 km upstream of SH 36 near the City of Hamilton

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1221C_01 <i>Entire water body</i>		
bacteria	5c	2006

SegID: 1221D Indian Creek (unclassified water body)

Perennial stream from an unnamed second order tributary (approximately 0.7 km downstream of Live Oak Street crossing) upstream to the confluence with Bachelor Prong Creek

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1221D_01 <i>From confluence with Leon River, upstream to confluence with Armstrong Creek</i> bacteria	5c	2006
1221D_02 <i>From confluence with Armstrong Creek upstream to headwaters of water body</i> bacteria	5c	2006

SegID: 1221F Walnut Creek (unclassified water body)

From its confluence with Leon River upstream to its headwaters 2.4 miles west of Dublin in Erath County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1221F_01 <i>entire water body</i> bacteria	5c	2006

SegID: 1222A Duncan Creek (unclassified water body)

From the confluence of Proctor Lake northeast of Comanche in Comanche County to the upstream perennial portion of the stream west of Comanche in Comanche County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1222A_01 <i>Entire creek</i> bacteria	5c	1999

SegID: 1222B Rush-Copperas Creek (unclassified water body)

From the confluence of Proctor Lake northeast of Comanche in Comanche County to the upstream perennial portion of the stream northwest of Comanche in Comanche County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1222B_01 <i>Entire water body</i> bacteria	5c	2006

SegID: 1222C Sabana River (unclassified water body)

From the confluence of Proctor Lake northeast of Comanche in Comanche County to the upstream perennial portion of the stream northwest of Rising Star in Eastland County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1222C_01 <i>Downstream portion of segment</i> bacteria	5c	2006

SegID: 1222E Sweetwater Creek (unclassified water body)

From its confluence with Copperas Creek, upstream to its headwaters, 6.3 miles west of Comanche in Comanche County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1222E_01 <i>entire water body</i> bacteria	5c	2006

SegID: 1223 Leon River Below Leon Reservoir

From a point immediately upstream of the confluence of Mill Branch in Comanche County to Leon Dam in Eastland County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1223_01 <i>Entire Segment</i> bacteria	5c	2006

SegID: 1223A Armstrong Creek (unclassified water body)

From its confluence with the Leon River downstream of Leon Reservoir, upstream to its headwaters in Erath County 6.2 miles east of State Hwy 16.

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1223A_01 <i>entire water body</i> bacteria	5c	2006

SegID: 1226B Green Creek (unclassified water body)

From the confluence of the North Bosque River south of Clairette in Erath County to the upstream perennial portion of the stream south of Stephenville in Erath County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1226B_01 Entire water body depressed dissolved oxygen	5c	2006

SegID: 1226E Indian Creek (unclassified water body)

From the confluence with the North Bosque River in Erath County to the headwaters 3.5 miles east of Stephenville in Erath County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1226E_01 Entire water body bacteria	5c	2002

SegID: 1226F Sims Creek (unclassified water body)

From the confluence with the North Bosque River in Erath County to the headwaters 6 miles southeast of Stephenville in Erath County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1226F_01 Entire water body bacteria	5c	2002

SegID: 1226K Little Duffau Creek (unclassified water body)

From its confluence with Duffau Creek, upstream to its headwaters 2.4 miles south west of US 67 in Erath County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1226K_01 entire water body bacteria	5c	2006

SegID: 1227 Nolan River

From a point immediately upstream of the confluence of Rock Creek in Hill County to Cleburne Dam in Johnson County

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
1227_01	<i>Downstream portion, including Mustang Creek confluence</i>		
	chloride	5b	2006
	sulfate	5b	2002
	total dissolved solids	5b	2006
1227_02	<i>Upstream portion, to Lake Pat Cleburne</i>		
	chloride	5b	2006
	sulfate	5b	2002
	total dissolved solids	5b	2006

SegID: 1231 Lake Graham

From Graham Dam and Eddleman Dam in Young County up to the normal pool elevation of 1076.3 feet (impounds Salt Creek and Flint Creek)

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
1231_01	<i>Entire segment</i>		
	total dissolved solids	5c	2006

SegID: 1232B Deadman Creek (unclassified water body)

From the confluence of the Clear Fork Brazos River south of Lueders in Jones County to the upstream perennial portion of the stream north of Hamby in Jones County

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
1232B_01	<i>From the confluence with Clear Fork Brazos, upstream to city of Abilene WWTP receiving water</i>		
	bacteria	5c	2006

SegID: 1238 Salt Fork Brazos River

From the confluence of the Double Mountain Fork Brazos River in Stonewall County to the most upstream crossing of SH 207 in Crosby County

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
1238_01	25 miles near Hwy 83 chloride	5b	2002
1238_02	25 miles near Hwy 380 at Swenson chloride	5b	2002
1238_03	Remainder of segment chloride	5b	2002

SegID: 1240 White River Lake

From White River Dam in Crosby County up to normal pool elevation of 2369 feet (impounds White River)

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
1240_01	Entire segment chloride	5c	2002
	sulfate	5c	2006
	total dissolved solids	5c	2006

SegID: 1241 Double Mountain Fork Brazos River

From the confluence with the Salt Fork Brazos River in Stonewall County to the confluence of the North Fork Double Mountain Fork Brazos River in Kent County

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
1241_01	25 miles near Hwy 83 chloride	5c	2006
	total dissolved solids	5c	2006

SegID: 1241A North Fork Double Mountain Fork Brazos River (unclassified water body)

Perennial stream from the confluence with Double Mountain Fork Brazos River to the dam forming Lake Ransom Canyon

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
1241A_02	Upstream portion, from confluence with Yellow House Draw to Lake Buffalo Springs bacteria	5c	2004

SegID: 1242B Cottonwood Branch (unclassified water body)

Intermittent stream with perennial pools from the confluence with Still Creek upstream 0.95 km to the confluence with an unnamed tributary

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
1242B_01	Downstream portion, downstream of Sanderson Farms receiving water		
	bacteria	5c	2006

SegID: 1242C Still Creek (unclassified water body)

Perennial stream from the confluence with Thompsons Creek upstream to the confluence with Cottonwood Branch

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
1242C_01	Downstream of Bryan WWTP		
	bacteria	5c	2006
1242C_02	Portion upstream of city of Bryan WWTP		
	bacteria	5c	2006

SegID: 1242D Thompson Creek (unclassified water body)

Intermittent stream with perennial pools from the confluence with the Brazos River upstream to the confluence with Thompson Branch north of FM 1687

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
1242D_01	Portion downstream of the confluence with Still Creek		
	bacteria	5c	2002
1242D_02	Portion of segment upstream of confluence with Still Creek		
	depressed dissolved oxygen	5c	2006
	bacteria	5c	2002

SegID: 1242I Campbells Creek (unclassified water body)

From the confluence with the Little Brazos River upstream to the headwaters, one mile west of Old San Antonio Road

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
1242I_01	Entire water body		
	bacteria	5c	2002

SegID: 1242J Deer Creek (unclassified water body)

From the confluence with the Brazos River upstream to the confluence of West Fork Deer Creek and East Fork Deer Creek in Falls County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1242J_01 Entire water body bacteria	5c	2006

SegID: 1242K Mud Creek (unclassified water body)

From confluence with the Little Brazos River, upstream to the confluence with Touchstone Branch and Wolf Den Branch, in Robertson County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1242K_01 Entire water body bacteria	5c	2002

SegID: 1242L Pin Oak Creek (unclassified water body)

From the confluence with the Little Brazos River in Robertson County upstream to the headwaters, 2.07 miles south of Franklin

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1242L_01 Entire water body bacteria	5c	2002

SegID: 1242M Spring Creek (unclassified water body)

From the confluence with the Little Brazos River in Robertson County, upstream to the headwaters, 1.5 miles north of FM 391

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1242M_01 Entire water body bacteria	5c	2002

SegID: 1242N Tehuacana Creek (unclassified water body)

From the confluence with the Brazos River in McLennan county upstream to the headwaters 2 miles south of Penelope in Hill County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1242N_01 <i>Downstream portion of water body, from confluence with Brazos River upstream to confl. with Little Tehuacana Creek</i> bacteria	5c	2002

SegID: 1242O Walnut Creek (unclassified water body)

From the confluence with the Little Brazos River in Robertson County, upstream to the headwaters, one mile south of White Rock

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1242O_01 <i>Entire water body</i> bacteria	5c	2006

SegID: 1242P Big Creek (unclassified water body)

From the confluence with Little Brazos River in Falls County upstream to the confluence with unnamed creeks near Mart in the northeast corner of Falls County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1242P_01 <i>Downstream portion of water body</i> bacteria	5c	2002

SegID: 1244 Brushy Creek

From the confluence with the San Gabriel River in Milam County to the confluence of South Brushy Creek in Williamson County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1244_03 <i>From confluence with Cottonwood Branch upstream to City of Round Rock WWTP outfall</i> bacteria	5a	2006
1244_04 <i>From immediately upstream of City of Round Rock WWTP outfall upstream to end of segment</i> bacteria	5a	2006

SegID: 1245 Upper Oyster Creek

From Steep Bank Creek/Brazos River confluence in Fort Bend County to pumping station on Jones Creek confluence at Brazos River in Fort Bend County (includes portions of Steep Bank Creek, Flat Bank Creek, and Jones Creek)

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
1245_01	<i>From the confluence with the Brazos River upstream to Dam #3</i>		
	bacteria	5a	1996
	depressed dissolved oxygen	5a	1996
1245_02	<i>From Dam #3 upstream to Harmon St. crossing in Sugar Land</i>		
	bacteria	5a	1996
	depressed dissolved oxygen	5a	1996
1245_03	<i>From Harmon St. crossing in Sugar Land upstream to the end of the segment</i>		
	depressed dissolved oxygen	5a	1996
	bacteria	5a	1996

SegID: 1245C Bullhead Bayou (unclassified water body)

From its confluence with Steep Bank Creek in Fort Colony, upstream to its headwaters in Pecan Grove in Fort Bend County

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
1245C_01	<i>Entire water body</i>		
	bacteria	5c	2006

SegID: 1245D Unnamed tributary of Bullhead Bayou (unclassified water body)

Tributary to Bullhead Bayou in Fort Bend County

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
1245D_01	<i>Entire water body</i>		
	bacteria	5c	2006

SegID: 1246E Wasp Creek (unclassified water body)

From the confluence with Tonk Creek in Crawford in McLennan County, upstream to the headwaters in Coryell County, 0.15 mile east of FM 185

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1246E_01 <i>Entire water body</i> bacteria	5c	2002

SegID: 1247A Willis Creek (unclassified water body)

From the confluence with the headwaters of Granger Lake in Williamson County to CR 313 in Williamson County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1247A_01 <i>Entire water body</i> bacteria	5c	2002

SegID: 1248C Mankins Branch (unclassified water body)

Perennial stream from the confluence with the San Gabriel River in Williamson County to the intersection of CR 105 and 104 in Williamson County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1248C_01 <i>Entire water body</i> bacteria	5c	2004

SegID: 1255 Upper North Bosque River

From a point immediately above the confluence of Indian Creek in Erath County to the confluence of the North Fork and South Fork of the Bosque River in Erath County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1255_01 <i>Lower portion of segment downstream of Stephenville</i> bacteria	5c	1996
1255_02 <i>Upper portion of segment, upstream of Stephenville</i> bacteria	5c	1996

SegID: 1255A Goose Branch (unclassified water body)

From the confluence with the south fork of the North Bosque River 2.5 miles (4.0 km) west of Stephenville, upstream to the headwaters 0.5 miles (0.8 km) north of FM 8 in Erath County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1255A_01 Entire water body bacteria	5c	2002

SegID: 1255B North Fork Upper North Bosque River (unclassified water body)

From the confluence with the South Fork of the Upper North Bosque River in Stephenville, upstream to the headwaters, 2.0 miles north of FM 219

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1255B_01 Entire water body bacteria	5c	2002

SegID: 1255C Scarborough Creek (unclassified water body)

From the confluence with the North Fork of the upper North Bosque River, upstream to the headwaters 0.1 miles (0.2 km) southeast of FM 219 in Erath County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1255C_01 Entire water body bacteria	5c	2002

SegID: 1255E Unnamed tributary of Goose Branch (unclassified water body)

From the confluence with Goose Branch in Erath County to its headwaters, 0.2 miles southeast of the intersection of FM 8 and Farm Road 1219

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1255E_01 Entire water body bacteria	5c	2002

SegID: 1255F Unnamed tributary of Scarborough Creek (unclassified water body)

From the confluence with Scarborough Creek, 1.0 mile west of SH 108 in Erath County, upstream to the headwaters, 0.3 mile north of FM 219

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1255F_01 <i>Entire water body</i> bacteria	5c	2002

SegID: 1255G Woodhollow Branch (unclassified water body)

From the confluence with the South Fork of the North Bosque River, 6 miles northwest of Stephenville, upstream to the headwaters, 1.5 miles north of FM 219 in Erath County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1255G_01 <i>Entire water body</i> bacteria	5c	2002

SegID: 1301 San Bernard River Tidal

From the confluence with the Intracoastal Waterway in Brazoria County to a point 3.2 km (2.0 miles) upstream of SH 35 in Brazoria County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1301_01 <i>Entire Segment</i> bacteria	5c	2006

SegID: 1302 San Bernard River Above Tidal

From a point 3.2 km (2.0 miles) upstream of SH 35 in Brazoria County to the county road southeast of New Ulm in Austin County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1302_01 <i>Lower 25 miles of segment</i> bacteria	5c	2002
1302_02 <i>25 miles from just upstream of FM 442 to downstream of US 90A</i> bacteria	5c	2002
1302_03 <i>25 miles from downstream of US 90A to upstream of FM 3013</i> bacteria	5c	2002

SegID: 1302A Gum Tree Branch (unclassified water body)

From the confluence with West Bernard Creek near Wharton CR 252 to the headwaters approximately 15 miles upstream near RR 102

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1302A_01 <i>The entire 15 miles of the segment</i> bacteria	5c	2006

SegID: 1302B West Bernard Creek (unclassified water body)

From the confluence with the San Bernard River Above Tidal downstream of US highway 59 to the headwaters approximately 40 miles upstream near FM 1093

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1302B_01 <i>Lower 15 miles of segment</i> depressed dissolved oxygen	5c	2006
1302B_02 <i>Upper 25 miles of segment</i> bacteria	5c	2006

SegID: 1304 Caney Creek Tidal

From the confluence with the Intracoastal Waterway in Matagorda County to a point 1.9 km (1.2 miles) upstream of the confluence of Linnville Bayou in Matagorda County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1304_01 <i>Lower 25 miles of segment</i> bacteria	5c	2006

SegID: 1305 Caney Creek Above Tidal

From a point 1.9 km (1.2 miles) upstream of the confluence of Linnville Bayou in Matagorda County to Old Caney Road in Wharton County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1305_02 <i>25 miles surrounding SH 35</i> depressed dissolved oxygen	5b	1999
bacteria	5c	2002

SegID: 1401 Colorado River Tidal

From the confluence with the Gulf of Mexico in Matagorda County to a point 2.1 km (1.3 miles) downstream of the Missouri-Pacific Railroad in Matagorda County

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
1401_01	Entire segment bacteria	5c	2006

SegID: 1403A Bull Creek (unclassified water body)

From the confluence of Lake Austin in northwest Austin in Travis County to the upstream perennial portion of the stream north of Austin in Travis County

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
1403A_04	From Spicewood Springs Rd. crossing near Yaupon Dr. upstream to the Spicewood Springs Dr. crossing near Oak Grove cemetery impaired macrobenthic community	5c	2002

SegID: 1403J Spicewood Tributary to Shoal Creek (unclassified water body)

From the MoPac Expressway in north Austin in Travis County to a point west of Hart Lane in Travis County

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
1403J_01	Entire water body bacteria	5c	2002

SegID: 1403K Taylor Slough South (unclassified water body)

Form the confluence of Lake Austin in Travis County to a point west of Pecos Street in Austin in Travis County

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
1403K_01	Entire water body bacteria	5c	2002

SegID: 1403R Westlake-Davenport Tributary to Lake Austin (unclassified water body)

From the confluence of Lake Austin in Travis County to a point east of Loop 360 and The High Road in Travis County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1403R_01 <i>Entire water body</i> bacteria	5c	2006

SegID: 1414 Pedernales River

From a point immediately upstream of the confluence of Fall Creek in Travis County to FM 385 in Kimble County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1414_05 <i>Gellermann Lane to Live Oak Creek</i> bacteria	5c	2006

SegID: 1416A Brady Creek (unclassified water body)

From the confluence of the San Saba River southwest of San Saba in San Saba County to Brady Lake Dam west of Brady in McCulloch County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1416A_03 <i>From FM 714 upstream to Brady Lake dam</i> depressed dissolved oxygen	5c	2004

SegID: 1420 Pecan Bayou Above Lake Brownwood

From a point 100 meter (110 yards) upstream of FM 2559 in Brown County to the confluence of the North Prong Pecan Bayou and the South Prong of Pecan Bayou in Callahan County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1420_01 <i>Lower 25 miles</i> depressed dissolved oxygen	5c	1999

SegID: 1421 Concho River

From a point 2 km (1.2 miles) above the confluence of Fuzzy Creek in Concho County to San Angelo Dam on the North Concho River in Tom Green County and to Nasworthy Dam on the South Concho River in Tom Green County

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
1421_07	<i>From the dam near Vines Road upstream to the confluence of the North Concho River and the South Concho River</i> impaired macrobenthic community	5c	2002

SegID: 1425 O. C. Fisher Lake

From San Angelo Dam in Tom Green County up to normal pool elevation of 1908 feet (impounds North Concho River)

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
1425_01	<i>Entire reservoir</i> chloride	5c	2002
	total dissolved solids	5c	2002

SegID: 1426 Colorado River Below E. V. Spence Reservoir

From a point 3.7 km (2.3 miles) below the confluence of Mustang Creek in Runnels County to Robert Lee Dam in Coke County

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
1426_01	<i>Lower end of segment to Country Club Lake</i> chloride	5a	2002
	total dissolved solids	5a	1999
1426_02	<i>Country Club Lake to Coke County line</i> chloride	5a	2002
	total dissolved solids	5a	1999
1426_03	<i>Coke County line to SH 208</i> chloride	5a	2002
	total dissolved solids	5a	1999
1426_04	<i>SH 208 to dam</i> chloride	5a	2002
	total dissolved solids	5a	1999

SegID: 1427A Slaughter Creek (unclassified water body)

Intermittent stream with perennial pools from the confluence with Onion Creek to above US 290 west of Austin

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1427A_01 <i>Entire water body</i> impaired macrobenthic community	5b	2002

SegID: 1428 Colorado River Below Town Lake

From a point 100 meters (110 yards) upstream of FM 969 near Utley in Bastrop County to Longhorn Dam in Travis County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1428_03 <i>Walnut Creek to Longhorn Dam</i> bacteria	5c	2006

SegID: 1428B Walnut Creek (unclassified water body)

From the confluence of the Colorado River in east Austin in Travis County to the upstream perennial portion of the stream in north Austin in Travis County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1428B_01 <i>From the Colorado River upstream to FM 969</i> bacteria	5c	2006
1428B_03 <i>From old Manor Road upstream to Dessau Road</i> bacteria	5c	2006

SegID: 1428C Gilleland Creek (unclassified water body)

Perennial stream and intermittent stream with perennial pools from the confluence with the Colorado River up to the spring source (Ward Spring) northwest of Pflugerville, in Travis County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1428C_01 <i>From the Colorado River upstream to Taylor Lane</i> bacteria	5a	1999

SegID: 1429B Eanes Creek (unclassified water body)

From the confluence of Town Lake in central Austin in Travis County to the upstream perennial portion of the stream in west Austin in Travis County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1429B_01 <i>Entire water body</i> bacteria	5c	1999

SegID: 1429C Waller Creek (unclassified water body)

From the confluence of Town Lake in central Austin in Travis County to the upstream portion of the stream in north Austin in Travis County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1429C_01 <i>From the confluence with Town Lake to East MLK Blvd.</i> bacteria	5c	2004
impaired macrobenthic community	5c	2002
1429C_03 <i>Upper portion of creek</i> bacteria	5c	2004

SegID: 1431 Mid Pecan Bayou

From a point immediately upstream of the confluence of Mackinally Creek in Brown County to a point immediately upstream of Willis Creek in Brown County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1431_01 <i>Entire water body</i> bacteria	5c	2006

SegID: 1501 Tres Palacios Creek Tidal

From the confluence with Tres Palacios Bay in Matagorda County to a point 1.0 km (0.6 miles) upstream of the confluence of Wilson creek in Matagorda County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1501_01 <i>Entire segment</i> depressed dissolved oxygen	5b	1996
bacteria	5c	2006

SegID: 1502 Tres Palacios Creek Above Tidal

From a point 1.0 km (0.6 miles) upstream of the confluence of Wilson Creek in Matagorda County to US 59 in Wharton County

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
1502_01	Middle 23 miles of segment bacteria	5c	1996

SegID: 1602 Lavaca River Above Tidal

From a point 8.6 km (5.3 miles) downstream of US 59 in Jackson County to a point 5.5 km (3.4 miles) upstream of SH 95 in Lavaca County

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
1602_01	Upper 29 miles of segment depressed dissolved oxygen	5b	2004

SegID: 1803A Elm Creek (unclassified water body)

From the confluence of Sandies Creek east of Smiley in Gonzales County to the upstream perennial portion of the stream southwest of Smiley in Gonzales County

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
1803A_01	Entire water body bacteria	5a	1999
	depressed dissolved oxygen	5a	1999

SegID: 1803B Sandies Creek (unclassified water body)

From the confluence of the Guadalupe River west of Cuero in DeWitt County to the upstream perennial portion of the stream northwest of Smiley in Gonzales County

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
1803B_01	From the confluence with the Guadalupe River to the confluence with Elm Ck. bacteria	5a	2002
	depressed dissolved oxygen	5a	1999
1803B_02	From the confluence with Elm Creek to upper end of water body depressed dissolved oxygen	5a	1999

SegID: 1803C Peach Creek (unclassified water body)

From the confluence of the Guadalupe River southeast of Gonzales in Gonzales County to the upstream perennial portion of the stream northeast of Waelder in Gonzales County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1803C_01 <i>Lower 25 miles of water body</i> bacteria	5a	2002
1803C_03 <i>From approx. 1.2 mi. downstream of FM 1680 in Gonzales Co. to confluence with Elm Cr. In Fayette Co.</i> bacteria	5a	2002
depressed dissolved oxygen	5c	2006

SegID: 1804A Geronimo Creek (unclassified water body)

From the confluence of the Guadalupe River south of Seguin in Guadalupe County to the upstream perennial portion north of Seguin in Guadalupe County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1804A_01 <i>Entire water body</i> bacteria	5c	2006

SegID: 1805 Canyon Lake

From Canyon Dam in Comal County to a point 2.7 km (1.7 miles) downstream of Rebecca Creek Road in Comal County, up to normal pool elevation of 909 feet (impounds Guadalupe River)

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
1805_01 <i>Cove around Jacob's Creek Park</i> mercury in edible tissue	5c	2006
1805_02 <i>North end of Crane's Mill Park peninsula to south end of Canyon Park</i> mercury in edible tissue	5c	2006
1805_03 <i>Upper end of segment</i> mercury in edible tissue	5c	2006
1805_04 <i>Lower end of reservoir from dam upstream to Canyon Park</i> mercury in edible tissue	5c	2006

SegID: 1806 Guadalupe River Above Canyon Lake

From a point 2.7 km (1.7 miles) downstream of Rebecca Creek Road in Comal County to the confluence of North Fork Guadalupe River and the South Fork Guadalupe River in Kerr County

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
1806_04	From 1 mile upstream Flat Rock Dam to confluence with Camp Meeting Creek bacteria	5a	2002
1806_06	From RR 394 1 mile downstream bacteria	5a	2002

SegID: 1806A Camp Meeting Creek (unclassified water body)

From the confluence of Flatrock Lake in southeast Kerrville in Kerr County to the upstream perennial portion of the stream west of Kerrville in Kerr County

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
1806A_03	Upper 9 miles depressed dissolved oxygen	5b	1999

SegID: 1810 Plum Creek

From the confluence with the San Marcos River in Caldwell County to FM 2770 in Hays County

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
1810_03	From approx. 0.5 mi. upstream of SH 21 to upper end of segment bacteria	5c	2004

SegID: 1901 Lower San Antonio River

From the confluence with the Guadalupe River in Refugio/Victoria County to a point 600 meters (660 yards) downstream of FM 791 at Mays crossing near Falls City in Karnes County

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
1901_01	25 miles downstream of the confluence with Manahuilla Creek		
	bacteria	5c	2000
1901_02	25 miles upstream of Manahuilla Creek		
	bacteria	5c	2000
1901_03	From 25 miles upstream of Manahuilla Cr to 9 mi downstream of Escondido Cr		
	bacteria	5c	2000
1901_04	9 miles downstream of Escondido Creek		
	bacteria	5c	2000
1901_05	From upstream end of segment to Escondido Creek		
	bacteria	5c	2000

SegID: 1902 Lower Cibolo Creek

From the confluence with the San Antonio River in Karnes County to a point 100 meters (110 yards) downstream of IH 10 in Bexar/Guadalupe County

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
1902_01	Lower 5 miles of segment		
	bacteria	5c	2004
1902_02	From 5 miles upstream of confluence with the San Antonio River to FM 541		
	bacteria	5c	2004
	impaired fish community	5c	2006
1902_03	From FM 541 to confluence with Clifton Branch		
	bacteria	5c	2004

SegID: 1906 Lower Leon Creek

From the confluence with the Medina River in Bexar County to a point 100 meters (110 yards) upstream of SH 16 northwest of San Antonio in Bexar County

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
1906_02	<i>From 3 miles upstream lower end of segment to confluence with Indian Creek</i> depressed dissolved oxygen	5c	1999
1906_04	<i>From Hwy 353 to two miles upstream</i> bacteria depressed dissolved oxygen	5a 5c	1996 1999
1906_05	<i>From 2 miles upstream of Hwy 353 to Hwy 90</i> PCBs in edible tissue depressed dissolved oxygen	5a 5c	2004 1999
1906_06	<i>Remainder of segment</i> bacteria	5a	1996

SegID: 1908 Upper Cibolo Creek

From the Missouri-Pacific Railroad Bridge west of Bracken in Comal County to a point 1.5 km (0.9 miles) upstream of the confluence of Champee Springs in Kendall County

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
1908_01	<i>From confl. with Balcones Ck. to approx. 2 mi. upstream of Hwy 87 in Boerne</i> bacteria	5c	2006
1908_02	<i>From approx. 2 mi. upstream of Hwy 87 in Boerne to upper end of segment</i> bacteria	5c	2006

SegID: 1910 Salado Creek

From the confluence with the San Antonio River in Bexar County to Rocking Horse Lane west of Camp Bullis in Bexar County

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
1910_01	<i>From confluence with San Antonio River to confluence with Rosillo Creek</i>		
	bacteria	5a	1996
1910_02	<i>From confluence with Rosillo Creek to Roland Road</i>		
	bacteria	5a	1996
1910_03	<i>From Roland Road to Rice Road</i>		
	impaired fish community	5b	2004
	impaired fish community	5b	2004
	bacteria	5a	1996
	impaired macrobenthic community	5b	2006
1910_04	<i>From Rice Road to IH 10</i>		
	bacteria	5a	1996
1910_05	<i>From IH 10 to approx 1.5 miles upstream of IH 35</i>		
	impaired fish community	5b	2004
	impaired fish community	5b	2004
1910_06	<i>From approx. 1.5 miles upstream of IH 35 to Hwy 368</i>		
	bacteria	5a	1996
1910_07	<i>From Hwy 368 to approx 1.5 miles upstream of Loop 410</i>		
	impaired fish community	5b	2004
	impaired fish community	5b	2004
	impaired habitat	5b	2006
	impaired macrobenthic community	5b	2006

SegID: 1910A Walzem Creek (unclassified water body)

From the confluence with Salado Creek to approximately 1.5 miles upstream of Walzem Road in San Antonio

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
1910A_01	<i>Lower 0.25 miles</i>		
	bacteria	5a	2002

SegID: 1911 Upper San Antonio River

From a point 600 meters (660 yards) downstream of FM 791 at Mays Crossing near Falls City in Karnes County to a point 100 meters (110 yards) upstream of Hildebrand Avenue at San Antonio in Bexar County

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
1911_02	<i>From 6 miles upstream of lower end of segment to confluence with Picoso Cr</i> bacteria	5a	1996
1911_03	<i>From confluence with Picoso Creek to approx. 2.5 miles upstream of FM 536</i> bacteria	5a	1996
1911_04	<i>From approx. 2.5 miles upstream of FM 528 to Bexar CR 125</i> bacteria	5a	1996
1911_05	<i>From Bexar CR 125 to approx. 2 miles downstream confluence with Medina R.</i> bacteria	5a	1996
1911_08	<i>From 3 miles upstream of confluence w/ Medina R. to confluence w/ Salado Cr</i> bacteria	5a	1996
1911_09	<i>From confluence with Salado Creek to confluence with Sixmile Creek</i> bacteria impaired fish community	5a 5c	1996 2006
1911_10	<i>From confluence with Sixmile Creek to confluence with San Pedro Creek</i> bacteria	5a	1996
1911_11	<i>Upper 8 miles of segment</i> bacteria	5a	1996

SegID: 1913 Mid Cibolo Creek

From a point 100 meters (110 yards) downstream of IH 10 in Bexar/Guadalupe County to the Missouri-Pacific Railroad bridge west of Bracken in Comal County

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
1913_02	<i>From Bexar CR 320 to approx. 0.50 miles upstream of Buffalo Lane in Cibolo</i> depressed dissolved oxygen	5c	1999
1913_03	<i>From approx. 0.50 mi. upstream of Buffalo Lane in Cibolo to upper end of segment</i> bacteria	5c	2006

SegID: 2001 Mission River Tidal

From the confluence with Mission Bay in Refugio County to a point 7.4 kilometers (4.6 miles) downstream of US 77 in Refugio County

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
2001_01	Entire segment bacteria	5c	2004

SegID: 2003 Aransas River Tidal

From the confluence with Copano Bay in Aransas/Refugio County to a point 1.6 kilometers (1.0 mile) upstream of US 77 in Refugio/San Patricio County

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
2003_01	Entire segment bacteria	5c	2004

SegID: 2004A West Aransas Creek (unclassified water body)

From confluence with the Aransas River to the headwaters of the stream about 10 km upstream of US Highway 59.

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
2004A_01	Entire 20 miles of segment bacteria	5c	2006

SegID: 2104 Nueces River Above Frio River

From the confluence of the Frio River in Live Oak County to Holland Dam in LaSalle County

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
2104_03	Upper 46 miles of segment depressed dissolved oxygen	5a	1999

SegID: 2106 Nueces/Lower Frio River

From a point 100 meters (110 yards) upstream of US 59 in Live Oak County to Choke Canyon Dam in Live Oak County

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
2106_01	<i>Lower 17 miles of segment</i> total dissolved solids	5c	2006
2106_02	<i>Upper 10 miles of segment</i> total dissolved solids	5c	2006

SegID: 2107 Atascosa River

From the confluence with the Frio River in Live Oak County to the confluence of the West Prong Atascosa River and the North Prong Atascosa River in Atascosa County

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
2107_01	<i>Lower 25 miles of segment</i> bacteria	5a	1996
2107_02	<i>25 miles surrounding FM 541</i> bacteria	5a	1996
	depressed dissolved oxygen	5b	1996
	impaired fish community	5b	2006
2107_03	<i>25 miles surrounding State Highway 97</i> bacteria	5a	1996
	impaired fish community	5b	2006
	impaired habitat	5b	2006

SegID: 2108 San Miguel Creek

From a point immediately upstream of the confluence of Mustang Branch in McMullen County to the confluence of San Francisco Perez Creek and Chacon Creek in Frio County

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
2108_01	<i>Lower 25 miles of segment</i> bacteria	5c	2006

SegID: 2109 Leona River

From the confluence with the Frio River in Frio County to US 83 in Uvalde County

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
2109_02	25 miles surrounding US Highway 57 bacteria	5c	2006

SegID: 2113 Upper Frio River

From a point 100 meters (110 yards) upstream of US 90 in Uvalde County to the confluence of the West Frio River and the East Frio River in Real County

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
2113_01	Lower 25 miles of segment impaired fish community impaired habitat impaired macrobenthic community	5c 5c 5c	2006 2006 2006
2113_02	Upper 22 miles of segment impaired fish community impaired habitat	5c 5c	2006 2006

SegID: 2116 Choke Canyon Reservoir

From Choke Canyon Dam in Live Oak County to a point 4.2 km (2.6 miles) downstream of SH 16 on the Frio River Arm in McMullen County and to a point 100 meters (110 yards) upstream of the confluence of Mustang Branch on the San Miguel Creek Arm in McMullen County, up to the normal pool elevation of 220.5 feet (impounds Frio River)

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
2116_01	5120 acres near dam bacteria	5c	1996
2116_02	Small north arm of lake near dam and Willow Hollow Tank bacteria	5c	1996
2116_04	Large north arm near mid lake and Jacob Oil Field bacteria	5c	1996
2116_05	Southern arm near mid lake and Rec. Road 7 west of Calliham bacteria	5c	1996
2116_06	Western end of lake up to RR 99 bridge bacteria depressed dissolved oxygen	5c 5c	1996 2006
2116_07	Remainder of lake bacteria	5c	1996

SegID: 2117 Frio River Above Choke Canyon Reservoir

From a point 4.2 km (2.6 miles) downstream of SH 16 in McMullen County to a point 100 meters (110 yards) upstream of US 90 in Uvalde County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
2117_01 <i>Lower 25 miles of segment</i> depressed dissolved oxygen	5c	1999
2117_02 <i>From 1.5 mi. downstream of SH 97 to 23.5 mi. upstream of SH 97 crossing</i> depressed dissolved oxygen	5c	1999
2117_03 <i>33 mi. surrounding State Highway 85</i> depressed dissolved oxygen	5c	1999
2117_04 <i>40 miles surrounding US Highway 57</i> depressed dissolved oxygen	5c	1999

SegID: 2201 Arroyo Colorado Tidal

From confluence with Laguna Madre in Cameron/Willacy County to a point 100 meters (110 yards) downstream of Cemetery Road south of Port Harlingen in Cameron County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
2201_03 <i>Approx. 3 miles upstream to 2 miles downstream of Marker 27</i> bacteria	5c	2006
2201_04 <i>Approx. 1 mile upstream to 3 miles downstream of Camp Perry</i> depressed dissolved oxygen	5a	1996
	5c	2006
2201_05 <i>Upper 4 miles of segment</i> depressed dissolved oxygen	5a	1996
	5c	2006

SegID: 2202 Arroyo Colorado Above Tidal

From a point 100 meters (110 yards) downstream of Cemetery Road south of Port Harlingen in Cameron County to FM 2062 in Hidalgo County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
2202_01 Lower 4 miles of segment bacteria	5c	1996
2202_02 Approx. 11 miles upstream to approx. 4 miles downstream of US 77 bacteria	5c	1996
2202_03 Approx 14 miles upstream to approx. 11 miles downstream of FM 1015 bacteria	5c	1996
2202_04 Upper 19 miles of segment bacteria	5c	1996

SegID: 2204 Petronila Creek Above Tidal

From a point 1 km (0.6 miles) upstream of private road crossing near Laureles Ranch in Kleberg County to the confluence of Agua Dulce and Banquete Creeks in Nueces County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
2204_01 Lower 25 miles of segment chloride	5a	1999
sulfate	5a	1999
total dissolved solids	5a	1999
2204_02 Upper 19 miles of segment total dissolved solids	5a	1999
chloride	5a	1999
sulfate	5a	1999

SegID: 2302 Rio Grande Below Falcon Reservoir

From a point 10.8 km (6.7 miles) downstream of the International Bridge in Cameron County to Falcon Dam in Starr County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
2302_07 Rancho Viejo Floodway area to El Jardin Pump Station bacteria	5c	1996

SegID: 2302A Arroyo Los Olmos (unclassified water body)

From confluence with the Rio Grande at Rio Grande City to El Sauz in Starr County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
2302A_01 <i>Entire water body</i> bacteria	5c	2004

SegID: 2304 Rio Grande Below Amistad Reservoir

From the confluence of the Arroyo Salado (Mexico) in Zapata County to Amistad Dam in Val Verde County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
2304_02 <i>San Felipe Creek confluence to the Las Moras Creek confluence</i> bacteria	5c	1996
2304_03 <i>Las Moras Creek confluence to Hwy 277 (Eagle Pass)</i> bacteria	5c	1996
2304_08 <i>Laredo water treatment plant intake to International Bridge #2</i> bacteria	5c	1996
2304_09 <i>International Bridge # 2 to just below Chacon Creek confluence</i> bacteria	5c	1996
2304_10 <i>Masterson Road wastewater treatment plant to the Arroyo Salado confluence</i> bacteria	5c	1996

SegID: 2306 Rio Grande Above Amistad Reservoir

From a point 1.8 km (1.1 miles) downstream of the confluence of Ramsey Canyon in Val Verde County to the confluence of the Rio Conchos (Mexico) in Presidio County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
2306_01 <i>Confluence with Rio Conchos to Alamito Creek</i> bacteria	5c	1999

SegID: 2307 Rio Grande Below Riverside Diversion Dam
 From the confluence of the Rio Conchos (Mexico) in Presidio County to Riverside Diversion Dam in El Paso County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
2307_01 <i>Downstream of Riverside Dam to Guadalupe Bridge</i>		
bacteria	5c	1996
chloride	5c	1996
total dissolved solids	5c	1996
2307_02 <i>Guadalupe Bridge to the Alamo Grade Structure</i>		
total dissolved solids	5c	1996
bacteria	5c	1996
chloride	5c	1996
2307_03 <i>Alamo Grade Structure to Little Box Canyon</i>		
total dissolved solids	5c	1996
chloride	5c	1996
2307_04 <i>Little Box Canyon to 25 miles upstream of Rio Conchos confluence</i>		
chloride	5c	1996
total dissolved solids	5c	1996
2307_05 <i>25 miles upstream of the Rio Conchos confluence (lower segment boundary)</i>		
chloride	5c	1996
total dissolved solids	5c	1996

SegID: 2311 Upper Pecos River
 From a point immediately upstream of the confluence of Independence Creek in Crockett/Terrell County to Red Bluff Dam in Loving/Reeves County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
2311_05 <i>US 80 (Bus 20) to FM 1776</i>		
depressed dissolved oxygen	5c	2006
2311_06 <i>FM 1776 to US 67</i>		
depressed dissolved oxygen	5c	2006

SegID: 2314 Rio Grande Above International Dam
 From International Dam in El Paso County to the New Mexico State Line in El Paso County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
2314_02 <i>Upstream of Anthony Drain to International Dam</i>		
bacteria	5c	1996

SegID: 2421 Upper Galveston Bay

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
2421_01	<i>Red Bluff to Five Mile Cut to Houston Point to Morgans Point</i>		
	bacteria (oyster waters)	5a	1996
	dioxin in edible tissue	5a	1996
	PCBs in edible tissue	5a	2004
2421_02	<i>Western portion of the bay</i>		
	bacteria (oyster waters)	5a	1996

SegID: 2422 Trinity Bay

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
2422_01	<i>Upper half of bay</i>		
	bacteria (oyster waters)	5a	1998

SegID: 2422B Double Bayou West Fork (unclassified water body)

From the confluence with Trinity Bay to Belton Road in Chambers County

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
2422B_01	<i>Entire water body</i>		
	bacteria	5c	2006
	depressed dissolved oxygen	5c	2004

SegID: 2423 East Bay

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
2423_01	<i>Area adjacent to the ICWW (Segment 0702)</i>		
	bacteria (oyster waters)	5a	1998

SegID: 2424 West Bay

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
2424_02	Area adjacent to Lower Galveston Island bacteria (oyster waters)	5a	1996

SegID: 2424A Highland Bayou (unclassified water body)

From confluence with Jones Bay to Avenue Q 0.5 miles (0.8 km) north of SH 6 between Arcadia and Alta Loma in Galveston County

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
2424A_01	From the headwaters to FM 2004 bacteria	5c	2002
	depressed dissolved oxygen	5c	2002
2424A_02	From FM 2001 to FM 519 bacteria	5c	2002
2424A_04	From Fairwood Road to Bayou Lane bacteria	5c	2002

SegID: 2424C Marchand Bayou (unclassified water body)

From confluence with Highland Bayou to 0.45 mile north of IH 45 in Galveston County

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
2424C_01	Entire water body bacteria	5c	2002
	depressed dissolved oxygen	5c	2002

SegID: 2425B Jarbo Bayou (unclassified water body)

From confluence with Clear Lake to 0.6 mile upstream of FM 518 in Galveston County

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
2425B_01	From headwaters to Lawrence Road bacteria	5c	2002

SegID: 2426 Tabbs Bay

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
2426_01	<i>Entire segment</i>		
	dioxin in edible tissue	5a	1996
	PCBs in edible tissue	5a	2004

SegID: 2427 San Jacinto Bay

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
2427_01	<i>Entire segment</i>		
	dioxin in edible tissue	5a	1996
	PCBs in edible tissue	5a	2004

SegID: 2428 Black Duck Bay

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
2428_01	<i>Entire segment</i>		
	dioxin in edible tissue	5a	1998
	PCBs in edible tissue	5a	2004

SegID: 2429 Scott Bay

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
2429_01	<i>Entire segment</i>		
	dioxin in edible tissue	5a	1998
	PCBs in edible tissue	5a	2004

SegID: 2430 Burnett Bay

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
2430_01	Entire segment		
	dioxin in edible tissue	5a	1998
	PCBs in edible tissue	5a	2004

SegID: 2432 Chocolate Bay

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
2432_01	Entire segment		
	bacteria (oyster waters)	5a	1996

SegID: 2433 Bastrop Bay/Oyster Lake

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
2433_02	Oyster Lake		
	bacteria (oyster waters)	5a	2006

SegID: 2434 Christmas Bay

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
2434_01	Area adjacent to West Bay		
	bacteria (oyster waters)	5a	2006

SegID: 2436 Barbours Cut

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
2436_01	<i>Entire segment</i>		
	dioxin in edible tissue	5a	1998
	PCBs in edible tissue	5a	2004

SegID: 2438 Bayport Channel

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
2438_01	<i>Entire segment</i>		
	PCBs in edible tissue	5a	2004
	dioxin in edible tissue	5a	2000

SegID: 2439 Lower Galveston Bay

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
2439_01	<i>Area adjacent to the Texas City Ship Channel and Moses Lake</i>		
	bacteria (oyster waters)	5a	1996

SegID: 2441 East Matagorda Bay

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
2441_01	<i>Caney Creek am and western shoreline area</i>		
	bacteria (oyster waters)	5c	1998

SegID: 2442 Cedar Lakes

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
2442_01	Entire segment bacteria (oyster waters)	5a	1998

SegID: 2451 Matagorda Bay/Powderhorn Lake

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
2451_01	Northern end of Matagorda Bay bacteria (oyster waters)	5c	1996

SegID: 2452 Tres Palacios Bay/Turtle Bay

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
2452_02	Turtle Bay bacteria (oyster waters)	5a	1998
2452_03	Tres Palacios Creek Arm bacteria (oyster waters)	5a	1998

SegID: 2453 Lavaca Bay/Chocolate Bay

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
2453_02	North-northeastern portion of the bay near Point Comfort bacteria (oyster waters)	5a	1996
2453_03	Chocolate Bay area bacteria (oyster waters)	5a	1996

SegID: 2453A Garcitas Creek Tidal (unclassified water body)

From the confluence of Lavaca Bay in Jackson County to a point 8.5 miles upstream of FM 616 in Jackson County

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
2453A_01 <i>Entire water body</i> depressed dissolved oxygen	5b	1999

SegID: 2453D Lavaca Bay Ship Channel Area (unclassified water body)

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
2453D_01 <i>Entire water body</i> depressed dissolved oxygen	5c	2006

SegID: 2454 Cox Bay

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
2454_01 <i>North end of bay near Cox Creek</i> bacteria (oyster waters)	5c	2006

SegID: 2455 Keller Bay

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
2455_01 <i>Upper arm</i> bacteria (oyster waters)	5a	2006

SegID: 2456 Carancahua Bay

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
2456_02	<i>Upper half of bay</i>		
	bacteria	5c	2006
	bacteria (oyster waters)	5a	1996

SegID: 2456A West Carancahua Creek Tidal (unclassified water body)

From the confluence with Carancahua Bay in Jackson County to Jackson CR 440, 6.3 miles upstream of FM 616 in Jackson County

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
2456A_01	<i>Entire water body</i>		
	depressed dissolved oxygen	5c	2006

SegID: 2462 San Antonio Bay/Hynes Bay/Guadalupe Bay

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
2462_02	<i>Guadalupe Bay</i>		
	bacteria (oyster waters)	5a	1996

SegID: 2472 Copano Bay/Port Bay/Mission Bay

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
2472_01	<i>Mission Bay, Aransas River arm, Port Bay, and eastern shoreline</i>		
	bacteria (oyster waters)	5a	1998

SegID: 2483 Redfish Bay

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
2483_01	Entire segment bacteria (oyster waters)	5a	2006

SegID: 2485 Oso Bay

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
2485_01	Upper bay (Holly Road to County Hwy 24) bacteria (oyster waters)	5a	2006
	depressed dissolved oxygen	5b	1996
2485_02	Middle bay (State Park Road 22 to Holly Road) bacteria (oyster waters)	5a	2006
	depressed dissolved oxygen	5b	1996
	bacteria	5c	2004
2485_03	Lower portion of bay (Ocean Drive to State Park Road 22) bacteria (oyster waters)	5a	2006
	depressed dissolved oxygen	5b	1996

SegID: 2485A Oso Creek (unclassified water body)

From the confluence with Oso Bay in southern Corpus Christi to a point 3 miles upstream of SH 44, west of Corpus Christi in Nueces County

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
2485A_01	Entire water body bacteria	5a	2002

SegID: 2491 Laguna Madre

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
2491_01	<i>Upper portion of bay north of the Arroyo Colorado confluence</i>		
	depressed dissolved oxygen	5b	1999
2491_02	<i>Area adjacent to the Arroyo Colorado confluence</i>		
	bacteria (oyster waters)	5a	2006
	depressed dissolved oxygen	5b	1999

SegID: 2492A San Fernando Creek (unclassified water body)

From the confluence with Cayo Del Grullo in Kleberg County to the Lake Alice Dam in Jim Wells County

<u>Area</u>		<u>Category</u>	<u>Year First Listed</u>
2492A_01	<i>Entire water body</i>		
	bacteria	5c	2006

SegID: 2501 Gulf of Mexico

From the Gulf shoreline to the limit of Texas jurisdiction between Sabine Pass and the Rio Grande

<u>Area</u>	<u>Category</u>	<u>Year First Listed</u>
2501_01 <i>Sabine Pass to Sea Rim Park area</i>		
bacteria	5c	2006
mercury in edible tissue	5c	1998
2501_02 <i>Jefferson-Chambers County line area</i>		
bacteria	5c	2006
mercury in edible tissue	5c	1998
2501_03 <i>Bolivar Point to San Luis Pass area</i>		
mercury in edible tissue	5c	1998
2501_04 <i>Freeport Area</i>		
mercury in edible tissue	5c	1998
2501_05 <i>Area between Freeport and Port Aransas</i>		
mercury in edible tissue	5c	1998
2501_06 <i>Port Aransas Area</i>		
mercury in edible tissue	5c	1998
2501_07 <i>Area between Port Aransas and Port Mansfield</i>		
mercury in edible tissue	5c	1998
2501_08 <i>Port Mansfield area</i>		
mercury in edible tissue	5c	1998
2501_09 <i>Area between Port Mansfield and Port Isabel</i>		
mercury in edible tissue	5c	1998
2501_10 <i>Port Isabel area</i>		
mercury in edible tissue	5c	1998

Draft 2006 Water Quality Inventory and 303(d) List - Response to Public Comment (June 27, 2007)

These responses address the comments received during the 30-day public comment period on the Draft 2006 Water Quality Inventory and 303(d) List. The public comment period was March 19, 2007 through April 18, 2007.

Comment Letter	Date Received	Summary of Request or Comment	Summary of Action or Explanation
# 01 Nueces River Authority	4/10	<p>For some water bodies there are adequate E. coli/Enterococcus data, yet fecal coliform is reported as not supporting the criteria.</p>	<p>For Segments 2004A, 2107 and 2108 – E. coli data shows impairment. While it is still also not supporting the fecal coliform, the SM code shows that this was superseded by another method; in this case, E. coli.</p> <p>For segment 2201 – Enterococcus data shows impairment. While it is still also not supporting the fecal coliform, the SM code shows that this was superseded by another method; in this case, Enterococcus.</p> <p>For Segment 2202 – In this case, the fecal coliform data shows a very high level of exceedance above the criterion. There is some question as to whether the E. coli method is responding well in this system and if observed levels accurately reflect a condition of known threat to human health. For these reasons, the basin assessor used professional judgment to keep the water body listed until it can be determined why there is such a wide difference between the two data sets for E. coli and fecal coliform.</p>
		<p>Segment 2107 (Atascosa River) for assessment unit (AU) 2107_02, the impairment for DO, grab minimum, is being carried forward from 2004 even though all of the 13 samples assessed in 2006 met the criteria. Will there be a way to remove it from the list following completion of the TMDL?</p>	<p>Of the 13 24-hour DO samples, two were collected outside the index period, so those samples could not be assessed. Of the remaining 11 samples, nine were collected in the index period and two were collected in the critical period. According to the 2006 Guidance for Assessing and Reporting Surface Water Quality in Texas, only samples from the index period will be assessed and one-half to two-thirds of the samples must be collected during the critical period. Since the data did not meet these requirements, the 24-hour data set was determined to be temporally not representative and was not assessed. Note that if the 11 data points had been assessable for the 24-hour average, seven of the 11 would not have met the 5.0 mg/L criterion, thus keeping the water body listed for dissolved oxygen.</p>

Comment Letter	Date Received	Summary of Request or Comment	Summary of Action or Explanation
		<p>Segment 2113 (Upper Frio River) for AU 2113_01, the impairment for DO, grab minimum, is being carried forward from 2004 even though all of the 58 samples assessed in 2006 met the criteria. The final report of the TMDL recommends removing this impairment.</p>	<p>The dissolved oxygen impairment for this water body will be de-listed. The draft assessment failed to include the complete 24-hour DO dataset. The available data show that the dissolved oxygen criteria are fully supporting.</p> <p>Also of note for this water body is the reassessment of the benthic community samples using the Coefficient of Variation method for evaluating multiple biological samples from the same water body. This method has been agreed upon by the TCEQ and TPWD as an improvement over just averaging index scores and accounts for variability in multiple measurements at the same sites. The benthic community is supporting the aquatic life use and will be removed from the draft list.</p>
		<p>Segments 2114 (Hondo Creek) and 2115 (Seco Creek) the AUs are reversed: _01 should be the farthest downstream, not upstream.</p>	<p>These assessment units will be renumbered in the 2008 assessment. No action will be taken at this time.</p>
		<p>Segment 2117 (Frio River above Choke Canyon Reservoir) for all AUs, the impairment for DO, grab minimum, is being carried forward from 2004 even though all of the 63 samples assessed in 2006 met the criteria. The AUs with adequate data should be removed from the list.</p>	<p>When a water body is previously listed for grab DO, the only way it can be de-listed is with 24-hour DO data. In this case, there were only two 24-hour DO samples collected from AU_02 and only one 24-hour DO sample from AU_01 and AU_03. Ten samples are required to de-list, so the listing is carried forward from 2004.</p>
		<p>Segment 2201 (Arroyo Colorado Tidal) for AU 2201_04, the impairment for DO, grab minimum, is being carried forward from 2004 even though only 2 of the 39 samples assessed in 2006 did not meet the criteria. The Arroyo Colorado Watershed Protection Plan has been adopted, so this impairment should be removed.</p>	<p>When a water body is previously listed for grab DO, the only way it can be de-listed is with 24-hour DO data. In this case, there were only six 24-hour DO samples collected. A minimum of 10 samples is needed for assessment, so the listing is carried forward from 2004.</p>
		<p>Segment 2494A (Port Isabel Fishing Harbor) the impairment for DO, grab minimum, is being carried forward from 2004 even though all of the 25 samples assessed in 2006 met the criteria. It should be removed from the list.</p>	<p>This water body was identified as a carry forward in error. It was not listed previously and the current data support the criteria. It will be removed from the draft.</p>
# 02 Brazos River Authority	4/12	<p>Segment 1208 (Brazos River above Possum Kingdom Lake) is currently listed for copper in water. The laboratory has reviewed the data used to evaluate the copper and found there was interference during the analysis. The data should not be used for assessment of Segment 1208</p>	<p>Segment 1208 was re-assessed with corrected copper results and is found to be fully supporting. TCEQ followed up and confirmed that the corrected data is now in the SWQMIS database. The impairment has been removed from the draft list.</p>

Comment Letter	Date Received	Summary of Request or Comment	Summary of Action or Explanation
# 03 San Antonio River Authority	4/13	<p>and the listing should be removed.</p> <p>Segment 1907 (Upper Leon Creek) was listed for bacteria using data collected below 0.1 cfs. According to TCEQ Guidance, these data should not have been assessed. The bacteria data should be reassessed excluding the low flow events and the listing removed.</p>	<p>A review of flow data indicates that some samples were collected when the flow was less than the 7Q2 assigned in TSWQS for Segment 1907. Bacteria samples collected on these have been removed from the analysis. Once these samples were removed from analysis, number of samples assessed was less than 10. Additional samples (2) were obtained by considering recently (2006) collected samples. As a result of these changes, the water body will not be listed for bacteria.</p>
# 04 National Wildlife Federation	4/17	<p>The Type-2 error rates used in assessment of water quality data remain unacceptably high and impairments can be missed. In particular, the binomial method allows for too frequent exceedances of the criteria and fails to account for the magnitude of these exceedances.</p> <p>The delisting methodology is flawed because it allows for greater than the limit of 10% exceedance when delisting a water body.</p>	<p>The binomial approach allows us to describe both the probability of incorrectly identifying a water body as impaired and the probability of missing an impairment. The ratio of exceedances to samples that result in listing is driven by the intent to limit the probability of incorrectly listing a water body (Type 1 error), and as a result incurring the expense of a TMDL, to less than 20%. The Type-2 error probability is not directly considered in establishing the ratio of exceedances to samples used to establish use support. At the small sample sizes available for the assessment the Type-2 error is large when a water body is only marginally impaired. Considering the limited data that are generated with available monitoring resources, a considerably higher Type-2 error rate is accepted. TCEQ recognizes the need for an improved statistical method for assessment decisions. The development of a new water quality database, brought on-line recently, will allow the more complex computations required for a method that considers both the frequency (as we do now) and the magnitude of exceedances.</p> <p>TCEQ evaluates most recently available data using the binomial method to determine if water bodies are not in compliance with the water quality standards and should be on the new 303(d) list (no more than a rate of 10% noncompliance). Because water bodies that are already listed have been found to be noncompliant in the past, these water bodies are evaluated for relisting in the same way, with the additional requirement that for small datasets there be at least two fewer samples than would be required to list. In addition, water bodies are not delisted if they are considered a concern which is established with a lower accepted rate of exceedance (no</p>

Comment Letter	Date Received	Summary of Request or Comment	Summary of Action or Explanation
			<p>more than an exceedance rate of 8% at the same statistical confidence for Type 1 error as for impairment). As a result, the actual rate of exceedance for delisted water bodies is about 9% for toxic substances, 12% for conventionals, and 30% for bacteria.</p> <p>These additional requirements were made to make it less likely that water bodies identified as supporting the criteria in 2006 would be relisted in the next assessment with data sets that differ by only a few exceedances.</p>
		<p>Chronic toxicity assessment is not being applied in a manner consistent with Texas Surface Water Quality Standards (TSWQS) because aquatic life must be protected against conditions of chronic toxicity including seasonally developed communities when present, even in intermittent streams without perennial pools.</p>	<p>In addition to the narrative cited in the comment for Section 307.6 of the TSWQS, the standards provide additional information in 307.4 on how aquatic life uses and toxic criteria are addressed for intermittent streams. Section 307.4(l) does provide for the consideration of attainable seasonal uses. The presence of seasonal streamflow and aquatic organisms does not automatically constitute the seasonal aquatic life use indicated in the definition of "significant aquatic life use." In 307.3(c), "significant aquatic life use" is defined as indicating that a subcategory of aquatic of life use (limited, intermediate, high, or exceptional) is applicable. Some aquatic life is expected to be present even in water bodies which are not designated for specific categories of aquatic life use. The assessment practices are in accord with these provisions and the presumed uses that are established in 307.4 for water bodies with significant aquatic life use, and with TCEQ permitting activities.</p>
		<p>Segment 0401 (Caddo Lake) should not be moved from Category 5c to 4c for dissolved oxygen (D.O.). TCEQ has not provided the data to prove there is no pollutant contribution.</p>	<p>Category 4c is assigned to impairments that are caused by stressors other than specific pollutants that can not be allocated under a TMDL. For 2006 the TCEQ has put some impairments (nonsupport of applicable water quality standards) in this category that are considered characteristic of natural water quality conditions.</p> <p>Category 4c is appropriate for nonsupport of criteria caused by natural conditions where TCEQ does not intend to review or change the standard at this time, such as those on water bodies with a high public interest for protection and where there is a significant risk for less protection if the standard were changed, and for transient conditions of several years duration, for example due to drought or a brine release, that do not warrant</p>

Comment Letter	Date Received	Summary of Request or Comment	Summary of Action or Explanation
			<p>a change in the adopted criteria.</p> <p>The portion of the lake assigned Category 4c is a swamp and has a long, historical record of low D.O. caused by very shallow water, low circulation, and many trees providing shelter from wind, all conditions that, especially during summer months, lead to D.O. levels below the criterion.</p> <p>The assignment of Category 4c does not reflect new information about conditions in the lake, rather this category designation more effectively communicates that TCEQ will not do a TMDL for dissolved oxygen, nor will the Agency seek to change the criteria at this time.</p>
		<p>Segment 0402 (Big Cypress Creek) has a greater than 10% exceedance rate for dissolved oxygen in the 11 miles below Black Cypress Creek, and there were only eight, 24-hour samples in the period of record in the lower nine miles, therefore the delisting is not justified. The lead data justifying the delisting are not available for review.</p>	<p>Nine 24-hour samples are currently available for the lower nine miles with no exceedance of the minimum criteria and only one exceedance of the average (4.6 mg/l). All grab data are fully supporting the minima. Best professional judgment was used to delist the water body even though the exceedance rate is 11% because these data indicate good oxygen conditions.</p> <p>The most recent 14 lead in water samples, collected with improved analytical methods are now available for review and all support the acute and chronic lead criteria.</p>
		<p>Segment 0506 (Sabine River below Lake Tawakoni) has been proposed for delisting bacteria. The geographic area delisted has not been adequately described.</p>	<p>AU descriptions, and corresponding lengths, were changed for the 2006 assessment to reflect tributary influences rather than dividing reaches at bridge crossings. The length of AU_04 has been extended by 0.5 miles, but is assessed based on the same monitoring station as in 2004. The geometric mean for E. coli in 2006 meets the criterion for de-listing.</p>
		<p>Segment 0507 (Lake Tawakoni) has been proposed for delisting D.O. The delisting has not been justified with only 8 samples.</p>	<p>There were no exceedances of the DO criteria for the eight 24-hr samples. Instantaneous DO measurements also corroborate improved DO for the AU. Based on the conditions documented with both datasets, additional 24-hr samples are expected to meet the criteria, thus the DO impairment was removed.</p>
		<p>Segment 0601A (Star Lake Canal) has been proposed for delisting D.O. The delisting has not been justified due to the lack of 24-hour data.</p>	<p>Star Lake Canal was originally listed in 2002 applying presumed criteria of 4.0/3.0 mg/L DO criteria. Once a UAA was completed, the criteria were changed to 3.0/2.0. The original data set included in the 2002 assessment was reassessed with the current and appropriate criteria and statistical methods. The collection</p>

Comment Letter	Date Received	Summary of Request or Comment	Summary of Action or Explanation
			of additional 24-hour DO measurements is not necessary because the original data set does not justify the 2002 listing when the appropriate criteria are applied. Analysis of current data for the 2006 Assessment has resulted in a status of No Concern/Fully Supporting for DO (grab) average/minimum, applying the 3.0/2.0 mg/L criteria, respectively, which also supports the decision to delist.
		Segment 1007H (Pine Gully above Tidal) has been proposed for delisting D.O. The delisting has not been justified considering all of the available data indicating water quality problems.	Data used to list this water body was removed when it was discovered in an audit that the dissolved oxygen data measurements were not reliable. The original listing was based on this invalid data set. The more recent and accurate dataset has three grab samples and one 24-hour sample. This water body will be assessed when a more complete data set is available.
		Segment 1007I (Plum Creek above Tidal) has been proposed for delisting dissolved oxygen. The delisting has not been justified when the limited data are considered.	See response for Segment 1007H above.
		Segment 1210 (Lake Mexia) has been proposed for delisting D.O. The delisting has not been adequately described geographically for the western end of the reservoir.	24-hr DO sampling data were assessed and presented in the draft assessment for both assessment units of Lake Mexia, including the western portion (1210_01 and 1210_02) and indicate full support of the Aquatic Life Use dissolved oxygen criteria.
		Segment 1222 (Proctor Lake) has been proposed for delisting dissolved oxygen. The delisting has not been adequately described geographically, in particular, the conditions on the Rush-Copperas Creek arm are not specified.	This impairment was originally identified on the 1999 303(d) List, based on an assessment performed with the entire lake as one assessment unit. However, the majority of samples exceeding criteria from the 1999 List were actually concentrated in the Sabana River Arm rather than the Rush-Copperas Creek Arm of the lake. Recent 24-hr DO samples from the Sabana River Arm indicate full support of the Aquatic Life Use dissolved oxygen criteria and the entire lake is now identified as supporting the criteria.
		Segment 1238 (Salt Fork Brazos River) has been proposed for delisting TDS and chloride. However, there is not sufficient data for all AUs to support the delisting. In particular, the area described as "remainder of the segment" is not adequately characterized.	TDS and chloride data from all stations on segment 1238 were used to determine support of segment-wide TDS and chloride criteria. These constituents are conservative and vary only gradually over space and time in the water body. Because these criteria were developed from data collected segment-wide, even assessment areas without data are assigned the same support status when listing or delisting. The TDS criterion is supported. However, the chloride criterion is not supported as a result of the river flowing through geologic formations bearing high

Comment Letter	Date Received	Summary of Request or Comment	Summary of Action or Explanation
			concentrations of salt. TCEQ is reviewing the chloride criterion and this impairment remains listed in Category 5b.
		Segment 1427 (Onion Creek) has been proposed for delisting D.O. The delisting has not been justified in that the available data indicate an exceedance rate greater than 10%.	This water body supports the standard. It was originally listed with grab DO samples, however, now adequate 24-hour DO data are available. Using the binomial method, these 24-hr samples were assessed. There are 14 24-hour samples available with two exceedances of the minima. The average and minima criteria are supported and the water body will not be relisted
		Segment 2117 (Frio River above Choke Canyon Reservoir) has been proposed for delisting bacteria. The number of exceedances is greater than the requisite 25%. The delisting is not justified.	This water body supports the standard. Additional requirements were added in 2006 to make it less likely that water bodies like this that are identified as supporting criteria in 2006, would be relisted in future assessments. For the 18 samples available for this water body listed on the 2004 303(d) List, more than 5 exceedances would be required for it to remain on the list in 2006.
		Segment 2304 (Rio Grande below Amistad Reservoir) has been proposed for delisting toxicity, however, the dataset has not been described geographically and the exceedance rate is greater than 10%. The delisting has not been justified.	In the area from Amistad Dam to the confluence with Las Moras Creek (AUs 01 thru 03), there are a total of 29 samples with one exceedance. The single exceedance, was a sub-lethal effect on <i>Ceriodaphnia dubia</i> . The data support the delisting of 2304 for ambient toxicity.
		Segment 2473 (Saint Charles Bay) has been proposed for delisting bacteria. The available data indicate the listing should be continued. The delisting is not justified.	This water body supports the standard. Additional requirements were added in 2006 to make it less likely that water bodies like this that are identified as supporting criteria in 2006, would be relisted in future assessments. For the 23 samples available for this water body listed on the 2004 303(d) List, more than 6 exceedances would be required for it to remain on the list in 2006.
# 05 Lower Neches Valley Authority	4/17	Segments 0603A (Sandy Creek), 0607 (Pine Island Bayou), 0607B (Little Pine Island Bayou), 0607C (Willow Creek), 0608 (Village Creek), 0608A (Beech Creek), 0608C (Cypress Creek), 0608D (Hickory Creek), 0608F (Turkey Creek), and 0701 (Taylor Bayou above Tidal) are listed for dissolved aluminum or lead. The data contributor has reviewed the data and has identified discrepancies in analytical results for aluminum. The data contributor intends to resample and believes the data used in the assessment to be inaccurate.	TCEQ has investigated these discrepancies over the last month. Results of split samples prepared in the field and sent to several labs have identified unusually high levels of aluminum, lead and other metals resulting faulty field supplies. These same supplies have been used at times by other monitoring entities that have contributed data for the assessment. The new listings for metals in water proposed from the data that were generated with these supplies and practices will not be added to the 2006 303(d) List. A corrective action has been initiated to identify all effected data, determine the root cause of the discrepancies, and to prevent reoccurrence. Sampling plans for metals statewide will be reviewed to insure that data

Comment Letter	Date Received	Summary of Request or Comment	Summary of Action or Explanation
			are collected for future assessments where these nonconforming samples have been removed and have left data gaps.
# 06 North Texas Municipal Water District	4/18	Segment 0823B (Stewart Creek) has been listed for copper in water using inappropriate default hardness values for Lake Lewisville. Site-specific hardness values should be used to calculate criteria and the results reevaluated.	Chronic and acute criteria have been recalculated using site-specific hardness values derived from Ca and Mg data over a ten year period including recent sample results. As a result of this reanalysis, the water body will not be listed for copper in water.
# 07 San Antonio River Authority	4/18	Segment 1902 (Lower Cibolo Creek) is identified on the draft 303(d) list for impairment of the fish community. The commenter has sampled the creek and asserts that the fish community is meeting the designated High Aquatic Life Use.	Available data were reviewed and the Index of Biotic Integrity was applied. Segment 1902 will remain listed on the draft for impaired fish community.
# 08 Lower Colorado River Authority	4/18	Segment 1304(Caney Creek Tidal), 1401(Colorado River Tidal), and 1501(Tres Palacios Creek Tidal), as well as other tidally influenced water bodies are now being listed for Enterococcus using the IDEXX method. LCRA requests that TCEQ review the change to the new indicator and method to assure it is appropriate.	TCEQ adopted new indicators because they more accurately reflect the risk to human health in tidal waters. The IDEXX method is approved for Enterococcus in salt water. The enterococcus data now available indicate nonsupport of the contact recreation criteria for these water bodies.
		The proposed listing for habitat in Segment 1409 (Colorado River above Lake Buchanan) is in error.	This water body was proposed in error for listing. A review of all available data indicates that the area from the confluence with Cherokee Creek upstream to the confluence of the San Saba River is fully supporting for habitat.
		<p>Segments 1404 (Lake Travis), 1406 (Lake Lyndon B. Johnson), and 1407 (Inks Lake) have concerns identified for dissolved oxygen immediately downstream from the dam, but these are not real water quality concerns. TCEQ should review their methodology for evaluation of data that are collected below a dam where bottom releases result in anoxic conditions.</p> <p>For some reservoirs with long detention times and that stratify, the mixed surface layers are being determined in a way that incorrectly identifies a concern for dissolved oxygen. TCEQ should consider ways of altering the method for these types of reservoirs.</p>	<p>For future assessment TCEQ will consider the appropriateness of evaluating criteria in the limited area below dams and the protection of aquatic life in these water bodies.</p> <p>TCEQ has considered modifying the method for evaluating dissolved oxygen profiles in reservoirs to more accurately describe risks to aquatic life. The conditions described by the commenter are unusual and in these instances professional judgment is used in evaluating the dissolved oxygen profiles. Note, however, the criteria for Exceptional Aquatic Life Use of 6.0 mg/L are sometimes not met throughout the water column, including the surface waters.</p>

Comment Letter	Date Received	Summary of Request or Comment	Summary of Action or Explanation
<p># 09 Sabine River Authority</p>	<p>4/18</p>	<p>Site selection and intent of data collection should be considered when monitoring entities sample sub-watersheds specifically for the purpose of “screening” and not assessment. Data collected for this purpose on small water bodies vary widely due to rainfall and other conditions and cannot be compared to standards which are most developed for larger classified streams.</p>	<p>When data are collected using methods consistent with TCEQ practices these are considered in the assessment. Data, however, must be representative both spatially and temporally of the water body sampled. If the presumed aquatic life use for a stream with particular flow conditions are not met, site specific criteria can be developed to establish realistic goals for water quality. TCEQ is reviewing the current practice of listing water bodies based on presumed uses before the site specific criteria have been developed.</p>
		<p>Natural conditions should be considered when comparing data to standards developed to limit non-natural influences. TMDLs will do little to change water quality when natural conditions cause impairments.</p> <p>D.O. levels lower than the criteria are often the result of natural seasonal conditions in East Texas streams. These water bodies should not be listed in Category 5 as TMDLs will not result in changes in dissolved oxygen conditions.</p> <p>Bacteria listings are sometimes the result of wildlife and, a TMDL, would initiate no action that would lower bacteria levels.</p>	<p>The 303(d) List includes some water bodies that do not support their standards and for which additional information must be collected before it is determined if indeed preparing a TMDL is a useful water quality management action.</p> <p>For some water bodies it may be determined that the standards and criteria should be revised to set attainable water quality goals.</p>
		<p>Toxicity testing in the Sabine Basin has resulted in listing of water bodies with only the toxicity results when the intent of the data collection was to use a multi-tiered approach which included fish and benthic sampling.</p> <p>Biological samples indicated most sites were not impaired. The toxicity tests were conducted on a single grab sample and were therefore inappropriate for generating a listing because results did not reflect an average ambient condition. Segments 0501B_01,_02,_03, 0502A_01, 0504C_01, and 0506G_01 were listed with these data in past assessments.</p>	<p>The aquatic life use is not supported if water samples are toxic as indicated by ambient toxicity tests.</p> <p>There are many questions about the laboratory test conditions and interpretation of the results for samples run for this toxicity monitoring program. Further toxicity testing of instream conditions on these listed water bodies will be conducted to determine if these water bodies demonstrate toxicity. These impairments will remain on the list pending the outcome of the study.</p>
		<p>Segment 0501_02 (Sabine River Tidal) bacteria listings are likely the result of the stream location immediately downstream of and adjacent to two Wildlife Management areas which harbor diverse wildlife and migratory bird populations.</p>	<p>The contact recreation criteria are not supported in Segment 501. The assessment notes that the predominant source of bacteria is wildlife.</p>

Comment Letter	Date Received	Summary of Request or Comment	Summary of Action or Explanation
		Annexation by the City of Orange and the subsequent diversion of sanitary sewer flows to an existing plant is expected to improve water quality conditions which led to D.O. and bacteria listings in Segment 0501B.	When this project has progressed further, documentation that indicates sanitary sewer flows are being diverted from the water body and processed by the City of Orange Jackson Street plant, and assurances that the standard will be met, could be sufficient to move these impairments to Category 4b.
		D.O. and bacterial listings for 0502A are the result of natural swamp conditions typical of East Texas bottomlands. A more appropriate category would be 4c.	Category 4c is assigned to impairments that are caused by stressors other than specific pollutants that can not be allocated under a TMDL. For 2006 the TCEQ has put some impairments (nonsupport of applicable water quality standards) in this category that are considered characteristic of natural water quality conditions and for which TCEQ does not intend to review or change the standards at this time. However, Category 4c will not be used for criteria established to protect human health, including bacteria, unless a sanitary survey documents that there are no human influenced sources of bacteria and an epidemiological study documents that observed bacteria levels are not a health risk to humans. Segment 502A will remain in Category 5.
		Bacteria listings for Segment 0502B are the result of non-point sources and thus would not benefit from a TMDL.	Category 5c is assigned to this impairment to indicate additional sampling is required to characterize the impairment and identify the sources. Aerial photographs indicate residential areas upstream of the site which may contribute thorough septic systems.
		Segment 0504_01 should not be characterized by two stations in two hydrologically distinct areas.	Water quality conditions for both stations are hydrologically similar which led to the grouping into one assessment area.
		Mercury in fish tissue listings for Segment 0504 are likely the result of atmospheric deposition from emissions within and outside of the State of Texas and thus cannot be controlled by a TMDL and should be moved to Category 4c.	Mercury contamination is caused by a pollutant and is listed in Category 5. Considering that the source for mercury is primarily outside the control of the states, EPA has proposed that states develop a comprehensive mercury control strategy to demonstrate progress in reducing mercury sources and defer developing TMDLs. TCEQ staff is discussing this alternative which is described at this url: http://www.epa.gov/owow/tmdl/mercury5m/mercury5mfactsheet.html
		D.O. listing for Segment 0504_06 based on a station which is not representative of the reservoir.	This water body remains listed and the monitoring entity in the basin will collect 24-hr D.O. data at a representative station in this area of the reservoir to evaluate support of the DO criteria.
		It is not possible to comment on the bacteria listing for Segment 0507G_01	These data were collected by an entity participating in the basin cooperative

Comment Letter	Date Received	Summary of Request or Comment	Summary of Action or Explanation
		<p>because data have not been available.</p> <p>Segment 0507H_01 should be designated as an intermittent stream and should be assessed with corresponding D.O. criteria. Assessment data were collected from different locations, but attributed to the same TCEQ station. In addition, some data were collected below a presumed 7Q2 of 0.1 cfs and thus should be excluded from assessment.</p>	<p>monitoring plan and data are now available on the TCEQ water data website.</p> <p>Stream flow-type has been re-evaluated and data collection sites have been confirmed. The stream is now assigned a flow-type of intermittent. Data are not removed for intermittent streams at any flow condition. However, available data show that the appropriate criteria are supported and the water body has been removed from the draft list.</p>
# 10 City of Texarkana	4/18	<p>Segments 0304A (Swampoodle Creek) and 0304B (Cowhorn Creek) are listed for impairment of the fish and benthic communities based on presumed aquatic life use (ALU). This listing will result in unnecessary permit restrictions. A use attainability analysis (UAA) should be completed to establish the appropriate ALU before assessing and possibly listing the water bodies. The determination that both streams are perennial should be reviewed. Both streams are heavily channelized and urbanized and it is unlikely that the habitat would support a diverse aquatic community. These water bodies flow into larger, less urban streams that have been determined to have an intermediate ALU.</p>	<p>Current guidance provides for assessment and listing of unclassified water bodies based on a presumption of aquatic life use associated with stream flow-type. Swampoodle and Cowhorn Creeks have been assessed using presumed high ALU based on perennial flow which was assigned using available information.</p> <p>Section 307.9 of the Texas Surface Water Quality Standards describes procedures for Determination of Standards Attainment. 307.9(f) TSWQS states that “Biological integrity, which is an essential component of the aquatic life categories defined in 307(b)(3) of this title, is assessed by sampling the aquatic community. Attainment of aquatic life use may be assessed by indices of biotic integrity which are described in publicly available documents such as in the latest version of TCEQ’s <i>Guidance for Screening and Assessing Texas Surface and Finished Drinking Water Quality Data.</i>” This is the methodology used for evaluating the aquatic assemblages of Swampoodle and Cowhorn Creeks. TCEQ is reviewing the current practice of listing water bodies based on presumed uses before the site specific criteria have been developed.</p>
# 11 Cibolo Creek Municipal Authority	4/18	<p>Segment 1913 (Mid-Cibolo Creek) has been proposed for listing bacteria. The commenter requests that the TCEQ review the flow data during the time samples were collected to determine if all of the samples should have been evaluated. Listing of this segment may result in permit restrictions even though all violations occurred upstream of the discharge. The AU boundaries should be moved or defined to reflect the hydrologic change that results from the wastewater discharge. Additionally, all references to Buffalo Trail should be</p>	<p>A review of the bacteria data used and associated flow information indicate that the data have been appropriately evaluated. The impairment is indeed upstream of the wastewater discharge. The downstream boundary of AU 1913_03 has been described to indicate that the AU is upstream of wastewater discharge. References to Buffalo Trail will be changed to Buffalo Lane.</p>

Comment Letter	Date Received	Summary of Request or Comment	Summary of Action or Explanation
		changed to Buffalo Lane in the AU and site descriptions.	
# 12 City of Dallas	4/18	Segment 0841H (Delaware Creek) is improperly named as “Finley Road in Dallas”. The description should be revised to “Finley Road in Irving”	This change will be made in the database.
# 13 Lone Star Steel	4/18	<p>Segment 0404A (Ellison Creek Reservoir) is listed for sediment toxicity although TCEQ and LSS conducted surveys side by side and the data, although similar, do not agree. The site by site unexplained differences in the results render the sediment data suspect. Although contaminant levels were in agreement, and show declining concentrations toward upper reservoir, the ambient toxicity samples were only in agreement in the lower part of the reservoir.</p> <p>Benthic data were collected by the commenter’s consultants during the joint survey, and although this is one of the three lines of evidence (toxicity tests, contaminant levels, and biological data), the data were not used in the TCEQ assessment.</p> <p>The commenter objects to the weighting assigned in the Guidance to the lines of evidence. An assessment of the biological community provides the most direct evidence of the potential effects of toxicity and the greatest weight should be given to these data. Sediment toxicity tests may not accurately predict effects of contaminants on the biological community and should not be the primary line of evidence. TCEQ has assigned the greatest weight to the line of evidence. Elutriate test should only be used for screening.</p> <p>Best professional judgment was not based on all available data, rather only the results of the survey conducted by the TCEQ, and was applied in a way that “tipped” the scoring toward the results of an already overweighted reliance on</p>	<p>Although evidence of toxic conditions is lower in the upper reservoir where sediments are more recently deposited, the reservoir is small and is best listed and managed for water quality protection as one assessment unit. Some of the differences in the sediment results between the studies are due to the fact that sediments vary spatially and the 16 sites were close but not exactly the same for the two surveys.</p> <p>Benthic data were not collected by TCEQ. The commenter’s consultant’s benthic data was not used by TCEQ because TCEQ has not developed metrics for the evaluation of these data and assessment of biological communities in reservoirs. The consultant’s analysis of biological data did not establish that the community was healthy, only that the biological assemblages are influenced primarily by contaminant levels and depth/habitat features and not explained by the toxicity or contaminant results.</p> <p>TCEQ included a point system in the Guidance for scoring lines of evidence to indicate to stakeholders how the Agency would weight the information used for support decisions. For the 2008 assessment TCEQ will discuss documenting weights with a point system.</p> <p>Because toxic substances and toxicity tests indicate toxicity at other sites in this small reservoir the BPJ of 10 points was added to indicate that toxic result from this one test is adequate evidence of toxicity at this site. Note that although the toxic status of these</p>

Comment Letter	Date Received	Summary of Request or Comment	Summary of Action or Explanation
		<p>toxicity tests. The contribution of “10 points” for professional judgment indicating toxicity at four sites with evidence only from toxicity tests should be revised.</p> <p>A determination of toxicity for a water body when there are toxic conditions at more than ten percent of the sample sites is arbitrary.</p>	<p>sites was “tipped” by the addition of points for BPJ, even if these points were not assigned to these four sites, 25% of the sites in the reservoir would still be identified as toxic.</p> <p>Individual samples were evaluated with a maximum exceedance rate in the same manner as samples for other assessment methods.</p> <p>303(d) long-term planning process. Available evidence for listing the reservoir for toxicity is adequate. The next step is to establish that there no ongoing sources of contaminants.</p>
# 14 Caddo Lake Institute	4/18	<p>Segment 0401A (Caddo Lake) D.O. listing is proposed to be moved from Category 5c which provides for initiating a TMDL when additional information is available, to 4c which does not require a TMDL. The category should not be changed until the results of the Caddo Lake Watershed Protection Plan are concluded and all data used for the category change are reviewed. TCEQ has not provided a basis for its position that the cause of low dissolved oxygen is the result of natural conditions. The nutrient loadings to the lake are currently unknown and could be the cause of the low D.O. conditions rather than natural conditions.</p> <p>Stakeholders should not be required to comment on assessment that is performed based on an inappropriate assessment methodology. The commenters concur with the comment on the guidance – see Comment #4 as it pertains to the Guidance (and the response).</p> <p>Segment 0402 (Big Cypress Bayou) is proposed for delisting dissolved oxygen and lead. The approach used by TCEQ for determining use support and delisting, in particular dissolved oxygen, is not</p>	<p>Category 4c is assigned to impairments that are caused by stressors other than specific pollutants that cannot be allocated under a TMDL. TCEQ has assigned the dissolved oxygen impairment for the upper portion of Caddo Lake to this category because water quality is characteristic of natural conditions. The portion of the lake assigned Category 4c is a swamp and has a long, historical record of low D.O. caused by very shallow water, low circulation, and many trees providing shelter from wind, all conditions that, especially during summer months, lead to D.O. levels below the criterion.</p> <p>The assignment of Category 4c does not reflect new information about conditions in the lake, rather this category designation more effectively communicates that TCEQ will not do a TMDL for dissolved oxygen, nor will the Agency seek to change the criteria at this time.</p> <p>The goal of the Watershed Protection Plan (WPP) is to develop a range of practices to improve water quality and protect the sensitive aquatic habitat in Caddo Lake. An important aspect is the characterization and control of nutrient loads to the lake through BMPs and wastewater controls in the contributing watershed. Caddo Lake remains impaired for dissolved oxygen in Category 4c and TCEQ continues its commitment to funding and supporting the WPP.</p> <p>Nine 24-hour samples are currently available for the lower nine miles with no exceedance of the minimum criteria and only one exceedance of the average (4.6 mg/l). All grab data are fully supporting the minima.</p>

Comment Letter	Date Received	Summary of Request or Comment	Summary of Action or Explanation
		conservative enough. A review of the data is requested.	Best professional judgment was used to delist the water body even though the exceedance rate is 11% because these data indicate good oxygen conditions. The most recent 14 lead in water samples, collected with improved analytical methods are available for review and all support the acute and chronic lead criteria. The data have been provided to the commenter.
		Segment 0407 (James Bayou) is proposed for delisting copper. A review of the data is requested.	In 2001, the TCEQ implemented ultra-clean methods for collection and analysis of metals data. All data assessed for this segment since 2001 are below the criterion. These data have been provided to the commenter.
# 15 Trinity River Authority	4/18	Segment 0833 (Clear Fork Trinity River above Lake Weatherford) is listed for non-support of the dissolved oxygen criterion. In the 2004 assessment there was: not assessed for DO grab average, fully supporting for DO grab minimum, no concern for DO 24-hr average, and no concern with limited data for the 24-hr minimum. For the 2006 assessment there is: no concern for DO screening level, no concern for DO grab minimum, no concern for DO 24-hr average, and a concern with limited data for DO 24-hr minimum. Should the DO 24-hr minimum be not supporting, rather than the DO grab minimum? If this is the case, when data are limited can there be a nonsupport (4 samples with 2 exceedances)?	This segment was originally listed in 1996 based on grab DO samples. There are currently inadequate 24-hour dissolved oxygen samples to fully assesses the dissolved oxygen and perhaps delist the segment. The current assessment indicates that the segment is not supporting the criterion, based on three exceedances out of five 24-hour DO samples 0833_03 (note that three out of ten samples would also be not supporting)
		Segment 0823B (Stewart Creek) sample site is just downstream of a waste-water treatment plant. The commenter requests that TCEQ review the site location to assure it is not within a mixing zone.	TCEQ has determined in the permitting process that Stewart Creek is an intermittent stream with no significant aquatic life use. In these types of streams, as stated in the Procedures to <i>Implement the Texas Surface Water Quality Standards</i> , acute toxic criteria apply at the point of discharge. No dilution is assumed and a mixing zone is not considered in determining compliance with the acute standard. Note however, that the copper criterion has been recalculated with site-specific hardness and the appropriate standard is supported; the water body will not be included on the 2006 list.

DRAFT 2006 Texas Water Bodies and Parameters Removed from the 303(d) List (June 27, 2007)

Explanation of Column Headings

- SegID and Name: The unique identifier (SegID), segment name, and location of the water body. The SegID may be one of two types of numbers. The first type is a classified segment number (4 digits, *e.g.*, 0218), as defined in Appendix A of the Texas Surface Water Quality Standards (TSWQS). The second type (five digits, *e.g.*, 0218A) is a partially classified water body described in Appendix D of the TSWQS, or an unclassified water body, not defined in the TSWQS, though associated with a classified water body because it is in the same watershed. The segment name and description immediately follow SegID.
- Parameter(s): Pollutants or water quality conditions that assessment procedures indicate do not meet assigned water quality standards.
- Reason Code: A code which describes the general reason why these water bodies or parameters were removed from the 2004 303(d) List. Not all reasons are used in 2006.
- ERROR: Error in the basis for the original listing
- EXPMEET: Expected to meet water quality standards in the near future. This impairment has been moved to Category 4b
- MEETS: The most recent set of data demonstrates that water quality standards are now met and water quality meets the requirements for delisting
- NEWSTD: Meets the revised water quality standard
- REVPROC: In the absence of recent data, the original data set for this water body has been re-assessed with more valid procedures and the applicable water quality standards are met.
- POLLUTION: This impairment is not caused by a pollutant load that can be allocated and controlled with a TMDL. This impairment has been moved to Category 4c
- SEGCHG: The water body ID of this water body changed, because of a correction or new segment
- TMDL: A TMDL has been developed by TCEQ and approved by EPA for this parameter. This impairment has been moved to Category 4a
- 2004 Parameter Category: On the 2004 303(d) List, one of three subcategories was assigned to each impaired parameter to provide information about water quality status and management activities on that water body. The categories are defined below:
- Category 5. The water body does not meet applicable water quality standards or is threatened for one or more designated uses by one or more pollutants.
- Category 5a.* A TMDL is underway, scheduled, or will be scheduled.
- Category 5b.* A review of the water quality standards will be conducted before a TMDL is scheduled.
- Category 5c.* Additional data and information will be collected before a TMDL is scheduled.

0105 Rita Blanca Lake

<i>Parameters</i>	<i>Reason Code</i>	<i>2004 Parameter Category</i>	<i>Additional Information</i>
total dissolved solids	MEETS	5b	

0202D Pine Creek (unclassified water body)

<i>Parameters</i>	<i>Reason Code</i>	<i>2004 Parameter Category</i>	<i>Additional Information</i>
bacteria	ERROR	5c	Originally listed in 2002, based on a station now used for Smith Creek (0202G)

0202E Post Oak Creek (unclassified water body)

<i>Parameters</i>	<i>Reason Code</i>	<i>2004 Parameter Category</i>	<i>Additional Information</i>
bacteria	MEETS	5c	

0203A Big Mineral Creek (unclassified water body)

<i>Parameters</i>	<i>Reason Code</i>	<i>2004 Parameter Category</i>	<i>Additional Information</i>
bacteria	MEETS	5c	

0211 Little Wichita River

<i>Parameters</i>	<i>Reason Code</i>	<i>2004 Parameter Category</i>	<i>Additional Information</i>
total dissolved solids	MEETS	5b	

0218 Wichita/North Fork Wichita River

<i>Parameters</i>	<i>Reason Code</i>	<i>2004 Parameter Category</i>	<i>Additional Information</i>
selenium in water	POLLUTION	5c	Natural brine springs with ambient concentrations of selenium greater than the water quality standards criterion contribute to the stream.

0218A Middle Fork Wichita River (unclassified water body)

<i>Parameters</i>	<i>Reason Code</i>	<i>2004 Parameter Category</i>	<i>Additional Information</i>
selenium in water	POLLUTION	5c	Natural brine springs with ambient concentrations of selenium greater than the water quality standards criterion contribute to the stream.

0229 Upper Prairie Dog Town Fork Red River

<i>Parameters</i>	<i>Reason Code</i>	<i>2004 Parameter Category</i>	<i>Additional Information</i>
bacteria	MEETS	5c	
depressed dissolved oxygen	POLLUTION	5c	Low dissolved oxygen concentrations downstream of the dam are caused by low flow, the result of removal of a wastewater discharge that previously maintained flow in the stream.

0306 Upper South Sulphur River

<i>Parameters</i>	<i>Reason Code</i>	<i>2004 Parameter Category</i>	<i>Additional Information</i>
depressed dissolved oxygen	REVPROC	5c	The current methodology, using a statistically-based method to determine use support status, was applied to the original dataset and the water body is not listed.
pH	MEETS	5c	

0307 Cooper Lake

<i>Parameters</i>	<i>Reason Code</i>	<i>2004 Parameter Category</i>	<i>Additional Information</i>
depressed dissolved oxygen	REVPROC	5c	The current methodology, using a statistically-based method to determine use support status, was applied to the original dataset and the water body is not listed.

0401 Caddo Lake

<i>Parameters</i>	<i>Reason Code</i>	<i>2004 Parameter Category</i>	<i>Additional Information</i>
depressed dissolved oxygen	POLLUTION	5c	The seasonal low dissolved oxygen condition in this portion of the lake is due to natural conditions with little water movement, and warm temperatures. A TMDL would not be a useful water quality planning strategy.

0402 Big Cypress Creek Below Lake O' the Pines

<i>Parameters</i>	<i>Reason Code</i>	<i>2004 Parameter Category</i>	<i>Additional Information</i>
depressed dissolved oxygen	MEETS	5c	
lead in water	MEETS	5c	

0402D Flat Creek (unclassified water body)

<i>Parameters</i>	<i>Reason Code</i>	<i>2004 Parameter Category</i>	<i>Additional Information</i>
mercury in edible tissue	SEGCHG	5c	Site originally assessed as Flat Creek (0402D). The segment and impairment is now identified as Lake Dangerfield (0404N).

0403 Lake O' the Pines

<i>Parameters</i>	<i>Reason Code</i>	<i>2004 Parameter Category</i>	<i>Additional Information</i>
depressed dissolved oxygen	TMDL	5a	

0407 James' Bayou

<i>Parameters</i>	<i>Reason Code</i>	<i>2004 Parameter Category</i>	<i>Additional Information</i>
copper in water	MEETS	5c	

0506 Sabine River Below Lake Tawakoni

<i>Parameters</i>	<i>Reason Code</i>	<i>2004 Parameter Category</i>	<i>Additional Information</i>
bacteria	MEETS	5c	

0507 Lake Tawakoni

<i>Parameters</i>	<i>Reason Code</i>	<i>2004 Parameter Category</i>	<i>Additional Information</i>
depressed dissolved oxygen	MEETS	5c	

0507A Cowleech Fork Sabine River (unclassified water body)

<i>Parameters</i>	<i>Reason Code</i>	<i>2004 Parameter Category</i>	<i>Additional Information</i>
bacteria	MEETS	5c	
depressed dissolved oxygen	MEETS	5c	

0601A Star Lake Canal (unclassified water body)

<i>Parameters</i>	<i>Reason Code</i>	<i>2004 Parameter Category</i>	<i>Additional Information</i>
depressed dissolved oxygen	REVPROC	5c	The current methodology, using a statistically-based method to determine use support status, was applied to the original dataset and the water body is not listed.

0608A Beech Creek (unclassified water body)

<i>Parameters</i>	<i>Reason Code</i>	<i>2004 Parameter Category</i>	<i>Additional Information</i>
depressed dissolved oxygen	MEETS	5c	

0611C Mud Creek (unclassified water body)

<i>Parameters</i>	<i>Reason Code</i>	<i>2004 Parameter Category</i>	<i>Additional Information</i>
bacteria	MEETS	5c	

0803 Lake Livingston

<i>Parameters</i>	<i>Reason Code</i>	<i>2004 Parameter Category</i>	<i>Additional Information</i>
pH	MEETS	5c	

0807 Lake Worth

<i>Parameters</i>	<i>Reason Code</i>	<i>2004 Parameter Category</i>	<i>Additional Information</i>
PCBs in edible tissue	TMDL	5a	

0824 Elm Fork Trinity River Above Ray Roberts Lake

<i>Parameters</i>	<i>Reason Code</i>	<i>2004 Parameter Category</i>	<i>Additional Information</i>
bacteria	MEETS	5c	

0831 Clear Fork Trinity River Below Lake Weatherford

<i>Parameters</i>	<i>Reason Code</i>	<i>2004 Parameter Category</i>	<i>Additional Information</i>
bacteria	MEETS	5c	

0836 Richland-Chambers Reservoir

<i>Parameters</i>	<i>Reason Code</i>	<i>2004 Parameter Category</i>	<i>Additional Information</i>
pH	MEETS	5c	

0902 Cedar Bayou Above Tidal

<i>Parameters</i>	<i>Reason Code</i>	<i>2004 Parameter Category</i>	<i>Additional Information</i>
depressed dissolved oxygen	MEETS	5c	

1006 Houston Ship Channel Tidal

<i>Parameters</i>	<i>Reason Code</i>	<i>2004 Parameter Category</i>	<i>Additional Information</i>
chlordane in edible tissue	EXPMEET	5a	These impairments were moved to Category 4b because further accumulation of these substances in fish tissue and residual amounts of these pesticides should attenuate over time. The use and sale of these pesticides were banned by the EPA in the mid 1980s.
dieldrin in edible tissue	EXPMEET	5a	These impairments were moved to Category 4b because further accumulation of these substances in fish tissue and residual amounts of these pesticides should attenuate over time. The use and sale of these pesticides were banned by the EPA in the mid 1980s.
heptachlor epoxide in edible tissue	EXPMEET	5a	These impairments were moved to Category 4b because further accumulation of these substances in fish tissue and residual amounts of these pesticides should attenuate over time. The use and sale of these pesticides were banned by the EPA in the mid 1980s.
temperature	MEETS	5c	

1006E Halls Bayou Above US 59 (unclassified water body)

<i>Parameters</i>	<i>Reason Code</i>	<i>2004 Parameter Category</i>	<i>Additional Information</i>
bacteria	SEGCHG	5a	This water body, Halls Bayou above US 59 (1006E), was combined with Halls Bayou (1006D) which is impaired for bacteria.

1007 Houston Ship Channel/Buffalo Bayou Tidal

<i>Parameters</i>	<i>Reason Code</i>	<i>2004 Parameter Category</i>	<i>Additional Information</i>
chlordane in edible tissue	EXPMEET	5a	These impairments were moved to Category 4b because further accumulation of these substances in fish tissue and residual amounts of these pesticides should attenuate over time. The use and sale of these pesticides were banned by the EPA in the mid 1980s.
dieldrin in edible tissue	EXPMEET	5a	These impairments were moved to Category 4b because further accumulation of these substances in fish tissue and residual amounts of these pesticides should attenuate over time. The use and sale of these pesticides were banned by the EPA in the mid 1980s.
heptachlor epoxide in edible tissue	EXPMEET	5a	These impairments were moved to Category 4b because further accumulation of these substances in fish tissue and residual amounts of these pesticides should attenuate over time. The use and sale of these pesticides were banned by the EPA in the mid 1980s.

1007H Pine Gully Above Tidal (unclassified water body)

<i>Parameters</i>	<i>Reason Code</i>	<i>2004 Parameter Category</i>	<i>Additional Information</i>
depressed dissolved oxygen	ERROR	5c	Original data used to list the water body was removed due to QA issues.

1007I Plum Creek Above Tidal (unclassified water body)

<i>Parameters</i>	<i>Reason Code</i>	<i>2004 Parameter Category</i>	<i>Additional Information</i>
depressed dissolved oxygen	ERROR	5c	Original data used to list the water body was removed due to QA issues.

1007P Brays Bayou Above Tidal (unclassified water body)

<i>Parameters</i>	<i>Reason Code</i>	<i>2004 Parameter Category</i>	<i>Additional Information</i>
bacteria	SEGCHG	5a	This water body, Brays Bayou Above Tidal (1007P), was assigned to a new SegID (1007D) and will now be reported under the AU_ID of 1007D_02.

1007Q Sims Bayou Above Tidal (unclassified water body)

<i>Parameters</i>	<i>Reason Code</i>	<i>2004 Parameter Category</i>	<i>Additional Information</i>
bacteria	SEGCHG	5a	This water body, Sims Bayou Above Tidal (1007P), was assigned to a new SegID (1007D) and will now be reported under the AU_ID of 1007D_01.
depressed dissolved oxygen	SEGCHG	5c	This water body, Sims Bayou Above Tidal (1007P), was assigned to a new SegID (1007D) and will now be reported under the AU_ID of 1007D_01.

1102 Clear Creek Above Tidal

<i>Parameters</i>	<i>Reason Code</i>	<i>2004 Parameter Category</i>	<i>Additional Information</i>
chloride	MEETS	5a	
total dissolved solids	TMDL	5a	

1103D Gum Bayou (unclassified water body)

<i>Parameters</i>	<i>Reason Code</i>	<i>2004 Parameter Category</i>	<i>Additional Information</i>
bacteria	MEETS	5a	

1209I Gibbons Creek (unclassified water body)

<i>Parameters</i>	<i>Reason Code</i>	<i>2004 Parameter Category</i>	<i>Additional Information</i>
depressed dissolved oxygen	MEETS	5c	

1210 Lake Mexia

<i>Parameters</i>	<i>Reason Code</i>	<i>2004 Parameter Category</i>	<i>Additional Information</i>
depressed dissolved oxygen	MEETS	5b	

1217A Rocky Creek (unclassified water body)

<i>Parameters</i>	<i>Reason Code</i>	<i>2004 Parameter Category</i>	<i>Additional Information</i>
depressed dissolved oxygen	MEETS	5b	

1222 Proctor Lake

<i>Parameters</i>	<i>Reason Code</i>	<i>2004 Parameter Category</i>	<i>Additional Information</i>
depressed dissolved oxygen	MEETS	5c	

1226B Green Creek (unclassified water body)

<i>Parameters</i>	<i>Reason Code</i>	<i>2004 Parameter Category</i>	<i>Additional Information</i>
bacteria	MEETS	5c	

1227 Nolan River

<i>Parameters</i>	<i>Reason Code</i>	<i>2004 Parameter Category</i>	<i>Additional Information</i>
bacteria	MEETS	5c	

1238 Salt Fork Brazos River

<i>Parameters</i>	<i>Reason Code</i>	<i>2004 Parameter Category</i>	<i>Additional Information</i>
total dissolved solids	MEETS	5b	

1242 Brazos River Above Navasota River

<i>Parameters</i>	<i>Reason Code</i>	<i>2004 Parameter Category</i>	<i>Additional Information</i>
bacteria	MEETS	5c	

1243 Salado Creek

<i>Parameters</i>	<i>Reason Code</i>	<i>2004 Parameter Category</i>	<i>Additional Information</i>
depressed dissolved oxygen	MEETS	5c	

1248 San Gabriel/North Fork San Gabriel River

<i>Parameters</i>	<i>Reason Code</i>	<i>2004 Parameter Category</i>	<i>Additional Information</i>
total dissolved solids	MEETS	5c	

1254 Aquilla Reservoir

<i>Parameters</i>	<i>Reason Code</i>	<i>2004 Parameter Category</i>	<i>Additional Information</i>
depressed dissolved oxygen	MEETS	5c	

1255D South Fork North Bosque River (unclassified water body)

<i>Parameters</i>	<i>Reason Code</i>	<i>2004 Parameter Category</i>	<i>Additional Information</i>
bacteria	MEETS	5c	

1427 Onion Creek

<i>Parameters</i>	<i>Reason Code</i>	<i>2004 Parameter Category</i>	<i>Additional Information</i>
depressed dissolved oxygen	MEETS	5c	

1801 Guadalupe River Tidal

<i>Parameters</i>	<i>Reason Code</i>	<i>2004 Parameter Category</i>	<i>Additional Information</i>
depressed dissolved oxygen	MEETS	5c	

1908 Upper Cibolo Creek

<i>Parameters</i>	<i>Reason Code</i>	<i>2004 Parameter Category</i>	<i>Additional Information</i>
depressed dissolved oxygen	MEETS	5c	

2110 Lower Sabinal River

<i>Parameters</i>	<i>Reason Code</i>	<i>2004 Parameter Category</i>	<i>Additional Information</i>
nitrate	TMDL	5a	

2113 Upper Frio River

<i>Parameters</i>	<i>Reason Code</i>	<i>2004 Parameter Category</i>	<i>Additional Information</i>
depressed dissolved oxygen	MEETS	5c	

2116 Choke Canyon Reservoir

<i>Parameters</i>	<i>Reason Code</i>	<i>2004 Parameter Category</i>	<i>Additional Information</i>
total dissolved solids	MEETS	5b	

2117 Frio River Above Choke Canyon Reservoir

<i>Parameters</i>	<i>Reason Code</i>	<i>2004 Parameter Category</i>	<i>Additional Information</i>
bacteria	MEETS	5c	

2304 Rio Grande Below Amistad Reservoir

<i>Parameters</i>	<i>Reason Code</i>	<i>2004 Parameter Category</i>	<i>Additional Information</i>
toxicity in water	MEETS	5c	

2306 Rio Grande Above Amistad Reservoir

<i>Parameters</i>	<i>Reason Code</i>	<i>2004 Parameter Category</i>	<i>Additional Information</i>
toxicity in water	MEETS	5c	

2422C Cotton Bayou (unclassified water body)

<i>Parameters</i>	<i>Reason Code</i>	<i>2004 Parameter Category</i>	<i>Additional Information</i>
depressed dissolved oxygen	SEGCHG	5b	This water body, Cotton Bayou (2422C), was assigned a new SegID (0801C).

2425C Robinson Bayou (unclassified water body)

<i>Parameters</i>	<i>Reason Code</i>	<i>2004 Parameter Category</i>	<i>Additional Information</i>
bacteria	SEGCHG	5a	This water body, Robinson Bayou (2425C), was assigned a new SegID (1101D).

2451 Matagorda Bay/Powderhorn Lake

<i>Parameters</i>	<i>Reason Code</i>	<i>2004 Parameter Category</i>	<i>Additional Information</i>
depressed dissolved oxygen	ERROR	5c	A review of past data did not support the original listing.

2452 Tres Palacios Bay/Turtle Bay

<i>Parameters</i>	<i>Reason Code</i>	<i>2004 Parameter Category</i>	<i>Additional Information</i>
depressed dissolved oxygen	SEGCHG	5c	This area of the bay is now identified as Tres Palacios Harbor (2452A). The dissolved oxygen criteria for this new water body is met.

2453 Lavaca Bay/Chocolate Bay

<i>Parameters</i>	<i>Reason Code</i>	<i>2004 Parameter Category</i>	<i>Additional Information</i>
mercury in edible tissue	SEGCHG	5c	This area of the bay is now identified as Lavaca Bay Ship Channel (2453D).

2456 Carancahua Bay

<i>Parameters</i>	<i>Reason Code</i>	<i>2004 Parameter Category</i>	<i>Additional Information</i>
pH	ERROR	5c	A review of past data did not support the original listing.

2473 St. Charles Bay

<i>Parameters</i>	<i>Reason Code</i>	<i>2004 Parameter Category</i>	<i>Additional Information</i>
bacteria	MEETS	5c	

2482 Nueces Bay

<i>Parameters</i>	<i>Reason Code</i>	<i>2004 Parameter Category</i>	<i>Additional Information</i>
zinc in edible tissue	TMDL	5a	

2483A Conn Brown Harbor (unclassified water body)

<i>Parameters</i>	<i>Reason Code</i>	<i>2004 Parameter Category</i>	<i>Additional Information</i>
depressed dissolved oxygen	MEETS	5c	

2501 Gulf of Mexico

<i>Parameters</i>	<i>Reason Code</i>	<i>2004 Parameter Category</i>	<i>Additional Information</i>
depressed dissolved oxygen	MEETS	5c	

DRAFT 2006 Texas Index of Water Quality Impairments (June 27, 2007)

This index identifies all water bodies with one or more impairments. The index is divided into two main categories:

- Category 4 Impairments that are not suitable for a TMDL or for which a TMDL has already been approved
- Category 5 Impairments which may be suitable for development of a TMDL

General Information

- SegID and Name: The unique identifier (SegID), segment name, and location of the water body. The SegID may be one of two types of numbers. The first type is a classified segment number (4 digits, *e.g.*, 0218), as defined in Appendix A of the Texas Surface Water Quality Standards (TSWQS). The second type (five digits, *e.g.*, 0218A) is a partially classified water body described in Appendix D of the TSWQS, or an unclassified water body, not defined in the TSWQS, though associated with a classified water body because it is in the same watershed. The segment name and description immediately follow SegID.
- Area: Identifies the assessment unit (AU_ID, *e.g.* 0101A_01) and describes the location of the specific area in which one or more water quality standards are not met.
- Parameter(s): Pollutants or water quality conditions that assessment procedures indicate do not meet assigned water quality standards.

Explanation of Column Headings

- Category: In the 2006 Assessment, one of two categories was assigned to each impaired parameter to provide information about water quality status and management activities on that water body. Both Category 4 and Category 5 are divided into three subcategories; when a water body has parameters in multiple subcategories, its overall category is the highest category. The category and its subcategories are defined below:
- Category 4: Standard is not supported or is threatened for one or more designated uses but does not require the development of a TMDL.
Category 4a - TMDL has been completed and approved by EPA.
Category 4b - Other pollution control requirements are reasonably expected to result in the attainment of the water quality standard in the near future.
Category 4c - Nonsupport of the water quality standard is not caused by a pollutant.
- Category 5: The water body does not meet applicable water quality standards or is threatened for one or more designated uses by one or more pollutants.
Category 5a - A TMDL is underway, scheduled, or will be scheduled.
Category 5b - A review of the water quality standards for this water body will be conducted before a TMDL is scheduled.
Category 5c - Additional data and information will be collected before a TMDL is scheduled.
- Carryforward: Some previously listed impairments did not have adequate data to re-assess in 2006 and were carried forward from 2004.
- Year First Listed: The assessment year the pollutant or water quality condition initially did not meet water quality standards as indicated by screening procedures.
-

SegID: 0101A Dixon Creek (unclassified water body)

From confluence of the Canadian River to the upstream perennial portion of the stream east of Borger in Hutchinson County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0101A_01	<i>Dixon Creek downstream of Phillips</i>			
	depressed dissolved oxygen	5b	Yes	2000
	bacteria	5c	No	2000

SegID: 0101B Rock Creek (unclassified water body)

Perennial stream from the confluence with the Canadian River up to SH 136 in the City of Borger

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0101B_01	<i>Perennial stream from the confluence with the Canadian River up to SH 136 in the City of Borger</i>			
	bacteria	5c	No	New

SegID: 0102 Lake Meredith

From Sanford Dam in Hutchinson County to a point immediately upstream of the confluence of Camp Creek in Potter County, up to normal pool level of 2936.5 feet (impounds Canadian River)

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0102_01	<i>Downstream half of lake including Big Blue Creek arm</i>			
	chloride	5c	No	New
	mercury in walleye	5c	No	2002
	sulfate	5c	No	New
	total dissolved solids	5c	No	New
0102_02	<i>Upstream half of lake, above Big Blue Creek arm</i>			
	chloride	5c	No	New
	total dissolved solids	5c	No	New
	mercury in walleye	5c	No	2002
	sulfate	5c	No	New

SegID: 0103 Canadian River Above Lake Meredith

From a point immediately upstream of the confluence of Camp Creek in Potter County to the New Mexico State Line in Oldham County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0103_01	Lake Meredith headwaters to Sand Creek chloride	5c	No	New
0103_02	Sand Creek to Punta de Agua Creek chloride	5c	No	New
0103_03	Punta de Agua Creek to New Mexico State Line chloride	5c	No	New

SegID: 0104 Wolf Creek

From the Oklahoma State Line in Lipscomb County to a point 2.0 kilometers (1.2 miles) upstream of FM 3045 in Ochiltree County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0104_02	Plum Creek to Lake Fryer Dam bacteria	5c	No	New

SegID: 0105 Rita Blanca Lake

From Rita Blanca Dam in Hartley County up to normal pool level of 3860 feet (impounds Rita Blanca Creek)

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0105_01	Entire segment pH	5c	No	New

SegID: 0199A Palo Duro Reservoir (unclassified water body)

From Palo Duro dam up to normal pool elevation of 2,892 feet north of Spearman in Hansford County (impounds Palo Duro Creek)

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0199A_01	Entire reservoir depressed dissolved oxygen	5c	Yes	2000

SegID: 0201A Mud Creek (unclassified water body)

From the confluence of the Red River to the upstream perennial portion of the stream northwest of De Kalb in Bowie County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0201A_01	Entire water body			
	bacteria	5c	No	2002
	depressed dissolved oxygen	5c	No	New

SegID: 0202G Smith Creek (unclassified water body)

From the confluence with Pine Creek north of Paris to the upstream portion of the stream in north Paris in Lamar County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0202G_01	Entire segment			
	bacteria	5c	No	New

SegID: 0206B South Groesbeck Creek (unclassified water body)

From the confluence of Groesbeck Creek NNW of Quanah in Hardeman County to the upstream portion 7.8 miles (12.6 Km) southwest of Childress

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0206B_01	Entire segment			
	bacteria	5c	No	New

SegID: 0207 Lower Prairie Dog Town Fork Red River

From a point immediately upstream of the confluence of Buck Creek in Hardeman County to the confluence of a point 100 meters (110 yards) upstream of the confluence of Salt Fork Creek in Armstrong County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0207_04	SH 70 to upstream end of segment			
	bacteria	5c	No	New

SegID: 0207A Buck Creek (unclassified water body)

From Oklahoma State Line east of Childress in Childress County to the upstream perennial portion of the stream west of Wellington in Collinsworth County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0207A_01	From Oklahoma state line to House Log Creek			
	bacteria	5c	No	2000

SegID: 0211 Little Wichita River

From the confluence with the Red River in Clay County to Lake Arrowhead Dam in Clay County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0211_02	East Fork confluence to dam depressed dissolved oxygen	5b	Yes	1996

SegID: 0214 Wichita River Below Diversion Lake Dam

From the confluence with the Red River in Clay County to Diversion Dam in Archer County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0214_02	FM 2393 to River Road WWTP bacteria	5c	No	New
0214_05	From Beaver Creek to Diversion Dam bacteria	5c	No	New

SegID: 0214A Beaver Creek (unclassified water body)

From the confluence of the Wichita River west of Wichita Falls in Wichita County to the upstream perennial portion of the stream south of Vernon in Wilbarger County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0214A_02	From Bull Creek to Santa Rosa Lake dam bacteria	5c	No	New
	depressed dissolved oxygen	5c	Yes	2000

SegID: 0218 Wichita/North Fork Wichita River

From a point 9.4 kilometers (5.8 miles) downstream of the confluence of Crooked Creek in Baylor County to a point 8.5 kilometers (5.3 miles) downstream of the most upstream crossing of FM 193 in Dickens County)

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0218_03	From the confluence with Deadman Creek to the confluence with Middle Wichita River selenium in water	4c	No	2000
0218_04	From the confluence with Middle Wichita River to confluence with Salt Creek selenium in water	4c	No	2000
0218_05	King County line to end of segment selenium in water	4c	Yes	2000

SegID: 0218A Middle Fork Wichita River (unclassified water body)

From the confluence of the North Wichita River southwest of Crowell in Foard County to the upstream perennial portion of the stream northeast of Guthrie in King County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0218A_01	Entire segment selenium in water	4c	No	2002

SegID: 0226 South Fork Wichita River

From the confluence with the North Fork Wichita River in Knox County to a point 15.0 kilometers (9.3 miles) upstream of US 82 in Dickens County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0226_01	Lower end of segment to SH 6 chloride	5c	No	New
0226_02	From SH 6 to confluence with Willow Creek chloride	5c	No	New
0226_03	From confluence with Willow Creek to confluence with Long Canyon Creek chloride	5c	No	New
0226_04	Low-water dam to 0.5 mile upstream chloride	5c	No	New

SegID: 0229 Upper Prairie Dog Town Fork Red River

From a point 100 meters (110 yards) upstream of the confluence of Salt Fork Creek in Armstrong County to Lake Tanglewood Dam in Randall County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0229_02	Palo Duro Canyon State Park upstream boundary to upper end of segment at Tanglewood Dam depressed dissolved oxygen	4c	Yes	1996
	pH	5c	No	New

SegID: 0230A Paradise Creek (unclassified water body)

From the confluence with the Pease River east of Vernon to the upstream perennial portion near Thalia in Foard County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0230A_03	Lower 5 miles of water body bacteria	5c	No	New

SegID: 0299A Sweetwater Creek (unclassified water body)

From the Oklahoma State Line in Wheeler County to the upstream perennial portion of the stream northwest of Wheeler in Wheeler County (tributary of North Fork Red River)

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0299A_01	From Oklahoma State Line to confluence with Graham Creek bacteria	5c	No	2002

SegID: 0302 Wright Patman Lake

From Wright Patman Lake Dam in Bowie/Cass County to a point 1.5 kilometers (0.9 miles) downstream of Bassett Creek in Bowie/Cass County, up to the normal pool elevation of 225 feet (impounds the Sulphur River)

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0302_01	800 acres near dam depressed dissolved oxygen	5a	Yes	1996
0302_02	300 acres at International Paper intake depressed dissolved oxygen	5a	No	1996
0302_04	500 acres in the northeast corner of lake pH	5c	No	2000
0302_05	200 acres in the northwestern tip of lake pH	5c	Yes	2000
0302_06	Big Creek arm pH	5c	No	2000
0302_07	4000 acres mid-lake pH	5c	Yes	2000
0302_08	1600 acres in upper mid-lake pH	5c	Yes	2000
0302_10	4000 acres in upper portion of lake depressed dissolved oxygen	5a	No	1996

SegID: 0303B White Oak Creek (unclassified water body)

From the confluence of the Sulphur River north of Naples in Morris County to the upstream perennial portion of the stream east of Sulphur Springs in Hopkins County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0303B_01	Lower 25 miles of segment depressed dissolved oxygen	5b	No	2000
0303B_02	Middle 25 miles near Hwy 271 depressed dissolved oxygen	5b	No	2000
0303B_03	Upper 25 miles of segment bacteria	5c	No	New
	depressed dissolved oxygen	5b	No	2000

SegID: 0304A Swampoodle Creek (unclassified water body)

From the confluence of Days Creek in central Texarkana in Bowie County to the upstream perennial portion of the stream in northern Texarkana in Bowie County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0304A_01	<i>Entire segment</i>			
	impaired fish community	5c	No	New
	impaired macrobenthos community	5c	No	New

SegID: 0304B Cowhorn Creek (unclassified water body)

From the confluence of Wagner Creek in southern Texarkana in Bowie County to the upstream perennial portion of the stream in northern Texarkana in Bowie County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0304B_01	<i>Entire water body</i>			
	impaired fish community	5c	No	New
	impaired macrobenthos community	5c	No	New

SegID: 0305 North Sulphur River

From the confluence with the South Sulphur River in Lamar County to a point 6.7 km (4.2 miles) upstream of FM 68 in Fannin County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0305_02	<i>Upper 23 miles</i>			
	impaired fish community	5b	No	New
	impaired habitat	5b	No	New
	impaired macrobenthos community	5b	No	New

SegID: 0307 Cooper Lake

from Cooper Lake dam in Delta/Hopkins County to a point 1.0 kilometers (0.6 mile) upstream of SH 71 on the South Sulphur River arm in Delta/Hopkins County and 300 meters (330 yards) below the confluence of Barnett Creek on the Middle Sulphur River arm in Delta County, up to a conservation pool elevation of 440 feet (impounds the Middle Sulphur/South Sulphur River)

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0307_01	<i>Lower 5000 acres near dam</i>			
	pH	5c	Yes	2000
0307_02	<i>Lower 3000 acre Doctors Creek arm</i>			
	pH	5c	No	2000
0307_03	<i>Middle 5000 acres</i>			
	pH	5c	Yes	2000
0307_04	<i>Middle 2000 acre Johns Creek arm</i>			
	pH	5c	No	2000

SegID: 0401 Caddo Lake

From the Louisiana State Line in Harrison/Marion County to a point 12.3 km (7.6 miles) downstream of SH 43 in Harrison/Marion County, up to pool elevation of 168.5 feet (impounds Big Cypress Creek)

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0401_01	<i>Lower 5000 acres</i>			
	mercury in largemouth bass and freshwater drum	5c	No	1996
0401_02	<i>Harrison Bayou arm</i>			
	pH	5c	No	1996
	mercury in largemouth bass and freshwater drum	5c	No	1996
	depressed dissolved oxygen	4c	No	2000
0401_03	<i>Goose Prairie arm</i>			
	mercury in largemouth bass and freshwater drum	5c	No	1996
	pH	5c	Yes	1996
	depressed dissolved oxygen	4c	Yes	2000
0401_05	<i>Clinton Lake</i>			
	depressed dissolved oxygen	4c	No	2000
	mercury in largemouth bass and freshwater drum	5c	No	1996
	pH	5c	No	1996
0401_06	<i>Pine Island</i>			
	mercury in largemouth bass and freshwater drum	5c	No	1996
0401_07	<i>Mid-lake near Uncertain</i>			
	depressed dissolved oxygen	4c	No	2000
	mercury in largemouth bass and freshwater drum	5c	No	1996
0401_08	<i>Remainder of segment</i>			
	mercury in largemouth bass and freshwater drum	5c	No	1996

SegID: 0401A Harrison Bayou (unclassified water body)

From the confluence of Caddo Lake east of Karnack in Harrison County to the upstream perennial portion of the stream east of Marshall in Harrison County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0401A_01	<i>Lower 5 miles</i>			
	depressed dissolved oxygen	5c	No	2000
0401A_02	<i>Middle 3 miles near FM 134</i>			
	depressed dissolved oxygen	5c	No	2000

SegID: 0402 Big Cypress Creek Below Lake O' the Pines

From a point 12.3 km (7.6 miles) downstream of SH 43 in Harrison/Marion County to Ferrell's Bridge Dam in Marion County

<u>Area</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0402_01 Lower 9 miles			
mercury in largemouth bass and freshwater drum	5c	No	1998
pH	5c	No	2000
0402_02 11 miles below Black Cypress Creek			
mercury in largemouth bass and freshwater drum	5c	No	1998
pH	5c	No	2000
0402_03 Middle 15 miles near Jefferson			
mercury in largemouth bass and freshwater drum	5c	No	1998
0402_04 Upper 7 miles			
mercury in largemouth bass and freshwater drum	5c	No	1998

SegID: 0402A Black Cypress Bayou (unclassified water body)

Perennial stream from the confluence with Big Cypress in Marion County up to 7.5 miles above FM 250 in Cass County.

<u>Area</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0402A_02 Middle 17 miles near CR 1617			
bacteria	5c	No	New
depressed dissolved oxygen	5b	No	2000
0402A_03 Middle 1 mile, Pruitt Lake			
depressed dissolved oxygen	5b	Yes	2000
mercury in fish tissue	5c	No	2000
0402A_05 Upper 10 miles of water body			
depressed dissolved oxygen	5b	No	2000

SegID: 0403 Lake O' the Pines

From Ferrell's Bridge Dam in Marion County to a point 1.0 km (0.6 miles) downstream of US 259 in Morris/Upshur County, up to normal pool elevation of 228.5 feet (impounds Big Cypress Creek)

<u>Area</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0403_04 Upper 3700 acres			
depressed dissolved oxygen	4a	No	2000

SegID: 0404 Big Cypress Creek Below Lake Bob Sandlin

From a point 1.0 km (0.6 miles) downstream of US 259 in Morris/Upshur Counties to Fort Sherman Dam in Camp/Titus Counties

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0404_02	Upper 18 miles bacteria	5a	No	1996

SegID: 0404A Ellison Creek Reservoir (unclassified water body)

From the Morris County Dam up to normal pool elevation near Lone Star in Morris County (impounds Ellison Creek)

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0404A_01	Entire reservoir			
	PCBs in fish tissue	5c	No	New
	toxic sediment (LOE)	5c	No	New

SegID: 0404B Tankersley Creek (unclassified water body)

Perennial stream from the confluence with Big Cypress Creek upstream to the confluence with an unnamed tributary 250 meters upstream of IH 30

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0404B_01	Lower 3 miles bacteria	5c	No	2000
0404B_02	Middle 2 miles near FM 127 bacteria	5c	Yes	2000
0404B_03	3 miles below Tankersley Lake bacteria	5c	No	2000

SegID: 0404C Hart Creek (unclassified water body)

Perennial stream from the confluence with Big Cypress Creek upstream to 0.2 km upstream of FM 1402

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0404C_01	Entire water body bacteria	5c	No	New

SegID: 0404N Lake Daingerfield (unclassified water body)
 Southeast of the City of Daingerfield in Daingerfield State Park in Morris County

<u>Area</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0404N_01 <i>Entire lake</i> mercury in fish tissue	5c	No	New

SegID: 0405 Lake Cypress Springs
 From Franklin County Dam in Franklin County up to the normal pool elevation of 378 feet (impounds Big Cypress Creek)

<u>Area</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0405_03 <i>Panther Arm</i> depressed dissolved oxygen	5c	No	New

SegID: 0406 Black Bayou
 From the Louisiana State Line in Cass County to FM 96 in Cass County

<u>Area</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0406_01 <i>Lower 12 miles</i> bacteria	5c	No	New
	5b	Yes	1996
	5c	No	New
0406_02 <i>Upper 12 miles</i> depressed dissolved oxygen	5b	No	1996
	5c	No	New

SegID: 0407 James' Bayou
 From the Louisiana State Line in Marion County to Club Lake Road northwest of Linden in Cass County

<u>Area</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0407_01 <i>Lower 15 miles of segment</i> depressed dissolved oxygen	5b	No	2000
0407_02 <i>Upper 25 miles of segment</i> bacteria	5c	No	New
	5b	No	2000

SegID: 0409 Little Cypress Bayou (Creek)

From the confluence of Big Cypress Creek in Harrison/Marion County to a point 1.0 km (0.6 miles) upstream of FM 2088 in Wood County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0409_01	<i>Lower 25 miles of segment</i>			
	depressed dissolved oxygen	5c	No	2000
	bacteria	5c	No	New
0409_02	<i>Middle 18 miles above Hwy 154</i>			
	bacteria	5c	No	New
	depressed dissolved oxygen	5c	No	2000
0409_03	<i>Middle 25 miles below Hwy 271</i>			
	depressed dissolved oxygen	5c	No	2000
0409_04	<i>Upper 25 miles</i>			
	bacteria	5c	No	New

SegID: 0409B South Lilly Creek (unclassified water body)

From the confluence of Lilly Creek to approximately 2 miles west of FM 1647

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0409B_01	<i>Entire segment</i>			
	bacteria	5c	No	New

SegID: 0501 Sabine River Tidal

From the confluence with Sabine Lake in Orange County to West Bluff in Orange County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0501_02	<i>Upper 14 miles of segment</i>			
	bacteria	5c	No	New

SegID: 0501B Little Cypress Bayou (unclassified water body)

From the confluence with the Sabine River to the headwaters west of Reese in Orange County.

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
<i>0501B_01</i>	<i>Lower 4.2 miles of bayou</i>			
	bacteria	5c	No	New
	depressed dissolved oxygen	5c	No	New
	water toxicity	5c	Yes	2004
<i>0501B_02</i>	<i>0.3 mile upstream to 0.5 mile downstream of Bear Path Road</i>			
	bacteria	5c	No	New
	depressed dissolved oxygen	5c	No	New
	water toxicity	5c	Yes	2004
<i>0501B_03</i>	<i>Upper 3.2 miles of bayou</i>			
	bacteria	5c	No	New
	depressed dissolved oxygen	5c	No	New
	water toxicity	5c	Yes	2004

SegID: 0502A Nichols Creek (unclassified water body)

From the confluence of the Sabine River to the upstream perennial portion of the stream south of Kirbyville in Newton and Jasper Counties

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
<i>0502A_01</i>	<i>Lower 25 miles of creek</i>			
	bacteria	5c	Yes	2002
	depressed dissolved oxygen	5c	No	2002
	water toxicity	5c	Yes	2002

SegID: 0502B Caney Creek (unclassified water body)

Perennial stream from the Sabine River upstream to the confluence with Martin Branch

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
<i>0502B_02</i>	<i>From Davison Street upstream to the confluence with Caney Branch and Little Caney Branch</i>			
	bacteria	5c	No	New

SegID: 0504 Toledo Bend Reservoir

From Toledo Bend Dam in Newton County to a point immediately upstream of the confluence of Murvaul Creek in Panola County, up to the normal pool elevation of 172 feet (impounds the Sabine River)

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0504_01	<i>Lowermost 5200 acres of reservoir, adjacent to dam, including Indian Creek arm</i> mercury in largemouth bass and freshwater drum	5c	No	1998
0504_02	<i>Six Mile Boat Lane arm</i> mercury in largemouth bass and freshwater drum	5c	No	1998
0504_03	<i>Sunshine Bay arm</i> mercury in largemouth bass and freshwater drum	5c	No	1998
0504_04	<i>Near SH 21</i> mercury in largemouth bass and freshwater drum	5c	No	1998
0504_05	<i>Patroon Bayou Branch arm</i> mercury in largemouth bass and freshwater drum	5c	No	1998
0504_06	<i>Tenaha Creek arm</i> depressed dissolved oxygen	5c	No	2000
	mercury in largemouth bass and freshwater drum	5c	No	1998
0504_07	<i>Uppermost 5120 acres of reservoir</i> mercury in largemouth bass and freshwater drum	5c	No	1998
0504_08	<i>Negreet Bayou arm</i> mercury in largemouth bass and freshwater drum	5c	No	1998
0504_09	<i>San Miguel arm</i> mercury in largemouth bass and freshwater drum	5c	No	1998
0504_10	<i>San Patricia arm</i> mercury in largemouth bass and freshwater drum	5c	No	1998
0504_11	<i>Toledo Bend reservoir near Buzzard Bend</i> mercury in largemouth bass and freshwater drum	5c	No	1998
0504_12	<i>Remainder of reservoir</i> mercury in largemouth bass and freshwater drum	5c	No	1998

SegID: 0504C Palo Gaucho Bayou (unclassified water body)

From the confluence with Toledo Bend Reservoir in Sabine County to the headwaters northeast of San Augustine in San Augustine County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0504C_01	<i>Entire segment</i> water toxicity	5c	Yes	2002

SegID: 0504E Clear Lake

Oxbow lake 12 miles northwest of Logansport, LA

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0504E_01	Oxbow lake 12 miles northwest of Logansport, LA mercury in largemouth bass and freshwater drum	5c	No	New

SegID: 0505 Sabine River Above Toledo Bend Reservoir

From a point immediately upstream of the confluence of Murvaul Creek in Panola County to a point 100 meters (110 yards) downstream of US 271 in Gregg County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0505_03	22 mile reach near SH 149 bacteria	5c	No	2002

SegID: 0505B Grace Creek (unclassified water body)

Perennial stream from the confluence with the Sabine River up to FM 1844 in Gregg County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0505B_02	Upper 12.3 miles bacteria	5c	Yes	2000
	depressed dissolved oxygen	5c	Yes	2000

SegID: 0505G Wards Creek (unclassified water body)

From the confluence with Hatley Creek to the headwaters east of Hallsville in Harrison County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0505G_01	Wards Creek from the confluence with Sewell Creek upstream to the confluence with unnamed 2nd order stream depressed dissolved oxygen	5c	No	2000

SegID: 0505O Hills Lake

Oxbow lake 13 miles east of Carthage

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0505O_01	Entire segment mercury in largemouth bass and freshwater drum	5c	No	New

SegID: 0506A Harris Creek (unclassified water body)

From the confluence of the Sabine River northeast of Winona in Smith County to the upstream perennial portion of the stream east of Tyler in Smith County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0506A_01	Entire segment depressed dissolved oxygen	5b	Yes	2000

SegID: 0506G Little White Oak Creek (unclassified water body)

From the confluence with the Sabine River to the headwaters southwest of Gilmer in Upshur County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0506G_01	Entire water body water toxicity	5c	Yes	2004

SegID: 0507G South Fork of Sabine River (unclassified water body)

From the confluence with Lake Tawakoni upstream to the confluence with Klutts and Sabine Creeks

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0507G_01	Entire segment bacteria	5c	No	New

SegID: 0508 Adams Bayou Tidal

From the confluence with the Sabine River in Orange County to a point 1.1 km (0.7 miles) upstream of IH 10 in Orange County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0508_01	Lower 3 miles of segment			
	bacteria	5a	No	1996
0508_01	depressed dissolved oxygen	5a	Yes	1996
	2 mile reach near Western Avenue			
0508_02	depressed dissolved oxygen	5a	Yes	1996
	bacteria	5a	Yes	1996
0508_03	1 mile reach near Green Avenue			
	bacteria	5a	Yes	1996
0508_03	depressed dissolved oxygen	5a	Yes	1996
	Upper 2 miles of segment			
0508_04	bacteria	5a	Yes	1996
	depressed dissolved oxygen	5a	Yes	1996

SegID: 0508A Adams Bayou Above Tidal (unclassified water body)

From a point 1.1 km (0.7 miles) upstream of IH 10 in Orange County to the upstream perennial portion of the stream northwest of Orange in Orange Count

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0508A_01	<i>Entire bayou above tidal</i>			
	bacteria	5a	No	2000
	depressed dissolved oxygen	5a	No	2000

SegID: 0508B Gum Gully (unclassified water body)

From the confluence of Adams Bayou to the upstream perennial portion of the stream northwest of Orange in Orange County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0508B_01	<i>Entire creek</i>			
	bacteria	5a	Yes	2000
	depressed dissolved oxygen	5a	Yes	2000

SegID: 0508C Hudson Gully (unclassified water body)

From the confluence with Adams Bayou to the headwaters near US 890 in Pinehurst in Orange County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0508C_01	<i>Entire creek</i>			
	bacteria	5a	Yes	2002
	depressed dissolved oxygen	5a	Yes	2002

SegID: 0511 Cow Bayou Tidal

From the confluence with the Sabine River in Orange County to a point 4.8 km (3.0 miles) upstream of IH 10 in Orange County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0511_01	<i>Lower 5 miles</i>			
	bacteria	5a	No	2000
0511_02	<i>6 mile reach near FM 105</i>			
	depressed dissolved oxygen	5a	No	2000
0511_03	<i>5 mile reach near FM 1442 (north crossing)</i>			
	bacteria	5a	No	2000
	depressed dissolved oxygen	5a	No	2000
0511_04	<i>Upper 4 miles</i>			
	pH	5a	Yes	2000
	bacteria	5a	Yes	2000
	depressed dissolved oxygen	5a	Yes	2000

SegID: 0511A Cow Bayou Above Tidal (unclassified water body)

From a point 4.8 km (3.0 miles) upstream of IH 10 in Orange County to the upstream perennial portion of the stream northeast of Vidor in Orange County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0511A_02	Upper 5.3 miles of above-tidal reach			
	depressed dissolved oxygen	5a	Yes	2000

SegID: 0511B Coon Bayou (unclassified water body)

From the confluence with Cow Bayou up to the extent of tidal limit in Orange County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0511B_01	Entire tidal reach			
	depressed dissolved oxygen	5a	Yes	2000
	bacteria	5a	Yes	2000

SegID: 0511C Cole Creek (unclassified water body)

From the confluence of Cow Bayou west of Orange in Orange County to the upstream perennial portion of the stream south of Mauriceville in Orange Count

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0511C_01	Entire tidal reach			
	bacteria	5a	Yes	2000
	depressed dissolved oxygen	5a	Yes	2000

SegID: 0511E Terry Gully (unclassified water body)

From the confluence with Cow Bayou in Orange County to the headwaters northeast of Vidor in Orange County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0511E_01	Entire creek			
	bacteria	5a	Yes	2002

SegID: 0512A Running Creek (unclassified water body)

From the confluence with Lake Fork Reservoir to the headwaters southeast of Martin Springs in Hopkins County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0512A_01	Entire creek			
	bacteria	5c	Yes	2002

SegID: 0512B Elm Creek (unclassified water body)

From the confluence with Lake Fork Reservoir in Rains County to the headwaters northwest of Shirley in Hopkins County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0512B_01	Entire creek bacteria	5c	Yes	2002

SegID: 0514 Big Sandy Creek

From the confluence with the Sabine River in Upshur County to a point 2.6 km (1.6 miles) upstream of SH 11 in Hopkins County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0514_02	From just upstream of FM 49 to upper end of segment bacteria	5c	No	New

SegID: 0602A Booger Branch (unclassified water body)

From the confluence of Massey Lake Slough south of Silsbee to a point 0.6 miles (1.0 km) upstream of US 96 in Hardin County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0602A_01	Entire water body depressed dissolved oxygen	5b	Yes	2000

SegID: 0603 B. A. Steinhagen Lake

From Town Bluff Dam in Jasper/Tyler County to a point immediately upstream of the confluence of Hopson Mill Creek on the Neches River Arm in Jasper/Tyler County and to a point immediately upstream of the confluence of Indian Creek on the Angelina River Arm in Jasper County, up to the normal pool elevation of 83 feet (impounds Neches River)

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0603_01	Main pool by dam mercury in white and hybrid white/striped bass	5c	No	1998
0603_02	Remainder of reservoir mercury in white and hybrid white/striped bass	5c	No	1998

SegID: 0603A Sandy Creek (unclassified water body)

From the confluence of B.A. Steinhagen Lake southwest of Jasper in Jasper County to the confluence of Big and Little Sandy Creeks in Jasper in Jasper County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0603A_01	Lower 11.5 miles bacteria	5c	No	2000

SegID: 0603B Wolf Creek (unclassified water body)

From the confluence of B. A. Steinhagen Lake southeast of Colmesneil in Tyler County to the upstream perennial portion of the stream south of Colmesneil in Tyler County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0603B_01	Entire creek bacteria	5c	No	New

SegID: 0604 Neches River Below Lake Palestine

From a point immediately upstream of the confluence of Hopson Mill Creek in Jasper/Tyler County to Blackburn Crossing Dam in Anderson/Cherokee County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0604_02	From US 69 to SH 94 bacteria	5c	No	New
0604_04	From SH 21 to US 84 lead in water	5c	Yes	2002

SegID: 0604A Cedar Creek (unclassified water body)

From the confluence of the Neches River southwest of Lufkin in Angelina County to the upstream perennial portion of the stream in Lufkin in Angelina County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0604A_01	Lower area downstream of FM 2497 bacteria	5c	Yes	2000
0604A_02	Upper area upstream of FM 2497 bacteria	5c	No	2000

SegID: 0604B Hurricane Creek (unclassified water body)

From the confluence of Cedar Creek south of Lufkin in Angelina County to the upstream perennial portion of the stream in Lufkin in Angelina County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0604B_01	Upper 2 miles bacteria	5c	Yes	2000

SegID: 0604C Jack Creek (unclassified water body)

From the confluence of Cedar Creek southwest of Lufkin in Angelina County to the upstream perennial portion of the stream in northeast Lufkin in Angelina County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0604C_01	Entire water body			
	bacteria	5c	Yes	2000

SegID: 0604D Piney Creek (unclassified water body)

From the confluence of the Neches River at the Polk/Tyler/Angelina County lines east of Corrigan to the upstream perennial portion of the stream east of Crockett in Houston County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0604D_01	Lower 25 miles			
	bacteria	5c	No	New
	depressed dissolved oxygen	5c	No	2004

SegID: 0604M Biloxi Creek (unclassified water body)

From the confluence with the Neches River southeast of Diboll to FM 325 east of Lufkin in Angelina County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0604M_02	Lower portion below CR 228			
	bacteria	5c	No	2004
0604M_03	Upper portion above CR 228			
	depressed dissolved oxygen	5c	No	New
	bacteria	5c	No	2004

SegID: 0604T Lake Ratcliff (unclassified water body)

Lake in Houston County 3.4 miles northeast of Kennard

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0604T_01	Entire lake			
	mercury in largemouth bass	5c	No	2002

SegID: 0605 Lake Palestine

From Blackburn Crossing Dam in Anderson/Cherokee County to a point 6.7km (4.2 miles) downstream of FM 279 in Henderson/Smith County, up to normal pool elevation of 345 feet (impounds Neches River)

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0605_03	Mid-lake near Tyler PWS intake pH	5c	No	New

SegID: 0605A Kickapoo Creek (unclassified water body)

From the confluence of Lake Palestine east of Brownsboro in Henderson County to the upstream perennial portion of the stream northeast of Murchinson in Henderson County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0605A_01	Downstream of FM 1803			
	bacteria	5c	No	2000
	depressed dissolved oxygen	5c	No	New

SegID: 0606 Neches River Above Lake Palestine

From a point 6.7 km (4.2 miles) downstream of FM 279 in Henderson/Smith County to Rhines Lake Dam in Van Zandt County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0606_02	Prairie Creek to river mile 7.0			
	depressed dissolved oxygen	5c	No	1996
	pH	5c	No	2002
	zinc in water	5c	No	1996
0606_03	River mile 7.0 to headwaters			
	pH	5c	No	2002

SegID: 0606A Prairie Creek (unclassified water body)

From the confluence of the Neches River west of Tyler in Smith County to the upstream perennial portion of the stream south of Lindale in Smith County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0606A_01	Lower 4 miles			
	bacteria	5c	Yes	2002

SegID: 0607 Pine Island Bayou

From the confluence with the Neches River in Hardin/Jefferson County to FM 787 in Hardin County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0607_01	Mouth to river mile 5.7 depressed dissolved oxygen	5b	Yes	1996
0607_02	River Mile 5.7 to mile 12.1 depressed dissolved oxygen	5b	No	1996
0607_03	River Mile 12.1 to mile 35.4 at confluence with Willow Creek (0607C) depressed dissolved oxygen	5b	No	1996
0607_04	River Mile 35.4 at confluence with Willow Creek (0607C) to mile 60.4 depressed dissolved oxygen	5b	No	1996
0607_05	River Mile 60.4 to top of segment at FM 787 depressed dissolved oxygen	5b	Yes	1996

SegID: 0607A Boggy Creek (unclassified water body)

From the confluence of Pine Island Bayou south of Lumberton in Hardin County to the upstream perennial portion of the stream west of Lumberton in Hardin County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0607A_01	Entire creek depressed dissolved oxygen	5b	No	2000

SegID: 0607B Little Pine Island Bayou (unclassified water body)

From the confluence of Pine Island Bayou southwest of Lumberton in Hardin County to the upstream perennial portion of the stream west of Kountze in Hardin County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0607B_01	Lower 25 miles bacteria	5c	No	New
	depressed dissolved oxygen	5b	No	2000

SegID: 0607C Willow Creek (unclassified water body)

From the confluence of Pine Island Bayou north of Nome in Jefferson County to the upstream perennial portion of the stream east of Devers in Liberty County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0607C_01	Entire creek depressed dissolved oxygen	5b	No	2000

SegID: 0608 Village Creek

From the confluence with the Neches River in Hardin County to Lake Kimble Dam in Hardin County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0608_02	From FM 418 to Lake Kimble dam pH	5b	Yes	2000

SegID: 0608A Beech Creek (unclassified water body)

From the confluence of Village Creek northeast of Kountze in Hardin County to the upstream perennial portion of the stream southeast of Woodville in Tyler County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0608A_01	Lower 20 miles of water body bacteria	5c	No	New

SegID: 0608B Big Sandy Creek (unclassified water body)

From the confluence of Village Creek northwest of Kountze in Hardin County to the upstream perennial portion of the stream northeast of Livingston in Polk County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0608B_01	Lower 30 miles downstream of US 190 bacteria	5c	No	2000

SegID: 0608C Cypress Creek (unclassified water body)

From the confluence of Village Creek east of Kountze in Hardin County to the upstream perennial portion of the stream northwest of Kountze in Hardin County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0608C_01	Entire water body			
	depressed dissolved oxygen	5c	No	2000
	depressed dissolved oxygen	5c	No	2000
	bacteria	5c	No	New
	aluminum in water	5c	No	2004

SegID: 0608E Mill Creek (unclassified water body)

From the confluence of Village Creek southwest of Silsbee in Hardin County to the upstream perennial portion of the stream northwest of Silsbee in Hardin County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0608E_01	Entire water body depressed dissolved oxygen	5c	No	New

SegID: 0608F Turkey Creek (unclassified water body)

From the confluence of Village Creek north of Kountze in Hardin County to the upstream perennial portion of the stream southeast of Woodville in Tyler County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0608F_01	Lower 25 miles of segment bacteria	5c	No	2000

SegID: 0608G Lake Kimball (unclassified water body)

From Kimble Creek Dam northwest of Kountze in Hardin County to normal pool elevation in Tyler County (impounds Kimble and Village Creeks)

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0608G_01	Entire lake mercury in fish tissue	5c	No	2000

SegID: 0610 Sam Rayburn Reservoir

From Sam Rayburn Dam in Jasper County to a point 5.6 kilometers (3.5 miles) upstream of Marion's Ferry on the Angelina River Arm in Angelina/Nacogdoches County and to a point 3.9 km (2.4 miles) downstream of Curry Creek on the Attoyac Bayou Arm in Nacogdoches/San Augustine County, up to the normal pool elevation of 164 ft (except on the Angelina River Arm)(impounds Angelina River and Attoyac Bayou)

<u>Area</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0610_01 <i>Main pool by the dam</i>			
mercury in largemouth bass and freshwater drum	5c	No	1996
0610_02 <i>Lower Angelina River arm</i>			
mercury in largemouth bass and freshwater drum	5c	No	1996
0610_03 <i>Mid-Angelina River arm (SH 147)</i>			
mercury in largemouth bass and freshwater drum	5c	No	1996
0610_04 <i>Upper mid-Angelina River arm</i>			
mercury in largemouth bass and freshwater drum	5c	No	1996
depressed dissolved oxygen	5c	Yes	1996
0610_05 <i>Lower Attoyac Bayou arm</i>			
mercury in largemouth bass and freshwater drum	5c	No	1996
depressed dissolved oxygen	5c	Yes	1996
0610_06 <i>Upper Attoyac Bayou arm</i>			
mercury in largemouth bass and freshwater drum	5c	No	1996
0610_07 <i>Upper Angelina River arm</i>			
depressed dissolved oxygen	5c	Yes	1996
mercury in largemouth bass and freshwater drum	5c	No	1996
0610_08 <i>Bear Creek arm</i>			
mercury in largemouth bass and freshwater drum	5c	No	1996
0610_09 <i>Lower Ayish Bayou arm</i>			
mercury in largemouth bass and freshwater drum	5c	No	1996
0610_10 <i>Upper Ayish Bayou arm</i>			
depressed dissolved oxygen	5c	Yes	1996
mercury in largemouth bass and freshwater drum	5c	No	1996

SegID: 0610A Ayish Bayou (unclassified water body)

From the confluence of Sam Rayburn Reservoir south of San Augustine in San Augustine County to the upstream perennial portion of the stream north of San Augustine in San Augustine County

<u>Area</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0610A_01 <i>Lower portion downstream of US 96</i>			
bacteria	5c	No	2000
0610A_02 <i>Middle portion from US 96 to SH 21</i>			
bacteria	5c	Yes	2000
0610A_03 <i>Upper portion from SH 21 to headwaters</i>			
bacteria	5c	Yes	2000

SegID: 0611 Angelina River Above Sam Rayburn Reservoir

From the aqueduct crossing 1.0 km (0.6 miles) upstream of the confluence of Paper Mill Creek in Angelina/Nacogdoches County to the confluence of Barnhardt Creek and Mill Creek at FM 225 in Rusk County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0611_01	Lower boundary to FM 1911			
	bacteria	5c	No	2000
0611_03	FM 343 to US 84			
	bacteria	5c	No	2000

SegID: 0611A East Fork Angelina River (unclassified water body)

From the confluence of the Angelina River at the Rusk/Nacogdoches county line to the upstream perennial portion of the stream west of Mount Enterprise in Rusk County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0611A_01	Confluence with Grassy Lake area			
	lead in water	5c	Yes	2000
	bacteria	5c	Yes	2002
0611A_02	Grassy Lake area to county road near Happy Valley			
	lead in water	5c	Yes	2000
	lead in water	5c	Yes	2000
0611A_03	County road near Happy Valley to Wooten Creek			
	lead in water	5c	Yes	2000
0611A_04	Wooten Creek to headwaters			
	lead in water	5c	Yes	2000

SegID: 0611B La Nana Bayou (unclassified water body)

From the confluence of the Angelina River south of Nacogdoches in Nacogdoches County to the upstream perennial portion of the stream north of Nacogdoches in Nacogdoches County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0611B_01	Mouth to unimproved road near FM 3228/1275			
	bacteria	5c	No	2000
0611B_02	Unimproved road near FM 3228/1275 to SH 7			
	bacteria	5c	No	2000

SegID: 0612 Attoyac Bayou

From a point 3.9 km (2.4 miles) downstream of Curry Creek in Nacogdoches/San Augustine County to FM 95 in Rusk County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0612_01	<i>Mouth to 8.2 miles downstream of SH 7</i>			
	bacteria	5c	No	2004
0612_03	<i>Bear Creek to headwaters</i>			
	bacteria	5c	No	2004

SegID: 0615 Angelina River/Sam Rayburn Reservoir

The riverine portion of Sam Rayburn Reservoir from a point 5.6 kilometers (3.5 miles) upstream of Marion's Ferry to a point 2.75 kilometers (1.71 miles) upstream of the confluence of Paper Mill Creek

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0615_01	<i>Upstream of Papermill Creek</i>			
	mercury in largemouth bass and freshwater drum	5c	No	2002
	bacteria	5c	No	New
	depressed dissolved oxygen	5c	Yes	2002
0615_02	<i>Downstream of Papermill Creek</i>			
	bacteria	5c	No	New
	depressed dissolved oxygen	5c	Yes	2002
	impaired fish community	5c	Yes	2002
	mercury in largemouth bass and freshwater drum	5c	No	2002

SegID: 0615A Papermill Creek (unclassified water body)

From the confluence of Sam Rayburn Reservoir (Angelina River Arm) northeast of Lufkin in Angelina County to the upstream perennial portion of the stream in Lufkin in Angelina County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0615A_01	<i>Lower 9 miles</i>			
	bacteria	5c	No	New

SegID: 0701 Taylor Bayou Above Tidal

From the saltwater lock 7.7 km (4.8 miles) downstream of SH 73 in Jefferson County to the Lower Neches Valley Authority Canal in Jefferson County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0701_01	<i>From saltwater lock to 8 miles upstream</i>			
	depressed dissolved oxygen	5a	No	1996
0701_02	<i>from 8 miles upstream of saltwater lock to the confluence of N and S Forks Taylor Bayou</i>			
	depressed dissolved oxygen	5a	No	1996

SegID: 0701D Shallow Prong Lake (unclassified water body)

Reservoir on Big Hill Bayou located approximately 3.5 miles downstream of the confluence with Taylor Bayou in Jefferson County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0701D_01	Entire water body depressed dissolved oxygen	5c	No	2004

SegID: 0702 Intracoastal Waterway Tidal

From the confluence with Galveston Bay at Port Bolivar in Galveston County to the confluence with the Sabine-Neches Canal in Jefferson County (including Taylor Bayou Tidal from the confluence with the Intracoastal Waterway up to the saltwater lock 7.7 km (4.8 mi) downstream of SH 73 in Jefferson County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0702_01	From East Bay to confluence with Sabine-Neches Canal Tidal (0703) bacteria	5c	No	New
0702_03	From Port Bolivar to top of East Bay bacteria	5c	No	New

SegID: 0702A Alligator Bayou (unclassified water body)

From the Alligator Bayou pump station at the Jefferson County hurricane protection levee one mile downstream of Spur 215 in Port Arthur to a point immediately upstream of the confluence with Jefferson county Drainage District No. 7 city outfall canal

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0702A_02	Lower portion from SH82 to its confluence with Taylor Bayou impaired fish community toxic sediment (LOE)	5c 5c	No No	2002 1998
0702A_03	Upper portion from its headwaters at the Port Arthur Canal to SH82 water toxicity	5c	No	1998
0702A_04	Drainage canal leading into Alligator Bayou approx. 0.8 miles north of SH82 water toxicity	5c	No	1998

SegID: 0704 Hillebrandt Bayou

From the confluence of Taylor Bayou in Jefferson County to a point 100 meters (110 yards) upstream of SH 124 in Jefferson County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0704_02	From confluence with Bayou Din to upper end of segment depressed dissolved oxygen	5a	No	1998

SegID: 0801C Cotton Bayou (unclassified water body)

From the confluence of Cotton Lake southeast of Mont Belvieu in Chambers County upstream to a point approximately 1 mile north of IH 10 in Chambers County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0801C_01	Upper half of bayou depressed dissolved oxygen	5b	Yes	New

SegID: 0803 Lake Livingston

From Livingston Dam in Polk/San Jacinto County to a point 1.8 km (1.1 miles) upstream of Boggy Creek in Houston/Leon County, up to normal pool elevation of 131 feet (impounds Trinity River)

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0803_01	Lowermost portion of reservoir, adjacent to dam depressed dissolved oxygen	5c	Yes	1998
	sulfate	5c	No	New
0803_02	Lower portion of reservoir, East Wolf Creek depressed dissolved oxygen	5c	Yes	1998
	sulfate	5c	No	New
0803_03	Lower portion of reservoir, East Willow Springs sulfate	5c	No	New
	depressed dissolved oxygen	5c	Yes	1998
0803_04	Middle portion of reservoir, East Pointblank sulfate	5c	No	New
	depressed dissolved oxygen	5c	Yes	1998
0803_05	Middle portion of reservoir, downstream of Kickapoo Creek sulfate	5c	No	New
0803_06	Middle portion of reservoir, centering on US 190 sulfate	5c	No	New
0803_07	Upper portion of reservoir, west of Carlisle sulfate	5c	No	New
0803_08	Cove off upper portion of reservoir, East Trinity depressed dissolved oxygen	5c	Yes	1998
	sulfate	5c	No	New
0803_09	West Carolina Creek cove, off upper portion of reservoir sulfate	5c	No	New
0803_10	Upper portion of reservoir, centering on SH 19 sulfate	5c	No	New
0803_11	Riverine portion of reservoir, centering on SH 21 sulfate	5c	No	New
0803_12	Remainder of reservoir sulfate	5c	No	New

SegID: 0804G Catfish Creek (unclassified water body)

Twenty mile stretch of Catfish Creek running upstream from US 287 in Anderson Co., to Catfish Creek Ranch Lake just upstream of SH 19 in Henderson Co.

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0804G_01	<i>Entire Segment</i>			
	depressed dissolved oxygen	5c	No	New
	impaired macrobenthos community	5c	No	New

SegID: 0805 Upper Trinity River

From a point immediately upstream of the confluence of the Cedar Creek Reservoir discharge canal in Henderson/Navarro County to a point immediately upstream of the confluence of Elm Fork Trinity River in Dallas County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0805_01	<i>25 mile reach near FM 85</i>			
	PCBs in fish tissue	5a	No	2002
0805_02	<i>25 mile reach near SH 34</i>			
	chlordanes in fish tissue	4b	No	1998
	PCBs in fish tissue	5a	No	2002
0805_03	<i>11 mile reach near S. Loop 12</i>			
	bacteria	5a	No	1996
	PCBs in fish tissue	5a	No	2002
	chlordanes in fish tissue	4a	No	1998
0805_04	<i>Upper 8 miles</i>			
	bacteria	5a	No	1996
	chlordanes in fish tissue	4a	No	1998
	PCBs in fish tissue	5a	No	2002
0805_05	<i>Remainder of segment</i>			
	PCBs in fish tissue	5a	No	2002
0805_06	<i>From 15.57 mi. upstream of SH 34 to 4.71 mi. downstream of S Loop 12</i>			
	chlordanes in fish tissue	4b	No	1998
	PCBs in fish tissue	5a	No	2002

SegID: 0806 West Fork Trinity River Below Lake Worth

From a point immediately upstream of the confluence of Village Creek in Tarrant County to Lake Worth Dam in Tarrant County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0806_01	<i>Lower 22 miles of the segment</i>			
	bacteria	5a	No	1996
	chlordanane in fish tissue	4a	No	1998
	PCBs in fish tissue	5a	No	1996
0806_FA1	<i>Lower 22 mi of segment 0806</i>			
	chlordanane in fish tissue	5a	No	1998
	PCBs in fish tissue	5a	No	1996

SegID: 0806A Fosdic Lake (unclassified water body)

From Fosdic Lake Dam to the reservoir headwaters in Oakland Lake Park in Tarrant County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0806A_01	<i>Entire lake</i>			
	dieldrin in fish tissue	4a	No	1998
	PCBs in fish tissue	4a	No	1998
	chlordanane in fish tissue	4a	No	1998
	DDE in fish tissue	4a	No	1998

SegID: 0806B Echo Lake (unclassified water body)

From Echo Lake Dam to the reservoirs headwaters in Tarrant County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0806B_01	<i>Entire lake</i>			
	PCBs in fish tissue	4a	No	1998

SegID: 0806D Marine Creek (unclassified water body)

Two mile stretch of Marine Creek running upstream from confluence with the W. Fork of Trinity River to Tenmile Bridge Road in Fort Worth.

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0806D_01	<i>Marine Creek from the confluence with W. Fork Trinity River 2 miles upstream to Tenmile Bridge Rd. in Ft. Worth</i>			
	bacteria	5c	No	New

SegID: 0806E Sycamore Creek (unclassified water body)

Five mile stretch of Sycamore Creek running upstream from confluence with the W. Fork of Trinity River to confluence with Echo Lake Tributary in Fort Worth.

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0806E_01	Five mile stretch of Sycamore Creek running upstream from confluence with the W. Fork of Trinity River to confluence with Echo Lake Tributary in Fort Worth bacteria	5c	No	New

SegID: 0807 Lake Worth

From Lake Worth Dam in Tarrant County to a point 4.0 km (2.5 miles) downstream of Eagle Mountain Dam in Tarrant County, up to normal pool elevation of 594.3 feet (impounds West Fork Trinity River)

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0807_01	Entire reservoir PCBs in fish tissue	4a	No	2002

SegID: 0810 West Fork Trinity River Below Bridgeport Reservoir

From a point 0.6 km (0.4 miles) downstream of the confluence of Oates Branch in Wise County to Bridgeport Dam in Wise County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0810_01	Lower 25 miles of segment bacteria	5c	No	1998

SegID: 0810A Big Sandy Creek (unclassified water body)

Fifteen mile stretch of Sycamore Creek running upstream from confluence with Waggoner Creek to FM 1810, west of Alvord, Wise County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0810A_01	Fifteen mile stretch of Big Sandy Creek running from confluence with Waggoner Creek to FM 1810 West of Alvord, Wise Co. bacteria	5c	No	New

SegID: 0810B Garrett Creek (unclassified water body)

Eighteen mile stretch of Garrett Creek running upstream from confluence with Salt Creek to Wise County Road approximately 14 miles upstream of SH114, Wise County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0810B_01	Eighteen mile stretch of Garrett Creek running upstream from confluence with Salt Creek to Wise County Road approximately 14 miles upstream of SH114, Wise Co. bacteria	5c	No	New

SegID: 0810C Martin Branch (unclassified water body)

The eight mile stretch of Martin Branch running upstream from confluence with Center Creek to FM 730 south of Decatur, Wise County.

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0810C_01	Eight mile stretch of Martin Branch running upstream from confluence with Center Creek to FM 730 south of Decatur, Wise County. bacteria	5c	No	New

SegID: 0810D Salt Creek (unclassified water body)

Eleven mile stretch of Salt Creek running upstream from confluence with Garrett Creek, Wise County.

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0810D_01	Eleven mile stretch of Salt Creek running upstream from confluence with Garrett Creek, Wise County. bacteria	5c	No	New

SegID: 0812 West Fork Trinity River Above Bridgeport Reservoir

From a point immediately upstream of the confluence of Bear Hollow in Jack County to SH 79 in Archer County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0812_01	Lower 25 miles of segment			
	chloride	5b	Yes	1998
	depressed dissolved oxygen	5b	Yes	1998
0812_02	total dissolved solids	5b	Yes	1998
	Upper 60 miles of segment			
	chloride	5b	Yes	1998
	total dissolved solids	5b	Yes	1998

SegID: 0814 Chambers Creek Above Richland-Chambers Reservoir

From a point 4.0 km (2.5 miles) downstream of Tupelo Branch in Navarro County to the confluence of North Fork Chambers Creek and South Fork Chambers Creek

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0814_01	From confluence with Cummins Creek to a point 16.5 miles upstream depressed dissolved oxygen	5c	Yes	1998

SegID: 0818 Cedar Creek Reservoir

From Joe B. Hoggsett Dam in Henderson County up to normal pool elevation of 322 feet (impounds Cedar Creek)

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0818_01	Lowermost portion of reservoir adjacent to dam pH	5c	Yes	2002
0818_02	Caney Creek cove pH	5c	Yes	2002
0818_03	Clear Creek cove pH	5c	Yes	2002
0818_04	Lower portion of reservoir east of Key Ranch Estates pH	5c	Yes	2002
0818_05	Cove off lower portion of reservoir adjacent to Clearview Estates pH	5c	No	2002
0818_06	Middle portion of reservoir downstream of Twin Creeks cove pH	5c	Yes	2002
0818_07	Twin Creeks cove pH	5c	Yes	2002
0818_08	Prairie Creek cove pH	5c	No	2002
0818_09	Upper portion of reservoir adjacent to Lacy Fork cove pH	5c	Yes	2002
0818_11	Upper portion of reservoir east of Tolosa pH	5c	No	2002
0818_12	Uppermost portion of reservoir downstream of Kings Creek pH	5c	Yes	2002

SegID: 0820C Muddy Creek (unclassified water body)

From the confluence with Lake Ray Hubbard, in Dallas County, to the headwaters east of Allen, in Collin County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0820C_01	Entire creek bacteria	5c	No	2002

SegID: 0822 Elm Fork Trinity River Below Lewisville Lake

From the confluence with the West Fork Trinity River in Dallas County to Lewisville Dam in Denton County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0822_02	4.5 miles upstream to 7.5 miles downstream DWU intake bacteria	5c	No	New

SegID: 0822A Cottonwood Branch (unclassified water body)

A 6 mile stretch of Cottonwood Branch running upstream from confluence with Hackberry Creek, to Valley View Road in Dallas County.

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0822A_02	A 3.5 mile stretch of Cottonwood Branch running upstream from approximately 0.5 miles downstream of N. Story Rd. to Valley View Rd, Dallas, Co. bacteria	5c	No	New

SegID: 0822B Grapevine Creek (unclassified water body)

A 5.5 mile stretch of Grapevine Creek running upstream from Coppell Rd. in Coppell, Dallas Co., to approximately 1.5 miles upstream of SH 21, Tarrant County.

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0822B_01	A 5.5 mile stretch of Grapevine Creek running upstream from Coppell Rd. in Coppell, Dallas Co., to approximately 1.5 miles upstream of SH 21, Tarrant County. bacteria	5c	No	New

SegID: 0823A Little Elm Creek (unclassified water body)

From confluence with Lake Lewisville in Denton Co., up to 1.4 km above FM 453 in Collin Co.

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0823A_01	From the confluence with Lake Lewisville in Denton Co., up to FM 455 in Collin Co. (Lower 12 miles of segment). bacteria	5c	Yes	2002

SegID: 0829 Clear Fork Trinity River Below Benbrook Lake

From the confluence with the West Fork Trinity River in Tarrant County to Benbrook Dam in Tarrant County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0829_01	Lower mile of segment PCBs in fish tissue	5a	No	1996

SegID: 0829A Lake Como (unclassified water body)

From Lake Como Dam to the reservoir headwaters in Lake Como Park in Tarrant County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0829A_01	Entire lake			
	chlordan in fish tissue	4a	No	1996
	PCBs in fish tissue	4a	No	1996
	DDE in fish tissue	4a	No	1996
	dieldrin in fish tissue	4a	No	1996

SegID: 0831 Clear Fork Trinity River Below Lake Weatherford

From a point 200 meters (220 yards) downstream of US 377 in Tarrant County to Weatherford Dam in Parker County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0831_04	2 mi upstream of South Fork Trinity River confluence to Squaw Ck. Confluence depressed dissolved oxygen	5b	No	1996
0831_05	From the confluence of Squaw Ck. to Lake Weatherford Dam depressed dissolved oxygen	5b	No	1996

SegID: 0833 Clear Fork Trinity River Above Lake Weatherford

From a point 3.1 km (1.9 miles) upstream of FM 1707 in Parker County, to FM 3107 in Parker County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0833_02	<i>Upper 11 miles of segment</i> depressed dissolved oxygen	5b	Yes	1998
0833_03	<i>From the confluence of McKnight Branch to the confluence of Cottonwood Ck.</i> depressed dissolved oxygen	5b	No	1998
0833_04	<i>From the confluence with Dobbs Branch to confluence with McKnight Branch</i> depressed dissolved oxygen	5b	Yes	1998

SegID: 0838C Walnut Creek (unclassified water body)

A 7 mile stretch of Walnut Creek running upstream from Holland Road, to confluence with Willow Branch, NW Mansfield, Tarrant County.

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0838C_01	<i>Entire segment.</i> bacteria	5c	No	New

SegID: 0841 Lower West Fork Trinity River

From a point immediately upstream of the confluence of the Elm Fork Trinity River in Dallas County to a point immediately upstream of the confluence of Village Creek in Tarrant County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0841_01	<i>Lower 14 miles of segment</i> PCBs in fish tissue	5a	No	1996
	bacteria	5a	No	1996
	chlordan in fish tissue	4a	No	1996
0841_02	<i>Upper 13 miles of segment</i> chlordan in fish tissue	4a	No	1996
	PCBs in fish tissue	5a	No	1996

SegID: 0841A Mountain Creek Lake (unclassified water body)

From Mountain Creek Lake Dam to the reservoir headwater at the confluence of Mountain and Fish Creeks, in Dallas County (impounds Mountain Creek)

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0841A_01	Entire reservoir			
	DDD in fish tissue	4a	No	2000
	heptachlor epoxide in fish tissue	4a	No	2000
	PCBs in fish tissue	4a	No	1996
	dieldrin in fish tissue	4a	No	2000
	chlordane in fish tissue	4a	No	2000
	DDT in fish tissue	4a	No	2000
	DDE in fish tissue	4a	No	2000

SegID: 0841B Bear Creek (unclassified water body)

A 10 mile stretch of Bear Creek running upstream from confluence with West Fork Trinity River, to just upstream of HWY 183, Dallas County.

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0841B_01	Entire segment.			
	bacteria	5c	No	New

SegID: 0841C Arbor Creek (unclassified water body)

A 2.2 mile stretch of Arbor Creek running upstream from confluence with Johnson Creek, to approx. 0.5 miles upstream of Tarrant/Dallas county line.

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0841C_01	Entire segment.			
	bacteria	5c	No	New

SegID: 0841D Big Bear Creek (unclassified water body)

An 8 mile stretch of Big Bear Creek running upstream from confluence with Little Bear Creek to SH 26, Tarrant Co.

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0841D_01	Entire segment.			
	bacteria	5c	No	New

SegID: 0841E Copart Branch Mountain Creek (unclassified water body)

A 2.8 mile stretch of Copart Branch running upstream from confluence with Mountain Creek to approximately 0.3 miles upstream of Camden Road on Dallas Naval Academy, Dallas County.

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0841E_01	Entire segment. bacteria	5c	No	New

SegID: 0841F Cottonwood Creek (unclassified water body)

A 6.5 mile stretch of Cottonwood Creek running upstream from approx. 0.1 mi. upstream of Mountain Creek Reservoir in Dallas Co., to SH 360 in, Tarrant Co.

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0841F_01	Entire segment. bacteria	5c	No	New

SegID: 0841G Dalworth Creek (unclassified water body)

A 2.2 mile stretch of Dalworth Creek running upstream from confluence with Lower W. Fork Trinity to County Line Road in Grand Prairie, Dallas Co.

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0841G_01	Entire segment. bacteria	5c	No	New

SegID: 0841H Delaware Creek (unclassified water body)

An 8.5 mile stretch of Delaware Creek running upstream from confluence with Lower W. Fork Trinity to Finley Road in Irving.

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0841H_01	Entire segment. bacteria	5c	No	New

SegID: 0841J Estelle Creek (unclassified water body)

A 4 mile stretch of Estelle Creek running upstream from confluence with Bear Creek to Valley View Lane in Irving, Dallas County.

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0841J_01	Entire segment. bacteria	5c	No	New

SegID: 0841K Fish Creek (unclassified water body)

A 10.5 mile stretch of Fish Creek running upstream from approx. 100 m downstream of FM 382 in Grand Prairie, Dallas Co., to approx. 0.25 mi. upstream of Collins Rd. in Arlington, Tarrant Co. Includes north and south branches of Fish Creek.

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0841K_01	Entire segment. bacteria	5c	No	New

SegID: 0841M Kee Branch (unclassified water body)

Three mile stretch of Kee Branch running upstream from confluence with Rush Creek to approx. 300 m upstream of Polly-Webb Road in Arlington, Tarrant Co. Sta. ID 10792

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0841M_01	Entire segment. bacteria	5c	No	New

SegID: 0841N Kirby Creek (unclassified water body)

Four mile stretch of Kirby Creek running upstream from confluence with Fish Creek in Grand Prairie, Dallas Co., to just upstream of Great Southwest Parkway in Arlington, Tarrant Co.

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0841N_01	Entire segment bacteria	5c	No	New

SegID: 0841S Vilbig Lakes (unclassified water body)

A 5 acre area in NW corner of Vilbig Lakes, near confluence with unnamed creek, approx. 100 m south of intersection of Rusdell Rd./Marvel Dr. in Irving, Dallas, Co.

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0841S_01	A 5 acre area in NW corner of Vilbig Lakes, near confluence with unnamed creek, approx. 100 m south of intersection of Rusdell Rd./Marvel Dr. in Irving, Dallas, Co. bacteria	5c	No	New

SegID: 0841U West Irving Creek (unclassified water body)

A 4 mile stretch of West Irving Branch running upstream from approx. 0.4 mi. downstream of Oakdale Rd. to just south of Sowers Road in Irving, Dallas Co.

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0841U_01	A 4 mile stretch of West Irving Branch running upstream from approx. 0.4 mi. downstream of Oakdale Rd. to just south of Sowers Road in Irving, Dallas Co. bacteria	5c	No	New

SegID: 0901 Cedar Bayou Tidal

From the confluence with Galveston Bay 1.0 km (0.6 miles) downstream of Tri-City Beach Road in Chambers County to a point 2.2 km (1.4 miles) upstream of IH 10 in Chambers/Harris County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0901_01	<i>Entire segment</i>			
	bacteria	5c	No	New
	dioxin in catfish and crab tissue	5a	No	2002

SegID: 0902 Cedar Bayou Above Tidal

From a point 2.2 km (1.4 miles) upstream of IH 10 in Chambers/Harris County to a point 7.4 km (4.6 miles) upstream of FM 1960 in Liberty County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
0902_01	<i>Entire segment</i>			
	bacteria	5c	No	New
	impaired macrobenthos community	5c	No	New

SegID: 1001 San Jacinto River Tidal

From a point 100 meters (110yards) downstream of IH 10 in Harris County to Lake Houston Dam in Harris County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1001_01	<i>From Lake Houston Dam to US Hwy 90</i>			
	dioxin in catfish and crab tissue	5a	No	2000
1001_02	<i>From US Hwy 90 to IH 10</i>			
	PCBs in fish tissue	5a	No	2002
	dioxin in catfish and crab tissue	5a	No	2000

SegID: 1002 Lake Houston

From Lake Houston Dam in Harris County to the confluence of Spring Creek on the West Fork San Jacinto Arm in Harris/Montgomery County and to the confluence of Caney Creek on the East Fork San Jacinto Arm in Harris County, up to normal pool elevation of 44.5 feet (impounds San Jacinto River)

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1002_06	<i>Confluence with Spring Creek to West Lake Houston Pkwy</i>			
	bacteria	5a	No	New

SegID: 1003 East Fork San Jacinto River

From the confluence of Caney Creek in Harris County to US 190 in Walker County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1003_01	Confluence with Caney Creek upstream to US 59 bacteria	5a	No	New
1003_02	US Hwy 59 to 25 miles upstream (just upstream of Clear Creek confluence) bacteria	5a	No	New
1003_03	25 miles upstream of US 59 to US 190 (upper segment boundary) bacteria	5a	No	New

SegID: 1004 West Fork San Jacinto River

From the confluence of Spring Creek in Harris/Montgomery County to Conroe Dam in Montgomery County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1004_01	Lake Conroe Dam to IH45 impaired macrobenthos community	5c	No	New
1004_02	IH 45 to the Spring Creek confluence bacteria	5a	No	1996

SegID: 1004D Crystal Creek (unclassified water body)

From the confluence of the east and west forks of Crystal Creek to the confluence with the West Fork of the San Jacinto River.

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1004D_01	Confluence with West Fork San Jacinto River upstream to confluence of the East and West Forks of Crystal Creek bacteria	5a	No	New

SegID: 1004E Stewarts Creek (unclassified water body)

From headwaters northwest of old Montgomery Rd to confluence with West Fork of the San Jacinto River.

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1004E_02	From Airport Rd to confluence with West Fork San Jacinto River bacteria	5a	No	New

SegID: 1005 Houston Ship Channel/San Jacinto River Tidal

From the confluence with Galveston Bay at Morgan's Point in Harris/Chambers County to a point 100 meters (110 yards) downstream of IH 10 in Harris County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
<i>1005_01</i>	<i>Downstream I-10 to Lynchburg Ferry Road</i>			
	PCBs in catfish, spotted seatrout, and blue crab	5a	No	2002
	dioxin in catfish and crab tissue	5a	No	1996
<i>1005_02</i>	<i>Lynchburg Ferry Road to Goose Island</i>			
	bacteria	5c	No	New
	dioxin in catfish and crab tissue	5a	No	1996
	PCBs in catfish, spotted seatrout, and blue crab	5a	No	2002
<i>1005_03</i>	<i>Goose Island to SH 146</i>			
	dioxin in catfish and crab tissue	5a	No	1996
	PCBs in catfish, spotted seatrout, and blue crab	5a	No	2002
<i>1005_04</i>	<i>SH 146 to Morgans Point</i>			
	dioxin in catfish and crab tissue	5a	No	1996
	PCBs in catfish, spotted seatrout, and blue crab	5a	No	2002
	bacteria	5c	No	New

SegID: 1006 Houston Ship Channel Tidal

From the confluence with the San Jacinto River in Harris County to a point immediately upstream of Greens Bayou in Harris County, including tidal portions of tributaries

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
<i>1006_01</i>	<i>Houston Ship Channel Tidal-Greens Bayou confluence to Patrick Bayou confluence</i>			
	chlordanes in fish tissue	4b	No	2004
	dieldrin in fish tissue	4b	No	2004
	dioxin in catfish and crab tissue	5a	No	1996
	heptachlor epoxide in fish tissue	4b	No	2004
	PCBs in fish tissue	5a	No	2002
	bacteria	5c	No	New
<i>1006_02</i>	<i>Houston Ship Channel Tidal- Patrick Bayou confluence to lower segment boundary</i>			
	chlordanes in fish tissue	4b	No	2004
	heptachlor epoxide in fish tissue	4b	No	2004
	PCBs in fish tissue	5a	No	2002
	dieldrin in fish tissue	4b	No	2004
	bacteria	5c	No	New
	dioxin in catfish and crab tissue	5a	No	1996
<i>1006_03</i>	<i>Greens Bayou Tidal</i>			
	chlordanes in fish tissue	4b	No	2004
	dieldrin in fish tissue	4b	No	2004
	dioxin in catfish and crab tissue	5a	No	1996
	heptachlor epoxide in fish tissue	4b	No	2004
	PCBs in fish tissue	5a	No	2002
<i>1006_04</i>	<i>Patrick Bayou Tidal</i>			
	chlordanes in fish tissue	4b	No	2004
	PCBs in fish tissue	5a	No	2002
	mercury in water	5a	Yes	1998
	heptachlor epoxide in fish tissue	4b	No	2004
	dieldrin in fish tissue	4b	No	2004
	toxic sediment (LOE)	5c	No	2000
	dioxin in catfish and crab tissue	5a	No	1996
<i>1006_05</i>	<i>Goodyear Creek Tidal</i>			
	dioxin in catfish and crab tissue	5a	No	1996
	PCBs in fish tissue	5a	No	2002
	heptachlor epoxide in fish tissue	4b	No	2004
	depressed dissolved oxygen	5c	No	New
	chlordanes in fish tissue	4b	No	2004
	dieldrin in fish tissue	4b	No	2004

SegID: 1006D Halls Bayou (unclassified water body)

Perennial stream from the confluence with Greens Bayou up to US 59 in Harris County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1006D_01	<i>From the confluence with Greens Bayou to US 59</i>			
	bacteria	5a	No	2002
1006D_02	<i>From Hirsch Road to Homestead Road</i>			
	bacteria	5a	No	2002

SegID: 1006F Big Gulch Above Tidal (unclassified water body)

From the confluence with Greens Bayou Tidal to Wallisville Road in Harris County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1006F_01	<i>Entire water body</i>			
	bacteria	5a	No	2002

SegID: 1006H Spring Gully Above Tidal (unclassified water body)

From confluence with Greens Bayou to US 90 in Harris County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1006H_01	<i>Entire water body</i>			
	bacteria	5a	No	2002

SegID: 1006I Unnamed Tributary of Halls Bayou (unclassified water body)

From the confluence with Halls Bayou to a point 0.13 miles upstream of Richland Drive in Harris County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1006I_01	<i>Entire water body</i>			
	bacteria	5a	No	2002

SegID: 1006J Unnamed Tributary of Halls Bayou (unclassified water body)

From the confluence of Halls Bayou (east of US 59 and south of Langley Road) to Mount Houston Road in Harris County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1006J_01	<i>Entire water body</i>			
	bacteria	5a	No	2002

SegID: 1007 Houston Ship Channel/Buffalo Bayou Tidal

From a point immediately upstream of Greens Bayou in Harris County to a point 100 meters (110 yards) upstream of US 59 in Harris County, including tidal portion of tributaries

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1007_01	<i>Houston Ship Channel/Buffalo Bayou Tidal</i>			
	dieldrin in fish tissue	4b	No	2004
	dioxin in catfish and crab tissue	5a	No	1996
	heptachlor epoxide in fish tissue	4b	No	2004
	PCBs in fish tissue	5a	No	2002
	chlordane in fish tissue	4b	No	2004
1007_02	<i>Sims Bayou Tidal (upstream of SH 35 to Houston Ship Channel confluence)</i>			
	dieldrin in fish tissue	4b	No	2004
	PCBs in fish tissue	5a	No	2002
	chlordane in fish tissue	4b	No	2004
	dioxin in catfish and crab tissue	5a	No	1996
	heptachlor epoxide in fish tissue	4b	No	2004
1007_03	<i>Hunting Bayou Tidal (I-10 to confluence with Houston Ship Channel)</i>			
	PCBs in fish tissue	5a	No	2002
	chlordane in fish tissue	4b	No	2004
	dieldrin in fish tissue	4b	No	2004
	dioxin in catfish and crab tissue	5a	No	1996
	heptachlor epoxide in fish tissue	4b	No	2004
1007_04	<i>Brays Bayou Tidal (downstream of I 45 to confluence with the Houston Ship Channel)</i>			
	PCBs in fish tissue	5a	No	2002
	heptachlor epoxide in fish tissue	4b	No	2004
	dioxin in catfish and crab tissue	5a	No	1996
	chlordane in fish tissue	4b	No	2004
	dieldrin in fish tissue	4b	No	2004
1007_05	<i>Vince Bayou Tidal (SH 225 to confluence with the Houston Ship Channel)</i>			
	heptachlor epoxide in fish tissue	4b	No	2004
	PCBs in fish tissue	5a	No	2002
	toxic sediment (LOE)	5c	Yes	2000
	dieldrin in fish tissue	4b	No	2004
	bacteria	5c	No	New
	chlordane in fish tissue	4b	No	2004
	dioxin in catfish and crab tissue	5a	No	1996
1007_06	<i>Berry Bayou Tidal (2.4 km upstream of the Sims Bayou confluence)</i>			
	heptachlor epoxide in fish tissue	4b	No	2004
	PCBs in fish tissue	5a	No	2002
	dioxin in catfish and crab tissue	5a	No	1996
	dieldrin in fish tissue	4b	No	2004
	chlordane in fish tissue	4b	No	2004

SegID: 1007 Houston Ship Channel/Buffalo Bayou Tidal

From a point immediately upstream of Greens Bayou in Harris County to a point 100 meters (110 yards) upstream of US 59 in Harris County, including tidal portion of tributaries

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1007_07	<i>Buffalo Bayou (US 59 to upstream of 69th Street WWTP)</i>			
	PCBs in fish tissue	5a	No	2002
	chlordanes in fish tissue	4b	No	2004
	dieldrin in fish tissue	4b	No	2004
	dioxin in catfish and crab tissue	5a	No	1996
	heptachlor epoxide in fish tissue	4b	No	2004
	bacteria	5c	No	New
1007_08	<i>Little Vince Bayou</i>			
	PCBs in fish tissue	5a	No	2002
	heptachlor epoxide in fish tissue	4b	No	2004
	dioxin in catfish and crab tissue	5a	No	1996
	chlordanes in fish tissue	4b	No	2004
	dieldrin in fish tissue	4b	No	2004

SegID: 1007A Canal C-147 tributary of Sims Bayou Above Tidal (unclassified water body)

Houston Ship Channel/Buffalo Bayou Tidal tributary

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1007A_01	<i>From confluence with an unnamed flood control ditch near Corsair St to the confluence with Sims Bayou</i>			
	bacteria	5c	No	New

SegID: 1007B Brays Bayou Above Tidal (unclassified water body)

Perennial stream from 11.5 km upstream of confluence with Houston Ship Channel up to SH 6

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1007B_01	<i>From 11.5km upstream of confluence with Brays Bayou Tidal to SH 6</i>			
	bacteria	5a	No	2002
1007B_02	<i>SH 6 to Clodine Road</i>			
	bacteria	5a	No	2002

SegID: 1007C Keegans Bayou Above Tidal (unclassified water body)

Perennial stream from confluence with Brays Bayou upstream to Harris County line

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1007C_01	From Harris County line to confluence with Brays Bayou bacteria	5a	No	2002

SegID: 1007D Sims Bayou Above Tidal (unclassified water body)

Perennial stream from 11.0 km upstream of confluence with Houston Ship Channel upstream to Hiram Clark Drive

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1007D_01	From 0.4 miles north of Beltway 8 to Hiram Clark bacteria	5a	No	2002
1007D_02	From Hirman Clark to 11 miles upstream of the confluence with the Houston Ship Channel bacteria	5a	No	2002
1007D_03	From 11 miles upstream of the Houston Ship Channel confluence to SH 35 bacteria	5a	No	2002

SegID: 1007E Willow Waterhole Bayou Above Tidal (unclassified water body)

Perennial stream from confluence with Brays Bayou upstream to South Garden (in Missouri City)

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1007E_01	Entire water body bacteria	5a	No	2002

SegID: 1007F Berry Bayou Above Tidal (unclassified water body)

Perennial stream from 2.4 km upstream from the confluence with Sims Bayou to the southern city limits of South Houston

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1007F_01	1.5 miles upstream from confluence with Sims Bayou to SH 3 bacteria	5a	No	2002

SegID: 1007G Kuhlman Gully Above Tidal (unclassified water body)

From confluence with Brays Bayou in Harris County to Atchison, Topeka and Santa Fe Railroad tracks in Harris County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1007G_01	Entire water body			
	bacteria	5a	No	2002

SegID: 1007H Pine Gully Above Tidal (unclassified water body)

From the confluence with Sims Bayou in Harris County to Broadway in Harris County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1007H_01	Entire water body			
	bacteria	5a	No	2002

SegID: 1007I Plum Creek Above Tidal (unclassified water body)

From the confluence with Sims Bayou in Harris County to Telephone Road in Harris County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1007I_01	Entire water body			
	bacteria	5a	No	2002

SegID: 1007K Country Club Bayou Above Tidal (unclassified water body)

From just downstream of South Lockwood Drive to the confluence with Brays Bayou to approximately 0.5 miles upstream of North Wayside Drive in Harris County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1007K_01	From just downstream of South Lockwood Drive to the confluence with Brays Bayou			
	bacteria	5a	No	2002
	depressed dissolved oxygen	5c	No	2002

SegID: 1007L Unnamed Non-Tidal Tributary of Brays Bayou (unclassified water body)

From the confluence with Brays Bayou near Fondren Road to a point 0.60 miles upstream in Harris County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1007L_01	Entire perennial portion of water body			
	bacteria	5a	No	2002

SegID: 1007M Unnamed Non-Tidal Tributary of Hunting Bayou (unclassified water body)

From the confluence with Hunting Bayou to Mercury Road in Harris County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1007M_01	Entire water body			
	bacteria	5a	No	2002

SegID: 1007N Unnamed Non-Tidal Tributary of Sims Bayou (unclassified water body)

From confluence with Sims Bayou, south of Airport Road, to Reed Road, east of SH 288 in Harris County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1007N_01	Entire water body			
	bacteria	5a	No	2002

SegID: 1007O Unnamed Non-Tidal Tributary of Buffalo Bayou (unclassified water body)

From confluence with Buffalo Bayou to IH-10 between Hirsch Road and Lockwood in Harris County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1007O_01	Entire water body			
	depressed dissolved oxygen	5c	No	2002
	bacteria	5a	No	2002

SegID: 1007R Hunting Bayou Above Tidal (unclassified water body)

From the confluence with Hunting Bayou Tidal at IH-10 to Maury Street on the north fork and Bain Street on the south fork

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1007R_01	From Bain Street to Sayers Street (South Fork)			
	bacteria	5a	No	2002
	depressed dissolved oxygen	5c	No	2002
1007R_02	From just east of Elysian Street to Falls Street (North Fork)			
	bacteria	5a	No	2002
1007R_03	From Falls Street to Loop 610 East			
	bacteria	5a	No	2002
1007R_04	From Loop 610 East to IH 10			
	bacteria	5a	No	2002

SegID: 1008 Spring Creek

From the confluence with the West Fork San Jacinto River in Harris/Montgomery County to the most upstream crossing of FM 1736 in Waller County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1008_02	<i>Field Store Road to SH 249</i>			
	bacteria	5a	No	1996
	depressed dissolved oxygen	5c	No	1996
1008_03	<i>SH 249 to IH 45</i>			
	bacteria	5a	No	1996
1008_04	<i>IH 45 to confluence with Lake Houston</i>			
	bacteria	5a	No	1996

SegID: 1008B Upper Panther Branch (unclassified water body)

Intermittent stream with perennial pools from the normal pool elevation of 125 feet of Lake Woodlands upstream to Old Conroe Road

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1008B_01	<i>From Old Conroe Road to the confluence with Bear Branch</i>			
	bacteria	5a	No	New

SegID: 1008H Willow Creek (unclassified water body)

From 0.3 miles north of Juergen Rd to the confluence with Spring Creek

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1008H_01	<i>Entire water body</i>			
	bacteria	5a	No	New

SegID: 1009 Cypress Creek

From the confluence with Spring Creek in Harris County to the confluence of Snake Creek and Mound Creek in Waller County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1009_01	<i>Upper portion of segment to downstream of US 290</i>			
	bacteria	5a	No	1996
1009_02	<i>US 290 to SH 249</i>			
	bacteria	5a	No	1996
1009_03	<i>SH 249 to IH 45</i>			
	bacteria	5a	No	1996
1009_04	<i>IH 45 to confluence with Spring Creek</i>			
	bacteria	5a	No	1996

SegID: 1009C Faulkey Gully (unclassified water body)

Perennial stream from its confluence with Cypress Creek upstream 3.2 km, which is approximately 1.0 km upstream of Louetta Road

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1009C_01	From an unnamed lake 0.3 miles southeast of Telge Road to the confluence with Cypress Creek bacteria	5c	No	New

SegID: 1009D Spring Gully (unclassified water body)

Perennial stream from a point 1 km upstream of Louetta Road upstream to Spring Cypress Road

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1009D_01	Entire water body bacteria	5c	No	New

SegID: 1009E Little Cypress Creek

From the confluence with Cypress Creek upstream to Hwy 290A.

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1009E_01	Entire water body bacteria	5a	No	New

SegID: 1010 Caney Creek

From the confluence with the East Fork San Jacinto River in Harris County to SH 150 in Walker County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1010_02	FM 1097 to SH 105 bacteria	5a	No	New
1010_04	FM 2090 to lower segment boundary bacteria	5a	No	New

SegID: 1011 Peach Creek

From the confluence with Caney Creek in Montgomery County to SH 150 in Walker County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1011_02	US Hwy 59 to confluence with Caney Creek bacteria	5a	No	New

SegID: 1013 Buffalo Bayou Tidal

From a point 100 meters (110 yards) upstream of US 59 in Harris County to a point 400 meters (440 yards) upstream of Shepard Drive in Harris County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1013_01	Entire segment bacteria	5a	No	1996

SegID: 1013A Little White Oak Bayou (unclassified water body)

Perennial stream from the confluence with Whiteoak Bayou up to RR tracks north of IH 610

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1013A_01	From RR tracks north of IH 610 to Trimble St depressed dissolved oxygen bacteria	5c 5a	No No	2002 2002
1013A_02	From Trimble St to confluence with White Oak Bayou bacteria	5a	No	2002

SegID: 1013C Unnamed Non-Tidal Tributary of Buffalo Bayou Tidal (unclassified water body)

Located approximately 1.8 miles upstream of the Buffalo Bayou/White Oak Bayou confluence between IH-10 and Memorial Drive west of IH-45 in Harris County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1013C_01	Entire water body bacteria	5a	No	2002

SegID: 1014 Buffalo Bayou Above Tidal

From a point 400 meters (440 yards) upstream of Shepard Drive in Harris County to SH 6 in Harris County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1014_01	Entire segment bacteria	5a	No	1996

SegID: 1014A Bear Creek (unclassified water body)

Perennial stream from the confluence with South Mayde Creek upstream to the confluence with an unnamed tributary 1.24 km north of Logenbaugh Road

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1014A_01	<i>Confluence with South Mayde Creek to a point upstream of an unnamed tributary north of Langenbaugh Road</i> bacteria	5a	No	New

SegID: 1014B Buffalo Bayou (unclassified water body)

Perennial stream from SH 6 in Harris County upstream to the confluence with Willow Fork Buffalo Bayou in Fort Bend County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1014B_01	<i>From SH6 to the confluence with Willow Fork Buffalo Bayou</i> bacteria	5a	No	New

SegID: 1014E Langham Creek (unclassified water body)

Perennial stream from the confluence with Dinner Creek upstream to FM 529

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1014E_01	<i>Confluence with Bear Creek upstream to the confluence with Dinner Creek</i> bacteria	5a	No	New

SegID: 1014H South Mayde Creek (unclassified water body)

Perennial stream in the Addicks Reservoir flood pool area, from the confluence with Buffalo Bayou upstream to the confluence with an unnamed tributary 0.62 km east of Barker-Cypress Road.

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1014H_01	<i>From the confluence with Buffalo Bayou upstream to the confluence with an unnamed tributary 0.62 km east of Barker-Cypress Road</i> bacteria	5a	No	2002
1014H_02	<i>From the confluence with an unnamed tributary 0.62 km east of Barker-Cypress Road upstream to an unnamed tributary 1.05 km south of Clay Road</i> bacteria	5a	No	2002

SegID: 1014K Turkey Creek (unclassified water body)

Perennial stream from the confluence with South Mayde Creek in Harris County upstream to the headwaters south of Clay Road in Harris County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1014K_01	From the confluence with South Mayde Creek upstream to a point south of Clay Road bacteria	5a	No	2002
1014K_02	From south of Clay Road upstream to north of Tanner Road bacteria	5a	No	2002

SegID: 1014L Mason Creek (unclassified water body)

Perennial stream from the confluence with Buffalo Bayou upstream to channelization, 1.55 km south of Franz Road

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1014L_01	Confluence with Buffalo Bayou upstream to the channelization south of Franz Rd. bacteria	5a	No	New

SegID: 1014M Neimans Bayou (unclassified water body)

From confluence with Buffalo Bayou Above Tidal to upstream of IH 10

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1014M_01	Entire water body bacteria	5a	No	2002
	depressed dissolved oxygen	5c	No	2002

SegID: 1014N Rummel Creek (unclassified water body)

From confluence with Buffalo Bayou Above Tidal in Harris County to IH 10/Beltway 8 in Harris County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1014N_01	Entire water body bacteria	5a	No	2002

SegID: 1014O Spring Branch (unclassified water body)

From confluence with Buffalo Bayou in Harris County to Blalock Road in Harris County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1014O_01	Entire water body bacteria	5a	No	2002

SegID: 1016 Greens Bayou Above Tidal

From a point 0.7 km (0.4 miles) above the confluence of Halls Bayou in Harris County to a point 100 meters (110 yards) above FM 1960 in Harris County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1016_01	Upper segment boundary (FM 1960) to IH 45 bacteria	5a	No	1996
1016_02	IH 45 to US 59 bacteria	5a	No	1996
1016_03	US 59 to lower segment boundary at the Halls Bayou confluence bacteria	5a	No	1996

SegID: 1016A Garners Bayou (unclassified water body)

Perennial stream from the confluence with Williams Gully upstream to 1.5 km north of Atascocita Road

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1016A_02	From the confluence with Williams Gully upstream to 1.5 km north of Atascocita Road bacteria	5a	No	2002
1016A_03	From the confluence with Greens Bayou upstream to the confluence with Williams Gully bacteria	5a	No	2002

SegID: 1016B Unnamed Tributary of Greens Bayou (unclassified water body)

From confluence with Greens Bayou to Hirsch Road in Harris County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1016B_01	Entire water body bacteria	5a	No	2002

SegID: 1016C Unnamed Tributary of Greens Bayou (unclassified water body)

From the confluence with Greens Bayou, east of Aldine Westfield Road, to the Hardy Toll Road in Harris County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1016C_01	Entire water body			
	bacteria	5a	No	2002

SegID: 1016D Unnamed Tributary of Greens Bayou (unclassified water body)

From confluence with Greens Bayou, west of El Dorado Country Club to Lee Road, west of US Hwy 59 in Harris County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1016D_01	Entire water body			
	depressed dissolved oxygen	5c	No	2002
	bacteria	5a	No	2002

SegID: 1017 Whiteoak Bayou Above Tidal

From a point immediately upstream of the confluence of Little White Oak Bayou in Harris County to a point 3.0 km (1.9 miles) upstream of FM 1960 in Harris County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1017_01	Huffsmith Rd to the confluence with Vogel Creek			
	bacteria	5a	No	1996
1017_02	Vogel Creek to the Cole Creek confluence			
	bacteria	5a	No	1996
1017_03	Cole Creek confluence to the Brickhouse Gully confluence			
	bacteria	5a	No	1996
1017_04	Brickhouse Gully confluence to lower segment boundary			
	bacteria	5a	No	1996

SegID: 1017A Brickhouse Gully/Bayou (unclassified water body)

Perennial stream from the confluence with Whiteoak Bayou up to Gessner Road

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1017A_01	Entire water body			
	bacteria	5a	No	2002

SegID: 1017B Cole Creek (unclassified water body)

Perennial stream from the confluence with White Oak Bayou up to south of Beltway 8

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1017B_02	From Flintlock Street to confluence with White Oak Bayou bacteria	5a	No	2002

SegID: 1017D Unnamed Tributary of Whiteoak Bayou (unclassified water body)

From confluence with Whiteoak Bayou downstream of TC Jester, to Hempstead Hwy, north of US Hwy 290 in Harris County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1017D_01	Entire water body bacteria	5a	No	2002
	depressed dissolved oxygen	5c	No	2002

SegID: 1017E Unnamed Tributary of White Oak Bayou (unclassified water body)

From the confluence with White Oak Bayou, near W 11th Street, to just upstream of W 26th Street, south of Loop 610 W in Harris County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1017E_01	Entire water body bacteria	5a	No	2002

SegID: 1101 Clear Creek Tidal

From the confluence with Clear Lake at a point 3.2 km (2.0 miles) downstream of El Camino Real in Galveston/Harris County to a point 100 m (110 yards) upstream of FM528 in Galveston/Harris County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1101_01	Upper segment boundary to Chigger Creek confluence bacteria	5a	No	1996
1101_02	Chigger Creek confluence to IH 45 bacteria	5a	No	1996
1101_03	IH45 to Cow Bayou confluence bacteria	5a	No	1996

SegID: 1101B Chigger Creek (unclassified water body)

From the confluence of Clear Creek Tidal to the Brazos River Authority Canal near CR 143 in Galveston County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1101B_01	<i>From the headwaters to FM 528</i>			
	bacteria	5a	No	2002
1101B_02	<i>FM 528 to the confluence with Clear Creek</i>			
	bacteria	5a	No	2002

SegID: 1101D Robinson Bayou (unclassified water body)

From confluence with Clear Creek to 0.33 mile upstream of Webster Street in Galveston County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1101D_01	<i>From headwater to Abilene St.</i>			
	bacteria	5c	No	New
1101D_02	<i>From Abilene St. to confluence with Clear Lake</i>			
	bacteria	5c	No	New

SegID: 1102 Clear Creek Above Tidal

From a point 100 meters (110 yards) upstream of FM 528 in Galveston/Harris County to Rouen Road in Fort Bend County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1102_01	<i>Upper segment boundary (Rouen Road) to SH 288</i>			
	bacteria	5a	No	1996
	total dissolved solids	4a	No	2002
1102_02	<i>SH 288 to Hickory Slough confluence</i>			
	impaired fish community	5c	No	New
	impaired habitat	5c	No	New
	total dissolved solids	4a	No	2002
	bacteria	5a	No	1996
1102_03	<i>Hickory Slough confluence to Turkey Creek confluence</i>			
	bacteria	5a	No	1996
	total dissolved solids	4a	No	2002
1102_04	<i>Turkey Creek confluence to Mary's Creek confluence</i>			
	bacteria	5a	No	1996
	total dissolved solids	4a	No	2002
1102_05	<i>Mary's Creek confluence to lower segment boundary</i>			
	bacteria	5a	No	1996
	total dissolved solids	4a	No	2002

SegID: 1102A Cowart Creek (unclassified water body)

Intermittent stream with perennial pools from the confluence with Clear Creek in Galveston County to SH 35 in Brazoria County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1102A_01	Sunset Drive to SH35 bacteria	5a	No	2002
1102A_02	Confluence with Clear Creek to Sunset Drive bacteria	5a	No	2002

SegID: 1102B Mary's Creek/ North Fork Mary's Creek (unclassified water body)

Perennial stream from the confl. with Clear Creek upstrm to confl. with N. and S. Fork Mary's Creek near FM 1128, approx. 5 km SW of Pearland. Includes perennial portion of N. Fork Mary's Creek to confl. with unnamed trib approx. 3.2 km upstrm of FM 1128

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1102B_01	Entire water body bacteria	5a	Yes	2002

SegID: 1102C Hickory Slough (unclassified water body)

From approximately 0.3 miles upstream of CR 92 to the confluence with Clear Creek.

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1102C_01	From confluence with Clear Creek to (approx. 0.3 miles) upstream of CR 93 bacteria	5c	No	New

SegID: 1102D Turkey Creek (unclassified water body)

From IH 45 to confluence with Clear Creek

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1102D_01	Confluence with Clear Creek to IH 45 bacteria	5c	No	New

SegID: 1102E Mud Gully (unclassified water body)

From Beamer Rd to the confluence with Clear Creek

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1102E_01	Beamer Road to confluence with Clear Creek bacteria	5c	No	New

SegID: 1103 Dickinson Bayou Tidal

From the confluence with Dickinson Bay 2.1 km (1.3 miles) downstream of SH 146 in Galveston County to a point 4.0 km (2.5 miles) downstream of FM 517 in Galveston County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1103_01	<i>From 25 miles downstream of FM 517 to the Bordens Gully confluence</i>			
	depressed dissolved oxygen	5a	No	1996
	bacteria	5a	No	1996
1103_02	<i>From the Bordens Gully confluence to the Benson Bayou confluence</i>			
	bacteria	5a	No	1996
	depressed dissolved oxygen	5a	No	1996
1103_03	<i>From the Benson Bayou confluence to the confluence with Gum Bayou</i>			
	bacteria	5a	No	1996
	depressed dissolved oxygen	5a	No	1996

SegID: 1103A Bensons Bayou (unclassified water body)

From the confluence with Dickinson Bayou Tidal to 0.37 miles upstream of FM 646 in Galveston County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1103A_01	<i>From confluence with Dickinson Bayou Tidal to 0.37 miles upstream of FM 646</i>			
	bacteria	5c	No	2002

SegID: 1103B Bordens Gully (unclassified water body)

From confluence with Dickinson Bayou Tidal to upstream of Calder Road in Galveston County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1103B_01	<i>Entire water body</i>			
	bacteria	5a	No	2002

SegID: 1103C Geisler Bayou (unclassified water body)

From confluence with Dickinson Bayou tidal to IH 45 in Galveston County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1103C_01	<i>Entire water body</i>			
	bacteria	5a	No	2002

SegID: 1104 Dickinson Bayou Above Tidal

From a point 4.0 km (2.5 miles) downstream of FM 517 in Galveston County to FM 528 in Galveston County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1104_01	<i>From lower segment boundary upstream to FM 517</i>			
	bacteria	5a	No	1996
	depressed dissolved oxygen	5c	No	New
	depressed dissolved oxygen	5c	No	New
1104_02	<i>From lower segment boundary upstream to FM 517</i>			
	bacteria	5a	No	1996

SegID: 1110 Oyster Creek Above Tidal

From a point 100 meters (110 yards) upstream of FM 2004 in Brazoria County to the Brazos River Authority diversion dam 1.8 km (1.1 miles) upstream of SH 6 in Fort Bend County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1110_02	<i>4 mi upstream South Texas Water Co. Canal to just above Ramsey Prison Unit</i>			
	bacteria	5c	No	New
1110_03	<i>From just upstream of Ramsey Prison Unit (Cow Cr) to CR 290/S Walker St.</i>			
	depressed dissolved oxygen	5b	No	1996
	bacteria	5c	No	New

SegID: 1113 Armand Bayou Tidal

From the confluence with Clear Lake (at NASA Road 1 bridge) in Harris County to a point 0.8 km (0.5 miles) downstream of Genoa-Red Bluff road in Pasadena in Harris County (includes Mud Lake)

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1113_01	<i>Upper segment boundary to confluence with Big Island Slough</i>			
	depressed dissolved oxygen	5b	No	1996
1113_02	<i>Big Island Slough confluence to Horsepen Bayou confluence</i>			
	depressed dissolved oxygen	5b	No	1996
	bacteria	5c	No	New

SegID: 1113A Armand Bayou Above Tidal (unclassified water body)

From a point 0.8 km (0.5 miles) downstream of Genoa-Red Bluff Road in Pasadena in Harris County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1113A_01	<i>0.5 miles downstream of Genoa Red Bluff to Preston Road</i>			
	bacteria	5c	No	1998
	depressed dissolved oxygen	5c	Yes	1998

SegID: 1113B Horsepen Bayou (unclassified water body)

From SH3 to the confluence of Armand Bayou Tidal

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1113B_01	Confluence with Armand Bayou to SH 3 bacteria	5c	No	New

SegID: 1202H Allen's Creek (unclassified water body)

From the confluence with the Brazos River, two miles northeast of Wallis, to the headwaters one mile north of IH 10 in Austin County.

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1202H_01	Entire water body bacteria	5c	No	2002

SegID: 1202J Big Creek (unclassified water body)

From the confluence of Cottonwood and Coon Creeks, 5 miles north of Needville in Fort Bend County, downstream to the confluence with the Brazos River

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1202J_01	Upstream portion of water body to Whaley-Longpoint Road bacteria	5c	No	2002
	impaired habitat	5b	No	New
	impaired fish community	5b	No	New

SegID: 1206 Brazos River Below Possum Kingdom Lake

From a point 100 meters (110 yards) upstream of FM 2580 in Parker County to Morris Shepard Dam in Palo Pinto County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1206_01	Downstream portion of segment chloride	5b	No	New
1206_02	Middle Portion of Segment chloride	5b	No	New
1206_03	Upstream portion of segment chloride	5b	No	New

SegID: 1209 Navasota River Below Lake Limestone

From the confluence with the Brazos River in Grimes County to Sterling C. Robertson Dam in Leon/Robertson County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1209_02	From confluence with Rocky Creek to confluence with Sandy Branch bacteria	5a	No	2002
1209_05	From confluence with Camp Creek to 25 miles upstream bacteria	5a	No	2002

SegID: 1209A Country Club Lake (unclassified water body)

From the Country Club Branch Dam up to normal pool elevation in Bryan in Brazos County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1209A_01	Entire reservoir toxic sediment (LOE)	5c	No	1999

SegID: 1209B Fin Feather Lake (unclassified water body)

From Fin Feather Dam up to normal pool elevation in northwest Bryan in Brazos County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1209B_01	Entire reservoir toxic sediment (LOE)	5c	No	2000

SegID: 1209C Carters Creek (unclassified water body)

Perennial stream from the confluence with the Navasota River southeast of College Station in Brazos County upstream to the confluence of an unnamed tributary 0.5 km upstream of FM 158 in Brazos County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1209C_01	Entire water body bacteria	5a	No	1999

SegID: 1209D Country Club Branch (unclassified water body)

From the confluence with Country Club Lake in Bryan in Brazos County to the dam at Fin Feather Lake in Bryan

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1209D_01	entire water body bacteria	5c	No	New

SegID: 1209E Wickson Creek (unclassified water body)

Perennial stream from the confluence with an unnamed first order tributary (approximately 1.3 km upstream of Reliance Road crossing) upstream to the confluence with an unnamed first order tributary approximately 15 meters upstream of Dilly Shaw Road

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1209E_01	Entire water body bacteria	5c	No	New

SegID: 1209G Cedar Creek (unclassified water body)

From the confluence with the Navasota River in Brazos County to the confluence with Moores Branch and Rocky Branch in Robertson County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1209G_01	Entire water body bacteria	5c	No	2002

SegID: 1209H Duck Creek (unclassified water body)

From the confluence with the Navasota river in Robertson County to Twin Oak Reservoir dam in Robertson County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1209H_01	From the lower end of the creek to FM 2096 bacteria	5c	No	New
1209H_02	From FM 2096 to Twin Oak Reservoir dam bacteria	5c	No	New

SegID: 1209I Gibbons Creek (unclassified water body)

From confluence with Navasota River in Grimes County to SH 90 in Grimes County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1209I_01	From lower end to confluence with Dry Creek bacteria	5c	No	2002

SegID: 1209J Shepherd Creek (unclassified water body)

From the confluence with the Navasota River in Madison County to a point 0.7 miles upstream of FM 1452 in Madison County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1209J_01	Entire water body bacteria	5c	No	2002

SegID: 1209K Steele Creek (unclassified water body)

From confluence with Navasota River in Robertson County to a point 2.4 miles upstream of FM 147 in Limestone County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1209K_02	From the confluence with Willow Creek upstream to the end of the water body bacteria	5c	No	2002

SegID: 1209L Burton Creek (unclassified water body)

From the confluence with Carters Creek in College Station, upstream to its headwaters located 0.4 miles east of Fin Feather Lake in Brazos County.

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1209L_01	entire water body bacteria	5c	No	New

SegID: 1210A Navasota River above Lake Mexia (unclassified water body)

From the confluence with the headwaters of Lake Mexia in Limestone County to a point 1.25 miles upstream of SH 31 in Hill County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1210A_01	Entire water body bacteria	5c	No	2002

SegID: 1211A Davidson Creek (unclassified water body)

Intermittent stream with perennial pools from the confluence with Yegua Creek to 0.2 km above SH 21 near Caldwell in Burleson County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1211A_02	Upper 25 miles bacteria	5c	No	2002

SegID: 1212 Somerville Lake

From Somerville Dam in Burleson/Washington County up to normal pool elevation of 238 feet (impounds Yegua Creek)

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1212_01	Eastern end of reservoir near dam pH	5c	Yes	2002
1212_03	Middle of reservoir near Birch Creek State Park pH	5c	No	2002

SegID: 1212B East Yegua Creek (unclassified water body)

From the confluence with Middle Yegua and Yegua Creeks southeast of Dime Box in Lee County to the upstream portion of the stream, south of Alcoa Lake in Milam County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1212B_01	Lower 25 miles bacteria	5c	Yes	2002

SegID: 1213 Little River

From the confluence with the Brazos River in Milam County to the confluence of the Leon River and the Lampasas River in Bell County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1213_01	From the confluence with Brazos River upstream to confluence with City of Cameron WWTP receiving water bacteria	5c	No	New

SegID: 1214 San Gabriel River

From the confluence with the Little River in Milam County to Granger Lake Dam in Williamson County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1214_01	From confluence with Little River upstream to confl. with Alligator Creek bacteria	5a	No	New
	sulfate	5c	No	New
1214_02	From confluence with Alligator Creek upstream to Lake Granger sulfate	5c	No	New

SegID: 1215 Lampasas River Below Stillhouse Hollow Lake

From the confluence with the Leon River in Bell County to Stillhouse Hollow Lake Dam in Bell County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1215_01	Entire segment bacteria	5c	No	New

SegID: 1217 Lampasas River Above Stillhouse Hollow Lake

From a point immediately upstream of the confluence of Rock Creek in Bell County to FM 2005 in Hamilton County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1217_04	From the FM 1690 crossing to the CR 117 crossing bacteria	5c	Yes	2002

SegID: 1217D North Fork Rocky Creek (unclassified water body)

From its confluence with South Rocky Creek, upstream to its headwaters 7 miles west of US Hwy 183 in Burnet County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1217D_01	entire water body depressed dissolved oxygen	5b	No	New

SegID: 1218 Nolan Creek/ South Nolan Creek

From the confluence with the Leon River in Bell County to a point 100 meters (110 yards) upstream to the most upstream crossing of US 190 and Loop 172 in Bell County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1218_01	Entire segment bacteria	5a	No	1996

SegID: 1220A Cowhouse Creek (unclassified water body)

From the confluence of Belton Lake in Bell County south of Gatesville in Coryell County to the upstream perennial portion of the stream north of Goldthwaite in Mills County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1220A_03	Upstream portion of water body bacteria	5c	No	New

SegID: 1221 Leon River Below Proctor Lake

From a point 100 meters (110 yards) upstream of FM 236 in Coryell County to Proctor Dam in Comanche County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1221_01	<i>Directly upstream of Lake Belton</i>			
	bacteria	5a	No	1996
1221_02	<i>Portion directly downstream of City of Gatesville WWTP</i>			
	bacteria	5a	No	1996
1221_05	<i>From confluence with Pecan Creek, upstream to confluence with South Leon Creek</i>			
	bacteria	5a	No	1996
1221_06	<i>From confluence with South Leon Creek upstream to confluence with Walnut Creek</i>			
	bacteria	5a	No	1996
1221_07	<i>From the confluence with Walnut Creek upstream to Lake Proctor</i>			
	bacteria	5a	No	1996

SegID: 1221A Resley Creek (unclassified water body)

From the confluence of the Leon River east of Gustine in Comanche County to the upstream perennial portion of the stream north of Gustine in Comanche County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1221A_01	<i>Downstream portion, from confluence with Leon River upstream to conf. with unnamed tributary, approx. 1.0 mile N. of Comanche County Line</i>			
	bacteria	5c	No	2004
	depressed dissolved oxygen	5c	No	New
1221A_02	<i>From confluence with unnamed tributary, upstream to end of water body, approx. 1.0 mile north west of Dublin</i>			
	bacteria	5c	No	2004

SegID: 1221B South Leon River (unclassified water body)

From the confluence of the Leon River south of Gustine in Comanche County to the upstream perennial portion of the stream south of Comanche in Comanche County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1221B_01	<i>Entire water body</i>			
	bacteria	5c	No	New

SegID: 1221C Pecan Creek (unclassified water body)

Perennial stream from the confluence with the Leon River upstream to the confluence with an unnamed tributary approximately 3.5 km upstream of SH 36 near the City of Hamilton

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1221C_01	Entire water body bacteria	5c	No	New

SegID: 1221D Indian Creek (unclassified water body)

Perennial stream from an unnamed second order tributary (approximately 0.7 km downstream of Live Oak Street crossing) upstream to the confluence with Bachelor Prong Creek

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1221D_01	From confluence with Leon River, upstream to confluence with Armstrong Creek bacteria	5c	No	New
1221D_02	From confluence with Armstrong Creek upstream to headwaters of water body bacteria	5c	No	New

SegID: 1221F Walnut Creek (unclassified water body)

From its confluence with Leon River upstream to its headwaters 2.4 miles west of Dublin in Erath County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1221F_01	entire water body bacteria	5c	No	New

SegID: 1222A Duncan Creek (unclassified water body)

From the confluence of Proctor Lake northeast of Comanche in Comanche County to the upstream perennial portion of the stream west of Comanche in Comanche County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1222A_01	Entire creek bacteria	5c	No	1999

SegID: 1222B Rush-Copperas Creek (unclassified water body)

From the confluence of Proctor Lake northeast of Comanche in Comanche County to the upstream perennial portion of the stream northwest of Comanche in Comanche County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1222B_01	Entire water body bacteria	5c	No	New

SegID: 1222C Sabana River (unclassified water body)

From the confluence of Proctor Lake northeast of Comanche in Comanche County to the upstream perennial portion of the stream northwest of Rising Star in Eastland County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1222C_01	Downstream portion of segment bacteria	5c	No	New

SegID: 1222E Sweetwater Creek (unclassified water body)

From its confluence with Copperas Creek, upstream to its headwaters, 6.3 miles west of Comanche in Comanche County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1222E_01	entire water body bacteria	5c	No	New

SegID: 1223 Leon River Below Leon Reservoir

From a point immediately upstream of the confluence of Mill Branch in Comanche County to Leon Dam in Eastland County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1223_01	Entire Segment bacteria	5c	No	New

SegID: 1223A Armstrong Creek (unclassified water body)

From its confluence with the Leon River downstream of Leon Reservoir, upstream to its headwaters in Erath County 6.2 miles east of State Hwy 16.

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1223A_01	entire water body bacteria	5c	No	New

SegID: 1226 North Bosque River

From a point 100 meters (110 yards) upstream of FM 185 in McLennan County to a point immediately above the confluence of Indian Creek in Erath County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1226_03	Portion of segment near Meridian excessive algal growth	4a	No	1996
1226_04	Upstream portion of segment near Hico excessive algal growth	4a	No	1996

SegID: 1226B Green Creek (unclassified water body)

From the confluence of the North Bosque River south of Clairette in Erath County to the upstream perennial portion of the stream south of Stephenville in Erath County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1226B_01	Entire water body depressed dissolved oxygen	5c	No	New

SegID: 1226E Indian Creek (unclassified water body)

From the confluence with the North Bosque River in Erath County to the headwaters 3.5 miles east of Stephenville in Erath County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1226E_01	Entire water body bacteria	5c	Yes	2002

SegID: 1226F Sims Creek (unclassified water body)

From the confluence with the North Bosque River in Erath County to the headwaters 6 miles southeast of Stephenville in Erath County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1226F_01	Entire water body bacteria	5c	Yes	2002

SegID: 1226K Little Duffau Creek (unclassified water body)

From its confluence with Duffau Creek, upstream to its headwaters 2.4 miles south west of US 67 in Erath County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1226K_01	entire water body bacteria	5c	No	New

SegID: 1227 Nolan River

From a point immediately upstream of the confluence of Rock Creek in Hill County to Cleburne Dam in Johnson County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1227_01	<i>Downstream portion, including Mustang Creek confluence</i>			
	total dissolved solids	5b	No	New
	chloride	5b	No	New
	sulfate	5b	No	2002
1227_02	<i>Upstream portion, to Lake Pat Cleburne</i>			
	chloride	5b	No	New
	sulfate	5b	No	2002
	total dissolved solids	5b	No	New

SegID: 1231 Lake Graham

From Graham Dam and Eddleman Dam in Young County up to the normal pool elevation of 1076.3 feet (impounds Salt Creek and Flint Creek)

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1231_01	<i>Entire segment</i>			
	total dissolved solids	5c	No	New

SegID: 1232B Deadman Creek (unclassified water body)

From the confluence of the Clear Fork Brazos River south of Lueders in Jones County to the upstream perennial portion of the stream north of Hamby in Jones County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1232B_01	<i>From the confluence with Clear Fork Brazos, upstream to city of Abilene WWTP receiving water</i>			
	bacteria	5c	No	New

SegID: 1238 Salt Fork Brazos River

From the confluence of the Double Mountain Fork Brazos River in Stonewall County to the most upstream crossing of SH 207 in Crosby County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1238_01	<i>25 miles near Hwy 83</i>			
	chloride	5b	No	2002
1238_02	<i>25 miles near Hwy 380 at Swenson</i>			
	chloride	5b	No	2002
1238_03	<i>Remainder of segment</i>			
	chloride	5b	No	2002

SegID: 1240 White River Lake

From White River Dam in Crosby County up to normal pool elevation of 2369 feet (impounds White River)

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1240_01	<i>Entire segment</i>			
	chloride	5c	No	2002
	sulfate	5c	No	New
	total dissolved solids	5c	No	New

SegID: 1241 Double Mountain Fork Brazos River

From the confluence with the Salt Fork Brazos River in Stonewall County to the confluence of the North Fork Double Mountain Fork Brazos River in Kent County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1241_01	<i>25 miles near Hwy 83</i>			
	total dissolved solids	5c	No	New
	chloride	5c	No	New

SegID: 1241A North Fork Double Mountain Fork Brazos River (unclassified water body)

Perennial stream from the confluence with Double Mountain Fork Brazos River to the dam forming Lake Ransom Canyon

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1241A_02	<i>Upstream portion, from confluence with Yellow House Draw to Lake Buffalo Springs</i>			
	bacteria	5c	No	2004

SegID: 1242B Cottonwood Branch (unclassified water body)

Intermittent stream with perennial pools from the confluence with Still Creek upstream 0.95 km to the confluence with an unnamed tributary

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1242B_01	<i>Downstream portion, downstream of Sanderson Farms receiving water</i>			
	bacteria	5c	No	New

SegID: 1242C Still Creek (unclassified water body)

Perennial stream from the confluence with Thompsons Creek upstream to the confluence with Cottonwood Branch

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1242C_01	<i>Downstream of Bryan WWTP</i>			
	bacteria	5c	No	New
1242C_02	<i>Portion upstream of city of Bryan WWTP</i>			
	bacteria	5c	No	New

SegID: 1242D Thompson Creek (unclassified water body)

Intermittent stream with perennial pools from the confluence with the Brazos River upstream to the confluence with Thompson Branch north of FM 1687

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1242D_01	<i>Portion downstream of the confluence with Still Creek</i>			
	bacteria	5c	No	2002
1242D_02	<i>Portion of segment upstream of confluence with Still Creek</i>			
	bacteria	5c	No	2002
	depressed dissolved oxygen	5c	No	New

SegID: 1242I Campbells Creek (unclassified water body)

From the confluence with the Little Brazos River upstream to the headwaters, one mile west of Old San Antonio Road

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1242I_01	<i>Entire water body</i>			
	bacteria	5c	Yes	2002

SegID: 1242J Deer Creek (unclassified water body)

From the confluence with the Brazos River upstream to the confluence of West Fork Deer Creek and East Fork Deer Creek in Falls County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1242J_01	<i>Entire water body</i>			
	bacteria	5c	No	New

SegID: 1242K Mud Creek (unclassified water body)

From confluence with the Little Brazos River, upstream to the confluence with Touchstone Branch and Wolf Den Branch, in Robertson County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1242K_01	Entire water body bacteria	5c	No	2002

SegID: 1242L Pin Oak Creek (unclassified water body)

From the confluence with the Little Brazos River in Robertson County upstream to the headwaters, 2.07 miles south of Franklin

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1242L_01	Entire water body bacteria	5c	No	2002

SegID: 1242M Spring Creek (unclassified water body)

From the confluence with the Little Brazos River in Robertson County, upstream to the headwaters, 1.5 miles north of FM 391

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1242M_01	Entire water body bacteria	5c	No	2002

SegID: 1242N Tehuacana Creek (unclassified water body)

From the confluence with the Brazos River in McLennan county upstream to the headwaters 2 miles south of Penelope in Hill County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1242N_01	Downstream portion of water body, from confluence with Brazos River upstream to confl. with Little Tehuacana Creek bacteria	5c	No	2002

SegID: 1242O Walnut Creek (unclassified water body)

From the confluence with the Little Brazos River in Robertson County, upstream to the headwaters, one mile south of White Rock

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1242O_01	Entire water body bacteria	5c	No	New

SegID: 1242P Big Creek (unclassified water body)

From the confluence with Little Brazos River in Falls County upstream to the confluence with unnamed creeks near Mart in the northeast corner of Falls County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1242P_01	Downstream portion of water body bacteria	5c	No	2002

SegID: 1244 Brushy Creek

From the confluence with the San Gabriel River in Milam County to the confluence of South Brushy Creek in Williamson County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1244_03	From confluence with Cottonwood Branch upstream to City of Round Rock WWTP outfall bacteria	5a	No	New
1244_04	From immediately upstream of City of Round Rock WWTP outfall upstream to end of segment bacteria	5a	No	New

SegID: 1245 Upper Oyster Creek

From Steep Bank Creek/Brazos River confluence in Fort Bend County to pumping station on Jones Creek confluence at Brazos River in Fort Bend County (includes portions of Steep Bank Creek, Flat Bank Creek, and Jones Creek)

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1245_01	From the confluence with the Brazos River upstream to Dam #3 bacteria	5a	No	1996
	depressed dissolved oxygen	5a	No	1996
1245_02	From Dam #3 upstream to Harmon St. crossing in Sugar Land bacteria	5a	No	1996
	depressed dissolved oxygen	5a	No	1996
1245_03	From Harmon St. crossing in Sugar Land upstream to the end of the segment bacteria	5a	No	1996
	depressed dissolved oxygen	5a	No	1996

SegID: 1245C Bullhead Bayou (unclassified water body)

From its confluence with Steep Bank Creek in Fort Colony, upstream to its headwaters in Pecan Grove in Fort Bend County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1245C_01	Entire water body bacteria	5c	No	New

SegID: 1245D Unnamed tributary of Bullhead Bayou (unclassified water body)

Tributary to Bullhead Bayou in Fort Bend County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1245D_01	Entire water body bacteria	5c	No	New

SegID: 1246E Wasp Creek (unclassified water body)

From the confluence with Tonk Creek in Crawford in McLennan County, upstream to the headwaters in Coryell County, 0.15 mile east of FM 185

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1246E_01	Entire water body bacteria	5c	No	2002

SegID: 1247A Willis Creek (unclassified water body)

From the confluence with the headwaters of Granger Lake in Williamson County to CR 313 in Williamson County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1247A_01	Entire water body bacteria	5c	No	2002

SegID: 1248C Mankins Branch (unclassified water body)

Perennial stream from the confluence with the San Gabriel River in Williamson County to the intersection of CR 105 and 104 in Williamson County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1248C_01	Entire water body bacteria	5c	No	2004

SegID: 1255 Upper North Bosque River

From a point immediately above the confluence of Indian Creek in Erath County to the confluence of the North Fork and South Fork of the Bosque River in Erath County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1255_01	<i>Lower portion of segment downstream of Stephenville</i>			
	bacteria	5c	No	1996
	excessive algal growth	4a	No	1996
1255_02	<i>Upper portion of segment, upstream of Stephenville</i>			
	bacteria	5c	No	1996
	excessive algal growth	4a	No	1996

SegID: 1255A Goose Branch (unclassified water body)

From the confluence with the south fork of the North Bosque River 2.5 miles (4.0 km) west of Stephenville, upstream to the headwaters 0.5 miles (0.8 km) north of FM 8 in Erath County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1255A_01	<i>Entire water body</i>			
	bacteria	5c	No	2002

SegID: 1255B North Fork Upper North Bosque River (unclassified water body)

From the confluence with the South Fork of the Upper North Bosque River in Stephenville, upstream to the headwaters, 2.0 miles north of FM 219

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1255B_01	<i>Entire water body</i>			
	bacteria	5c	No	2002

SegID: 1255C Scarborough Creek (unclassified water body)

From the confluence with the North Fork of the upper North Bosque River, upstream to the headwaters 0.1 miles (0.2 km) southeast of FM 219 in Erath County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1255C_01	<i>Entire water body</i>			
	bacteria	5c	Yes	2002

SegID: 1255E Unnamed tributary of Goose Branch (unclassified water body)

From the confluence with Goose Branch in Erath County to its headwaters, 0.2 miles southeast of the intersection of FM 8 and Farm Road 1219

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1255E_01	Entire water body			
	bacteria	5c	Yes	2002

SegID: 1255F Unnamed tributary of Scarborough Creek (unclassified water body)

From the confluence with Scarborough Creek, 1.0 mile west of SH 108 in Erath County, upstream to the headwaters, 0.3 mile north of FM 219

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1255F_01	Entire water body			
	bacteria	5c	Yes	2002

SegID: 1255G Woodhollow Branch (unclassified water body)

From the confluence with the South Fork of the North Bosque River, 6 miles northwest of Stephenville, upstream to the headwaters, 1.5 miles north of FM 219 in Erath County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1255G_01	Entire water body			
	bacteria	5c	Yes	2002

SegID: 1301 San Bernard River Tidal

From the confluence with the Intracoastal Waterway in Brazoria County to a point 3.2 km (2.0 miles) upstream of SH 35 in Brazoria County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1301_01	Entire Segment			
	bacteria	5c	No	New

SegID: 1302 San Bernard River Above Tidal

From a point 3.2 km (2.0 miles) upstream of SH 35 in Brazoria County to the county road southeast of New Ulm in Austin County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1302_01	Lower 25 miles of segment bacteria	5c	No	2002
1302_02	25 miles from just upstream of FM 442 to downstream of US 90A bacteria	5c	No	2002
1302_03	25 miles from downstream of US 90A to upstream of FM 3013 bacteria	5c	No	2002

SegID: 1302A Gum Tree Branch (unclassified water body)

From the confluence with West Bernard Creek near Wharton CR 252 to the headwaters approximately 15 miles upstream near RR 102

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1302A_01	The entire 15 miles of the segment bacteria	5c	No	New

SegID: 1302B West Bernard Creek (unclassified water body)

From the confluence with the San Bernard River Above Tidal downstream of US highway 59 to the headwaters approximately 40 miles upstream near FM 1093

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1302B_01	Lower 15 miles of segment depressed dissolved oxygen	5c	No	New
1302B_02	Upper 25 miles of segment bacteria	5c	No	New

SegID: 1304 Caney Creek Tidal

From the confluence with the Intracoastal Waterway in Matagorda County to a point 1.9 km (1.2 miles) upstream of the confluence of Linnville Bayou in Matagorda County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1304_01	Lower 25 miles of segment bacteria	5c	No	New

SegID: 1305 Caney Creek Above Tidal

From a point 1.9 km (1.2 miles) upstream of the confluence of Linnville Bayou in Matagorda County to Old Caney Road in Wharton County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1305_02	25 miles surrounding SH 35			
	bacteria	5c	No	2002
	depressed dissolved oxygen	5b	No	1999

SegID: 1401 Colorado River Tidal

From the confluence with the Gulf of Mexico in Matagorda County to a point 2.1 km (1.3 miles) downstream of the Missouri-Pacific Railroad in Matagorda County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1401_01	Entire segment			
	bacteria	5c	No	New

SegID: 1402A Cummins Creek (unclassified water body)

Perennial stream from the confluence with the Colorado River upstream to the confluence of Boggy Creek at 1291 in Colorado County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1402A_01	From the confluence with the Colorado River upstream to the confluence of Boggy Creek at FM 1291 in Colorado County			
	impaired fish community	4c	No	2002
	impaired habitat	4c	No	New
	impaired macrobenthos community	4c	No	2002

SegID: 1403 Lake Austin

From Tom Miller Dam in Travis County to Mansfield Dam in Travis County, up to normal pool elevation of 492.8 feet (impounds Colorado River)

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1403_03	Quinlan Park upstream to Mansfield Dam			
	depressed dissolved oxygen	4c	No	1996

SegID: 1403A Bull Creek (unclassified water body)

From the confluence of Lake Austin in northwest Austin in Travis County to the upstream perennial portion of the stream north of Austin in Travis County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1403A_04	From Spicewood Springs Rd. crossing near Yaupon Dr. upstream to the Spicewood Springs Dr. crossing near Oak Grove cemetery impaired macrobenthos community	5c	Yes	2002

SegID: 1403J Spicewood Tributary to Shoal Creek (unclassified water body)

From the MoPac Expressway in north Austin in Travis County to a point west of Hart Lane in Travis County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1403J_01	Entire water body bacteria	5c	Yes	2002

SegID: 1403K Taylor Slough South (unclassified water body)

Form the confluence of Lake Austin in Travis County to a point west of Pecos Street in Austin in Travis County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1403K_01	Entire water body bacteria	5c	No	2002

SegID: 1403R Westlake-Davenport Tributary to Lake Austin (unclassified water body)

From the confluence of Lake Austin in Travis County to a point east of Loop 360 and The High Road in Travis County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1403R_01	Entire water body bacteria	5c	No	New

SegID: 1411 E. V. Spence Reservoir

From Robert Lee Dam in Coke County to a point immediately upstream of the confluence of Little Silver Creek in Coke County, up to the normal pool elevation of 1898 feet (impounds Colorado River)

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1411_01	<i>Main pool from the dam upstream to the Rough Creek confluence area</i>			
	chloride	4b	No	New
	total dissolved solids	4a	No	1996
	sulfate	4a	No	1996
1411_02	<i>From the Rough Creek confluence area upstream to the confluence of Little Silver Creek</i>			
	chloride	4b	No	New
	sulfate	4a	No	1996
	total dissolved solids	4a	No	1996

SegID: 1414 Pedernales River

From a point immediately upstream of the confluence of Fall Creek in Travis County to FM 385 in Kimble County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1414_05	<i>Gellermann Lane to Live Oak Creek</i>			
	bacteria	5c	No	New

SegID: 1416A Brady Creek (unclassified water body)

From the confluence of the San Saba River southwest of San Saba in San Saba County to Brady Lake Dam west of Brady in McCulloch County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1416A_03	<i>From FM 714 upstream to Brady Lake dam</i>			
	depressed dissolved oxygen	5c	No	2004

SegID: 1420 Pecan Bayou Above Lake Brownwood

From a point 100 meter (110 yards) upstream of FM 2559 in Brown County to the confluence of the North Prong Pecan Bayou and the South Prong of Pecan Bayou in Callahan County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1420_01	<i>Lower 25 miles</i>			
	depressed dissolved oxygen	5c	Yes	1999

SegID: 1421 Concho River

From a point 2 km (1.2 miles) above the confluence of Fuzzy Creek in Concho County to San Angelo Dam on the North Concho River in Tom Green County and to Nasworthy Dam on the South Concho River in Tom Green County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1421_07	From the dam near Vines Road upstream to the confluence of the North Concho River and the South Concho River impaired macrobenthos community	5c	Yes	2002

SegID: 1425 O. C. Fisher Lake

From San Angelo Dam in Tom Green County up to normal pool elevation of 1908 feet (impounds North Concho River)

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1425_01	Entire reservoir			
	total dissolved solids	5c	No	2002
	chloride	5c	No	2002

SegID: 1426 Colorado River Below E. V. Spence Reservoir

From a point 3.7 km (2.3 miles) below the confluence of Mustang Creek in Runnels County to Robert Lee Dam in Coke County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1426_01	Lower end of segment to Country Club Lake			
	chloride	5a	No	2002
	total dissolved solids	5a	No	1999
1426_02	Country Club Lake to Coke County line			
	chloride	5a	No	2002
	total dissolved solids	5a	No	1999
1426_03	Coke County line to SH 208			
	total dissolved solids	5a	No	1999
	chloride	5a	No	2002
1426_04	SH 208 to dam			
	total dissolved solids	5a	No	1999
	chloride	5a	No	2002

SegID: 1427A Slaughter Creek (unclassified water body)

Intermittent stream with perennial pools from the confluence with Onion Creek to above US 290 west of Austin

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1427A_01	Entire water body impaired macrobenthos community	5b	Yes	2002

SegID: 1428 Colorado River Below Town Lake

From a point 100 meters (110 yards) upstream of FM 969 near Utley in Bastrop County to Longhorn Dam in Travis County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1428_03	Walnut Creek to Longhorn Dam bacteria	5c	No	New

SegID: 1428B Walnut Creek (unclassified water body)

From the confluence of the Colorado River in east Austin in Travis County to the upstream perennial portion of the stream in north Austin in Travis County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1428B_01	From the Colorado River upstream to FM 969 bacteria	5c	No	New
1428B_03	From old Manor Road upstream to Dessau Road bacteria	5c	No	New

SegID: 1428C Gilleland Creek (unclassified water body)

Perennial stream and intermittent stream with perennial pools from the confluence with the Colorado River up to the spring source (Ward Spring) northwest of Pflugerville, in Travis County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1428C_01	From the Colorado River upstream to Taylor Lane bacteria	5a	No	1999

SegID: 1429B Eanes Creek (unclassified water body)

From the confluence of Town Lake in central Austin in Travis County to the upstream perennial portion of the stream in west Austin in Travis County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1429B_01	Entire water body bacteria	5c	Yes	1999

SegID: 1429C Waller Creek (unclassified water body)

From the confluence of Town Lake in central Austin in Travis County to the upstream portion of the stream in north Austin in Travis County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1429C_01	<i>From the confluence with Town Lake to East MLK Blvd.</i>			
	bacteria	5c	No	2004
	impaired macrobenthos community	5c	Yes	2002
1429C_03	<i>Upper portion of creek</i>			
	bacteria	5c	No	2004

SegID: 1431 Mid Pecan Bayou

From a point immediately upstream of the confluence of Mackinnally Creek in Brown County to a point immediately upstream of Willis Creek in Brown County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1431_01	<i>Entire water body</i>			
	bacteria	5c	No	New

SegID: 1501 Tres Palacios Creek Tidal

From the confluence with Tres Palacios Bay in Matagorda County to a point 1.0 km (0.6 miles) upstream of the confluence of Wilson creek in Matagorda County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1501_01	<i>Entire segment</i>			
	bacteria	5c	No	New
	depressed dissolved oxygen	5b	No	1996

SegID: 1502 Tres Palacios Creek Above Tidal

From a point 1.0 km (0.6 miles) upstream of the confluence of Wilson Creek in Matagorda County to US 59 in Wharton County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1502_01	<i>Middle 23 miles of segment</i>			
	bacteria	5c	No	1996

SegID: 1602 Lavaca River Above Tidal

From a point 8.6 km (5.3 miles) downstream of US 59 in Jackson County to a point 5.5 km (3.4 miles) upstream of SH 95 in Lavaca County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1602_01	Upper 29 miles of segment depressed dissolved oxygen	5b	Yes	2004

SegID: 1803A Elm Creek (unclassified water body)

From the confluence of Sandies Creek east of Smiley in Gonzales County to the upstream perennial portion of the stream southwest of Smiley in Gonzales County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1803A_01	Entire water body depressed dissolved oxygen	5a	No	1999
	bacteria	5a	Yes	1999

SegID: 1803B Sandies Creek (unclassified water body)

From the confluence of the Guadalupe River west of Cuero in DeWitt County to the upstream perennial portion of the stream northwest of Smiley in Gonzales County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1803B_01	From the confluence with the Guadalupe River to the confluence with Elm Ck. bacteria	5a	No	2002
	depressed dissolved oxygen	5a	No	1999
1803B_02	From the confluence with Elm Creek to upper end of water body depressed dissolved oxygen	5a	No	1999

SegID: 1803C Peach Creek (unclassified water body)

From the confluence of the Guadalupe River southeast of Gonzales in Gonzales County to the upstream perennial portion of the stream northeast of Waelder in Gonzales County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1803C_01	Lower 25 miles of water body bacteria	5a	No	2002
1803C_03	From approx. 1.2 mi. downstream of FM 1680 in Gonzales Co. to confluence with Elm Cr. In Fayette Co. depressed dissolved oxygen	5c	No	New
	bacteria	5a	No	2002

SegID: 1804A Geronimo Creek (unclassified water body)

From the confluence of the Guadalupe River south of Seguin in Guadalupe County to the upstream perennial portion north of Seguin in Guadalupe County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1804A_01	Entire water body bacteria	5c	No	New

SegID: 1805 Canyon Lake

From Canyon Dam in Comal County to a point 2.7 km (1.7 miles) downstream of Rebecca Creek Road in Comal County, up to normal pool elevation of 909 feet (impounds Guadalupe River)

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1805_01	Cove around Jacob's Creek Park mercury in fish tissue	5c	No	New
1805_02	North end of Crane's Mill Park peninsula to south end of Canyon Park mercury in fish tissue	5c	No	New
1805_03	Upper end of segment mercury in fish tissue	5c	No	New
1805_04	Lower end of reservoir from dam upstream to Canyon Park mercury in fish tissue	5c	No	New

SegID: 1806 Guadalupe River Above Canyon Lake

From a point 2.7 km (1.7 miles) downstream of Rebecca Creek Road in Comal County to the confluence of North Fork Guadalupe River and the South Fork Guadalupe River in Kerr County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1806_04	From 1 mile upstream Flat Rock Dam to confluence with Camp Meeting Creek bacteria	5a	No	2002
1806_06	From RR 394 1 mile downstream bacteria	5a	No	2002

SegID: 1806A Camp Meeting Creek (unclassified water body)

From the confluence of Flatrock Lake in southeast Kerrville in Kerr County to the upstream perennial portion of the stream west of Kerrville in Kerr County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1806A_03	Upper 9 miles depressed dissolved oxygen	5b	No	1999

SegID: 1810 Plum Creek

From the confluence with the San Marcos River in Caldwell County to FM 2770 in Hays County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1810_03	From approx. 0.5 mi. upstream of SH 21 to upper end of segment bacteria	5c	No	2004

SegID: 1901 Lower San Antonio River

From the confluence with the Guadalupe River in Refugio/Victoria County to a point 600 meters (660 yards) downstream of FM 791 at Mays crossing near Falls City in Karnes County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1901_01	25 miles downstream of the confluence with Manahuilla Creek bacteria	5c	No	2000
1901_02	25 miles upstream of Manahuilla Creek bacteria	5c	No	2000
1901_03	From 25 miles upstream of Manahuilla Cr to 9 mi downstream of Escondido Cr bacteria	5c	No	2000
1901_04	9 miles downstream of Escondido Creek bacteria	5c	No	2000
1901_05	From upstream end of segment to Escondido Creek bacteria	5c	No	2000

SegID: 1902 Lower Cibolo Creek

From the confluence with the San Antonio River in Karnes County to a point 100 meters (110 yards) downstream of IH 10 in Bexar/Guadalupe County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1902_01	Lower 5 miles of segment bacteria	5c	No	2004
1902_02	From 5 miles upstream of confluence with the San Antonio River to FM 541 bacteria	5c	No	2004
	impaired fish community	5c	No	New
1902_03	From FM 541 to confluence with Clifton Branch bacteria	5c	No	2004

SegID: 1905 Medina River Above Medina Lake

From the confluence of Red Bluff Creek in Bandera County to the confluence of the North Prong Medina River and the West Prong Medina River in Bandera County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1905_01	<i>From lower end of segment to RR 470, upstream of Bandera</i>			
	impaired fish community	4c	No	New
	impaired habitat	4c	No	New

SegID: 1906 Lower Leon Creek

From the confluence with the Medina River in Bexar County to a point 100 meters (110 yards) upstream of SH 16 northwest of San Antonio in Bexar County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1906_02	<i>From 3 miles upstream lower end of segment to confluence with Indian Creek</i>			
	depressed dissolved oxygen	5c	Yes	1999
1906_04	<i>From Hwy 353 to two miles upstream</i>			
	bacteria	5a	No	1996
	depressed dissolved oxygen	5c	Yes	1999
1906_05	<i>From 2 miles upstream of Hwy 353 to Hwy 90</i>			
	depressed dissolved oxygen	5c	Yes	1999
	PCBs in fish tissue	5a	No	2004
1906_06	<i>Remainder of segment</i>			
	bacteria	5a	No	1996

SegID: 1908 Upper Cibolo Creek

From the Missouri-Pacific Railroad Bridge west of Bracken in Comal County to a point 1.5 km (0.9 miles) upstream of the confluence of Champee Springs in Kendall County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1908_01	<i>From confl. with Balcones Ck. to approx. 2 mi. upstream of Hwy 87 in Boerne</i>			
	bacteria	5c	No	New
1908_02	<i>From approx. 2 mi. upstream of Hwy 87 in Boerne to upper end of segment</i>			
	bacteria	5c	No	New

SegID: 1910 Salado Creek

From the confluence with the San Antonio River in Bexar County to Rocking Horse Lane west of Camp Bullis in Bexar County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1910_01	<i>From confluence with San Antonio River to confluence with Rosillo Creek</i> bacteria	5a	No	1996
1910_02	<i>From confluence with Rosillo Creek to Roland Road</i> bacteria	5a	No	1996
1910_03	<i>From Roland Road to Rice Road</i> depressed dissolved oxygen	4a	Yes	1996
	impaired macrobenthos community	5b	No	New
	impaired fish community	5b	No	2004
	bacteria	5a	No	1996
	impaired fish community	5b	No	2004
1910_04	<i>From Rice Road to IH 10</i> bacteria	5a	Yes	1996
	depressed dissolved oxygen	4a	Yes	1996
1910_05	<i>From IH 10 to approx 1.5 miles upstream of IH 35</i> impaired fish community	5b	Yes	2004
	depressed dissolved oxygen	4a	Yes	1996
	impaired fish community	5b	Yes	2004
1910_06	<i>From approx. 1.5 miles upstream of IH 35 to Hwy 368</i> depressed dissolved oxygen	4a	Yes	1996
	bacteria	5a	No	1996
1910_07	<i>From Hwy 368 to approx 1.5 miles upstream of Loop 410</i> depressed dissolved oxygen	4a	Yes	1996
	impaired fish community	5b	Yes	2004
	impaired fish community	5b	Yes	2004
	impaired habitat	5b	No	New
	impaired macrobenthos community	5b	No	New

SegID: 1910A Walzem Creek (unclassified water body)

From the confluence with Salado Creek to approximately 1.5 miles upstream of Walzem Road in San Antonio

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1910A_01	<i>Lower 0.25 miles</i> bacteria	5a	Yes	2002

SegID: 1911 Upper San Antonio River

From a point 600 meters (660 yards) downstream of FM 791 at Mays Crossing near Falls City in Karnes County to a point 100 meters (110 yards) upstream of Hildebrand Avenue at San Antonio in Bexar County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1911_02	<i>From 6 miles upstream of lower end of segment to confluence with Picoso Cr</i> bacteria	5a	No	1996
1911_03	<i>From confluence with Picoso Creek to approx. 2.5 miles upstream of FM 536</i> bacteria	5a	No	1996
1911_04	<i>From approx. 2.5 miles upstream of FM 528 to Bexar CR 125</i> bacteria	5a	No	1996
1911_05	<i>From Bexar CR 125 to approx. 2 miles downstream confluence with Medina R.</i> bacteria	5a	No	1996
1911_08	<i>From 3 miles upstream of confluence w/ Medina R. to confluence w/ Salado Cr</i> bacteria	5a	No	1996
1911_09	<i>From confluence with Salado Creek to confluence with Sixmile Creek</i> bacteria impaired fish community	5a 5c	No No	1996 New
1911_10	<i>From confluence with Sixmile Creek to confluence with San Pedro Creek</i> bacteria	5a	No	1996
1911_11	<i>Upper 8 miles of segment</i> bacteria	5a	No	1996

SegID: 1913 Mid Cibolo Creek

From a point 100 meters (110 yards) downstream of IH 10 in Bexar/Guadalupe County to the Missouri-Pacific Railroad bridge west of Bracken in Comal County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
1913_02	<i>From Bexar CR 320 to approx. 0.50 miles upstream of Buffalo Lane in Cibolo</i> depressed dissolved oxygen	5c	No	1999
1913_03	<i>From approx. 0.50 mi. upstream of Buffalo Lane in Cibolo to upper end of segment</i> bacteria	5c	No	New

SegID: 2001 Mission River Tidal

From the confluence with Mission Bay in Refugio County to a point 7.4 kilometers (4.6 miles) downstream of US 77 in Refugio County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
2001_01	Entire segment bacteria	5c	No	2004

SegID: 2003 Aransas River Tidal

From the confluence with Copano Bay in Aransas/Refugio County to a point 1.6 kilometers (1.0 mile) upstream of US 77 in Refugio/San Patricio County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
2003_01	Entire segment bacteria	5c	No	2004

SegID: 2004A West Aransas Creek (unclassified water body)

From confluence with the Aransas River to the headwaters of the stream about 10 km upstream of US Highway 59.

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
2004A_01	Entire 20 miles of segment bacteria	5c	No	New

SegID: 2104 Nueces River Above Frio River

From the confluence of the Frio River in Live Oak County to Holland Dam in LaSalle County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
2104_03	Upper 46 miles of segment depressed dissolved oxygen	5a	No	1999

SegID: 2106 Nueces/Lower Frio River

From a point 100 meters (110 yards) upstream of US 59 in Live Oak County to Choke Canyon Dam in Live Oak County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
2106_01	Lower 17 miles of segment total dissolved solids	5c	No	New
2106_02	Upper 10 miles of segment total dissolved solids	5c	No	New

SegID: 2107 Atascosa River

From the confluence with the Frio River in Live Oak County to the confluence of the West Prong Atascosa River and the North Prong Atascosa River in Atascosa County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
2107_01	Lower 25 miles of segment			
	bacteria	5a	No	1996
2107_02	25 miles surrounding FM 541			
	bacteria	5a	No	1996
	depressed dissolved oxygen	5b	Yes	1996
	impaired fish community	5b	No	New
2107_03	25 miles surrounding State Highway 97			
	impaired fish community	5b	No	New
	impaired habitat	5b	No	New

SegID: 2108 San Miguel Creek

From a point immediately upstream of the confluence of Mustang Branch in McMullen County to the confluence of San Francisco Perez Creek and Chacon Creek in Frio County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
2108_01	Lower 25 miles of segment			
	bacteria	5c	No	New

SegID: 2109 Leona River

From the confluence with the Frio River in Frio County to US 83 in Uvalde County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
2109_02	25 miles surrounding US Highway 57			
	bacteria	5c	No	New

SegID: 2110 Lower Sabinal River

From the confluence with the Frio River in Frio County to Uvalde County to a point 100 meters (110 yards) upstream of SH 127 in Uvalde County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
2110_01	Entire segment			
	nitrate	4a	No	2002

SegID: 2113 Upper Frio River

From a point 100 meters (110 yards) upstream of US 90 in Uvalde County to the confluence of the West Frio River and the East Frio River in Real County

<u>Area</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
2113_01 <i>Lower 25 miles of segment</i>			
impaired fish community	5c	No	New
impaired habitat	5c	No	New
impaired macrobenthos community	5c	No	New
2113_02 <i>Upper 22 miles of segment</i>			
impaired fish community	5c	No	New
impaired habitat	5c	No	New

SegID: 2116 Choke Canyon Reservoir

From Choke Canyon Dam in Live Oak County to a point 4.2 km (2.6 miles) downstream of SH 16 on the Frio River Arm in McMullen County and to a point 100 meters (110 yards) upstream of the confluence of Mustang Branch on the San Miguel Creek Arm in McMullen County, up to the normal pool elevation of 220.5 feet (impounds Frio River)

<u>Area</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
2116_01 <i>5120 acres near dam</i>			
bacteria	5c	Yes	1996
2116_02 <i>Small north arm of lake near dam and Willow Hollow Tank</i>			
bacteria	5c	Yes	1996
2116_04 <i>Large north arm near mid lake and Jacob Oil Field</i>			
bacteria	5c	Yes	1996
2116_05 <i>Southern arm near mid lake and Rec. Road 7 west of Calliham</i>			
bacteria	5c	Yes	1996
2116_06 <i>Western end of lake up to RR 99 bridge</i>			
bacteria	5c	Yes	1996
depressed dissolved oxygen	5c	No	New
2116_07 <i>Remainder of lake</i>			
bacteria	5c	Yes	1996

SegID: 2117 Frio River Above Choke Canyon Reservoir

From a point 4.2 km (2.6 miles) downstream of SH 16 in McMullen County to a point 100 meters (110 yards) upstream of US 90 in Uvalde County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
2117_01	<i>Lower 25 miles of segment</i> depressed dissolved oxygen	5c	Yes	1999
2117_02	<i>From 1.5 mi. downstream of SH 97 to 23.5 mi. upstream of SH 97 crossing</i> depressed dissolved oxygen	5c	Yes	1999
2117_03	<i>33 mi. surrounding State Highway 85</i> depressed dissolved oxygen	5c	Yes	1999
2117_04	<i>40 miles surrounding US Highway 57</i> depressed dissolved oxygen	5c	Yes	1999

SegID: 2201 Arroyo Colorado Tidal

From confluence with Laguna Madre in Cameron/Willacy County to a point 100 meters (110 yards) downstream of Cemetery Road south of Port Harlingen in Cameron County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
2201_03	<i>Approx. 3 miles upstream to 2 miles downstream of Marker 27</i> bacteria	5c	No	New
2201_04	<i>Approx. 1 mile upstream to 3 miles downstream of Camp Perry</i> bacteria	5c	No	New
	depressed dissolved oxygen	5a	Yes	1996
2201_05	<i>Upper 4 miles of segment</i> bacteria	5c	No	New
	depressed dissolved oxygen	5a	No	1996

SegID: 2202 Arroyo Colorado Above Tidal

From a point 100 meters (110 yards) downstream of Cemetery Road south of Port Harlingen in Cameron County to FM 2062 in Hidalgo County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
2202_01	<i>Lower 4 miles of segment</i>			
	endrin in smallmouth buffalo	4a	No	2002
	heptachlor in smallmouth buffalo	4a	No	2002
	hexachlorobenzene in smallmouth buffalo	4a	No	2002
	toxaphene in smallmouth buffalo	4a	No	2002
	heptachlor epoxide in smallmouth buffalo	4a	No	2002
	DDT in smallmouth buffalo	4a	No	2002
	DDE in fish tissue	4a	No	2002
	DDD in smallmouth buffalo	4a	No	2002
	chlordane in smallmouth buffalo	4a	No	2002
	bacteria	5c	No	1996
	lindane in smallmouth buffalo	4a	No	2002
	dieldrin in smallmouth buffalo	4a	No	2002
2202_02	<i>Approx. 11 miles upstream to approx. 4 miles downstream of US 77</i>			
	lindane in smallmouth buffalo	4a	No	2002
	toxaphene in smallmouth buffalo	4a	No	2002
	hexachlorobenzene in smallmouth buffalo	4a	No	2002
	heptachlor in smallmouth buffalo	4a	No	2002
	heptachlor epoxide in smallmouth buffalo	4a	No	2002
	endrin in smallmouth buffalo	4a	No	2002
	DDT in smallmouth buffalo	4a	No	2002
	DDE in fish tissue	4a	No	2002
	DDD in smallmouth buffalo	4a	No	2002
	chlordane in smallmouth buffalo	4a	No	2002
	bacteria	5c	No	1996
	dieldrin in smallmouth buffalo	4a	No	2002
2202_03	<i>Approx 14 miles upstream to approx. 11 miles downstream of FM 1015</i>			
	DDT in smallmouth buffalo	4a	No	2002
	toxaphene in smallmouth buffalo	4a	No	2002
	lindane in smallmouth buffalo	4a	No	2002
	hexachlorobenzene in smallmouth buffalo	4a	No	2002
	heptachlor in smallmouth buffalo	4a	No	2002
	heptachlor epoxide in smallmouth buffalo	4a	No	2002
	bacteria	5c	No	1996
	dieldrin in smallmouth buffalo	4a	No	2002
	DDE in fish tissue	4a	No	2002
	DDD in smallmouth buffalo	4a	No	2002
	chlordane in smallmouth buffalo	4a	No	2002
	endrin in smallmouth buffalo	4a	No	2002

SegID: 2202 Arroyo Colorado Above Tidal

From a point 100 meters (110 yards) downstream of Cemetery Road south of Port Harlingen in Cameron County to FM 2062 in Hidalgo County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
2202_04	<i>Upper 19 miles of segment</i>			
	endrin in smallmouth buffalo	4a	No	2002
	lindane in smallmouth buffalo	4a	No	2002
	hexachlorobenzene in smallmouth buffalo	4a	No	2002
	heptachlor in smallmouth buffalo	4a	No	2002
	heptachlor epoxide in smallmouth buffalo	4a	No	2002
	DDT in smallmouth buffalo	4a	No	2002
	DDE in fish tissue	4a	No	2002
	DDD in smallmouth buffalo	4a	No	2002
	chlordane in smallmouth buffalo	4a	No	2002
	bacteria	5c	No	1996
	toxaphene in smallmouth buffalo	4a	No	2002
	dieldrin in smallmouth buffalo	4a	No	2002

SegID: 2202A Donna Reservoir (unclassified water body)

Off-channel irrigation reservoir pumped from Rio Grande near the City of Donna in Hidalgo County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
2202A_01	<i>Entire reservoir</i>			
	PCBs in fish tissue	4a	No	1996

SegID: 2204 Petronila Creek Above Tidal

From a point 1 km (0.6 miles) upstream of private road crossing near Laureles Ranch in Kleberg County to the confluence of Agua Dulce and Banquete Creeks in Nueces County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
2204_01	<i>Lower 25 miles of segment</i>			
	total dissolved solids	5a	No	1999
	chloride	5a	No	1999
	sulfate	5a	No	1999
2204_02	<i>Upper 19 miles of segment</i>			
	chloride	5a	No	1999
	sulfate	5a	No	1999
	total dissolved solids	5a	No	1999

SegID: 2302 Rio Grande Below Falcon Reservoir

From a point 10.8 km (6.7 miles) downstream of the International Bridge in Cameron County to Falcon Dam in Starr County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
2302_07	Rancho Viejo Floodway area to El Jardin Pump Station bacteria	5c	No	1996

SegID: 2302A Arroyo Los Olmos (unclassified water body)

From confluence with the Rio Grande at Rio Grande City to El Sauz in Starr County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
2302A_01	Entire water body bacteria	5c	No	2004

SegID: 2304 Rio Grande Below Amistad Reservoir

From the confluence of the Arroyo Salado (Mexico) in Zapata County to Amistad Dam in Val Verde County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
2304_02	San Felipe Creek confluence to the Las Moras Creek confluence bacteria	5c	No	1996
2304_03	Las Moras Creek confluence to Hwy 277 (Eagle Pass) bacteria	5c	No	1996
2304_08	Laredo water treatment plant intake to International Bridge #2 bacteria	5c	No	1996
2304_09	International Bridge # 2 to just below Chacon Creek confluence bacteria	5c	No	1996
2304_10	Masterson Road wastewater treatment plant to the Arroyo Salado confluence bacteria	5c	No	1996

SegID: 2306 Rio Grande Above Amistad Reservoir

From a point 1.8 km (1.1 miles) downstream of the confluence of Ramsey Canyon in Val Verde County to the confluence of the Rio Conchos (Mexico) in Presidio County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
2306_01	Confluence with Rio Conchos to Alamito Creek bacteria	5c	Yes	1999

SegID: 2307 Rio Grande Below Riverside Diversion Dam

From the confluence of the Rio Conchos (Mexico) in Presidio County to Riverside Diversion Dam in El Paso County

<u>Area</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
2307_01 <i>Downstream of Riverside Dam to Guadalupe Bridge</i>			
total dissolved solids	5c	No	1996
bacteria	5c	No	1996
chloride	5c	No	1996
2307_02 <i>Guadalupe Bridge to the Alamo Grade Structure</i>			
total dissolved solids	5c	No	1996
bacteria	5c	No	1996
chloride	5c	No	1996
2307_03 <i>Alamo Grade Structure to Little Box Canyon</i>			
chloride	5c	No	1996
total dissolved solids	5c	No	1996
2307_04 <i>Little Box Canyon to 25 miles upstream of Rio Conchos confluence</i>			
chloride	5c	No	1996
total dissolved solids	5c	No	1996
2307_05 <i>25 miles upstream of the Rio Conchos confluence (lower segment boundary)</i>			
total dissolved solids	5c	No	1996
chloride	5c	No	1996

SegID: 2311 Upper Pecos River

From a point immediately upstream of the confluence of Independence Creek in Crockett/Terrell County to Red Bluff Dam in Loving/Reeves County

<u>Area</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
2311_05 <i>US 80 (Bus 20) to FM 1776</i>			
depressed dissolved oxygen	5c	No	New
2311_06 <i>FM 1776 to US 67</i>			
depressed dissolved oxygen	5c	No	New

SegID: 2314 Rio Grande Above International Dam

From International Dam in El Paso County to the New Mexico State Line in El Paso County

<u>Area</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
2314_02 <i>Upstream of Anthony Drain to International Dam</i>			
bacteria	5c	No	1996

SegID: 2421 Upper Galveston Bay

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
2421_01	<i>Red Bluff to Five Mile Cut to Houston Point to Morgans Point</i>			
	bacteria (oyster waters)	5a	No	1996
	dioxin in catfish and crab tissue	5a	No	1996
	PCBs in catfish, spotted seatrout, and blue crab	5a	No	2004
2421_02	<i>Western portion of the bay</i>			
	bacteria (oyster waters)	5a	No	1996
2421_OW1	<i>Entire western portion of the bay</i>			
	bacteria (oyster waters)	5a	No	1996

SegID: 2422 Trinity Bay

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
2422_01	<i>Upper half of bay</i>			
	bacteria (oyster waters)	5a	No	1998
2422_OW1	<i>Upper portion of the bay</i>			
	bacteria (oyster waters)	5a	No	1998

SegID: 2422B Double Bayou West Fork (unclassified water body)

From the confluence with Trinity Bay to Belton Road in Chambers County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
2422B_01	<i>Entire water body</i>			
	bacteria	5c	No	New
	depressed dissolved oxygen	5c	No	2004

SegID: 2423 East Bay

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
2423_01	<i>Area adjacent to the ICWW (Segment 0702)</i>			
	bacteria (oyster waters)	5a	No	1998
2423_OW1	<i>East end of bay adjacent to the ICWW and East Bay Bayou</i>			
	bacteria (oyster waters)	5a	No	1998

SegID: 2424 West Bay

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
2424_02	Area adjacent to Lower Galveston Island bacteria (oyster waters)	5a	No	1996
2424_OW2	Area adjacent to Lower Galveston Bay and Galveston Island bacteria (oyster waters)	5a	No	1996

SegID: 2424A Highland Bayou (unclassified water body)

From confluence with Jones Bay to Avenue Q 0.5 miles (0.8 km) north of SH 6 between Arcadia and Alta Loma in Galveston County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
2424A_01	From the headwaters to FM 2004 bacteria	5c	No	2002
	depressed dissolved oxygen	5c	No	2002
2424A_02	From FM 2001 to FM 519 bacteria	5c	No	2002
2424A_04	From Fairwood Road to Bayou Lane bacteria	5c	No	2002

SegID: 2424C Marchand Bayou (unclassified water body)

From confluence with Highland Bayou to 0.45 mile north of IH 45 in Galveston County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
2424C_01	Entire water body bacteria	5c	No	2002
	depressed dissolved oxygen	5c	Yes	2002

SegID: 2425B Jarbo Bayou (unclassified water body)

From confluence with Clear Lake to 0.6 mile upstream of FM 518 in Galveston County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
2425B_01	From headwaters to Lawrence Road bacteria	5c	No	2002

SegID: 2426 Tabbs Bay

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
2426_01	<i>Entire segment</i>			
	dioxin in catfish and crab tissue	5a	No	1996
	PCBs in catfish, spotted seatrout, and blue crab	5a	No	2004

SegID: 2427 San Jacinto Bay

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
2427_01	<i>Entire segment</i>			
	dioxin in catfish and crab tissue	5a	No	1996
	PCBs in catfish, spotted seatrout, and blue crab	5a	No	2004

SegID: 2428 Black Duck Bay

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
2428_01	<i>Entire segment</i>			
	PCBs in catfish, spotted seatrout, and blue crab	5a	No	2004
	dioxin in catfish and crab tissue	5a	No	1998

SegID: 2429 Scott Bay

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
2429_01	<i>Entire segment</i>			
	dioxin in catfish and crab tissue	5a	No	1998
	PCBs in catfish, spotted seatrout, and blue crab	5a	No	2004

SegID: 2430 Burnett Bay

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
2430_01	<i>Entire segment</i>			
	dioxin in catfish and crab tissue	5a	No	1998
	PCBs in catfish, spotted seatrout, and blue crab	5a	No	2004

SegID: 2432 Chocolate Bay

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
2432_01	<i>Entire segment</i>			
	bacteria (oyster waters)	5a	No	1996
2432_OW1	<i>Entire segment</i>			
	bacteria (oyster waters)	5a	No	1996

SegID: 2433 Bastrop Bay/Oyster Lake

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
2433_02	<i>Oyster Lake</i>			
	bacteria (oyster waters)	5a	No	New
2433_OW2	<i>Oyster Lake</i>			
	bacteria (oyster waters)	5a	No	New

SegID: 2434 Christmas Bay

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
2434_01	<i>Area adjacent to West Bay</i>			
	bacteria (oyster waters)	5a	No	New
2434_OW1	<i>Area adjacent to West Bay</i>			
	bacteria (oyster waters)	5a	No	New

SegID: 2435 Drum Bay

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
2435_01	Area adjacent to Christmas Bay bacteria (oyster waters)	4c	No	New
2435_OW1	Area adjacent to Christmas Bay bacteria (oyster waters)	4c	No	New

SegID: 2436 Barbours Cut

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
2436_01	Entire segment PCBs in catfish, spotted seatrout, and blue crab dioxin in catfish and crab tissue	5a 5a	No No	2004 1998

SegID: 2438 Bayport Channel

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
2438_01	Entire segment dioxin in catfish and crab tissue PCBs in catfish, spotted seatrout, and blue crab	5a 5a	No No	2000 2004

SegID: 2439 Lower Galveston Bay

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
2439_01	Area adjacent to the Texas City Ship Channel and Moses Lake bacteria (oyster waters)	5a	No	1996
2439_OW1	Area adjacent to the Texas City Ship Channel and Moses Lake bacteria (oyster waters)	5a	No	1996

SegID: 2441 East Matagorda Bay

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
2441_01	Caney Creek am and western shoreline area bacteria (oyster waters)	5c	No	1998
2441_OW1	Caney Creek arm and western shoreline area bacteria (oyster waters)	5c	No	1998

SegID: 2442 Cedar Lakes

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
2442_01	Entire segment bacteria (oyster waters)	5a	No	1998
2442_OW1	Entire segment bacteria (oyster waters)	5a	No	1998

SegID: 2451 Matagorda Bay/Powderhorn Lake

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
2451_01	Northern end of Matagorda Bay bacteria (oyster waters)	5c	No	1996
2451_OW1	Northern end of Matagorda Bay bacteria (oyster waters)	5c	No	1996

SegID: 2452 Tres Palacios Bay/Turtle Bay

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
2452_02	Turtle Bay bacteria (oyster waters)	5a	No	1998
2452_03	Tres Palacios Creek Arm bacteria (oyster waters)	5a	No	1998
2452_OW1	Turtle Bay and Tres Palacios Creek Arm bacteria (oyster waters)	5a	No	1998

SegID: 2453 Lavaca Bay/Chocolate Bay

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
2453_02	North-northeastern portion of the bay near Point Comfort bacteria (oyster waters)	5a	No	1996
2453_03	Chocolate Bay area bacteria (oyster waters)	5a	No	1996
2453_OW2	North-northeastern portion of the bay near Point Comfort bacteria (oyster waters)	5a	No	1996
2453_OW3	Chocolate Bay area bacteria (oyster waters)	5a	No	1996

SegID: 2453A Garcitas Creek Tidal (unclassified water body)

From the confluence of Lavaca Bay in Jackson County to a point 8.5 miles upstream of FM 616 in Jackson County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
2453A_01	Entire water body depressed dissolved oxygen	5b	Yes	1999

SegID: 2453D Lavaca Bay Ship Channel Area (unclassified water body)

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
2453D_01	Entire water body mercury in fish and crab tissue	4b	No	New
	depressed dissolved oxygen	5c	No	New

SegID: 2454 Cox Bay

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
2454_01	North end of bay near Cox Creek bacteria (oyster waters)	5c	No	New
2454_OW1	North end of bay near Cox Creek bacteria (oyster waters)	4c	No	New

SegID: 2455 Keller Bay

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
2455_01	Upper arm bacteria (oyster waters)	5a	No	New

SegID: 2456 Carancahua Bay

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
2456_02	Upper half of bay bacteria	5c	No	New
	bacteria (oyster waters)	5a	No	1996
2456_OW2	Upper portion of bay and shoreline area bacteria (oyster waters)	5a	No	1996

SegID: 2456A West Carancahua Creek Tidal (unclassified water body)

From the confluence with Carancahua Bay in Jackson County to Jackson CR 440, 6.3 miles upstream of FM 616 in Jackson County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
2456A_01	Entire water body depressed dissolved oxygen	5c	No	New

SegID: 2462 San Antonio Bay/Hynes Bay/Guadalupe Bay

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
2462_02	Guadalupe Bay bacteria (oyster waters)	5a	No	1996
2462_OW1	Guadalupe Bay bacteria (oyster waters)	5a	No	1996

SegID: 2472 Copano Bay/Port Bay/Mission Bay

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
2472_01	Mission Bay, Aransas River arm, Port Bay, and eastern shoreline bacteria (oyster waters)	5a	No	1998
2472_OW1	Mission Bay, Aransas River arm, Port Bay, and eastern shoreline bacteria (oyster waters)	5a	No	1998

SegID: 2482 Nueces Bay

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
2482_01	Entire bay zinc in oyster tissue	4a	No	1998
2482_OW1	Entire bay zinc in oyster tissue	4a	No	1998

SegID: 2483 Redfish Bay

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
2483_01	Entire segment bacteria (oyster waters)	5a	No	New
2483_OW1	Entire segment bacteria (oyster waters)	5a	No	New

SegID: 2485 Oso Bay

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
2485_01	<i>Upper bay (Holly Road to County Hwy 24)</i>			
	depressed dissolved oxygen	5b	No	1996
	bacteria (oyster waters)	5a	No	New
2485_02	<i>Middle bay (State Park Road 22 to Holly Road)</i>			
	bacteria	5c	No	2004
	bacteria (oyster waters)	5a	No	New
	depressed dissolved oxygen	5b	No	1996
2485_03	<i>Lower portion of bay (Ocean Drive to State Park Road 22)</i>			
	bacteria (oyster waters)	5a	No	New
	depressed dissolved oxygen	5b	No	1996
2485_OW1	<i>Entire bay</i>			
	bacteria (oyster waters)	5a	No	New

SegID: 2485A Oso Creek (unclassified water body)

From the confluence with Oso Bay in southern Corpus Christi to a point 3 miles upstream of SH 44, west of Corpus Christi in Nueces County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
2485A_01	<i>Entire water body</i>			
	bacteria	5a	No	2002

SegID: 2491 Laguna Madre

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
2491_01	<i>Upper portion of bay north of the Arroyo Colorado confluence</i>			
	depressed dissolved oxygen	5b	No	1999
2491_02	<i>Area adjacent to the Arroyo Colorado confluence</i>			
	bacteria (oyster waters)	5a	No	New
	depressed dissolved oxygen	5b	No	1999
2491_OW2	<i>Area adjacent to the Arroyo Colorado confluence</i>			
	bacteria (oyster waters)	5a	No	New

SegID: 2492A San Fernando Creek (unclassified water body)

From the confluence with Cayo Del Grullo in Kleberg County to the Lake Alice Dam in Jim Wells County

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
2492A_01	Entire water body bacteria	5c	No	New

SegID: 2501 Gulf of Mexico

From the Gulf shoreline to the limit of Texas jurisdiction between Sabine Pass and the Rio Grande

<u>Area</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year First Listed</u>
2501_01	Sabine Pass to Sea Rim Park area bacteria	5c	No	New
	mercury in king mackerel > 43 inches	5c	No	1998
2501_02	Jefferson-Chambers County line area bacteria	5c	No	New
	mercury in king mackerel > 43 inches	5c	No	1998
2501_03	Bolivar Point to San Luis Pass area mercury in king mackerel > 43 inches	5c	No	1998
2501_04	Freeport Area mercury in king mackerel > 43 inches	5c	No	1998
2501_05	Area between Freeport and Port Aransas mercury in king mackerel > 43 inches	5c	No	1998
2501_06	Port Aransas Area mercury in king mackerel > 43 inches	5c	No	1998
2501_07	Area between Port Aransas and Port Mansfield mercury in king mackerel > 43 inches	5c	No	1998
2501_08	Port Mansfield area mercury in king mackerel > 43 inches	5c	No	1998
2501_09	Area between Port Mansfield and Port Isabel mercury in king mackerel > 43 inches	5c	No	1998
2501_10	Port Isabel area mercury in king mackerel > 43 inches	5c	No	1998

**DRAFT 2006 Texas Water Quality Inventory and 303(d) List –
Changes Since the Public Comment Period of 3/19/2007- 4/18/2007 (June 27, 2007)**

There are four types of changes described in this document:

1. Changes to the support status for a water body.
2. Changes to the concern status for a water body.
3. Changes to the Category for an impairment.
4. Changes to text or station location information for a water body (does not change the assessment outcome).

Type of Change	SegID	Water Body	Change(s)
1, 2, 3	0202F	Choctaw Creek	Data outside the 5 year period of record were removed from the data set. For the assessment unit described as “entire water body”: The Aquatic Life and Contact Recreation Use assessments changed from Fully Supporting to Not Assessed. The Category the Aquatic Life and Contact Recreation Uses changed from Category 1 to Category 3. Ammonia level of support changed from No Concern to Not Assessed.
4	0206A	Groesbeck Creek	Station 16000 was removed from this water body. This station is located in Segment 0206B.
4	0214	Wichita River Below Diversion Lake Dam	The assessment unit description for 0214_05 was changed from “...Diversion dam” to “...Diversion Dam..”
4	0226	South Fork Wichita River	The assessment unit description for 0226_03 was changed from “...confluence with Willow Creek to Confluence with Long Canyon...” to “...confluence with Willow Creek to confluence with Long Canyon...”
4	0229	Upper Prairie Dog Town Fork Red River	The assessment unit description for 0229_02 was changed from “SH 207 to Palo Duro Canyon State Park north boundary” to “Palo Duro Canyon State Park upstream boundary to upper end of segment at Tanglewood Dam”.
4	0299A	Sweetwater Creek	The segment description for this water body was changed from “Oklahoma stateline” to “Oklahoma State Line”. The assessment unit description fro 299A_01 was changed from “Oklahoma state line” to “Oklahoma State Line”. This is consistent with the state boundary descriptions in the TWQS.
4	0302	Wright Patman Lake	The impairment category for 24 hr dissolved oxygen was change from Category 5c to 5a. The assessment unit description for 0302_06 was changed from “Big Creek Arm” to “Big Creek arm”.
4	0305	North Sulphur River	The assessment unit description for 0305_02 was changed from “Remainder of segment” to “Upper 23 miles”.
1, 2, 4	0306	Upper South Sulphur River	The General Use was previously not assessed for 0306_03. The General Use for this assessment unit changed from Not Assessed to Fully Supporting. Station 10234 was removed from assessment unit 0306_01. As a result, the Aquatic Life Use assessment changed from Not Supporting to Not Assessed. The level of support for pH and temperature changed from Fully Supporting to Not Assessed. The level of support for ammonia, nitrate, orthophosphorus, total phosphorus, and chlorophyll a changed from No Concern to Not Assessed.
4	0307	Cooper Lake	The segment description has been changed from “From Delta/Hopkins County Dam...” to “from Cooper Lake dam ...”. Also, in some web documents the segment description was truncated. The segment description is now consistent with the water body description in the TWQS.

Draft 2006 Texas Water Quality Inventory and 303(d) List –
 Changes Since the Public Comment Period of 3/19/2007 – 4/18/2007 (June 27, 2007)

Type of Change	SegID	Water Body	Change(s)
1, 3, 4	0401	Caddo Lake	A carryforward for pH was added to assessment unit 0401_03. The level of support for this assessment unit for pH was changed from Not Assessed to Not Supporting. This AU is now included with other AUs in this water body that are impaired for pH with a Category 5c. Station 15248 was removed from this 0401_06.
3	0403	Lake O' the Pines	The impairment category for 24 hr dissolved oxygen was change from Category 5a to 4a.
3	0404	Big Cypress Creek Below Bob Sandlin	The impairment category for E. coli was change from Category 5c to 5a.
4	0404D	Welsh Reservoir	Typo. Station 17657 was changed to Station 17567.
1, 3	0408C	Brushy Creek	The benthic data for assessment unit 0408C_01 were re-assessed using the Coefficient of Variation. The level of support for benthics changed from Not Supporting to Fully Supporting. The habitat impairment was superseded by the Fully Supporting status of the biological community. The category for habitat was removed. The Aquatic Life Use is Fully supporting.
1, 2, 3	0409	Little Cypress Bayou (Creek)	Non Support was chosen in error for E.coli (single sample) in assessment unit 0409_01. The level of Support was changed from Non Support to Fully Supporting. The category for this impairment was removed. The (carryforward) Concern for chronic ambient toxicity in water was removed.
1	0501B	Little Cypress Bayou	In assessment units 0501B_02 and 0501B_03 the Non Support carryforward was assigned in error to chronic toxics in water instead of chronic ambient toxicity in water. The carryforward was removed from chronic toxics in water and applied to chronic ambient toxicity in water.
4	0504	Toledo Bend Reservoir	The segment description was changed from "...Toledo Ben Dam..." to "...Toledo Bend Dam...".
1	0504E	Clear Lake	This water body is now assessed for Fish Consumption Use.
1	0505O	Hills Lake	This water body is now assessed for Fish Consumption Use.
1	0507H	Caddo Creek	For assessment unit 0507H_01 the flow type was changed from "perennial" to "intermittent". The Aquatic Life Use criteria changed from "high" to "minimal". The level of support for grab dissolved oxygen (minimum) was changed from Non Support to Fully Supporting.
4	0512	Lake Fork Reservoir	The assessment unit 0512_05 description was changed from "Remainder of reservoir" to "Uppermost 5120 acres of Lake Fork Creek arm".
4	0604T	Lake Ratcliff	The impairment description for DSHS Advisories, Closures and Risk Assessments was changed from "Mercury" to "mercury in largemouth bass".
4	0608A	Beech Creek	For assessment unit 0608A_01 the data set qualifier for pH (low) was changed from AD to JQ.
4	0608C	Cypress Creek	For assessment unit 0608C_01 the number of dissolved oxygen samples assessed was changed from 50 samples to 39 samples. There was no change in the level of support. The number of E. coli samples assessed was changed from 15 samples to 13 samples. There was no change in the level of support. Added source of flow type.
4	0608E	Mill Creek	The segment description was changed from "...Harin County..." to "Hardin County...". Added source of flow type. Flow type changed from "perennial" to "intermittent". Aquatic Life Use criteria changed from "high" to "minimal". There was no change in the level of support.
4	0611A	East Fork Angelina River	For assessment units 0611A_03 and 0611A_04 the assessment unit description was changed from "Wotten" to "Wooten".

Draft 2006 Texas Water Quality Inventory and 303(d) List –
 Changes Since the Public Comment Period of 3/19/2007 – 4/18/2007 (June 27, 2007)

Type of Change	SegID	Water Body	Change(s)
1	0611C	Mud Creek	For assessment unit 0611C_01 the E. coli geomean was recalculated and changed from 126 to 116. The level of support changed from Non Support to Fully Supporting. Removed carryforward indicator and impairment category.
3	0701	Taylor Bayou Above Tidal	For all assessment units the impairment category for 24 hr dissolved oxygen was change from Category 5c to 5a.
4	0701D	Shallow Prong Lake	The impairment description for bioaccumulative toxics in fish tissue was changed from “Arsenic” to “arsenic in fish tissue”.
3	0704	Hillebrandt Bayou	For all assessment units the impairment category for 24 hr dissolved oxygen was change from Category 5c to 5a.
1,3	0805	Upper Trinity River	The chlordane in fish tissue impairment was removed from assessment units 0805_01 and 0805_05. The impairment category was removed. The levels of chlordane in these AUs do not contribute significantly to the risk for which the consumption advisory was issue. The impairment category for chlordane in fish tissue was changed from Category 4a to 4b for assessment units 0805_02 and 0805_06.
4	0810A	Big Sandy Creek	Changed water body description from “Co.” to “County”. This is consistent with the segment descriptions in the TWQS. Changed assessment unit description from “Waggoner CReek” to “Waggoner Creek”. Removed “TX” from end of AU description.
4	0810B	Garrett Creek	Changed water body description from “Co.” to “County”. This is consistent with the segment descriptions in the TWQS.
4	0810C	Martin Branch	Changed segment description from “Eight mile stretch...” to “The eight mile stretch...”
4	0822A	Cottonwood Branch	Changed flow type from perennial to intermittent with pools for all assessment units.
4	0822B	Grapevine Creek	The flow type was changed from “intermittent with pools” to “intermittent”. The Aquatic Life Use criteria changed from “limited” to “minimal”.
4	0823A	Little Elm Creek	Changed segment description from “Perennial stream from FM 455 in Collin County up to 1.4 km above FM 121 in Grayson County near Gunter” to “From confluence with Lake Lewisville in Denton Co., up to 1.4 km above FM 453 in Collin Co.” The assessment unit description for 0823A_01 changed from “Lower 12 miles of segment” to “From the confluence with Lake Lewisville in Denton Co., up to FM 455 in Collin Co. (Lower 12 miles of segment).” The assessment unit description for 0823A_02 changed from “Upper 15 miles of segment” to “From FM 455 in Collin Co., up to 1.4 km above FM 121 in Grayson, Co. near Guenther. (Upper 15 miles of segment).”
1, 3	0823B	Stewart Creek	For assessment unit 0823B_01 site specific hardness was calculated using Mg, and Ca to determine criteria rather than using default hardness. The level of support for acute copper in water changed Not Supporting to Fully Supporting. The data set qualifier was for chronic copper in water was changed from AD to JQ. The level of support for chronic copper in water was changed from Not Supporting to Not Assessed. The impairment category was removed.
1	0824	Elm Fork Trinity River Above Ray Roberts Lake	For assessment unit 0824_01 more recent E.coli data included in assessment resulting in adequate data set. The number of samples changed from 7 to 25. The level of support for both single sample and geomean changed from No Concern to Fully Supporting.
1	0829	Clear Fork Trinity River Below Benbrook Lake	DDE in fish tissue does not contribute significantly to the risk for which the consumption advisory was issued. DDE in fish tissue was removed from For assessment unit 0829_01.

Draft 2006 Texas Water Quality Inventory and 303(d) List –
 Changes Since the Public Comment Period of 3/19/2007 – 4/18/2007 (June 27, 2007)

Type of Change	SegID	Water Body	Change(s)
4	0831	Clear Fork Trinity River Below Lake Weatherford	In the assessment unit description changed “R.” to “River” and changed “Squaw Ck” to “Squaw Ck.”
4	0841B	Bear Creek	Changed flow type from “perennial” to “intermittent with pools”. The Aquatic Life Use criteria changed from “high” to “limited.”
4	0841H	Delaware Creek	Segment description changed from “...confluence with Lower W. Fork Trinity to Finlay Road in Dallas...” to “...confluence with Lower W. Fork Trinity to Finlay Road in Irving...” Changed flow type from “perennial” to “intermittent with pools”. Aquatic Life Use criteria changed from “high” to “limited”.
4	0841I	Dry Branch Creek	Changed flow type from “perennial” to “intermittent”. Aquatic Life Use criteria changed from “high” to “minimal”.
4	0841J	Estelle Creek	Changed flow type from “perennial” to “intermittent”. Aquatic Life Use criteria changed from “high” to “minimal”.
4	0841U	West Irving Creek	Changed flow type from “perennial” to “intermittent”. Aquatic Life Use criteria changed from “high” to “minimal”.
4	1002	Lake Houston	Segment description changed from “confl uence” to “confluence”.
4	1002 to 1017	Various Water Bodies	Assessment unit descriptions for various segments were changed from either “entire stream” or “entire segment” to “Entire water body” for consistency.
3, 4	1003	East Fork San Jacinto River	For all assessment units the impairment category for E. coli was changed from Category 5c to 5a. The assessment unit description for 1003_03 was changed from “Confluence with Caney Creek to US 59” to “25 miles upstream of US 59 to US 190 (upper segment boundary)”.
3	1004D	Crystal Creek	For all assessment units the impairment category for E. coli was changed from Category 5c to 5a.
3	1004E	Stewarts Creek	For all assessment units the impairment category for E. coli was changed from Category 5c to 5a.
4	1007	Houston Ship Channel/Buffalo Bayou Tidal	The assessment unit description for 1007_05 was changed from “...SH 255...” to “... SH 225...”
4	1007R	Hunting Bayou Above Tidal	The assessment unit description for 1007R_01 was changed from “...Bains Street...” to “...Bain Street...”
3	1008	Spring Creek	For all assessment units the impairment category for E. coli was changed from Category 5c to 5a.
3, 4	1008B	Upper Panther Branch	For all assessment units the impairment category for E. coli was changed from Category 5c to 5a. The segment description was changed from “... to the confluence with Bear Branch...” to “...to Old Conroe Road...” The assessment unit description for 1008B_01 was changed from “FromOld Conroe Road...” to “From Old Conroe Road...”
3	1008H	Willow Creek	For all assessment units the impairment category for E. coli was changed from Category 5c to 5a.
1	1009	Cypress Creek	The benthic data for assessment unit 1009_02 were re-assessed using the Coefficient of Variation. The level of support for benthics changed from Not Supporting to Fully Supporting. The habitat impairment was superseded by the Fully Supporting status of the biological community. The category for habitat was removed. The Aquatic Life Use is Fully supporting.
4	1009D	Spring Gully	The segment description was changed from “...from a pint...” to “...from a point...” The assessment unit description from “...to the confluence with Spring Creek” to “...Entire water body”.
3	1009E	Little Cypress Creek	For all assessment units the impairment category for E. coli was changed from Category 5c to 5a.
3	1010	Caney Creek	For all assessment units the impairment category for E. coli was changed from Category 5c to 5a.

Draft 2006 Texas Water Quality Inventory and 303(d) List –
 Changes Since the Public Comment Period of 3/19/2007 – 4/18/2007 (June 27, 2007)

Type of Change	SegID	Water Body	Change(s)
3, 4	1011	Peach Creek	For all assessment units the impairment category for E. coli was changed from Category 5c to 5a. The segment description was changed from "...to SH 150 Walker County" to "...SH 150 in Walker County".
1	1016D	Unnamed Tributary of Greens Bayou	The Aquatic Life Use criteria were changed from "limited" to "high". The data were re-assessed. The level of support for grab dissolved oxygen (minimum) changed from "Fully Supporting" to "Not Supporting". The level of support for 24 hr dissolved oxygen (average/minimum) changed from "Fully Supporting" to "Not Supporting". The Aquatic Life Use was changed from "Fully Supporting" to "Not Supporting". The Category for this Use changed to Category 5c.
4	1101	Clear Creek Tidal	Typo. For assessment unit 1101_01 the Fecal (single sample) mean of exceedances was changed from "19.789" to "19,789". Typo. Station 16575 was changed to Station 16577 in assessment unit 1101_02.
4	1102	Clear Creek Above Tidal	Typo. Removed Station 17077 from assessment unit 1102_02.
4	1102C	Hickory Slough	Changed assessment unit description from "...confluence with Clear to..." to "...confluence with Clear Creek to..."
1	1103D	Gum Bayou	The carryforward for Fecal (single sample) was in error. Because there are enough Enterococcus data to assess, the carryforward was removed. The Contact Recreation Use is Fully Supporting.
4	1104	Dickinson Bayou Above Tidal	Typo. Removed Station 11465 from assessment unit 1104_02 and added Stations 11467 and 11472.
4	1202M	Brown's Bayou	The SegID for this water body was changed from 1202M to 1245B.
4	1202N	Bullhead Bayou	The SegID for this water body was changed from 1202N to 1245C. Changed the segment description from "...Ft. Bend..." to "...Fort Bend..."
4	1202O	Unnamed tributary of Bullhead Bayou	The SegID for this water body was changed from 1202N to 1245D. Changed the assessment unit description from "...waterbody..." to "...water body..."
1, 3	1208	Brazos River Above Possum Kingdom Lake	The copper in water data used was inaccurate due to interferences with analysis. The level of support for acute copper in water in assessment unit 1208_05 was changed from Not Supporting to Fully Supporting. The impairment category was removed.
4	1209B	Fin Feather Lake	Changed the assessment unit description from "entire lake" to "entire reservoir".
3	1209C	Carters Creek	The impairment category for E. coli was change from Category 5c to 5a.
4	1209E	Wickson Creek	Changed the segment description from "...confluence with an unnamed firs order tributary..." to "...confluence with an unnamed first order tributary..." Changed the assessment unit description from "waterbody" to "water body".
4	1209K	Steele Creek	Changed the assessment unit description from "Upstream portion of waterbody" to "From the confluence with Willow Creek upstream to the end of the water body".
4	1209M	Country Club Branch	The SegID for this water body was changed from 1209M to 1209D.
3	1217D	North Fork Rocky Creek	Because this water body is undergoing a Standards review, the impairment category for 24 hr dissolved oxygen was changed from Category 4c to 5b.
3	1218	Nolan Creek/ South Nolan Creek	The impairment category for E. coli was change from Category 5c to 5a.
4	1221	Leon River Below Proctor Lake	Changed the assessment unit description from "Downstream of Lake Proctor" to "From the confluence with Walnut Creek upstream to Proctor Lake".

Draft 2006 Texas Water Quality Inventory and 303(d) List –
 Changes Since the Public Comment Period of 3/19/2007 – 4/18/2007 (June 27, 2007)

Type of Change	SegID	Water Body	Change(s)
4	1221A	Resley Creek	Changed the assessment unit 1221A_01 description from "...With unnamed tributary, approx. 1.0 mile N. of Commanche county line" to "with unnamed tributary, approx. 1.0 mile N. of Comanche County Line." Changed the assessment unit 1221A_02 description from "...waterbody..." to "...water body..."
4	1221C	Pecan Creek	Changed the assessment unit description from "...waterbody..." to "...water body..."
1	1222D	Indian Creek	The bacteria impairment was identified in error. The Contact Recreation Use will be changed from Not Supporting to Not Assessed due to the insufficient sample size.
1, 4	1222F	Hackberry Creek	The bacteria impairment was identified in error. The Contact Recreation Use will be changed from Not Supporting to Not Assessed due to the insufficient sample size. Changed the segment description from "...9.8 miles westo of..." to "...9.8 miles west of..."
3	1238	Salt Fork Brazos River	For all assessment units the impairment category for chloride was changed from Category 4c to 5b.
4	1242B	Cottonwood Branch	Changed the assessment unit description from "...Sanderson farms..." to "...Sanderson Farms..."
4	1242N	Tehuacana Creek	Changed the assessment unit 1242N_01 description from "...waterbody..." to "...water body..."
4	1242P	Big Creek	Changed the assessment unit 1242P_01 description from "...waterbody..." to "...water body..."
4	1244	Brushy Creek	Changed the segment description from "...Milan County..." to "...Milam County..." Changed the assessment unit description for 1244_03 and 1244_04 from "...receiving input from Round Rock WWTP..." to "...City of Round Rock WWTP outfall..."
4	1245	Upper Oyster Creek	Changed the assessment unit 1245_01 description from "downstream portion" to "From the confluence with the Brazos River upstream to Dam #3". Changed the assessment unit 1245_02 description from "The lakes region" to "From Dam #3 upstream to Harmon St. crossing in Sugar Land". Changed the assessment unit 1245_03 description from "Upstream, rural portion" to "From Harmon St. crossing in Sugar Land upstream to the end of the segment".
4	1248C	Mankins Branch	Changed the assessment unit 1248C_01 description from "...waterbody..." to "...water body..."
1	1402G	Fayette Reservoir	This water body was assessed for Public Water Supply Use in error. This Use has been removed.
4	1403A	Bull Creek	Changed the assessment unit 1403A_04 and 1403A_05 descriptions from "...cemetary..." to "...cemetary..."
1, 4	1407A	Clear Creek	Removed General Use parameters (chloride, sulfate, TDS) from assessment unit 1407A_02. Changed the assessment unit 1407A_02 description from "...upstream to heaters..." to "...upstream to headwaters..."
1, 3	1409	Colorado River Above Lake Buchanan	Additional habitat data were assessed for assessment unit 1409_02. The level of support for habitat changed from Not Supporting to Fully Supporting. The impairment Category 4c was removed.
3	1411	E. V. Spence Reservoir	For all assessment units the impairment category for chloride was changed from Category 4a to 4b.
1, 3	1416	San Saba River	Additional habitat data were assessed for assessment unit 1416_01. The level of support for habitat changed from Not Supporting to Fully Supporting. The impairment Category 4c was removed.
1	1427	Onion Creek	The benthic data for assessment unit 1427_02 were re-assessed using the Coefficient of Variation. The level of support for benthics changed from Not Supporting to Fully Supporting. The habitat impairment was superseded by the Fully Supporting status of the biological community. The category for habitat was removed. The Aquatic Life Use is Fully supporting.
4	1429C	Waller Creek	Changed the segment description from "...county..." to "...County..."

Draft 2006 Texas Water Quality Inventory and 303(d) List –
 Changes Since the Public Comment Period of 3/19/2007 – 4/18/2007 (June 27, 2007)

Type of Change	SegID	Water Body	Change(s)
3	1905	Medina River Above Medina Lake	The habitat and fish impairments are due to the natural conditions that limit habitat and biological communities. Because these conditions are not caused by a pollutant that can be allocated in a TMDL, these impairments will be assigned to Category 4c removed from the draft list.
3	1906	Lower Leon Creek	The impairment category for E. coli was change from Category 5c to 5a.
1	1907	Upper Leon Creek	The E. coli data were re-assessed with recent data and consideration given to zero or low flow conditions. The E. coli geomean was recalculated and changed from 143 to 15. The level of support changed from Not Supporting to Fully Supporting. The impairment Category was removed.
1, 4	1910	Salado Creek	A carryforward for dissolved oxygen (minimum) was added to assessment units 1910_03, 1910_05, 1910_06, and 1910_07. The impairment category for dissolved oxygen (minimum) was assigned Category 4a.
4	1913	Mid Cibolo Creek	Changed the assessment unit 1913_03 description from "...0.1 mile upstream of Buffalo Lane..." to "0.5 miles upstream of Buffalo Lane..."
3	2104	Nueces River Above Frio River	The impairment category for 24 hr dissolved oxygen was change from Category 5c to 5a.
3	2107	Atascosa River	Flow limitation has made the upper 2/3 of this segment no longer perennial. The standards for this segment will be reviewed. The category for depressed dissolved oxygen, impaired habitat, and impaired fish community in assessment units 2107_02 and 2107_03 has been changed from 5c to 5b.
1, 3	2110	Lower Sabinal River	Public Water Supply Use erroneously listed nitrate as a carry forward. The level of support for nitrate was changed from Not Supporting to Fully Supporting. A TMDL has been completed and Category 4a has been assigned.
1	2113	Upper Frio River	Biological data were re-assessed for 2113_02. Additional 24 hr dissolved oxygen data were assessed for 2113_01. The level of support for 24 hr dissolved oxygen changed from No Concern to Fully Supporting. The grab dissolved oxygen carryforward was removed. The impairment category for dissolved oxygen was removed.
1	2302	Rio Grande Below Falcon Reservoir	Assessment units 2302_01, 2302_02, and 2303_03 are located above Anzalduas Dam and were excluded from the Fully Supporting designation for Fish Consumption Use. DSHS collected fish tissue samples below the dam.
1	2304	Rio Grande Below Amistad Reservoir	Assessment units 2304_01, 2304_02, 2304_03, and 2304_04 are too far above the area where DSHS collected fish tissue samples and were excluded from the Fully Supporting designation for Fish Consumption Use.
1, 4	2307	Rio Grande Below Riverside Diversion Dam	The risk assessment-no advisory was moved from assessment unit 2307_04 to 2307_05. Changed assessment unit description from "...Rio Conchos confluence..." to "...Rio Conchos confluence (lower segment boundary)".
4	2311	Upper Pecos River	Typo. Removed Station 13249 from assessment unit 2311_08..
1,3	2411	Sabine Pass	The oyster water closure is not based on a DSHS sanitary survey but closed administratively. The DSHS shellfish restriction was changed from Not Supporting to Not Assessed.
1, 3	2412	Sabine Lake	The oyster water closure is not based on a DSHS sanitary survey but closed administratively. The DSHS shellfish restriction was changed from Not Supporting to Not Assessed.
4	2421	Upper Galveston Bay	Typo. Removed Station 15904 from assessment unit 2421_02.
4	2423	East Bay	Typo. Removed Stations 16514 and 17083 from assessment unit 2423_01.
4	2424	West Bay	Typo. Removed Station 16839 from assessment unit 2424_01.
4	2424A	Highland Bayou	Changed segment description from "From confluence with Jones Bay to Avenue Q ½ north of SH 6..." to "From confluence with Jones Bay to Avenue Q 0.5 miles (0.8 km) north of SH 6..."

Draft 2006 Texas Water Quality Inventory and 303(d) List –
 Changes Since the Public Comment Period of 3/19/2007 – 4/18/2007 (June 27, 2007)

Type of Change	SegID	Water Body	Change(s)
1, 3	2424B	Lake Madeline	The bacteria impairment was identified in error. Changed the Enterococcus (single sample) level of support from Not Supporting to Fully Supporting. Removed impairment information.
4	2429	Scott Bay	The assessment unit description was changed from “Entire water body” to “Entire segment”.
4	2430	Burnett Bay	The assessment unit description was changed from “Entire water body” to “Entire segment”.
1	2434	Christmas Bay	Data from Stations 13351, 14649, 14650, 14888, and 15931 were erroneously applied to assessment unit 2434_01. The Aquatic Life, Contact Recreation, and General Uses were changed from Fully Supporting to Not Assessed for this assessment unit.
4	2438	Bayport Channel	The assessment unit description was changed from “Entire Segment” to “Entire segment”.
1, 3	2441	East Matagorda Bay	Data from Stations 13375, 14660, 14661, 14662, 14663, 14664, 14665, 14666, 16846, and 18378 were erroneously applied to assessment unit 2441_01. The Aquatic Life, Contact Recreation, and General Uses were changed from Fully Supporting to Not Assessed for this assessment unit. The DSHS Shellfishing Restrictions impairment Category was changed from Category 4c to 5c.
3	2442	Cedar Lakes	The DSHS Shellfishing Restrictions impairment Category was changed from 4c to 5a in all assessment units. Category 5a is a more appropriate category for this bacteria impairment because of the potential risk to human health.
1, 3	2451	Matagorda/Powderhorn Lake	Data from Stations 13377, 13378, 13379, 14670, 14672, 14673, 14674, 14675, 14678, 14679, 14725, 14726, 14727, 14728, 14729, 14743, 16847, 17096, 17098, and 17974 were erroneously applied to assessment unit 2451_01. The Aquatic Life, Contact Recreation, and General Uses were changed from Fully Supporting to Not Assessed for this assessment unit. The DSHS Shellfishing Restrictions impairment Category was changed from Category 4c to 5c.
4	2452	Tres Palacios Harbor	Typo. Removed Station 14671 from assessment unit 2452_01.
1, 3	2454	Cox Bay	Data from Stations 13386, 17564, and 14719 were erroneously applied to assessment unit 2454_01. The Aquatic Life, Contact Recreation, and General Uses were changed from Fully Supporting to Not Assessed for this assessment unit. The DSHS Shellfishing Restrictions impairment Category was changed from Category 4c to 5c.
1, 3	2491	Laguna Madre	The oyster water closure is not based on a DSHS sanitary survey but closed administratively. The DSHS shellfish restriction was changed from Not Supporting to Not Assessed. The impairment Category for 24 hr dissolved oxygen in assessment units 2491_01 and 2491_02 was changed from Category 5c to 5b.
1, 3	2494A	Port Isabel Fishing Harbor	The carry forward for grab dissolved oxygen was in error. The level of support for grab dissolved oxygen was changed from Not Supporting to Fully Supporting. The impairment Category was removed.
4	Classified & Unclassified Segments	Various	Stations assigned to more than one assessment unit in error have been removed.
4	Classified Segments	Various	Additional descriptive information from Appendix A has been added to some classified segments.
4	Classified Segments	Various	Segment descriptions were corrected for those that were truncated in the draft reports.

Draft 2006 Texas Water Quality Inventory and 303(d) List –
 Changes Since the Public Comment Period of 3/19/2007 – 4/18/2007 (June 27, 2007)

Type of Change	SegID	Water Body	Change(s)	
1,3	1209A	1209A_01	aluminum in water	TCEQ has determined that field filter supplies used by several data contributors over the last few years for metals in water sample have produced unreliable data. New listings and categories for metals that were proposed for listing using data generated from these supplies have been removed from the draft.
	0603A	0603A_01	lead in water	
	0604C	0604C_01	aluminum in water	
	0604D	0604D_01	lead in water	
	0604M	0604M_02	lead in water	
	0604N	0604N_01	aluminum in water lead in water	
	0605A	0605A_01	copper in water	
	0607	0607_01	lead in water	
		0607_02	aluminum in water lead in water	
		0607_03	aluminum in water lead in water	
		0607_04	aluminum in water lead in water	
	0607B	0607B_01	aluminum in water lead in water	
	0607C	0607C_01	aluminum in water	
	0608	0608_02	aluminum in water lead in water	
	0608A	0608A_01	lead in water	
	0608C	0608C_01	lead in water	
	0608D	0608D_01	lead in water	
	0608F	0608F_01	lead in water	
	0610	0610_03	cadmium in water	
	0615	0615_02	aluminum in water	
0701	0701_02	aluminum in water lead in water		

**Schedule to Develop TMDLs in 2008 - 2009
for Category 5a Water Bodies
Based on the DRAFT 2006 303d List
June 27, 2007**

Table 1 provides a segment and parameter specific list of impairments currently being addressed by the TCEQ TMDL Program. A specific target date is provided for those projects that are expected to be completed in calendar years 2008 or 2009. Current TMDL projects not expected to be completed in 2008-2009 have a target date of beyond 2009 (>2009). Table 2 generally references all other Category 5 water bodies that are not currently being addressed by the TCEQ TMDL Program. The segments are listed in order of the TMDL Program's priority for addressing Category 5 impairments.

SegID: This is the classified segment number assigned to a water body or portion of a water body in the *Texas Surface Water Quality Standards*. A letter designation following the segment number (such as "A" or "B") indicates an unclassified water body that is located within the watershed of the classified segment whose number is shown before the letter.

Parameter: These are pollutants or water quality conditions that assessment procedures indicate are the reason the water quality standards are not met.

Target Completion Date: Indicates the calendar year (CY) in which a TMDL is targeted for completion. This TMDL schedule is a plan that is subject to change. Factors that may affect the completion of TMDLs include, but are not limited to: the severity of the pollution, the designated use for the water bodies, complexity encountered while developing the TMDL assessment, available funding, agency priorities and other factors. The TCEQ is committed to completing TMDLs within 8 to 13 years of an original listing and thus the number of years on the list is another factor affecting the TMDL schedule.

Table 1. Draft Schedule to Develop TMDLs in 2008 -2009 for current TMDL Projects

SegID	Segment Name	Parameter	Target Date (CY)
0701	Taylor Bayou Above Tidal	Dissolved Oxygen	>2009
0704	Hillebrandt Bayou	Dissolved Oxygen	>2009
0805	Upper Trinity River	Bacteria	2008
0805	Upper Trinity River	PCBs in Tissue	>2009
0806	West Fork Trinity River Below Lake Worth	Bacteria	2008
0806	West Fork Trinity River Below Lake Worth	PCBs in Tissue	>2009
0822	Elm Fork Trinity River Below Lewisville Lake	Bacteria	2008
0822A	Cottonwood Branch	Bacteria	2009
0822B	Grapevine Creek	Bacteria	2009
0829	Clear Fork Trinity River Below Benbrook Lake	PCBs in Tissue	>2009
0841	Lower West Fork Trinity River	Bacteria	2008
0841	Lower West Fork Trinity River	PCBs in Tissue	>2009
0901	Cedar Bayou Tidal	Dioxin in Tissue	2009
1001	San Jacinto River Tidal	Dioxin in Tissue	2009
1001	San Jacinto River Tidal	PCBs in Tissue	>2009
1002	Lake Houston	Bacteria	>2009
1003	East Fork San Jacinto River	Bacteria	>2009
1004	West Fork San Jacinto River	Bacteria	>2009
1004D	Crystal Creek	Bacteria	>2009

SegID	Segment Name	Parameter	Target Date (CY)
1004E	Stewarts Creek	Bacteria	>2009
1008	Spring Creek	Bacteria	>2009
1008B	Upper Panther Branch	Bacteria	>2009
1008H	Willow Creek	Bacteria	>2009
1009	Cypress Creek	Bacteria	>2009
1009C	Faulkey Gully	Bacteria	>2009
1009D	Spring Gully	Bacteria	>2009
1009E	Little Cypress Creek	Bacteria	>2009
1010	Caney Creek	Bacteria	>2009
1011	Peach Creek	Bacteria	>2009
1005	Houston Ship Channel / San Jacinto River Tidal	Dioxin in Tissue	2009
1005	Houston Ship Channel / San Jacinto River Tidal	PCBs in Tissue	>2009
1006	Houston Ship Channel Tidal	Dioxin Tissue	2009
1006	Houston Ship Channel Tidal	PCBs in Tissue	>2009
1006D	Halls Bayou Below US 59	Bacteria	>2009
1006E	Halls Bayou Above US 59	Bacteria	>2009
1006F	Big Gulch Above Tidal	Bacteria	>2009
1006H	Spring Gully Above Tidal	Bacteria	>2009
1006I	Unnamed Tributary of Halls Bayou	Bacteria	>2009
1006J	Unnamed Tributary of Halls Bayou	Bacteria	>2009
1007	Houston Ship Channel / Buffalo Bayou Tidal	Dioxin Tissue	2009
1007	Houston Ship Channel / Buffalo Bayou Tidal	PCBs in Tissue	>2009
1007B	Brays Bayou Above Tidal	Bacteria	>2009
1007C	Keegans Bayou above tidal	Bacteria	>2009
1007D	Sims Bayou Above Tidal	Bacteria	>2009
1007E	Willow Waterhole Bayou Above Tidal	Bacteria	>2009
1007F	Berry Bayou Above Tidal	Bacteria	>2009
1007G	Kuhlman Gully Above Tidal	Bacteria	>2009
1007H	Pine Gully Above Tidal	Bacteria	>2009
1007I	Plum Creek Above Tidal	Bacteria	>2009
1007K	Country Club Bayou	Bacteria	>2009
1007L	Unnamed Non-Tidal Tributary of Brays Bayou	Bacteria	>2009
1007M	Unnamed Non-Tidal Tributary of Hunting Bayou	Bacteria	>2009
1007N	Unnamed Non-Tidal Tributary of Sims Bayou	Bacteria	>2009
1007O	Unnamed Non-Tidal Tributary of Buffalo Bayou	Bacteria	>2009
1007P	Brays Bayou Above Tidal	Bacteria	>2009
1007Q	Sims Bayou Above Tidal	Bacteria	>2009
1007R	Hunting Bayou Above Tidal	Bacteria	>2009
1013	Buffalo Bayou Tidal	Bacteria	2008
1013A	Little Whiteoak Bayou	Bacteria	2008
1013C	Unnamed Non-Tidal Tributary of Buffalo Bayou Tidal	Bacteria	2008
1014	Buffalo Bayou Above Tidal	Bacteria	2008
1014H	South Mayde Creek	Bacteria	2008
1014K	Turkey Creek	Bacteria	2008
1014M	Neimans Bayou	Bacteria	2008
1014N	Rummel Creek	Bacteria	2008
1014O	Spring Branch	Bacteria	2008
1016	Greens Bayou Above Tidal	Bacteria	>2009
1016A	Garners Bayou	Bacteria	>2009

SegID	Segment Name	Parameter	Target Date (CY)
1016B	Unnamed Tributary of Greens Bayou	Bacteria	>2009
1016C	Unnamed Tributary of Greens Bayou	Bacteria	>2009
1016D	Unnamed Tributary of Greens Bayou	Bacteria	>2009
1017	Whiteoak Bayou Above Tidal	Bacteria	2008
1017A	Brickhouse Gully/Bayou	Bacteria	2008
1017B	Cole Creek	Bacteria	2008
1017D	Unnamed Tributary of Whiteoak Bayou	Bacteria	2008
1017E	Unnamed Tributary of Whiteoak Bayou	Bacteria	2008
1101	Clear Creek Tidal	Bacteria	2008
1101B	Chigger Creek	Bacteria	2008
1102	Clear Creek Above Tidal	Bacteria	2008
1102A	Cowart Creek	Bacteria	2008
1102B	Mary's Creek / North Fork Mary's Creek	Bacteria	2008
1103	Dickinson Bayou Tidal	Dissolved Oxygen	2008
1103	Dickinson Bayou Tidal	Bacteria	>2009
1003A	Bensons Bayou	Bacteria	>2009
1103B	Bordens Gully	Bacteria	>2009
1103C	Geisler Bayou	Bacteria	>2009
1103D	Gum Bayou	Bacteria	>2009
1104	Dickinson Bayou Above Tidal	Bacteria	>2009
1209C	Carter's Creek	Bacteria	2009
1221	Leon River Below Proctor Lake	Bacteria	2008
1245	Upper Oyster Creek	Dissolved Oxygen	2008
1255	Goose Branch	Bacteria	>2009
1255E	Unnamed Tributary of Goose Branch	Bacteria	>2009
1803A	Elm Creek	Bacteria	2008
1803A	Elm Creek	Dissolved Oxygen	2008
1803B	Sandies Creek	Bacteria	2008
1803B	Sandies Creek	Dissolved Oxygen	2008
1803C	Peach Creek	Bacteria	2008
1901	Lower San Antonio River	Bacteria	2008
1906	Lower Leon Creek	PCBs in Tissue	>2009
2001	Mission River Tidal	Bacteria	2009
2003	Aransas River Tidal	Bacteria	2009
2107	Atascosa River	Bacteria	2008
2421	Upper Galveston Bay	Bacteria in Oysters	2008
2421	Upper Galveston Bay	Dioxin in Tissue	2009
2421	Upper Galveston Bay	PCBs in Tissue	>2009
2422	Trinity Bay	Bacteria in Oysters	2008
2423	East Bay	Bacteria in Oysters	2008
2424	West Bay	Bacteria in Oysters	2008
2425C	Robinson Bayou	Bacteria	2008
2426	Tabbs Bay	Dioxin in Tissue	2009
2426	Tabbs Bay	PCBs in Tissue	>2009
2427	San Jacinto Bay	Dioxin in Tissue	2009
2427	San Jacinto Bay	PCBs in Tissue	>2009

SegID	Segment Name	Parameter	Target Date (CY)
2428	Black Duck Bay	Dioxin in Tissue	2009
2428	Black Duck Bay	PCBs in Tissue	>2009
2429	Scott Bay	Dioxin in Tissue	2009
2429	Scott Bay	PCBs in Tissue	>2009
2430	Burnett Bay	Dioxin in Tissue	2009
2430	Burnett Bay	PCBs in Tissue	>2009
2432	Chocolate Bay	Bacteria in Oysters	2008
2436	Barbours Cut	Dioxin in Tissue	2009
2436	Barbours Cut	PCBs in Tissue	>2009
2438	Bayport Channel	Dioxin in Tissue	2009
2438	Bayport Channel	PCBs in Tissue	>2009
2439	Lower Galveston Bay	Bacteria in Oysters	2008
2441	East Matagorda Bay	Bacteria in Oysters	>2009
2442	Cedar Lakes	Bacteria in Oysters	>2009
2451	Matagorda Bay/Powderhorn Lake	Bacteria in Oysters	>2009
2452	Tres Palacios Bay/Turtle Bay	Bacteria in Oysters	>2009
2453	Lavaca Bay/Chocolate Bay	Bacteria in Oysters	>2009
2456	Carancahua Bay	Bacteria in Oysters	>2009
2462	San Antonio Bay/Hynes Bay/Guadalupe Bay	Bacteria in Oysters	>2009
2472	Copano Bay / Port Bay / Mission Bay	Bacteria in Oysters	2009
2485A	Oso Creek	Bacteria	2008
0822A	Cottonwood Branch	Bacteria	2009
0822B	Grapevine Creek	Bacteria	2009

Table 2. Other Category 5 Segments

Segment Name	Target Date (CY)
Segments in 5c	>2009
Segments in 5b	>2009
Segments in 5a listed in 2004 and 2006	>2009