

EXECUTIVE SUMMARY - ENFORCEMENT MATTER
DOCKET NO.: 2010-0646-PWS-E **TCEQ ID:** RN101393429 **CASE NO.:** 39559
RESPONDENT NAME: City of Bynum

ORDER TYPE:		
<input checked="" type="checkbox"/> 1660 AGREED ORDER	<input type="checkbox"/> FINDINGS AGREED ORDER	<input type="checkbox"/> FINDINGS ORDER FOLLOWING SOAH HEARING
<input type="checkbox"/> FINDINGS DEFAULT ORDER	<input type="checkbox"/> SHUTDOWN ORDER	<input type="checkbox"/> IMMINENT AND SUBSTANTIAL ENDANGERMENT ORDER
<input type="checkbox"/> AMENDED ORDER	<input type="checkbox"/> EMERGENCY ORDER	
CASE TYPE:		
<input type="checkbox"/> AIR	<input type="checkbox"/> MULTI-MEDIA (check all that apply)	<input type="checkbox"/> INDUSTRIAL AND HAZARDOUS WASTE
<input checked="" type="checkbox"/> PUBLIC WATER SUPPLY	<input type="checkbox"/> PETROLEUM STORAGE TANKS	<input type="checkbox"/> OCCUPATIONAL CERTIFICATION
<input type="checkbox"/> WATER QUALITY	<input type="checkbox"/> SEWAGE SLUDGE	<input type="checkbox"/> UNDERGROUND INJECTION CONTROL
<input type="checkbox"/> MUNICIPAL SOLID WASTE	<input type="checkbox"/> RADIOACTIVE WASTE	<input type="checkbox"/> DRY CLEANER REGISTRATION
<p>SITE WHERE VIOLATION(S) OCCURRED: City of Bynum Blackland System, 106 Saylor Street, Bynum, Hill County</p> <p>TYPE OF OPERATION: Public water supply</p> <p>SMALL BUSINESS: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No</p> <p>OTHER SIGNIFICANT MATTERS: There are no complaints. There is no record of additional pending enforcement actions regarding this facility location.</p> <p>INTERESTED PARTIES: No one other than the ED and the Respondent has expressed an interest in this matter.</p> <p>COMMENTS RECEIVED: The <i>Texas Register</i> comment period expired on October 11, 2010. No comments were received.</p> <p>CONTACTS AND MAILING LIST: TCEQ Attorney/SEP Coordinator: None TCEQ Enforcement Coordinator: Ms. Amanda Henry, Enforcement Division, Enforcement Team 2, MC R-12, (713) 767-3672; Ms. Laurie Eaves, Enforcement Division, MC 219, (512) 239-4495 Respondent: The Honorable Millie West, Mayor, City of Bynum, P.O. Box 8, Bynum, Texas 76631 Respondent's Attorney: Not represented by counsel on this enforcement matter</p>		

VIOLATION SUMMARY CHART:		
VIOLATION INFORMATION	PENALTY CONSIDERATIONS	CORRECTIVE ACTIONS TAKEN/REQUIRED
<p>Type of Investigation: <input type="checkbox"/> Complaint <input type="checkbox"/> Routine <input type="checkbox"/> Enforcement Follow-up <input checked="" type="checkbox"/> Records Review</p> <p>Date(s) of Complaints Relating to this Case: None</p> <p>Date of Investigation Relating to this Case: February 25, 2010</p> <p>Date of NOV/NOE Relating to this Case: March 1, 2010 (NOE)</p> <p>Background Facts: This was a records review.</p> <p>WATER</p> <p>Failed to mail or directly deliver one copy of the Consumer Confidence Report ("CCR") to each bill paying customer by July 1 of each year and failed to submit to the TCEQ by July 1 of each year a copy of the annual CCR and certification that the CCR has been distributed to the customers of the Facility and that the information in the CCR is correct and consistent with compliance monitoring data [30 Tex. ADMIN. CODE §§ 290.271(b) and 290.274(a) and (c)].</p>	<p>Total Assessed: \$232</p> <p>Total Deferred: \$46 <input checked="" type="checkbox"/> Expedited Settlement <input type="checkbox"/> Financial Inability to Pay</p> <p>SEP Conditional Offset: \$0</p> <p>Total Paid to General Revenue: \$186</p> <p>Person Compliance History Classification <input type="checkbox"/> High <input type="checkbox"/> Average <input type="checkbox"/> Poor</p> <p>Site Compliance History Classification <input type="checkbox"/> High <input type="checkbox"/> Average <input type="checkbox"/> Poor</p> <p>Major Source: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No</p> <p>Applicable Penalty Policy: September 2002</p>	<p>Ordering Provisions:</p> <p>The Order will require the Respondent to:</p> <p>a. Within 30 days after the effective date of this Agreed Order, the Respondent shall mail or directly deliver one copy of the CCR prepared using the compliance monitoring data for the year 2009 to each bill paying customer and make a good faith effort to deliver the CCR to non-bill paying customers;</p> <p>b. Within 45 days after the effective of this Agreed Order, submit to the Commission a copy of the CCR provided to customers of the Facility and the certification that the CCR has been distributed to the customers of the Facility and that the information in the CCR is correct and consistent with the compliance monitoring data; and</p> <p>c. Within 60 days after the effective date of this Agreed Order, submit written certification and include detailed supporting documentation including photographs, receipts, and/or other records to demonstrate compliance with Ordering Provisions a and b.</p>

Additional ID No(s): 1090048



Penalty Calculation Worksheet (PCW)

Policy Revision 2 (September 2002)

PCW Revision October 30, 2008

TCEQ

DATES	Assigned	28-Mar-2010	Screening	13-Apr-2010	EPA Due	31-May-2009
	PCW	13-Apr-2010				

RESPONDENT/FACILITY INFORMATION	
Respondent	City of Bynum
Reg. Ent. Ref. No.	RN101393429
Facility/Site Region	9-Waco
Major/Minor Source	Minor

CASE INFORMATION			
Enf./Case ID No.	39559	No. of Violations	1
Docket No.	2010-0646-PWS-E	Order Type	1660
Media Program(s)	Public Water Supply	Government/Non-Profit	Yes
Multi-Media		Enf. Coordinator	Amanda Henry
		EC's Team	Enforcement Team 2
Admin. Penalty \$ Limit Minimum	\$50	Maximum	\$1,000

Penalty Calculation Section

TOTAL BASE PENALTY (Sum of violation base penalties) Subtotal 1

ADJUSTMENTS (+/-) TO SUBTOTAL 1

Subtotals 2-7 are obtained by multiplying the Total Base Penalty (Subtotal 1) by the indicated percentage.

Compliance History Enhancement Subtotals 2, 3, & 7

Notes

Culpability Enhancement Subtotal 4

Notes

Good Faith Effort to Comply Total Adjustments Subtotal 5

Economic Benefit Enhancement* Subtotal 6

Total EB Amounts	\$221
Approx. Cost of Compliance	\$202

*Capped at the Total EB \$ Amount

SUM OF SUBTOTALS 1-7 Final Subtotal

OTHER FACTORS AS JUSTICE MAY REQUIRE Adjustment

Reduces or enhances the Final Subtotal by the indicated percentage.

Notes

Final Penalty Amount

STATUTORY LIMIT ADJUSTMENT Final Assessed Penalty

DEFERRAL Reduction Adjustment

Reduces the Final Assessed Penalty by the indicated percentage. (Enter number only; e.g. 20 for 20% reduction.)

Notes

PAYABLE PENALTY

Screening Date 13-Apr-2010

Docket No. 2010-0646-PWS-E

PCW

Respondent City of Bynum

Policy Revision 2 (September 2002)

Case ID No. 39559

PCW Revision October 30, 2008

Reg. Ent. Reference No. RN101393429

Media [Statute] Public Water Supply

Enf. Coordinator Amanda Henry

Compliance History Worksheet

>> Compliance History Site Enhancement (Subtotal 2)

Component	Number of...	Enter Number Here	Adjust.
NOVs	Written NOVs with same or similar violations as those in the current enforcement action (number of NOVs meeting criteria)	2	10%
	Other written NOVs	3	6%
Orders	Any agreed final enforcement orders containing a denial of liability (number of orders meeting criteria)	0	0%
	Any adjudicated final enforcement orders, agreed final enforcement orders without a denial of liability, or default orders of this state or the federal government, or any final prohibitory emergency orders issued by the commission	0	0%
Judgments and Consent Decrees	Any non-adjudicated final court judgments or consent decrees containing a denial of liability of this state or the federal government (number of judgements or consent decrees meeting criteria)	0	0%
	Any adjudicated final court judgments and default judgments, or non-adjudicated final court judgments or consent decrees without a denial of liability, of this state or the federal government	0	0%
Convictions	Any criminal convictions of this state or the federal government (number of counts)	0	0%
Emissions	Chronic excessive emissions events (number of events)	0	0%
Audits	Letters notifying the executive director of an intended audit conducted under the Texas Environmental, Health, and Safety Audit Privilege Act, 74th Legislature, 1995 (number of audits for which notices were submitted)	0	0%
	Disclosures of violations under the Texas Environmental, Health, and Safety Audit Privilege Act, 74th Legislature, 1995 (number of audits for which violations were disclosed)	0	0%
<i>Please Enter Yes or No</i>			
Other	Environmental management systems in place for one year or more	No	0%
	Voluntary on-site compliance assessments conducted by the executive director under a special assistance program	No	0%
	Participation in a voluntary pollution reduction program	No	0%
	Early compliance with, or offer of a product that meets future state or federal government environmental requirements	No	0%

Adjustment Percentage (Subtotal 2) 16%

>> Repeat Violator (Subtotal 3)

N/A

Adjustment Percentage (Subtotal 3) 0%

>> Compliance History Person Classification (Subtotal 7)

N/A

Adjustment Percentage (Subtotal 7) 0%

>> Compliance History Summary

Compliance History Notes

The penalty enhancement is due to two prior Notices of Violation ("NOVs") containing violations that are the same as the violations in the current enforcement action and three prior dissimilar NOVs.

Total Adjustment Percentage (Subtotals 2, 3, & 7) 16%

Screening Date 13-Apr-2010

Docket No. 2010-0646-PWS-E

PCW

Respondent City of Bynum

Policy Revision 2 (September 2002)

Case ID No. 39559

PCW Revision October 30, 2008

Reg. Ent. Reference No. RN101393429

Media [Statute] Public Water Supply

Enf. Coordinator Amanda Henry

Violation Number 1

Rule Cite(s)

30 Tex. Admin. Code §§ 290.271(b) and 290.274(a) and (c)

Violation Description

Failed to mail or directly deliver one copy of the Consumer Confidence Report ("CCR") to each bill paying customer by July 1 of each year and failed to submit to the TCEQ by July 1 of each year a copy of the annual CCR and certification that the CCR has been distributed to the customers of the Facility and that the information in the CCR is correct and consistent with compliance monitoring data. Specifically, the Respondent did not mail or directly deliver the CCRs to the Facility's customers nor did the Respondent submit the CCR or the required certification to the TCEQ for the years 2007 and 2008.

Base Penalty \$1,000

>> Environmental, Property and Human Health Matrix

Release	Harm			Percent
	Major	Moderate	Minor	
OR Actual				0%
Potential				

>> Programmatic Matrix

Falsification	Major	Moderate	Minor	Percent
	X			10%

Matrix Notes

100% of the rule requirement was not met.

Adjustment \$900

\$100

Violation Events

Number of Violation Events 2 Number of violation days 730

daily	
weekly	
monthly	
quarterly	
semiannual	
annual	X
single event	

mark only one with an x

Violation Base Penalty \$200

Two annual events are recommended.

Good Faith Efforts to Comply

	Reduction	
	Before NOV	NOV to EDRP/Settlement
Extraordinary		
Ordinary		
N/A	X	(mark with x)

\$0

Notes

The Respondent does not meet the good faith criteria for this violation.

Violation Subtotal \$200

Economic Benefit (EB) for this violation

Estimated EB Amount \$221

Statutory Limit Test

Violation Final Penalty Total \$232

This violation Final Assessed Penalty (adjusted for limits) \$232

Economic Benefit Worksheet

Respondent City of Bynum
Case ID No. 39659
Reg. Ent. Reference No. RN101393429
Media Public Water Supply
Violation No. 1

Percent Interest	Years of Depreciation
5.0	15

Item Description	Item Cost	Date Required	Final Date	Yrs	Interest Saved	Onetime Costs	EB Amount
------------------	-----------	---------------	------------	-----	----------------	---------------	-----------

No commas or \$

Delayed Costs

Equipment				0.00	\$0	\$0	\$0
Buildings				0.00	\$0	\$0	\$0
Other (as needed)				0.00	\$0	\$0	\$0
Engineering/construction				0.00	\$0	\$0	\$0
Land				0.00	\$0	n/a	\$0
Record Keeping System				0.00	\$0	n/a	\$0
Training/Sampling				0.00	\$0	n/a	\$0
Remediation/Disposal				0.00	\$0	n/a	\$0
Permit Costs				0.00	\$0	n/a	\$0
Other (as needed)				0.00	\$0	n/a	\$0

Notes for DELAYED costs

Avoided Costs

ANNUALIZE [1] avoided costs before entering item (except for one-time avoided costs)

Disposal				0.00	\$0	\$0	\$0
Personnel				0.00	\$0	\$0	\$0
Inspection/Reporting/Sampling				0.00	\$0	\$0	\$0
Supplies/equipment				0.00	\$0	\$0	\$0
Financial Assurance [2]				0.00	\$0	\$0	\$0
ONE-TIME avoided costs [3]	\$202	1-Jul-2008	1-Jul-2009	1.92	\$19	\$202	\$221
Other (as needed)				0.00	\$0	\$0	\$0

Notes for AVOIDED costs

The avoided costs include the estimated amount necessary to produce copies of the CCR and mail or directly deliver the reports to customers of the Facility, calculated when the reports were due for the years 2007 and 2008.

Approx. Cost of Compliance

\$202

TOTAL

\$221

Compliance History Report

Customer/Respondent/Owner-Operator: CN600735831 City of Bynum Classification: Rating:
Regulated Entity: RN101393429 CITY OF BYNUM BLACKLAND SYSTEM Classification: Site Rating:

ID Number(s): PUBLIC WATER SYSTEM/SUPPLY REGISTRATION 1090048
WATER LICENSING LICENSE 1090048

Location: 106 SAYLOR STREET, BYNUM, HILL COUNTY TEXAS

TCEQ Region: REGION 09 - WACO

Date Compliance History Prepared: April 13, 2010

Agency Decision Requiring Compliance History: Enforcement

Compliance Period: April 13, 2005 to April 13, 2010

TCEQ Staff Member to Contact for Additional Information Regarding this Compliance History

Name: Amanda Henry Phone: (713)-767-3672

Site Compliance History Components

1. Has the site been in existence and/or operation for the full five year compliance period? Yes
2. Has there been a (known) change in ownership/operator of the site during the compliance period? No
3. If Yes, who is the current owner/operator? N/A
4. If Yes, who was/were the prior owner(s)/operator(s) ? N/A
5. When did the change(s) in owner or operator occur? N/A

Components (Multimedia) for the Site :

- A. Final Enforcement Orders, court judgements, and consent decrees of the state of Texas and the federal government.

N/A

- B. Any criminal convictions of the state of Texas and the federal government.

N/A

- C. Chronic excessive emissions events.

N/A

- D. The approval dates of investigations. (CEEDS Inv. Track. No.)

1	07/15/2007	(645257)
2	10/01/2007	(645896)
3	04/04/2008	(610840)
4	05/20/2008	(657197)
5	01/14/2009	(793029)
6	03/08/2010	(794451)
7	03/25/2010	(795281)

- E. Written notices of violations (NOV). (CEEDS Inv. Track. No.)

Date: 07/15/2007 (645257)
Self Report? NO

Classification: Moderate

Citation: 30 TAC Chapter 290, SubChapter F 290.109(f)(4)
Description: BACT - MONITORING/REPORTING VIOLATIONS

Date: 10/01/2007 (645896)

Self Report? NO

Classification: Moderate

Citation: 30 TAC Chapter 290, SubChapter F 290.122(b)(1)(A)

Description: PUBLIC NOTICE

Date: 04/07/2008 (610840)

Self Report? NO

Classification: Minor

Citation: 30 TAC Chapter 290, SubChapter D 290.43(e)

Description: Failure to provide an Intruder-resistant fence or lockable building in order to protect the pressure tank and ground storage tank.

Self Report? NO

Classification: Moderate

Citation: 30 TAC Chapter 290, SubChapter D 290.46(m)

Description: Failure to maintain the system facilities to insure the good working condition and general appearance of the system's facilities and equipment.

Self Report? NO

Classification: Minor

Citation: 30 TAC Chapter 290, SubChapter D 290.43(c)(2)

Description: Failure to provide the roof hatch on the ground storage tank with a gasket to form a positive seal, in order to prevent insects and other possible contaminants from entering the water supply.

Date: 01/14/2009 (793029)

Self Report? NO

Classification: Moderate

Citation: 30 TAC Chapter 290, SubChapter H 290.271(b)

Citation: 30 TAC Chapter 290, SubChapter H 290.274(a)

Description: This system did not deliver the annual Consumer Confidence Report (CCR) for the year of 2007 to its bill-paying customers.

Self Report? NO

Classification: Minor

Citation: 30 TAC Chapter 290, SubChapter H 290.274(c)

Description: This system failed to deliver a copy and certification of delivery of the annual Consumer Confidence Report (CCR) for the 2007 CCR year to TCEQ.

Date: 11/03/2009 (794451)

Self Report? NO

Classification: Moderate

Citation: 30 TAC Chapter 290, SubChapter H 290.271(b)

Citation: 30 TAC Chapter 290, SubChapter H 290.274(a)

Description: This system did not deliver the annual Consumer Confidence Report (CCR) for 2008 to its bill-paying customers.

Self Report? NO

Classification: Minor

Citation: 30 TAC Chapter 290, SubChapter H 290.274(c)

Description: This system failed to deliver a copy and certification of delivery of the annual Consumer Confidence Report (CCR) for the 2008 CCR year to TCEQ.

F. Environmental audits.

N/A

G. Type of environmental management systems (EMSs).

N/A

H. Voluntary on-site compliance assessment dates.

N/A

I. Participation in a voluntary pollution reduction program.

N/A

J. Early compliance.

N/A

Sites Outside of Texas

N/A

TEXAS COMMISSION ON ENVIRONMENTAL QUALITY



IN THE MATTER OF AN
ENFORCEMENT ACTION
CONCERNING
CITY OF BYNUM
RN101393429

§
§
§
§
§

BEFORE THE
TEXAS COMMISSION ON
ENVIRONMENTAL QUALITY

AGREED ORDER
DOCKET NO. 2010-0646-PWS-E

I. JURISDICTION AND STIPULATIONS

At its _____ agenda, the Texas Commission on Environmental Quality ("the Commission" or "TCEQ") considered this agreement of the parties, resolving an enforcement action regarding City of Bynum ("the Respondent") under the authority of TEX. HEALTH & SAFETY CODE ch. 341. The Executive Director of the TCEQ, through the Enforcement Division, and the Respondent appear before the Commission and together stipulate that:

1. The Respondent owns and operates a public water supply at 106 Saylor Street in Bynum, Hill County, Texas (the "Facility") that has approximately 102 service connections and serves at least 25 people per day for at least 60 days per year.
2. The Commission and the Respondent agree that the Commission has jurisdiction to enter this Agreed Order, and that the Respondent is subject to the Commission's jurisdiction.
3. The Respondent received notice of the violations alleged in Section II ("Allegations") on or about March 6, 2010.
4. The occurrence of any violation is in dispute and the entry of this Agreed Order shall not constitute an admission by the Respondent of any violation alleged in Section II ("Allegations"), nor of any statute or rule.
5. An administrative penalty in the amount of Two Hundred Thirty-Two Dollars (\$232) is assessed by the Commission in settlement of the violations alleged in Section II ("Allegations"). The Respondent has paid One Hundred Eighty-Six Dollars (\$186) of the administrative penalty and Forty-Six Dollars (\$46) is deferred contingent upon the Respondent's timely and satisfactory compliance with all the terms of this Agreed Order. The deferred amount will be waived upon full compliance with the terms of this Agreed Order. If the Respondent fails to timely and

- satisfactorily comply with all requirements of this Agreed Order, the Executive Director may require the Respondent to pay all or part of the deferred penalty.
6. Any notice and procedures, which might otherwise be authorized or required in this action, are waived in the interest of a more timely resolution of the matter.
 7. The Executive Director of the TCEQ and the Respondent have agreed on a settlement of the matters alleged in this enforcement action, subject to the approval of the Commission.
 8. The Executive Director may, without further notice or hearing, refer this matter to the Office of the Attorney General of the State of Texas ("OAG") for further enforcement proceedings if the Executive Director determines that the Respondent has not complied with one or more of the terms or conditions in this Agreed Order.
 9. This Agreed Order shall terminate five years from its effective date or upon compliance with all the terms and conditions set forth in this Agreed Order, whichever is later.
 10. The provisions of this Agreed Order are deemed severable and, if a court of competent jurisdiction or other appropriate authority deems any provision of this Agreed Order unenforceable, the remaining provisions shall be valid and enforceable.

II. ALLEGATIONS

As owner and operator of the Facility, the Respondent is alleged to have failed to mail or directly deliver one copy of the Consumer Confidence Report ("CCR") to each bill paying customer by July 1 of each year and failed to submit to the TCEQ by July 1 of each year a copy of the annual CCR and certification that the CCR has been distributed to the customers of the Facility and that the information in the CCR is correct and consistent with compliance monitoring data, in violation of 30 TEX. ADMIN. CODE §§ 290.271(b) and 290.274(a) and (c), as documented during a record review conducted on February 25, 2010.

III. DENIALS

The Respondent generally denies each allegation in Section II ("Allegations").

IV. ORDERING PROVISIONS

- i. It is, therefore, ordered by the TCEQ that the Respondent pay an administrative penalty as set forth in Section I, Paragraph 5 above. The payment of this administrative penalty and the Respondent's compliance with all the terms and conditions set forth in this Agreed Order resolve only the allegations in Section II. The Commission shall not be constrained in any manner from requiring corrective action or penalties for violations which are not raised here. Administrative penalty payments shall be made payable to "TCEQ" and shall be sent with the notation "Re: City of Bynum, Docket No. 2010-0646-PWS-E" to:

Financial Administration Division, Revenues Section
Attention: Cashier's Office, MC 214
Texas Commission on Environmental Quality
P.O. Box 13088
Austin, Texas 78711-3088

2. It is further ordered that the Respondent shall undertake the following technical requirements:

- a. Within 30 days after the effective date of this Agreed Order, the Respondent shall mail or directly deliver one copy of the CCR prepared using the compliance monitoring data for the year 2009 to each bill paying customer and make a good faith effort to deliver the CCR to non-bill paying customers, as required by 30 TEX. ADMIN. CODE § 290.274.
- b. Within 45 days after the effective of this Agreed Order, submit to the Commission a copy of the CCR provided to customers of the Facility and the certification that the CCR has been distributed to the customers of the Facility and that the information in the CCR is correct and consistent with the compliance monitoring data, as required by 30 TEX. ADMIN. CODE § 290.274. The copy of the CCR and certification shall be mailed to:

Public Drinking Water Section
Water Supply Division, MC 155
Texas Commission on Environmental Quality
P.O. Box 13087
Austin, Texas 78711-3087

- c. Within 60 days after the effective date of this Agreed Order, submit written certification as described below, and include detailed supporting documentation including photographs, receipts, and/or other records to demonstrate compliance with Ordering Provision Nos. 2.a and 2.b. The certification shall be notarized by a State of Texas Notary Public and include the following certification language:

"I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fines and imprisonment for knowing violations."

The certification shall be submitted to:

Order Compliance Team
Enforcement Division, MC 149A
Texas Commission on Environmental Quality
P.O. Box 13087
Austin, Texas 78711-3087

with a copy to:

Water Section Manager
Waco Regional Office
Texas Commission on Environmental Quality
6801 Sanger Avenue, Suite 2500
Waco, Texas 76710-7826

3. The provisions of this Agreed Order shall apply to and be binding upon the Respondent. The Respondent is ordered to give notice of the Agreed Order to personnel who maintain day-to-day control over the Facility operations referenced in this Agreed Order.
4. The Executive Director may grant an extension of any deadline in this Agreed Order or in any plan, report, or other document submitted pursuant to this Agreed Order, upon a written and substantiated showing of good cause. All requests for extensions by the Respondent shall be made in writing to the Executive Director. Extensions are not effective until the Respondent receives written approval from the Executive Director. The determination of what constitutes good cause rests solely with the Executive Director.
5. This Agreed Order, issued by the Commission, shall not be admissible against the Respondent in a civil proceeding, unless the proceeding is brought by the OAG to: (1) enforce the terms of this Agreed Order; or (2) pursue violations of a statute within the Commission's jurisdiction, or of a rule adopted or an order or permit issued by the Commission under such a statute.
6. This Agreed Order may be executed in multiple counterparts, which together shall constitute a single original instrument. Any executed signature page to this Agreed Order may be transmitted by facsimile transmission to the other parties, which shall constitute an original signature for all purposes under this Agreed Order.
7. Under 30 TEX. ADMIN. CODE § 70.10(b), the effective date is the date of hand-delivery of the Order to the Respondent, or three days after the date on which the Commission mails notice of the Order to the Respondent, whichever is earlier. The Chief Clerk shall provide a copy of this Agreed Order to each of the parties.

STATE OF TEXAS
TCEQ

SIGNATURE PAGE 2-49
031234

TEXAS COMMISSION ON ENVIRONMENTAL QUALITY

For the Commission

John Szeleny
For the Executive Director

9/14/2010
Date

I, the undersigned, have read and understand the attached Agreed Order. I am authorized to agree to the attached Agreed Order on behalf of the entity indicated below my signature, and I do agree to the terms and conditions specified therein. I further acknowledge that the TCEQ, in accepting payment for the penalty amount, is materially relying on such representation.

I also understand that failure to comply with the Ordering Provisions, if any, in this order and/or failure to timely pay the penalty amount, may result in:

- A negative impact on compliance history;
- Greater scrutiny of any permit applications submitted;
- Referral of this case to the Attorney General's Office for contempt, injunctive relief, additional penalties, and/or attorney fees, or to a collection agency;
- Increased penalties in any future enforcement actions;
- Automatic referral to the Attorney General's Office of any future enforcement actions; and
- TCEQ seeking other relief as authorized by law.

In addition, any falsification of any compliance documents may result in criminal prosecution.

Millie West
Signature

7/29/10
Date

Millie West
Name (Printed or typed)
Authorized Representative of
City of Bynum

Mayor
Title

Instructions: Send the original, signed Agreed Order with penalty payment to the Financial Administration Division, Revenues Section at the address in Section IV, Paragraph 1 of this Agreed Order.

