

TEXAS COMMISSION ON ENVIRONMENTAL QUALITY
AGENDA ITEM REQUEST
for Adoption

AGENDA REQUESTED: June 3, 2015

DATE OF REQUEST: May 15, 2015

INDIVIDUAL TO CONTACT REGARDING CHANGES TO THIS REQUEST, IF NEEDED: Derek Baxter, (512) 239-2613

CAPTION: Docket No. 2015-0342-MIS. Consideration of the adoption of the Draft 2014 Texas Integrated Report, for the federal Clean Water Act Sections 305(b) and 303(d), which is a compilation of documents and information which provides an overview of the state's surface water quality.

The Draft 2014 Texas Integrated Report would inform the regulated community and the public of water quality status. The Draft 2014 Texas Integrated Report would also provide agencies with information to enable informed permitting decisions, resource allocations, and to determine where total maximum daily loads, watershed actions plans, and other water quality improvement efforts are needed. The proposed Draft 2014 Texas Integrated Report Notice was published in the December 19, 2014, issue of the *Texas Register* (39 *TexReg* 10073). The proposed Draft 2014 Texas Integrated Report was posted on the Commission's Water Quality Planning Division's website on December 19, 2014. (Michele Blair, Robert Brush) (Non-Rule Project No. 2014-012-OTH-NR)

L'Oreal Stepney, P.E.

Deputy Director

Kelly Holligan

Division Director

Derek Baxter

Agenda Coordinator

Texas Commission on Environmental Quality

Interoffice Memorandum

To: Commissioners **Date:** May 15, 2015

Thru: Bridget C. Bohac, Chief Clerk
Richard Hyde, P.E., Executive Director

From: L'Oreal W. Stepney, P.E., Deputy Director
Office of Water

Docket No.: 2015-0342-MIS

Subject: Commission Approval for Adoption
The Draft 2014 Texas Integrated Report for Clean Water Act, §305(b) and §303(d)
Non-Rule Project No. 2014-012-OTH-NR

Summary and background:

The Integrated Report (IR) for the federal Clean Water Act (FCWA), §305(b) and §303(d), is a compilation of documents and information which provides an overview of the State's surface water quality. Factors considered in evaluating the status of water bodies include concerns for public health, fitness for use by aquatic species and other wildlife, and specific pollutants and their possible sources. The IR includes a list of water bodies that do not support their water quality criteria (303(d) List of Impaired Waters). The IR also includes the *Guidance for Assessing and Reporting Surface Water Quality in Texas*, additional reports concerning water quality as well as supporting documents. Portions of the IR proposed for consideration by the commission include the following:

- Summary 2014 Texas Integrated Report for Clean Water Act, §305(b) and §303(d)
- Draft 2014 Texas 303(d) List of Impaired Waters
- Draft 2014 New Listings
- Draft 2014 Delistings
- Draft 2014 Public Comment and Response

Scope:

Submission of the IR fulfills the requirements of the FCWA, §305(b) and §303(d). Extensive geographic information, assessment data, and supporting documentation for listings and delistings are compiled. Concerns are reported for water bodies that are near non-attainment or not meeting established screening levels.

A.) Summary of what the Integrated Report will do:

The IR assigns each assessed water body to one of five categories. For each water body assessed, the categories indicate the water quality status and how the State will address water quality issues. Category 5 represents the 303(d) List of Impaired Waters. The categories provide information to the public, stakeholders, internal agency programs, and the United States Environmental Protection Agency (EPA), about the State's water quality management activities.

Re: Docket No. 2015-0342-MIS

B.) Scope required by federal regulations or state statutes:

The 303(d) List of Impaired Waters and the supporting IR documentation for the status of all major water bodies in the State comprise the FCWA, §305(b) and §303(d) reporting.

C.) Additional staff recommendations that are not required by federal rule or state statute:

The IR includes supporting documentation useful to programs that administer the State's water quality management programs as well as the public and stakeholders.

Statutory authority:

Requirements for the IR are codified in the FCWA, §305(b) and §303(d) and in the Texas Water Code, §26.0135. Administrative regulatory requirements are established in 40 Code of Federal Regulations §130.7 and in 30 TAC §307.9. Additional procedural guidance is established by the TCEQ.

Effect on the:

Regulated community: The IR informs the regulated community of water quality status. Non-support of designated uses for surface water may limit discharge permits and other regulated activities that could affect impaired water bodies. Conversely, appropriate removal of water bodies from impaired status can facilitate the administration of the permitting programs.

Public: The IR serves the public by providing information regarding the quality of surface waters locally and throughout the State. Identification of impaired waters can lead to remedial measures to improve or restore water quality and in the process protect human health and the aquatic environment for the State.

Agency programs: The IR provides information to support permitting decisions, allocate resources, and determine where total maximum daily loads, watershed action plans, and other water quality improvement efforts are needed. Grant funding under the Federal Clean Water Act, §319(h) is prioritized for water bodies identified as impaired.

Stakeholder involvement:

Biennially, an external advisory workgroup is convened to discuss proposed changes to the *Guidance for Assessing and Reporting Surface Water Quality in Texas*. The workgroup comprises representatives from state agencies, municipalities, industry, environmental groups, and river authorities. For the 2014 IR, the external advisory workgroup met on June 6, 2013, to review existing and updated assessment procedures that would be used to evaluate monitoring data. One member of the group also provided additional written comments for consideration.

Other stakeholder involvement includes a preliminary review of assessment results by data providers, including the Texas State Soil and Water Conservation Board, river authorities,

Commissioners

Page 3

May 15, 2015

Re: Docket No. 2015-0342-MIS

Texas Commission on Environmental Quality (TCEQ) regions, the Texas Parks and Wildlife Department, and the Texas Department of State Health Services. Data providers reviewed the preliminary assessment results and provided comments on initial assessment outcomes. Changes made through this process were useful in identifying and correcting errors prior to formal public comment.

The Watershed Action Planning (WAP) process provides a means for the TCEQ to develop strategies for addressing impaired waters. Developing the IR involves input from WAP partners (state agencies, river authorities, and other stakeholders) through review of assessment outcomes and category assignment. Strategies for water quality improvement are developed through WAP proceedings and are considered during the IR process. This information has been incorporated as specific assignments for water bodies in Categories 4 and 5.

EPA review:

The EPA reviews the draft assessment guidance and submits comments following the meeting of the advisory workgroup. The EPA reviews the draft assessment results upon release for public comment and reviews the TCEQ approved IR under the provisions of the FCWA. The 303(d) List of Impaired Waters is only considered final upon approval by the EPA.

Public comment:

A 45-day public comment period occurred December 19, 2014 through February 2, 2015. The agency received 11 formal comments from four commenters during the comment period. Commenters included three river authorities (Upper Trinity Regional Water District, San Antonio River Authority, and the Brazos River Authority) and one state agency (Texas Parks and Wildlife).

Significant changes:

Non-substantive changes were made to resolve minor issues. Also, several updates to the 303(d) List of Impaired Waters and category updates.

Potential controversial concerns and legislative interest:

Federal regulations require that each state assemble and evaluate all existing and readily available water quality-related data and information to develop the IR every two years and submit it to the EPA by April 1 of even numbered years. The 2014 IR was not submitted to EPA by April 1, 2014. However, there were several reasons the process was delayed. The statistical tool used to conduct the evaluation required numerous changes in order to accommodate updated processes and procedures implemented as part of the 2014 IR. Also, during this time, the EPA approved several proposed revisions to the Texas Surface Water Quality Standards that required additional time to evaluate.

Commissioners

Page 4

May 15, 2015

Re: Docket No. 2015-0342-MIS

Does this Integrated Report affect any current policies or require development of new policies?

No.

What are the consequences if this Integrated Report does not go forward? Are there alternatives?

States are required to submit the IR by April 1 of even-numbered years. The TCEQ receives federal funds from EPA to assess water bodies and develop the IR. If the TCEQ does not submit the IR, EPA has the authority to develop the IR and promulgate the 303(d) List of Impaired Waters. Stakeholders rely on the information contained in the IR when planning activities to address water quality. Delays in approval of the IR impact the ability of stakeholders to have the most recent information and make informed decisions when planning water quality management activities.

Key points in the schedule:

***Texas Register* Public Notice publication date:** December 19, 2014

Draft Proposal publication date (on TCEQ Water Quality Planning Division Web page): December 19, 2014

Public Comment period: December 19, 2014 - February 2, 2015

Anticipated adoption date: June 3, 2015

Anticipated submittal to EPA: June, 2015

Agency contacts:

Michele Blair, Project Manager, (512) 239-4587, Water Quality Planning Division

Robert Brush, Staff Attorney, (512) 239-5600

Derek Baxter, Texas Register Coordinator, (512) 239-2613

Commissioners

Page 5

May 15, 2015

Re: Docket No. 2015-0342-MIS

Attachments

Summary 2014 Texas Integrated Report for Clean Water Act, §305(b) and §303(d)

Draft 2014 Texas 303(d) List of Impaired Waters

Draft 2014 New Listings

Draft 2014 Delistings

Draft 2014 Public Comment and Response

cc: Chief Clerk, 2 copies
Executive Director's Office
Tucker Royall
Marshall Coover
Pattie Burnett
Stephen Tatum
Michele Blair
Derek Baxter

**Summary 2014 Texas Integrated Report for Clean Water Act, §305(b) and §303(d)
2014 Assessment Results**

		Water Bodies Evaluated	2012	2014	
		Water Bodies Assessed	1330	1409	
			1041	1065	
			(segments)	(segments)	
Impairment Parameters by Type	Media	Use	2012 Total Number of Segment Impairments	2014 Total Number of Segment Impairments	Change
Bacteria	In water	Recreation	257	243	-14
		General Use	0	2	2
	In shellfish	Oyster Waters	15	8	-7
	Beaches	Beach Use	1	2	1
Dissolved Oxygen	In water	Aquatic Life	90	96	6
Toxicity	In ambient water	Aquatic Life	2	2	0
	In ambient sediment		6	6	0
Organics	In water	Fish Consumption, Aquatic Life	0	0	0
	In fish/shellfish		99	114	15
Metals (except Mercury)	In water	Fish Consumption, Oyster Waters, Aquatic Life	4	6	2
	In fish/shellfish		0	0	0
Mercury	In water	Fish Consumption, Oyster Waters, Aquatic Life	1	1	0
	In fish/shellfish		23	24	1
Dissolved Solids	Chloride	General	11	17	6
	Sulfate		9	12	3
	Total dissolved solids		14	18	4
Temperature	In water	General	0	1	1
pH	In water	General	17	17	0
Nutrients - Nitrogen	In water	General, Public Water Supply	0	0	0
Biological	Habitat, macrobenthos community, or fish community	Aquatic Life	19	20	1
		Totals	568	589	21
		Total AUs	940	986	46

2014 Texas Integrated Report - Texas 303(d) List (Category 5)

As required under Sections 303(d) and 305(b) of the federal Clean Water Act, this list identifies the water bodies in or bordering Texas for which effluent limitations are not stringent enough to implement water quality standards, and for which the associated pollutants are suitable for measurement by maximum daily load.

In addition, the TCEQ also develops a schedule identifying Total Maximum Daily Loads (TMDLs) that will be initiated in the next two years for priority impaired waters. Issuance of permits to discharge into 303(d)-listed water bodies is described in the TCEQ regulatory guidance document *Procedures to Implement the Texas Surface Water Quality Standards* (June 2010, RG-194).

Impairments are limited to the geographic area described by the Assessment Unit and identified with a six or seven-digit AU_ID. A management strategy will be assigned to each impairment. Specific strategies may include TMDL development, water quality standards evaluation, or additional monitoring.

Explanation of Column Headings

SegID and Name:	The unique identifier (SegID), segment name, and location of the water body. Items may be one of three types of numbers for SegID. The first type is a classified segment number (4 digits, e.g. 0218), as defined in the Texas Surface Water Quality Standards. The second type is an unclassified water body (e.g. 0218A), not defined in the Standards and associated with a classified water body because it is in the same watershed. The third type includes special Segments for Oyster Water Use (e.g. 2421OW) and Beach Watch Use (e.g. 2481CB) special areas. The segment name and description follow SegID.
AU_ID:	Identifies the assessment unit (AU_ID, six or seven digits, e.g., 0101A_01) and describes the location of the specific area within a classified or unclassified water body for which one or more water quality standards are not met.
Parameter(s):	Pollutants or water quality conditions that assessment procedures indicate do not meet assigned water quality standards.
Category:	One of three subcategories assigned to each impaired parameter to provide information about water quality status and management activities on that water body. The categories are defined below: <u>Category 5:</u> The water body does not meet applicable water quality standards or is threatened for one or more designated uses by one or more pollutants. <i>Category 5a</i> - TMDLs are underway, scheduled, or will be scheduled for one or more parameters. <i>Category 5b</i> - A review of the standards for one or more parameters will be conducted before a management strategy is selected, including the possible revision to the TSWQS. <i>Category 5c</i> - Additional data or information will be collected and/or evaluated for one or more parameters before a management strategy is selected.
Year Segment First Listed	The initial assessment year the pollutant or water quality condition in this water body (Segment, not specifically the year for each AU_ID) did not meet water quality standards.

2014 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0101 Canadian River Below Lake Meredith
 From the Oklahoma State Line in Hemphill County to Sanford Dam in Hutchinson County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2012
0101_03	From the confluence with White Deer Creek upstream to the confluence with Dixon Creek east of Borger	

SegID: 0101A Dixon Creek
 Dixon Creek - intermittent stream with perennial pools from the confluence with the Canadian River in Hutchinson County upstream to the confluence with the Middle, West, and East Dixon creeks in Carson County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2000
0101A_01	Dixon Creek an Appendix D Intermittent stream with perennial pools from the confluence with the Canadian River upstream to the confluence with the permitted outfall receiving waters tributary	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	2000
0101A_01	Dixon Creek an Appendix D Intermittent stream with perennial pools from the confluence with the Canadian River upstream to the confluence with the permitted outfall receiving waters tributary	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
selenium in water	5c	2010
0101A_01	Dixon Creek an Appendix D Intermittent stream with perennial pools from the confluence with the Canadian River upstream to the confluence with the permitted outfall receiving waters tributary	

2014 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0102 Lake Meredith
 Lake Meredith - from Sanford Dam in Hutchinson County to a point immediately upstream of the confluence of Camp Creek in Potter County, up to the normal pool elevation of 2936.5 feet (impounds Canadian River)

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
chloride	5c	2006

0102_01	Lake Meredith downstream of a line from red starboard marker 14 at Blue West Campground to green port marker 11 north of Fritch Canyon
---------	--

0102_02	Lake Meredith upstream of a line from red starboard marker 14 at Blue West Campground to green port marker 11 north of Fritch Canyon
---------	--

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
mercury in edible tissue	5c	2002

0102_01	Lake Meredith downstream of a line from red starboard marker 14 at Blue West Campground to green port marker 11 north of Fritch Canyon
---------	--

0102_02	Lake Meredith upstream of a line from red starboard marker 14 at Blue West Campground to green port marker 11 north of Fritch Canyon
---------	--

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
sulfate	5c	2006

0102_01	Lake Meredith downstream of a line from red starboard marker 14 at Blue West Campground to green port marker 11 north of Fritch Canyon
---------	--

0102_02	Lake Meredith upstream of a line from red starboard marker 14 at Blue West Campground to green port marker 11 north of Fritch Canyon
---------	--

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
total dissolved solids	5c	2006

0102_01	Lake Meredith downstream of a line from red starboard marker 14 at Blue West Campground to green port marker 11 north of Fritch Canyon
---------	--

0102_02	Lake Meredith upstream of a line from red starboard marker 14 at Blue West Campground to green port marker 11 north of Fritch Canyon
---------	--

SegID: 0103 Canadian River Above Lake Meredith
 From a point immediately upstream of the confluence of Camp Creek in Potter County to the New Mexico State Line in Oldham County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
chloride	5c	2006

0103_01	From the headwaters of Lake Meredith upstream to the confluence with Sand Creek
---------	---

0103_02	From the confluence with Sand Creek upstream to the confluence with Punta de Agua Creek
---------	---

0103_03	From the confluence with Punta de Agua Creek upstream to the New Mexico State Line
---------	--

2014 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0105 Rita Blanca Lake
 Rita Blanca Lake - from Rita Blanca Dam in Hartley County up to the normal pool elevation of 3860 feet
 (impounds Rita Blanca Creek)

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
chloride	5b	2014
0105_01	Rita Blanca Lake from Rita Blanca Dam up to the normal pool elevation of 3860 feet	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
pH	5b	2006
0105_01	Rita Blanca Lake from Rita Blanca Dam up to the normal pool elevation of 3860 feet	

SegID: 0201A Mud Creek
 Mud Creek - from the confluence of the Red River upstream to the headwater near the intersection of US 82
 and Bowie CR 3403

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2002
0201A_01	Mud Creek from the confluence of the Red River upstream to the headwater near the intersection of US 82 and Bowie CR 3403	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	2006
0201A_01	Mud Creek from the confluence of the Red River upstream to the headwater near the intersection of US 82 and Bowie CR 3403	

SegID: 0202F Choctaw Creek
 From the confluence with the Red River east of Denison to the upstream perennial portion near the intersection
 of SH 56 and SH 289 in Grayson County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2010
0202F_01	From the confluence with the Red River upstream to the confluence with Post Oak Creek	
0202F_02	From the confluence with Post Oak Creek upstream to the headwaters near the intersection of SH 56 and SH 289 in Grayson County	

SegID: 0202G Smith Creek
 Smith Creek - from the confluence of Pine Creek upstream to the confluence of two unnamed streams south of
 Loop 286 in Paris

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2006
0202G_01	Smith Creek from the confluence of Pine Creek upstream to the confluence of two unnamed streams south of Loop 286 in Paris	

2014 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0202I Little Pine Creek

Little Pine Creek - from the confluence of Big Pine Creek upstream to the headwater north of Detroit, TX

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	2014
0202I_01	Little Pine Creek from the confluence of Big Pine Creek upstream to the headwater north of Detroit, TX	

SegID: 0202K Iron Ore Creek

Iron Ore Creek - from the confluence of Choctaw Creek upstream to the headwater south of FM 120 east of Denison

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2010
0202K_01	Iron Ore Creek from the confluence of Choctaw Creek upstream to the headwater south of FM 120 east of Denison	

SegID: 0206B South Groesbeck Creek

South Groesbeck Creek - from the confluence of Groesbeck Creek and North Groesbeck Creek upstream to the headwater 12.6 km southwest of Childress

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2006
0206B_01	South Groesbeck Creek from the confluence of Groesbeck Creek and North Groesbeck Creek upstream to the headwater 12.6 km southwest of Childress	

SegID: 0207 Lower Prairie Dog Town Fork Red River

Lower Prairie Dog Town Fork Red River - from a point immediately upstream of the confluence of Buck Creek in Hardeman County to a point 100 meters (110 yards) upstream of the confluence of Salt Fork Creek in Armstrong County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2006
0207_04	Lower Prairie Dog Town Fork Red River from the confluence of Battle Creek upstream to the confluence of Salt Fork Creek upstream of SH 207 south of Claude	

2014 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0211 Little Wichita River
 From the confluence with the Red River in Clay County to Lake Arrowhead Dam in Clay County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
chloride	5b	2012

0211_01 From the confluence with the Red River upstream to the confluence with the East Fork Little Wichita River

0211_02 From the confluence with the East Fork Little Wichita River upstream to the Lake Arrowhead Dam

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	1996

0211_02 From the confluence with the East Fork Little Wichita River upstream to the Lake Arrowhead Dam

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
sulfate	5b	2010

0211_01 From the confluence with the Red River upstream to the confluence with the East Fork Little Wichita River

0211_02 From the confluence with the East Fork Little Wichita River upstream to the Lake Arrowhead Dam

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
total dissolved solids	5b	2010

0211_01 From the confluence with the Red River upstream to the confluence with the East Fork Little Wichita River

0211_02 From the confluence with the East Fork Little Wichita River upstream to the Lake Arrowhead Dam

SegID: 0214 Wichita River Below Diversion Lake Dam
 From the confluence with the Red River in Clay County to Diversion Dam in Archer County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2006

0214_05 From the confluence with Beaver Creek upstream to the Diversion Lake Dam

SegID: 0214A Beaver Creek
 From the confluence of the Wichita River west of Wichita Falls in Wichita County upstream to the headwaters west of Crowell in Foard County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2006

0214A_01 From the confluence with the Wichita River upstream to the confluence with Bull Creek

0214A_02 From the confluence with Bull Creek upstream to the Santa Rosa Lake dam

SegID: 0214B Buffalo Creek
 Buffalo Creek - from the confluence of the Wichita River upstream to the headwater east of Electra

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2010

0214B_01 Buffalo Creek from the confluence of the Wichita River upstream to the headwater east of Electra

2014 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0219 Lake Wichita
 Lake Wichita - from Lake Wichita Dam in Wichita County up to the normal pool elevation of 980.5 feet
 (impounds Holliday Creek)

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
chloride	5c	2014

0219_01 Lake Wichita from the dam up to the normal pool elevation of 980.5 feet

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
sulfate	5c	2014

0219_01 Lake Wichita from the dam up to the normal pool elevation of 980.5 feet

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
total dissolved solids	5c	2014

0219_01 Lake Wichita from the dam up to the normal pool elevation of 980.5 feet

SegID: 0222 Salt Fork Red River
 Salt Fork Red River - from the Oklahoma State Line in Collingsworth County to Greenbelt Dam in Donley County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2010

0222_01 Salt Fork Red River from the Oklahoma State Line upstream to the confluence of Lake Creek

SegID: 0224A McClellan Creek
 McClellan Creek - from the confluence of the North Fork Red River upstream to the headwater near Carson CR 117 km east of Amarillo

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2010

0224A_01 McClellan Creek from the confluence of the North Fork Red River upstream to the Lake McClellan dam

SegID: 0228 Mackenzie Reservoir
 Mackenzie Reservoir - from Mackenzie Dam in Briscoe County up to the normal pool elevation of 3100 feet
 (impounds Tule Creek)

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
total dissolved solids	5c	2014

0228_01 Mackenzie Reservoir from the dam up to the normal pool elevation of 3100 feet

SegID: 0229 Upper Prairie Dog Town Fork Red River
 Upper Prairie Dog Town Fork Red River - from a point 100 meters (110 yards) upstream of the confluence of Salt Fork Creek in Armstrong County to Lake Tanglewood Dam in Randall County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
pH	5c	2006

0229_02 Upper Prairie Dog Town Fork Red River from the Palo Duro Canyon State Park northern boundary upstream to Tanglewood Dam

2014 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0230A Paradise Creek

Paradise Creek - from the confluence of the Pease River east of Vernon upstream to the headwater 500m west of the intersection of US 70 and Foard CR 233

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2006
0230A_01	Paradise Creek from the confluence of the Pease River east of Vernon upstream to a point 400m upstream of the intersection of FM 433 and Wilbarger CR 97	

SegID: 0302 Wright Patman Lake

From Wright Patman Lake Dam in Bowie/Cass County to a point 1.5 kilometers (0.9 miles) downstream of Bassett Creek in Bowie/Cass County, up to the normal pool elevation of 226.4 feet (impounds the Sulphur River)

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	1996
0302_02	300 acres at International Paper intake	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
pH	5b	2000
0302_01	800 acres near dam	
0302_02	300 acres at International Paper intake	
0302_03	1600 acres southwest of dam	
0302_04	500 acres in the northeast corner of lake	
0302_05	200 acres in the northwestern tip of lake	
0302_06	Big Creek arm	
0302_07	4000 acres mid-lake	
0302_08	1600 acres in upper mid-lake	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
temperature	5c	2014
0302_04	500 acres in the northeast corner of lake	

2014 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0303B White Oak Creek

From the confluence of the Sulphur River north of Naples in Morris County to the upstream perennial portion of the stream east of Sulphur Springs in Hopkins County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2006
0303B_01	Portion of White Oak Creek from the confluence with the South Sulphur River approximately 40 km (25 mi) upstream to the confluence with Lacy Creek.	
0303B_04	Portion of White Oak Creek from the confluence with the Stouts Creek approximately 46 km (28 mi) upstream to Midget Creek.	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	2000
0303B_01	Portion of White Oak Creek from the confluence with the South Sulphur River approximately 40 km (25 mi) upstream to the confluence with Lacy Creek.	
0303B_02	Portion of White Oak Creek from the confluence with the Lacy Creek approximately 42 km (26 mi) upstream to the confluence with Ripley Creek.	
0303B_03	Portion of White Oak Creek from the confluence with the Ripley Creek approximately 42 km (26 mi) upstream to Stouts Creek.	
0303B_04	Portion of White Oak Creek from the confluence with the Stouts Creek approximately 46 km (28 mi) upstream to Midget Creek.	

SegID: 0306 Upper South Sulphur River

From a point 1.0 km (0.6 miles) upstream of SH 71 in Delta/Hopkins County to SH 78 in Fannin County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
pH	5c	2008
0306_01	Portion of the Upper South Sulphur River from a point 1 km (.6 mi) upstream of SH 71 upstream approximately 10 km (6 mi) to Dunbar Creek.	
0306_02	Portion of the Upper South Sulphur River from the confluence with Dunbar Creek approximately 42 km (26 mi) to Hickory Creek..	
0306_03	Portion of the Upper South Sulphur River from the confluence with Hickory Creek approximately 19 km (12 mi) to SH 71.	

SegID: 0307 Jim L. Chapman Lake (formerly Cooper Lake)

From Jim L. Chapman Dam to a point 1.0 kilometers (0.7 mile) upstream of SH 71 on the South Sulphur River arm and 300 meters (275 yards) below the confluence of Barnett Creek on the Middle Sulphur River arm, up to a conservation pool elevation of 440 feet

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
pH	5c	2000
0307_01	Lower 5000 acres near dam	
0307_02	Lower 3000 acre Doctors Creek arm	
0307_03	Middle 5000 acres	
0307_04	Middle 2000 acre Johns Creek arm	

2014 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0401 Caddo Lake

From the Louisiana State Line in Harrison/Marion County to a point 12.3 km (7.6 miles) downstream of SH 43 in Harrison/Marion County, up to pool elevation of 168.5 feet (impounds Big Cypress Creek)

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	2000
0401_02 Harrison Bayou arm		
0401_03 Goose Prairie arm		
0401_05 Clinton Lake		
0401_07 Mid-lake near Uncertain		

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
mercury in edible tissue	5c	1996
0401_01 Lower 5000 acres		
0401_02 Harrison Bayou arm		
0401_03 Goose Prairie arm		
0401_05 Clinton Lake		
0401_07 Mid-lake near Uncertain		

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
pH	5c	1996
0401_03 Goose Prairie arm		

SegID: 0401A Harrison Bayou

From the confluence of Caddo Lake east of Karnack in Harrison County to the upstream perennial portion of the stream east of Marshall in Harrison County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	2000
0401A_01 From Caddo Lake upstream 21.8 km (13.5 mi) to the confluence with NHD RC 11140306000177, an unnamed tributary approximately 2 km downstream from FM 1998		

2014 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0402 Big Cypress Creek Below Lake O' the Pines
 From a point 12.3 km (7.6 miles) downstream of SH 43 in Harrison/Marion County to Ferrell's Bridge Dam in Marion County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	2010
0402_02	From the confluence with Haggerty Creek upstream 25 km (15.5 mi) to the confluence with Black Cypress Bayou.	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
mercury in edible tissue	5c	1998
0402_01	From the confluence with Caddo Lake upstream 15 km (9 mi) to Haggerty Creek	
0402_02	From the confluence with Haggerty Creek upstream 25 km (15.5 mi) to the confluence with Black Cypress Bayou.	
0402_03	From the confluence with Black Cypress Bayou upstream 23.8 km (14.7 mi) to French Creek.	
0402_04	From the confluence with French Creek upstream 13 km (8 mi) to Lake O' the Pines	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
pH	5c	2000
0402_01	From the confluence with Caddo Lake upstream 15 km (9 mi) to Haggerty Creek	

SegID: 0402A Black Cypress Bayou (Creek)
 Perennial stream from the confluence with Big Cypress in Marion County up to 7.5 miles above FM 250 in Cass County.

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
copper in water	5c	2010
0402A_01	From the confluence with Big Cypress Creek upstream 25 km (15.5 mi) to the confluence with White Oak Creek	
0402A_03	Pruitt Lake beginning near HWY 155, extending upstream 1.8 km (1.1 mi)	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	2000
0402A_01	From the confluence with Big Cypress Creek upstream 25 km (15.5 mi) to the confluence with White Oak Creek	
0402A_02	From the confluence with White Oak Creek upstream 31.3 km (19.4 mi) to Pruitt Lake	
0402A_03	Pruitt Lake beginning near HWY 155, extending upstream 1.8 km (1.1 mi)	
0402A_04	From Pruitt Lake 26.4 km (16.4 mi) upstream to the confluence with Kelly Creek in Cass County	
0402A_05	An Appendix D intermittent stream with perennial pools from the confluence with Kelly Creek upstream to FM 250 north of the City of Hughes Springs	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
mercury in edible tissue	5c	2000
0402A_03	Pruitt Lake beginning near HWY 155, extending upstream 1.8 km (1.1 mi)	

2014 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0404 Big Cypress Creek Below Lake Bob Sandlin

From a point 1.0 km (0.6 miles) downstream of US 259 in Morris/Upshur Counties to Fort Sherman Dam in Camp/Titus Counties

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2002
0404_02	From the confluence with an unnamed tributary NHD RC 11140305002717 upstream 37.2 km (23 mi) to Lake Bob Sandlin	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
sulfate	5c	2014
0404_01	From the confluence with Lake O' the Pines upstream 24 km (14.9 mi) to the confluence with an unnamed tributary NHD RC 11140305002717	
0404_02	From the confluence with an unnamed tributary NHD RC 11140305002717 upstream 37.2 km (23 mi) to Lake Bob Sandlin	

SegID: 0404A Ellison Creek Reservoir

From the Morris County Dam up to normal pool elevation near Lone Star in Morris County (impounds Ellison Creek)

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2006
0404A_01	Entire water body	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
toxicity in sediment	5c	2006
0404A_01	Entire water body	

SegID: 0404B Tankersley Creek

Perennial stream from the confluence with Big Cypress Creek upstream to the confluence with an unnamed tributary 250 meters upstream of IH 30

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2006
0404B_01	From the confluence with Big Cypress Creek upstream 16.1 km (10 mi) to Tankersley Lake. WQS Appendix D portion of the creek.	

SegID: 0404C Hart Creek

Perennial stream from the confluence with Big Cypress Creek upstream to 0.2 km upstream of FM 1402

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2006
0404C_01	Entire water body and WQS Appendix D portion of the water body.	

2014 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0404N Lake Daingerfield
 Southeast of the City of Daingerfield in Daingerfield State Park in Morris County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
mercury in edible tissue	5c	2002
0404N_01 Entire reservoir		

SegID: 0405 Lake Cypress Springs
 From Franklin County Dam in Franklin County up to the normal pool elevation of 378 feet (impounds Big Cypress Creek)

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
pH	5c	2012
0405_02 Upper 2600 acres		
0405_03 Panther Arm		

SegID: 0405A Big Cypress Creek
 From the confluence with Lake Cypress springs in Franklin County, to approximately 5 miles west of State HWY 37

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	2014
0405A_01 Entire water body		

SegID: 0406 Black Bayou
 From the Louisiana State Line in Cass County to FM 96 in Cass County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2006
0406_02 From the confluence with Hurricane Creek upstream 28.6 km (17.7 mi) to NHD RC 11140304000881 near FM 96		

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	2002
0406_01 Black Bayou from the LA state line upstream 19.1 km (11.8 mi) to the confluence with Hurricane Creek		
0406_02 From the confluence with Hurricane Creek upstream 28.6 km (17.7 mi) to NHD RC 11140304000881 near FM 96		

2014 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0407 James' Bayou
 From the Louisiana State Line in Marion County to Club Lake Road northwest of Linden in Cass County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2006

0407_02 From the confluence with Bear Creek upstream 29.8 km (18.5 mi) to approximately 2 km north of HWY 11

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	2000

0407_01 From the LA state line upstream 31.6 km (19.6 mi) to the confluence with Bear Creek.

0407_02 From the confluence with Bear Creek upstream 29.8 km (18.5 mi) to approximately 2 km north of HWY 11

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
impaired fish community	5c	2014

0407_01 From the LA state line upstream 31.6 km (19.6 mi) to the confluence with Bear Creek.

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
impaired macrobenthic community	5c	2014

0407_01 From the LA state line upstream 31.6 km (19.6 mi) to the confluence with Bear Creek.

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
pH	5c	2008

0407_01 From the LA state line upstream 31.6 km (19.6 mi) to the confluence with Bear Creek.

SegID: 0409 Little Cypress Bayou (Creek)
 From the confluence of Big Cypress Creek in Harrison/Marion County to a point 1.0 km (0.6 miles) upstream of FM 2088 in Wood County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2006

0409_02 From the confluence with Lawrence Creek upstream 29.2 km (18.1 mi) to the confluence with NHD RC 11140307000368

0409_04 From the confluence with NHD RC 11140307001531 upstream 41.1 km (29.2 mi) to the headwaters at FM 2088

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	2000

0409_01 From the confluence with Big Cypress Creek upstream 41 km (25.4 mi) to the confluence with Lawrence Creek

0409_02 From the confluence with Lawrence Creek upstream 29.2 km (18.1 mi) to the confluence with NHD RC 11140307000368

0409_03 From the confluence with NHD RC 11140307000368 upstream 52.2 km (32.6 mi) to the confluence with Kelsey Creek

SegID: 0409B South Lilly Creek
 From the confluence of Lilly Creek to approximately 2 miles west of FM 1647

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2006

0409B_01 Entire water body

2014 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0501 Sabine River Tidal
Sabine River Tidal - from the confluence with Sabine Lake in Orange County to West Bluff in Orange County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2006
0501_01	Sabine River tidal from the confluence of Sabine Lake upstream to confluence of Adams Bayou Tidal	
0501_02	Sabine River tidal from the confluence of Adams Bayou Tidal upstream to the confluence of Little Cypress Bayou	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5c	2012
0501_01	Sabine River tidal from the confluence of Sabine Lake upstream to confluence of Adams Bayou Tidal	
0501_02	Sabine River tidal from the confluence of Adams Bayou Tidal upstream to the confluence of Little Cypress Bayou	
0501_03	Sabine River tidal from the confluence of Little Cypress Bayou upstream to the confluence of Old River at West Bluff	

SegID: 0501B Little Cypress Bayou
Little Cypress Bayou - from the confluence of the Sabine River upstream to the headwater near the intersection of S Teal Rd and Dunromin Rd north of Orange

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2006
0501B_01	Little Cypress Bayou from the confluence of the Sabine River upstream to a point 340m downstream of 16th St in Orange	
0501B_02	Little Cypress Bayou from a point 340m downstream of 16th St in Orange upstream to the confluence of an unnamed stream 100m downstream of Little Cypress Dr	
0501B_03	Little Cypress Bayou from the confluence of an unnamed stream 100m downstream of Little Cypress Dr upstream to the headwater near the intersection of S Teal Rd and Dunromin Rd north of Orange	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	2006
0501B_01	Little Cypress Bayou from the confluence of the Sabine River upstream to a point 340m downstream of 16th St in Orange	
0501B_02	Little Cypress Bayou from a point 340m downstream of 16th St in Orange upstream to the confluence of an unnamed stream 100m downstream of Little Cypress Dr	
0501B_03	Little Cypress Bayou from the confluence of an unnamed stream 100m downstream of Little Cypress Dr upstream to the headwater near the intersection of S Teal Rd and Dunromin Rd north of Orange	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
impaired fish community	5c	2014
0501B_02	Little Cypress Bayou from a point 340m downstream of 16th St in Orange upstream to the confluence of an unnamed stream 100m downstream of Little Cypress Dr	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
toxicity in water	5c	2004
0501B_01	Little Cypress Bayou from the confluence of the Sabine River upstream to a point 340m downstream of 16th St in Orange	
0501B_02	Little Cypress Bayou from a point 340m downstream of 16th St in Orange upstream to the confluence of an unnamed stream 100m downstream of Little Cypress Dr	
0501B_03	Little Cypress Bayou from the confluence of an unnamed stream 100m downstream of Little Cypress Dr upstream to the headwater near the intersection of S Teal Rd and Dunromin Rd north of Orange	

2014 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0502A Nichols Creek

Nichols Creek from the confluence of the Sabine River upstream to the headwater at FM 1013 northwest of Kirbyville

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2002
0502A_01	Nichols Creek from the confluence of the Sabine River upstream to the headwater at FM 1013 northwest of Kirbyville	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	2002
0502A_01	Nichols Creek from the confluence of the Sabine River upstream to the headwater at FM 1013 northwest of Kirbyville	

SegID: 0502B Caney Creek

Caney Creek - perennial stream from the Sabine River upstream to the confluence with Martin Branch

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2006
0502B_02	Caney Creek an Appendix D perennial stream from the Davison St crossing in Newton upstream to the confluence of Martin Branch	

SegID: 0502E Cypress Creek

Cypress Creek - from the confluence of the Sabine River up to the headwater 500m south of FM 82 east of Kirbyville

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5b	2010
0502E_01	Cypress Creek from the confluence of the Sabine River up to the headwater 500m south of FM 82 east of Kirbyville	

2014 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0504 Toledo Bend Reservoir

Toledo Bend Reservoir - from Toledo Bend Dam in Newton County to a point immediately upstream of the confluence of Murvaul Creek in Panola County, up to the normal pool elevation of 172 feet (impounds Sabine River)

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
mercury in edible tissue	5c	1998
0504_01	Toledo Bend Reservoir from the dam up to a line from Louisiana State Park #15 (LA) west to near Pleasure Bend Rd (TX)	
0504_02	Toledo Bend Reservoir Six Mile Bay, including Sandy Creek arm, from near Lakeview Rd on the northside peninsula to near Pleasure Bend Rd on the southside peninsula	
0504_03	Toledo Bend Reservoir Sunshine Bay arm, including Spring Hill Bay, from Alpine Marina on the northside peninsula to New Haven Rd on the southside peninsula	
0504_04	Toledo Bend Reservoir from a line from Cypress Bend Golf Resort (LA) west to Alpine Marina (TX) up to a line from North Toledo Bend State Park (LA) southwest to Carter's Ferry Rd north of Patroon Bayou (TX)	
0504_05	Toledo Bend Reservoir Patroon Bayou arm from Carter's Ferry Rd on northside peninsula to Elma Ln on southside peninsula	
0504_06	Toledo Bend Reservoir from a line from the confluence of Ten Acre Creek (LA) west to Shelby CR 2000 near Huxley, TX up to a line from the confluence of Pen Bayou (LA) west to the confluence of Tenaha Bayou (TX)	
0504_07	Toledo Bend Reservoir from a line from the confluence of Pen Bayou (LA) west to the confluence of Tenaha Bayou (TX) up to a point immediately upstream of the confluence of Murvaul Creek, up to the normal pool elevation of 172 feet	
0504_08	Toledo Bend Reservoir Bayou Negreet (Louisiana) from Lake Vista Dr on the northside peninsula to Laura Ln on the southside peninsula	
0504_09	Toledo Bend Reservoir Bayou San Miguel (Louisiana) from North Toledo Bend State Park Rd on northside peninsula to Aspen St on southside peninsula	
0504_10	Toledo Bend Reservoir Bayou San Patricio (Louisiana)	
0504_11	Toledo Bend Reservoir from a line from North Toledo Bend State Park (LA) southwest to Carter's Ferry Rd north of Patroon Bayou (TX) up to a line from the confluence of Ten Acre Creek (LA) west to Shelby CR 2000 near Huxley, TX	
0504_12	Toledo Bend Reservoir from a line from Louisiana State Park #15 (LA) west to Pleasure Bend Rd (TX) up to Cypress Bend Golf Resort (LA) west to Alpine Marina (TX)	
0504_13	Toledo Bend reservoir Bayou La Nana (Louisiana) from Aspen St on the northside peninsula to Jamie Ln near Merritt Mountain on the southside peninsula	

SegID: 0504E Clear Lake

Clear Lake - an oxbow lake 12 miles northwest of Logansport, LA

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
mercury in edible tissue	5c	2006
0504E_01	Clear Lake an oxbow lake 12 miles northwest of Logansport, LA	

2014 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0505B Grace Creek

Grace Creek - perennial stream from the confluence of the Sabine River upstream to the headwater at FM 1844

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2000
0505B_02	Grace Creek an Appendix D perennial stream from an unnamed tributary from Longview WWTP south of Loop 281 upstream to the headwater at FM 1844	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	2000
0505B_02	Grace Creek an Appendix D perennial stream from an unnamed tributary from Longview WWTP south of Loop 281 upstream to the headwater at FM 1844	

SegID: 0505G Wards Creek

Wards Creek - intermittent stream with perennial pools from the confluence of Sewell Creek upstream to the confluence of an unnamed second order tributary approximately 0.6 km upstream of US 80

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	2000
0505G_01	Wards Creek an Appendix D intermittent stream with perennial pools from the confluence of Sewell Creek upstream to the confluence of an unnamed second order tributary approximately 0.6 km upstream of US 80	

SegID: 0505O Hills Lake

Hills Lake - an oxbow lake 13 miles east of Carthage

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
mercury in edible tissue	5c	2006
0505O_01	Hills Lake an oxbow lake 13 miles east of Carthage	

SegID: 0506A Harris Creek

Harris Creek - from the confluence of the Sabine River 5.7 km north of Winona upstream to the headwater near SH 64 east of Tyler

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5b	2000
0506A_01	Harris Creek from the confluence of the Sabine River 5.7 km north of Winona upstream to the headwater near SH 64 east of Tyler	

SegID: 0507 Lake Tawakoni

Lake Tawakoni - from Iron Bridge Dam in Rains County up to the normal pool elevation of 437.5 feet (impounds Sabine River)

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
pH	5c	2008
0507_04	Lake Tawakoni Cowleech Fork of Sabine River arm, including Pawnee Inlet, from a line from Thunder Point on the east side to Ice Point on the west side up to the confluence of the Cowleech Fork of the Sabine River at the normal pool elevation of 437.5	

2014 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0507G South Fork of Sabine River

South Fork of Sabine River - from the confluence of Lake Tawakoni upstream to the confluence of Parker and Sabine Creeks

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2006
0507G_01	South Fork of Sabine River from the confluence of Lake Tawakoni upstream to the confluence of Parker and Sabine Creeks	

SegID: 0510 Lake Cherokee

Lake Cherokee - from Cherokee Dam in Gregg/Rusk County up to the normal pool elevation of 280 feet (impounds Cherokee Bayou)

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
pH	5c	2014
0510_02	Lake Cherokee from a line at the East Texas Regional Airport runway up to the normal pool elevation of 280 feet	

SegID: 0512A Running Creek

Running Creek - from the confluence of Lake Fork at the Hopkins/Wood County line upstream to the headwater 400 m south of SH 11 southeast of Sulphur Springs

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2002
0512A_01	Running Creek from the confluence of Lake Fork at the Hopkins/Wood County line upstream to the headwater 400 m south of SH 11 southeast of Sulphur Springs	

SegID: 0512B Elm Creek

Elm Creek - from the confluence of Lake Fork 375 m downstream of FM 514 upstream to the headwater at Hopkins CR 1110 southwest of Sulphur Springs

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2002
0512B_01	Elm Creek from the confluence of Lake Fork 375 m downstream of FM 514 upstream to the headwater at Hopkins CR 1110 southwest of Sulphur Springs	

SegID: 0514 Big Sandy Creek

Big Sandy Creek - from the confluence with the Sabine River in Upshur County to a point 2.6 kilometers (1.6 miles) upstream of SH 11 in Hopkins County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2006
0514_01	Big Sandy Creek from the confluence of the Sabine River southeast of Big Sandy upstream to the confluence of Mill Creek near FM 49 north of Hawkins	
0514_02	Big Sandy Creek from the confluence of Mill Creek near FM 49 north of Hawkins upstream to the headwater 2.6 km upstream of SH 11 northwest of Winnsboro	

2014 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0601 **Neches River Tidal**
 From the confluence with Sabine Lake in Orange County to the Neches River Saltwater Barrier, which is at a point 0.8 kilometers (0.5 miles) downstream of the confluence of Pine Island Bayou, in Orange County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2012
0601_01	Lower boundary to top of first oxbow, above Bird Island Bayou confluence at NHD RC 12020003000004	
0601_02	Top of first oxbow to top of U.S. Nat'l Defense Reserve Fleet Basin at top of NHD RC 12020003008459	
0601_03	Top of U.S. Nat'l Defense Reserve Fleet Basin to top of last oxbow below Kansas City Southern Railroad bridge 0.44km upstream of NHD RC 12020003000013	
0601_04	Top of last oxbow below Kansas City Southern Railroad bridge to saltwater barrier at NHD RC 12020003000017	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5c	2012
0601_01	Lower boundary to top of first oxbow, above Bird Island Bayou confluence at NHD RC 12020003000004	
0601_02	Top of first oxbow to top of U.S. Nat'l Defense Reserve Fleet Basin at top of NHD RC 12020003008459	
0601_03	Top of U.S. Nat'l Defense Reserve Fleet Basin to top of last oxbow below Kansas City Southern Railroad bridge 0.44km upstream of NHD RC 12020003000013	
0601_04	Top of last oxbow below Kansas City Southern Railroad bridge to saltwater barrier at NHD RC 12020003000017	

SegID: 0601A **Star Lake Canal**
 North of Groves in Jefferson County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2012
0601A_01	Entire water body	

SegID: 0602 **Neches River Below B. A. Steinhagen Lake**
 From the Neches River Saltwater Barrier, which is at a point 0.8 kilometers (0.5 miles) downstream of the confluence of Pine Island Bayou, in Orange County to Town Bluff Dam in Jasper/Tyler County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue	5c	2014
0602_02	From the confluence with Village Creek 0608 upstream to the confluence with Black Branch NHD RC 12020003000695	
0602_03	From the confluence with Black Branch upstream to confluence with unnamed tributary at NHD RC 12020003000058	
0602_04	From the confluence with unnamed tributary at NHD RC 12020003000058 upstream to Town Bluff Dam	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
mercury in edible tissue	5c	2010
0602_01	From the saltwater barrier upstream to confluence with Village Creek 0608 at NHD RC 12020003000025	
0602_02	From the confluence with Village Creek 0608 upstream to the confluence with Black Branch NHD RC 12020003000695	
0602_03	From the confluence with Black Branch upstream to confluence with unnamed tributary at NHD RC 12020003000058	
0602_04	From the confluence with unnamed tributary at NHD RC 12020003000058 upstream to Town Bluff Dam	

2014 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0603 B. A. Steinhagen Lake

From Town Bluff Dam in Jasper/Tyler County to a point immediately upstream of the confluence of Hopson Mill Creek on the Neches River Arm in Jasper/Tyler County and to a point immediately upstream of the confluence of Indian Creek on the Angelina River A

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue	5c	2014
0603_01	Main pool by dam to include all the area below the US HWY 190 bridge	
0603_02	Area above the US HWY 190 bridge to the upper boundaries of the segment at points immediately upstream of confluences Hopson Mill Creek (Neches Arm) and Indian Creek (Angelina Arm)	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
mercury in edible tissue	5c	1998
0603_01	Main pool by dam to include all the area below the US HWY 190 bridge	
0603_02	Area above the US HWY 190 bridge to the upper boundaries of the segment at points immediately upstream of confluences Hopson Mill Creek (Neches Arm) and Indian Creek (Angelina Arm)	

SegID: 0603A Sandy Creek in Jasper County

From the confluence of B.A. Steinhagen Lake southwest of City of Jasper in Jasper County to the confluence of Big and Little Sandy Creeks in City of Jasper in Jasper County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2000
0603A_01	From the confluence with B.A. Steinhagen Lake upstream to confluence with Little Sandy Creek about 0.5 km downstream of Hwy 776, per WQS App. D	

SegID: 0603B Wolf Creek

From the confluence of B. A. Steinhagen Lake southeast of Colmesneil in Tyler County to the upstream perennial portion of the stream south of Colmesneil in Tyler County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2006
0603B_01	From the confluence of B.A. Steinhagen Lake upstream to Lake Amanda Dam.	

2014 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0604 Neches River Below Lake Palestine

From a point immediately upstream of the confluence of Hopson Mill Creek in Jasper/Tyler County to Blackburn Crossing Dam in Anderson/Cherokee County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue	5c	2014
0604_01	Lower boundary to a point immediately upstream of confluence of Biloxi Creek 0604M at NHD RC 12020002001061	
0604_02	From the confluence of Biloxi Creek (0604M) upstream to the upper confluence of Old River at NHD RC 12020002000037	
0604_03	From the upper confluence of Old River upstream to the confluence with Cedar Creek in Cherokee County at NHD RC 12020002000085 near Hargrove Lake	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
mercury in edible tissue	5c	2010
0604_01	Lower boundary to a point immediately upstream of confluence of Biloxi Creek 0604M at NHD RC 12020002001061	
0604_02	From the confluence of Biloxi Creek (0604M) upstream to the upper confluence of Old River at NHD RC 12020002000037	
0604_03	From the upper confluence of Old River upstream to the confluence with Cedar Creek in Cherokee County at NHD RC 12020002000085 near Hargrove Lake	

SegID: 0604A Cedar Creek

From the confluence of the Neches River southwest of Lufkin in Angelina County to the upstream perennial portion of the stream in Lufkin in Angelina County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2000
0604A_02	From the confluence with Jack Creek (0604C) upstream to confluence with unnamed tributary adjacent to State Loop 287, per App. D in WQS, at NHD RC 12020002000436	

SegID: 0604B Hurricane Creek

Perennial stream from the confluence with Cedar Creek to the confluence of two unnamed tributaries 100 meters upstream of SH Loop 287 in Lufkin

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2000
0604B_01	From the confluence with Cedar Creek (0604A) upstream to confluence with unnamed tributary 100m above State Loop 287 in Lufkin, per WQS App. D, at NHD RC 12020002000043	

SegID: 0604D Piney Creek

From the confluence of the Neches River at the Polk/Tyler/Angelina County lines east of Corrigan to the upstream perennial portion of the stream east of Crockett in Houston County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	2004
0604D_01	Middle portion of the stream from the confluence with Bear Creek (0604L) in Polk County upstream to the confluence with Caney Creek (0604O) in Trinity County at NHD RC 12020002000163.	

2014 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0604M Biloxi Creek

From the confluence with the Neches River southeast of Diboll to FM 325 east of Lufkin in Angelina County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2004
0604M_03	From the confluence with One Eye Creek in Angelina County SE of Lufkin upstream to FM 325 east of Lufkin	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	2006
0604M_03	From the confluence with One Eye Creek in Angelina County SE of Lufkin upstream to FM 325 east of Lufkin	

SegID: 0604T Lake Ratcliff

Lake in Houston County 3.4 miles northeast of Kennard

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
mercury in edible tissue	5c	2002
0604T_01	Entire lake	

SegID: 0605 Lake Palestine

From Blackburn Crossing Dam in Anderson/Cherokee County to a point 6.7km (4.2 miles) downstream of FM 279 in Henderson/Smith County, up to normal pool elevation of 345 feet (impounds Neches River)

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
pH	5a	2006
0605_03	Upper mid-lake including Tyler Public Water Supply intake	
0605_09	Flat Creek Arm	
0605_10	Upper Lake	
0605_11	From the SH 155 Bridge crossing to the Flat Creek Arm and across the main portion of the lake at the Flat Creek Arm	

SegID: 0605A Kickapoo Creek in Henderson County

From the confluence of Lake Palestine east of Brownsboro in Henderson County to the upstream perennial portion of the stream northeast of Murchison in Henderson County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2000
0605A_01	From the confluence with Lake Palestine (0605) east of Brownsboro in Henderson County to the confluence with Slater Creek (0605E).	
0605A_02	From the confluence with Slater Creek (0605E) upstream to confluence with unnamed tributary about 1.62 km north of FM 858 in Van Zandt County at NHD RC 12020001000161.	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	2006
0605A_01	From the confluence with Lake Palestine (0605) east of Brownsboro in Henderson County to the confluence with Slater Creek (0605E).	

2014 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0606 Neches River Above Lake Palestine
 From a point 6.7 kilometers (4.2 miles) downstream of FM 279 in Henderson/Smith County to Rhine Lake Dam in Van Zandt County before it was breached in 2001

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2008
0606_01	From a point approximately 0.06km (0.03 mi) south of St. Louis Southwestern Railroad upstream to the confluence with Prairie Creek (0606A).	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5b	2004
0606_02	From the confluence with Prairie Creek (0606A) upstream to the Rhine Lake Dam	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
pH	5b	2002
0606_02	From the confluence with Prairie Creek (0606A) upstream to the Rhine Lake Dam	

SegID: 0606A Prairie Creek
 Perennial stream from the confluence with the Neches River to an unnamed tributary approximately 0.6km downstream of the US 69 bridge crossing.

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2002
0606A_01	From the confluence with Neches River (0606), per WQS App. D first entry for Prairie Creek at NHD RC 12020001000071 in Smith County upstream to the confluence with Black Fork Creek (0606D) at NHD RC 12020001000071 .	
0606A_03	From the confluence with Caney Creek upstream to confluence with unnamed tributary appx. 0.6 km downstream of the US 69 bridge crossing, which is located appx. 0.6 km south of the City of Lindale, per App. D second line entry	

SegID: 0606D Black Fork Creek
 Perennial stream from the confluence with Prairie Creek to a point 0.4 km downstream of FM 14 in Tyler

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2012
0606D_02	From the confluence with unnamed tributary at NHD RC 12020001000072 upstream to a point 0.4km downstream of FM 14 in Tyler, at the confluence with unnamed tributary at NHD RC 12020001000073, per WQS App. D second entry for Black Fork Creek.	

2014 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0607 Pine Island Bayou
 From the confluence with the Neches River in Hardin/Jefferson County to FM 787 in Hardin County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2008
0607_03	From the confluence with Black Creek upstream to the confluence with Willow Creek (0607C)	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5b	2000
0607_01	From the confluence with the Neches River upstream to unnamed tributary at NHD RC 12020007001215 that runs through Sherwood Drive in northern City of Beaumont.	
0607_02	From the confluence with unnamed tributary that runs through Sherwood Drive in northern City of Beaumont upstream to the confluence with Black Creek	
0607_03	From the confluence with Black Creek upstream to the confluence with Willow Creek (0607C)	
0607_04	From the confluence with Willow Creek (0607C) upstream to the confluence with Mayhaw Slough near oil fields	

SegID: 0607A Boggy Creek
 From the confluence of Pine Island Bayou upstream to the confluence with an unnamed tributary 4 km downstream of the crossing of the Southern Pacific Railroad.

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5b	2000
0607A_02	From the confluence with unnamed tributary 0.39 km downstream of CR 421 upstream to confluence with unnamed tributary 4 km downstream of the crossing of the Southern Pacific Railroad, per WQS App. D, at NHD RC 12020007003034.	

SegID: 0607B Little Pine Island Bayou
 From the confluence of Pine Island Bayou southwest of Lumberton in Hardin County to the upstream perennial portion of the stream west of Kountze in Hardin County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5b	2000
0607B_01	From the confluence with Pine Island Bayou (0607) at the Hardin/Jefferson Counties border upstream to unnamed tributary 1.1 km SE of intersection of FM 770 and FM 787 at NHD RC 12020007000021, same tributary as Big Thicket National Park boundary.	

SegID: 0607C Willow Creek
 From the confluence of Pine Island Bayou north of Nome in Jefferson County to the upstream perennial portion of the stream east of Devers in Liberty County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5b	2000
0607C_01	From the confluence with Pine Island Bayou (0607) at the State Hwy 326 bridge at NHD RC 12020007000258 upstream to headwaters NE of Devers in Liberty County at NHD RC 12020007000200.	

2014 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0608 Village Creek

From the confluence with the Neches River in Hardin County to Lake Kimble Dam in Hardin County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
mercury in edible tissue	5c	2010
0608_01	From the confluence with Neches River (0602) upstream to confluence with Cypress Creek (0608C)	
0608_02	From the confluence with Cypress Creek (0608C) upstream to confluence with Beech Creek (0608A)	
0608_03	From the confluence with Beech Creek (0608A) upstream to confluence with Big Sandy Creek and Kimball Creek in Hardin County	

SegID: 0608A Beech Creek

From the confluence of Village Creek northeast of Kountze in Hardin County to the upstream perennial portion of the stream southeast of Woodville in Tyler County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
copper in water	5c	2014
0608A_01	From the confluence with Village Creek (0608) at NHD RC 12020006000017 upstream to the confluence with Drakes Branch 0.35 km upstream of FM1943 RD E at NHD RC 12020006000025	

SegID: 0608B Big Sandy Creek

From the confluence of Village and Kimball Creeks in Hardin County upstream to headwaters in Polk County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2000
0608B_04	From the confluence with Bear Creek in Polk County upstream to headwaters about 5 km SE of intersection of US Hwy 59 and FM 62 at NHD RC 12020006000133.	

SegID: 0608C Cypress Creek

From the confluence of Village Creek (0608) east of Kountze in Hardin County to the confluence with Bad Luck Creek northwest of Kountze in Hardin County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5b	2000
0608C_01	Upper portion from the confluence with unnamed tributary upstream of Pea Monk Branch upstream to confluence with Bad Luck Creek, per WQS App. D, at NHD RC 12020006000148.	

SegID: 0608E Mill Creek in Hardin County

From the confluence of Village Creek (0608) west of Silsbee in Hardin County upstream to headwaters northwest of Silsbee in Hardin County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	2006
0608E_01	Entire water body	

2014 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0608F Turkey Creek

Perennial stream from the confluence with Village Creek up to 1.6 km above U.S. 69 north of City of Woodville

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2000
0608F_02	From the confluence with Big Cypress Creek in Tyler County upstream to confluence with unnamed tributary about 1.6 km above U.S. 69 north of City of Woodville, per WQS App. D, at NHD RC 12020006000057	

SegID: 0608G Lake Kimball

From Kimble Creek Dam northwest of Kountze in Hardin County to normal pool elevation in Tyler County (impounds Kimble and Village Creeks)

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
mercury in edible tissue	5c	2000
0608G_01	Entire lake	

SegID: 0609 Angelina River Below Sam Rayburn Reservoir

From a point immediately upstream of the confluence of Indian Creek in Jasper County to Sam Rayburn Dam in Jasper County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue	5c	2014
0609_01	Entire Segment	
<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
mercury in edible tissue	5c	2014
0609_01	Entire Segment	

2014 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0610 Sam Rayburn Reservoir

From Sam Rayburn Dam to a point 5.6 kilometers (3.5 miles) upstream of Marion's Ferry on the Angelina River Arm and to a point 3.9 km (2.4 miles) downstream of Curry Creek on the Attoyac Bayou Arm, up to the normal pool elevation of 164.4 feet (except on

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue	5c	2014
0610_01	Sam Rayburn main pool by the dam to the Bear Creek and Ayish Arms	
0610_02	Sam Rayburn lower Angelina River arm	
0610_03	Sam Rayburn mid-Angelina River arm (area around SH 147)	
0610_04	Sam Rayburn upper mid-Angelina River arm	
0610_05	Sam Rayburn lower Attoyac Bayou arm	
0610_06	Sam Rayburn upper Attoyac Bayou arm	
0610_07	Sam Rayburn upper Angelina arm	
0610_08	Sam Rayburn Bear Creek arm	
0610_09	Sam Rayburn lower Ayish Bayou arm	
0610_10	Sam Rayburn upper Ayish Bayou arm	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
mercury in edible tissue	5c	1996
0610_01	Sam Rayburn main pool by the dam to the Bear Creek and Ayish Arms	
0610_02	Sam Rayburn lower Angelina River arm	
0610_03	Sam Rayburn mid-Angelina River arm (area around SH 147)	
0610_04	Sam Rayburn upper mid-Angelina River arm	
0610_05	Sam Rayburn lower Attoyac Bayou arm	
0610_06	Sam Rayburn upper Attoyac Bayou arm	
0610_07	Sam Rayburn upper Angelina arm	
0610_08	Sam Rayburn Bear Creek arm	
0610_09	Sam Rayburn lower Ayish Bayou arm	
0610_10	Sam Rayburn upper Ayish Bayou arm	

SegID: 0610A Ayish Bayou

Perennial stream from the headwaters of Sam Rayburn Reservoir to the dam impounding Bland Lake approximately 0.1km upstream of FM 1279 near the City of San Augustine

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2000
0610A_01	From the headwaters of Sam Rayburn Reservoir, per WQS App. D, about 2.4 km north of FM 83 upstream to confluence with unnamed tributary about 0.4 km SW of intersection of SH 147 and AT and SF Railroad at NHD RC 12020005000036.	
0610A_02	From the confluence with unnamed tributary about 0.4 km SW of intersection of SH 147 and AT and SF Railroad in the City of San Augustine upstream to the Bland Lake dam, per WQS App. D.	

2014 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0611 Angelina River Above Sam Rayburn Reservoir
 From the aqueduct crossing 1.0 kilometer (0.6 mile) upstream of the confluence of Paper Mill Creek in Angelina/Nacogdoches County to the confluence of Barnhardt Creek and Mill Creek at FM 225 in Rusk County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2000
0611_04	From a point immediately upstream of confluence with East Fork Angelina River (0611A) upstream to confluence with Barnhardt and Mill Creeks.	

SegID: 0611A East Fork Angelina River
 From the confluence of the Angelina River at the Rusk/Nacogdoches county line upstream to the confluence with Wooten Creek in Rusk County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2002
0611A_01	From the confluence with Angelina River (0611) at Rusk/Nacogdoches county line upstream to confluence with Beech Creek (0611J) in Rusk County	

SegID: 0611B La Nana Bayou
 From the confluence of the Angelina River south of Nacogdoches in Nacogdoches County to the upstream perennial portion of the stream north of Nacogdoches in Nacogdoches County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2000
0611B_01	From the confluence with Angelina River (0611), per WQS App. D, upstream to State Loop 224 in City of Nacogdoches	
0611B_02	From the upstream side of State Loop 224 upstream to FM 1878 in City of Nacogdoches, per WQS App. D.	

SegID: 0611C Mud Creek
 Perennial stream from the confluence with the Angelina River upstream to a point immediately upstream of the confluence of Prairie Creek in Smith County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2010
0611C_01	From the confluence with Angelina River (0611), per WQS App. D, at the Cherokee and Nacogdoches county line south of City of Reklaw upstream to top of channelized/dredged portion about 2.3 km south of US hwy 79 at -95.150452N/31.956933W	

SegID: 0611D West Mud Creek
 Perennial stream from the confluence with Mud Creek in Cherokee County to the confluence of an unnamed tributary 300 meters upstream of the most northern crossing of US 69 (approximately 2.25 km south of the intersection of Loop 323) in the City of Tyle*

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2010
0611D_01	From the confluence with Mud Creek (0611C), per WQS App. D, upstream to confluence with unnamed tributary about 75 m north of WWTP in City of Tyler at NHD RC 12020004000212.	
0611D_02	From the confluence with unnamed tributary about 75 m north of WWTP in City of Tyler upstream to confluence of unnamed tributary about 300 meters upstream of the most northern crossing of US 69 in City of Tyler, per WQS App. D, at NHD RC 12020004000212.	

2014 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0612 Attoyac Bayou
 From a point 3.9 km (2.4 miles) downstream of Curry Creek in Nacogdoches/San Augustine County to FM 95 in Rusk County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2004
0612_01	From the lower boundary approximately at confluence with Granberry Branch upstream to confluence with Polly Branch.	
0612_02	From a point immediately upstream of Polly Branch confluence upstream to confluence with Bear Bayou.	
0612_03	From a point immediately upstream of Bear Bayou upstream to upper boundary at FM 95.	

SegID: 0615 Angelina River/Sam Rayburn Reservoir
 The riverine portion of Sam Rayburn Reservoir from a point 5.6 kilometers (3.5 miles) upstream of Marion's Ferry to the aqueduct crossing 1.0 kilometer (0.6 mile) upstream of the confluence of Paper Mill Creek

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	2002
0615_01	Entire water body	
dioxin in edible tissue	5c	2014
0615_01	Entire water body	
impaired fish community	5c	2002
0615_01	Entire water body	
mercury in edible tissue	5c	2002
0615_01	Entire water body	

SegID: 0615A Paper Mill Creek
 From the confluence with Angelina River/Sam Rayburn Reservoir (0615) upstream to confluence with Mill Creek (0615B)

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2006
0615A_01	From the confluence of Angelina River/Sam Rayburn (0615) upstream to confluence with Mill Creek (0615B)	

SegID: 0701 Taylor Bayou/North Fork Taylor Bayou Above Tidal
 From the saltwater lock 7.7 km (4.8 miles) downstream of SH 73 in Jefferson County to the Lower Neches Valley Authority Canal in Jefferson County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5b	1996
0701_01	From the saltwater lock 7.7 km (4.8 miles) downstream of SH 73 in Jefferson County, per WQS App. C, upstream to the confluence with Hillebrandt Bayou (0704).	
0701_02	From the confluence with Hillebrandt Bayou upstream to confluences with North Fork Taylor Bayou and South Fork Bayou.	

2014 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0702 Intracoastal Waterway Tidal

From the confluence with Galveston Bay at Port Bolivar in Galveston County to the confluence with the Sabine-Neches Canal in Jefferson County (including Taylor Bayou Tidal from the confluence with the Intracoastal Waterway up to the saltwater lock 7.7 k*

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2012

0702_01 From the confluence with Sabine-Neches Canal Tidal (0703) to eastern most boundary of East Bay

0702_02 Taylor Bayou tidal from the confluence with the Intracoastal Waterway Tidal to the saltwater barriers.

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue	5a	2010

0702_03 From the eastern most boundary of East Bay to Port Bolivar

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2010

0702_03 From the eastern most boundary of East Bay to Port Bolivar

SegID: 0702A Alligator Bayou and Main Canals A, B, C, and D

All perennial canals in Jefferson County Drainage District No. 7 that eventually drain into the tidal portion of Taylor Bayou at the pump house gate, including Alligator Bayou.

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
toxicity in sediment	5c	1998

0702A_01 From Taylor Bayou Tidal (0702) to confluence with Main Canal D above SH 82.

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
toxicity in water	5c	1998

0702A_03 Main Canal D from the confluence with Alligator Bayou at SH 82 upstream to about 0.35 km upstream of confluence with Canal A

SegID: 0703 Sabine-Neches Canal Tidal

From the confluence with Sabine Pass at the southern tip of Pleasure Island in Jefferson County to the Sabine Lake seawall at the northern tip of Pleasure Island in Jefferson County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2014

0703_01 Entire water body

SegID: 0704 Hillebrandt Bayou

From the confluence of Taylor Bayou in Jefferson County to a point 100 meters (110 yards) upstream of SH 124 in Jefferson County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2010

0704_02 From the confluence with Willow Marsh Bayou (0704A) upstream to a point 100 meters (110 yards) upstream of SH 124 in Jefferson County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5b	1998

0704_01 From the confluence with Taylor Bayou Above Tidal (0701) upstream to confluence with Willow Marsh Bayou (0704A)

2014 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0801C Cotton Bayou

From the confluence of Cotton Lake southeast of Mont Belvieu in Chambers County upstream to a point (NHD RC 12040203000496) approximately 1 mile north of IH 10 in Chambers County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2010
0801C_01 Entire Segment		

SegID: 0803 Lake Livingston

From Livingston Dam in Polk/San Jacinto County to a point 1.8 km (1.1 miles) upstream of Boggy Creek in Houston/Leon County, up to normal pool elevation of 131 feet (impounds Trinity River)

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
sulfate	5b	2006
0803_01 Lowermost portion of reservoir, adjacent to dam		
0803_02 Lower portion of reservoir, East Wolf Creek		
0803_03 Lower portion of reservoir, East Willow Springs		
0803_04 Middle portion of reservoir, East Pointblank		
0803_05 Middle portion of reservoir, downstream of Kickapoo Creek		
0803_06 Middle portion of reservoir, centering on US 190		
0803_07 Upper portion of reservoir, west of Carlisle		
0803_08 Cove off upper portion of reservoir, East Trinity		
0803_09 West Carolina Creek cove, off upper portion of reservoir		
0803_10 Upper portion of reservoir, centering on SH 19		
0803_11 Riverine portion of reservoir, centering on SH 21		
0803_12 Remainder of reservoir		

SegID: 0803G Lake Madisonville

From Lake Madisonville Dam in Madison County up to the normal pool elevation of 285 feet (impounds Town Branch)

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
mercury in edible tissue	5c	2010
0803G_01 Entire water body		

SegID: 0804 Trinity River Above Lake Livingston

From a point 1.8 km (1.1 miles) upstream of Boggy Creek in Houston/Leon County to a point immediately upstream of the confluence of the Cedar Creek Reservoir discharge canal in Henderson/Navarro County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue	5a	2010
0804_07 From just above the confluence with Richland Creek in Henderson County, up to the upper end of the segment.		

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2010
0804_07 From just above the confluence with Richland Creek in Henderson County, up to the upper end of the segment.		

2014 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0804G Catfish Creek

Twenty mile stretch of Catfish Creek running upstream from US 287 in Anderson Co., to Catfish Creek Ranch Lake just upstream of SH 19 in Henderson Co.

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5b	2006
0804G_01 Entire Segment		

SegID: 0804H Upper Keechi Creek

From confluence with segment 0804 Trinity River to the upper end of NHD stream Upper Keechi Creek (NHD RC 12030201001075)

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5b	2010
0804H_01 From the confluence with segment 0804 Trinity River up to confluence with Twin Branch (NHD RC 12030201027099)		

SegID: 0805 Upper Trinity River

From a point immediately upstream of the confluence of the Cedar Creek Reservoir discharge canal in Henderson/Navarro County to a point immediately upstream of the confluence of Elm Fork Trinity River in Dallas County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue	5a	2010
0805_01 From confluence of the Cedar Creek Reservoir discharge canal upstream to confluence of Smith Creek.		
0805_02 From confluence of Smith Creek upstream to confluence of Tenmile Creek.		
0805_03 From the confluence of Fivemile Creek upstream to the confluence of Cedar Creek.		
0805_04 From confluence of Cedar Creek upstream to confluence of Elm Fork Trinity River		
0805_06 From confluence of Tenmile Creek upstream to confluence of Fivemile Creek		

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2002
0805_01 From confluence of the Cedar Creek Reservoir discharge canal upstream to confluence of Smith Creek.		
0805_02 From confluence of Smith Creek upstream to confluence of Tenmile Creek.		
0805_03 From the confluence of Fivemile Creek upstream to the confluence of Cedar Creek.		
0805_04 From confluence of Cedar Creek upstream to confluence of Elm Fork Trinity River		
0805_06 From confluence of Tenmile Creek upstream to confluence of Fivemile Creek		

2014 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0806 West Fork Trinity River below Lake Worth
 from a point immediately upstream of the confluence of Village Creek in Tarrant County to Lake Worth Dam in Tarrant County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue	5a	2010
0806_01	From confluence of Village Creek upstream to confluence of Clear Fork Trinity River	
0806_02	From confluence of Clear Fork Trinity River upstream to Lake Worth Dam	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	1996
0806_01	From confluence of Village Creek upstream to confluence of Clear Fork Trinity River	
0806_02	From confluence of Clear Fork Trinity River upstream to Lake Worth Dam	

SegID: 0806E Sycamore Creek
 Five mile stretch of Sycamore Creek running upstream from confluence with the W. Fork of Trinity River to confluence with Echo Lake Tributary in Fort Worth.

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2006
0806E_01	Five mile stretch of Sycamore Creek running upstream from confluence with the W. Fork of Trinity River to confluence with Echo Lake Tributary in Fort Worth	

SegID: 0808 West Fork Trinity River Below Eagle Mountain Reservoir
 From a point 4.0 km (2.5 miles) downstream of Eagle Mountain Dam in Tarrant County to Eagle Mountain Dam in Tarrant County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2012
0808_01	Entire segment	

SegID: 0809B Ash Creek
 From the normal pool elevation of Eagle Mountain Reservoir up to the headwaters at Upper Denton Road in Parker County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2014
0809B_01	Entire Segment	

SegID: 0810 West Fork Trinity River Below Bridgeport Reservoir
 From a point 0.6 km (0.4 miles) downstream of the confluence of Oates Branch in Wise County to Bridgeport Dam in Wise County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	1998
0810_01	Lower 25 miles of segment	

2014 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0810A Big Sandy Creek

Fifteen mile stretch of Sycamore Creek running upstream from confluence with Waggoner Creek to FM 1810, west of Alvord, Wise County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2006
0810A_01	Fifteen mile stretch of Big Sandy Creek running from confluence with Waggoner Creek to FM 1810 West of Alvord, Wise Co.	

SegID: 0810C Martin Branch

The eight mile stretch of Martin Branch running upstream from confluence with Center Creek to FM 730 south of Decatur, Wise County.

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2006
0810C_01	Eight mile stretch of Martin Branch running upstream from confluence with Center Creek to FM 730 south of Decatur, Wise County.	

SegID: 0812 West Fork Trinity River Above Bridgeport Reservoir

From a point immediately upstream of the confluence of Bear Hollow in Jack County to SH 79 in Archer County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	1998
0812_01	Lower 25 miles of segment	

SegID: 0814 Chambers Creek Above Richland-Chambers Reservoir

From a point 4.0 km (2.5 miles) downstream of Tupelo Branch in Navarro County to the confluence of North Fork Chambers Creek and South Fork Chambers Creek

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
chloride	5c	2014
0814_01	From the lower end of the segment up to just above the confluence with Cummins Creek.	
0814_02	From just above the confluence with Cummins Creek up to just above the confluence with Waxahachie Creek.	
0814_03	From just above the confluence with Waxahachie Creek up to just above the confluence with Mill Branch.	
0814_04	From just above the confluence with Mill Branch to the upper end of the segment.	

2014 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0818 Cedar Creek Reservoir
 From Joe B. Hoggsett Dam in Henderson County up to normal pool elevation of 322 feet (impounds Cedar Creek)

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
pH	5b	2002
0818_01	Lowermost portion of the reservoir, adjacent to the dam.	
0818_02	Caney Creek cove	
0818_03	Clear Creek cove	
0818_04	Lower portion of reservoir east of Key Ranch Estates	
0818_05	Cove off lower portion of reservoir adjacent to Clearview Estates	
0818_06	Middle portion of reservoir downstream of Twin Creeks cove	
0818_07	Twin Creeks cove	
0818_08	Prairie Creek cove	
0818_09	Upper portion of reservoir adjacent to Lacy Fork cove	
0818_11	Upper portion of reservoir east of Tolosa	
0818_12	Uppermost portion of reservoir downstream of Kings Creek	

SegID: 0819 East Fork Trinity River
 From the confluence with the Trinity River in Kaufman County to Rockwall-Forney Dam in Kaufman County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
sulfate	5c	2008
0819_01	Entire segment	
total dissolved solids	5c	2008
0819_01	Entire segment	

SegID: 0820B Rowlett Creek
 Perennial stream from the normal pool elevation of 435.5 feet of Lake Ray Hubbard to the Parker Road crossing

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2014
0820B_01	Entire water body	

SegID: 0821C Wilson Creek
 From the confluence with Lake Lavon in Collin County up to West FM 455 (NHD RC 12030106000086), just east of Celina, Collin Co., TX.

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2010
0821C_01	Entire water body	

2014 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0821D East Fork Trinity River above Lake Lavon

A portion of the East Fork Trinity River extending from the confluence with Lake Lavon (segment 0821) to the upper end of the water body (NHD RC 12030106000074) in Collin County, Texas.

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2010
0821D_01 Entire water body		

SegID: 0826 Grapevine Lake

From Grapevine Dam in Tarrant County up to normal pool elevation of 535 feet (impounds Denton Creek)

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
pH	5c	2012
0826_07 Upper portion of reservoir east of Marshall Creek Park		

SegID: 0828A Village Creek

From the confluence with Lake Arlington in Tarrant County to the headwaters east of Joshua in Johnson County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2010
0828A_01 From Lake Arlington to the headwaters		

SegID: 0829 Clear Fork Trinity River Below Benbrook Lake

From the confluence with the West Fork Trinity River in Tarrant County to Benbrook Dam in Tarrant County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue	5a	2010
0829_01 From the confluence with West Fork Trinity River to 1 mile upstream.		
0829_02 From 1 mile upstream of the confluence with West Fork Trinity River up to the confluence with Mary's Creek.		
0829_03 From the confluence with Mary's Creek up to Benbrook Dam in Tarrant County, TX.		

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	1996
0829_01 From the confluence with West Fork Trinity River to 1 mile upstream.		
0829_02 From 1 mile upstream of the confluence with West Fork Trinity River up to the confluence with Mary's Creek.		
0829_03 From the confluence with Mary's Creek up to Benbrook Dam in Tarrant County, TX.		

2014 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0831 Clear Fork Trinity River Below Lake Weatherford
 From a point 200 meters (220 yards) downstream of US 377 in Tarrant County to Weatherford Dam in Parker County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	1996
0831_04	2 mi upstream of South Fork Trinity River confluence to Squaw Ck. Confluence	
0831_05	From the confluence of Squaw Ck. to Lake Weatherford Dam	

SegID: 0833 Clear Fork Trinity River Above Lake Weatherford
 From a point 3.1 km (1.9 miles) upstream of FM 730 in Parker County, to the confluence with Strickland Creek approximately 8 kilometers (5 miles) upstream of FM 51 in Parker County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5b	1998
0833_03	From the confluence of McKnight Branch to the confluence of Strickland Ck. approximately 8 kilometers (5 miles) upstream of FM 51 in Parker County.	
0833_04	From the confluence with Dobbs Branch to confluence with McKnight Branch	
0833_05	From the confluence of Dobbs Ck. to the lower end of segment	

SegID: 0836B Cedar Creek
 From the confluence with Richland Chambers Reservoir to the upper end of the creek (NHD RC 12030109012807)

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5b	2010
0836B_01	Entire segment.	

SegID: 0838C Walnut Creek
 From the confluence with Joe Pool Lake up to the headwaters at Spring Street in Burleson.

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2006
0838C_01	From the confluence with Joe Pool Lake up to the headwaters at Spring Street in Burleson.	

SegID: 0841 Lower West Fork Trinity River
 From a point immediately upstream of the confluence of the Elm Fork Trinity River in Dallas County to a point immediately upstream of the confluence of Village Creek in Tarrant County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue	5a	2010
0841_01	From confluence of the Elm Fork Trinity River to the confluence with Johnson Creek.	
0841_02	From the confluence with Johnson Creek upstream to the confluence of Village Creek.	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	1996
0841_01	From confluence of the Elm Fork Trinity River to the confluence with Johnson Creek.	
0841_02	From the confluence with Johnson Creek upstream to the confluence of Village Creek.	

2014 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0841F Cottonwood Creek

A 6.5 mile stretch of Cottonwood Creek running upstream from approx. 0.1 mi. upstream of Mountain Creek Reservoir in Dallas Co., to SH 360 in, Tarrant Co.

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5a	2006
0841F_01	Entire Segment.	

SegID: 0841K Fish Creek

A 15 mile stretch of Fish Creek running upstream from the confluence with Mountain Creek Reservoir in Grand Prairie, Dallas Co., to the upper end of the creek (NHD RC 12030102000107) in Arlington, Tarrant Co.

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2006
0841K_01	From South Belt Line Road (FM 1382) upstream to the upper end of the creek south of West Bardin Road (NHD RC 12030102000107) in Arlington, Tarrant County. From South Belt Line Road (FM 1382) upstream to the upper end of creek south of West Bardin Road.	

SegID: 0841N Kirby Creek

Four mile stretch of Kirby Creek running upstream from confluence with Fish Creek in Grand Prairie, Dallas Co., to just upstream of Great Southwest Parkway in Arlington, Tarrant Co.

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2006
0841N_01	Entire segment	

SegID: 0841V Crockett Branch

A 1 mile (1.5 KM) stretch of Crockett Branch extending upstream from the confluence with Cottonwood Creek to the upper end of the creek (NHD RC 12030102044745)

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2010
0841V_01	Entire Segment.	

2014 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 0901 Cedar Bayou Tidal
 From the confluence with Galveston Bay 1.0 km (0.6 miles) downstream of Tri-City Beach Road in Chambers County to a point 2.2 km (1.4 miles) upstream of IH 10 in Chambers/Harris County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2006
0901_01	From the confluence with Galveston Bay 1.0 km (0.6 miles) downstream of Tri-City Beach Road to a point 2.2 km (1.4 miles) upstream of IH 10	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue	5a	2002
0901_01	From the confluence with Galveston Bay 1.0 km (0.6 miles) downstream of Tri-City Beach Road to a point 2.2 km (1.4 miles) upstream of IH 10	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2008
0901_01	From the confluence with Galveston Bay 1.0 km (0.6 miles) downstream of Tri-City Beach Road to a point 2.2 km (1.4 miles) upstream of IH 10	

SegID: 1001 San Jacinto River Tidal
 From a point 100 meters (110yards) downstream of IH 10 in Harris County to Lake Houston Dam in Harris County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
chlordane in edible tissue	5c	2014
1001_01	From Lake Houston Dam to US Hwy 90	
1001_02	From US Hwy 90 to IH 10	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dieldrin in edible tissue	5c	2014
1001_01	From Lake Houston Dam to US Hwy 90	
1001_02	From US Hwy 90 to IH 10	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue	5a	2000
1001_01	From Lake Houston Dam to US Hwy 90	
1001_02	From US Hwy 90 to IH 10	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
heptachlor epoxide in edible tissue	5c	2014
1001_01	From Lake Houston Dam to US Hwy 90	
1001_02	From US Hwy 90 to IH 10	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2002
1001_01	From Lake Houston Dam to US Hwy 90	
1001_02	From US Hwy 90 to IH 10	

2014 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1002 Lake Houston

From Lake Houston Dam in Harris County to the confluence of Spring Creek on the West Fork San Jacinto Arm in Harris/Montgomery County and to the confluence of Caney Creek on the East Fork San Jacinto Arm in Harris County, up to normal pool elevation of 4

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5a	2006
1002_06	From the confluence with Spring Creek to West Lake Houston Pkwy	

SegID: 1002C Lake Isabell

Small lake located at the southern end of Lake Houston Park northeast of the Caney Creek (1010) and East Fork of the San Jacinto River (1003) confluence in Harris County.

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
mercury in edible tissue	5c	2010
1002C_01	Small lake located at the southern end of Lake Houston Park northeast of the Caney Creek (1010) and East Fork of the San Jacinto River (1003) confluence in Harris County.	

SegID: 1003 East Fork San Jacinto River

From the confluence of Caney Creek in Harris County to US 190 in Walker County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5a	2006
1003_01	From the Caney Creek confluence upstream to US 59	
1003_02	From US Hwy 59 to a point 40 km (25 mi) upstream (just upstream of Clear Creek confluence)	
1003_03	From a point 40 km (25 mi) upstream (just upstream of Clear Creek confluence) to US 190 (upper segment boundary)	

SegID: 1004 West Fork San Jacinto River

From the confluence of Spring Creek in Harris/Montgomery County to Conroe Dam in Montgomery County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5a	2002
1004_01	From the Spring Creek confluence upstream to the Stewart Creek confluence	
1004_02	From the Stewart Creek confluence upstream to the Lake Conroe Dam	

SegID: 1004D Crystal Creek

From the West Fork of the San Jacinto River confluence to the confluence of the east and west forks of Crystal Creek

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5a	2006
1004D_01	From the Confluence with West Fork San Jacinto River upstream to confluence of the East and West Forks of Crystal Creek	

2014 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1005 Houston Ship Channel/San Jacinto River Tidal
 From the confluence with Galveston Bay at Morgan's Point in Harris/Chambers County to a point 100 meters
 (110 yards) downstream of IH 10 in Harris County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
chlordan in edible tissue	5c	2014

1005_01	Downstream I-10 to Lynchburg Ferry Road
1005_02	Lynchburg Ferry Road to Goose Island
1005_03	Goose Island to SH 146

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dieldrin in edible tissue	5c	2014

1005_01	Downstream I-10 to Lynchburg Ferry Road
1005_02	Lynchburg Ferry Road to Goose Island
1005_03	Goose Island to SH 146

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue	5a	1996

1005_01	Downstream I-10 to Lynchburg Ferry Road
1005_02	Lynchburg Ferry Road to Goose Island
1005_03	Goose Island to SH 146
1005_04	SH 146 to Morgans Point

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
heptachlor epoxide in edible tissue	5c	2014

1005_01	Downstream I-10 to Lynchburg Ferry Road
1005_02	Lynchburg Ferry Road to Goose Island
1005_03	Goose Island to SH 146

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2002

1005_01	Downstream I-10 to Lynchburg Ferry Road
1005_02	Lynchburg Ferry Road to Goose Island
1005_03	Goose Island to SH 146
1005_04	SH 146 to Morgans Point

2014 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1006 Houston Ship Channel Tidal
 From the confluence with the San Jacinto River in Harris County to a point immediately upstream of Greens Bayou in Harris County, including tidal portions of tributaries

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2006
1006_05	Goodyear Creek-From confluence with Greens Bayou Tidal to Granada St. in Harris County	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
chlordan in edible tissue	5c	2004
1006_04	Patrick Bayou Tidal - From the confluence with the Houston Ship Channel to 100 m (328 ft) upstream of the railroad bridge	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dieldrin in edible tissue	5c	2004
1006_02	Houston Ship Channel Tidal- From the Patrick Bayou confluence to the Houston Ship Channel/San Jacinto River Tidal (1005) confluence	
1006_04	Patrick Bayou Tidal - From the confluence with the Houston Ship Channel to 100 m (328 ft) upstream of the railroad bridge	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue	5a	1996
1006_01	Houston Ship Channel Tidal-From the Greens Bayou confluence to the Patrick Bayou confluence	
1006_02	Houston Ship Channel Tidal- From the Patrick Bayou confluence to the Houston Ship Channel/San Jacinto River Tidal (1005) confluence	
1006_03	Greens Bayou Tidal- From the Houston Ship Channel confluence to a point 0.7 km (0.4 miles) upstream of the Halls Bayou confluence	
1006_04	Patrick Bayou Tidal - From the confluence with the Houston Ship Channel to 100 m (328 ft) upstream of the railroad bridge	
1006_05	Goodyear Creek-From confluence with Greens Bayou Tidal to Granada St. in Harris County	
1006_06	Tucker Bayou- From the Houston Ship Channel confluence to a point 2.7 km (1.7 mi) upstream	
1006_07	Carpenters Bayou-From the Houston Ship Channel confluence to the lower boundary of 1006B (2.3 m/ 1.4 mi) upstream from the Houston Ship Channel confluence)	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
heptachlor epoxide in edible tissue	5c	2004
1006_04	Patrick Bayou Tidal - From the confluence with the Houston Ship Channel to 100 m (328 ft) upstream of the railroad bridge	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
mercury in water	5c	1998
1006_04	Patrick Bayou Tidal - From the confluence with the Houston Ship Channel to 100 m (328 ft) upstream of the railroad bridge	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2002
1006_01	Houston Ship Channel Tidal-From the Greens Bayou confluence to the Patrick Bayou confluence	
1006_02	Houston Ship Channel Tidal- From the Patrick Bayou confluence to the Houston Ship Channel/San Jacinto River Tidal (1005) confluence	
1006_03	Greens Bayou Tidal- From the Houston Ship Channel confluence to a point 0.7 km (0.4 miles) upstream of the Halls Bayou confluence	
1006_04	Patrick Bayou Tidal - From the confluence with the Houston Ship Channel to 100 m (328 ft) upstream of the railroad bridge	
1006_05	Goodyear Creek-From confluence with Greens Bayou Tidal to Granada St. in Harris County	
1006_06	Tucker Bayou- From the Houston Ship Channel confluence to a point 2.7 km (1.7 mi) upstream	

2014 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1006 Houston Ship Channel Tidal

From the confluence with the San Jacinto River in Harris County to a point immediately upstream of Greens Bayou in Harris County, including tidal portions of tributaries

1006_07 Carpenters Bayou-From the Houston Ship Channel confluence to the lower boundary of 1006B (2.3 m/ 1.4 mi) upstream from the Houston Ship Channel confluence)

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
toxicity in sediment	5c	2000

1006_04 Patrick Bayou Tidal - From the confluence with the Houston Ship Channel to 100 m (328 ft) upstream of the railroad bridge

SegID: 1007 Houston Ship Channel/Buffalo Bayou Tidal

From a point immediately upstream of Greens Bayou in Harris County to a point 100 meters (110 yards) upstream of US 59 in Harris County, including tidal portion of tributaries

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5a	2006

1007_05 Vince Bayou Tidal - From the Houston Ship Channel confluence to SH 225

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue	5a	1996

1007_01 Houston Ship Channel - From a point immediately upstream of Greens Bayou Tidal to immediately upstream of the 69th Street WWTP outfall

1007_02 Sims Bayou Tidal - From the Houston Ship Channel confluence to a point 11 km (6.8 mi) upstream

1007_03 Hunting Bayou Tidal - From the Houston Ship Channel confluence to IH-10

1007_04 Brays Bayou Tidal - From the Houston Ship Channel confluence to downstream of IH-45

1007_05 Vince Bayou Tidal - From the Houston Ship Channel confluence to SH 225

1007_06 Berry Bayou - From the Houston Ship Channel confluence to a point 2.4 km (1.5 mi) upstream of the Sims Bayou confluence

1007_07 Buffalo Bayou - From immediately upstream of 69th Street WWTP outfall to US 59

1007_08 Little Vince Bayou Tidal - From the Vince Bayou confluence to SH 225

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2002

1007_01 Houston Ship Channel - From a point immediately upstream of Greens Bayou Tidal to immediately upstream of the 69th Street WWTP outfall

1007_02 Sims Bayou Tidal - From the Houston Ship Channel confluence to a point 11 km (6.8 mi) upstream

1007_03 Hunting Bayou Tidal - From the Houston Ship Channel confluence to IH-10

1007_04 Brays Bayou Tidal - From the Houston Ship Channel confluence to downstream of IH-45

1007_05 Vince Bayou Tidal - From the Houston Ship Channel confluence to SH 225

1007_06 Berry Bayou - From the Houston Ship Channel confluence to a point 2.4 km (1.5 mi) upstream of the Sims Bayou confluence

1007_07 Buffalo Bayou - From immediately upstream of 69th Street WWTP outfall to US 59

1007_08 Little Vince Bayou Tidal - From the Vince Bayou confluence to SH 225

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
toxicity in sediment	5c	2000

1007_05 Vince Bayou Tidal - From the Houston Ship Channel confluence to SH 225

2014 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1007A Canal C-147

From the confluence with Sims Bayou to a point 0.71 km east of Beltway 8 in Houston

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5a	2006
1007A_01	From the confluence with Sims Bayou upstream to a point 0.71 km east of Beltway 8	

SegID: 1007H Pine Gully Above Tidal

From the Sims Bayou confluence to 0.11 km (0.07 mi) east of Broadway Street in Harris County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	2010
1007H_01	From the Sims Bayou confluence to 0.11 km (0.07 mi) east of Broadway Street	

SegID: 1007I Plum Creek Above Tidal

From the Sims Bayou confluence to Telephone Road in Harris County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	2010
1007I_01	From the Sims Bayou confluence to Telephone Road in Harris County	

SegID: 1007K Country Club Bayou Above Tidal

From just downstream of South Lockwood Drive to the confluence with Brays Bayou to approximately 0.5 miles upstream of North Wayside Drive in Harris County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	2002
1007K_01	From just downstream of South Lockwood Drive to the confluence with Brays Bayou	

SegID: 1007O Unnamed Tributary of Buffalo Bayou

From the confluence with Buffalo Bayou to IH-10 between Hirsch Road and Lockwood in Harris County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	2002
1007O_01	Entire water body	

SegID: 1007R Hunting Bayou Above Tidal

From the confluence with Hunting Bayou Tidal at IH-10 to Maury Street on the north fork and Bain Street on the south fork

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	2002
1007R_01	From Bain Street to Sayers Street (South Fork)	
1007R_04	From Loop 610 East to IH 10	

2014 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1007V Unnamed Tributary of Hunting Bayou

From the Hunting Bayou confluence to 1.7 km (1.1 mi) upstream of the confluence (0.3 km west of Collingsworth Street)

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5a	2010
1007V_01	From the Hunting Bayou confluence to 1.7 km (1.1 mi) upstream of the confluence (0.3 km west of Collingsworth Street)	

SegID: 1008 Spring Creek

From the confluence with the West Fork San Jacinto River in Harris/Montgomery County to the confluence with Kickapoo Creek in Waller County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	1996
1008_02	Kickapoo Creek confluence to SH 249	

SegID: 1008A Mill Creek

Perennial stream from the normal pool elevation of Neidigk Lake upstream to the confluence of Hurricane Creek and Kickapoo Creek

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	2014
1008A_01	From the normal pool elevation of Neidigk Lake upstream to the Hurricane Creek and Kickapoo Creek confluences	

SegID: 1010C Spring Branch

From the Caney Creek confluence to a point 0.54 km (0.34 mi) upstream of SH 105

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	2014
1010C_01	From the Caney Creek confluence to a point 0.54 km (0.34 mi) upstream of SH 105	

SegID: 1013A Little White Oak Bayou

From the White Oak Bayou confluence to Yale Street in Harris County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	2002
1013A_01	From the confluence of White Oak Bayou upstream to the RR Tracks north of IH 610	

SegID: 1013C Unnamed Non-Tidal Tributary of Buffalo Bayou Tidal

Located approximately 1.8 miles upstream of the Buffalo Bayou/White Oak Bayou confluence between IH-10 and Memorial Drive west of IH-45 in Harris County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	2014
1013C_01	Entire Segment	

2014 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1014M Newman Branch (Neimans Bayou)

From the Buffalo Bayou Above Tidal confluence to 0.1 km (0.06 mi) upstream of Hammerly Blvd in Harris County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5b	2002
1014M_01	From the Buffalo Bayou confluence to 0.1 km (0.06 mi) upstream of Hammerly Blvd	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
impaired fish community	5c	2010
1014M_01	From the Buffalo Bayou confluence to 0.1 km (0.06 mi) upstream of Hammerly Blvd	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
impaired macrobenthic community	5c	2010
1014M_01	From the Buffalo Bayou confluence to 0.1 km (0.06 mi) upstream of Hammerly Blvd	

SegID: 1015A Mound Creek

From the confluence with Lake Creek to a point 0.69 km east of FM 149 near Conroe

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2014
1015A_01	Perennial stream from the confluence with Lake Creek upstream to the confluence with an unnamed tributary approximately 0.75 km downstream of Rabon-Chapel Road	

SegID: 1016D Unnamed Tributary of Greens Bayou

From the confluence with Greens Bayou, west of El Dorado Country Club to Lee Road, west of US Hwy 59 in Harris County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	2002
1016D_01	Entire water body	

SegID: 1017D Unnamed Tributary of Whiteoak Bayou

From the confluence with White Oak Bayou downstream of TC Jester, to Hempstead Hwy, north of US Hwy 290 in Harris County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	2002
1017D_01	Entire water body	

SegID: 1017F Rolling Fork Creek

From the White Oak Bayou Above Tidal confluence to a point 3.9 km (2.4 mi) upstream

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5a	2012
1017F_01	From the White Oak Bayou Above Tidal confluence to a point 3.9 km (2.4 mi) upstream	

2014 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1101 Clear Creek Tidal
 From the Clear Lake confluence at a point 3.2 km (2.0 miles) downstream of El Camino Real in Galveston/Harris County to a point 100 m (110 yards) upstream of FM528 in Galveston/Harris County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue	5a	2010
1101_01 Upper segment boundary to Chigger Creek confluence		
1101_02 Chigger Creek confluence to IH 45		
1101_03 IH 45 to Cow Bayou confluence		
1101_04 Cow Bayou confluence to confluence with Clear Lake		

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2010
1101_01 Upper segment boundary to Chigger Creek confluence		
1101_02 Chigger Creek confluence to IH 45		
1101_03 IH 45 to Cow Bayou confluence		
1101_04 Cow Bayou confluence to confluence with Clear Lake		

SegID: 1102 Clear Creek Above Tidal
 From a point 100 meters (110 yards) upstream of FM 528 in Galveston/Harris County to Rouen Road in Fort Bend County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2010
1102_01 Upper segment boundary (Rouen Road) to SH 288		
1102_02 SH 288 to Hickory Slough confluence		
1102_03 Hickory Slough confluence to Turkey Creek confluence		
1102_04 Turkey Creek confluence to Mary's Creek confluence		
1102_05 Mary's Creek confluence to lower segment boundary		

SegID: 1102F Mary's Creek Bypass
 From the Mary's Creek confluence NE of FM 518 to a point 0.96 km (0.60 mi) upstream to the Mary's Creek confluence (NW of County Road 126)

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5a	2014
1102F_01 From the Mary's Creek confluence NE of FM 518 to a point 0.96 km (0.60 mi) upstream to the Mary's Creek confluence (NW of County Road 126)		

2014 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1103 Dickinson Bayou Tidal
 From the Dickinson Bay confluence 2.1 km (1.3 miles) downstream of SH 146 in Galveston County to a point 4.0 km (2.5 miles) downstream of FM 517 in Galveston County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5a	1996
1103_01	From the Dickinson Bay confluence (downstream of State Hwy 146) upstream to the Gum Bayou confluence	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5b	1996
1103_02	From the Gum Bayou confluence upstream to the Benson Bayou confluence	
1103_03	From the Benson Bayou confluence upstream to the Bordens Gully confluence	
1103_04	From the Bordens Gully confluence upstream to a point 4.0 km (2.5 mi) downstream of FM 517	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue	5a	2010
1103_01	From the Dickinson Bay confluence (downstream of State Hwy 146) upstream to the Gum Bayou confluence	
1103_02	From the Gum Bayou confluence upstream to the Benson Bayou confluence	
1103_03	From the Benson Bayou confluence upstream to the Bordens Gully confluence	
1103_04	From the Bordens Gully confluence upstream to a point 4.0 km (2.5 mi) downstream of FM 517	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2010
1103_01	From the Dickinson Bay confluence (downstream of State Hwy 146) upstream to the Gum Bayou confluence	
1103_02	From the Gum Bayou confluence upstream to the Benson Bayou confluence	
1103_03	From the Benson Bayou confluence upstream to the Bordens Gully confluence	
1103_04	From the Bordens Gully confluence upstream to a point 4.0 km (2.5 mi) downstream of FM 517	

SegID: 1103C Geisler Bayou
 From the Dickinson Bayou Tidal confluence to a point 1.37 km (0.85 mi) upstream of FM 646 in Galveston County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	2010
1103C_01	From the Dickinson Bayou Tidal confluence to a point 1.37 km (0.85 mi) upstream of FM 646	

SegID: 1103D Gum Bayou
 From the Dickinson Bayou Tidal confluence to State Hwy 96 in Galveston County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5a	2010
1103D_01	From Dickinson Bayou Tidal confluence to State Hwy 96	

2014 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1103E Cedar Creek

From the Dickinson Bayou Tidal confluence to a point 0.63 km (0.39 mi) upstream FM 517 in Galveston County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5a	2010
1103E_01	From the Dickinson Bayou Tidal confluence to a point 0.63 km (0.39 mi) upstream FM 517	

SegID: 1105 Bastrop Bayou Tidal

From the confluence with Bastrop Bay 1.1 kilometers (0.7 mile) downstream of the Intracoastal Waterway in Brazoria County to a point 8.6km (5.3 miles) upstream of Business 288 at Lake Jackson in Brazoria County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2012
1105_01	From the confluence with Bastrop Bay 1.1 kilometers (0.7 miles) downstream of the Intracoastal Waterway in Brazoria County to a point 8.6 km (5.3 miles) upstream of Business 288 at Lake Jackson in Brazoria County	

SegID: 1105A Flores Bayou

From a point 2.6 km (1.6 mi) downstream of County Road 171 upstream to SH 35 in Brazoria County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2010
1105A_01	From a point 2.6 km (1.6 mi) downstream of County Road 171 upstream to SH 35	

SegID: 1105B Austin Bayou Tidal

From the Bastrop Bayou Tidal confluence to the FM 2004 bridge crossing in Brazoria County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2014
1105B_01	From the Bastrop Bayou Tidal confluence to the FM 2004 bridge crossing	

SegID: 1105C Austin Bayou Above Tidal

From FM 2004 upstream (Austin Bayou Tidal upper boundary) to 0.3 km (0.19 mi) upstream of SH 288 in Brazoria County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2014
1105C_01	From FM 2004 upstream to 0.3 km (0.19 mi) upstream of SH 288	

2014 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1105E Brushy Bayou

From the confluence with Austin Bayou Above Tidal (1105C) upstream to end of canal approximately 0.4 miles upstream of FM 210 crossing east of the City of Angleton in Brazoria County.

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2010
1105E_01 Entire water body		

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	2010
1105E_01 Entire water body		

SegID: 1107 Chocolate Bayou Tidal

From the Chocolate Bay confluence 1.4 km (0.9 miles) downstream of FM 2004 to a point 4.2 km (2.6 miles) downstream of SH 35 in Brazoria County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2010
1107_01 From the Chocolate Bay confluence 1.4 km (0.9 mi) downstream of FM 2004 to a point 4.2 km (2.6 mi) downstream of SH 35		

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue	5a	2010
1107_01 From the Chocolate Bay confluence 1.4 km (0.9 mi) downstream of FM 2004 to a point 4.2 km (2.6 mi) downstream of SH 35		

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2010
1107_01 From the Chocolate Bay confluence 1.4 km (0.9 mi) downstream of FM 2004 to a point 4.2 km (2.6 mi) downstream of SH 35		

SegID: 1108 Chocolate Bayou Above Tidal

From a point 4.2 km (2.6 miles) downstream of SH 35 in Brazoria County to SH 6 in Brazoria County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2014
1108_01 From a point 4.2 km (2.6 mi) downstream of SH 35 to SH 6		

SegID: 1109 Oyster Creek Tidal

From the Intercoastal Waterway confluence to a point 100 meters (110 yards) upstream of FM 2004 in Brazoria County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2012
1109_01 From the Intracoastal Waterway confluence to a point 100 m (110 yds) upstream of FM 2004		

2014 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1110 Oyster Creek Above Tidal

From a point 100 meters (110 yards) upstream of FM 2004 in Brazoria County to the Brazos River Authority diversion dam 1.8 km (1.1 miles) upstream of SH 6 in Fort Bend County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2006
1110_01	From the lower segment boundary immediately upstream of FM 2004 to the Styles Bayou confluence	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5b	1996
1110_01	From the lower segment boundary immediately upstream of FM 2004 to the Styles Bayou confluence	
1110_03	From an unnamed tributary [2.9 km (1.8 mi) downstream of FM 1462] upstream to the Brazos River Diversion Dam	

SegID: 1113 Armand Bayou Tidal

From the Clear Lake confluence (at NASA Road 1 bridge) in Harris County to a point 0.8 km (0.5 miles) downstream of Genoa-Red Bluff Road in Pasadena in Harris County (includes Mud Lake/Pasadena Lake)

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2006
1113_02	From the Horsepen Bayou confluence to the Big Island Slough confluence	
1113_03	From the Big Island Slough confluence upstream to a point 0.8 km (0.5 mi) downstream of Genoa-Red Bluff Road	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5b	1996
1113_02	From the Horsepen Bayou confluence to the Big Island Slough confluence	
1113_03	From the Big Island Slough confluence upstream to a point 0.8 km (0.5 mi) downstream of Genoa-Red Bluff Road	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue	5c	2010
1113_01	From the Clear Lake confluence at Nasa Road 1 to the Horsepen Bayou confluence	
1113_02	From the Horsepen Bayou confluence to the Big Island Slough confluence	
1113_03	From the Big Island Slough confluence upstream to a point 0.8 km (0.5 mi) downstream of Genoa-Red Bluff Road	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5c	2010
1113_01	From the Clear Lake confluence at Nasa Road 1 to the Horsepen Bayou confluence	
1113_02	From the Horsepen Bayou confluence to the Big Island Slough confluence	
1113_03	From the Big Island Slough confluence upstream to a point 0.8 km (0.5 mi) downstream of Genoa-Red Bluff Road	

2014 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1113A Armand Bayou Above Tidal

From the upper segment boundary of Armand Bayou Tidal, 0.8 km (0.5 miles) downstream of Genoa-Red Bluff Road, upstream to Beltway 8 in Harris County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	1998
1113A_01	From the upper segment boundary of Armand Bayou Tidal (point 0.8 km (0.5 miles) downstream of Genoa-Red Bluff Road) upstream to Beltway 8	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5b	1998
1113A_01	From the upper segment boundary of Armand Bayou Tidal (point 0.8 km (0.5 miles) downstream of Genoa-Red Bluff Road) upstream to Beltway 8	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
impaired fish community	5b	2014
1113A_01	From the upper segment boundary of Armand Bayou Tidal (point 0.8 km (0.5 miles) downstream of Genoa-Red Bluff Road) upstream to Beltway 8	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
impaired macrobenthic community	5b	2014
1113A_01	From the upper segment boundary of Armand Bayou Tidal (point 0.8 km (0.5 miles) downstream of Genoa-Red Bluff Road) upstream to Beltway 8	

SegID: 1113B Horsepen Bayou Tidal

From the Armand Bayou confluence to the SH3

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2006
1113B_01	From the Armand Bayou confluence to the SH3	

SegID: 1113C Unnamed Tributary to Horsepen Bayou

From the Horsepen Bayou confluence to Reseda Road

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2010
1113C_01	From the Horsepen Bayou confluence to Reseda Drive	

SegID: 1113D Willow Springs Bayou

From the Armand Bayou confluence to a point 2.8 km (1.8 mi) upstream to an unnamed tributary

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2010
1113D_01	From the Armand Bayou confluence to a point 2.8 km (1.8 mi) upstream to an unnamed tributary	

2014 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1113E Big Island Slough

From the Armand Bayou confluence upstream to a point 2.4 km (1.5 mi) north of Spencer Hwy

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2012
1113E_01	From the Armand Bayou confluence upstream to a point 2.4 km (1.5 mi) north of Spencer Hwy	

SegID: 1202H Allen's Creek

From the confluence with the Brazos River, two miles northeast of Wallis, to the headwaters one mile north of IH 10 in Austin County.

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2002
1202H_01	Entire water body	

SegID: 1202J Big Creek

Big Creek - from the confluence of the Brazos River upstream to the confluence of Cottonwood Creek and Coon Creek

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2002
1202J_01	Big Creek from the confluence of the Brazos River upstream to the confluence of an unnamed tributary 2.1 km downstream of FM 2977 south of Rosenberg	

SegID: 1202K Mill Creek

From confluence of East and West Mill Creeks downstream to confluence with Brazos River

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2010
1202K_01	Portion of Mill Creek from confluence with Brazos River upstream to confluence with East/West Forks Mill Creek in Austin County.	

SegID: 1204A Camp Creek

From its confluence with the Brazos River downstream of Lake Granbury, upstream to its headwaters, 0.9 miles north of US Hwy 67 in Johnson County.

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2010
1204A_01	entire water body	

2014 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1208 Brazos River Above Possum Kingdom Lake

From a point immediately upstream of the confluence of Cove Creek at Salem Bend in Young County to the confluence of the Double Mountain Fork Brazos River and the Salt Fork Brazos River in Stonewall County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2008
1208_01	Portion of segment from confluence with Possum Kingdom Reservoir headwaters upstream to confluence with Spring Branch in Young County.	
1208_02	Portion of segment from confluence with Spring Branch upstream to confluence with Fish Creek	
1208_04	From confluence with Boggy Creek upstream to confluence with Millers Creek	
1208_05	From confluence with Millers Creek upstream to confluence with Lake Creek	

SegID: 1209 Navasota River Below Lake Limestone

From the confluence with the Brazos River in Grimes County to Sterling C. Robertson Dam in Leon/Robertson County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2002
1209_03	Portion of Navasota River from confluence with Sandy Branch upstream to confluence with Shepherd Branch in Madison County.	
1209_05	Portion of Navasota River from confluence with Camp Creek upstream to Lake Limestone Dam in Robertson County.	

SegID: 1209A Country Club Lake

From the Country Club Branch Dam up to normal pool elevation in Bryan in Brazos County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
toxicity in sediment	5c	1999
1209A_01	Entire reservoir	

SegID: 1209B Fin Feather Lake

From Fin Feather Dam up to normal pool elevation in northwest Bryan in Brazos County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
toxicity in sediment	5c	2000
1209B_01	Entire reservoir	

SegID: 1209E Wickson Creek

Perennial stream from the confluence with an unnamed first order tributary (approximately 1.3 km upstream of Reliance Road crossing) upstream to the confluence with an unnamed first order tributary approximately 15 meters upstream of Dilly Shaw Road

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2006
1209E_01	Entire water body	

2014 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1209H Duck Creek

From the confluence with the Navasota river in Robertson County to Twin Oak Reservoir dam in Robertson County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2006
1209H_01	Portion of Duck Creek from confluence with Navasota River upstream to confluence with Mineral Creek in Robertson County.	
1209H_02	Portion of Duck Creek from confluence with Mineral Creek in Robertson County upstream to headwaters in Limestone County.	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	2012
1209H_01	Portion of Duck Creek from confluence with Navasota River upstream to confluence with Mineral Creek in Robertson County.	
1209H_02	Portion of Duck Creek from confluence with Mineral Creek in Robertson County upstream to headwaters in Limestone County.	

SegID: 1209I Gibbons Creek

From confluence with Navasota River in Grimes County to SH 90 in Grimes County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2012
1209I_01	Portion of Gibbons Creek from confluence with Navasota River upstream to confluence with Dry Creek in Grimes County.	

SegID: 1209J Shepherd Creek

From the confluence with the Navasota River in Madison County to a point 0.7 miles upstream of FM 1452 in Madison County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2002
1209J_01	Entire water body	

SegID: 1209K Steele Creek

From confluence with Navasota River in Robertson County to a point 2.4 miles upstream of FM 147 in Limestone County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2002
1209K_02	Portion of Steele Creek from confluence with Willow Creek upstream to headwaters in Limestone County.	

SegID: 1210A Navasota River above Lake Mexia

From the confluence with the headwaters of Lake Mexia in Limestone County to a point 1.25 miles upstream of SH 31 in Hill County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2002
1210A_01	Entire water body	

2014 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1211A Davidson Creek

Intermittent stream with perennial pools from the confluence with Yegua Creek to 0.2 km above SH 21 near Caldwell in Burleson County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2002
1211A_02	Portion of Davidson Creek from confluence with unnamed tributary (NHD RC 12070102001903) upstream to headwaters in Milam County.	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	2010
1211A_02	Portion of Davidson Creek from confluence with unnamed tributary (NHD RC 12070102001903) upstream to headwaters in Milam County.	

SegID: 1212 Somerville Lake

From Somerville Dam in Burleson/Washington County up to normal pool elevation of 238 feet (impounds Yegua Creek)

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
pH	5c	2002
1212_01	Eastern end of reservoir near dam	
1212_03	Middle of reservoir near Birch Creek State Park	
1212_04	Western end of reservoir near upper segment boundary	

SegID: 1212A Middle Yegua Creek

From the confluence with East Yegua and Yegua Creeks in Lee County to the Lee County/Williamson County line

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2010
1212A_02	From confluence with West Yegua Creek upstream to headwaters of water body in Williamson County.	

SegID: 1212B East Yegua Creek

From the confluence with Middle Yegua and Yegua Creeks southeast of Dime Box in Lee County to the upstream portion of the stream, south of Alcoa Lake in Milam County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2002
1212B_01	Portion of East Yegua Creek from confluence with Middle Yegua Creek in Burleson County upstream to confluence with Allen Creek in Lee County.	

SegID: 1213 Little River

From the confluence with the Brazos River in Milam County to the confluence of the Leon River and the Lampasas River in Bell County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2006
1213_04	From confluence with Boggy Creek upstream to its confluence with Leon and Lampasas Rivers	

2014 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1213A Big Elm Creek

From the confluence with Little River in Milam county, 4.5 km northeast of the City of Cameron, upstream to its headwaters in McLennan County, 0.7 km west of Moody.

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2010
1213A_01	Portion of Big Elm Creek from the confluence with the Little River upstream to confluence with Little Elm Creek.	

SegID: 1214 San Gabriel River

From the confluence with the Little River in Milam County to Granger Lake Dam in Williamson County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
chloride	5c	2008
1214_01	From confluence with Little River upstream to confl. with Alligator Creek	
1214_02	From confluence with Alligator Creek upstream to Lake Granger	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
sulfate	5c	2006
1214_01	From confluence with Little River upstream to confl. with Alligator Creek	
1214_02	From confluence with Alligator Creek upstream to Lake Granger	

SegID: 1217D North Rocky Creek

From its confluence with South Rocky Creek, upstream to its headwaters 7 miles west of US Hwy 183 in Burnet County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	2006
1217D_01	Entire water body	

SegID: 1218 Nolan Creek/ South Nolan Creek

From the confluence with the Leon River in Bell County to a point 100 meters (110 yards) upstream to the most upstream crossing of US 190 and Loop 172 in Bell County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	1996
1218_02	Portion of South Nolan Creek from confluence with North Nolan / Nolan Creek fork upstream to confluence with Liberty Ditch in city of Killeen in Bell County.	

SegID: 1218C Little Nolan Creek

From the confluence with Nolan Creek/South Nolan Creek upstream to headwaters in the city of Killeen, Bell County.

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2010
1218C_01	Entire water body	

2014 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1221 Leon River Below Proctor Lake
 From a point 100 meters (110 yards) upstream of FM 236 in Coryell County to Proctor Dam in Comanche County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	1996
1221_03	From confluence with Stillhouse Creek, upstream to confluence with Plum Creek	
1221_06	From confluence with South Leon Creek upstream to confluence with Walnut Creek	

SegID: 1221A Resley Creek
 From the confluence of the Leon River east of Gustine in Comanche County to the upstream perennial portion of the stream north of Gustine in Comanche County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2004
1221A_01	Portion of Resley Creek from confluence with Leon River upstream to conf. with unnamed tributary (NHD RC 12070201007823), approx. 1.0 mile N. of Comanche County Line	
1221A_02	Portion of Resley Creek from confluence with unnamed tributary (NHD RC 12070201007823), upstream to headwaters in Erath County.	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5b	2006
1221A_01	Portion of Resley Creek from confluence with Leon River upstream to conf. with unnamed tributary (NHD RC 12070201007823), approx. 1.0 mile N. of Comanche County Line	

SegID: 1221D Indian Creek
 Perennial stream from the confluence of the Leon River to the headwaters

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2006
1221D_01	From confluence with Leon River, upstream to confluence with Armstrong Creek	
1221D_02	From confluence with Armstrong Creek upstream to headwaters of water body (includes the Appendix D portion of the WQS)	

SegID: 1221F Walnut Creek
 From its confluence with Leon River upstream to its headwaters 2.4 miles west of Dublin in Erath County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2006
1221F_01	entire water body	

SegID: 1222A Duncan Creek
 From the confluence of Proctor Lake northeast of Comanche in Comanche County to the upstream perennial portion of the stream west of Comanche in Comanche County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	1999
1222A_01	Entire creek	

2014 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1222B Rush-Copperas Creek

From the confluence of Proctor Lake northeast of Comanche in Comanche County to the upstream perennial portion of the stream northwest of Comanche in Comanche County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2006
1222B_01 Entire water body		

SegID: 1222C Sabana River

From the confluence of Proctor Lake northeast of Comanche in Comanche County to the upstream perennial portion of the stream northwest of Rising Star in Eastland County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2006
1222C_01 Portion of Sabana River from confluence with Lake Belton in Comanche County upstream to confluence with Elm Creek in Eastland County.		

SegID: 1222E Sweetwater Creek

From its confluence with Copperas Creek, upstream to its headwaters, 6.3 miles west of Comanche in Comanche County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2006
1222E_01 entire water body		

SegID: 1223 Leon River Below Leon Reservoir

From a point immediately upstream of the confluence of Mill Branch in Comanche County to Leon Dam in Eastland County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2006
1223_01 Entire Segment		
depressed dissolved oxygen	5c	2008
1223_01 Entire Segment		

SegID: 1223A Armstrong Creek

From its confluence with the Leon River downstream of Leon Reservoir, upstream to its headwaters in Erath County 6.2 miles east of State Hwy 16.

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2006
1223A_01 entire water body		

2014 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1226A Duffau Creek

From the confluence with the North Bosque River west of Iredell in Bosque County upstream to its headwaters, 0.4km west of US67 in Erath County.

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2014
1226A_01 Entire water body		

SegID: 1226B Green Creek

From the confluence of the North Bosque River south of Clairette in Erath County upstream to its headwaters 10km west of Stephenville in Erath County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	2006
1226B_01 Entire water body		

SegID: 1226E Indian Creek

From the confluence with the North Bosque River in Erath County to the headwaters 3.5 miles east of Stephenville in Erath County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2002
1226E_01 Entire water body		

SegID: 1226F Sims Creek

From the confluence with the North Bosque River in Erath County to the headwaters 6 miles southeast of Stephenville in Erath County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2002
1226F_01 Entire water body		

SegID: 1226H Alarm Creek

From its confluence with the North Bosque River, upstream to its headwaters 3 miles west of Stephenville in Erath County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2010
1226H_01 entire water body		

SegID: 1226K Little Duffau Creek

From its confluence with Duffau Creek, upstream to its headwaters 2.4 miles south west of US 67 in Erath County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2006
1226K_01 entire water body		

2014 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1226M Little Green Creek

From its confluence with Green Creek, upstream to its confluence with the North and South Forks of Little Green Creek, 2.4 miles south of SH 6 in Erath County.

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2010
1226M_01 entire water body		

SegID: 1227 Nolan River

From a point immediately upstream of the confluence of Rock Creek in Hill County to Cleburne Dam in Johnson County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
sulfate	5b	2002
1227_01 Portion of Nolan River from confluence with Whitney Lake upstream to confluence with Mustang Creek in Hill County.		
1227_02 Portion of Nolan River from confluence with Mustang Creek in Hill County upstream to confluence with Lake Pat Cleburne Dam in Johnson County.		

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
total dissolved solids	5b	2006
1227_01 Portion of Nolan River from confluence with Whitney Lake upstream to confluence with Mustang Creek in Hill County.		
1227_02 Portion of Nolan River from confluence with Mustang Creek in Hill County upstream to confluence with Lake Pat Cleburne Dam in Johnson County.		

SegID: 1232A California Creek

From the confluence of Paint Creek southeast of Haskell in Haskell County to the headwaters southwest of Stamford in Jones County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2010
1232A_01 Portion of California Creek from confluence with Paint Creek in Haskell County upstream to confluence with Thompson Creek in Jones County.		

SegID: 1240 White River Lake

From White River Dam in Crosby County up to the normal pool elevation of 2372.2 feet (impounds White River)

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
chloride	5b	2002
1240_01 Entire segment		

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
total dissolved solids	5b	2006
1240_01 Entire segment		

2014 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1241 Double Mountain Fork Brazos River
 From the confluence with the Salt Fork Brazos River in Stonewall County to the confluence of the North Fork Double Mountain Fork Brazos River in Kent County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2010
1241_01	25 miles near Hwy 83	

SegID: 1241B Lake Alan Henry
 Impounded Double Mountain Fork Brazos Rive, 20.0 miles south east of Post in Garza and Kent Counties.

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
mercury in edible tissue	5c	2010
1241B_01	entire water body	

SegID: 1242B Cottonwood Branch
 Intermittent stream with perennial pools from the confluence with Still Creek upstream 0.95 km to the confluence with an unnamed tributary

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2006
1242B_01	Portion of Cottonwood Branch from confluence with Still Creek upstream to unnamed tributary (NHD RC 12070101000835) in Brazos County.	
1242B_02	Portion of Cottonwood Branch from confluence with unnamed tributary (NHD RC 12070101000835) upstream to headwaters in Brazos County.	

SegID: 1242C Still Creek
 Perennial stream from the confluence with Thompson's Creek upstream to the confluence with Cottonwood Branch

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2006
1242C_01	Portion of Still Creek from confluence with Thompsons Creek in Brazos County upstream to confluence with unnamed tributary (NHD RC 12070101006127).	
1242C_02	Portion of Still Creek from confluence with unnamed tributary (NHD RC 12070101006127) upstream to headwaters in Brazos County.	

2014 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1242D Thompsons Creek

Thompsons Creek - perennial stream from the confluence of the Brazos River upstream to the confluence of Thompson's Branch, north of FM 1687

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2002
1242D_01	Thompsons Creek an Appendix D perennial stream from the confluence of the Brazos River upstream to the confluence of Still Creek in Brazos County.	
1242D_02	Thompsons Creek an Appendix D intermittent stream with perennial pools section from the confluence of Still Creek upstream to the confluence of Thompson's Branch, north of FM 1687	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5b	2006
1242D_02	Thompsons Creek an Appendix D intermittent stream with perennial pools section from the confluence of Still Creek upstream to the confluence of Thompson's Branch, north of FM 1687	

SegID: 1242F Pond Creek

Perennial stream from the confluence with the Brazos River in Milam County up to the confluence with Live Oak Creek in Falls County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2010
1242F_01	From the Brazos confluence upstream to Live Oak Creek confluence	

SegID: 1242I Campbells Creek

From the confluence with the Little Brazos River upstream to the headwaters, one mile west of Old San Antonio Road

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2002
1242I_01	Entire water body	

SegID: 1242J Deer Creek

Deer Creek - perennial stream from the confluence of the Brazos River upstream to the confluence of Dog Branch northwest of Lott

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2006
1242J_01	Deer Creek an Appendix D perennial stream from the confluence of the Brazos River upstream to the confluence of Dog Branch northwest of Lott	

SegID: 1242K Mud Creek

From confluence with the Little Brazos River, upstream to the confluence with Touchstone Branch and Wolf Den Branch, in Robertson County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2002
1242K_01	Entire water body	

2014 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1242L Pin Oak Creek
 From the confluence with the Little Brazos River in Robertson County upstream to the headwaters, 2.07 miles south of Franklin

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2002
1242L_01 Entire water body		

SegID: 1242M Spring Creek
 From the confluence with the Little Brazos River in Robertson County, upstream to the headwaters, 1.5 miles north of FM 391

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2002
1242M_01 Entire water body		

SegID: 1242O Walnut Creek
 From the confluence with the Little Brazos River in Robertson County, upstream to the headwaters, one mile south of White Rock

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2006
1242O_01 Entire water body		

SegID: 1242P Big Creek
 From the confluence with Little Brazos River in Falls County upstream to the confluence with unnamed creeks near Mart in the northeast corner of Falls County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2002
1242P_01 Downstream portion of water body		

SegID: 1244 Brushy Creek
 From the confluence with the San Gabriel River in Milam County to the confluence of South Brushy Creek in Williamson County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2006
1244_03 From the confluence of Cottonwood Creek upstream to the confluence of Lake Creek		
1244_04 From the confluence of Lake Creek upstream to the confluence of South Brushy Creek		

SegID: 1245C Bullhead Bayou
 From its confluence with Steep Bank Creek in Fort Colony, upstream to its headwaters in Pecan Grove in Fort Bend County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2006
1245C_01 Entire water body		

2014 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1245D Unnamed Tributary of Bullhead Bayou
Tributary to Bullhead Bayou in Fort Bend County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2006
1245D_01 Entire water body		

SegID: 1245F Alcorn Bayou
From the confluence with Steep Bank Creek upstream to its headwaters 0.5km east of Pecan Grove in Fort Bend county

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2010
1245F_01 Entire water body		

SegID: 1245I Steep Bank Creek
From confluence with Oyster Creek (Flat Bank Creek portion) upstream to end of water body, 0.2 km east of US 59 in city of First Colony, Fort Bend County.

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2010
1245I_01 Entire water body		

SegID: 1246E Wasp Creek
From the confluence with Tonk Creek in Crawford in McLennan County, upstream to the headwaters in Coryell County, 0.15 mile east of FM 185

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2002
1246E_01 Entire water body		

SegID: 1247A Willis Creek
From the confluence with the headwaters of Granger Lake in Williamson County to CR 313 in Williamson County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2002
1247A_01 Entire water body		

2014 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1248 San Gabriel/North Fork San Gabriel River
 From point 1.9 km (1.2 miles) downstream of SH 95 in Williamson County to North San Gabriel Dam in Williamson County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
chloride	5c	2010
1248_01 Entire segment		

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
total dissolved solids	5b	2014
1248_01 Entire segment		

SegID: 1248C Mankins Branch
 Perennial stream from the confluence with the San Gabriel River in Williamson County to the intersection of CR 105 and 104 in Williamson County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2004
1248C_01 Entire water body		

SegID: 1255 Upper North Bosque River
 From a point immediately above the confluence of Indian Creek in Erath County to the confluence of the North Fork and South Fork of the Bosque River in Erath County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	1996
1255_01 Portion of Upper North Bosque River from confluence with Indian Creek upstream to confluence with Dry Branch in Erath County.		
1255_02 Portion of Upper North Bosque River from confluence with Dry Branch upstream to confluence with North/South Forks North Bosque River in Erath County.		

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	2008
1255_02 Portion of Upper North Bosque River from confluence with Dry Branch upstream to confluence with North/South Forks North Bosque River in Erath County.		

SegID: 1255A Goose Branch
 From the confluence with the south fork of the North Bosque River 2.5 miles (4.0 km) west of Stephenville, upstream to the headwaters 0.5 miles (0.8 km) north of FM 8 in Erath County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2002
1255A_01 Entire water body		

2014 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1255B North Fork Upper North Bosque River

From the confluence with the South Fork of the Upper North Bosque River in Stephenville, upstream to the headwaters, 2.0 miles north of FM 219

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2002
1255B_01 Entire water body		

SegID: 1255C Scarborough Creek

From the confluence with the North Fork of the upper North Bosque River, upstream to the headwaters 0.1 miles (0.2 km) southeast of FM 219 in Erath County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2002
1255C_01 Entire water body		

SegID: 1255D South Fork North Bosque River

From the confluence with the North Fork of the upper North Bosque River in Stephenville, upstream to the headwaters 3 miles (4.8 km) north of FM 219 in Erath County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2010
1255D_01 Entire water body		

SegID: 1255E Unnamed Tributary of Goose Branch

From the confluence with Goose Branch in Erath County to its headwaters, 0.2 miles southeast of the intersection of FM 8 and Farm Road 1219

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2002
1255E_01 Entire water body		

SegID: 1255F Unnamed Tributary of Scarborough Creek

From the confluence with Scarborough Creek, 1.0 mile west of SH 108 in Erath County, upstream to the headwaters, 0.3 mile north of FM 219

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2002
1255F_01 Entire water body		

SegID: 1255G Woodhollow Branch

From the confluence with the South Fork of the North Bosque River, 6 miles northwest of Stephenville, upstream to the headwaters, 1.5 miles north of FM 219 in Erath County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2002
1255G_01 Entire water body		

2014 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1255I Dry Branch

From its confluence with the Upper North Bosque River, upstream to its headwaters 2.3 miles east of SH 106 in Erath County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2010
1255I_01 entire water body		

SegID: 1301 San Bernard River Tidal

From the confluence with the Intracoastal Waterway in Brazoria County to a point 3.2 km (2.0 miles) upstream of SH 35 in Brazoria County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2006
1301_01 Entire Segment		

SegID: 1302 San Bernard River Above Tidal

From a point 3.2 km (2.0 miles) upstream of SH 35 in Brazoria County to the county road southeast of New Ulm in Austin County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2002
1302_01 From the confluence with the Intracoastal Waterway in Brazoria County to confluence with Peach Creek		
1302_02 From the confluence with Peach Creek to the unnamed tributary at NHD RC 12090401001535 at N-96.03, W29.51		
1302_03 From the confluence with unnamed tributary at NHD RC 12090401001535 at N-96.03, W29.51 to the confluence with Coughatta Creek		

SegID: 1302A Gum Tree Branch

From the confluence with West Bernard Creek near Wharton CR 252 to the headwaters approximately 15 miles upstream near RR 102

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2006
1302A_01 Entire Water Body		

SegID: 1302B West Bernard Creek

From the confluence with the San Bernard River Above Tidal downstream of US highway 59 to the headwaters approximately 40 miles upstream near FM 1093

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2006
1302B_02 From the confluence with Clarks Branch to the upper end of segment		
<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	2006
1302B_01 From the confluence with the San Bernard River Above Tidal to the confluence with Clarks Branch		

2014 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1304 Caney Creek Tidal
 From the confluence with the Intracoastal Waterway in Matagorda County to a point 1.9 km (1.2 miles) upstream of the confluence of Linville Bayou in Matagorda County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2006
1304_01	From the downstream end of segment to the confluence with Dead Slough	

SegID: 1304A Linnville Bayou
 Intermittent stream with perennial pools from a point 1.1 km above the confluence with Caney Creek in Matagorda County up to a point 0.1 km above SH 35 in Brazoria/Matagorda Counties

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2010
1304A_01	Entire Water Body	

SegID: 1305 Caney Creek Above Tidal
 From a point 1.9 km (1.2 miles) upstream of the confluence of Linnville Bayou in Matagorda County to the confluence of Water Hole Creek in Matagorda County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2002
1305_02	From the confluence with Hardeman Slough to the confluence with Snead Slough	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	1999
1305_03	From the confluence with Snead Slough in Matagorda Co. to the upper end of segment at the confluence with Water Hole Creek in Matagorda Co.	

SegID: 1402 Colorado River Below La Grange
 From a point 2.1 km (1.3 miles) downstream of the Missouri-Pacific Railroad in Matagorda County to a point 100 meters (110 yards) downstream of SH 71 at La Grange in Fayette County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2014
1402_02	From the confluence of Blue Creek in Matagorda County upstream to the confluence of Pierce Canal west of Wharton in Wharton County	

SegID: 1402C Buckners Creek
 Perennial stream from the confluence with the Colorado River upstream to the headwaters at Patterson Road southeast of the City of Rosanky in Bastrop County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	2010
1402C_01	Perennial stream from the confluence with the Colorado River upstream to the confluence with Chandler Branch 1.6 km upstream of FM 154 in Fayette County	

2014 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1402H Skull Creek

From the confluence with the Colorado River west of Eagle Lake in Colorado County to the upstream perennial portion southwest of Columbus

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5b	2008
1402H_01 Entire water body		

SegID: 1403 Lake Austin

From Tom Miller Dam in Travis County to Mansfield Dam in Travis County, up to normal pool elevation of 492.8 feet (impounds Colorado River)

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	1996
1403_03 Quinlan Park upstream to Mansfield Dam		

SegID: 1403A Bull Creek

From the confluence of Lake Austin in northwest Austin in Travis County to the upstream perennial portion of the stream north of Austin in Travis County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	2010
1403A_04 From Spicewood Springs Rd. crossing near Yaupon Dr. upstream to the Spicewood Springs Dr. crossing near Oak Grove cemetery		
1403A_05 From the Spicewood Springs Rd. crossing near the Oak Grove cemetery upstream to the end of segment		

SegID: 1403J Spicewood Tributary to Shoal Creek

From the confluence of an unnamed tributary west of the MoPac Expressway in north Austin in Travis County upstream to the head waters north of Williamsburg Circle in Travis County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5a	2002
1403J_01 Entire water body		

SegID: 1403K Taylor Slough South

From the confluence of Lake Austin in Travis County to the headwaters near South Meadow Circle on the Texas Department of Aging and Disability Services campus in Austin in Travis County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5a	2002
1403K_01 Entire water body		

2014 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1407A Clear Creek

From the confluence with Inks Lake in Burnet County west of Burnet upstream to a point 2 miles (3.2 km) west of FM 2341 near Potato Hill northwest of Burnet

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
aluminum in water	5c	2010
1407A_01	From the confluence with Inks Lake upstream to FM 2341	
<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
nickel in water	5c	2014
1407A_01	From the confluence with Inks Lake upstream to FM 2341	
<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
pH	5c	2010
1407A_01	From the confluence with Inks Lake upstream to FM 2341	
<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
sulfate	5c	2010
1407A_01	From the confluence with Inks Lake upstream to FM 2341	
<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
total dissolved solids	5c	2010
1407A_01	From the confluence with Inks Lake upstream to FM 2341	
<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
zinc in water	5c	2014
1407A_01	From the confluence with Inks Lake upstream to FM 2341	

SegID: 1411 E. V. Spence Reservoir

From Robert Lee Dam in Coke County to a point immediately upstream of the confluence of Little Silver Creek in Coke County, up to the normal pool elevation of 1898 feet (impounds Colorado River)

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
chloride	5c	2014
1411_01	Main pool from the dam upstream to the Rough Creek arm	
1411_02	From the Rough Creek arm upstream to the confluence of Little Silver Creek	

SegID: 1412 Colorado River Below Lake J. B. Thomas

From a point immediately upstream of the confluence of Little Silver Creek in Coke County to Colorado River Dam in Scurry County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2008
1412_02	From the confluence of Beals Creek upstream to the dam below Barber Reservoir pump station	

2014 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1412B Beals Creek

From the confluence of the Colorado River south of Colorado City in Mitchell County to the confluence of Mustang Draw and Sulphur Springs Draw in Howard County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2010
1412B_03	From the confluence of Gutherie Draw upstream to the confluence of Mustang Draw and Sulphur Springs Draw	

SegID: 1413 Lake J. B. Thomas

From Colorado River Dam in Scurry County up to normal pool elevation of 2258 feet (impounds Colorado River)

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
chloride	5b	2008
1413_01	Entire water body	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
sulfate	5b	2012
1413_01	Entire water body	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
total dissolved solids	5b	2010
1413_01	Entire water body	

SegID: 1416 San Saba River

From the confluence with the Colorado River in San Saba County to the confluence of the North Valley Prong and the Middle Valley Prong in Schleicher County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2008
1416_01	From the confluence with the Colorado River in San Saba County upstream to the US 190	

SegID: 1416A Brady Creek

From the confluence of the San Saba River southwest of San Saba in San Saba County to Brady Lake Dam west of Brady in McCulloch County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	2004
1416A_03	From FM 714 upstream to Brady Lake dam	

2014 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1421 Concho River

From a point 2 km (1.2 miles) above the confluence of Fuzzy Creek in Concho County to San Angelo Dam on the North Concho River in Tom Green County and to Nasworthy Dam on the South Concho River in Tom Green County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2008
1421_08	North Concho River, from the confluence with the South Concho River upstream to O.C. Fisher dam	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	2008
1421_08	North Concho River, from the confluence with the South Concho River upstream to O.C. Fisher dam	

SegID: 1425 O. C. Fisher Lake

From San Angelo Dam in Tom Green County up to normal pool elevation of 1908 feet (impounds North Concho River)

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
chloride	5c	2002
1425_01	Entire water body	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
total dissolved solids	5c	2014
1425_01	Entire water body	

SegID: 1427 Onion Creek

From the confluence with the Colorado River in Travis County to the most upstream crossing of FM 165 in Blanco County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
sulfate	5c	2014
1427_03	From FM 967 upstream to Jackson Branch confluence	
1427_04	From Jackson Branch confluence to end of segment	

SegID: 1427A Slaughter Creek

Intermittent stream with perennial pools from the confluence with Onion Creek to above US 290 west of Austin

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
impaired macrobenthic community	5b	2002
1427A_01	Entire water body	

SegID: 1428B Walnut Creek

From the confluence of the Colorado River in east Austin in Travis County to the upstream perennial portion of the stream in north Austin in Travis County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5a	2006
1428B_05	From MoPac/Loop 1 upstream to Union Pacific Railroad tracks south of McNeil Drive	

2014 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1429C Waller Creek

From the confluence of Town Lake in central Austin in Travis County to the upstream portion of the stream in north Austin in Travis County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5a	2004
1429C_01	From the confluence with Town Lake to East MLK Blvd.	
1429C_02	From East MLK Blvd. to East 41st Street	
1429C_03	Upper portion of creek	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
impaired macrobenthic community	5c	2002
1429C_01	From the confluence with Town Lake to East MLK Blvd.	

SegID: 1431 Mid Pecan Bayou

From a point immediately upstream of the confluence of Mackinally Creek in Brown County to a point immediately upstream of Willis Creek in Brown County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2006
1431_01	Entire water body	

SegID: 1432 Upper Pecan Bayou

From a point immediately upstream of the confluence of Willis Creek in Brown County to Lake Brownwood Dam in Brown County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2014
1432_01	Entire water body	

SegID: 1501 Tres Palacios Creek Tidal

From the confluence with Tres Palacios Bay in Matagorda County to a point 1.6 km (1.0 mile) upstream of the confluence of Wilson Creek in Matagorda County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2006
1501_01	From the confluence with Willow Dam Creek at Tres Palacios Bay/Turtle Bay upstream to a point 1.6 km (1.0 mile) upstream of the confluence of Wilson Creek in Matagorda County	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5b	1999
1501_01	From the confluence with Willow Dam Creek at Tres Palacios Bay/Turtle Bay upstream to a point 1.6 km (1.0 mile) upstream of the confluence of Wilson Creek in Matagorda County	

2014 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1602 Lavaca River Above Tidal

From a point 8.6 km (5.3 miles) downstream of US 59 in Jackson County to the confluence of Campbell Branch west of Hallettsville in Lavaca County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2008
1602_03	Lower portion of segment from confluence with NHD RC 12100101002463 south of Edna in Jackson County upstream to confluence with Beard Branch	

SegID: 1602B Rocky Creek

Perennial stream from the confluence with the Lavaca River up to 1.0 km above FM 533 west of Shiner

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2014
1602B_01	From the confluence of Lavaca River upstream to confluence of Ponton Creek	

SegID: 1602C Lavaca River Above Campbell Branch

From the confluence of Campbell Branch in Hallettsville to approximately 3.4 mi upstream of SH 95 in Lavaca Co.

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5b	2014
1602C_01	From confluence of Campbell Branch in Hallettsville upstream to the confluence of West Prong Lavaca River	
1602C_02	From confluence of West Prong Lavaca River to the headwaters approximately 6.5 km upstream of TX Hwy 95 in the City of Moulton	

SegID: 1803A Elm Creek

From the confluence of Sandies Creek east of Smiley in Gonzales County to the upstream perennial portion of the stream southwest of Smiley in Gonzales County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5b	1999
1803A_01	Entire water body	

2014 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1803B Sandies Creek

From the confluence of the Guadalupe River west of Cuero in DeWitt County to the upstream perennial portion of the stream northwest of Smiley in Gonzales County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2002
1803B_01	From the confluence with the Guadalupe River to the confluence with Elm Ck.	
1803B_02	From the confluence with Elm Creek to upper end of water body	
<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5b	1999
1803B_01	From the confluence with the Guadalupe River to the confluence with Elm Ck.	
1803B_02	From the confluence with Elm Creek to upper end of water body	
<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
impaired fish community	5b	2010
1803B_01	From the confluence with the Guadalupe River to the confluence with Elm Ck.	
<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
impaired macrobenthic community	5b	2010
1803B_01	From the confluence with the Guadalupe River to the confluence with Elm Ck.	

SegID: 1803C Peach Creek

From the confluence of the Guadalupe River southeast of Gonzales in Gonzales County to the upstream perennial portion of the stream northeast of Waelder in Gonzales County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2002
1803C_01	Lower 25 miles of water body	
1803C_03	From approx. 1.2 mi. downstream of FM 1680 in Gonzales Co. to confluence with Elm Cr. In Fayette Co.	
<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5b	2006
1803C_01	Lower 25 miles of water body	
1803C_03	From approx. 1.2 mi. downstream of FM 1680 in Gonzales Co. to confluence with Elm Cr. In Fayette Co.	

SegID: 1804A Geronimo Creek

From the confluence of the Guadalupe River south of Seguin in Guadalupe County to the upstream perennial portion north of Seguin in Guadalupe County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2006
1804A_01	Entire water body	

2014 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1805 Canyon Lake

From Canyon Dam in Comal County to a point 2.7 km (1.7 miles) downstream of Rebecca Creek Road in Comal County, up to normal pool elevation of 909 feet (impounds Guadalupe River)

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
mercury in edible tissue	5c	2006
1805_01	Cove around Jacob's Creek Park	
1805_02	North end of Crane's Mill Park peninsula to south end of Canyon Park	
1805_03	Upper end of segment	
1805_04	Lower end of reservoir from dam upstream to Canyon Park	

SegID: 1806D Quinlan Creek

From the confluence of the Guadalupe River in Kerrville in Kerr County to the upstream perennial portion of the stream north of Kerrville in Kerr County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5a	2010
1806D_01	Entire water body	

SegID: 1806E Town Creek

From the confluence of the Guadalupe River in Kerrville in Kerr County to the upstream perennial portion of the stream north of Kerrville in Kerr County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5a	2010
1806E_01	From the confluence with segment 1806 of the Guadalupe River in Kerrville, Kerr County Texas up to the upper end of the segment (NHD RC 12100201000572)	

SegID: 1811A Dry Comal Creek

From the confluence of the Comal River in New Braunfels in Comal County to the upstream perennial portion of the stream southwest of New Braunfels in Comal County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2010
1811A_01	Lower 25 miles of water body	

SegID: 1901 Lower San Antonio River

From the confluence with the Guadalupe River in Refugio/Victoria County to a point 600 meters (660 yards) downstream of FM 791 at Mays crossing near Falls City in Karnes County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
impaired fish community	5c	2012
1901_02	25 miles upstream of Manahuilla Creek	

2014 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1901A Escondido Creek

From the confluence with segment 1901 up to the upper end of the water body (NHD RC 12100303002847).

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2014
1901A_01	From the confluence with segment 1901 up to the confluence with Nichols Creek in Kennedy.	

SegID: 1901B Cabeza Creek

From the confluence with segment 1901, west of Goliad, Goliad County, up to the upper end of the water body (NHD RC 12100303000882)

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2014
1901B_01	Entire segment.	

SegID: 1902 Lower Cibolo Creek

From the confluence with the San Antonio River in Karnes County to a point 100 meters (110 yards) downstream of IH 10 in Bexar/Guadalupe County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2004
1902_01	Lower 5 miles of segment	
1902_02	From 5 miles upstream of confluence with the San Antonio River to FM 541	
1902_03	From FM 541 to confluence with Clifton Branch	

SegID: 1902C Clifton Branch

From the confluence of Lower Cibolo Creek upstream to the headwater 0.6 miles upstream of Wilson CR 424 north of Stockdale

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2014
1902C_01	From the confluence of Lower Cibolo Creek upstream to the headwater 0.6 miles upstream of Wilson CR 424 north of Stockdale	
depressed dissolved oxygen	5c	2014
1902C_01	From the confluence of Lower Cibolo Creek upstream to the headwater 0.6 miles upstream of Wilson CR 424 north of Stockdale	

SegID: 1903 Medina River Below Medina Diversion Lake

From the confluence with the San Antonio River in Bexar County to Medina Diversion Dam in Medina County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2010
1903_02	From 5 mi upstream of San Antonio River to 1.5 mi upstream of Leon Creek	

2014 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1905 Medina River Above Medina Lake
 From the confluence of Red Bluff Creek in Bandera County to the confluence of the North Prong Medina River and the West Prong Medina River in Bandera County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
impaired fish community	5c	2012
1905_01	From lower end of segment to RR 470, upstream of Bandera	

SegID: 1906 Lower Leon Creek
 From the confluence with the Medina River in Bexar County to a point 100 meters (110 yards) upstream of SH 16 northwest of San Antonio in Bexar County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5a	1999
1906_04	From Hwy 353 (New Laredo Hwy) upstream approximately 2 miles to a point southeast of Pearsall Park	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2004
1906_03	From confluence with Indian Creek to Hwy 353 (New Laredo Hwy)	
1906_04	From Hwy 353 (New Laredo Hwy) upstream approximately 2 miles to a point southeast of Pearsall Park	
1906_05	From a point southeast of Pearsall Park upstream to US 90 on the westside of San Antonio	
1906_06	From US 90 on the westside of San Antonio upstream to a point 100 meters upstream of SH 16 northwest of San Antonio	

SegID: 1908 Upper Cibolo Creek
 From the Missouri-Pacific Railroad Bridge west of Bracken in Comal County to a point 1.5 km (0.9 miles) upstream of the confluence of Champee Springs in Kendall County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2006
1908_02	From approx. 2 mi. upstream of Hwy 87 in Boerne to upper end of segment	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
chloride	5c	2012
1908_01	From confluence with Balcones Ck. to approx. 2 mi. upstream of Hwy 87 in Boerne	
1908_02	From approx. 2 mi. upstream of Hwy 87 in Boerne to upper end of segment	
1908_03	Lower 43 miles of segment	

SegID: 1910 Salado Creek
 From the confluence with the San Antonio River in Bexar County to the confluence of Beitel Creek in Bexar County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
impaired macrobenthic community	5c	2006
1910_02	From the confluence with Rosillo Creek up to the confluence with Pershing Creek.	

2014 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1910D Menger Creek

From the confluence with segment 1910 to the upper end of the water body, NHD RC 12100301000147.

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2012
1910D_01 Entire water body		

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	2012
1910D_01 Entire water body		

SegID: 1911 Upper San Antonio River

From a point 600 meters (660 yards) downstream of FM 791 at Mays Crossing near Falls City in Karnes County to a point 100 meters (110 yards) upstream of Hildebrand Avenue at San Antonio in Bexar County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
impaired fish community	5c	2006
1911_09 From just upstream of the confluence with San Pedro Creek up to the upper end of the segment.		

SegID: 1911B Apache Creek

From the confluence with San Pedro Creek up to the upper end of the segment at State Highway 421 (NHD RC 12100301001439).

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5a	2010
1911B_01 From the confluence with San Pedro Creek up to just upstream of the confluence with Zarzamora Creek.		

SegID: 1911C Alazan Creek

From the confluence with Apache Creek up to 0.4 KM (0.25 Mi.) upstream of St. Cloud Road (NHD RC 12100301000163) in San Antonio, Bexar County, Texas.

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5a	2010
1911C_01 From the confluence with Apache Creek up to the confluence with Martinez Creek.		
1911C_02 From just upstream of the confluence with Martinez Creek to the upper end of the segment.		

SegID: 1911D San Pedro Creek

From the confluence with segment 1911 to the upper end of the water body, NHD RC 12100301000867

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5a	2010
1911D_01 From the confluence with segment 1911 up to the confluence with Apache Creek.		
1911D_02 From the confluence with Apache Creek to the upper end of the segment, NHD RC 12100301000867		

2014 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 1911E Sixmile Creek

From the confluence with 1911 to the upper end of the water body at NHD RC 12100301000061

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2012
1911E_01	Entire water body	

SegID: 1911H Picoso Creek

From the confluence with segment 1911 to the upper end of the water body, NHD RC 12100303003001937.

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	2012
1911H_01	From the confluence with 1911 up to the confluence with Mariana Creek	

SegID: 1911I Martinez Creek

Martinez Creek from the confluence of Alazan Creek in central San Antonio upstream to the terminus at Vance Jackson Rd in north San Antonio

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2014
1911I_01	Martinez Creek from the confluence of Alazan Creek in central San Antonio upstream to the concrete channel portion at San Francisco St in north San Antonio	

SegID: 2001 Mission River Tidal

From the confluence with Mission Bay in Refugio County to a point 7.4 kilometers (4.6 miles) downstream of US 77 in Refugio County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5a	2004
2001_01	Entire Water Body	

SegID: 2003 Aransas River Tidal

From the confluence with Copano Bay in Aransas/Refugio County to a point 1.6 kilometers (1.0 mile) upstream of US 77 in Refugio/San Patricio County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5a	2004
2003_01	Entire Water Body	

SegID: 2004 Aransas River Above Tidal

From a point 1.6 kilometers (1.0 mile) upstream of US 77 in Refugio/San Patricio County to the confluence of Poesta Creek and Aransas Creek in Bee County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2014
2004_02	From the confluence with Papalote Creek to the upstream end of segment at the confluence with Aransas Creek and Poesta Creek	

2014 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 2004A Aransas Creek

From confluence with the Aransas River to the headwaters of the stream about 10 km upstream of US Highway 59.

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2006
2004A_01	Entire 20 miles of segment	

SegID: 2004B Poesta Creek

From the confluence with the Aransas River to the headwaters of the stream about 7.5 km upstream of FM 673.

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2014
2004B_02	From the confluence with Talpacate Creek to the headwaters of the stream approximately 7.5 km upstream of FM 673	

SegID: 2102 Nueces River Below Lake Corpus Christi

From Calallen Dam 1.7 km (1.1 miles) upstream of US 77/IH 37 in Nueces/San Patricio County to Wesley E. Seale Dam in Jim Wells/San Patricio County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
total dissolved solids	5c	2012
2102_01	From the downstream end of segment to the confluence with Javelin Creek	
2102_02	From the confluence with Javelin Creek to the upstream end of segment at Lake Corpus Christi	

SegID: 2103 Lake Corpus Christi

From Wesley E. Seale Dam in Jim Wells/San Patricio County to a point 100 meters (110 yards) upstream of US 59 in Live Oak County, up to normal pool elevation of 94 feet (impounds Nueces River)

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
total dissolved solids	5b	2010
2103_01	Mid-lake near dam	
2103_02	Area approx. 4 mi. SE of FM 3162 and FM 534 intersection near western shore	
2103_03	Western arm of lake near Lagarto Creek inlet	
2103_04	Upper portion of lake on opposite shore from Hideaway Hill	
2103_05	Upper arm of reservoir in more riverine section surrounding FM 534	
2103_06	Uppermost riverine part of reservoir upstream of FM 534 to upper end of segment to just upstream of US Highway 59.	

SegID: 2105 Nueces River Above Holland Dam

From Holland Dam in LaSalle County to a point 100 meters (110 yards) upstream of FM 1025 in Zavala County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	2012
2105_02	From the confluence with Sauz Macho Creek to the confluence of Line Oak Slough	

2014 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 2106 Nueces/Lower Frio River
 From a point 100 meters (110 yards) upstream of US 59 in Live Oak County to Choke Canyon Dam in Live Oak County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2014
2106_02	The Frio River from the confluence with the Nueces River to Choke Canyon Dam	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
total dissolved solids	5b	2006
2106_01	The Nueces river from the downstream end of segment to the confluence with the Frio River	
2106_02	The Frio River from the confluence with the Nueces River to Choke Canyon Dam	

SegID: 2107 Atascosa River
 From the confluence with the Frio River in Live Oak County to the confluence of the West Prong Atascosa River and the North Prong Atascosa River in Atascosa County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	1996
2107_01	From the downstream end of the segment at the confluence with the Frio River to the confluence with Borrego Creek	
2107_02	From the confluence with Borrego Creek to the confluence with Galvan Creek	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5b	1996
2107_02	From the confluence with Borrego Creek to the confluence with Galvan Creek	
2107_03	From the confluence with Galvan Creek to the confluence with Palo Alto Creek	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
impaired fish community	5b	2006
2107_02	From the confluence with Borrego Creek to the confluence with Galvan Creek	
2107_03	From the confluence with Galvan Creek to the confluence with Palo Alto Creek	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
impaired macrobenthic community	5b	2010
2107_02	From the confluence with Borrego Creek to the confluence with Galvan Creek	
2107_03	From the confluence with Galvan Creek to the confluence with Palo Alto Creek	

SegID: 2108 San Miguel Creek
 From a point immediately upstream of the confluence of Mustang Branch in McMullen County to the confluence of San Francisco Perez Creek and Chacon Creek in Frio County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2006
2108_01	From the downstream end of the segment to the confluence of Liveoak Creek	

2014 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 2109 Leona River
From the confluence with the Frio River in Frio County to US 83 in Uvalde County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2006
2109_01	From the downstream end of segment to the confluence of Yoledigo Creek	
2109_02	From the confluence of Yoledigo Creek to the confluence of Camp Lake Slough	
2109_03	From the confluence of Camp Lake Slough to the upper end of segment	

SegID: 2113 Upper Frio River
From a point 100 meters (110 yards) upstream of US 90 in Uvalde County to the confluence of the West Frio River and the East Frio River in Real County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
impaired fish community	5c	2006
2113_01	From the downstream end of the segment to the confluence with Bear Creek	
impaired macrobenthic community	5c	2006
2113_01	From the downstream end of the segment to the confluence with Bear Creek	

SegID: 2114 Hondo Creek
From the confluence with the Frio River in Frio County to FM 470 in Bandera County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
chloride	5c	2012
2114_01	From the downstream end of the segment to the confluence with and unnamed tributary with NHD RC 12110107000245 at point N-99.12, W29.38 just upstream of FM 2676.	
2114_02	From the confluence with and unnamed tributary with NHD RC 12110107000245 at point N-99.12, W29.38 just upstream of FM 2676 to the upstream end of the segment.	
total dissolved solids	5c	2014
2114_01	From the downstream end of the segment to the confluence with and unnamed tributary with NHD RC 12110107000245 at point N-99.12, W29.38 just upstream of FM 2676.	
2114_02	From the confluence with and unnamed tributary with NHD RC 12110107000245 at point N-99.12, W29.38 just upstream of FM 2676 to the upstream end of the segment.	

SegID: 2117 Frio River Above Choke Canyon Reservoir
From a point 4.2 km (2.6 miles) downstream of SH 16 in McMullen County to a point 100 meters (110 yards) upstream of US 90 in Uvalde County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2008
2117_01	From the downstream end of segment to the confluence with Esperanza Creek	
2117_02	From the confluence with Esperanza Creek to the confluence with Ruiz Creek	

2014 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 2201 Arroyo Colorado Tidal
 From confluence with Laguna Madre in Cameron/Willacy County to a point 100 meters (110 yards) downstream of Cemetery Road south of Port Harlingen in Cameron County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2006
2201_01	From the downstream end of the segment to the confluence with San Vicente Drainage Ditch	
2201_02	From the confluence with San Vicente Drainage Ditch to the confluence with an unnamed drainage ditch with NHD RC 12110108005353 at point N-97.53, W 26.31	
2201_03	From the confluence with an unnamed drainage ditch with NHD RC 12110108005353 at point N-97.53, W 26.31 to the confluence with Harding Ranch Ditch tributary	
2201_04	From the confluence with Harding Ranch Ditch tributary to just upstream of the City of Hondo Wastewater Discharge at point N-97.58359, W26.247186	
2201_05	From just upstream of the City of Hondo Wastewater Discharge at point N-97.58359, W26.247186 to the upstream end of the segment	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
DDE in edible tissue	5c	2010
2201_05	From just upstream of the City of Hondo Wastewater Discharge at point N-97.58359, W26.247186 to the upstream end of the segment	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5a	1996
2201_04	From the confluence with Harding Ranch Ditch tributary to just upstream of the City of Hondo Wastewater Discharge at point N-97.58359, W26.247186	
2201_05	From just upstream of the City of Hondo Wastewater Discharge at point N-97.58359, W26.247186 to the upstream end of the segment	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
mercury in edible tissue	5c	2008
2201_05	From just upstream of the City of Hondo Wastewater Discharge at point N-97.58359, W26.247186 to the upstream end of the segment	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2008
2201_05	From just upstream of the City of Hondo Wastewater Discharge at point N-97.58359, W26.247186 to the upstream end of the segment	

SegID: 2201B Unnamed Drainage Ditch Tributary (B) in Cameron County Drainage District #3
 From the confluence with the Arroyo Colorado in Cameron County in the Rio Hondo turning basin at -97.6, 26.196 decimal degrees to a point 17.6 km upstream at the FM 510 crossing.

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2010
2201B_01	Entire Water Body	

2014 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 2202 Arroyo Colorado Above Tidal
 From a point 100 meters (110 yards) downstream of Cemetery Road south of Port Harlingen in Cameron County to FM 2062 in Hidalgo County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	1996
2202_01	From the downstream end of segment to the confluence with Little Creek just upstream of State Loop 499.	
2202_02	From the confluence with Little Creek to the confluence with La Feria Main Canal just upstream of Dukes Highway.	
2202_03	From the confluence with La Feria Main Canal just upstream of Dukes Highway to the confluence with La Cruz Resaca just downstream of FM 907	
2202_04	From the confluence with La Cruz Resaca to the upper end of segment at FM 2062	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
mercury in edible tissue	5c	2008
2202_01	From the downstream end of segment to the confluence with Little Creek just upstream of State Loop 499.	
2202_02	From the confluence with Little Creek to the confluence with La Feria Main Canal just upstream of Dukes Highway.	
2202_03	From the confluence with La Feria Main Canal just upstream of Dukes Highway to the confluence with La Cruz Resaca just downstream of FM 907	
2202_04	From the confluence with La Cruz Resaca to the upper end of segment at FM 2062	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2008
2202_01	From the downstream end of segment to the confluence with Little Creek just upstream of State Loop 499.	
2202_02	From the confluence with Little Creek to the confluence with La Feria Main Canal just upstream of Dukes Highway.	
2202_03	From the confluence with La Feria Main Canal just upstream of Dukes Highway to the confluence with La Cruz Resaca just downstream of FM 907	
2202_04	From the confluence with La Cruz Resaca to the upper end of segment at FM 2062	

SegID: 2203 Petronila Creek Tidal
 From the confluence of Chiltipin Creek in Kleberg County to a point 1 km (0.6 miles) upstream of private road crossing near Laureles Ranch in Kleberg County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2010
2203_01	Entire segment	

SegID: 2302 Rio Grande Below Falcon Reservoir
 From a point 10.8 km (6.7 miles) downstream of the International Bridge in Cameron County to Falcon Dam in Starr County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	1996
2302_07	From the Arroyo Los Olmos confluence upstream to the Falcon Dam	

2014 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 2302A Arroyo Los Olmos
 From Rio Grande confluence at Rio Grande City to El Sauz in Starr County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2004
2302A_01	From the Rio Grande confluence near Rio Grande City upstream to a point 39.4 km (24.5 mi) near El Sauz	

SegID: 2304 Rio Grande Below Amistad Reservoir
 From the confluence of the Arroyo Salado (Mexico) in Zapata County to Amistad Dam in Val Verde County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	1996
2304_01	From the Arroyo Salado confluence upstream to the San Idelfonso Creek confluence	
2304_02	From the San Idelfonso Creek confluence upstream to International Bridge #2	
2304_03	From the International Bridge #2 upstream to the City of Laredo water treatment plant intake	
2304_07	From El Indio upstream to downstream of US Hwy 277 (Eagle Pass)	
2304_09	From the Las Moras Creek confluence upstream to the San Felipe Creek confluence	

SegID: 2305 International Amistad Reservoir
 From Amistad Dam in Val Verde County to a point 1.8 km (1.1 miles) downstream of the confluence of Ramsey Canyon on the Rio Grande Arm in Val Verde County and to a point 0.7 km (0.4 miles) downstream of the confluence of Painted Canyon on the Pecos Arm i

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
chloride	5c	2014
2305_01	Rio Grande Arm	
2305_02	Devils River arm	
2305_03	Area around International Boundary Buoy I (dam)	
2305_04	Remainder of reservoir	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
total dissolved solids	5c	2014
2305_01	Rio Grande Arm	
2305_02	Devils River arm	
2305_03	Area around International Boundary Buoy I (dam)	
2305_04	Remainder of reservoir	

2014 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 2306 Rio Grande Above Amistad Reservoir
 From a point 1.8 km (1.1 miles) downstream of the confluence of Ramsey Canyon in Val Verde County to the confluence of the Rio Conchos (Mexico) in Presidio County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
chloride	5b	2010
2306_01	From the lower segment boundary at Ramsey Canyon upstream to the confluence of Panther Gulch	
2306_02	From the confluence of Panther Gulch upstream to FM 2627	
2306_03	From FM 2627 upstream to Boquillas Canyon	
2306_04	From Boquillas Canyon upstream to Mariscal Canyon	
2306_05	From Mariscal Canyon to a point upstream of the IBWC gage at Johnson Ranch	
2306_06	From a point upstream of the IBWC gage at Johnson Ranch to the mouth of Santa Elena Canyon at the Terlingua Creek confluence	
2306_07	From the mouth of Santa Elena Canyon at the Terlingua Creek confluence upstream to the Alamito Creek confluence	
2306_08	From Alamito Creek confluence upstream to the Rio Conchos confluence	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
sulfate	5b	2010
2306_01	From the lower segment boundary at Ramsey Canyon upstream to the confluence of Panther Gulch	
2306_02	From the confluence of Panther Gulch upstream to FM 2627	
2306_03	From FM 2627 upstream to Boquillas Canyon	
2306_04	From Boquillas Canyon upstream to Mariscal Canyon	
2306_05	From Mariscal Canyon to a point upstream of the IBWC gage at Johnson Ranch	
2306_06	From a point upstream of the IBWC gage at Johnson Ranch to the mouth of Santa Elena Canyon at the Terlingua Creek confluence	
2306_07	From the mouth of Santa Elena Canyon at the Terlingua Creek confluence upstream to the Alamito Creek confluence	
2306_08	From Alamito Creek confluence upstream to the Rio Conchos confluence	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
total dissolved solids	5b	2010
2306_01	From the lower segment boundary at Ramsey Canyon upstream to the confluence of Panther Gulch	
2306_02	From the confluence of Panther Gulch upstream to FM 2627	
2306_03	From FM 2627 upstream to Boquillas Canyon	
2306_04	From Boquillas Canyon upstream to Mariscal Canyon	
2306_05	From Mariscal Canyon to a point upstream of the IBWC gage at Johnson Ranch	
2306_06	From a point upstream of the IBWC gage at Johnson Ranch to the mouth of Santa Elena Canyon at the Terlingua Creek confluence	
2306_07	From the mouth of Santa Elena Canyon at the Terlingua Creek confluence upstream to the Alamito Creek confluence	
2306_08	From Alamito Creek confluence upstream to the Rio Conchos confluence	

2014 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 2307 Rio Grande Below Riverside Diversion Dam
 From the confluence of the Rio Conchos (Mexico) in Presidio County to Riverside Diversion Dam in El Paso County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2002
2307_03	From Little Box Canyon upstream to the Alamo Grade Structure	
2307_04	From the Alamo Grade Structure upstream to the Guadalupe Bridge	
2307_05	From the Guadalupe Bridge to downstream of the Riverside Diversion Dam	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
chloride	5b	1996
2307_01	From immediately upstream of the Rio Conchos confluence to a point 40.2 km (25 mi) upstream	
2307_02	From a point 40.2 km (25 mi) upstream of the Rio Conchos confluence to Little Box Canyon	
2307_03	From Little Box Canyon upstream to the Alamo Grade Structure	
2307_04	From the Alamo Grade Structure upstream to the Guadalupe Bridge	
2307_05	From the Guadalupe Bridge to downstream of the Riverside Diversion Dam	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
total dissolved solids	5b	1996
2307_01	From immediately upstream of the Rio Conchos confluence to a point 40.2 km (25 mi) upstream	
2307_02	From a point 40.2 km (25 mi) upstream of the Rio Conchos confluence to Little Box Canyon	
2307_03	From Little Box Canyon upstream to the Alamo Grade Structure	
2307_04	From the Alamo Grade Structure upstream to the Guadalupe Bridge	
2307_05	From the Guadalupe Bridge to downstream of the Riverside Diversion Dam	

SegID: 2308 Rio Grande Below International Dam
 From the Riverside Diversion Dam in El Paso County to International Dam in El Paso County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2014
2308_01	From the Riverside Diversion Dam to the International Dam in El Paso County	

SegID: 2311 Upper Pecos River
 From a point immediately upstream of the confluence of Independence Creek in Crockett/Terrell County to Red Bluff Dam in Loving/Reeves County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5b	2006
2311_03	From US Hwy 67 upstream to the Ward Two Irrigation Turnout	

2014 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 2313 San Felipe Creek
 From the confluence with the Rio Grande in Val Verde County to a point 4.0 km (2.5 miles) upstream of US 90 in Val Verde County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2014
2313_01	From the Rio Grande confluence to the San Felipe Springs upstream of US Hwy 90	

SegID: 2314 Rio Grande Above International Dam
 From International Dam in El Paso County to the New Mexico State Line in El Paso County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2002
2314_01	From the International Dam upstream to the Anthony Drain confluence	

SegID: 2411 Sabine Pass
 From the end of jetties at the Gulf of Mexico to SH 82

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2014
2411_01	From the end of jetties at the Gulf of Mexico to SH 82	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2012
2411_01	From the end of jetties at the Gulf of Mexico to SH 82	

SegID: 2412 Sabine Lake
 Sabine Lake

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2012
2412_01	Entire segment	

2014 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 2421 Upper Galveston Bay
From the Lower Galveston Bay confluence to SH 146

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue	5a	1996
2421_01	Red Bluff to Five Mile Cut to Houston Point to Morgans Point	
2421_02	Western portion of the bay	
2421_03	Eastern portion of the bay	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2004
2421_01	Red Bluff to Five Mile Cut to Houston Point to Morgans Point	
2421_02	Western portion of the bay	
2421_03	Eastern portion of the bay	

SegID: 2421A Clear Lake Channel
Clear Lake Channel

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue	5a	2010
2421A_01	From Lower Galveston Bay confluence to SH 146	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2010
2421A_01	From Lower Galveston Bay confluence to SH 146	

SegID: 2422 Trinity Bay
Trinity Bay

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue	5a	2010
2422_01	Upper half of bay	
2422_02	Lower half of bay	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2010
2422_01	Upper half of bay	
2422_02	Lower half of bay	

2014 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 2422B Double Bayou West Fork
From the Trinity Bay confluence to Belton Road in Chambers County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2006
2422B_01 From the Trinity Bay confluence to Belton Road		
depressed dissolved oxygen	5b	2004
2422B_01 From the Trinity Bay confluence to Belton Road		
dioxin in edible tissue	5a	2010
2422B_01 From the Trinity Bay confluence to Belton Road		
PCBs in edible tissue	5a	2010
2422B_01 From the Trinity Bay confluence to Belton Road		

SegID: 2422D Double Bayou East Fork
From the Trinity Bay confluence to a point 2.6 km (1.6 mi) upstream of SH 65

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2014
2422D_01 From the Trinity Bay confluence to a point 2.6 km (1.6 mi) upstream of SH 65		
dioxin in edible tissue	5a	2010
2422D_01 From the Trinity Bay confluence to a point 2.6 km (1.6 mi) upstream of SH 65		
PCBs in edible tissue	5a	2010
2422D_01 From the Trinity Bay confluence to a point 2.6 km (1.6 mi) upstream of SH 65		

SegID: 2423 East Bay
East Bay

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue	5a	2010
2423_01 Area adjacent to the ICWW (Segment 0702)		
2423_02 Remainder of segment		
PCBs in edible tissue	5a	2010
2423_01 Area adjacent to the ICWW (Segment 0702)		
2423_02 Remainder of segment		

2014 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 2423A Oyster Bayou

From the East Bay confluence to a point 2.2 km (1.4 mi) upstream from SH 65 in Chambers County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2014
2423A_01	From the East Bay confluence to a point 2.2 km (1.4 mi) upstream from SH 65	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue	5a	2010
2423A_01	From the East Bay confluence to a point 2.2 km (1.4 mi) upstream from SH 65	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2010
2423A_01	From the East Bay confluence to a point 2.2 km (1.4 mi) upstream from SH 65	

SegID: 2424 West Bay

West Bay

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue	5a	2010
2424_01	Main portion of water body	
2424_02	Area adjacent to Lower Galveston Island	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2010
2424_01	Main portion of water body	
2424_02	Area adjacent to Lower Galveston Island	

2014 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 2424A Highland Bayou

From Jones Bay confluence to Avenue Q 0.8 km (0.5 mi) north of SH 6 between Arcadia and Alta Loma in Galveston County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2002
2424A_02	From Bayou Lane upstream to Lake Road	
2424A_03	From Lake Road upstream to FM 519	
2424A_04	From FM 519 upstream to FM 2004	
2424A_05	From FM 2004 to the headwaters just west of FM 1764	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5b	2002
2424A_05	From FM 2004 to the headwaters just west of FM 1764	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue	5a	2010
2424A_01	From the Jones Bay confluence upstream to Bayou Lane	
2424A_02	From Bayou Lane upstream to Lake Road	
2424A_03	From Lake Road upstream to FM 519	
2424A_04	From FM 519 upstream to FM 2004	
2424A_05	From FM 2004 to the headwaters just west of FM 1764	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2010
2424A_01	From the Jones Bay confluence upstream to Bayou Lane	
2424A_02	From Bayou Lane upstream to Lake Road	
2424A_03	From Lake Road upstream to FM 519	
2424A_04	From FM 519 upstream to FM 2004	
2424A_05	From FM 2004 to the headwaters just west of FM 1764	

SegID: 2424B Lake Madeline

Located between Jones Street, Stewart Street and Pine Street, north of the seawall on Galveston Island

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	2014
2424B_01	Between Jones Street, Stewart Street and Pine Street, north of the seawall on Galveston Island	

2014 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 2424C Marchand Bayou

From Highland Bayou confluence to 0.72 km (0.45 mi) north of IH 45 in Galveston County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5a	2002
2424C_01	From Highland Bayou confluence 0.72 km (0.45 mi) north of IH-45	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	2002
2424C_01	From Highland Bayou confluence 0.72 km (0.45 mi) north of IH-45	

SegID: 2424D Offatts Bayou

Located on the east end of Galveston Island, running parallel with the southern terminus of IH 45, and joins West Bay near Teichman Point

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue	5a	2010
2424D_01	Upper area bordered by SH 342 and 71st Street	
2424D_02	Middle area bordered by 71st Street and Walsh Street	
2424D_03	Lower area bordered by Walsh Street and Techmann Point	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2010
2424D_01	Upper area bordered by SH 342 and 71st Street	
2424D_02	Middle area bordered by 71st Street and Walsh Street	
2424D_03	Lower area bordered by Walsh Street and Techmann Point	

SegID: 2424G Highland Bayou Diversion Canal

From the confluence with an unnamed tributary adjacent to Jones Bay upstream to the Highland Bayou confluence

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2014
2424G_01	From the confluence with an unnamed tributary adjacent to Jones Bay upstream to the Highland Bayou confluence	

SegID: 2425 Clear Lake

Clear Lake

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue	5a	2010
2425_01	Entire segment	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2010
2425_01	Entire segment	

2014 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 2425A Taylor Lake

From the Clear Lake confluence to the Taylor Bayou confluence near Red Bluff Road in Galveston County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue	5a	2010
2425A_01	From the Clear Lake confluence to the Taylor Bayou confluence near Red Bluff Road	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2010
2425A_01	From the Clear Lake confluence to the Taylor Bayou confluence near Red Bluff Road	

SegID: 2425B Jarbo Bayou

From Clear Lake confluence with Clear Lake to 1.1 km (0.67 mi) upstream of FM 518 in Galveston County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5a	2002
2425B_01	From the Clear Lake confluence upstream to Lawrence Road	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue	5a	2010
2425B_01	From the Clear Lake confluence upstream to Lawrence Road	
2425B_02	From Lawrence Road to the headwaters 1.1 km (0.67 mi) upstream of FM 518	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2010
2425B_01	From the Clear Lake confluence upstream to Lawrence Road	
2425B_02	From Lawrence Road to the headwaters 1.1 km (0.67 mi) upstream of FM 518	

SegID: 2425D Taylor Bayou

From the Taylor Lake confluence to a point 4.6 km (2.8 mi) upstream of State Hwy 146

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue	5a	2010
2425D_01	From the Taylor Lake confluence to a point 4.6 km (2.8 mi) upstream of State Hwy 146	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2010
2425D_01	From the Taylor Lake confluence to a point 4.6 km (2.8 mi) upstream of State Hwy 146	

2014 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 2426 **Tabbs Bay**
 Tabbs Bay

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue	5a	1996
2426_01 Entire segment		

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2004
2426_01 Entire segment		

SegID: 2426C **Goose Creek Tidal**
 From the Tabbs Bay confluence upstream to the East Fork of Goose Creek confluence

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue	5a	2010
2426C_01 From the Tabbs Bay confluence upstream to the East Fork of Goose Creek confluence		

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2010
2426C_01 From the Tabbs Bay confluence upstream to the East Fork of Goose Creek confluence		

SegID: 2427 **San Jacinto Bay**
 San Jacinto Bay

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue	5a	1996
2427_01 Entire segment		

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2004
2427_01 Entire segment		

SegID: 2428 **Black Duck Bay**
 Black Duck Bay

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue	5a	1998
2428_01 Entire segment		

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2004
2428_01 Entire segment		

2014 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 2429 **Scott Bay**
 Scott Bay

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue	5a	1998
2429_01 Entire segment		

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2004
2429_01 Entire segment		

SegID: 2430 **Burnett Bay**
 Burnett Bay

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue	5a	1998
2430_01 Entire segment		

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2004
2430_01 Entire segment		

SegID: 2430A **Crystal Bay**
 Crystal Bay, a side bay of Burnett Bay, located between Burnett and Scott (Segment 2429) Bays adjacent to?
 the San Jacinto Monument and Houston Ship Channel (Segment 1005)

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue	5a	2010
2430A_01 Entire segment		

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2010
2430A_01 Entire segment		

SegID: 2431 **Moses Lake**
 Moses Lake

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue	5a	2010
2431_01 Entire segment		

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2010
2431_01 Entire segment		

2014 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 2431A Moses Bayou

From Moses Lake confluence to 2.2 km (1.4 mi) upstream of SH 3 in Galveston County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2014
2431A_01	From Moses Lake confluence to 2.2 km (1.4 mi) upstream of SH 3	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue	5a	2010
2431A_01	From Moses Lake confluence to 2.2 km (1.4 mi) upstream of SH 3	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2010
2431A_01	From Moses Lake confluence to 2.2 km (1.4 mi) upstream of SH 3	

SegID: 2431C Unnamed Tributary to the Southern Arm of Moses Lake (West)

From the confluence with the southern arm (west) of Moses Lake to a point 0.45 miles upstream of State Highway 3 near La Marque

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2014
2431C_01	From the confluence with the southern arm (west) of Moses Lake to a point 0.45 miles upstream of State Highway 3 near La Marque	

SegID: 2432 Chocolate Bay

Chocolate Bay

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue	5a	2010
2432_01	Entire segment	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2010
2432_01	Entire segment	

SegID: 2432C Halls Bayou Tidal

From the Chocolate Bay confluence upstream to a point 31.5 km (19.6 mi) upstream

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2012
2432C_01	From the Chocolate Bay confluence upstream to a point 31.5 km (19.6 mi) upstream	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue	5a	2010
2432C_01	From the Chocolate Bay confluence upstream to a point 31.5 km (19.6 mi) upstream	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2010
2432C_01	From the Chocolate Bay confluence upstream to a point 31.5 km (19.6 mi) upstream	

2014 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 2436 Barbours Cut
Barbours Cut

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue	5a	1998
2436_01 Entire segment		

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2004
2436_01 Entire segment		

SegID: 2437 Texas City Ship Channel
Texas City Ship Channel

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue	5a	2010
2437_01 Entire segment		

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2010
2437_01 Entire segment		

SegID: 2438 Bayport Channel
Bayport Channel

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue	5a	2000
2438_01 Entire segment		

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2004
2438_01 Entire segment		

SegID: 2439 Lower Galveston Bay
Lower Galveston Bay

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue	5a	2010
2439_01 Area adjacent to the Texas City Ship Channel and Moses Lake		
2439_02 Main portion of the bay		

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue	5a	2010
2439_01 Area adjacent to the Texas City Ship Channel and Moses Lake		
2439_02 Main portion of the bay		

2014 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 2441OW East Matagorda Bay (Oyster Waters)
 East Matagorda Bay (Oyster Waters)

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (oyster waters)	5a	1998
2441OW_01 Caney Creek arm		

SegID: 2452OW Tres Palacios Bay/Turtle Bay (Oyster Waters)
 Tres Palacios Bay/Turtle Bay (Oyster Waters)

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (oyster waters)	5a	1998
2452OW_01 Turtle Bay and Tres Palacios Creek Arm		

SegID: 2452TP Tres Palacios (Recreational Beaches)
 Tres Palacios (Recreational Beaches)

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2014
2452TP_01 Palacios Pavilion (Beach ID TX784742)		

SegID: 2453A Garcitas Creek Tidal
 From the Lavaca Bayou confluence to a point 13.7 km (8.5 mi) upstream of FM 616 in Jackson County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5b	1999
2453A_01 From the Lavaca Bay confluence to a point 13.7 km (8.5 mi) upstream of FM 616		

SegID: 2453C Arenosa Creek
 From Garcitas Creek confluence upstream to J-2 Ranch Road

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5b	2010
2453C_01 From Garcitas Creek confluence upstream to J-2 Ranch Road		

SegID: 2453D Lavaca Bay Ship Channel Area
 Lavaca Bay Ship Channel Area

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	2006
2453D_01 Entire segment		

2014 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 2453OW Lavaca Bay/Chocolate Bay (Oyster Waters)
 Lavaca Bay/Chocolate Bay (Oyster Waters)

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (oyster waters)	5a	1996
2453OW_02	North-northeastern portion of the bay near Point Comfort	
2453OW_03	Chocolate Bay area	

SegID: 2455OW Keller Bay (Oyster Waters)
 Keller Bay (Oyster Waters)

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (oyster waters)	5a	2006
2455OW_01	Upper arm	

SegID: 2456 Carancahua Bay
 Carancahua Bay

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2006
2456_02	Upper half of bay	

SegID: 2456A West Carancahua Creek Tidal
 From the Carancahua Bay confluence to Jackson CR 440, 10.1 km (6.3 mi) upstream of FM 616 in Jackson County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5c	2006
2456A_01	From the Carancahua Bay confluence to Jackson CR 440, 10.1 km (6.3 mi) upstream of FM 616 in Jackson County	

SegID: 2456OW Carancahua Bay (Oyster Waters)
 Carancahua Bay (Oyster Waters)

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (oyster waters)	5a	1996
2456OW_02	Upper portion of bay	

SegID: 2462OW San Antonio Bay/Hynes Bay/Guadalupe Bay (Oyster Waters)
 San Antonio Bay/Hynes Bay/Guadalupe Bay (Oyster Waters)

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (oyster waters)	5a	1996
2462OW_01	Guadalupe Bay	

2014 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 2472OW Copano Bay/Port Bay/Mission Bay (Oyster Waters)
 Copano Bay/Port Bay/Mission Bay (Oyster Waters)

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (oyster waters)	5c	1998
2472OW_01	Mission Bay, Aransas River arm, Port Bay, and eastern shoreline	

SegID: 2481CB Corpus Christi Bay (Recreational Beaches)
 Corpus Christi Bay (Recreational Beaches)

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5a	2010
2481CB_03	Cole Park (Beach ID TX259473)	
2481CB_04	Ropes Park (Beach ID TX821303)	
2481CB_06	Poenisch Park (Beach ID TX682648)	

SegID: 2485 Oso Bay
 Oso Bay

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5b	1996
2485_02	Middle bay (State Park Road 22 to Holly Road)	

SegID: 2485A Oso Creek
 From the Oso Bay confluence in southern Corpus Christi to a point 4.8 km (3 mi) upstream of SH 44, west of
 Corpus Christi in Nueces County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5a	2002
2485A_01	From the Oso Bay confluence in southern Corpus Christi to a point 4.8 km (3 mi) upstream of SH 44, west of Corpus Christi	

SegID: 2491 Laguna Madre
 Laguna Madre

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2010
2491_02	Area adjacent to the Arroyo Colorado confluence	

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen	5b	1999
2491_01	Upper portion of bay north of the Arroyo Colorado confluence	
2491_02	Area adjacent to the Arroyo Colorado confluence	

2014 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 2491OW Laguna Madre (Oyster Waters)
Laguna Madre (Oyster Waters)

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria (oyster waters)	5c	2006
2491OW_02	Area adjacent to the Arroyo Colorado confluence	

SegID: 2492A San Fernando Creek
From the Gayo Del Grullo confluence in Kleberg County to the Lake Alice Dam in Jim Wells County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5a	2006
2492A_01	From the Cayo Del Grullo confluence to the Lake Alice Dam	

SegID: 2494 Brownsville Ship Channel
From the Laguna Madre confluence upstream to the Port of Brownsville

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2010
2494_01	From the Laguna Madre confluence upstream to the Port of Brownsville	

SegID: 2494A Port Isabel Fishing Harbor
From the Laguna Madre confluence to 0.4 km (0.25 mi) south of SH 100 in Port Isabel in Cameron County

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2010
2494A_01	From the Laguna Madre confluence to 0.4 km (0.25 mi) south of SH 100 in Port Isabel	

2014 Texas Integrated Report - Texas 303(d) List (Category 5)

SegID: 2501 Gulf of Mexico
 From the Gulf shoreline to the limit of Texas' jurisdiction between Sabine Pass and the mouth of the Rio Grande

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
bacteria	5c	2010
2501_01 Sabine Pass to Sea Rim Park area		
2501_02 Jefferson-Chambers County line area		

<u>Parameter(s)</u>	<u>Category</u>	<u>Year Segment First Listed</u>
mercury in edible tissue	5c	1998
2501_01 Sabine Pass to Sea Rim Park area		
2501_02 Jefferson-Chambers County line area		
2501_03 Bolivar Point to San Luis Pass area		
2501_04 Freeport Area		
2501_05 Area between Freeport and Port Aransas		
2501_06 Port Aransas Area		
2501_07 Area between Port Aransas and Port Mansfield		
2501_08 Port Mansfield area		
2501_09 Area between Port Mansfield and Port Isabel		
2501_10 Port Isabel area		

Draft

2014 Water Bodies and Impairments Added to the Texas 303(d) List

Explanation of Column Headings

SegID and Name: The unique identifier (SegID) and segment name. The SegID may be one of two types of numbers. The first type is a classified segment number (4 digits, *e.g.*, 0218), as defined in Appendix A of the Texas Surface Water Quality Standards (TSWQS). The second type (five digits, *e.g.*, 0218A) is a water body described in Appendix D of the TSWQS, or an unclassified water body, not defined in the TSWQS, though associated with a classified water body in the same watershed.

Parameter(s): Pollutants or water quality conditions that assessment procedures indicate do not meet assigned water quality standards.

Category: One of three categories assigned to each combination of parameter and water body to provide information about the water quality status and management activities. The categories are defined below:

Category 5: The water body does not meet applicable water quality standards for one or more designated uses by one or more pollutants.

Category 5a – TMDLs are underway, scheduled, or will be scheduled for one or more parameters.

Category 5b - A review of the standards for one or more parameters will be conducted before a management strategy is selected, including a possible revision to the TSWQS.

Category 5c - Additional data or information will be collected and/or evaluated for one or more parameters before a management strategy is selected.

SegID	Segment Name	Parameter	Category
0105	Rita Blanca Lake	chloride	5b
0202I	Little Pine Creek	depressed dissolved oxygen	5c
0219	Lake Wichita	total dissolved solids	5c
0219	Lake Wichita	sulfate	5c
0219	Lake Wichita	chloride	5c
0228	Mackenzie Reservoir	total dissolved solids	5c
0302	Wright Patman Lake	temperature	5c
0404	Big Cypress Creek Below Lake Bob Sandlin	sulfate	5c
0405A	Big Cypress Creek	depressed dissolved oxygen	5c
0407	James' Bayou	impaired fish community	5c
0407	James' Bayou	impaired macrobenthic community	5c
0501B	Little Cypress Bayou	impaired fish community	5c
0510	Lake Cherokee	pH	5c
0602	Neches River Below B. A. Steinhagen Lake	dioxin in edible tissue	5c
0603	B. A. Steinhagen Lake	dioxin in edible tissue	5c
0604	Neches River Below Lake Palestine	dioxin in edible tissue	5c
0608A	Beech Creek	copper in water	5c

Draft 2014 Water Bodies and Impairments Added to the Texas 303(d) List

SegID	Segment Name	Parameter	Category
0609	Angelina River Below Sam Rayburn Reservoir	mercury in edible tissue	5c
0609	Angelina River Below Sam Rayburn Reservoir	dioxin in edible tissue	5c
0610	Sam Rayburn Reservoir	dioxin in edible tissue	5c
0615	Angelina River/Sam Rayburn Reservoir	dioxin in edible tissue	5c
0703	Sabine-Neches Canal Tidal	bacteria	5c
0809B	Ash Creek	bacteria	5c
0814	Chambers Creek Above Richland-Chambers Reservoir	chloride	5c
0820B	Rowlett Creek	bacteria	5c
1001	San Jacinto River Tidal	chlordan in edible tissue	5c
1001	San Jacinto River Tidal	dieldrin in edible tissue	5c
1001	San Jacinto River Tidal	heptachlor epoxide in edible tissue	5c
1005	Houston Ship Channel/San Jacinto River Tidal	dieldrin in edible tissue	5c
1005	Houston Ship Channel/San Jacinto River Tidal	heptachlor epoxide in edible tissue	5c
1005	Houston Ship Channel/San Jacinto River Tidal	chlordan in edible tissue	5c
1006	Houston Ship Channel Tidal	dieldrin in edible tissue	5c
1006	Houston Ship Channel Tidal	heptachlor epoxide in edible tissue	5c
1006	Houston Ship Channel Tidal	chlordan in edible tissue	5c
1007	Houston Ship Channel/Buffalo Bayou Tidal	bacteria	5a
1008A	Mill Creek	depressed dissolved oxygen	5c
1010C	Spring Branch	depressed dissolved oxygen	5c
1013C	Unnamed Non-Tidal Tributary of Buffalo Bayou Tidal	depressed dissolved oxygen	5c
1015A	Mound Creek	bacteria	5c
1102F	Mary's Creek Bypass	bacteria	5a
1103	Dickinson Bayou Tidal	bacteria	5a
1105B	Austin Bayou Tidal	bacteria	5c
1105C	Austin Bayou Above Tidal	bacteria	5c
1108	Chocolate Bayou Above Tidal	bacteria	5c
1113A	Armand Bayou Above Tidal	impaired fish community	5b

Draft 2014 Water Bodies and Impairments Added to the Texas 303(d) List

SegID	Segment Name	Parameter	Category
1113A	Armand Bayou Above Tidal	impaired macrobenthic community	5b
1202J	Big Creek	bacteria	5c
1226A	Duffau Creek	bacteria	5c
1248	San Gabriel/North Fork San Gabriel River	total dissolved solids	5b
1248	San Gabriel/North Fork San Gabriel River	chloride	5c
1402	Colorado River Below La Grange	bacteria	5c
1407A	Clear Creek	zinc in water	5c
1407A	Clear Creek	nickel in water	5c
1411	E. V. Spence Reservoir	chloride	5c
1425	O. C. Fisher Lake	total dissolved solids	5c
1425	O. C. Fisher Lake	chloride	5c
1427	Onion Creek	sulfate	5c
1432	Upper Pecan Bayou	bacteria	5c
1602B	Rocky Creek	bacteria	5c
1602C	Lavaca River Above Campbell Branch	depressed dissolved oxygen	5b
1901A	Escondido Creek	bacteria	5c
1901B	Cabeza Creek	bacteria	5c
1902C	Clifton Branch	depressed dissolved oxygen	5c
1902C	Clifton Branch	bacteria	5c
1911I	Martinez Creek	bacteria	5c
2004	Aransas River Above Tidal	bacteria	5c
2106	Nueces/Lower Frio River	bacteria	5c
2114	Hondo Creek	total dissolved solids	5c
2305	International Amistad Reservoir	total dissolved solids	5c
2305	International Amistad Reservoir	chloride	5c
2308	Rio Grande Below International Dam	bacteria	5c
2313	San Felipe Creek	bacteria	5c
2411	Sabine Pass	bacteria	5c
2422D	Double Bayou East Fork	bacteria	5c
2423A	Oyster Bayou	bacteria	5c
2424B	Lake Madeline	depressed dissolved oxygen	5c

Draft 2014 Water Bodies and Impairments Added to the Texas 303(d) List

SegID	Segment Name	Parameter	Category
2424G	Highland Bayou Diversion Canal	bacteria	5c
2431A	Moses Bayou	bacteria	5c
2431C	Unnamed Tributary to the Southern Arm of Moses Lake (West)	bacteria	5c
2452TP	Tres Palacios (Recreational Beaches)	bacteria	5c

Draft

2014 Texas Integrated Report - Water Bodies and Parameters Removed from the 303(d) List

Explanation of Column Headings

- SegID and Name:** The unique identifier (SegID), segment name, and location of the water body. Items may be one of three types of numbers for SegID. The first type is a classified segment number (4 digits, e.g. 0218), as defined in the Texas Surface Water Quality Standards (TSWQS). The second type is an unclassified water body (e.g. 0218A), not defined in the Standards and associated with a classified water body because it is in the same watershed. The third type includes special Segments for Oyster Water Use (e.g. 2421OW) and Beach Watch Use (e.g. 2481CB) special areas. The segment name and description follow SegID.
- Area:** Identifies the assessment unit (AU_ID, six or seven digits, e.g., 0101A_01) and describes the location of the specific area within a classified or unclassified water body for which one or more water quality standards are not met.
- Parameter(s):** Pollutants or water quality conditions that assessment procedures had previously indicated did not meet assigned water quality standards.
- Reason Code:** A code which describes the general reason water bodies or parameters were removed from the 2014 303(d) List. Not all reasons codes are utilized.
- ERROR:** Error in the basis for the original listing.
 - EXPMEET:** Expected to meet water quality standards in the near future. This impairment has been moved to Category 4b.
 - MEETS:** The most recent set of data demonstrates that water quality standards are now met and water quality meets the requirements for delisting.
 - NEWSTD:** Meets the revised water quality standard.
 - REVPROC:** In the absence of recent data, the original data set for this water body has been re-assessed with more valid procedures and the applicable water quality standards are met.
 - POLLUTION:** This impairment is not caused by a pollutant load that can be allocated and controlled with a TMDL, or a naturally occurring condition prevents the attainment of water quality standards. This impairment has been moved to Category 4c.
 - SEGCHG:** The water body ID has changed because of a correction or new segment.
 - TMDL:** A TMDL has been developed by TCEQ and approved by EPA for this parameter. This impairment has been moved to Category 4a.
- Type Delist:** This signifies the impairment status of the assessment unit by the descriptions, as follows:
- Area:** Indicates this parameter is removed from this AU_ID only and is still impaired (Category 5) in another AU_ID in the same segment.
 - Parameter:** Indicates this parameter is removed from this AU_ID and no other AU_IDs are still impaired (Category 5) for this parameter in this segment.
 - Complete:** Indicates there are no other impairments in Category 5 of any parameter or AU_ID in this segment.
- Parameter Category**
- Previous :** One of three subcategories assigned to each impaired parameter to provide information about water quality status and management activities on that water body. The categories are defined below:
- Category 5:** The water body does not meet applicable water quality standards for one or more designated uses by one or more pollutants.
 - Category 5a* - TMDLs are underway, scheduled, or will be scheduled for one or more parameters.
 - Category 5b* - A review of the standards for one or more parameters will be conducted before a management strategy is selected, including the possible revision to the TSWQS.
 - Category 5c* - Additional data or information will be collected and/or evaluated for one or more parameters before a management strategy is selected.
- Current:** If this is blank, the parameter is no longer impaired in the reported area(s) for the reason listed. Otherwise, some impairments were changed to Category 4 and are no longer on the 303(d) list, but still considered impaired.
- Category 4:** Standard is not supported for one or more designated uses but does not require the development of a TMDL.
 - Category 4a* - All TMDLs have been completed and approved by EPA.
 - Category 4b* - Other control requirements are reasonably expected to result in the attainment of all standards.
 - Category 4c* - Nonattainment is shown to be **caused by pollution**, not by pollutants and that the water quality conditions cannot be changed by the allocation and control of pollutants through the TMDL process.

SegID: 0202A Bois D' Arc Creek (unclassified water body) Bois D' Arc Creek - from the confluence of the Red River upstream to the headwater northwest of Whitewright						
Parameters	Area	Reason Code	Type Delist	Parameter Category		Additional Information
				Previous	Current	
bacteria 0202A_02	Appendix D, Perennial stream from the confluence with Sandy Creek upstream to the confluence with Pace Creek	Meets	Complete	5b		With the removal of 11 samples B7Q2 and flow = 0, it is fully supporting

SegID: 0205 Red River Below Pease River From the confluence of the Wichita River in Clay County to the confluence of the Pease River in Wilbarger County						
Parameters	Area	Reason Code	Type Delist	Parameter Category		Additional Information
				Previous	Current	
bacteria 0205_02	From IH 44 in Burkburnett upstream to the confluence with the Pease River	ERROR	Complete	5b		This was listed erroneously in 2012. This section of the Red River belongs to the State of Oklahoma.

SegID: 0214 Wichita River Below Diversion Lake Dam From the confluence with the Red River in Clay County to Diversion Dam in Archer County						
Parameters	Area	Reason Code	Type Delist	Parameter Category		Additional Information
				Previous	Current	
bacteria 0214_02	From an un-named tributary immediately upstream of FM 2393 upstream to the River Road WWTP	Meets	Area	5c		The geomean meets the criterion

SegID: 0299A Sweetwater Creek (unclassified water body)
 Sweetwater Creek - from the Oklahoma State Line upstream to the headwaters SW of the intersection of Gray CR 1268 and CR 748

<i>Parameters</i>	<i>Area</i>	<i>Reason Code</i>	<i>Type Delist</i>	<i>Parameter Category</i>		<i>Additional Information</i>
				<i>Previous</i>	<i>Current</i>	
bacteria 0299A_01	From Oklahoma State Line to confluence with Graham Creek	Meets	Complete	5b		The geomean meets the criterion

SegID: 0302 Wright Patman Lake
 From Wright Patman Lake Dam in Bowie/Cass County to a point 1.5 kilometers (0.9 miles) downstream of Bassett Creek in Bowie/Cass County, up to the normal pool elevation of 226.4 feet (impounds the Sulphur River)

<i>Parameters</i>	<i>Area</i>	<i>Reason Code</i>	<i>Type Delist</i>	<i>Parameter Category</i>		<i>Additional Information</i>
				<i>Previous</i>	<i>Current</i>	
depressed dissolved oxygen 0302_10	4000 acres in upper portion of lake	ERROR	Area	5c		This portion of WPL is not spatially representative of reservoir conditions.

SegID: 0304A Swampoodle Creek (unclassified water body)
 From the confluence of Days Creek in central Texarkana in Bowie County to the upstream perennial portion of the stream in northern Texarkana in Bowie County

<i>Parameters</i>	<i>Area</i>	<i>Reason Code</i>	<i>Type Delist</i>	<i>Parameter Category</i>		<i>Additional Information</i>
				<i>Previous</i>	<i>Current</i>	
impaired fish community						
0304A_01	Entire water body	REVPROC	Complete	5b		Guidance now requires that both assemblages must be NS in order to list as impaired. If only one assemblage is NS, it becomes a CN.

<i>Parameters</i>	<i>Area</i>	<i>Reason Code</i>	<i>Type Delist</i>	<i>Parameter Category</i>		<i>Additional Information</i>
				<i>Previous</i>	<i>Current</i>	
impaired macrobenthic community						
0304A_01	Entire water body	REVPROC	Complete	5b		Guidance now requires that both assemblages must be NS in order to list as impaired. If only one assemblage is NS, it becomes a CN.

SegID: 0304B Cowhorn Creek (unclassified water body)
 From the confluence of Wagner Creek in southern Texarkana in Bowie County to the upstream perennial portion of the stream in northern Texarkana in Bowie County

<i>Parameters</i>	<i>Area</i>	<i>Reason Code</i>	<i>Type Delist</i>	<i>Parameter Category</i>		<i>Additional Information</i>
				<i>Previous</i>	<i>Current</i>	
impaired fish community						
0304B_01	Entire water body	REVPROC	Complete	5b		Guidance now requires that both assemblages must be NS in order to list as impaired. If only one assemblage is NS, it becomes a CN.

<i>Parameters</i>	<i>Area</i>	<i>Reason Code</i>	<i>Type Delist</i>	<i>Parameter Category</i>		<i>Additional Information</i>
				<i>Previous</i>	<i>Current</i>	
impaired macrobenthic community						
0304B_01	Entire water body	ERROR	Complete	5b		Guidance now requires that both assemblages must be NS in order to list as impaired. If only one assemblage is NS, it becomes a CN.

SegID: 0406 Black Bayou
 From the Louisiana State Line in Cass County to FM 96 in Cass County

<i>Parameters</i>	<i>Area</i>	<i>Reason Code</i>	<i>Type Delist</i>	<i>Parameter Category</i>		<i>Additional Information</i>
				<i>Previous</i>	<i>Current</i>	
bacteria						
0406_01	Black Bayou from the LA state line upstream 19.1 km (11.8 mi) to the confluence with Hurricane Creek	MEETS	Area	5c		Meets standard

SegID: 0505 Sabine River Above Toledo Bend Reservoir
 Sabine River Above Toledo Bend Reservoir - from a point immediately upstream of the confluence of Murvaul Creek in Panola County to a point 100 meters (110 yards) downstream of US 271 in Gregg County

Parameters	Area	Reason Code	Type Delist	Parameter Category		Additional Information
				Previous	Current	
bacteria 0505_04	Sabine River from Hatley Creek upstream to Grace Creek in Gregg County	Meets	Complete	5a		Non-accredited data removed

SegID: 0604C Jack Creek (unclassified water body)
 From the confluence of Cedar Creek southwest of Lufkin in Angelina County to the upstream perennial portion of the stream in northeast Lufkin in Angelina County

Parameters	Area	Reason Code	Type Delist	Parameter Category		Additional Information
				Previous	Current	
bacteria 0604C_01	From the confluence with Cedar Creek (0604A) upstream to confluence with unnamed tributary 1.6km SW of US Hwy 69 NW of Lufkin at NHD RC 12020002012470.	Meets	Complete	5b		Meets standard

SegID: 0604M Biloxi Creek (unclassified water body)
 From the confluence with the Neches River southeast of Diboll to FM 325 east of Lufkin in Angelina County

Parameters	Area	Reason Code	Type Delist	Parameter Category		Additional Information
				Previous	Current	
bacteria 0604M_02	From the confluence with Neches River (0604) upstream to confluence with One Eye Creek in Angelina County SE of Lufkin.	Meets	Area	5b		Meets standard

SegID: 0611 Angelina River Above Sam Rayburn Reservoir
 From the aqueduct crossing 1.0 kilometer (0.6 mile) upstream of the confluence of Paper Mill Creek in Angelina/Nacogdoches County to the confluence of Barnhardt Creek and Mill Creek at FM 225 in Rusk County

Parameters	Area	Reason Code	Type Delist	Parameter Category		Additional Information
				Previous	Current	
bacteria 0611_03	From a point immediately upstream of the confluence with Mud Creek (0611C) upstream to the confluence with East Fork Angelina River (0611A)	Meets	Area	5c		Meets standard

SegID: 0702A Alligator Bayou and Main Canals A, B, C, and D (unclassified water body)
 All perennial canals in Jefferson County Drainage District No. 7 that eventually drain into the tidal portion of Taylor Bayou at the pump house gate, including Alligator Bayou.

Parameters	Area	Reason Code	Type Delist	Parameter Category		Additional Information
				Previous	Current	
toxicity in water 0702A_02	Alligator Bayou from confluence with Main Canal D upstream to include small canals that drain into Alligator Bayou	SEGCHNG	Area	5c		Hydrology changes on the segment.

SegID: 0803 Lake Livingston
 From Livingston Dam in Polk/San Jacinto County to a point 1.8 km (1.1 miles) upstream of Boggy Creek in Houston/Leon County, up to normal pool elevation of 131 feet (impounds Trinity River)

Parameters	Area	Reason Code	Type Delist	Parameter Category		Additional Information
				Previous	Current	
pH 0803_01	Lowermost portion of reservoir, adjacent to dam	Meets	Parameter	5c		Meets standard

SegID: 0804G Catfish Creek (unclassified water body)
 Twenty mile stretch of Catfish Creek running upstream from US 287 in Anderson Co., to Catfish Creek Ranch Lake just upstream of SH 19 in Henderson Co.

Parameters	Area	Reason Code	Type Delist	Parameter Category		Additional Information
				Previous	Current	
bacteria 0804G_01	Entire Segment	Meets	Parameter	5b		Meets standard

SegID: 0810B Garrett Creek (unclassified water body)
 Eighteen mile stretch of Garrett Creek running upstream from confluence with Salt Creek to Wise County Road approximately 14 miles upstream of SH114, Wise County

Parameters	Area	Reason Code	Type Delist	Parameter Category		Additional Information
				Previous	Current	
bacteria 0810B_01	Eighteen mile stretch of Garrett Creek running upstream from confluence with Salt Creek to Wise County Road approximately 14 miles upstream of SH114, Wise Co.	Meets	Complete	5b		Meets standard

SegID: 0812 West Fork Trinity River Above Bridgeport Reservoir
 From a point immediately upstream of the confluence of Bear Hollow in Jack County to SH 79 in Archer County

Parameters	Area	Reason Code	Type Delist	Parameter Category		Additional Information
				Previous	Current	
total dissolved solids 0812_01	Lower 25 miles of segment	Meets	Parameter	5b		Meets standard
0812_02	Upper 60 miles of segment	Meets	Parameter	5b		Meets standard

SegID: 0819 East Fork Trinity River
 From the confluence with the Trinity River in Kaufman County to Rockwall-Forney Dam in Kaufman County

Parameters	Area	Reason Code	Type Delist	Parameter Category		Additional Information
				Previous	Current	
chloride 0819_01	Entire segment	Meets	Parameter	5c		Meets standard

SegID: 0841S Vilbig Lakes (unclassified water body)
 A 5 acre area in NW corner of Vilbig Lakes, near confluence with unnamed creek, approx. 100 m south of intersection of Rusdell Rd./Marvel Dr. in Irving, Dallas, Co.

Parameters	Area	Reason Code	Type Delist	Parameter Category		Additional Information
				Previous	Current	
bacteria 0841S_01	A 5 acre area in NW corner of Vilbig Lakes, near confluence with unnamed creek, approx. 100 m south of intersection of Rusdell Rd./Marvel Dr. in Irving, Dallas, Co.	Meets	Complete	5c		Meets standard

SegID: 1007A Canal C-147 Tributary of Sims Bayou Above Tidal (unclassified water body)
 From the confluence with Sims Bayou to a point 0.71 km east of Beltway 8 in Houston

Parameters	Area	Reason Code	Type Delist	Parameter Category		Additional Information
				Previous	Current	
bacteria 1007A_01	From the Sims Bayou confluence upstream to a point 0.71 km (0.44 mi) east of Beltway 8	ERROR	Complete	5a		Station was assigned to wrong water body which resulted in an incorrect listing

SegID: 1011 Peach Creek From the confluence with Caney Creek in Montgomery County to SH 150 in Walker County						
<i>Parameters</i>	<i>Area</i>	<i>Reason Code</i>	<i>Type Delist</i>	<i>Parameter Category</i>		<i>Additional Information</i>
				<i>Previous</i>	<i>Current</i>	
bacteria						
1011_01	Upper segment boundary to US Hwy 59	TMDL	Complete	5a	4a	Approved TMDL

SegID: 1209C Carters Creek (unclassified water body) Perennial stream from the confluence with the Navasota River southeast of College Station in Brazos County upstream to the confluence of an unnamed tributary 0.5 km upstream of FM 158 in Brazos County						
<i>Parameters</i>	<i>Area</i>	<i>Reason Code</i>	<i>Type Delist</i>	<i>Parameter Category</i>		<i>Additional Information</i>
				<i>Previous</i>	<i>Current</i>	
bacteria						
1209C_01	Entire water body	TMDL	Complete	5a	4a	TMDL underway

SegID: 1209D Country Club Branch (unclassified water body) From the confluence with Country Club Lake in Bryan in Brazos County to the dam at Fin Feather Lake in Bryan						
<i>Parameters</i>	<i>Area</i>	<i>Reason Code</i>	<i>Type Delist</i>	<i>Parameter Category</i>		<i>Additional Information</i>
				<i>Previous</i>	<i>Current</i>	
bacteria						
1209D_01	Entire water body	TMDL	Complete	5a	4a	TMDL underway

SegID: 1209G Cedar Creek (unclassified water body)
 From the confluence with the Navasota River in Brazos County to the confluence with Moores Branch and Rocky Branch in Robertson County

Parameters	Area	Reason Code	Type Delist	Parameter Category		Additional Information
				Previous	Current	
bacteria 1209G_01	Entire water body	MEETS	Complete	5b		Meets standard

SegID: 1209L Burton Creek (unclassified water body)
 Burton Creek - from the confluence of Carters Creek in College Station upstream to the headwater 0.7 km northeast of Finfeather lake in Bryan

Parameters	Area	Reason Code	Type Delist	Parameter Category		Additional Information
				Previous	Current	
bacteria 1209L_01	From confluence with Carters Creek in College Station upstream to un-named tributary, 0.5 km downstream of E. 29th Street.	TMDL	Complete	5a	4a	TMDL underway

SegID: 1213 Little River
 From the confluence with the Brazos River in Milam County to the confluence of the Leon River and the Lampasas River in Bell County

Parameters	Area	Reason Code	Type Delist	Parameter Category		Additional Information
				Previous	Current	
bacteria 1213_01	From the confluence with Brazos River upstream to confluence with City of Cameron WWTP receiving water	MEETS	Area	5c		Meets standard

SegID: 1214 San Gabriel River From the confluence with the Little River in Milam County to Granger Lake Dam in Williamson County						
<i>Parameters</i>	<i>Area</i>	<i>Reason Code</i>	<i>Type Delist</i>	<i>Parameter Category</i>		<i>Additional Information</i>
				<i>Previous</i>	<i>Current</i>	
bacteria 1214_01	From confluence with Little River upstream to confl. with Alligator Creek	MEETS	Parameter	5a		Meets standard

SegID: 1216A Trimmier Creek (unclassified water body) From confluence with Stillhouse Hollow Lake upstream to its headwaters, southwest of Killeen in Bell County.						
<i>Parameters</i>	<i>Area</i>	<i>Reason Code</i>	<i>Type Delist</i>	<i>Parameter Category</i>		<i>Additional Information</i>
				<i>Previous</i>	<i>Current</i>	
bacteria 1216A_01	entire water body	MEETS	Complete	5b		Meets standard

SegID: 1220A Cowhouse Creek (unclassified water body) From the confluence of Belton Lake in Bell County south of Gatesville in Coryell County to the upstream perennial portion of the stream north of Goldthwaite in Mills County						
<i>Parameters</i>	<i>Area</i>	<i>Reason Code</i>	<i>Type Delist</i>	<i>Parameter Category</i>		<i>Additional Information</i>
				<i>Previous</i>	<i>Current</i>	
bacteria 1220A_03	Upstream portion of water body	MEETS	Complete	5b		Meets standard

SegID: 1221 Leon River Below Proctor Lake
 From a point 100 meters (110 yards) upstream of FM 236 in Coryell County to Proctor Dam in Comanche County

<i>Parameters</i>	<i>Area</i>	<i>Reason Code</i>	<i>Type Delist</i>	<i>Parameter Category</i>		<i>Additional Information</i>
				<i>Previous</i>	<i>Current</i>	
bacteria 1221_01	Portion of Leon River from confluence with Lake Belton upstream to confluence with unnamed tributary (NHD RC 12070201005989) in Coryell County.	MEETS	Area	5b		Meets standard
1221_04	From the confluence with Plum Creek, upstream to the confluence with Pecan Creek	MEETS	Area	5b		Meets standard
1221_05	From confluence with Pecan Creek, upstream to confluence with South Leon Creek	MEETS	Area	5b		Meets standard

SegID: 1221B South Leon River (unclassified water body)
 From the confluence of the Leon River south of Gustine in Comanche County to the upstream perennial portion of the stream south of Comanche in Comanche County

<i>Parameters</i>	<i>Area</i>	<i>Reason Code</i>	<i>Type Delist</i>	<i>Parameter Category</i>		<i>Additional Information</i>
				<i>Previous</i>	<i>Current</i>	
bacteria 1221B_01	Entire water body	MEETS	Complete	5b		Meets standard

SegID: 1232B Deadman Creek (unclassified water body)
 From the confluence of the Clear Fork Brazos River south of Lueders in Jones County to the headwaters north of Hamby in Jones County

Parameters	Area	Reason Code	Type Delist	Parameter Category		Additional Information
				Previous	Current	
bacteria 1232B_01	From the confluence with Clear Fork Brazos, upstream to city of Abilene WWTP receiving water	MEETS	Complete	5b		Meets standard

SegID: 1241A North Fork Double Mountain Fork Brazos River (unclassified water body)
 Perennial stream from the confluence with Double Mountain Fork Brazos River to the dam forming Lake Ransom Canyon

Parameters	Area	Reason Code	Type Delist	Parameter Category		Additional Information
				Previous	Current	
bacteria 1241A_02	Upstream portion, from confluence with Lake Buffalo Springs upstream to confluence with Yellow House Draw	MEETS	Complete	5c		Meets standard

SegID: 1401 Colorado River Tidal
 From the confluence with the Gulf of Mexico in Matagorda County to a point 2.1 km (1.3 miles) downstream of the Missouri-Pacific Railroad in Matagorda County

Parameters	Area	Reason Code	Type Delist	Parameter Category		Additional Information
				Previous	Current	
bacteria 1401_01	Entire water body	Meets	Complete	5c		Meets standard

SegID: 1412B **Beals Creek (unclassified water body)**
 From the confluence of the Colorado River south of Colorado City in Mitchell County to the confluence of Mustang Draw and Sulphur Springs Draw in Howard County

<i>Parameters</i>	<i>Area</i>	<i>Reason Code</i>	<i>Type Delist</i>	<i>Parameter Category</i>		<i>Additional Information</i>
				<i>Previous</i>	<i>Current</i>	
selenium in water 1412B_03	From the confluence of Guthrie Draw upstream to the confluence of Mustang Draw and Sulphur Springs Draw	Meets	Parameter	5c		Meets standard

SegID: 1602 **Lavaca River Above Tidal**
 From a point 8.6 km (5.3 miles) downstream of US 59 in Jackson County to the confluence of Campbell Branch west of Hallettsville in Lavaca County

<i>Parameters</i>	<i>Area</i>	<i>Reason Code</i>	<i>Type Delist</i>	<i>Parameter Category</i>		<i>Additional Information</i>
				<i>Previous</i>	<i>Current</i>	
bacteria 1602_02	From the confluence of Beard Branch upstream to confluence of Campbell Branch in Hallettsville.	Meets	Area	5c		Meets standard

SegID: 1806 **Guadalupe River Above Canyon Lake**
 From a point 2.7 km (1.7 miles) downstream of Rebecca Creek Road in Comal County to the confluence of North Fork Guadalupe River and the South Fork Guadalupe River in Kerr County

<i>Parameters</i>	<i>Area</i>	<i>Reason Code</i>	<i>Type Delist</i>	<i>Parameter Category</i>		<i>Additional Information</i>
				<i>Previous</i>	<i>Current</i>	
bacteria 1806_08	From 25 miles upstream of lower end to confluence with Big Joshua Creek.	Meets	Complete	5c		Meets standard

SegID: 1814 Upper San Marcos River
 From a point 1.0 km (0.6 miles) upstream of the confluence of the Blanco River in Hays County to a point 0.7 km (0.4 miles) upstream of Loop 82 in San Marcos in Hays County

Parameters	Area	Reason Code	Type Delist	Parameter Category		Additional Information
				Previous	Current	
total dissolved solids						
1814_01	Lower 1.5 miles of segment	Meets	Complete	5c		Meets standard
1814_02	From sub-segment 01 to IH 35 east frontage road	Meets	Complete	5c		Meets standard
1814_03	From IH 35 east frontage road to Spring Lake Dam	Meets	Complete	5c		Meets standard
1814_04	Remainder of segment	Meets	Complete	5c		Meets standard

SegID: 1902 Lower Cibolo Creek
 From the confluence with the San Antonio River in Karnes County to a point 100 meters (110 yards) downstream of IH 10 in Bexar/Guadalupe County

Parameters	Area	Reason Code	Type Delist	Parameter Category		Additional Information
				Previous	Current	
impaired fish community						
1902_02	From 5 miles upstream of confluence with the San Antonio River to FM 541	Meets	Parameter	5c		JQ, Close to meeting criterion (42). Result = 41.2. Entered FS in TXBAD

SegID: 2302 Rio Grande Below Falcon Reservoir
 From a point 10.8 km (6.7 miles) downstream of the International Bridge in Cameron County to Falcon Dam in Starr County

Parameters	Area	Reason Code	Type Delist	Parameter Category		Additional Information
				Previous	Current	
bacteria						
2302_01	From the El Jardin Pump Station upstream to the Rancho Viejo Floodway	Meets	Area	5c		Data now fully supporting

SegID: 2433OW Bastrop Bay/Oyster Lake (Oyster Waters)
 Bastrop Bay/Oyster Lake (Oyster Waters)

<i>Parameters</i>	<i>Area</i>	<i>Reason Code</i>	<i>Type Delist</i>	<i>Parameter Category</i>		<i>Additional Information</i>
				<i>Previous</i>	<i>Current</i>	
bacteria (oyster waters)						
2433OW_02	Oyster Lake	TMDL	Complete	5a	4a	Approved TMDL

SegID: 2434OW Christmas Bay (Oyster Waters)
 Christmas Bay (Oyster Waters)

<i>Parameters</i>	<i>Area</i>	<i>Reason Code</i>	<i>Type Delist</i>	<i>Parameter Category</i>		<i>Additional Information</i>
				<i>Previous</i>	<i>Current</i>	
bacteria (oyster waters)						
2434OW_01	Area adjacent to West Bay	TMDL	Complete	5a	4a	Approved TMDL

SegID: 2435OW Drum Bay (Oyster Waters)
 Drum Bay (Oyster Waters)

<i>Parameters</i>	<i>Area</i>	<i>Reason Code</i>	<i>Type Delist</i>	<i>Parameter Category</i>		<i>Additional Information</i>
				<i>Previous</i>	<i>Current</i>	
bacteria (oyster waters)						
2435OW_01	Area adjacent to Christmas Bay	TMDL	Complete	5a	4a	Approved TMDL

SegID: 2442OW Cedar Lakes (Oyster Waters)
Cedar Lakes (Oyster Waters)

Parameters	Area	Reason Code	Type Delist	Parameter Category		Additional Information
				Previous	Current	
bacteria (oyster waters) 2442OW_01	Entire segment	ERROR	Complete	5a		Lacks a DSHS sanitary survey; according to guidance this should be Not Assessed.

SegID: 2454OW Cox Bay (Oyster Waters)
Cox Bay (Oyster Waters)

Parameters	Area	Reason Code	Type Delist	Parameter Category		Additional Information
				Previous	Current	
bacteria (oyster waters) 2454OW_01	North end of bay near Cox Creek	REVPROC	Complete	5a		Removed areas adjacent to shorelines and lack any DSHS sanitary survey data based on current assessment guidance and proposed guidance changes for 2014; changed to Not Assessed.

SegID: 2483OW Redfish Bay (Oyster Waters)
Redfish Bay (Oyster Waters)

Parameters	Area	Reason Code	Type Delist	Parameter Category		Additional Information
				Previous	Current	
bacteria (oyster waters) 2483OW_01	Entire segment	ERROR	Complete	5a		Data indicates support of criterion; according to guidance this should be Not Assessed.

SegID: 2485OW Oso Bay (Oyster Waters)
 Oso Bay (Oyster Waters)

<i>Parameters</i>	<i>Area</i>	<i>Reason Code</i>	<i>Type Delist</i>	<i>Parameter Category</i>		<i>Additional Information</i>
				<i>Previous</i>	<i>Current</i>	
bacteria (oyster waters) 2485OW_01	Entire bay	ERROR	Complete	5a		Lacks a DSHS sanitary survey; according to guidance this should be Not Assessed.

Draft

2014 Texas Integrated Report - Response to Public Comment

Texas Commission on Environmental Quality (TCEQ)

These comments address the TCEQ's Draft 2014 Texas Integrated Report for Clean Water Act Sections 305(b) and 303(d) List and were submitted during the comment period beginning December 19, 2014 and ending February 2, 2015.

COMMENTOR: Brazos River Authority

<u>Segment ID</u>	<u>Water Body Name</u>	<u>Summary of Request or Comment</u>	<u>Summary of Action or Explanation</u>
1210A	<i>Navasota River above Lake Mexia (unclassified water body)</i>	In September of 2014, the Environmental Protection Agency (EPA) approved Contact Recreation standards revisions from Primary to Secondary 1. Reassessment with the revised standard would delist the water body. Please consider use of the TCEQ adopted and EPA approved criterion.	After the initial draft of the 2014 IR, EPA acted on numerous proposed revisions to the TSWQS. At that point, the IR had progressed to the point where TCEQ was unable to incorporate new methods or standards. As a result, approvals of water quality standards revisions included in the July 2013 and September 2014 EPA letters were not incorporated into the draft 2014 IR. However, when developing and preparing the draft 2016 IR, these changes will be incorporated and the water body assessed accordingly.
1212	<i>Somerville Lake</i>	Lake Somerville is listed for pH and has Concerns for chlorophyll a, dissolved oxygen, and total phosphorus. In recent research, it has been determined that internal nutrient cycling is the impairment driver. Since there is no significant current or historical source, we recommend the water body be placed in Category 4c (caused by pollution, not pollutant).	TCEQ recognizes issues related to water quality in aging reservoirs in Texas. Shallow conditions resulting from sedimentation can have a significant effect on eutrophication and nutrient cycling. Under these conditions it may not be possible to achieve attainment of water quality standards. Remediation efforts would be of limited effectiveness due to the number of potential controllable loading sources. Justification that conditions in Lake Somerville are the result of natural changes to reservoir morphology would need additional documentation that discounted impacts from nonpoint sources. Insufficient information was available for the 2014 IR and the category was not changed to 4C. This information could be compiled and submitted as part of the development of the 2016 IR and support a Category 4c designation.

2012 Texas Integrated Report - Response to Public Comment

COMMENTOR: Brazos River Authority

<u>Segment ID</u>	<u>Water Body Name</u>	<u>Summary of Request or Comment</u>	<u>Summary of Action or Explanation</u>
1212B	<i>East Yegua Creek (unclassified water body)</i>	In September of 2014, EPA approved Contact Recreation standards revisions from Primary to Secondary 1. Reassessment with the revised standard would delist the water body. Please consider use of the TCEQ adopted and EPA approved criterion.	After the initial draft of the 2014 IR, EPA acted on numerous proposed revisions to the TSWQS. At that point, the IR had progressed to the point where TCEQ was unable to incorporate new methods or standards. As a result, approvals of water quality standards revisions included in the July 2013 and September 2014 EPA letters were not incorporated into the draft 2014 IR. However, when developing and preparing the draft 2016 IR, these changes will be incorporated and the water body assessed accordingly.
1221F	<i>Walnut Creek (unclassified water body)</i>	In September of 2014, EPA approved Contact Recreation standards revisions from Primary to Secondary 2. Reassessment with the revised standard would delist the water body. Please consider use of the TCEQ adopted and EPA approved criterion.	After the initial draft of the 2014 IR, EPA acted on numerous proposed revisions to the TSWQS. At that point, the IR had progressed to the point where TCEQ was unable to incorporate new methods or standards. As a result, approvals of water quality standards revisions included in the July 2013 and September 2014 EPA letters were not incorporated into the draft 2014 IR. However, when developing and preparing the draft 2016 IR, these changes will be incorporated and the water body assessed accordingly.
1245C	<i>Bullhead Bayou (unclassified water body)</i>	In September of 2014, EPA approved Contact Recreation standards revisions from Primary to Secondary 1. Reassessment with the revised standard would delist the water body. Please consider use of the TCEQ adopted and EPA approved criterion.	After the initial draft of the 2014 IR, EPA acted on numerous proposed revisions to the TSWQS. At that point, the IR had progressed to the point where TCEQ was unable to incorporate new methods or standards. As a result, approvals of water quality standards revisions included in the July 2013 and September 2014 EPA letters were not incorporated into the draft 2014 IR. However, when developing and preparing the draft 2016 IR, these changes will be incorporated and the water body assessed accordingly.
1245D	<i>Unnamed Tributary of Bullhead Bayou (unclassified water body)</i>	In September of 2014, EPA approved Contact Recreation standards revisions from Primary to Secondary 1. Reassessment with the revised standard would delist the water body. Please consider use of the TCEQ adopted and EPA approved criterion.	After the initial draft of the 2014 IR, EPA acted on numerous proposed revisions to the TSWQS. At that point, the IR had progressed to the point where TCEQ was unable to incorporate new methods or standards. As a result, approvals of water quality standards revisions included in the July 2013 and September 2014 EPA letters were not incorporated into the draft 2014 IR. However, when developing and preparing the draft 2016 IR, these changes will be incorporated and the water body assessed accordingly.

2012 Texas Integrated Report - Response to Public Comment

COMMENTOR: Brazos River Authority

<u>Segment ID</u>	<u>Water Body Name</u>	<u>Summary of Request or Comment</u>	<u>Summary of Action or Explanation</u>
1255G	Woodhollow Branch (unclassified water body)	Woodhollow Branch is listed for bacteria using older fecal coliform data, but the parameter listed is E. coli. Limited E. coli data exists, therefore we recommend delisting until such time appropriate and sufficient data are available for assessment.	Fecal coliform (FC) was used in the past for assessment of the Contact Recreation Use. The water body was placed on the 303(d) List as a result of using the FC method. The bacteria indicator has since been changed to E.coli, which provides for better assessment of the Contact Recreation Use. The Woodhollow Branch nonsupport status will be carried forward until a sufficient E. coli dataset is collected. At that time TCEQ will have the ability to update the assessment and determine the Contact Recreation use attainment status.

COMMENTOR: San Antonio River Authority

<u>Segment ID</u>	<u>Water Body Name</u>	<u>Summary of Request or Comment</u>	<u>Summary of Action or Explanation</u>
1910	Salado Creek	In the TCEQ 2006 IR, Station 12868 Salado Creek at Rigby was identified as being in 1910_03 and was the original station where the benthic macroinvertebrate impairment was identified. As a result of the 2007 Salado Creek UAA, the AU locations/descriptions for Salado Creek were adjusted. For the Draft TCEQ 2014 IR, further refinement of the AUs was implemented. As a result, 12868 is now located in 1910_02. SARA believes the benthic macroinvertebrate and nekton data for 1910_02 and 1910_03 should be reassessed and the appropriate integrated level of support assigned.	TCEQ agrees with SARA's comment on the errors related to the aquatic life assessments in Segment 1910. As a result, Assessment Units (AU) 1910_02 and 1910_03 have been re-assessed for benthic macroinvertebrates and fish communities. The benthic macroinvertebrate Nonsupport (NS) was moved from AU 1910_03 to 1910_02. In 2004, there was a NS for fish identified in AU 1910_03. Similar to the benthic macroinvertebrate samples, the fish samples were collected at station 12868 and AU 1910_02 should have been assigned the same support status (NS) as the fish. However, subsequent fish samples were collected in AU 1910_02 (stations 12870 & 14029) and the AU was found to be fully supporting for fish. The 2014 IR was changed to reflect this re-assessment.

2012 Texas Integrated Report - Response to Public Comment

COMMENTOR: Texas Parks and Wildlife Department

<u>Segment ID</u>	<u>Water Body Name</u>	<u>Summary of Request or Comment</u>	<u>Summary of Action or Explanation</u>
	<i>Various</i>	<p>The delisting report in the Draft 2014 IR includes several waterbodies where the Contact Recreation Use is now fully supporting though they had been considered impaired as part of the 2012 IR. The 2014 IR includes guidance that allows for the evaluation of drought impacts on use attainment status. This guidance should be used to consider the reduced frequency of runoff events. These events generally result in elevated bacteria levels. In these situations, the guidance should be implemented to justify the continued listing of these impairments.</p>	<p>For the 2014 IR, TCEQ proposed a method to evaluate the impacts of drought on ambient water quality. This method is intended to evaluate situations where changes in use attainment status are the result of limited precipitation caused by drought. TCEQ is continuing to develop this guidance and improve the ways that drought information can be compiled and included as a justification that supports a re-categorization due to drought. As part of the development of the 2016 IR, this justification will be further refined to improve evaluations of drought impacts. TCEQ recognizes that nonpoint source runoff can influence ambient water quality and in some cases result in high levels of contaminants, which may prevent the support of established uses. During periods of drought, runoff from the surrounding watershed is limited to reducing the effects of nonpoint source loadings. Attempting to develop estimates that consider the effects of drought on bacteria concentrations in a specific water body would be very challenging due to the fact that there is no way of quantifying a potential increase. This quantification is needed to justify a continued impairment during dry conditions. For the 2014 IR, the assessment methods used to evaluate the attainment status of the Contact Recreation Use in perennial streams includes provisions that limit the use of data when stream flows fall below an established level (7Q2). Based on an evaluation of the assessment data these conditions occurred at a relatively low frequency in the majority of the streams included in this comment. This would indicate that low flows due to drought may have had a minimal impact on the data used to assess recreational use attainment. TCEQ will continue to develop the guidance to include methods for determination of drought impacts. When draft drought methods are fully developed, stakeholders will have the opportunity to comment on them during the TCEQ Surface Water Quality Monitoring Guidance Advisory Work Group biennial meeting. The 2014 IR was not revised in response to this comment.</p>

2012 Texas Integrated Report - Response to Public Comment

COMMENTOR: Texas Parks and Wildlife Department

<u>Segment ID</u>	<u>Water Body Name</u>	<u>Summary of Request or Comment</u>	<u>Summary of Action or Explanation</u>
0304B	<i>Cowhorn Creek</i>	The delisting code for Cowhorn should be REVPROC (Revised Procedure) since the delisting was due to a change that allows listing of benthic or fish assemblages only if both are non-support.	Since finalizing the 2012 IR, EPA approved changes to the designated Aquatic Life Use on Cowhorn Creek. Since the attainment status was the result of an approved water quality standard, the reason for the delisting should be noted as revised procedure (reason code REVPROC). The delisting reason code in the 2014 IR was updated to reflect this change.

COMMENTOR: Upper Trinity Regional Water District

<u>Segment ID</u>	<u>Water Body Name</u>	<u>Summary of Request or Comment</u>	<u>Summary of Action or Explanation</u>
305	<i>North Sulphur River</i>	The Water Bodies Evaluated document mistakenly lists the North Sulphur flow status as "Perennial" instead of "Intermittent with Perennial Pools" and the Aquatic Life Use as "High" instead of "Intermediate" as revised in the Texas Surface Water Quality Standards (TSWQS).	During the development of the 2014 Integrated Report (IR), TCEQ inadvertently assigned a flow status of "Perennial" to the North Sulphur River. The flow status was corrected to "Intermittent with Perennial Pools" and the Aquatic Life Use was changed to "Intermediate" to reflect the revisions to the TSWQS.

Information concerning any aspect of this order may be obtained by contacting Katie Hargrove, Enforcement Coordinator at (512) 239-2569, Texas Commission on Environmental Quality, P.O. Box 13087, Austin, Texas 78711-3087.

An agreed order was entered regarding New Oasis of Faith Church, Docket No. 2014 0523 PWS E on December 2, 2014 assessing \$1,708 in administrative penalties with \$341 deferred.

Information concerning any aspect of this order may be obtained by contacting David Carney, Enforcement Coordinator at (512) 239-2583, Texas Commission on Environmental Quality, P.O. Box 13087, Austin, Texas 78711-3087.

An agreed order was entered regarding Palo Pinto County, Docket No. 2014 0548 MWD E on December 2, 2014 assessing \$2,850 in administrative penalties with \$570 deferred.

Information concerning any aspect of this order may be obtained by contacting Christopher Bost, Enforcement Coordinator at (512) 239-4575, Texas Commission on Environmental Quality, P.O. Box 13087, Austin, Texas 78711-3087.

An agreed order was entered regarding Aqua Utilities, Inc., Docket No. 2014 0699 PWS E on December 2, 2014 assessing \$1,063 in administrative penalties with \$212 deferred.

Information concerning any aspect of this order may be obtained by contacting Abigail Lindsey, Enforcement Coordinator at (512) 239-2576, Texas Commission on Environmental Quality, P.O. Box 13087, Austin, Texas 78711-3087.

An agreed order was entered regarding Ezequiel Romeo Perez dba RP Recycling, Docket No. 2014 0756 WQ E on December 2, 2014 assessing \$2,500 in administrative penalties with \$500 deferred.

Information concerning any aspect of this order may be obtained by contacting Alejandro Laje, Enforcement Coordinator at (512) 239-2547, Texas Commission on Environmental Quality, P.O. Box 13087, Austin, Texas 78711-3087.

An agreed order was entered regarding Market Place Innovation, Inc. and James Cheng, Docket No. 2014 0784 PWS E on December 2, 2014 assessing \$795 in administrative penalties with \$159 deferred.

Information concerning any aspect of this order may be obtained by contacting Katie Hargrove, Enforcement Coordinator at (512) 239-2569, Texas Commission on Environmental Quality, P.O. Box 13087, Austin, Texas 78711-3087.

An agreed order was entered regarding Nashia Investments, Inc. dba Leopard Food Mart, Docket No. 2014 0795 PST E on December 2, 2014 assessing \$2,438 in administrative penalties with \$487 deferred.

Information concerning any aspect of this order may be obtained by contacting Katy Montgomery, Enforcement Coordinator at (210) 403-4016, Texas Commission on Environmental Quality, P.O. Box 13087, Austin, Texas 78711-3087.

An agreed order was entered regarding City of Roscoe, Docket No. 2014 0821 PWS E on December 2, 2014 assessing \$300 in administrative penalties with \$60 deferred.

Information concerning any aspect of this order may be obtained by contacting Michaelle Garza, Enforcement Coordinator at (210) 403-4076, Texas Commission on Environmental Quality, P.O. Box 13087, Austin, Texas 78711-3087.

An agreed order was entered regarding City of Big Lake, Docket No. 2014 0825 MSW E on December 2, 2014 assessing \$4,975 in administrative penalties with \$995 deferred.

Information concerning any aspect of this order may be obtained by contacting Allyson Plantz, Enforcement Coordinator at (512) 239-4593, Texas Commission on Environmental Quality, P.O. Box 13087, Austin, Texas 78711-3087.

An agreed order was entered regarding City of Breckenridge, Docket No. 2014 0874 MWD E on December 2, 2014 assessing \$1,750 in administrative penalties with \$350 deferred.

Information concerning any aspect of this order may be obtained by contacting Greg Zychowski, Enforcement Coordinator at (512) 239-3158, Texas Commission on Environmental Quality, P.O. Box 13087, Austin, Texas 78711-3087.

An agreed order was entered regarding V A K Enterprises, Inc. dba Grab-N-Go, Docket No. 2014 0917 PST E on December 2, 2014 assessing \$1,736 in administrative penalties with \$347 deferred.

Information concerning any aspect of this order may be obtained by contacting John Duncan, Enforcement Coordinator at (512) 239-2720, Texas Commission on Environmental Quality, P.O. Box 13087, Austin, Texas 78711-3087.

An agreed order was entered regarding Travis Lynn Bishop dba San Jo Utilities Inc., Docket No. 2014 0962 MWD E on December 2, 2014 assessing \$1,437 in administrative penalties with \$287 deferred.

Information concerning any aspect of this order may be obtained by contacting Alan Barraza, Enforcement Coordinator at (512) 239-4642, Texas Commission on Environmental Quality, P.O. Box 13087, Austin, Texas 78711-3087.

An agreed order was entered regarding Virginia Franklin Fuller dba Franklin Water Systems 3, Docket No. 2014 1019 PWS E on December 2, 2014 assessing \$431 in administrative penalties with \$86 deferred.

Information concerning any aspect of this order may be obtained by contacting Katy Montgomery, Enforcement Coordinator at (210) 403-4016, Texas Commission on Environmental Quality, P.O. Box 13087, Austin, Texas 78711-3087.

An agreed order was entered regarding City of Panorama Village, Docket No. 2014 1082 MWD E on December 2, 2014 assessing \$1,250 in administrative penalties with \$250 deferred.

Information concerning any aspect of this order may be obtained by contacting Katleyn Samples, Enforcement Coordinator at (512) 239-4728, Texas Commission on Environmental Quality, P.O. Box 13087, Austin, Texas 78711-3087.

An agreed order was entered regarding Golden SA Properties, LLC and Doucet Plumbing, Inc., Docket No. 2014 1112 OSS E on December 2, 2014 assessing \$787 in administrative penalties with \$157 deferred.

Information concerning any aspect of this order may be obtained by contacting Lanae Foard, Enforcement Coordinator at (512) 239-2554, Texas Commission on Environmental Quality, P.O. Box 13087, Austin, Texas 78711-3087.

TRD-201405933

Bridget C. Bohac

Chief Clerk

Texas Commission on Environmental Quality

Filed: December 10, 2014

◆ ◆ ◆
Notice of Availability of the Draft 2014 Clean Water Act, §305(b) and §303(d) Integrated Report

The Texas Commission on Environmental Quality (TCEQ or commission) announces the availability of the Draft 2014 Texas Integrated

Report of Surface Water Quality. The Integrated Report is developed as a requirement of the federal Clean Water Act (CWA), §305(b) and §303(d). The Integrated Report is an overview of the status of surface waters in the state. Factors considered in evaluating the status of water bodies include concerns for public health, fitness for use by aquatic species and other wildlife, and specific pollutants and their potential sources. The Integrated Report includes summaries of water bodies that do not support beneficial uses or water quality criteria and those water bodies that demonstrate cause for concern. The Integrated Report is used by the TCEQ to support water quality management activities including monitoring; water quality standards revisions; total maximum daily loads; watershed protection plans; and best management practices to control pollution sources.

The Draft 2014 Integrated Report will be available December 19, 2014 on the TCEQ website at: http://www.tceq.texas.gov/waterquality/assessment/public_comment. Information regarding the public comment period may also be found on this website. Review and comment on individual water bodies and the summaries, as described in the Draft 2014 Integrated Report contained on this website, are encouraged through the end of the comment period on February 2, 2015.

After the public comment period, the TCEQ will evaluate all additional data or information received. Changes made in response to any additional data or information submitted will be reflected in the Draft 2014 Integrated Report which will be submitted to the United States Environmental Protection Agency (EPA) for approval.

The TCEQ will consider and respond to comments received during the comment period, in a "Response to Comments" document. The Response to Comments and the Draft 2014 Integrated Report will be posted on the website when the TCEQ sends the draft to the EPA. Comments must be received by 5:00 p.m. on February 2, 2015. Information must be submitted in writing via e-mail, post, fax, or special delivery, and cannot be accepted by phone.

E-mail comments to 303d@tceq.texas.gov. Individuals unable to access the documents on the TCEQ website may contact Andrew Sullivan by mail at Texas Commission on Environmental Quality, Water Quality Planning Division, MC 234, P.O. Box 13087, Austin, Texas 78711-3087 or by telephone at (512) 239-4587.

TRD-201405849

Robert Martinez

Director, Environmental Law Division

Texas Commission on Environmental Quality

Filed: December 8, 2014



Notice of Opportunity to Comment on Agreed Orders of Administrative Enforcement Actions

The Texas Commission on Environmental Quality (TCEQ, agency, or commission) staff is providing an opportunity for written public comment on the listed Agreed Orders (AOs) in accordance with Texas Water Code (TWC), §7.075. TWC, §7.075 requires that before the commission may approve the AOs, the commission shall allow the public an opportunity to submit written comments on the proposed AOs. TWC, §7.075 requires that notice of the opportunity to comment must be published in the *Texas Register* no later than the 30th day before the date on which the public comment period closes, which in this case is **January 23, 2015**. TWC, §7.075 also requires that the commission promptly consider any written comments received and that the commission may withdraw or withhold approval of an AO if a comment discloses facts or considerations that indicate that consent is inappropriate, improper, inadequate, or inconsistent with the requirements of the statutes and rules within the commission's jurisdiction or the commis-

sion's orders and permits issued in accordance with the commission's regulatory authority. Additional notice of changes to a proposed AO is not required to be published if those changes are made in response to written comments.

A copy of each proposed AO is available for public inspection at both the commission's central office, located at 12100 Park 35 Circle, Building A, 3rd Floor, Austin, Texas 78753, (512) 239-3400 and at the applicable regional office listed as follows. Written comments about an AO should be sent to the attorney designated for the AO at the commission's central office at P.O. Box 13087, MC 175, Austin, Texas 78711 3087 and must be **received by 5:00 p.m. on January 23, 2015**. Comments may also be sent by facsimile machine to the attorney at (512) 239-3434. The designated attorney is available to discuss the AO and/or the comment procedure at the listed phone number; however, TWC, §7.075 provides that comments on an AO shall be submitted to the commission in **writing**.

(1) COMPANY: Carol Ann Norra d/b/a Carol Norra Mobile Home Park; DOCKET NUMBER: 2013-2064-UTL-E; TCEQ ID NUMBER: RN101282572; LOCATION: 205 Reidland Road, Crosby, Harris County; TYPE OF FACILITY: public water system; RULES VIOLATED: TWC, §13.1395(b)(2) and 30 TAC §291.162(a), by failing to submit to the executive director for approval an adoptable Emergency Preparedness Plan demonstrating the facility's ability to provide emergency operations; PENALTY: \$2,250; STAFF ATTORNEY: Steven M. Fishburn, Litigation Division, MC 175, (512) 239-0635; REGIONAL OFFICE: Houston Regional Office, 5425 Polk Street, Suite H, Houston, Texas 77023-1452, (713) 767-3500.

(2) COMPANY: City of Petersburg; DOCKET NUMBER: 2012-0637-MWD-E; TCEQ ID NUMBER: RN101453942; LOCATION: approximately one mile southeast of the intersection of Farm-to-Market Roads 54 and 789, Petersburg, Hale County; TYPE OF FACILITY: wastewater treatment; RULES VIOLATED: Texas Pollutant Discharge Elimination System (TPDES) Permit Number WQ0010246001, Sludge Provisions and 30 TAC §305.125(17), by failing to submit the annual sludge reports for the reporting periods ending July 31, 2007 - July 31, 2011 by September 1 of each year; TPDES Permit Number WQ0010246001, Permit Conditions Number 2.g., 30 TAC §305.125(1), and TWC, §26.121(a), by failing to prevent an unauthorized discharge of wastewater from the pond system into or adjacent to water in the state; TPDES Permit Number WQ0010246001, Special Provisions Number 11 (formerly Special Provision Number 8) and 30 TAC §305.125(1), by failing to conduct the annual soil sampling from the root zone of the disposal site and submit the results to the TCEQ Regional Office and the Water Quality Compliance Monitoring Team during September of years 2007, 2008, 2009, 2010 and 2011; TPDES Permit Number WQ0010246001, Operational Requirements Number 1 and 30 TAC §305.125(1), by failing to properly operate and maintain the treatment facility to achieve optimum efficiency of the treatment capabilities of the effluent holding ponds; and TPDES Permit Number WQ0010246001, Special Provisions Numbers 5 and 12 and 30 TAC §305.125(1), by failing to provide equipment to determine effluent application rates and to install permanent transmission lines from the holding pond to each tract of land to be irrigated with effluent from the pond; PENALTY: \$15,862; STAFF ATTORNEY: Michael Vitris, Litigation Division, MC 175, (512) 239-2044; REGIONAL OFFICE: Lubbock Regional Office, 5012 50th Street, Suite 100, Lubbock, Texas 79414-3426, (806) 796-7092.

(3) COMPANY: Pat Weber d/b/a Weber's Chevron; DOCKET NUMBER: 2013-0726-PST-E; TCEQ ID NUMBER: RN101775484; LOCATION: 615 Fort McKavitt, Mason County; TYPE OF FACILITY: underground storage tank system and a convenience store with retail

**ORDER ADOPTING DRAFT 2014 TEXAS INTEGRATED REPORT FOR
CLEAN WATER ACT § 305(b) and § 303(d)**

Docket No. 2015-0342-MIS

On June 3, 2015, the Texas Commission on Environmental Quality (Commission) adopted the Draft 2014 Texas Integrated Report for Clean Water Act § 305(b) and § 303(d). The Draft 2014 Texas Integrated Report for Clean Water Act § 305(b) and § 303(d) Notice was published for comment in the December 19, 2014, issue of the *Texas Register* (39 TexReg 10073).

IT IS THEREFORE ORDERED BY THE COMMISSION that the Draft 2014 Texas Integrated Report for Clean Water Act § 305(b) and § 303(d) is hereby adopted. The Commission further authorizes staff to make any non-substantive revisions necessary to the Draft 2014 Texas Integrated Report for Clean Water Act § 305(b) and § 303(d). The adopted Draft 2014 Texas Integrated Report for Clean Water Act § 305(b) and § 303(d) is incorporated by reference in this Order as if set forth at length verbatim in this Order.

This Order constitutes the Order of the Commission required by the Administrative Procedure Act, Government Code, § 2001.033.

If any portion of this Order is for any reason held to be invalid by a court of competent jurisdiction, the invalidity of any portion shall not affect the validity of the remaining portions.

Issued date:

TEXAS COMMISSION ON
ENVIRONMENTAL QUALITY

Bryan W. Shaw, Ph.D., Chairman