Executive Summary – Enforcement Matter – Case No. 49869
City of Knox City
RN101390698
Docket No. 2015-0010-PWS-E

Order Type:
Findings Agreed Order
Findings Order Justification:
Three or more enforcement actions (NOVs, orders, etc.) over the prior five year period for the same violation(s).
Media:
PWS
Small Business:
No
Location(s) Where Violation(s) Occurred:
City of Knox City PWS, 902 East Main Street, Knox City, Knox County
Type of Operation:
Public water supply
Other Significant Matters:
Additional Pending Enforcement Actions: No
Past-Due Penalties: No
Other: N/A
Interested Third-Parties: None
Texas Register Publication Date: March 13, 2015
Comments Received: No

Penalty Information

Total Penalty Assessed: $345
Amount Deferred for Disinfection Byproducts for Eligible Systems: $345
Amount Deferred for Financial Inability to Pay: $0
Total Paid to General Revenue: $0
Total Due to General Revenue: $0
Payment Plan: N/A
Supplemental Environmental Project ("SEP") Conditional Offset: $0
Name of SEP: N/A
Compliance History Classifications:
Person/CN - Satisfactory
Site/RN - N/A
Major Source: No
Statutory Limit Adjustment: N/A
Applicable Penalty Policy: April 2014

Investigation Information

Complaint Date(s): N/A
Complaint Information: N/A
Date(s) of Investigation: December 15, 2014 through January 2, 2015
Date(s) of NOE(s): January 2, 2015

Executive Summary – Enforcement Matter – Case No. 49869
City of Knox City
RN101390698
Docket No. 2015-0010-PWS-E

Violation Information

Failed to comply with the maximum contaminant level ("MCL") of 0.080 milligrams per liter for total trihalomethanes ("TTHM") based on the locational running annual average [30 TEX. ADMIN. CODE § 290.115(f)(1) and TEX. HEALTH & SAFETY CODE § 341.0315(c)].

Corrective Actions/Technical Requirements

Corrective Action(s) Completed:

N/A

Technical Requirements:

The Order will require the Respondent to:

a. Within 90 days, begin negotiating a water purchase contract that will enable the Facility to comply with the MCL for TTHM within 1,095 days;

b. Within 105 days, submit written certification to demonstrate compliance with Ordering Provision a.;

c. Within 1,095 days, return to compliance with the MCL for TTHM based on the locational running annual average; and

d. Within 1,110 days, submit written certification to demonstrate compliance with Ordering Provision c.

In lieu of Ordering Provisions a. through d.:

e. Within 120 days, complete a feasibility study, or update an existing feasibility study, and submit a written report or engineering study conducted by a Texas registered professional engineer regarding the results of the feasibility study to evaluate the necessary corrective actions designed to achieve compliance with the MCL for TTHM. The report shall include a tentative schedule describing additional studies, tests, or other methods that may be utilized for the completion of necessary corrective actions within 1,095 days. If the Respondent purchases or sells water, a copy of the purchase water contract must be submitted with the feasibility study report or engineering study;

f. Within 135 days, submit written certification to demonstrate compliance with Ordering Provision e.;

g. Within 180 days, submit an acceptable written plan, including a proposed schedule, to the Executive Director that provides for the completion of an alternate water source or treatment technology;

h. Within 180 days, and on a semi-annual basis thereafter, submit progress reports. These reports shall include information regarding actions taken to provide water which meets the MCL for TTHM;

i. Within 195 days, submit written certification to demonstrate compliance with Ordering Provision g.;

j. Within 1,095 days, return to compliance with the MCL for TTHM based on the locational running annual average; and

k. Within 1,110 days, submit written certification to demonstrate compliance with Ordering Provision j.

Litigation Information

Date Petition(s) Filed: N/A
Date Answer(s) Filed: N/A
SOAH Referral Date: N/A
Hearing Date(s): N/A
Settlement Date: N/A

Contact Information

TCEQ Attorney: N/A
TCEQ Enforcement Coordinator: Michaelle Garza, Enforcement Division, Enforcement Team 2, MC R-13, (210) 403-4076; Candy Garrett, Enforcement Division, MC 219, (512) 239-1456
TCEQ SEP Coordinator: N/A
Respondent: Sam Watson, City Administrator, City of Knox City, 902 East Main Street, Knox City, Texas 79529-2227
The Honorable Kent Deville, Mayor, City of Knox City, 902 East Main Street, Knox City, Texas 79529-2227
Respondent's Attorney: N/A

Penalty Calculation Worksheet (PCW)

Policy Revision 4 (April 2014) *PCW Revision March 26, 2014*

TCEQ

DATES					
Assigned	5-Jan-2015				
PCW	6-Jan-2015	Screening	6-Jan-2015	EPA Due	31-Mar-2015

RESPONDENT/FACILITY INFORMATION

Respondent	City of Knox City		
Reg. Ent. Ref. No.	RN101390698		
Facility/Site Region	3-Abilene	Major/Minor Source	Minor

CASE INFORMATION

Enf./Case ID No.	49869	No. of Violations	1
Docket No.	2015-0010-PWS-E	Order Type	Findings
Media Program(s)	Public Water Supply	Government/Non-Profit	Yes
Multi-Media		Enf. Coordinator	Michaelle Garza
		EC's Team	Enforcement Team 2

Admin. Penalty $ Limit Minimum	$50	Maximum	$1,000

Penalty Calculation Section

TOTAL BASE PENALTY (Sum of violation base penalties) *Subtotal 1* **$300**

ADJUSTMENTS (+/-) TO SUBTOTAL 1

Subtotals 2-7 are obtained by multiplying the Total Base Penalty (Subtotal 1) by the indicated percentage.

Compliance History **15.0%** Enhancement *Subtotals 2, 3, & 7* **$45**

Notes: Enhancement for three NOVs with the same/similar violations.

Culpability No **0.0%** Enhancement *Subtotal 4* **$0**

Notes: The Respondent does not meet the culpability criteria.

Good Faith Effort to Comply Total Adjustments *Subtotal 5* **$0**

Economic Benefit **0.0%** Enhancement* *Subtotal 6* **$0**

Total EB Amounts	$1,023
Estimated Cost of Compliance	$5,000

**Capped at the Total EB $ Amount*

SUM OF SUBTOTALS 1-7 *Final Subtotal* **$345**

OTHER FACTORS AS JUSTICE MAY REQUIRE **0.0%** *Adjustment* **$0**

Reduces or enhances the Final Subtotal by the indicated percentage.

Notes:

Final Penalty Amount **$345**

STATUTORY LIMIT ADJUSTMENT *Final Assessed Penalty* **$345**

DEFERRAL **0.0%** Reduction *Adjustment* **$0**

Reduces the Final Assessed Penalty by the indicated percentage. *(Enter number only; e.g. 20 for 20% reduction.)*

Notes: No deferral is recommended for Findings Orders.

PAYABLE PENALTY **$345**

Screening Date	6-Jan-2015	**Docket No.** 2015-0010-PWS-E	**PCW**
Respondent	City of Knox City		*Policy Revision 4 (April 2014)*
Case ID No.	49869		*PCW Revision March 26, 2014*
Reg. Ent. Reference No.	RN101390698		
Media [Statute]	Public Water Supply		
Enf. Coordinator	Michaelle Garza		

Compliance History Worksheet

>> Compliance History *Site* Enhancement (Subtotal 2)

Component	Number of...	Enter Number Here	Adjust.
NOVs	Written notices of violation ("NOVs") with same or similar violations as those in the current enforcement action (*number of NOVs meeting criteria*)	3	15%
	Other written NOVs	0	0%
Orders	Any agreed final enforcement orders containing a denial of liability (*number of orders meeting criteria*)	0	0%
	Any adjudicated final enforcement orders, agreed final enforcement orders without a denial of liability, or default orders of this state or the federal government, or any final prohibitory emergency orders issued by the commission	0	0%
Judgments and Consent Decrees	Any non-adjudicated final court judgments or consent decrees containing a denial of liability of this state or the federal government (*number of judgments or consent decrees meeting criteria*)	0	0%
	Any adjudicated final court judgments and default judgments, or non-adjudicated final court judgments or consent decrees without a denial of liability, of this state or the federal government	0	0%
Convictions	Any criminal convictions of this state or the federal government (*number of counts*)	0	0%
Emissions	Chronic excessive emissions events (*number of events*)	0	0%
Audits	Letters notifying the executive director of an intended audit conducted under the Texas Environmental, Health, and Safety Audit Privilege Act, 74th Legislature, 1995 *(number of audits for which notices were submitted)*	0	0%
	Disclosures of violations under the Texas Environmental, Health, and Safety Audit Privilege Act, 74th Legislature, 1995 (*number of audits for which violations were disclosed*)	0	0%

		Please Enter Yes or No	
Other	Environmental management systems in place for one year or more	No	0%
	Voluntary on-site compliance assessments conducted by the executive director under a special assistance program	No	0%
	Participation in a voluntary pollution reduction program	No	0%
	Early compliance with, or offer of a product that meets future state or federal government environmental requirements	No	0%

Adjustment Percentage (Subtotal 2) 15%

>> Repeat Violator (Subtotal 3)

N/A

Adjustment Percentage (Subtotal 3) 0%

>> Compliance History Person Classification (Subtotal 7)

Satisfactory Performer

Adjustment Percentage (Subtotal 7) 0%

>> Compliance History Summary

Compliance History Notes

Enhancement for three NOVs with the same/similar violations.

Total Compliance History Adjustment Percentage (Subtotals 2, 3, & 7) 15%

>> Final Compliance History Adjustment

Final Adjustment Percentage ****capped at 100%*** 15%

Screening Date	6-Jan-2015	**Docket No.** 2015-0010-PWS-E	**PCW**
Respondent	City of Knox City		*Policy Revision 4 (April 2014)*
Case ID No.	49869		*PCW Revision March 26, 2014*
Reg. Ent. Reference No.	RN101390698		
Media [Statute]	Public Water Supply		
Enf. Coordinator	Michaelle Garza		

Violation Number 1

Rule Cite(s) 30 Tex. Admin. Code § 290.115(f)(1) and Tex. Health & Safety Code § 341.0315(c)

Violation Description Failed to comply with the maximum contaminant level ("MCL") of 0.080 milligrams per liter ("mg/L") for total trihalomethanes ("TTHM") based on the locational running annual average. Specifically, the locational running annual average concentration of TTHM was 0.089 mg/L for the second quarter of 2014, 0.129 mg/L for the third quarter of 2014, and 0.152 mg/L for the fourth quarter of 2014 at Stage 2 Disinfectant Byproduct ("DBP2") Site 2 and 0.089 mg/L for the fourth quarter of 2014 at DBP2 Site 1.

Base Penalty $1,000

>> Environmental, Property and Human Health Matrix

OR

Release	Harm: Major	Moderate	Minor
Actual		x	
Potential			

Percent 15.0%

>>Programmatic Matrix

Falsification	Major	Moderate	Minor

Percent 0.0%

Matrix Notes: Exceeding the MCL for TTHM caused customers of the Facility to be exposed to significant amounts of contaminants which do not exceed levels that are protective of human health.

Adjustment $850

$150

Violation Events

Number of Violation Events: 2 — 274 Number of violation days

mark only one with an x

daily	
weekly	
monthly	
quarterly	
semiannual	
annual	x
single event	

Violation Base Penalty $300

Two annual events are recommended (one event per DBP2 site).

Good Faith Efforts to Comply 0.0% Reduction $0

	Before NOE/NOV	NOE/NOV to EDPRP/Settlement Offer
Extraordinary		
Ordinary		
N/A	x	(mark with x)

Notes: The Respondent does not meet the good faith criteria for this violation.

Violation Subtotal $300

Economic Benefit (EB) for this violation

Estimated EB Amount $1,023

Statutory Limit Test

Violation Final Penalty Total $345

This violation Final Assessed Penalty (adjusted for limits) $345

Economic Benefit Worksheet

Respondent City of Knox City
Case ID No. 49869
Reg. Ent. Reference No. RN101390698
Media Public Water Supply
Violation No. 1

Percent Interest	Years of Depreciation
5.0	15

Item Description (No commas or $)	Item Cost	Date Required	Final Date	Yrs	Interest Saved	Onetime Costs	EB Amount
Delayed Costs							
Equipment				0.00	$0	$0	$0
Buildings				0.00	$0	$0	$0
Other (as needed)				0.00	$0	$0	$0
Engineering/Construction				0.00	$0	$0	$0
Land				0.00	$0	n/a	$0
Record Keeping System				0.00	$0	n/a	$0
Training/Sampling				0.00	$0	n/a	$0
Remediation/Disposal				0.00	$0	n/a	$0
Permit Costs				0.00	$0	n/a	$0
Other (as needed)	$5,000	30-Jun-2014	1-Aug-2018	4.09	$1,023	n/a	$1,023
Notes for DELAYED costs	The delayed cost includes the estimated amount to investigate, identify, and implement the necessary corrective actions to return to compliance with the MCL for TTHM, calculated from the last date of the first quarter of noncompliance to the estimated date of compliance.						
Avoided Costs	ANNUALIZE [1] avoided costs before entering item (except for one-time avoided costs)						
Disposal				0.00	$0	$0	$0
Personnel				0.00	$0	$0	$0
Inspection/Reporting/Sampling				0.00	$0	$0	$0
Supplies/Equipment				0.00	$0	$0	$0
Financial Assurance [2]				0.00	$0	$0	$0
ONE-TIME avoided costs [3]				0.00	$0	$0	$0
Other (as needed)				0.00	$0	$0	$0
Notes for AVOIDED costs							

Approx. Cost of Compliance $5,000

TOTAL $1,023

The TCEQ is committed to accessibility.
To request a more accessible version of this report, please contact the TCEQ Help Desk at (512) 239-4357.

Compliance History Report

PUBLISHED Compliance History Report for CN600666010, RN101390698, Rating Year 2014 which includes Compliance History (CH) components from September 1, 2009, through August 31, 2014.

Customer, Respondent, or Owner/Operator: CN600666010, City of Knox City **Classification:** SATISFACTORY **Rating:** 2.86

Regulated Entity: RN101390698, City of Knox City **Classification:** NOT APPLICABLE **Rating:** N/A

Complexity Points: N/A **Repeat Violator:** N/A

CH Group: 14 - Other

Location: 902 EAST MAIN, KNOX CITY, KNOX COUNTY, TEXAS

TCEQ Region: REGION 03 - ABILENE

ID Number(s):
PUBLIC WATER SYSTEM/SUPPLY REGISTRATION 1380002 **WATER LICENSING** LICENSE 1380002

Compliance History Period: September 01, 2009 to August 31, 2014 **Rating Year:** 2014 **Rating Date:** 09/01/2014

Date Compliance History Report Prepared: January 06, 2015

Agency Decision Requiring Compliance History: Enforcement

Component Period Selected: January 06, 2010 to January 06, 2015

TCEQ Staff Member to Contact for Additional Information Regarding This Compliance History.

Name: Michaelle Garza **Phone:** (210) 403-4076

Site and Owner/Operator History:

1) Has the site been in existence and/or operation for the full five year compliance period? YES
2) Has there been a (known) change in ownership/operator of the site during the compliance period? NO
3) If **YES** for #2, who is the current owner/operator? N/A
4) If **YES** for #2, who was/were the prior owner(s)/operator(s)? N/A
5) If **YES**, when did the change(s) in owner or operator occur? N/A

Components (Multimedia) for the Site Are Listed in Sections A - J

A. Final Orders, court judgments, and consent decrees:
N/A

B. Criminal convictions:
N/A

C. Chronic excessive emissions events:
N/A

D. The approval dates of investigations (CCEDS Inv. Track. No.):
N/A

E. Written notices of violations (NOV) (CCEDS Inv. Track. No.):
A notice of violation represents a written allegation of a violation of a specific regulatory requirement from the commission to a regulated entity. A notice of violation is not a final enforcement action, nor proof that a violation has actually occurred.

1 Date: 06/27/2014 (1216338) CN600666010
Self Report? NO Classification: Moderate
Citation: 30 TAC Chapter 290, SubChapter F 290.115(f)(1)
Description: TTHM LRAA MCL 2Q2014 - During the 2nd quarter of 2014 the system violated the maximum contaminant level for trihalomethanes with a LRAA of 0.089 mg/L at 813 S Aspen (DBP2-02).

2 Date: 09/30/2014 (1216338) CN600666010
Self Report? NO Classification: Moderate
Citation: 30 TAC Chapter 290, SubChapter F 290.115(f)(1)
Description: TTHM LRAA MCL 3Q2014 - During the 3rd quarter of 2014 the system violated the maximum contaminant level for trihalomethanes with a LRAA of 0.129 mg/L at 813 S Aspen (DBP2-02).

3 Date: 12/16/2014 (1216338) CN600666010
Self Report? NO Classification: Moderate
Citation: 30 TAC Chapter 290, SubChapter F 290.115(f)(1)
Description: TTHM LRAA MCL 4Q2014 - During the 4th quarter of 2014 the system violated the maximum contaminant level for trihalomethanes with a LRAA of 0.089 mg/L at 401 North Central (DBP2-01) and with a LRAA of 0.152 mg/L at 813 S Aspen (DBP2-02).

F. Environmental audits:
N/A

G. Type of environmental management systems (EMSs):
N/A

H. Voluntary on-site compliance assessment dates:
N/A

I. Participation in a voluntary pollution reduction program:
N/A

J. Early compliance:
N/A

Sites Outside of Texas:
N/A

TEXAS COMMISSION ON ENVIRONMENTAL QUALITY

IN THE MATTER OF AN	**§**	**BEFORE THE**
ENFORCEMENT ACTION	**§**	
CONCERNING	**§**	**TEXAS COMMISSION ON**
CITY OF KNOX CITY	**§**	
RN101390698	**§**	**ENVIRONMENTAL QUALITY**

AGREED ORDER
DOCKET NO. 2015-0010-PWS-E

At its _____ agenda, the Texas Commission on Environmental Quality ("the Commission" or "TCEQ") considered this agreement of the parties, resolving an enforcement action regarding the City of Knox City (the "Respondent") under the authority of TEX. HEALTH & SAFETY CODE ch. 341. The Executive Director of the TCEQ, through the Enforcement Division, and the Respondent presented this agreement to the Commission.

The Respondent understands that it has certain procedural rights at certain points in the enforcement process, including, but not limited to, the right to formal notice of violations, notice of an evidentiary hearing, the right to an evidentiary hearing, and a right to appeal. By entering into this Agreed Order, the Respondent agrees to waive all notice and procedural rights.

It is further understood and agreed that this Order represents the complete and fully-integrated settlement of the parties. The provisions of this Agreed Order are deemed severable and, if a court of competent jurisdiction or other appropriate authority deems any provision of this Agreed Order unenforceable, the remaining provisions shall be valid and enforceable. The duties and responsibilities imposed by this Agreed Order are binding upon the Respondent.

The Commission makes the following Findings of Fact and Conclusions of Law:

I. FINDINGS OF FACT

1. The Respondent owns and operates a public water supply located at 902 East Main Street in Knox City, Knox County, Texas (the "Facility") that has approximately 578 service connections and serves at least 25 people per day for at least 60 days per year.

2. During a record review conducted from December 15, 2014 through January 2, 2015, TCEQ staff documented that the locational running annual average concentration of total trihalomethanes ("TTHM") was 0.089 milligrams per liter ("mg/L") for the second quarter of 2014, 0.129 mg/L for the third quarter of 2014, and 0.152 mg/L for the fourth quarter of 2014 at Stage 2 Disinfectant Byproduct ("DBP2") Site 2 and 0.089 mg/L for the fourth quarter of 2014 at DBP2 Site 1.

3. The Respondent received notice of the violations on January 9, 2015.

II. CONCLUSIONS OF LAW

1. The Respondent is subject to the jurisdiction of the TCEQ pursuant to TEX. HEALTH & SAFETY CODE ch. 341 and the rules of the Commission.

2. As evidenced by Findings of Fact No. 2, the Respondent failed to comply with the maximum contaminant level ("MCL") of 0.080 mg/L for TTHM based on the locational running annual average, in violation of 30 TEX. ADMIN. CODE § 290.115(f)(1) and TEX. HEALTH & SAFETY CODE § 341.0315(c).

3. Pursuant to TEX. HEALTH & SAFETY CODE § 341.049, the Commission has the authority to assess an administrative penalty against the Respondent for violations of the Texas Water Code and the Texas Health and Safety Code within the Commission's jurisdiction; for violations of rules adopted under such statutes; or for violations of orders or permits issued under such statutes.

4. An administrative penalty in the amount of Three Hundred Forty-Five Dollars ($345) is justified by the facts recited in this Agreed Order, and considered in light of the factors set forth in TEX. HEALTH & SAFETY CODE § 341.049(b). Three Hundred Forty-Five Dollars ($345) of the administrative penalty is deferred contingent upon the Respondent's timely and satisfactory compliance with all the terms of this Agreed Order and shall be waived only upon full compliance with all the terms and conditions contained in this Agreed Order. If the Respondent fails to timely and satisfactorily comply with any requirement contained in this Agreed Order, the deferred amount of the administrative penalty shall become immediately due and payable without demand or notice, and the Executive Director may request the Respondent to pay all or part of the deferred administrative penalty.

III. ORDERING PROVISIONS

NOW, THEREFORE, THE TEXAS COMMISSION ON ENVIRONMENTAL QUALITY ORDERS that:

1. The Respondent is assessed an administrative penalty in the amount of Three Hundred Forty-Five Dollars ($345) as set forth in Section II, Paragraph 4 above, for violations of

TCEQ rules and state statutes. The payment of this administrative penalty and the Respondent's compliance with all the terms and conditions set forth in this Agreed Order completely resolve the violations set forth by this Agreed Order in this action. However, the Commission shall not be constrained in any manner from requiring corrective actions or penalties for other violations that are not raised here. Administrative penalty payments shall be made payable to "TCEQ" and shall be sent with the notation "Re: City of Knox City, Docket No. 2015-0010-PWS-E " to:

Financial Administration Division, Revenue Operations Section
Attention: Cashier's Office, MC 214
Texas Commission on Environmental Quality
P.O. Box 13088
Austin, Texas 78711-3088

2. The Respondent shall undertake the following technical requirements:

a. Within 90 days after the effective date of this Agreed Order, begin negotiating a water purchase contract that will enable the Facility to comply with the MCL for TTHM within 1,095 days of the effective date of this Agreed Order, in accordance with 30 TEX. ADMIN. CODE § 290.45;

b. Within 105 days after the effective date of this Agreed Order, submit written certification as described in Ordering Provision No. 2.k. below to demonstrate compliance with Ordering Provision No. 2.a.;

c. Within 1,095 days after the effective date of this Agreed Order, return to compliance with the MCL for TTHM based on the locational running annual average, in accordance with 30 TEX. ADMIN. CODE § 290.115; and

d. Within 1,110 days after the effective date of this Agreed Order, submit written certification as described in Ordering Provision No. 2.k. below to demonstrate compliance with Ordering Provision No. 2.c.

In lieu of Ordering Provision Nos. 2.a. through 2.d.:

e. Within 120 days after the effective date of this Agreed Order, complete a feasibility study, or update an existing feasibility study, and submit a written report or engineering study conducted by a Texas registered professional engineer regarding the results of the feasibility study to evaluate the necessary corrective actions designed to achieve compliance with the MCL for TTHM. The report shall include a tentative schedule describing additional studies, tests, or other methods that may be utilized for the completion of necessary corrective actions within 1,095 days after the effective date of this Agreed Order. If the Respondent purchases or sells water, a copy of the purchase water contract must be submitted with the feasibility study report or engineering study. The evaluation shall be sent to the addresses listed in Ordering Provision No. 2.k.;

f. Within 135 days after the effective date of this Agreed Order, submit written certification as described in Ordering Provision No. 2.k. below to demonstrate compliance with Ordering Provision No. 2.e.;

g. Within 180 days after the effective date of this Agreed Order, submit an acceptable written plan, including a proposed schedule, to the Executive Director that provides for the completion of an alternate water source or treatment technology to the addresses listed in Ordering Provision No. 2.k.;

h. Within 180 days after the effective date of this Agreed Order, and on a semi-annual basis thereafter, submit progress reports to the addresses listed in Ordering Provision No. 2.k. below. These reports shall include information regarding actions taken to provide water which meets the MCL for TTHM;

i. Within 195 days after the effective date of this Agreed Order, submit written certification as described in Ordering Provision No. 2.k. below to demonstrate compliance with Ordering Provision No. 2.g.;

j. Within 1,095 days after the effective date of this Agreed Order, return to compliance with the MCL for TTHM based on the locational running annual average, in accordance with 30 TEX. ADMIN. CODE § 290.115; and

k. Within 1,110 days after the effective date of this Agreed Order, submit written certification as described below, and include detailed supporting documentation including photographs, receipts, and/or other records to demonstrate compliance with Ordering Provision No. 2.j. The certification shall be notarized by a State of Texas Notary Public and include the following certification language:

"I certify under penalty of law that I have personally examined and am familiar with the information submitted and all attached documents, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the submitted information is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fines and imprisonment for knowing violations."

The certification shall be submitted to:

Order Compliance Team
Enforcement Division, MC 149A
Texas Commission on Environmental Quality
P.O. Box 13087
Austin, Texas 78711-3087

with a copy to:

Public Drinking Water Section Manager
Water Supply Division, MC 155
Texas Commission on Environmental Quality
P.O. Box 13087
Austin, Texas 78711-3087

3. The provisions of this Agreed Order shall apply to and be binding upon the Respondent. The Respondent is ordered to give notice of the Agreed Order to personnel who maintain day-to-day control over the Facility operations referenced in this Agreed Order.

4. The Executive Director may grant an extension of any deadline in this Agreed Order or in any plan, report, or other document submitted pursuant to this Agreed Order, upon a written and substantiated showing of good cause. All requests for extensions by the Respondent shall be made in writing to the Executive Director. Extensions are not effective until the Respondent receives written approval from the Executive Director. The determination of what constitutes good cause rests solely with the Executive Director.

5. The Executive Director may refer this matter to the Office of the Attorney General of the State of Texas ("OAG") for further enforcement proceedings without notice to the Respondent if the Executive Director determines that the Respondent has not complied with one or more of the terms or conditions in this Agreed Order.

6. This Agreed Order shall terminate five years from its effective date or upon compliance with all the terms and conditions set forth in this Agreed Order, whichever is later.

7. This Agreed Order, issued by the Commission, shall not be admissible against the Respondent in a civil proceeding, unless the proceeding is brought by the OAG to: (1) enforce the terms of this Agreed Order; or (2) pursue violations of a statute within the Commission's jurisdiction, or of a rule adopted or an order or permit issued by the Commission under such a statute.

8. This Agreed Order may be executed in separate and multiple counterparts, which together shall constitute a single instrument. Any page of this Agreed Order may be copied, scanned, digitized, converted to electronic portable document format ("pdf"), or otherwise reproduced and may be transmitted by digital or electronic transmission, including but not limited to facsimile transmission and electronic mail. Any signature affixed to this Agreed Order shall constitute an original signature for all purposes and may be used, filed, substituted, or issued for any purpose for which an original signature could be used. The term "signature" shall include manual signatures and true and accurate reproductions of manual signatures created, executed, endorsed, adopted, or authorized by the person or persons to whom the signatures are attributable. Signatures may be copied or reproduced digitally, electronically, by photocopying, engraving, imprinting, lithographing, electronic mail, facsimile transmission, stamping, or any

other means or process which the Executive Director deems acceptable. In this paragraph exclusively, the terms "electronic transmission", "owner", "person", "writing", and "written" shall have the meanings assigned to them under TEX. BUS. ORG. CODE § 1.002.

9. The Chief Clerk shall provide a copy of this Agreed Order to each of the parties. By law, the effective date of this Agreed Order is the third day after the mailing date, as provided by 30 TEX. ADMIN. CODE § 70.10(b) and TEX. GOV'T CODE § 2001.142.

SIGNATURE PAGE

TEXAS COMMISSION ON ENVIRONMENTAL QUALITY

_____
For the Commission

Ramon Gavino Jr. 5/8/15
For the Executive Director Date

I, the undersigned, have read and understand the attached Agreed Order in the matter of the City of Knox City. I am authorized to agree to the attached Agreed Order on behalf of the City of Knox City, and do agree to the specified terms and conditions. I further acknowledge that the TCEQ, in accepting payment for the penalty amount, is materially relying on such representation.

I understand that by entering into this Agreed Order, the City of Knox City waives certain procedural rights, including, but not limited to, the right to formal notice of violations addressed by this Agreed Order, notice of an evidentiary hearing, the right to an evidentiary hearing, and the right to appeal. I agree to the terms of the Agreed Order in lieu of an evidentiary hearing. This Agreed Order constitutes full and final adjudication by the Commission of the violations set forth in this Agreed Order.

I also understand that failure to comply with the Ordering Provisions, if any, in this order and/or failure to timely pay the penalty amount, may result in:

- A negative impact on compliance history;
- Greater scrutiny of any permit applications submitted;
- Referral of this case to the Attorney General's Office for contempt, injunctive relief, additional penalties, and/or attorney fees, or to a collection agency;
- Increased penalties in any future enforcement actions;
- Automatic referral to the Attorney General's Office of any future enforcement actions; and
- TCEQ seeking other relief as authorized by law.

In addition, any falsification of any compliance documents may result in criminal prosecution.

Sam Watson 2-10-15
Signature Date

Sam Watson _____
Name (Printed or typed)
Authorized Representative of the
City of Knox City

Instructions: Send the original, signed Agreed Order with penalty payment to the Financial Administration Division, Revenue Operations Section at the address in Section III, Paragraph 1 of this Agreed Order.