

**Executive Summary – Enforcement Matter – Case No. 50191
SHADY GROVE NO. 2 WATER SUPPLY CORPORATION
RN101457760
Docket No. 2015-0357-PWS-E**

Order Type:

Findings Agreed Order

Findings Order Justification:

Three or more enforcement actions (NOVs, orders, etc.) over the prior five year period for the same violation(s).

Media:

PWS

Small Business:

Yes

Location(s) Where Violation(s) Occurred:

SHADY GROVE NO 2 WSC, 1701 Arbala Road, Sulphur Springs, Hopkins County

Type of Operation:

Public water supply

Other Significant Matters:

Additional Pending Enforcement Actions: No

Past-Due Penalties: No

Other: N/A

Interested Third-Parties: None

Texas Register Publication Date: July 3, 2015

Comments Received: No

Penalty Information

Total Penalty Assessed: \$490

Amount Deferred for Expedited Settlement: \$0

Amount Deferred for Financial Inability to Pay: \$0

Total Paid to General Revenue: \$490

Total Due to General Revenue: \$0

Payment Plan: N/A

Supplemental Environmental Project ("SEP") Conditional Offset: \$0

Name of SEP: N/A

Compliance History Classifications:

Person/CN - N/A

Site/RN - N/A

Major Source: No

Statutory Limit Adjustment: N/A

Applicable Penalty Policy: April 2014

Investigation Information

Complaint Date(s): N/A

Complaint Information: N/A

Date(s) of Investigation: February 2, 2015 through February 27, 2015

Date(s) of NOE(s): February 27, 2015

Executive Summary – Enforcement Matter – Case No. 50191
SHADY GROVE NO. 2 WATER SUPPLY CORPORATION
RN101457760
Docket No. 2015-0357-PWS-E

Violation Information

1. Failed to submit a Disinfectant Level Quarterly Operating Report ("DLQOR") to the Executive Director ("ED") each quarter by the tenth day of the month following the end of the quarter and failed to provide public notification and submit a copy of the public notification to the ED [30 TEX. ADMIN. CODE §§ 290.110(e)(4)(A) and (f)(3) and 290.122(c)(2)(A) and (f)].
2. Failed to mail or directly deliver one copy of the Consumer Confidence Report ("CCR") to each bill paying customer by July 1 of each year and failed to submit to the TCEQ by July 1 of each year a copy of the annual CCR and certification that the CCR has been distributed to the customers of the Facility and that the information in the CCR is correct and consistent with compliance monitoring data [30 TEX. ADMIN. CODE §§ 290.271(b) and 290.274(a) and (c)].

Corrective Actions/Technical Requirements

Corrective Action(s) Completed:

N/A

Technical Requirements:

The Order will require the Respondent to:

- a. Within 30 days:
 - i. Update the Facility's operational guidance and conduct employee training to ensure that self-reporting requirements are properly accomplished, including the timely submission of signed and certified DLQORs;
 - ii. Implement procedures to ensure that all necessary public notifications are provided in a timely manner to persons served by the Facility and a copy of the public notification is submitted to the ED;
 - iii. Provide public notification regarding the failure to submit DLQORs for the fourth quarter of 2013 through the second quarter of 2014, and provide a copy of each public notification to the ED; and
 - iv. Mail or directly deliver one copy of the CCR prepared using the compliance monitoring data for the year 2014 or the most current year to each customer of the Facility.
- b. Within 45 days:
 - i. Submit written certification to demonstrate compliance with a.; and

Executive Summary – Enforcement Matter – Case No. 50191
SHADY GROVE NO. 2 WATER SUPPLY CORPORATION
RN101457760
Docket No. 2015-0357-PWS-E

- ii. Submit to the TCEQ a copy of the CCR provided to customers of the Facility and the certification that the CCR has been distributed to the customers of the Facility and that the information in the CCR is correct and consistent with the compliance monitoring data.
- c. Within 60 days, submit written certification to demonstrate compliance with b.ii.
- d. Within 90 days, begin submitting DLQORs to the ED each quarter by the tenth day of the month following the end of the quarter. This provision will be satisfied upon two consecutive quarters of compliant reporting.
- e. Within 285 days, submit written certification to demonstrate compliance with d.

Litigation Information

Date Petition(s) Filed: N/A
Date Answer(s) Filed: N/A
SOAH Referral Date: N/A
Hearing Date(s): N/A
Settlement Date: N/A

Contact Information

TCEQ Attorney: N/A
TCEQ Enforcement Coordinator: Ryan Byer, Enforcement Division, Enforcement Team 2, MC 169, (512) 239-2571; Candy Garrett, Enforcement Division, MC 219, (512) 239-1456
TCEQ SEP Coordinator: N/A
Respondent: Morgan Anderson, President, SHADY GROVE NO. 2 WATER SUPPLY CORPORATION, 1701 Arbala Road, Sulphur Springs, Texas 75482-4718
L. Maxine George, Bookkeeper, SHADY GROVE NO. 2 WATER SUPPLY CORPORATION, 1701 Arbala Road, Sulphur Springs, Texas 75482-4718
Respondent's Attorney: N/A



Penalty Calculation Worksheet (PCW)

Policy Revision 4 (April 2014)

PCW Revision March 26, 2014

TCEQ

DATES	Assigned	3-Mar-2015	Screening	4-Mar-2015	EPA Due	31-Mar-2015
	PCW	9-Mar-2015				

RESPONDENT/FACILITY INFORMATION	
Respondent	SHADY GROVE NO. 2 WATER SUPPLY CORPORATION
Reg. Ent. Ref. No.	RN101457760
Facility/Site Region	5-Tyler
Major/Minor Source	Minor

CASE INFORMATION			
Enf./Case ID No.	50191	No. of Violations	2
Docket No.	2015-0357-PWS-E	Order Type	Findings
Media Program(s)	Public Water Supply	Government/Non-Profit	Yes
Multi-Media		Enf. Coordinator	Ryan Byer
		EC's Team	Enforcement Team 2
Admin. Penalty \$ Limit Minimum	\$50	Maximum	\$1,000

Penalty Calculation Section

TOTAL BASE PENALTY (Sum of violation base penalties)	Subtotal 1	\$350
---	-------------------	-------

ADJUSTMENTS (+/-) TO SUBTOTAL 1	Subtotals 2-7 are obtained by multiplying the Total Base Penalty (Subtotal 1) by the indicated percentage.	
Compliance History	40.0% Enhancement	Subtotals 2, 3, & 7
		\$140

Notes: Enhancement for eight NOVs with the same/similar violations.

Culpability	No	0.0% Enhancement	Subtotal 4	\$0
--------------------	----	------------------	-------------------	-----

Notes: The Respondent does not meet the culpability criteria.

Good Faith Effort to Comply Total Adjustments	Subtotal 5	\$0
--	-------------------	-----

Economic Benefit	0.0% Enhancement*	Subtotal 6	\$0
Total EB Amounts	\$690	*Capped at the Total EB \$ Amount	
Estimated Cost of Compliance	\$837		

SUM OF SUBTOTALS 1-7	Final Subtotal	\$490
-----------------------------	-----------------------	-------

OTHER FACTORS AS JUSTICE MAY REQUIRE	0.0%	Adjustment	\$0
---	------	-------------------	-----

Reduces or enhances the Final Subtotal by the indicated percentage.

Notes:

Final Penalty Amount	\$490
-----------------------------	-------

STATUTORY LIMIT ADJUSTMENT	Final Assessed Penalty	\$490
-----------------------------------	-------------------------------	-------

DEFERRAL	0.0% Reduction	Adjustment	\$0
-----------------	----------------	-------------------	-----

Reduces the Final Assessed Penalty by the indicated percentage. (Enter number only; e.g. 20 for 20% reduction.)

Notes:

No deferral is recommended for Findings Orders.

PAYABLE PENALTY	\$490
------------------------	-------

Screening Date 4-Mar-2015

Docket No. 2015-0357-PWS-E

PCW

Respondent SHADY GROVE NO. 2 WATER SUPPLY CORPORATION

Policy Revision 4 (April 2014)

Case ID No. 50191

PCW Revision March 26, 2014

Reg. Ent. Reference No. RN101457760

Media [Statute] Public Water Supply

Enf. Coordinator Ryan Byer

Compliance History Worksheet

>> **Compliance History Site Enhancement (Subtotal 2)**

Component	Number of...	Enter Number Here	Adjust.
NOVs	Written notices of violation ("NOVs") with same or similar violations as those in the current enforcement action (<i>number of NOVs meeting criteria</i>)	8	40%
	Other written NOVs	0	0%
Orders	Any agreed final enforcement orders containing a denial of liability (<i>number of orders meeting criteria</i>)	0	0%
	Any adjudicated final enforcement orders, agreed final enforcement orders without a denial of liability, or default orders of this state or the federal government, or any final prohibitory emergency orders issued by the commission	0	0%
Judgments and Consent Decrees	Any non-adjudicated final court judgments or consent decrees containing a denial of liability of this state or the federal government (<i>number of judgments or consent decrees meeting criteria</i>)	0	0%
	Any adjudicated final court judgments and default judgments, or non-adjudicated final court judgments or consent decrees without a denial of liability, of this state or the federal government	0	0%
Convictions	Any criminal convictions of this state or the federal government (<i>number of counts</i>)	0	0%
Emissions	Chronic excessive emissions events (<i>number of events</i>)	0	0%
Audits	Letters notifying the executive director of an intended audit conducted under the Texas Environmental, Health, and Safety Audit Privilege Act, 74th Legislature, 1995 (<i>number of audits for which notices were submitted</i>)	0	0%
	Disclosures of violations under the Texas Environmental, Health, and Safety Audit Privilege Act, 74th Legislature, 1995 (<i>number of audits for which violations were disclosed</i>)	0	0%

Please Enter Yes or No

Other	Environmental management systems in place for one year or more	No	0%
	Voluntary on-site compliance assessments conducted by the executive director under a special assistance program	No	0%
	Participation in a voluntary pollution reduction program	No	0%
	Early compliance with, or offer of a product that meets future state or federal government environmental requirements	No	0%

Adjustment Percentage (Subtotal 2) 40%

>> **Repeat Violator (Subtotal 3)**

N/A

Adjustment Percentage (Subtotal 3) 0%

>> **Compliance History Person Classification (Subtotal 7)**

N/A

Adjustment Percentage (Subtotal 7) 0%

>> **Compliance History Summary**

Compliance History Notes

Enhancement for eight NOVs with the same/similar violations.

Total Compliance History Adjustment Percentage (Subtotals 2, 3, & 7) 40%

>> **Final Compliance History Adjustment**

Final Adjustment Percentage *capped at 100% 40%

Screening Date 4-Mar-2015

Docket No. 2015-0357-PWS-E

PCW

Respondent SHADY GROVE NO. 2 WATER SUPPLY CORPORATION

Policy Revision 4 (April 2014)

Case ID No. 50191

PCW Revision March 26, 2014

Reg. Ent. Reference No. RN101457760

Media [Statute] Public Water Supply

Enf. Coordinator Ryan Byer

Violation Number 1

Rule Cite(s)

30 Tex. Admin. Code §§ 290.110(e)(4)(A) and (f)(3) and 290.122(c)(2)(A) and (f)

Violation Description

Failed to submit a Disinfectant Level Quarterly Operating Report ("DLQOR") to the Executive Director each quarter by the tenth day of the month following the end of the quarter for the fourth quarter of 2013 through the third quarter of 2014 and failed to provide public notification and submit a copy of the public notification to the Executive Director regarding the failure to submit DLQORs for the fourth quarter of 2013 through the second quarter of 2014.

Base Penalty \$1,000

>> Environmental, Property and Human Health Matrix

OR

Release	Harm		
	Major	Moderate	Minor
Actual			
Potential			

Percent 0.0%

>> Programmatic Matrix

Falsification	Major	Moderate	Minor
	x		

Percent 5.0%

Matrix Notes

100% of the rule requirements were not met.

Adjustment \$950

\$50

Violation Events

Number of Violation Events 4

365 Number of violation days

daily	
weekly	
monthly	
quarterly	
semiannual	
annual	
single event	x

mark only one with an x

Violation Base Penalty \$200

Four single events are recommended.

Good Faith Efforts to Comply

0.0%

Reduction \$0

Before NOE/NOV NOE/NOV to EDRP/Settlement Offer

Extraordinary		
Ordinary		
N/A	x	(mark with x)

Notes

The Respondent does not meet the good faith criteria for this violation.

Violation Subtotal \$200

Economic Benefit (EB) for this violation

Statutory Limit Test

Estimated EB Amount \$184

Violation Final Penalty Total \$280

This violation Final Assessed Penalty (adjusted for limits) \$280

Economic Benefit Worksheet

Respondent SHADY GROVE NO. 2 WATER SUPPLY CORPORATION
Case ID No. 50191
Reg. Ent. Reference No. RN101457760
Media Public Water Supply
Violation No. 1

Percent Interest	Years of Depreciation
5.0	15

Item Description	Item Cost	Date Required	Final Date	Yrs	Interest Saved	Onetime Costs	EB Amount
------------------	-----------	---------------	------------	-----	----------------	---------------	-----------

No commas or \$

Delayed Costs

Equipment				0.00	\$0	\$0	\$0
Buildings				0.00	\$0	\$0	\$0
Other (as needed)				0.00	\$0	\$0	\$0
Engineering/Construction				0.00	\$0	\$0	\$0
Land				0.00	\$0	n/a	\$0
Record Keeping System	\$45	2-Feb-2015	15-Oct-2015	0.70	\$2	n/a	\$2
Training/Sampling	\$200	2-Feb-2015	15-Oct-2015	0.70	\$7	n/a	\$7
Remediation/Disposal				0.00	\$0	n/a	\$0
Permit Costs				0.00	\$0	n/a	\$0
Other (as needed)	\$75	10-Apr-2014	15-Oct-2015	1.52	\$6	n/a	\$6

Notes for DELAYED costs

The record keeping system and training/sampling delayed costs include the estimated amount to update the Facility's operational guidance, process procedures, and conduct employee training to ensure that the self-reporting requirements are properly accomplished, including the timely submittal of signed and certified DLQORs, calculated from the record review date to the estimated date of compliance. An additional training/sampling delayed cost (\$100 of the \$200 total) is included to ensure that all public notifications are provided in a timely manner.

The other delay cost includes the estimated amount to ensure that all delinquent public notifications (\$25 per notification x 3 notifications) are provided to persons served by the Facility and a copy of the public notification is provided to the Executive Director, calculated from the due date of the earliest public notification to the estimated date of compliance.

Avoided Costs

ANNUALIZE [1] avoided costs before entering item (except for one-time avoided costs)

Disposal				0.00	\$0	\$0	\$0
Personnel				0.00	\$0	\$0	\$0
Inspection/Reporting/Sampling				0.00	\$0	\$0	\$0
Supplies/Equipment				0.00	\$0	\$0	\$0
Financial Assurance [2]				0.00	\$0	\$0	\$0
ONE-TIME avoided costs [3]	\$88	10-Jan-2014	10-Oct-2014	1.67	\$7	\$88	\$95
Other (as needed)				0.00	\$0	\$0	\$0

Notes for AVOIDED costs

The one-time avoided costs include the estimated amount to prepare and submit DLQORs (\$22 per report x four missed reports), calculated from the date the report was due for the fourth quarter of 2013 to the date the report was due for the third quarter of 2014.

Approx. Cost of Compliance \$408

TOTAL \$184

Screening Date 4-Mar-2015

Docket No. 2015-0357-PWS-E

PCW

Respondent SHADY GROVE NO. 2 WATER SUPPLY CORPORATION

Policy Revision 4 (April 2014)

Case ID No. 50191

PCW Revision March 26, 2014

Reg. Ent. Reference No. RN101457760

Media [Statute] Public Water Supply

Enf. Coordinator Ryan Byer

Violation Number 2

Rule Cite(s) 30 Tex. Admin. Code §§ 290.271(b) and 290.274(a) and (c)

Violation Description

Failed to mail or directly deliver one copy of the Consumer Confidence Report ("CCR") to each bill paying customer by July 1 of each year and failed to submit to the TCEQ by July 1 of each year a copy of the annual CCR and certification that the CCR has been distributed to the customers of the Facility and that the information in the CCR is correct and consistent with compliance monitoring data for the years 2011, 2012, and 2013.

Base Penalty \$1,000

>> Environmental, Property and Human Health Matrix

OR

Release	Harm		
	Major	Moderate	Minor
Actual			
Potential			

Percent 0.0%

>> Programmatic Matrix

Falsification	Harm		
	Major	Moderate	Minor
	x		

Percent 5.0%

Matrix Notes

100% of the rule requirements were not met.

Adjustment \$950

\$50

Violation Events

Number of Violation Events 3

1095 Number of violation days

mark only one with an x	daily	
	weekly	
	monthly	
	quarterly	
	semiannual	
	annual	
	single event	x

Violation Base Penalty \$150

Three single events are recommended.

Good Faith Efforts to Comply

0.0%

Reduction \$0

	Before NOE/NOV	NOE/NOV to EDRP/ Settlement Offer
Extraordinary		
Ordinary		
N/A	x	(mark with x)

Notes The Respondent does not meet the good faith criteria for this violation.

Violation Subtotal \$150

Economic Benefit (EB) for this violation

Statutory Limit Test

Estimated EB Amount \$506

Violation Final Penalty Total \$210

This violation Final Assessed Penalty (adjusted for limits) \$210

Economic Benefit Worksheet

Respondent SHADY GROVE NO. 2 WATER SUPPLY CORPORATION
Case ID No. 50191
Reg. Ent. Reference No. RN101457760
Media Public Water Supply
Violation No. 2

Percent Interest	Years of Depreciation
5.0	15

Item Description	Item Cost	Date Required	Final Date	Yrs	Interest Saved	Onetime Costs	EB Amount
------------------	-----------	---------------	------------	-----	----------------	---------------	-----------

No commas or \$

Delayed Costs

Equipment				0.00	\$0	\$0	\$0
Buildings				0.00	\$0	\$0	\$0
Other (as needed)				0.00	\$0	\$0	\$0
Engineering/Construction				0.00	\$0	\$0	\$0
Land				0.00	\$0	n/a	\$0
Record Keeping System				0.00	\$0	n/a	\$0
Training/Sampling				0.00	\$0	n/a	\$0
Remediation/Disposal				0.00	\$0	n/a	\$0
Permit Costs				0.00	\$0	n/a	\$0
Other (as needed)				0.00	\$0	n/a	\$0

Notes for DELAYED costs

Avoided Costs

ANNUALIZE [1] avoided costs before entering item (except for one-time avoided costs)

Disposal				0.00	\$0	\$0	\$0
Personnel				0.00	\$0	\$0	\$0
Inspection/Reporting/Sampling				0.00	\$0	\$0	\$0
Supplies/Equipment				0.00	\$0	\$0	\$0
Financial Assurance [2]				0.00	\$0	\$0	\$0
ONE-TIME avoided costs [3]	\$429	1-Jul-2012	4-Mar-2015	3.59	\$77	\$429	\$506
Other (as needed)				0.00	\$0	\$0	\$0

Notes for AVOIDED costs

The avoided cost includes the estimated amount to prepare and mail or directly deliver the 2011, 2012, and 2013 CCRs to the customers of the Facility and to TCEQ ((\$0.50 x 186 connections) + \$50 for three years), calculated from the due date of the 2011 CCR to the screening date.

Approx. Cost of Compliance

\$429

TOTAL

\$506



Compliance History Report

PUBLISHED Compliance History Report for CN600673032, RN101457760, Rating Year 2014 which includes Compliance History (CH) components from September 1, 2009, through August 31, 2014.

Customer, Respondent, or Owner/Operator:	CN600673032, SHADY GROVE NO. 2 WATER SUPPLY CORPORATION	Classification: NOT APPLICABLE	Rating: N/A
Regulated Entity:	RN101457760, SHADY GROVE NO 2 WSC	Classification: NOT APPLICABLE	Rating: N/A
Complexity Points:	N/A	Repeat Violator:	N/A
CH Group:	14 - Other		
Location:	1701 ARBALA ROAD IN SULPHUR SPRINGS, HOPKINS COUNTY, TEXAS		
TCEQ Region:	REGION 05 - TYLER		
ID Number(s):	PUBLIC WATER SYSTEM/SUPPLY REGISTRATION 1120020		

Compliance History Period:	September 01, 2009 to August 31, 2014	Rating Year:	2014	Rating Date:	09/01/2014
Date Compliance History Report Prepared:	March 04, 2015				
Agency Decision Requiring Compliance History:	Enforcement				
Component Period Selected:	March 04, 2010 to March 04, 2015				
TCEQ Staff Member to Contact for Additional Information Regarding This Compliance History.					
Name:	Ryan Byer		Phone:	(512) 239-2571	

Site and Owner/Operator History:

- 1) Has the site been in existence and/or operation for the full five year compliance period? YES
- 2) Has there been a (known) change in ownership/operator of the site during the compliance period? NO
- 3) If YES for #2, who is the current owner/operator? N/A
- 4) If YES for #2, who was/were the prior owner(s)/operator(s)? N/A
- 5) If YES, when did the change(s) in owner or operator occur? N/A

Components (Multimedia) for the Site Are Listed in Sections A - J

A. Final Orders, court judgments, and consent decrees:

N/A

B. Criminal convictions:

N/A

C. Chronic excessive emissions events:

N/A

D. The approval dates of investigations (CCEDS Inv. Track. No.):

N/A

E. Written notices of violations (NOV) (CCEDS Inv. Track. No.):

A notice of violation represents a written allegation of a violation of a specific regulatory requirement from the commission to a regulated entity. A notice of violation is not a final enforcement action, nor proof that a violation has actually occurred.

1	Date:	05/20/2014 (1227777)	CN600673032
	Self Report?	NO	Classification: Moderate
	Citation:	30 TAC Chapter 290, SubChapter F 290.110(e)(4)(A)	

- Description: 30 TAC Chapter 290, SubChapter F 290.110(e)(5)
30 TAC Chapter 290, SubChapter F 290.110(f)(2)
30 TAC Chapter 290, SubChapter F 290.110(f)(3)
DLQOR MR 4Q2013 - The system failed to monitor and/or report distribution disinfectant residuals to the TCEQ for the 4th quarter of 2013 within the required timeline.
- 2 Date: 07/02/2014 (1227777) CN600673032
Self Report? NO Classification: Moderate
Citation: 30 TAC Chapter 290, SubChapter F 290.110(e)(4)(A)
30 TAC Chapter 290, SubChapter F 290.110(e)(5)
30 TAC Chapter 290, SubChapter F 290.110(f)(2)
30 TAC Chapter 290, SubChapter F 290.110(f)(3)
Description: DLQOR MR 1Q2014 - The system failed to monitor and/or report distribution disinfectant residuals to the TCEQ for the 1st quarter of 2014 within the required timeline.
- 3 Date: 09/12/2014 (1227777) CN600673032
Self Report? NO Classification: Moderate
Citation: 30 TAC Chapter 290, SubChapter F 290.122(c)(2)(A)
30 TAC Chapter 290, SubChapter F 290.122(f)
Description: DLQOR MR PN 4Q2013 Posting and Reporting Violation - Failure to submit a signed certificate of delivery to the Executive Director certifying that public notice was issued pursuant to 30 Tex. Admin. Code §290.122 during the time period that public notice was required for a disinfectant monitoring and reporting violation during the 4th quarter of 2013.
- 4 Date: 10/13/2014 (1227777) CN600673032
Self Report? NO Classification: Moderate
Citation: 30 TAC Chapter 290, SubChapter F 290.122(c)(2)(A)
30 TAC Chapter 290, SubChapter F 290.122(f)
Description: DLQOR MR PN 1Q2014 Posting and Reporting Violation - Failure to submit a signed certificate of delivery to the Executive Director certifying that public notice was issued pursuant to 30 Tex. Admin. Code §290.122 during the time period that public notice was required for a disinfectant monitoring and reporting violation during the 1st quarter of 2014.
- 5 Date: 10/16/2014 (1227777) CN600673032
Self Report? NO Classification: Moderate
Citation: 30 TAC Chapter 290, SubChapter H 290.271(b)
30 TAC Chapter 290, SubChapter H 290.274(a)
30 TAC Chapter 290, SubChapter H 290.274(c)
Description: CCR 2013 - The system failed to provide the Consumer Confidence Report (CCR) for 2013 to its bill-paying customers and/or the TCEQ by July 1st of the following year.
- 6 Date: 10/23/2014 (1227777) CN600673032
Self Report? NO Classification: Moderate
Citation: 30 TAC Chapter 290, SubChapter F 290.110(e)(4)(A)
30 TAC Chapter 290, SubChapter F 290.110(e)(5)
30 TAC Chapter 290, SubChapter F 290.110(f)(2)
30 TAC Chapter 290, SubChapter F 290.110(f)(3)
Description: DLQOR MR 2Q2014 - The system failed to monitor and/or report distribution disinfectant residuals to the TCEQ for the 2nd quarter of 2014 within the required timeline.
- 7 Date: 01/14/2015 (1227777) CN600673032
Self Report? NO Classification: Moderate
Citation: 30 TAC Chapter 290, SubChapter F 290.110(e)(4)(A)
30 TAC Chapter 290, SubChapter F 290.110(e)(5)
30 TAC Chapter 290, SubChapter F 290.110(f)(2)
30 TAC Chapter 290, SubChapter F 290.110(f)(3)
Description: DLQOR MR 3Q2014 - The system failed to monitor and/or report distribution disinfectant residuals to the TCEQ for the 3rd quarter of 2014 within the required timeline.
- 8 Date: 02/05/2015 (1227777) CN600673032
Self Report? NO Classification: Moderate
Citation: 30 TAC Chapter 290, SubChapter F 290.122(c)(2)(A)
30 TAC Chapter 290, SubChapter F 290.122(f)

Description: DLQOR MR PN 2Q2014 Posting and Reporting Violation - Failure to submit a signed certificate of delivery to the Executive Director certifying that public notice was issued pursuant to 30 Tex. Admin. Code §290.122 during the time period that public notice was required for a disinfectant monitoring and reporting violation during the 2nd quarter of 2014.

F. Environmental audits:

N/A

G. Type of environmental management systems (EMSs):

N/A

H. Voluntary on-site compliance assessment dates:

N/A

I. Participation in a voluntary pollution reduction program:

N/A

J. Early compliance:

N/A

Sites Outside of Texas:

N/A

Component Appendices

Appendix A

All NOVs Issued During Component Period 3/4/2010 and 3/4/2015

- 1 Date: 05/28/2012 (1002648) CN600673032
Self Report? NO Classification: Minor
Citation: 30 TAC Chapter 290, SubChapter D 290.46(m)
Description: Failure to maintain the transfer pump.
- 2 Date: 06/14/2013 (1227777) CN600673032
Self Report? NO Classification: Moderate
Citation: 30 TAC Chapter 290, SubChapter H 290.271(b)
30 TAC Chapter 290, SubChapter H 290.274(a)
30 TAC Chapter 290, SubChapter H 290.274(c)
Description: CCR 2011 - The system failed to provide the Consumer Confidence Report (CCR) for 2011 to its bill-paying customers and/or the TCEQ by July 1st of the following year.
- 3* Date: 11/14/2013 (1227777) CN600673032
Self Report? NO Classification: Moderate
Citation: 30 TAC Chapter 290, SubChapter H 290.271(b)
30 TAC Chapter 290, SubChapter H 290.274(a)
30 TAC Chapter 290, SubChapter H 290.274(c)
Description: CCR 2012 - The system failed to provide the Consumer Confidence Report (CCR) for 2012 to its bill-paying customers and/or the TCEQ by July 1st of the following year.
- 4* Date: 05/20/2014 (1227777) CN600673032
Self Report? NO Classification: Moderate
Citation: 30 TAC Chapter 290, SubChapter F 290.110(e)(4)(A)
30 TAC Chapter 290, SubChapter F 290.110(e)(5)
30 TAC Chapter 290, SubChapter F 290.110(f)(2)
30 TAC Chapter 290, SubChapter F 290.110(f)(3)
Description: DLQOR MR 4Q2013 - The system failed to monitor and/or report distribution disinfectant residuals to the TCEQ for the 4th quarter of 2013 within the required timeline.
- 5* Date: 07/02/2014 (1227777) CN600673032
Self Report? NO Classification: Moderate
Citation: 30 TAC Chapter 290, SubChapter F 290.110(e)(4)(A)
30 TAC Chapter 290, SubChapter F 290.110(e)(5)
30 TAC Chapter 290, SubChapter F 290.110(f)(2)
30 TAC Chapter 290, SubChapter F 290.110(f)(3)
Description: DLQOR MR 1Q2014 - The system failed to monitor and/or report distribution disinfectant residuals to the TCEQ for the 1st quarter of 2014 within the required timeline.
- 6 Date: 09/12/2014 (1227777) CN600673032
Self Report? NO Classification: Moderate
Citation: 30 TAC Chapter 290, SubChapter F 290.122(c)(2)(A)
30 TAC Chapter 290, SubChapter F 290.122(f)
Description: DLQOR MR PN 4Q2013 Posting and Reporting Violation - Failure to submit a signed certificate of delivery to the Executive Director certifying that public notice was issued pursuant to 30 Tex. Admin. Code §290.122 during the time period that public notice was required for a disinfectant monitoring and reporting violation during the 4th quarter of 2013.
- 7 Date: 10/13/2014 (1227777) CN600673032
Self Report? NO Classification: Moderate
Citation: 30 TAC Chapter 290, SubChapter F 290.122(c)(2)(A)
30 TAC Chapter 290, SubChapter F 290.122(f)
Description: DLQOR MR PN 1Q2014 Posting and Reporting Violation - Failure to submit a signed certificate of delivery to the Executive Director certifying that public notice was issued pursuant to 30 Tex. Admin. Code §290.122 during the time period that public notice was required for a disinfectant monitoring and reporting violation during the 1st quarter of 2014.
- 8 Date: 10/16/2014 (1227777) CN600673032

Self Report? NO Classification: Moderate
Citation: 30 TAC Chapter 290, SubChapter H 290.271(b)
30 TAC Chapter 290, SubChapter H 290.274(a)
30 TAC Chapter 290, SubChapter H 290.274(c)
Description: CCR 2013 - The system failed to provide the Consumer Confidence Report (CCR) for 2013 to its bill-paying customers and/or the TCEQ by July 1st of the following year.

9 Date: 10/23/2014 (1227777) CN600673032
Self Report? NO Classification: Moderate
Citation: 30 TAC Chapter 290, SubChapter F 290.110(e)(4)(A)
30 TAC Chapter 290, SubChapter F 290.110(e)(5)
30 TAC Chapter 290, SubChapter F 290.110(f)(2)
30 TAC Chapter 290, SubChapter F 290.110(f)(3)
Description: DLQOR MR 2Q2014 - The system failed to monitor and/or report distribution disinfectant residuals to the TCEQ for the 2nd quarter of 2014 within the required timeline.

10 Date: 01/14/2015 (1227777) CN600673032
Self Report? NO Classification: Moderate
Citation: 30 TAC Chapter 290, SubChapter F 290.110(e)(4)(A)
30 TAC Chapter 290, SubChapter F 290.110(e)(5)
30 TAC Chapter 290, SubChapter F 290.110(f)(2)
30 TAC Chapter 290, SubChapter F 290.110(f)(3)
Description: DLQOR MR 3Q2014 - The system failed to monitor and/or report distribution disinfectant residuals to the TCEQ for the 3rd quarter of 2014 within the required timeline.

11 Date: 02/05/2015 (1227777) CN600673032
Self Report? NO Classification: Moderate
Citation: 30 TAC Chapter 290, SubChapter F 290.122(c)(2)(A)
30 TAC Chapter 290, SubChapter F 290.122(f)
Description: DLQOR MR PN 2Q2014 Posting and Reporting Violation - Failure to submit a signed certificate of delivery to the Executive Director certifying that public notice was issued pursuant to 30 Tex. Admin. Code §290.122 during the time period that public notice was required for a disinfectant monitoring and reporting violation during the 2nd quarter of 2014.

* NOVs applicable for the Compliance History rating period 9/1/2009 to 8/31/2014

Appendix B

All Investigations Conducted During Component Period March 04, 2010 and March 04, 2015

Item 1	April 08, 2010**	(797683)
Item 2	May 22, 2012**	(1002648)
Item 3	September 06, 2012**	(1029407)
Item 4	February 17, 2015	(1227777)
Item 5	February 27, 2015	(1228455)

* No violations documented during this investigation

**Investigation applicable for the Compliance History Rating period between 09/01/2009 and 08/31/2014.

TEXAS COMMISSION ON ENVIRONMENTAL QUALITY



**IN THE MATTER OF AN
ENFORCEMENT ACTION
CONCERNING
SHADY GROVE NO. 2 WATER
SUPPLY CORPORATION
RN101457760**

§
§
§
§
§
§

**BEFORE THE

TEXAS COMMISSION ON

ENVIRONMENTAL QUALITY**

**AGREED ORDER
DOCKET NO. 2015-0357-PWS-E**

At its _____ agenda, the Texas Commission on Environmental Quality ("the Commission" or "TCEQ") considered this agreement of the parties, resolving an enforcement action regarding SHADY GROVE NO. 2 WATER SUPPLY CORPORATION ("Respondent") under the authority of TEX. HEALTH & SAFETY CODE ch. 341. The Executive Director of the TCEQ, through the Enforcement Division, and the Respondent presented this agreement to the Commission.

The Respondent understands that it has certain procedural rights at certain points in the enforcement process, including, but not limited to, the right to formal notice of violations, notice of an evidentiary hearing, the right to an evidentiary hearing, and a right to appeal. By entering into this Agreed Order, the Respondent agrees to waive all notice and procedural rights.

It is further understood and agreed that this Order represents the complete and fully-integrated settlement of the parties. The provisions of this Agreed Order are deemed severable and, if a court of competent jurisdiction or other appropriate authority deems any provision of this Agreed Order unenforceable, the remaining provisions shall be valid and enforceable. The duties and responsibilities imposed by this Agreed Order are binding upon the Respondent.

The Commission makes the following Findings of Fact and Conclusions of Law:

I. FINDINGS OF FACT

1. The Respondent owns and operates a public water supply located at 1701 Arbala Road in Sulphur Springs, Hopkins County, Texas (the "Facility") that has approximately 186 service connections and serves at least 25 people per day for at least 60 days per year.
2. During a record review conducted from February 2, 2015 through February 27, 2015, TCEQ staff documented that the Respondent did not submit a Disinfectant Level Quarterly Operating Report ("DLQOR") for the fourth quarter of 2013 through the third quarter of 2014 and did not provide public notification and submit a copy of the public notification to the Executive Director regarding the failure to submit DLQORs for the fourth quarter of 2013 through the second quarter of 2014.
3. During a record review conducted from February 2, 2015 through February 27, 2015, TCEQ staff documented that the Respondent did not to mail or directly deliver one copy of the Consumer Confidence Report ("CCR") to each bill paying customer by July 1 of each year and failed to submit to the TCEQ by July 1 of each year a copy of the annual CCR and certification that the CCR has been distributed to the customers of the Facility and that the information in the CCR is correct and consistent with compliance monitoring data for the years 2011, 2012, and 2013.
4. The Respondent received notice of the violations on March 2, 2015.

II. CONCLUSIONS OF LAW

1. The Respondent is subject to the jurisdiction of the TCEQ pursuant to TEX. HEALTH & SAFETY CODE ch. 341 and the rules of the Commission.
2. As evidenced by Findings of Fact No. 2, the Respondent failed to submit a DLQOR to the Executive Director each quarter by the tenth day of the month following the end of the quarter and failed to provide public notification and submit a copy of the public notification to the Executive Director, in violation of 30 TEX. ADMIN. CODE §§ 290.110(e)(4)(A) and (f)(3) and 290.122(c)(2)(A) and (f).
3. As evidenced by Findings of Fact No. 3, the Respondent failed to mail or directly deliver one copy of the CCR to each bill paying customer by July 1 of each year and failed to submit to the TCEQ by July 1 of each year a copy of the annual CCR and certification that the CCR has been distributed to the customers of the Facility and that the information in the CCR is correct and consistent with compliance monitoring data, in violation of 30 TEX. ADMIN. CODE §§ 290.271(b) and 290.274(a) and (c).
4. Pursuant to TEX. HEALTH & SAFETY CODE § 341.049, the Commission has the authority to assess an administrative penalty against the Respondent for violations of the Texas Water Code and the Texas Health and Safety Code within the Commission's jurisdiction;

for violations of rules adopted under such statutes; or for violations of orders or permits issued under such statutes.

5. An administrative penalty in the amount of Four Hundred Ninety Dollars (\$490) is justified by the facts recited in this Agreed Order, and considered in light of the factors set forth in TEX. HEALTH & SAFETY CODE § 341.049(b). The Respondent has paid the Four Hundred Ninety Dollar (\$490) administrative penalty.

III. ORDERING PROVISIONS

NOW, THEREFORE, THE TEXAS COMMISSION ON ENVIRONMENTAL QUALITY ORDERS that:

1. The Respondent is assessed an administrative penalty in the amount of Four Hundred Ninety Dollars (\$490) as set forth in Section II, Paragraph 5 above, for violations of TCEQ rules and state statutes. The payment of this administrative penalty and the Respondent's compliance with all the terms and conditions set forth in this Agreed Order completely resolve the violations set forth by this Agreed Order in this action. However, the Commission shall not be constrained in any manner from requiring corrective actions or penalties for other violations that are not raised here. Administrative penalty payments shall be made payable to "TCEQ" and shall be sent with the notation "Re: SHADY GROVE NO. 2 WATER SUPPLY CORPORATION, Docket No. 2015-0357-PWS-E" to:

Financial Administration Division, Revenue Operations Section
Attention: Cashier's Office, MC 214
Texas Commission on Environmental Quality
P.O. Box 13088
Austin, Texas 78711-3088

2. The Respondent shall undertake the following technical requirements:
 - a. Within 30 days after the effective date of this Agreed Order:
 - i. Update the Facility's operational guidance and conduct employee training to ensure that self-reporting requirements are properly accomplished, including the timely submission of signed and certified DLQORs, in accordance with 30 TEX. ADMIN. CODE § 290.110;
 - ii. Implement procedures to ensure that all necessary public notifications are provided in a timely manner to persons served by the Facility and a copy of the public notification is submitted to the Executive Director, in accordance with 30 TEX. ADMIN. CODE § 290.122;

SHADY GROVE NO. 2 WATER SUPPLY CORPORATION

DOCKET NO. 2015-0357-PWS-E

Page 4

- iii. Provide public notification regarding the failure to submit DLQORs for the fourth quarter of 2013 through the second quarter of 2014, and provide a copy of each public notification to the Executive Director, in accordance with 30 TEX. ADMIN. CODE § 290.122; and
 - iv. Mail or directly deliver one copy of the CCR prepared using the compliance monitoring data for the year 2014 or the most current year to each customer of the Facility, in accordance with 30 TEX. ADMIN. CODE § 290.274.
- b. Within 45 days after the effective date of this Agreed Order:
- i. Submit written certification as described in Ordering Provision No. 2.e. below, and include detailed supporting documentation including photographs, receipts, and/or other records to demonstrate compliance with Ordering Provision Nos. 2.a.i. through 2.a.iv.; and
 - ii. Submit to the TCEQ a copy of the CCR provided to customers of the Facility and the certification that the CCR has been distributed to the customers of the Facility and that the information in the CCR is correct and consistent with the compliance monitoring data, in accordance with 30 TEX. ADMIN. CODE § 290.274. The copy of the CCR and certification shall be mailed to:

Public Drinking Water Section
Water Supply Division, MC 155
Texas Commission on Environmental Quality
P.O. Box 13087
Austin, Texas 78711-3087

- c. Within 60 days after the effective date of this Agreed Order, submit written certification as described in Ordering Provision No. 2.e. below, and include detailed supporting documentation including photographs, receipts, and/or other records to demonstrate compliance with Ordering Provision No. 2.b.ii.;
- d. Within 90 days after the effective date of this Agreed Order, begin submitting DLQORs to the Executive Director each quarter by the tenth day of the month following the end of the quarter, in accordance with 30 TEX. ADMIN. CODE § 290.110. This provision will be satisfied upon two consecutive quarters of compliant reporting. DLQORs shall be submitted to:

DLQOR Coordinator
Water Supply Division, MC 155
Texas Commission on Environmental Quality
P.O. Box 13087
Austin, Texas 78711-3087

SHADY GROVE NO. 2 WATER SUPPLY CORPORATION

DOCKET NO. 2015-0357-PWS-E

Page 5

- e. Within 285 days after the effective date of this Agreed Order, submit written certification as described below, and include detailed supporting documentation including photographs, receipts, and/or other records to demonstrate compliance with Ordering Provision No. 2.d. The certification shall be notarized by a State of Texas Notary Public and include the following certification language:

"I certify under penalty of law that I have personally examined and am familiar with the information submitted and all attached documents, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the submitted information is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fines and imprisonment for knowing violations."

The certification shall be submitted to:

Order Compliance Team
Enforcement Division, MC 149A
Texas Commission on Environmental Quality
P.O. Box 13087
Austin, Texas 78711-3087

with a copy to:

Public Drinking Water Section Manager
Water Supply Division, MC 155
Texas Commission on Environmental Quality
P.O. Box 13087
Austin, Texas 78711-3087

3. The provisions of this Agreed Order shall apply to and be binding upon the Respondent. The Respondent is ordered to give notice of the Agreed Order to personnel who maintain day-to-day control over the Facility operations referenced in this Agreed Order.
4. The Executive Director may grant an extension of any deadline in this Agreed Order or in any plan, report, or other document submitted pursuant to this Agreed Order, upon a written and substantiated showing of good cause. All requests for extensions by the Respondent shall be made in writing to the Executive Director. Extensions are not effective until the Respondent receives written approval from the Executive Director. The determination of what constitutes good cause rests solely with the Executive Director.
5. The Executive Director may refer this matter to the Office of the Attorney General of the State of Texas ("OAG") for further enforcement proceedings without notice to the

Respondent if the Executive Director determines that the Respondent has not complied with one or more of the terms or conditions in this Agreed Order.

6. This Agreed Order shall terminate five years from its effective date or upon compliance with all the terms and conditions set forth in this Agreed Order, whichever is later.
7. This Agreed Order, issued by the Commission, shall not be admissible against the Respondent in a civil proceeding, unless the proceeding is brought by the OAG to: (1) enforce the terms of this Agreed Order; or (2) pursue violations of a statute within the Commission's jurisdiction, or of a rule adopted or an order or permit issued by the Commission under such a statute.
8. This Agreed Order may be executed in separate and multiple counterparts, which together shall constitute a single instrument. Any page of this Agreed Order may be copied, scanned, digitized, converted to electronic portable document format ("pdf"), or otherwise reproduced and may be transmitted by digital or electronic transmission, including but not limited to facsimile transmission and electronic mail. Any signature affixed to this Agreed Order shall constitute an original signature for all purposes and may be used, filed, substituted, or issued for any purpose for which an original signature could be used. The term "signature" shall include manual signatures and true and accurate reproductions of manual signatures created, executed, endorsed, adopted, or authorized by the person or persons to whom the signatures are attributable. Signatures may be copied or reproduced digitally, electronically, by photocopying, engraving, imprinting, lithographing, electronic mail, facsimile transmission, stamping, or any other means or process which the Executive Director deems acceptable. In this paragraph exclusively, the terms "electronic transmission", "owner", "person", "writing", and "written" shall have the meanings assigned to them under TEX. BUS. ORG. CODE § 1.002.
9. The Chief Clerk shall provide a copy of this Agreed Order to each of the parties. By law, the effective date of this Agreed Order is the third day after the mailing date, as provided by 30 TEX. ADMIN. CODE § 70.10(b) and TEX. GOV'T CODE § 2001.142.

SHADY GROVE NO. 2 WATER SUPPLY CORPORATION
 DOCKET NO. 2015-0357-PWS-E
 Page 7

SIGNATURE PAGE

TEXAS COMMISSION ON ENVIRONMENTAL QUALITY

For the Commission


 For the Executive Director

10/7/15
8-6-2015
 Date

I, the undersigned, have read and understand the attached Agreed Order in the matter of SHADY GROVE NO. 2 WATER SUPPLY CORPORATION. I am authorized to agree to the attached Agreed Order on behalf of SHADY GROVE NO. 2 WATER SUPPLY CORPORATION, and do agree to the specified terms and conditions. I further acknowledge that the TCEQ, in accepting payment for the penalty amount, is materially relying on such representation.

I understand that by entering into this Agreed Order, SHADY GROVE NO. 2 WATER SUPPLY CORPORATION waives certain procedural rights, including, but not limited to, the right to formal notice of violations addressed by this Agreed Order, notice of an evidentiary hearing, the right to an evidentiary hearing, and the right to appeal. I agree to the terms of the Agreed Order in lieu of an evidentiary hearing. This Agreed Order constitutes full and final adjudication by the Commission of the violations set forth in this Agreed Order.

I also understand that failure to comply with the Ordering Provisions, if any, in this order and/or failure to timely pay the penalty amount, may result in:

- A negative impact on compliance history;
- Greater scrutiny of any permit applications submitted;
- Referral of this case to the Attorney General's Office for contempt, injunctive relief, additional penalties, and/or attorney fees, or to a collection agency;
- Increased penalties in any future enforcement actions;
- Automatic referral to the Attorney General's Office of any future enforcement actions; and
- TCEQ seeking other relief as authorized by law.

In addition, any falsification of any compliance documents may result in criminal prosecution.


 Signature

8-6-2015

Date

MORGAN ANDERSON

Name (Printed or typed)

Authorized Representative of

SHADY GROVE NO. 2 WATER SUPPLY CORPORATION

PRESIDENT

Title

Instructions: Send the original, signed Agreed Order with penalty payment to the Financial Administration Division, Revenue Operations Section at the address in Section III, Paragraph 1 of this Agreed Order.