



TCEQ PERMIT NO. WQ0002296000

TEXAS COMMISSION ON ENVIRONMENTAL QUALITY
P. O. Box 13087
Austin, Texas 78711-3087

This permit supersedes and replaces
TPDES Permit No. WQ0002296000,
issued on January 28, 2005.

PERMIT TO DISCHARGE WASTES
under provisions of
Chapter 26 of the Texas Water Code

TEXAS
COMMISSION
ON ENVIRONMENTAL
QUALITY

2008 MAY 27 PM 2:57
CHIEF CLERKS OFFICE

United States Department of Energy and BWXT Pantex, L.L.C.

whose mailing address is

c/o National Nuclear Security Administration
P.O. Box 30030
Amarillo, Texas 79120-0030

is authorized to treat and discharge wastes from a facility principally engaged in the assembly of nuclear weapons from components received from other Department of Energy plants; the fabrication of chemical high explosive components for nuclear weapons; surveillance testing and processing of chemical high explosives; disassembly of nuclear weapons; maintenance, modification, repair and nonexplosive testing of nuclear weapons components; and disposal of treated environmental restoration wastewater (SIC 2892 & 3483)

located approximately 17 miles northeast of the City of Amarillo and 10 miles west of the City of Panhandle, west of Farm-to-Market Road 2373, south of Farm-to-Market Road 293 and north of U.S. Highway 60, Carson County, Texas

to a playa lake, located adjacent to the watershed of McClellan Creek which flows into the North Fork Red River in Segment No. 0224 of the Red River Basin

only according to effluent limitations, monitoring requirements and other conditions set forth in this permit, as well as the rules of the Texas Commission on Environmental Quality (TCEQ), the laws of the State of Texas, and other orders of the TCEQ. The issuance of this permit does not grant to the permittee the right to use private or public property for conveyance of wastewater along the discharge route described in this permit. This includes, but is not limited to, property belonging to any individual, partnership, corporation or other entity. Neither does this permit authorize any invasion of personal rights nor any violation of federal, state, or local laws or regulations. It is the responsibility of the permittee to acquire property rights as may be necessary to use the discharge route.

This permit shall expire at midnight on December 1, 2010.

ISSUED DATE:

For the Commission

EFFLUENT LIMITATIONS AND MONITORING REQUIREMENTS

Outfall Number: 001

1. During the period beginning upon date of issuance and lasting through date of expiration, the permittee is authorized to discharge domestic effluent and industrial effluent subject to the following effluent limitations:

The daily average flow of effluent shall not exceed 0.56 million gallons per day (MGD). The total volume discharged during any 24-hour period shall not exceed 0.82 million gallons.

<u>Effluent Characteristic</u>	<u>Discharge Limitations</u>			<u>Minimum Self-Monitoring Requirements</u>	
	Daily Avg mg/l	Daily Max mg/l	Single Grab mg/l	Report Daily Avg. & Daily Max. Measurement Frequency	Sample Type
Flow (MGD)	0.56 MGD	0.82 MGD	N/A	Continuous	Flow Meter
Biochemical Oxygen Demand (5-day)	30	70	100	1/week	Composite
Chemical Oxygen Demand	N/A	150	150	1/month	Composite
Total Suspended Solids	60	90	100	1/week	Composite
Oil and Grease	N/A	15	15	1/week	Grab
Copper (total)	0.50	1.0	2.0	1/quarter	Grab *1
Manganese (total)	1.0	2.0	3.0	1/quarter	Grab *1
Zinc (total)	1.0	2.0	6.0	1/quarter	Grab *1
HMX	0.1	Report	N/A	1/quarter	Grab *1
RDX	0.2	Report	N/A	1/quarter	Grab *1
PETN	0.4	Report	N/A	1/quarter	Grab *1
TNT	0.02	Report	N/A	1/quarter	Grab *1

*1 Composite sample may be used in lieu of grab sample.

2. The domestic sewage effluent shall 1) have a minimum residence time in the treatment system of 21 days before discharge via Outfall 001; or 2) contain a chlorine residual of at least 1.0 mg/l and a maximum chlorine residual of 4.0 mg/l after a detention time of at least 20 minutes (based on peak flow), and shall be monitored 5/week, by grab sample. An equivalent method of disinfection may be substituted only with prior approval of the Executive Director.
3. The pH shall not be less than 6.0 standard units nor greater than 10.0 standard units and shall be monitored 1/day, by grab sample.
4. There shall be no discharge of floating solids or visible foam in other than trace amounts and no discharge of visible oil.
5. Effluent monitoring samples shall be taken at the following location: At Outfall 001, prior to discharges to Playa No. 1, at the outlet weir from the wastewater treatment lagoon.

STANDARD PERMIT CONDITIONS

This permit is granted in accordance with the Texas Water Code and the rules and other Orders of the Commission and the laws of the State of Texas.

DEFINITIONS

All definitions in Section 26.001 of the Texas Water Code and 30 TAC Chapter 305 shall apply to this permit and are incorporated by reference. Some specific definitions of words or phrases used in this permit are as follows:

1. Flow Measurements

- a. Daily average flow - the arithmetic average of all determinations of the daily flow within a period of one calendar month. The daily average flow determination shall consist of determinations made on at least four separate days. If instantaneous measurements are used to determine the daily flow, the determination shall be the arithmetic average of all instantaneous measurements taken during that month. Daily average flow determination for intermittent discharges shall consist of a minimum of three flow determinations on days of discharge.
- b. Annual average flow - the arithmetic average of all daily flow determinations taken within the preceding 12 consecutive calendar months. The annual average flow determination shall consist of daily flow volume determinations made by a totalizing meter, charted on a chart recorder and limited to major domestic wastewater discharge facilities with a 1 million gallons per day or greater permitted flow.
- c. Instantaneous flow - the measured flow during the minimum time required to interpret the flow measuring device.

2. Concentration Measurements

- a. Daily average concentration - the arithmetic average of all effluent samples, composite or grab as required by this permit, within a period of one calendar month, consisting of at least four separate representative measurements.
 - i. For domestic wastewater treatment plants - When four samples are not available in a calendar month, the arithmetic average (weighted by flow) of all values in the previous four consecutive month period consisting of at least four measurements shall be utilized as the daily average concentration.
 - ii. For all other wastewater treatment plants - When four samples are not available in a calendar month, the arithmetic average (weighted by flow) of all values taken during the month shall be utilized as the daily average concentration.
- b. 7-day average concentration - the arithmetic average of all effluent samples, composite or grab as required by this permit, within a period of one calendar week, Sunday through Saturday.
- c. Daily maximum concentration - the maximum concentration measured on a single day, by the sample type specified in the permit, within a period of one calendar month.

3. Sample Type

- a. Composite sample - For domestic wastewater, a composite sample is a sample made up of a minimum of three effluent portions collected in a continuous 24-hour period or during the period of daily discharge if less than 24 hours, and combined in volumes proportional to flow, and collected at the intervals required by 30 TAC § 319.9 (a). For industrial wastewater, a composite sample is a sample made up of a minimum of three effluent portions collected in a continuous 24-hour period or during the period of daily discharge if less than 24 hours, and combined in volumes proportional to flow, and collected at the intervals required by 30 TAC § 319.9 (b).
 - b. Grab sample - an individual sample collected in less than 15 minutes.
4. Treatment Facility (facility) - wastewater facilities used in the conveyance, storage, treatment, recycling, reclamation and/or disposal of domestic sewage, industrial wastes, agricultural wastes, recreational wastes, or other wastes including sludge handling or disposal facilities under the jurisdiction of the Commission.
 5. The term "sewage sludge" is defined as solid, semi-solid, or liquid residue generated during the treatment of domestic sewage in 30 TAC Chapter 312. This includes the solids which have not been classified as hazardous waste separated from wastewater by unit processes.
 6. Bypass - the intentional diversion of a waste stream from any portion of a treatment facility.

MONITORING REQUIREMENTS

1. Monitoring Requirements

Monitoring results shall be provided at the intervals specified in the permit. Unless otherwise specified in this permit or otherwise ordered by the Commission, the permittee shall conduct effluent sampling and reporting in accordance with 30 TAC §§ 319.4 - 319.12. Unless otherwise specified, a monthly effluent report shall be submitted each month, to the Enforcement Division (MC 224), by the 20th day of the following month for each discharge which is described by this permit whether or not a discharge is made for that month. Monitoring results must be reported on an approved self-report form, that is signed and certified as required by Monitoring and Reporting Requirements No. 10.

As provided by state law, the permittee is subject to administrative, civil and criminal penalties, as applicable, for negligently or knowingly violating the Texas Water Code, Chapters 26, 27, and 28, and Texas Health and Safety Code, Chapter 361, including but not limited to knowingly making any false statement, representation, or certification on any report, record or other document submitted or required to be maintained under this permit, including monitoring reports, records or reports of compliance or noncompliance, or falsifying, tampering with or knowingly rendering inaccurate any monitoring device or method required by this permit or violating any other requirement imposed by state or federal regulations.

2. Test Procedures

Unless otherwise specified in this permit, test procedures for the analysis of pollutants shall comply with procedures specified in 30 TAC §§319.11 - 319.12. Measurements, tests and calculations shall be accurately accomplished in a representative manner.

3. Records of Results

- a. Monitoring samples and measurements shall be taken at times and in a manner so as to be representative of the monitored activity.
- b. Except for records of monitoring information required by this permit related to the permittee's sewage sludge use and disposal activities, which shall be retained for a period of at least five years, monitoring and reporting records, including strip charts and records of calibration and maintenance, copies of all records required by this permit, and records of all data used to complete the application for this permit shall be retained at the facility site, or shall be readily available for review by a TCEQ representative for a period of three years from the date of the record or sample, measurement, report, or application. This period shall be extended at the request of the Executive Director.
- c. Records of monitoring activities shall include the following:
 - i. date, time and place of sample or measurement;
 - ii. identity of individual who collected the sample or made the measurement.
 - iii. date and time of analysis;
 - iv. identity of the individual and laboratory who performed the analysis;
 - v. the technique or method of analysis; and
 - vi. the results of the analysis or measurement and quality assurance/quality control records.

The period during which records are required to be kept shall be automatically extended to the date of the final disposition of any administrative or judicial enforcement action that maybe instituted against the permittee.

4. Additional Monitoring by Permittee

If the permittee monitors any pollutant at the location(s) designated herein more frequently than required by this permit using approved analytical methods as specified above, all results of such monitoring shall be included in determining compliance with permit requirements.

5. Calibration of Instruments

All automatic flow measuring or recording devices and all totalizing meters for measuring flows shall be accurately calibrated by a trained person at plant start-up and as often thereafter as necessary to ensure accuracy, but not less often than annually unless authorized by the Executive Director for a longer period. Such person shall verify in writing that the device is operating properly and giving accurate results. Copies of the verification shall be retained at the facility site and/or shall be readily available for review by a TCEQ representative for a period of three years.

6. Compliance Schedule Reports

Reports of compliance or noncompliance with, or any progress reports on, interim and final requirements contained in any compliance schedule of the permit shall be submitted no later than 14 days following each schedule date to the Regional Office and the Enforcement Division (MC 224).

7. Noncompliance Notification

a. In accordance with 30 TAC § 305.125(9), any noncompliance which may endanger human health or safety, or the environment shall be reported by the permittee to the TCEQ. Report of such information shall be provided orally or by facsimile transmission (FAX) to the Regional Office within 24 hours of becoming aware of the noncompliance. A written submission of such information shall also be provided by the permittee to the Regional Office and the Enforcement Division (MC 224) within five working days of becoming aware of the noncompliance. The written submission shall contain a description of the noncompliance and its cause; the potential danger to human health or safety, or the environment; the period of noncompliance, including exact dates and times; if the noncompliance has not been corrected, the time it is expected to continue; and steps taken or planned to reduce, eliminate, and prevent recurrence of the noncompliance, and to mitigate its adverse effects.

b. The following violations shall be reported under Monitoring and Reporting Requirement 7.a.:

- i. Unauthorized discharges as defined in Permit Condition 2(g).
- ii. Any unanticipated bypass which exceeds any effluent limitation in the permit.

c. In addition to the above, any effluent violation which deviates from the permitted effluent limitation by more than 40% shall be reported by the permittee in writing to the Regional Office and the Enforcement Division (MC 224) within 5 working days of becoming aware of the noncompliance.

d. Any noncompliance other than that specified in this section, or any required information not submitted or submitted incorrectly, shall be reported to the Enforcement Division (MC 224) as promptly as possible.

8. In accordance with the procedures described in 30 TAC §§ 35.301 - 35.303 (relating to Water Quality Emergency and Temporary Orders) if the permittee knows in advance of the need for a bypass, it shall submit prior notice by applying for such authorization.

9. Changes in Discharges of Toxic Substances

All existing manufacturing, commercial, mining, and silvicultural permittees shall notify the Regional Office, orally or by facsimile transmission within 24 hours, and both the Regional Office and the Enforcement Division (MC 224) in writing within five (5) working days, after becoming aware of or having reason to believe:

a. That any activity has occurred or will occur which would result in the discharge, on a routine or frequent basis, of any toxic pollutant listed at 40 CFR Part 122, Appendix D, Tables II and III (excluding Total Phenols) which is not limited in the permit, if that discharge will exceed the highest of the following "notification levels":

- i. One hundred micrograms per liter (100 µg/L);
- ii. Two hundred micrograms per liter (200 µg/L) for acrolein and acrylonitrile; five hundred micrograms per liter (500 µg/L) for 2,4-dinitrophenol and for 2-methyl-4,6-dinitrophenol; and one milligram per liter (1 mg/L) for antimony;
- iii. Five (5) times the maximum concentration value reported for that pollutant in the permit application; or
- iv. The level established by the TCEQ.

b. That any activity has occurred or will occur which would result in any discharge, on a nonroutine or infrequent basis, of a toxic pollutant which is not limited in the permit, if that discharge will exceed the highest of the following "notification levels":

- i. Five hundred micrograms per liter (500 µg/L);
- ii. One milligram per liter (1 mg/L) for antimony;
- iii. Ten (10) times the maximum concentration value reported for that pollutant in the permit application; or
- iv. The level established by the TCEQ.

10. Signatories to Reports

All reports and other information requested by the Executive Director shall be signed by the person and in the manner required by 30 TAC § 305.128 (relating to Signatories to Reports).

PERMIT CONDITIONS

1. General

- a. When the permittee becomes aware that it failed to submit any relevant facts in a permit application, or submitted incorrect information in an application or in any report to the Executive Director, it shall promptly submit such facts or information.
- b. This permit is granted on the basis of the information supplied and representations made by the permittee during action on an application, and relying upon the accuracy and completeness of that information and those representations. After notice and opportunity for a hearing, this permit may be modified, suspended, or revoked, in whole or in part, in accordance with 30 TAC Chapter 305, Subchapter D, during its term for good cause including, but not limited to, the following:
 - i. Violation of any terms or conditions of this permit;
 - ii. Obtaining this permit by misrepresentation or failure to disclose fully all relevant facts; or
 - iii. A change in any condition that requires either a temporary or permanent reduction or elimination of the authorized discharge.
- c. The permittee shall furnish to the Executive Director, upon request and within a reasonable time, any information to determine whether cause exists for amending, revoking, suspending or terminating the permit. The permittee shall also furnish to the Executive Director, upon request, copies of records required to be kept by the permit.

2. Compliance

- a. Acceptance of the permit by the person to whom it is issued constitutes acknowledgment and agreement that such person will comply with all the terms and conditions embodied in the permit, and the rules and other orders of the Commission.
- b. The permittee has a duty to comply with all conditions of the permit. Failure to comply with any permit condition constitutes a violation of the permit and the Texas Water Code or the Texas Health and Safety Code, and is grounds for enforcement action, for permit amendment, revocation or suspension, or for denial of a permit renewal application or an application for a permit for another facility.
- c. It shall not be a defense for a permittee in an enforcement action that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the conditions of the permit.
- d. The permittee shall take all reasonable steps to minimize or prevent any discharge or sludge use or disposal or other permit violation which has a reasonable likelihood of adversely affecting human health or the environment.
- e. Authorization from the Commission is required before beginning any change in the permitted facility or activity that may result in noncompliance with any permit requirements.
- f. A permit may be amended, suspended and reissued, or revoked for cause in accordance with 30 TAC §§ 305.62 and 305.66 and Texas Water Code Section 7.302. The filing of a request by the permittee for a permit amendment, suspension and reissuance, or termination, or a notification of planned changes or anticipated noncompliance, does not stay any permit condition.
- g. There shall be no unauthorized discharge of wastewater or any other waste. For the purpose of this permit, an unauthorized discharge is considered to be any discharge of wastewater into or adjacent to water in the state at any location not permitted as an outfall or otherwise defined in the Special Provisions section of this permit.
- h. The permittee is subject to administrative, civil, and criminal penalties, as applicable, under Texas Water Code §§ 7.051 - 7.075 (relating to Administrative Penalties), 7.101 - 7.111 (relating to Civil Penalties), and 7.141 - 7.202 (relating to Criminal Offenses and Penalties).

3. Inspections and Entry

- a. Inspection and entry shall be allowed as prescribed in the Texas Water Code Chapters 26, 27, and 28, and Texas Health and Safety Code Chapter 361.
- b. The members of the Commission and employees and agents of the Commission are entitled to enter any public or private property at any reasonable time for the purpose of inspecting and investigating conditions relating to the quality of water in the state or the compliance with any rule, regulation, permit or other order of the Commission. Members, employees, or agents of the Commission and Commission contractors are entitled to enter public or private property at any reasonable time to investigate or monitor or, if the responsible party is not responsive or there is an immediate danger to public health or the environment, to remove or remediate a condition related to the quality of water in the state. Members, employees, Commission contractors, or agents acting under this authority who enter private property shall observe the establishment's rules and regulations concerning safety, internal security, and fire protection, and if the property has management in residence, shall notify management or the person then in charge of his presence and shall exhibit proper credentials. If any member, employee, Commission contractor, or agent is refused the right to enter in or on public or private property under this authority, the Executive Director may invoke the remedies authorized in Texas Water Code Section 7.002. The statement above, that Commission entry shall occur in accordance with an establishment's rules and regulations concerning safety, internal security, and fire protection, is not grounds for denial or restriction of entry to any part of the facility, but merely describes the Commission's duty to observe appropriate rules and regulations during an inspection.

4. Permit Amendment and/or Renewal

- a. The permittee shall give notice to the Executive Director as soon as possible of any planned physical alterations or additions to the permitted facility if such alterations or additions would require a permit amendment or result in a violation of permit requirements. Notice shall also be required under this paragraph when:
 - i. The alteration or addition could significantly change the nature or increase the quantity of pollutants discharged. This notification applies to pollutants which are subject neither to effluent limitations in the permit, nor to notification requirements in Monitoring and Reporting Requirements No. 9;
 - ii. The alteration or addition results in a significant change in the permittee's sludge use or disposal practices, and such alteration, addition, or change may justify the application of permit conditions that are different from or absent in the existing permit, including notification of additional use or disposal sites not reported during the permit application process or not reported pursuant to an approved land application plan.
- b. Prior to any facility modifications, additions, or expansions that will increase the plant capacity beyond the permitted flow, the permittee must apply for and obtain proper authorization from the Commission before commencing construction.
- c. The permittee must apply for an amendment or renewal prior to expiration of the existing permit in order to continue a permitted activity after the expiration date of the permit. If an application is submitted prior to the expiration date of the permit, the existing permit shall remain in effect until the application is approved, denied, or returned. If the application is returned or denied, authorization to continue such activity shall terminate upon the effective date of the action. If an application is not submitted prior to the expiration date of the permit, the permit shall expire and authorization to continue such activity shall terminate.
- d. Prior to accepting or generating wastes which are not described in the permit application or which would result in a significant change in the quantity or quality of the existing discharge, the permittee must report the proposed changes to the Commission. The permittee must apply for a permit amendment reflecting any necessary changes in permit conditions, including effluent limitations for pollutants not identified and limited by this permit.
- e. In accordance with the Texas Water Code § 26.029(b), after a public hearing, notice of which shall be given to the permittee, the Commission may require the permittee, from time to time, for good cause, in accordance with applicable laws, to conform to new or additional conditions.

5. Permit Transfer

- a. Prior to any transfer of this permit, Commission approval must be obtained. The Commission shall be notified in writing of any change in control or ownership of facilities authorized by this permit. Such notification should be sent to the Applications Review and Processing Team (MC 148) of the Water Quality Division.

- b. A permit may be transferred only according to the provisions of 30 TAC § 305.64 (relating to Transfer of Permits) and 30 TAC § 50.133 (relating to Executive Director Action on Application or WQMP update).

6. Relationship to Hazardous Waste Activities

This permit does not authorize any activity of hazardous waste storage, processing, or disposal which requires a permit or other authorization pursuant to the Texas Health and Safety Code.

7. Property Rights

A permit does not convey any property rights of any sort, or any exclusive privilege.

8. Permit Enforceability

The conditions of this permit are severable, and if any provision of this permit, or the application of any provision of this permit to any circumstances, is held invalid, the application of such provision to other circumstances, and the remainder of this permit, shall not be affected thereby.

9. Relationship to Permit Application

The application pursuant to which the permit has been issued is incorporated herein; provided, however, that in the event of a conflict between the provisions of this permit and the application, the provisions of the permit shall control.

10. Notice of Bankruptcy.

- a. Each permittee shall notify the executive director, in writing, immediately following the filing of a voluntary or involuntary petition for bankruptcy under any chapter of Title 11 (Bankruptcy) of the United States Code (11 USC) by or against:
 - i. the permittee;
 - ii. an entity (as that term is defined in 11 USC, §101(15)) controlling the permittee or listing the permit or permittee as property of the estate; or
 - iii. an affiliate (as that term is defined in 11 USC, §101(2)) of the permittee.
- b. This notification must indicate:
 - i. the name of the permittee;
 - ii. the permit number(s);
 - iii. the bankruptcy court in which the petition for bankruptcy was filed; and
 - iv. the date of filing of the petition.

OPERATIONAL REQUIREMENTS

1. The permittee shall at all times ensure that the facility and all of its systems of collection, treatment, and disposal are properly operated and maintained. This includes, but is not limited to, the regular, periodic examination of wastewater solids within the treatment plant by the operator in order to maintain an appropriate quantity and quality of solids inventory as described in the various operator training manuals and according to accepted industry standards for process control. Process control, maintenance, and operations records shall be retained at the facility site, or shall be readily available for review by a TCEQ representative, for a period of three years.
2. Upon request by the Executive Director, the permittee shall take appropriate samples and provide proper analysis in order to demonstrate compliance with Commission rules. Unless otherwise specified in this permit or otherwise ordered by the Commission, the permittee shall comply with all applicable provisions of 30 TAC Chapter 312 concerning sewage sludge use and disposal and 30 TAC §§ 319.21 - 319.29 concerning the discharge of certain hazardous metals.
3. Domestic wastewater treatment facilities shall comply with the following provisions:
 - a. The permittee shall notify the Municipal Permits Team, Wastewater Permitting Section (MC 148) of the Water Quality Division, in writing, of any facility expansion at least 90 days prior to conducting such activity.

- b. The permittee shall submit a closure plan for review and approval to the Land Applications Team, Wastewater Permitting Section (MC 148) of the Water Quality Division, for any closure activity at least 90 days prior to conducting such activity. Closure is the act of permanently taking a waste management unit or treatment facility out of service and includes the permanent removal from service of any pit, tank, pond, lagoon, surface impoundment and/or other treatment unit regulated by this permit.
4. The permittee is responsible for installing prior to plant start-up, and subsequently maintaining, adequate safeguards to prevent the discharge of untreated or inadequately treated wastes during electrical power failures by means of alternate power sources, standby generators, and/or retention of inadequately treated wastewater.
5. Unless otherwise specified, the permittee shall provide a readily accessible sampling point and, where applicable, an effluent flow measuring device or other acceptable means by which effluent flow may be determined.
6. The permittee shall remit an annual water quality fee to the Commission as required by 30 TAC Chapter 21. Failure to pay the fee may result in revocation of this permit under Texas Water Code § 7.302(b)(6).

7. Documentation

For all written notifications to the Commission required of the permittee by this permit, the permittee shall keep and make available a copy of each such notification under the same conditions as self-monitoring data are required to be kept and made available. Except for information specified as not confidential in 30 TAC § 1.5(d), any information submitted pursuant to this permit may be claimed as confidential by the submitter. Any such claim must be asserted in the manner prescribed in the application form or by stamping the words "confidential business information" on each page containing such information. If no claim is made at the time of submission, information may be made available to the public without further notice. If the Commission or Executive Director agrees with the designation of confidentiality, the TCEQ will not provide the information for public inspection, unless required by the Texas Attorney General or a court pursuant to an open records request. If the Executive Director does not agree with the designation of confidentiality, the person submitting the information will be notified.

8. Facilities which generate domestic wastewater shall comply with the following provisions; domestic wastewater treatment facilities at permitted industrial sites are excluded.

- a. Whenever flow measurements for any domestic sewage treatment facility reach 75 percent of the permitted daily average or annual average flow for three consecutive months, the permittee must initiate engineering and financial planning for expansion and/or upgrading of the domestic wastewater treatment and/or collection facilities. Whenever the flow reaches 90 percent of the permitted daily average or annual average flow for three consecutive months, the permittee shall obtain necessary authorization from the Commission to commence construction of the necessary additional treatment and/or collection facilities. In the case of a domestic wastewater treatment facility which reaches 75 percent of the permitted daily average or annual average flow for three consecutive months, and the planned population to be served or the quantity of waste produced is not expected to exceed the design limitations of the treatment facility, the permittee shall submit an engineering report supporting this claim to the Executive Director of the Commission.

If in the judgement of the Executive Director the population to be served will not cause permit noncompliance, then the requirement of this section may be waived. To be effective, any waiver must be in writing and signed by the Director of the Enforcement Division (MC 149) of the Commission, and such waiver of these requirements will be reviewed upon expiration of the existing permit; however, any such waiver shall not be interpreted as condoning or excusing any violation of any permit parameter.

- b. The plans and specifications for domestic sewage collection and treatment works associated with any domestic permit must be approved by the Commission, and failure to secure approval before commencing construction of such works or making a discharge is a violation of this permit and each day is an additional violation until approval has been secured.
- c. Permits for domestic wastewater treatment plants are granted subject to the policy of the Commission to encourage the development of area-wide waste collection, treatment and disposal systems. The Commission reserves the right to amend any domestic wastewater permit in accordance with applicable procedural requirements to require the system covered by this permit to be integrated into an area-wide system, should such be developed; to require the delivery of the wastes authorized to be collected in, treated by or discharged from said system, to such area-wide system; or to amend this permit in any other particular to effectuate the Commission's policy. Such amendments may be made when the changes required are advisable for water quality control purposes and are feasible on the basis of waste treatment technology, engineering, financial, and related considerations existing at the time the changes are required, exclusive of the loss of investment in or revenues from any then existing or proposed waste collection, treatment or disposal system.

9. Domestic wastewater treatment plants shall be operated and maintained by sewage plant operators holding a valid certificate of competency at the required level as defined in 30 TAC Chapter 30.
10. Facilities which generate industrial solid waste as defined in 30 TAC § 335.1 shall comply with these provisions:
 - a. Any solid waste, as defined in 30 TAC § 335.1 (including but not limited to such wastes as garbage, refuse, sludge from a waste treatment, water supply treatment plant or air pollution control facility, discarded materials, discarded materials to be recycled, whether the waste is solid, liquid, or semisolid), generated by the permittee during the management and treatment of wastewater, must be managed in accordance with all applicable provisions of 30 TAC Chapter 335, relating to Industrial Solid Waste Management.
 - b. Industrial wastewater that is being collected, accumulated, stored, or processed before discharge through any final discharge outfall, specified by this permit, is considered to be industrial solid waste until the wastewater passes through the actual point source discharge and must be managed in accordance with all applicable provisions of 30 TAC Chapter 335.
 - c. The permittee shall provide written notification, pursuant to the requirements of 30 TAC § 335.8(b)(1), to the Corrective Action Section (MC 127) of the Remediation Division informing the Commission of any closure activity involving an Industrial Solid Waste Management Unit, at least 90 days prior to conducting such an activity.
 - d. Construction of any industrial solid waste management unit requires the prior written notification of the proposed activity to the Registration and Reporting Section (MC 129) of the Registration, Review, and Reporting Division. No person shall dispose of industrial solid waste, including sludge or other solids from wastewater treatment processes, prior to fulfilling the deed recordation requirements of 30 TAC § 335.5.
 - e. The term "industrial solid waste management unit" means a landfill, surface impoundment, waste-pile, industrial furnace, incinerator, cement kiln, injection well, container, drum, salt dome waste containment cavern, or any other structure vessel, appurtenance, or other improvement on land used to manage industrial solid waste.
 - f. The permittee shall keep management records for all sludge (or other waste) removed from any wastewater treatment process. These records shall fulfill all applicable requirements of 30 TAC Chapter 335 and must include the following, as it pertains to wastewater treatment and discharge:
 - i. Volume of waste and date(s) generated from treatment process;
 - ii. Volume of waste disposed of on-site or shipped off-site;
 - iii. Date(s) of disposal;
 - iv. Identity of hauler or transporter;
 - v. Location of disposal site; and
 - vi. Method of final disposal.
11. For industrial facilities to which the requirements of 30 TAC Chapter 335 do not apply, sludge and solid wastes, including tank cleaning and contaminated solids for disposal, shall be disposed of in accordance with Chapter 361 of the Texas Health and Safety Code.

OTHER REQUIREMENTS

1. Violations of daily maximum limitations for the following pollutants shall be reported orally to TCEQ Region 1 within 24 hours from the time the permittee becomes aware of the violation, followed by a written report within five days:

Copper (Total)
Manganese (Total)
Zinc (Total)

2. EFFLUENT & WASTEWATER DEFINITIONS AND CLASSIFICATIONS

- A. The term "domestic effluent" means treated domestic sanitary sewage and treated laundry wastewater.
 - B. The term "industrial effluent" means "industrial wastewater" which has been treated to remove pollutants. The term "industrial wastewater" includes "process wastewater" and "utility wastewaters" and "non-contact cooling (heating) waters".
 - C. The term "process wastewater" means wastewaters from, but not limited to, any water which comes into contact with any product, raw material, product intermediate or process waste. Also included are high explosive filtered wastewater, cooling water for explosives, wastewater from manufacturing explosive components, wastewater from photographic processing (photographic X-ray lab), metal plating plant treated wastewater and wastewater from washdown of equipment, transport vehicles, pipe lines, vessels, storage tanks, process area slabs, storage area slabs and floor drains/sump drains, and treated wastewaters from environmental remediation activities.
 - D. The term "utility wastewaters" means wastewaters from, but not limited to, wet scrubber air pollution control systems, ion exchange water treatment system, demineralizer backwash, water treatment, evaporator and boiler blowdown, steam condensates, laboratory and sampling streams, non-contact cooling (heating) operations, cooling tower basin cleaning wastes, cooling tower blowdown, once-through cooling water, reverse osmosis brine, water used to regenerate ion-exchange columns, and wastewaters generated from the sampling and production of monitor wells or the drilling and completion of monitoring wells. Sanitary wastes are not included.
 - E. The term "non-contact cooling (heating) waters" means waters used for the purpose of cooling (heating) which do not come into contact with any product, raw material, product intermediate, or process waste.
 - F. The term "outfall" shall mean any effluent monitoring location that may be identified by the permit.
 - G. The terms "plant area or Pantex plant", when used in this permit, shall mean those land areas either owned or controlled by DOE which are located approximately 17 miles northeast of the City of Amarillo and 10 miles west of the City of Panhandle, west of Farm-to-Market Road 2373, south of Farm-to-Market Road 293 and north of U.S. Highway 60, Carson County, Texas
3. There shall be no discharge of domestic sewage effluent other than that discharged via Outfall 001, or to a septic tank/drainfield system, or disposed via TCEQ Permit No. WQ0004397000 or Underground Injection Control (UIC) Authorization No. 5W2000017.
 4. The permittee shall operate the wastewater treatment facility lagoon in such a manner as to maintain a minimum freeboard of two feet. The permittee shall measure and record the freeboard of each pond once per month in a "freeboard log". The freeboard log shall be maintained on site and made available to authorized representatives of the TCEQ.

5. The permittee shall agree to maintain records, in a manner consistent with Requirement 3.b of the "Monitoring Requirements" of this permit, of all surface water sampling and testing. The permittee shall make these records available for inspection upon request of authorized representatives of the TCEQ.

6. MINIMUM ANALYTICAL LEVELS

<u>COMPOUNDS</u>	<u>MAL (mg/L)</u>
Copper (Total)	0.010
Manganese (Total)	0.020
Zinc (Total)	0.005
HMX	N/A
PETN	N/A
RDX	N/A
TNT	N/A

Test methods utilized shall be sensitive enough to demonstrate compliance with the permit effluent limitations. Permit compliance/noncompliance determinations will be based on the effluent limitations contained in this permit with consideration given to the minimum analytical level (MAL) for the parameters specified above.

When an analysis of an effluent sample for any of the parameters listed above indicates no detectable levels above the MAL and the test method detection level is as sensitive as the specified MAL, a value of zero (0) shall be used for that measurement when determining calculations and reporting requirements for the self-reporting form. This applies to determinations of daily maximum concentration, calculations of loading and daily averages, and other reportable results.

When a reported value is zero (0) based on this MAL provision, the permittee shall submit the following statement with the self-reporting form either as a separate attachment to the form or as a statement in the comments section of the form.

"The reported value(s) of zero (0) for [list parameter(s)] on the self-reporting form for [monitoring period date range] is based on the following conditions: 1) the analytical method used had a method detection level as sensitive as the MAL specified in the permit, and 2) the analytical results contained no detectable levels above the specified MAL."

When an analysis of an effluent sample for a parameter indicates no detectable levels and the test method detection level is not as sensitive as the MAL specified in the permit, or an MAL is not specified in the permit for that parameter, the level of detection achieved shall be used for that measurement when determining calculations and reporting requirements for the self-reporting form. A zero (0) may not be used.

7. Flow measuring devices and readily accessible sampling points, as required by this permit, shall be provided by the permittee for each outfall.
8. There is no mixing zone established for these discharges to the playa lake. Water Quality Standards do not apply to this discharge.
9. Permit Conditions, Item 3, Inspections and Entry, is amended for purposes of this permit subject to the provisions of the Atomic Energy Act (as amended).
10. Monitoring results shall be provided at the intervals specified in the permit. For pollutants which are monitored annually, effluent reports shall be submitted in September of each year. For pollutants which are monitored twice per year, the first effluent report shall be submitted six months after the date of permit issuance and subsequent reports every six months thereafter. For pollutants which are monitored four times per year, the first effluent report shall be submitted three months after the date of permit issuance and subsequent reports every three months thereafter.

11. The permittee shall submit annual reports to the TCEQ, Wastewater Permitting Section, Industrial Team (MC-148) detailing research conducted in establishing a suitable test method for the parameter TATB in the permittee's effluent. The annual reports shall include the following information for test procedures considered for the pollutant TATB until a test method has been submitted to the TCEQ for approval:
 - A. Summary(ies) of test procedure(s) including detection levels, known interferences, etc.;
 - B. Analytical cost(s) of test procedure(s);
 - C. Reference material including method development and accreditation.
12. The permittee shall use test procedures based on U.S. Environmental Protection Agency, *Test Methods for Evaluating Solid Waste*, EPA Manual SW-846, Method 8330 for the analysis of HMX, RDX, PETN, and TNT.
13. Definitions and Standard Permit Conditions, Item 2.c., daily maximum concentration, is amended as follows:

Daily maximum concentration - the maximum concentration measured on a single day, by the sample type specified in the permit, within a period of one calendar month (when required monitoring frequency is equal to or more frequent than once per month) or within the period equivalent to the specified monitoring frequency (when required monitoring frequency is less frequent than once per month).

TECHNICAL SUMMARY AND EXECUTIVE DIRECTOR'S PRELIMINARY DECISION

DESCRIPTION OF APPLICATION

Applicant: United States Department of Energy and BWXT Pantex, L.L.C./o National Nuclear Security Administration; TCEQ Permit No. WQ0002296000.

Regulated Activity: Industrial Wastewater Permit.

Type of Application: Amendment.

Request: Major amendment with renewal to remove effluent limitations for ammonia (as N), high explosives, oil and grease, total suspended solids, total cyanide, total antimony, total arsenic, total beryllium, total cadmium, total chromium, total cobalt, total lead, total mercury, total molybdenum, total nickel, total selenium, total silver, total thallium, and total titanium at Outfall 001; increase effluent limitations for total copper, total manganese, and total zinc at Outfall 001; authorize the use of a minimum of 21 days residence time as an alternative to chlorination requirements; and reissue the permit only under State regulatory authority (Texas Water Code) and not under Federal regulatory authority (Clean Water Act).

Authority: Texas Water Code § 26.027; 30 TAC Chapter 305, Subchapters C-F, Chapters 307 and 319, and Commission Policies.

EXECUTIVE DIRECTOR RECOMMENDATION

The Executive Director has made a preliminary decision that this permit, if issued, meets all statutory and regulatory requirements. The proposed permit be approved and issued to expire on December 1, 2010 in accordance with 30 TAC Section 305.71, Basin Permitting.

REASON FOR PROJECT PROPOSED

The applicant has applied to the Texas Commission on Environmental Quality (TCEQ) for an amendment of its existing permit as described above. The proposed amended permit will be reissued only under State regulatory authority (Texas Water Code) and not under Federal regulatory authority (Clean Water Act).

PROJECT DESCRIPTION AND LOCATION

The applicant operates a facility principally engaged in the assembly of nuclear weapons from components received from other Department of Energy plants; the fabrication of chemical high explosive components for nuclear weapons; surveillance testing and processing of chemical high explosives; disassembly of nuclear weapons; maintenance, modification, repair and nonexplosive testing of nuclear weapons components; and disposal of treated environmental restoration wastewater.

The wastewater system consists of a mixture of domestic sewage and photographic processing washwater; wastewaters from energetics production; reverse osmosis system and ion-exchange columns brine, and boiler wastewater and energetic machining wastewater are discharged to the wastewater treatment system. All wastewaters (except for pretreated wastewaters from on-site environmental restoration activities) are routed to a facultative lagoon (33.3 acre-feet capacity) prior to discharge via Outfall 001 or disposal via TCEQ Permit No. WQ0004397000 (subsurface irrigation on three 100-acre tracts of land). Pretreated wastewaters from on-site environmental restoration activities are routed to one of the storage lagoons prior to discharge via Outfall 001 or disposal via TCEQ Permit No. WQ0004397000.

TECHNICAL SUMMARY AND EXECUTIVE DIRECTOR'S PRELIMINARY DECISION
TCEQ Permit No. WQ0002296000

The plant site is located approximately 17 miles northeast of the City of Amarillo and 10 miles west of the City of Panhandle, west of Farm-to-Market Road 2373, south of Farm-to-Market Road 293 and north of U.S. Highway 60, Carson County, Texas.

The effluent is discharged to a playa lake, located adjacent to the watershed of McClellan Creek which flows into the North Fork Red River in Segment No. 0224 of the Red River Basin. The designated uses for Segment No. 0224 are high aquatic life use and contact recreation. The effluent limits in the draft permit will maintain and protect the existing instream uses. All determinations are preliminary and subject to additional review and/or revisions.

The discharge from this permit action is not expected to have an effect on any federal endangered or threatened aquatic dependent species or proposed species or their critical habitat. This determination is based on the United States Fish and Wildlife Service's (USFWS) biological opinion on the State of Texas authorization of the Texas Pollutant Discharge Elimination System (TPDES; September 14, 1998; October 21, 1998 update). To make this determination for TPDES permits, TCEQ and EPA only considered aquatic or aquatic dependent species occurring in watersheds of critical concern or high priority as listed in Appendix A of the USFWS biological opinion. The determination is subject to reevaluation due to subsequent updates or amendments to the biological opinion. The permit does not require EPA review with respect to the presence of endangered or threatened species.

Segment No. 0224 is not currently listed on the State's inventory of impaired and threatened waters (the Clean Water Act Section 303(d) list).

SUMMARY OF EFFLUENT DATA

The following is a quantitative description of the discharge described in the Monthly Effluent Report data for the period May 2003 through April 2005. The "Average of Daily Avg." values presented in the following table are the average of all daily average values for the reporting period for each parameter. The "Maximum of Daily Max." values presented in the following table are the individual maximum values for the reporting period for each parameter:

Flow

<u>Outfall</u>	<u>Frequency</u>	<u>Average of Daily Avg (MGD)</u>	<u>Maximum of Daily Max (MGD)</u>
001	Intermittent	0.224 MGD	0.6494 MGD

Effluent Characteristics

<u>Outfall</u>	<u>Parameter</u>	<u>Average of Daily Avg</u>	<u>Maximum of Daily Max</u>
001	Biochemical Oxygen Demand (5-day)	0.33 mg/l	31.3 mg/l
	Chemical Oxygen Demand	N/A	79 mg/l
	Total Suspended Solids	14.8 mg/l	37 mg/l
	Oil & Grease	N/A	63.4 mg/l
	Ammonia (as Nitrogen)	3.7 mg/l	8.8 mg/l
	Total Residual Chlorine	0.0 mg/l (min)	3.8 mg/l
	Cyanide (Total)	N/A	< 0.020 mg/l
	Arsenic (Total)	< 0.010 mg/l	< 0.010 mg/l
	Beryllium (Total)	< 0.020 mg/l	< 0.020 mg/l
	Cadmium (Total)	< 0.001 mg/l	< 0.001 mg/l
	Chromium (Total)	< 0.010 mg/l	< 0.010 mg/l

TECHNICAL SUMMARY AND EXECUTIVE DIRECTOR'S PRELIMINARY DECISION
TCEQ Permit No. WQ0002296000

<u>Outfall</u>	<u>Parameter</u>	<u>Daily Avg</u>	<u>Daily Max</u>
001 cont.	Cobalt (Total)	< 0.020 mg/l	< 0.020 mg/l
	Copper (Total)	< 0.010 mg/l	0.014 mg/l
	Lead (Total)	< 0.005 mg/l	< 0.005 mg/l
	Manganese (Total)	< 0.041 mg/l	0.057 mg/l
	Thallium (Total)	< 0.010 mg/l	< 0.010 mg/l
	Mercury (Total)	< 0.0002 mg/l	< 0.0002 mg/l
	Molybdenum (Total)	< 0.020 mg/l	< 0.020 mg/l
	Nickel (Total)	< 0.010 mg/l	< 0.010 mg/l
	Silver (Total)	< 0.002 mg/l	< 0.005 mg/l
	Zinc (Total)	0.023 mg/l	0.058 mg/l
	Antimony (Total)	< 0.020 mg/l	< 0.020 mg/l
	Selenium (Total)	< 0.010 mg/l	< 0.010 mg/l
	Titanium (Total)	< 0.100 mg/l	< 0.100 mg/l
	Trinitrotoluene	< 0.001 mg/l	< 0.001 mg/l
	PETN	< 0.005 mg/l	< 0.005 mg/l
	RDX	0.001 mg/l	0.004 mg/l
	HMX	< 0.001 mg/l	0.002 mg/l
	pH	6.6 S.U. (min)	9.7 S.U.

Effluent Limitation Exceedances

<u>Outfall</u>	<u>Parameter</u>	<u>Average of Daily Avg</u>	<u>Maximum of Daily Max</u>
001	Oil and Grease	N/A	2
	Total Residual Chlorine	1 (min)	0
	Ammonia (as Nitrogen)	5	0

No changes were made to the draft permit based on the exceedances noted above for oil and grease and total residual chlorine based on the limited and infrequent exceedances observed.

In the case of ammonia (as nitrogen), the applicant requested removal of effluent limitations for ammonia from Outfall 001. The limitations and monitoring requirements for ammonia (as N) have been removed due to the determination that other continued limited parameters adequately maintain technology-based limitations in the permit.

PROPOSED PERMIT CONDITIONS

The draft permit authorizes a discharge of domestic effluent and industrial effluent via Outfall 001 at a daily average flow of effluent shall not exceed 0.56 million gallons per day.

Final effluent limitations and/or monitoring requirements for the discharge to the playa lake (Outfall 001) are established in the draft permit as follows:

<u>Outfall No.</u>	<u>Parameter</u>	<u>Daily Avg (mg/l)</u>	<u>Daily Max (mg/l)</u>
001	Biochemical Oxygen Demand (5-day)	30	70
	Chemical Oxygen Demand	N/A	150

TECHNICAL SUMMARY AND EXECUTIVE DIRECTOR'S PRELIMINARY DECISION
TCEQ Permit No. WQ0002296000

<u>Outfall No.</u>	<u>Parameter</u>	<u>Daily Avg (mg/l)</u>	<u>Daily Max (mg/l)</u>
001 cont.	Total Suspended Solids	60	90
	Oil and Grease	N/A	15
	Copper (total)	0.50	1.0
	Manganese (total)	1.0	2.0
	Zinc (total)	1.0	2.0
	HMX	0.1	Report
	RDX	0.2	Report
	PETN	0.4	Report
	TNT	0.02	Report
	pH	6.0 S.U. (min)	10.0 S.U.

The domestic sewage effluent shall 1) have a minimum residence time in the treatment system of 21 days before discharge via Outfall 001; or 2) contain a chlorine residual of at least 1.0 mg/l and a maximum chlorine residual of 4.0 mg/l after a detention time of at least 20 minutes (based on peak flow). An equivalent method of disinfection may be substituted only with prior approval of the Executive Director.

Effluent limitations and/or monitoring requirements have been continued from the current permit and were originally establish as follows:

- * Effluent limitations for biochemical oxygen demand (5-day) and total suspended solids are continued from the current TPDES permit and were previously based on best professional judgment (BPJ) to establish technology-based limitations.
- * Effluent limitations for chemical oxygen demand, oil and grease and pH were previously based on the effluent limitations the TCEQ typically imposes on industrial wastewaters and were established as BPJ technology-based limitations.
- * Effluent limitation and monitoring requirement for total residual chlorine were continued from the previous TPDES permit and based on disinfection requirements for treated sanitary wastewater. These limitations and monitoring requirements are only required when the permittee cannot maintain a minimum residence time in the treatment system of 21 days before discharge via Outfall 001. The 21 days residence time requirement is based on TCEQ rule 30 TAC 317.6(c)(1).
- * Effluent limitations and monitoring requirements for total copper, total manganese, and total zinc at Outfall 001 are based on 30 TAC 319.22.
- * Effluent limitations and monitoring requirements for HMX, RDX, PETN, and TNT are continued from the current TPDES permit and were established as BPJ technology-based limitations.

Biomonitoring requirements are not included in the draft permit.

TECHNICAL SUMMARY AND EXECUTIVE DIRECTOR'S PRELIMINARY DECISION
TCEQ Permit No. WQ0002296000

SUMMARY OF CHANGES FROM APPLICATION

The applicant requested the following changes in their amendment request which the Executive Director does not recommend granting:

- * The applicant requested removal of effluent limitations for total suspended solids from Outfall 001. The current permit includes two sets of seasonal limitations for total suspended solids; the more stringent seasonal limitations were removed but the less stringent seasonal limitations were continued. This action is based on the need to maintain achievable technology-based limitations in the permit for this parameter.
- * The applicant requested removal of effluent limitations for oil and grease and high explosives [Trinitrotoluene (TNT), PETN, RDX, and HMX] from Outfall 001. A review of the support documents for previous permit actions indicates that these are technology-based effluent limitations based on best professional judgement and not based on water quality protection. These limitations are continued into the draft permit.

See the next section for additional changes to the existing permit.

SUMMARY OF CHANGES FROM EXISTING PERMIT

The permittee requested the following changes in their amendment request which the Executive Director has recommended granting.

- * The applicant requested removal of the effluent limitations and/or monitoring requirements for ammonia (as N), total cyanide, total antimony, total arsenic, total beryllium, total cadmium, total chromium, total cobalt, total lead, total mercury, total molybdenum, total nickel, total selenium, total silver, total thallium, and total titanium at Outfall 001. The removal is based on the determination that the discharge to the playa lake is a "grandfathered" activity under the TCEQ's Playa Lake Policy Statement and surface water quality standards are not applicable to the playa lake. In the case of ammonia (as N), other continued limited parameters adequately maintain technology-based limitations in the permit. In the case of the other parameters, historical self-report data indicates that these parameters are not present in the wastewater which makes the continuation of these requirements unnecessary.
- * The request to increase effluent limitations for total copper, total manganese, and total zinc at Outfall 001 based on 30 TAC 319.22 has been made based on the determination that the discharge to the playa lake is a "grandfathered" activity under the TCEQ's Playa Lake Policy Statement and surface water quality standards are not applicable to the playa lake. The draft permit includes the revised limitations as requested.
- * The request to authorize the use of a minimum of 21 days residence time as an alternative to chlorination requirements has been approved based on TCEQ rule 30 TAC 317.6(c)(1).
- * The request to reissue the permit only under State regulatory authority (Texas Water Code) and not under Federal regulatory authority (Clean Water Act) has been incorporated into the proposed draft permit. On January 9, 2001 the U.S. Supreme Court issued a decision, Solid Waste Agency of Northern Cook County (SWANCC) v. United States Army Corps of Engineers, that Section 404 of the Clean Water Act (CWA) does not extend regulatory coverage to wetlands not adjacent to navigable waters. The permittee has requested that permit WQ0002296000 be reissued in a manner consistent with the U.S. Supreme Court ruling, as such, the permit is drafted in a manner consistent with permits issued exclusively under the Chapter 26 of the Texas Water Code.

TECHNICAL SUMMARY AND EXECUTIVE DIRECTOR'S PRELIMINARY DECISION
TCEQ Permit No. WQ0002296000

The following additional changes have been made to the draft permit.

- * The permit includes the most current standard language for permit requirements (MALs & boiler plate).
- * Added Other Requirement Provision No. 14 to clarify the definition of "daily maximum concentration."

BASIS FOR PROPOSED DRAFT PERMIT

The following items were considered in developing the proposed permit draft:

1. Application on March 8, 2005. Additional information submitted with letter dated April 28, 2005.
2. Existing permits: TPDES Permit No. WQ0002296000 issued January 28, 2005.
3. TCEQ Rules.
4. Texas Surface Water Quality Standards - 30 TAC Sections 307.1-307.10, effective April 30, 1997, and Appendix E, effective February 27, 2002.
5. "Procedures to Implement the Texas Surface Water Quality Standards," Texas Commission on Environmental Quality, January 2003.
6. Memos from the Water Quality Standards Team and the Water Quality Assessment Team of the Water Quality Division.
7. "Guidance Document for Establishing Monitoring Frequencies for Domestic and Industrial Wastewater Discharge Permits," TCEQ Document No. 98-001.000-OWR-WQ, May 1998.
8. EPA Effluent Guidelines: N/A
9. TCEQ Ground-Water Impact Evaluation, Permit No. WQ0002296000, dated July 15, 2005.
10. 30 TAC Chapters 309 & 319.
11. Consistency with the Coastal Management Plan: N/A

PROCEDURES FOR FINAL DECISION

When an application is declared administratively complete, the Chief Clerk sends a letter to the applicant advising the applicant to publish the Notice of Receipt of Application and Intent to Obtain Permit in the newspaper. In addition, the Chief Clerk instructs the applicant to place a copy of the application in a public place for review and copying in the county where the facility is or will be located. This application will be in a public place throughout the comment period. The Chief Clerk also mails this notice to any interested persons and, if required, to landowners identified in the permit application. This notice informs the public about the application, and provides that an interested person may file comments on the application or request a contested case hearing or a public meeting.

Once a draft permit is completed, it is sent, along with the Executive Director's preliminary decision, as contained in the technical summary or fact sheet, to the Chief Clerk. At that time, Notice of Application and Preliminary Decision will be mailed to the same people and published in the same newspaper as the prior notice. This notice sets a deadline for making public comments. The applicant must place a copy of the Executive Director's preliminary decision and draft permit in the public place with the application. This notice sets a deadline for public comment.

Any interested person may request a public meeting on the application until the deadline for filing public comments. A public meeting is intended for the taking of public comment, and is not a contested case proceeding.

After the public comment deadline, the Executive Director prepares a response to all significant public comments on the application or the draft permit raised during the public comment period. The Chief Clerk then mails the Executive Director's Response to Comments and Final Decision to people who have filed comments, requested a contested case hearing, or requested to be on the mailing list. This notice provides that if a person is not satisfied

TECHNICAL SUMMARY AND EXECUTIVE DIRECTOR'S PRELIMINARY DECISION
TCEQ Permit No. WQ0002296000

with the Executive Director's response and decision, they can request a contested case hearing or file a request to reconsider the Executive Director's decision within 30 days after the notice is mailed.


The Executive Director will issue the permit unless a written hearing request or request for reconsideration is filed within 30 days after the Executive Director's Response to Comments and Final Decision is mailed. If a hearing request or request for reconsideration is filed, the Executive Director will not issue the permit and will forward the application and request to the TCEQ Commissioners for their consideration at a scheduled Commission meeting. If a contested case hearing is held, it will be a legal proceeding similar to a civil trial in state district court.

If the Executive Director calls a public meeting or the Commission grants a contested case hearing as described above, the Commission will give notice of the date, time, and place of the meeting or hearing. If a hearing request or request for reconsideration is made, the Commission will consider all public comments in making its decision and shall either adopt the Executive Director's response to public comments or prepare its own response.

For additional information about this application contact Michael Sunderlin at (512) 239-4523.



Michael Sunderlin



Date

Compliance History

Customer/Respondent/Owner-Operator:	CN601599103 BWXT Pantex, LLC	Classification: AVERAGE	Rating: 2.60
Regulated Entity:	RN100210756 US DEPARTMENT OF ENERGY PANTEX PLANT	Classification: AVERAGE	Site Rating: 0.58
ID Number(s):	INDUSTRIAL AND HAZARDOUS WASTE STORAGE	PERMIT	50284
	INDUSTRIAL AND HAZARDOUS WASTE STORAGE	PERMIT	50276
	INDUSTRIAL AND HAZARDOUS WASTE STORAGE	PERMIT	50284
	INDUSTRIAL AND HAZARDOUS WASTE TRANSPORTATION	EPA ID	TXP490073137
	INDUSTRIAL AND HAZARDOUS WASTE TRANSPORTATION	SOLID WASTE REGISTRATION # (SWR)	40807
	INDUSTRIAL AND HAZARDOUS WASTE GENERATION	EPA ID	TX4890110527
	WASTEWATER	PERMIT	WQ0002296000
	WASTEWATER	PERMIT	TX0107107
	WASTEWATER	PERMIT	WQ0004397000
	AIR NEW SOURCE PERMITS	PERMIT	18379
	AIR NEW SOURCE PERMITS	PERMIT	21233
	AIR NEW SOURCE PERMITS	PERMIT	32674
	AIR NEW SOURCE PERMITS	PERMIT	40871
	AIR NEW SOURCE PERMITS	PERMIT	41577
	AIR NEW SOURCE PERMITS	PERMIT	43702
	AIR NEW SOURCE PERMITS	PERMIT	48297
	AIR NEW SOURCE PERMITS	ACCOUNT NUMBER	CF0019W
	AIR NEW SOURCE PERMITS	PERMIT	53378
	AIR NEW SOURCE PERMITS	PERMIT	53377
	AIR NEW SOURCE PERMITS	AFS NUM	4806500003
	AIR NEW SOURCE PERMITS	PERMIT	70894
	AIR NEW SOURCE PERMITS	REGISTRATION	71250
	AIR NEW SOURCE PERMITS	REGISTRATION	72373
	AIR NEW SOURCE PERMITS	REGISTRATION	52638
	AIR NEW SOURCE PERMITS	PERMIT	52639
	AIR NEW SOURCE PERMITS	REGISTRATION	76468
	AIR NEW SOURCE PERMITS	REGISTRATION	82561
	AIR NEW SOURCE PERMITS	PERMIT	84802
	PETROLEUM STORAGE TANK REGISTRATION	REGISTRATION	42177
	WASTEWATER LICENSING	LICENSE	WQ0002296000
	IHW CORRECTIVE ACTION	SOLID WASTE REGISTRATION # (SWR)	30459
	INDUSTRIAL AND HAZARDOUS WASTE COMPLIANCE PLANS	PERMIT	50284
	UNDERGROUND INJECTION CONTROL	PERMIT	5W2000017
	UNDERGROUND INJECTION CONTROL	PERMIT	5X2600215
	UNDERGROUND INJECTION CONTROL	PERMIT	5X2500106
	STORMWATER	PERMIT	TXR05P506
	SUPERFUND	ID NUMBER	SUP134
Location:	955 FM 2373, PANHANDLE, TX, 79068	Rating Date: September 01 07	Repeat Violator: NO
TCEQ Region:	REGION 01 - AMARILLO		
Date Compliance History Prepared:	May 19, 2008		
Agency Decision Requiring Compliance History:	Enforcement		
Compliance Period:	March 08, 2000 to May 19, 2008		

TCEQ Staff Member to Contact for Additional Information Regarding this Compliance History

Name: Michael Sunderlin Phone: (512) 239-4523

Site Compliance History Components

1. Has the site been in existence and/or operation for the full five year compliance period? Yes

2. Has there been a (known) change in ownership of the site during the compliance period?

Yes

3. If Yes, who is the current owner?

BWXT Pantex, LLC

US Department of Energy

Department of Energy Pantex Plant

Babcock & Wilcox Technical Services Pantex, L.L.C

4. If Yes, who was/were the prior owner(s)?

US Department of Energy

Site Services, Inc.

5. When did the change(s) in ownership occur?

08/19/2002

02/14/2007

Components (Multimedia) for the Site :

A. Final Enforcement Orders, court judgements, and consent decrees of the state of Texas and the federal government.

Effective Date: 07/06/2001

ADMINORDER 2000-0710-IHW-E

Classification: Moderate

Citation: 2D TWC Chapter 26, SubChapter A 26.039(b)

30 TAC Chapter 305, SubChapter F 305.125(9)

40 CFR Chapter 270, SubChapter I, PT 270, SubPT C 270.30(l)(6)

Rqmt Prov: V.D.1, V.E, V.I PERMIT

Description: Failed to notify the Executive Director within 24 hours of a spill, discharge, or noncompliance and failed to provide a written submission or report concerning a release of solid waste.

Classification: Moderate

Citation: 40 CFR Chapter 270, SubChapter I, PT 270, SubPT C 270.30(a)

Rqmt Prov: III.E.6.a.2.I PERMIT

Description: Failed to provide results of all analysis data for the Burning Grounds groundwater wells to the TNRCC within 90 days of a sampling event.

B. Any criminal convictions of the state of Texas and the federal government.

N/A

C. Chronic excessive emissions events.

N/A

D. The approval dates of investigations. (CEDS Inv. Track. No.)

1	03/20/2000	(IE0001124002001
2	03/28/2000	(225243)
3	05/01/2000	(225244)
4	05/05/2000	(30030)
5	05/05/2000	(30029)
6	05/31/2000	(225248)
7	06/29/2000	(225252)
8	07/27/2000	(225256)
9	08/11/2000	(68193)
10	08/28/2000	(225259)
11	09/27/2000	(225262)
12	10/27/2000	(225265)
13	11/27/2000	(225269)
14	12/26/2000	(225273)
15	01/29/2001	(225277)
16	02/26/2001	(225237)
17	03/30/2001	(225240)
18	04/26/2001	(225245)
19	05/29/2001	(225249)
20	06/27/2001	(225253)
21	07/27/2001	(225257)
22	08/10/2001	(39651)
23	08/27/2001	(68194)
24	08/31/2001	(225260)
25	10/01/2001	(225263)
26	11/20/2001	(225266)
27	11/23/2001	(225270)
28	01/24/2002	(225278)

29	01/31/2002	(225274)
30	02/22/2002	(225238)
31	03/20/2002	(68195)
32	03/21/2002	(225241)
33	04/24/2002	(225246)
34	05/24/2002	(225250)
35	06/06/2002	(68196)
36	06/24/2002	(225254)
37	07/18/2002	(68197)
38	07/22/2002	(225258)
39	08/22/2002	(225261)
40	09/23/2002	(225264)
41	11/14/2002	(225267)
42	11/22/2002	(225271)
43	12/23/2002	(225275)
44	01/23/2003	(225279)
45	02/28/2003	(225239)
46	03/25/2003	(225242)
47	04/14/2003	(31695)
48	04/14/2003	(31703)
49	04/14/2003	(31708)
50	04/14/2003	(31701)
51	04/22/2003	(225247)
52	05/22/2003	(225251)
53	06/23/2003	(225255)
54	07/07/2003	(124242)
55	07/21/2003	(323512)
56	08/19/2003	(146826)
57	08/25/2003	(323514)
58	09/22/2003	(323516)
59	10/23/2003	(323518)
60	11/21/2003	(323519)
61	12/23/2003	(323520)
62	01/27/2004	(323521)
63	03/19/2004	(323502)
64	03/22/2004	(323505)
65	04/23/2004	(323506)
66	05/19/2004	(323508)
67	06/10/2004	(274117)
68	06/21/2004	(323510)
69	07/01/2004	(276045)
70	07/07/2004	(279099)
71	07/20/2004	(364691)
72	08/09/2004	(276965)
73	08/12/2004	(274610)
74	08/26/2004	(364692)
75	09/15/2004	(364693)
76	10/25/2004	(364694)
77	11/24/2004	(364695)
78	12/17/2004	(344632)
79	12/20/2004	(342996)
80	12/22/2004	(388880)
81	01/24/2005	(388881)
82	02/22/2005	(388878)
83	03/14/2005	(388879)
84	04/22/2005	(430627)
85	05/12/2005	(380827)
86	05/24/2005	(430628)
87	06/13/2005	(430629)
88	07/19/2005	(430630)
89	08/17/2005	(446761)
90	08/17/2005	(446762)
91	08/18/2005	(399918)
92	09/20/2005	(446763)
93	10/18/2005	(490485)
94	11/18/2005	(490486)
95	12/21/2005	(490487)
96	01/13/2006	(436548)

97 01/17/2006 (490488)
 98 02/21/2006 (490483)
 99 03/22/2006 (490484)
 100 04/12/2006 (588019)
 101 05/19/2006 (505343)
 102 06/16/2006 (505344)
 103 06/24/2006 (466187)
 104 06/29/2006 (481007)
 105 07/14/2006 (480886)
 106 07/20/2006 (527623)
 107 08/15/2006 (497091)
 108 08/18/2006 (527624)
 109 09/19/2006 (527625)
 110 10/20/2006 (551307)
 111 11/20/2006 (551308)
 112 12/18/2006 (551309)
 113 01/18/2007 (588023)
 114 02/14/2007 (588017)
 115 03/20/2007 (588018)
 116 04/20/2007 (588020)
 117 04/27/2007 (543027)
 118 05/17/2007 (588021)
 119 06/13/2007 (588022)
 120 07/18/2007 (605298)
 121 08/01/2007 (569882)
 122 08/20/2007 (605299)
 123 08/27/2007 (572905)
 124 09/20/2007 (605300)
 125 10/09/2007 (594613)
 126 10/19/2007 (629071)
 127 11/14/2007 (594637)
 128 11/15/2007 (629072)
 129 12/19/2007 (629073)

E. Written notices of violations (NOV). (CCEDS Inv. Track. No.)

Date: 03/31/2000 (225244)

Self Report? YES

Classification: Moderate

Citation: 30 TAC Chapter 305, SubChapter F 305.125(1)
TWC Chapter 26 26.121(a)

Description: Failure to meet the limit for one or more permit parameter

Date: 04/30/2000 (225248)

Self Report? YES

Classification: Moderate

Citation: 30 TAC Chapter 305, SubChapter F 305.125(1)
TWC Chapter 26 26.121(a)

Description: Failure to meet the limit for one or more permit parameter

Date: 05/31/2000 (225252)

Self Report? YES

Classification: Moderate

Citation: 30 TAC Chapter 305, SubChapter F 305.125(1)
TWC Chapter 26 26.121(a)

Description: Failure to meet the limit for one or more permit parameter

Date: 06/30/2000 (225256)

Self Report? YES

Classification: Moderate

Citation: 30 TAC Chapter 305, SubChapter F 305.125(1)
TWC Chapter 26 26.121(a)

Description: Failure to meet the limit for one or more permit parameter

Date: 07/31/2000 (225259)

Self Report? YES

Classification: Moderate

Citation: 30 TAC Chapter 305, SubChapter F 305.125(1)
TWC Chapter 26 26.121(a)

Description: Failure to meet the limit for one or more permit parameter

Date: 10/31/2000 (225269)

Self Report? YES

Classification: Moderate

Citation: 30 TAC Chapter 305, SubChapter F 305.125(1)
TWC Chapter 26 26.121(a)

Description: Failure to meet the limit for one or more permit parameter

Date: 02/28/2001 (225240)

Self Report?	YES	Classification:	Moderate
Citation:	30 TAC Chapter 305, SubChapter F 305.125(1) TWC Chapter 26 26.121(a)		
Description:	Failure to meet the limit for one or more permit parameter		
Date:	03/31/2001 (225245)		
Self Report?	YES	Classification:	Moderate
Citation:	30 TAC Chapter 305, SubChapter F 305.125(1) TWC Chapter 26 26.121(a)		
Description:	Failure to meet the limit for one or more permit parameter		
Date:	04/30/2001 (225249)		
Self Report?	YES	Classification:	Moderate
Citation:	30 TAC Chapter 305, SubChapter F 305.125(1) TWC Chapter 26 26.121(a)		
Description:	Failure to meet the limit for one or more permit parameter		
Date:	05/31/2001 (225253)		
Self Report?	YES	Classification:	Moderate
Citation:	30 TAC Chapter 305, SubChapter F 305.125(1) TWC Chapter 26 26.121(a)		
Description:	Failure to meet the limit for one or more permit parameter		
Date:	07/31/2001 (225260)		
Self Report?	YES	Classification:	Moderate
Citation:	30 TAC Chapter 305, SubChapter F 305.125(1) TWC Chapter 26 26.121(a)		
Description:	Failure to meet the limit for one or more permit parameter		
Date:	08/31/2001 (225263)		
Self Report?	YES	Classification:	Moderate
Citation:	30 TAC Chapter 305, SubChapter F 305.125(1) TWC Chapter 26 26.121(a)		
Description:	Failure to meet the limit for one or more permit parameter		
Date:	09/30/2001 (225266)		
Self Report?	YES	Classification:	Moderate
Citation:	30 TAC Chapter 305, SubChapter F 305.125(1) TWC Chapter 26 26.121(a)		
Description:	Failure to meet the limit for one or more permit parameter		
Date:	10/31/2001 (225270)		
Self Report?	YES	Classification:	Moderate
Citation:	30 TAC Chapter 305, SubChapter F 305.125(1) TWC Chapter 26 26.121(a)		
Description:	Failure to meet the limit for one or more permit parameter		
Date:	12/31/2001 (225278)		
Self Report?	YES	Classification:	Moderate
Citation:	30 TAC Chapter 305, SubChapter F 305.125(1) TWC Chapter 26 26.121(a)		
Description:	Failure to meet the limit for one or more permit parameter		
Date:	04/30/2002 (225250)		
Self Report?	YES	Classification:	Moderate
Citation:	30 TAC Chapter 305, SubChapter F 305.125(1) TWC Chapter 26 26.121(a)		
Description:	Failure to meet the limit for one or more permit parameter		
Date:	05/31/2002 (225254)		
Self Report?	YES	Classification:	Moderate
Citation:	30 TAC Chapter 305, SubChapter F 305.125(1) TWC Chapter 26 26.121(a)		
Description:	Failure to meet the limit for one or more permit parameter		
Date:	08/31/2002 (225264)		
Self Report?	YES	Classification:	Moderate
Citation:	30 TAC Chapter 305, SubChapter F 305.125(1) TWC Chapter 26 26.121(a)		
Description:	Failure to meet the limit for one or more permit parameter		
Date:	10/31/2002 (225271)		
Self Report?	YES	Classification:	Moderate
Citation:	30 TAC Chapter 305, SubChapter F 305.125(1) TWC Chapter 26 26.121(a)		

Description: Failure to meet the limit for one or more permit parameter
 Date: 02/28/2003 (225242)
 Self Report? YES Classification: Moderate
 Citation: 30 TAC Chapter 305, SubChapter F 305.125(1)
 TWC Chapter 26 26.121(a)

Description: Failure to meet the limit for one or more permit parameter
 Date: 04/14/2003 (31708)
 Self Report? NO Classification: Moderate
 Citation: 30 TAC Chapter 116, SubChapter B 116.115(c)

Description: The U.S. Department of Energy, National Nuclear Security Administration, BWXT
 Pantex Plant failed to comply with Permit no. 21233, Special Condition no. 8 B by
 not testing for tetrahydrofuran (THF) from the Dust Collector 3 Stack (EPN: PS3),
 as per Permit no. 21233, Sp. Cond. no. 8 B.
 Date: 04/30/2003 (225251)
 Self Report? YES Classification: Moderate
 Citation: 30 TAC Chapter 305, SubChapter F 305.125(1)
 TWC Chapter 26 26.121(a)

Description: Failure to meet the limit for one or more permit parameter
 Date: 05/31/2003 (225255)
 Self Report? YES Classification: Moderate
 Citation: 30 TAC Chapter 305, SubChapter F 305.125(1)
 TWC Chapter 26 26.121(a)

Description: Failure to meet the limit for one or more permit parameter
 Date: 06/30/2003 (323512)
 Self Report? YES Classification: Moderate
 Citation: 30 TAC Chapter 305, SubChapter F 305.125(1)
 TWC Chapter 26 26.121(a)

Description: Failure to meet the limit for one or more permit parameter
 Date: 07/31/2003 (323514)
 Self Report? YES Classification: Moderate
 Citation: 30 TAC Chapter 305, SubChapter F 305.125(1)
 TWC Chapter 26 26.121(a)

Description: Failure to meet the limit for one or more permit parameter
 Date: 08/31/2003 (323516)
 Self Report? YES Classification: Moderate
 Citation: 30 TAC Chapter 305, SubChapter F 305.125(1)
 TWC Chapter 26 26.121(a)

Description: Failure to meet the limit for one or more permit parameter
 Date: 10/31/2003 (323519)
 Self Report? YES Classification: Moderate
 Citation: 30 TAC Chapter 305, SubChapter F 305.125(1)
 TWC Chapter 26 26.121(a)

Description: Failure to meet the limit for one or more permit parameter
 Date: 04/30/2004 (323508)
 Self Report? YES Classification: Moderate
 Citation: 30 TAC Chapter 305, SubChapter F 305.125(1)
 TWC Chapter 26 26.121(a)

Description: Failure to meet the limit for one or more permit parameter
 Date: 05/31/2004 (323510)
 Self Report? YES Classification: Moderate
 Citation: 30 TAC Chapter 305, SubChapter F 305.125(1)
 TWC Chapter 26 26.121(a)

Description: Failure to meet the limit for one or more permit parameter
 Date: 08/12/2004 (274610)
 Self Report? NO Classification: Moderate
 Citation: 30 TAC Chapter 305, SubChapter F 305.125(1)
 Rqmt Prov: PERMIT WQ TPDES 02296

Description: Failure to meet permit effluent limitations.
 Date: 08/31/2004 (364693)
 Self Report? YES Classification: Moderate
 Citation: 30 TAC Chapter 305, SubChapter F 305.125(1)
 TWC Chapter 26 26.121(a)

Description: Failure to meet the limit for one or more permit parameter
 Date: 11/30/2004 (388880)

Self Report? YES Classification: Moderate
 Citation: 30 TAC Chapter 305, SubChapter F 305.125(1)
 TWC Chapter 26 26.121(a)
 Description: Failure to meet the limit for one or more permit parameter
 Date: 01/13/2006 (436548)

Self Report? NO Classification: Moderate
 Citation: 30 TAC Chapter 305, SubChapter F 305.125(4)
 30 TAC Chapter 305, SubChapter F 305.125(5)
 TWC Chapter 26 26.121
 TWC Chapter 26 26.121(a)
 TWC Chapter 26 26.121(a)(1)
 TWC Chapter 26 26.121(a)(2)
 TWC Chapter 26 26.121(a)(3)
 TWC Chapter 26 26.121(b)
 TWC Chapter 26 26.121(c)
 TWC Chapter 26 26.121(d)
 TWC Chapter 26 26.121(e)
 Rqmt Prov: PERMIT VI. Standard Provisions
 Description: Failure to prevent an unauthorized discharge from the chlorine contact chamber
 located at the wastewater treatment plant site.
 Date: 08/15/2006 (497091)

Self Report? NO Classification: Moderate
 Citation: 30 TAC Chapter 116, SubChapter B 116.110(a)
 Description: Failed to permit emissions from a emission event that is not exempted due to
 human error, they are in violation of 30 TAC 116.110(a).
 Date: 11/14/2007 (594637)

Self Report? NO Classification: Moderate
 Citation: 30 TAC Chapter 305, SubChapter F 305.125(4)
 30 TAC Chapter 305, SubChapter F 305.125(5)
 TWC Chapter 26 26.121
 TWC Chapter 26 26.121(a)
 TWC Chapter 26 26.121(a)(1)
 TWC Chapter 26 26.121(a)(2)
 TWC Chapter 26 26.121(a)(3)
 TWC Chapter 26 26.121(b)
 TWC Chapter 26 26.121(c)
 TWC Chapter 26 26.121(d)
 TWC Chapter 26 26.121(e)
 Rqmt Prov: PERMIT III., General Description, pg. 1
 Description: Failure to prevent unauthorized discharges from the wastewater collection
 system.

F. Environmental audits.
N/A

G. Type of environmental management systems (EMSs).
N/A

H. Voluntary on-site compliance assessment dates.
N/A

I. Participation in a voluntary pollution reduction program.

Type	Tier	Certification Date
CLEAN TEXAS PROGRAM	PARTNERSHIP	04/12/2005
CLEAN TEXAS PROGRAM	PARTNER	04/12/2005
CLEAN TEXAS PROGRAM	PARTNER	04/12/2005

J. Early compliance.
N/A

Sites Outside of Texas
N/A