

Marisa Weber

From: PUBCOMMENT-OCC
Sent: Wednesday, February 05, 2014 8:43 AM
To: PUBCOMMENT-OCC2
Subject: FW: Public comment on Permit Number WQ0012346001

*MWD
90554*

From: e_v_anderson@mac.com [mailto:e_v_anderson@mac.com]
Sent: Tuesday, February 04, 2014 5:25 PM
To: donotReply@tceq.state.tx.us
Subject: Public comment on Permit Number WQ0012346001

REGULATED ENTY NAME WEST PARK MUD WATER PLANT

RN NUMBER: RN102487782

PERMIT NUMBER: WQ0012346001

DOCKET NUMBER:

COUNTY: HARRIS

PRINCIPAL NAME: WEST PARK MUD

CN NUMBER: CN601279185

FROM

NAME: Eric V Anderson

E-MAIL: e_v_anderson@mac.com

COMPANY: Eric Anderson

ADDRESS: 19718 SAN GABRIEL DR
HOUSTON TX 77084-5219

PHONE: 7134480680

FAX:

COMMENTS: I am very concerned about this permit. My concerns described below include: 1, Additional stress on overstressed flood control system, 2, Addition of water upstream of Addicks dam, contrary to assurances from Flood Control personnel, 3, Medical waste water release into the environment, threat to wildlife and human health - ongoing, 4, Medical waste water release into the environment, threat to wildlife and human health - emergency situation. If granted this permit could add just under 1.0 million gallons of waste

*Or
We*

water per day. This could add to the potential for flooding as this drainage is already over stressed, needing significant expansion to reduce the danger of flooding, not minor works to attempt to maintain the status quo. It certainly does not need more water. When the building permits were applied for we were told by the Flood Control people that due to the location, no additional water would be added to the Mayde Creek/Addicks Reservoir system. Further the adding of waste water from medical facilities risk significant hazardous contamination to the environment causing a risk to both local residents, people downstream, wildlife and potentially seaside communities. While I am sure we will be told that it will be safe and treated, once there is an emergency release due to higher than planned rainfall or an unanticipated on-site emergency or unanticipated equipment or system failure or not reasonably expected set of circumstances, it will have happened and we will be stuck with the consequences as everyone hides behind their platitudes and immunities. We will then find that the emergency procedures didn't include actual historical highs, 26 inches of rain in 24 hour period, or historical high rain combined with power outage, or flooding due to seal failure in pump or motor control room, failure of sensors or sensor control system, etc. How could this chain of events have been anticipated, because it has happened on the gulf coast before. Isn't it interesting they what is being asked for is 990,000 gallons per day. I can only assume that 1,000,000 gallons per day requires a much more rigorous process.

Marisa Weber

From: PUBCOMMENT-OCC
Sent: Wednesday, February 05, 2014 8:42 AM
To: PUBCOMMENT-OCC2
Subject: FW: Public comment on Permit Number WQ0012346001

From: malcolm.baker@swbell.net [mailto:malcolm.baker@swbell.net]
Sent: Tuesday, February 04, 2014 6:17 PM
To: donotReply@tceq.state.tx.us
Subject: Public comment on Permit Number WQ0012346001

*MWD
905524*

REGULATED ENTITY NAME: WEST PARK MUD WATER PLANT

RN NUMBER: RN102487782

PERMIT NUMBER: WQ0012346001

DOCKET NUMBER:

COUNTY: HARRIS

PRINCIPAL NAME: WEST PARK MUD

CN NUMBER: CN601279185

FROM

NAME: Malcolm Baker

E-MAIL: malcolm.baker@swbell.net

COMPANY:

ADDRESS: 2207 MISSION MILL CIR
HOUSTON TX 77084-6033

PHONE: 2817968178

FAX:

COMMENTS: As a 25 year Westlake Community resident, I am concerned about this proposal. Over the years I have watched as the neighborhood flooding has increased with the building expansion upstream combined with the permanent blockage east of Greenhouse by the ACOE. With the recent loss of most of the Greenhouse open land that contains the drainage way, can you assure us that we will not see this waste water flooding into our neighbors yards and homes on the east end of the subdivision. Now, with even more water (990,000 gallons

MWD

daily), what is your proposal to keep this waste water our neighborhood? What alternatives have been considered? Thank you for taking these comments.

Marisa Weber

From: PUBCOMMENT-OCC
Sent: Tuesday, February 04, 2014 3:17 PM
To: PUBCOMMENT-OCC2
Subject: FW: Public comment on Permit Number WQ0012346001

From: amennenbaldwin@hotmail.com [<mailto:amennenbaldwin@hotmail.com>]
Sent: Tuesday, February 04, 2014 2:14 PM
To: donotReply@tceq.state.tx.us
Subject: Public comment on Permit Number WQ0012346001

*MWD
20SSC*

REGULATED ENTY NAME WEST PARK MUD WATER PLANT

RN NUMBER: RN102487782

PERMIT NUMBER: WQ0012346001

DOCKET NUMBER:

COUNTY: HARRIS

PRINCIPAL NAME: WEST PARK MUD

CN NUMBER: CN601279185

FROM

NAME: Annette Mennen Baldwin

E-MAIL: amennenbaldwin@hotmail.com

COMPANY: Westlake Civic Improvement Association

ADDRESS: 19702 SAN GABRIEL DR
HOUSTON TX 77084-5219

PHONE: 2815789118

FAX: 2815797354

COMMENTS: We have a serious level of concern about the increase in water in this spillway which will enter South Mayde Creek and add to the flooding problem there. We have recently experienced a tremendous increase in our flood insurance because the South Mayde Creek Bayou flows east into federal property which acts a bottleneck to the water and causing almost immediate back up of water, even during light rains. We feel that even an addition 200,000 gallons of water is going to have a very negative impact on our subdivisions and

MWD

will add to our flooding problems and cause yet another increase in our already expensive flood insurance. What provisions are being made to avoid any additional flooding problems caused by up to 990,000 gallons of water per day?

Marisa Weber

From: PUBCOMMENT-OCC
Sent: Thursday, February 06, 2014 3:54 PM
To: PUBCOMMENT-OCC2
Subject: FW: Public comment on Permit Number WQ0012346001

From: carebear506@sbcglobal.net [mailto:carebear506@sbcglobal.net]
Sent: Wednesday, February 05, 2014 12:46 PM
To: donotReply@tceq.state.tx.us
Subject: Public comment on Permit Number WQ0012346001

mwd
90556

REGULATED ENTY NAME WEST PARK MUD WATER PLANT

RN NUMBER: RN102487782

PERMIT NUMBER: WQ0012346001

DOCKET NUMBER:

COUNTY: HARRIS

PRINCIPAL NAME: WEST PARK MUD

CN NUMBER: CN601279185

FROM

NAME: Sheila M Bradford

E-MAIL: carebear506@sbcglobal.net

COMPANY:

ADDRESS: 19615 MOONHOLLOW DR
HOUSTON TX 77084-5210

PHONE: 8329694347

FAX:

COMMENTS: There is no room in the South Mayde Creek bayou to take thousands of gallons of water from Westpark. It was almost full with the last rain and streets flooded as well. We have photos of South Mayde Creek and Cypressvine in Westlake Forest after a rain and this was after the complete rehabilitation of South Mayde Creek. Please deny this permit, we can't handle any more water. South Mayde Creek is right behind our homes. Many of us do not have flood insurance anymore because of the huge escalation in premiums after

SM

redrawing the lines and putting us in a flood zone. We were hoping the rehabilitation of South Mayde Creek would lower the premiums. Now we're to get more water to inundate us and our homes. Please say No to this permit.

Marisa Weber

From: PUBCOMMENT-OCC
Sent: Friday, February 21, 2014 8:12 AM
To: PUBCOMMENT-OCC2
Subject: FW: Public comment on Permit Number WQ0012346001

From: dalhart_drpepper@att.net [mailto:dalhart_drpepper@att.net]
Sent: Thursday, February 20, 2014 11:16 PM
To: donotReply@tceq.state.tx.us
Subject: Public comment on Permit Number WQ0012346001

MWD
905556

REGULATED ENTY NAME WEST PARK MUD WATER PLANT

RN NUMBER: RN102487782

PERMIT NUMBER: WQ0012346001

DOCKET NUMBER:

COUNTY: HARRIS

PRINCIPAL NAME: WEST PARK MUD

CN NUMBER: CN601279185

FROM

NAME: MRS Cynthia Ann Bryant

E-MAIL: dalhart_drpepper@att.net

COMPANY:

ADDRESS: 2403 CYPRESSVINE DR
HOUSTON TX 77084-5228

PHONE: 2815788376

FAX:

COMMENTS: Dear Sir, I have lived at this address for some 34 years. We have had severe flooding from time to time and almost had water in my house. In 1981 the flooding was do bad that we floated a raft around the neighborhood. Every year it seems to flood quicker with any rain. There is not enough land to soak up the water anymore. Please do not allow this dumping of 990 thousand gallons into the mayde creek bayou system it cannot handle it. Greenhouse rd already floods really bad as well as the road going to Mayde Creek High

MWD

School. There must be another way to resolve this issue with the new properties in need. Thank you for trying to understand our point of view as a homeowner!!!

Marisa Weber

From: PUBCOMMENT-OCC
Sent: Friday, February 21, 2014 8:12 AM
To: PUBCOMMENT-OCC2
Subject: FW: Public comment on Permit Number WQ0012346001

mwd
905556

From: dalhart_drpepper@yahoo.com [mailto:dalhart_drpepper@yahoo.com]
Sent: Friday, February 21, 2014 12:05 AM
To: donotReply@tceq.state.tx.us
Subject: Public comment on Permit Number WQ0012346001

REGULATED ENTY NAME WEST PARK MUD WATER PLANT

RN NUMBER: RN102487782

PERMIT NUMBER: WQ0012346001

DOCKET NUMBER:

COUNTY: HARRIS

PRINCIPAL NAME: WEST PARK MUD

CN NUMBER: CN601279185

FROM

NAME: MR David T. Bryant

E-MAIL: dalhart_drpepper@yahoo.com

COMPANY:

ADDRESS: 2403 CYPRESSVINE DR
HOUSTON TX 77084-5228

PHONE: 2815788376

FAX:

COMMENTS: We bought our home in Westlake Forest November 1,1980. In August 1981, we experienced our first street flooding and have average at least one per year since then to date. Our house has never flooded but has come close on several occasions. If your intentions are to release 990,000 of waste water (toxic or non-toxic) will definitely have a huge impact on all the subdivisions, schools and businesses that are near South Mayde Creek (bayou)! I pray that you will decide another alternative to where this water will go and we are

MC

determined to fight any attempt to try and make it happen! Regards, David Bryant Below is a portion of Google Maps showing my sub-division with the bayou full. You can see the impact that an additional daily million gallons of water would have on all who live, play, learn and work near this particular bayou!!

<https://www.google.com/maps/dir/29.7987807,-95.7060064/29.7986379,-95.705883/@29.8045341,-95.7095714,461m/data=!3m1!1e3!4m3!4m2!1m0!1m0>

Marisa Weber

From: PUBCOMMENT-OCC
Sent: Thursday, February 06, 2014 3:50 PM
To: PUBCOMMENT-OCC2
Subject: FW: Public comment on Permit Number WQ0012346001

From: sherrylrclark@comcast.net [mailto:sherrylrclark@comcast.net]
Sent: Thursday, February 06, 2014 10:43 AM
To: donotReply@tceq.state.tx.us
Subject: Public comment on Permit Number WQ0012346001

*MWD
90556*

REGULATED ENTY NAME WEST PARK MUD WATER PLANT

RN NUMBER: RN102487782

PERMIT NUMBER: WQ0012346001

DOCKET NUMBER:

COUNTY: HARRIS

PRINCIPAL NAME: WEST PARK MUD

CN NUMBER: CN601279185

FROM

NAME: MRS Sherryl R Clark

E-MAIL: sherrylrclark@comcast.net

COMPANY:

ADDRESS: 19415 GAGELAKE LN
HOUSTON TX 77084-4640

PHONE: 2817260743

FAX:

COMMENTS: Dear Sir or Ma'am: To even consider allowing the West Park Mud to release nearly one million gallons of water per day into a bayou area where flooding is already an on-going concern and which has already happened many times to the point that homes have been severely water-damaged is nothing less than irresponsible. Before the State/county ever allowed building permits to be issued let alone building on the newly opened section of north Greenhouse Road, this type of utility study should have been done to estimate its

CRW

impact on already existing neighborhoods and schools who have first right above new builds. This lack of regard for long time residents of the area is at the very least, negligent on the government's part and possibly more. Where are the published studies of new build impact on older neighborhoods????!! The bayou which runs north-south on the east side of Westlake Subdivision between Blindlake Drive and Greenhouse Road is not big or deep enough to handle this amount of water release daily to begin with. With an extreme amount of waste water from this type of release already blocking the drainage, if it rains there's not a doubt that it will back into houses on Blindlake and east Leafwood causing severe damage--and remember that's WASTE WATER! Very possibly with this extreme amount of water release, the flooding could extend even further into other streets of the neighborhoods. The proposed waste water release would be flowing into Mayde Creek north of Saums Road which then enters a "bottle-neck" on the north-east side of Greenhouse and Saums Rd. due to overgrowth---a "flood control" area managed by the Army Corp. of Engineers called Cullen Park. During times of heavier rains, this intersection always goes underwater and the road cannot be used, sometimes for several days. Adding waste water drainage to this scenario would be disastrous to all the homes and schools located here. We have three KISD schools: Mayde Creek elementary, Jr. High and High School, which border on the north side of this Cullen Park area----flooding cuts off a direct access to all three of these schools and makes school bus transportation very difficult. Again remember that's WASTE WATER sitting stagnant in Cullen Park next to schools. Let's talk about health impact on the area. Though these waste management plants always say the water is clean, the reality is that accidents happen and that it's not always the case--waste water really should be released into an underground drainage field system. Is it really "clean enough" to be released into an above-ground drain system? There's always the possibility of disease contamination with an open release like this. Then with the increase in stagnant water in the Cullen Park area, there will be an accompanying extreme increase in mosquito population, an insect well known for carrying diseases that can even be fatal. Again remember that this is next to schools and many children walk to and from school every day. Finally, allowing this type of extreme WASTE WATER release will cause a negative economic impact on the bordering neighborhoods. First of all homeowners will be facing the constant risk of flood damage. With an increase of flooding and damage our flood zone designation will be changed, which means an increase in insurance premiums and mandatory flood insurance for people just buying a home. Increased premiums can be an absolute economic hardship for long-term resident seniors and lower-income families. Also the persona that this is now a flood-prone neighborhood though it previously had never been known as such, makes it much more difficult to sell a home and reduces the sale price of a home as well. The purchase of a home and investing in its upkeep and improvement has long been considered a solid investment. By allowing this type of extreme WASTE WATER release, you would be negating that for all the homeowners in our area. Plus who wants to move to an area where their children would be at risk going to school next to an open-stagnant-mosquito-laden swamp!!! Please do not allow this to happen---please do not do this to our family oriented neighborhoods. Thank you, Sherryl Clark

Marisa Weber

From: PUBCOMMENT-OCC
Sent: Thursday, February 06, 2014 3:52 PM
To: PUBCOMMENT-OCC2
Subject: FW: Public comment on Permit Number WQ0012346001

PM

From: eetzel@gmail.com [<mailto:eetzel@gmail.com>]
Sent: Wednesday, February 05, 2014 4:14 PM
To: donotReply@tceq.state.tx.us
Subject: Public comment on Permit Number WQ0012346001

*MWD
9055ce*

REGULATED ENTY NAME WEST PARK MUD WATER PLANT

RN NUMBER: RN102487782

PERMIT NUMBER: WQ0012346001

DOCKET NUMBER:

COUNTY: HARRIS

PRINCIPAL NAME: WEST PARK MUD

CN NUMBER: CN601279185

FROM

NAME: MS Elizabeth I Etzel

E-MAIL: eetzel@gmail.com

COMPANY:

ADDRESS: 2307 HAZY CREEK DR
HOUSTON TX 77084-5236

PHONE: 2814927046

FAX:

COMMENTS: I live in Westlake Forest and am concerned about the addition of almost a million gallons of water into our spillway and Cullen Park. My house sits at 14 inches above sea level. That amount of water will put me under water at the first drenching rain. As a homeowner I would like a meeting about this issue rather than a hearing.

MWD

Marisa Weber

From: PUBCOMMENT-OCC
Sent: Thursday, February 06, 2014 3:51 PM
To: PUBCOMMENT-OCC2
Subject: FW: Public comment on Permit Number WQ0012346001

From: franklinm@comcast.net [mailto:franklinm@comcast.net]
Sent: Wednesday, February 05, 2014 10:20 PM
To: donotReply@tceq.state.tx.us
Subject: Public comment on Permit Number WQ0012346001

*MWD
90 554*

REGULATED ENTY NAME WEST PARK MUD WATER PLANT

RN NUMBER: RN102487782

PERMIT NUMBER: WQ0012346001

DOCKET NUMBER:

COUNTY: HARRIS

PRINCIPAL NAME: WEST PARK MUD

CN NUMBER: CN601279185

FROM

NAME: MR Franklin Marquardt

E-MAIL: franklinm@comcast.net

COMPANY:

ADDRESS: 19414 SOUTHAVEN DR
HOUSTON TX 77084-5269

PHONE: 2816467036

FAX:

COMMENTS: Our neighbor hood is already flooding with the slightest of rain and dumping 990,000 gallons a day into the bayou and reservoir daily can only spell disaster for our neighbor hood during a significant rain event. The smell that will come from this flowing right behind our houses is not something we bought into when we purchased our homes either. There must be alternatives to this so as not to pose a health or safety threat to our community.

Franklin

Marisa Weber

From: PUBCOMMENT-OCC
Sent: Wednesday, February 05, 2014 12:44 PM
To: PUBCOMMENT-OCC2
Subject: FW: Public comment on Permit Number WQ0012346001

From: lmiller@tex-tube.com [<mailto:lmiller@tex-tube.com>]
Sent: Wednesday, February 05, 2014 11:28 AM
To: donotReply@tceq.state.tx.us
Subject: Public comment on Permit Number WQ0012346001

*mwd
90556*

REGULATED ENTY NAME WEST PARK MUD WATER PLANT

RN NUMBER: RN102487782

PERMIT NUMBER: WQ0012346001

DOCKET NUMBER:

COUNTY: HARRIS

PRINCIPAL NAME: WEST PARK MUD

CN NUMBER: CN601279185

FROM

NAME: Lorna Miller

E-MAIL: lmiller@tex-tube.com

COMPANY:

ADDRESS: 1914 BRUSHY CREEK CIR
HOUSTON TX 77084-4796

PHONE: 2815789710

FAX:

COMMENTS: This will flood Westlake, Westlake Forest and Westlake Place Subdivisions. South Mayde Creek floods over the bridge on Greenhouse when it rains already. That is too much water for that creek to hold it. Could there also be waste from all of the new hospitals and doctor's offices? Could be toxic even when it is not supposed to be? I think this is a bad idea!!!

LMW

Marisa Weber

From: PUBCOMMENT-OCC
Sent: Tuesday, February 04, 2014 3:16 PM
To: PUBCOMMENT-OCC2
Subject: FW: Public comment on Permit Number WQ0012346001

*MWD
90555e*

From: gypsea82@Hotmail.com [<mailto:gypsea82@Hotmail.com>]
Sent: Tuesday, February 04, 2014 3:10 PM
To: donotReply@tceq.state.tx.us
Subject: Public comment on Permit Number WQ0012346001

REGULATED ENTY NAME WEST PARK MUD WATER PLANT

RN NUMBER: RN102487782

PERMIT NUMBER: WQ0012346001

DOCKET NUMBER:

COUNTY: HARRIS

PRINCIPAL NAME: WEST PARK MUD

CN NUMBER: CN601279185

FROM

NAME: C A Preator

E-MAIL: gypsea82@Hotmail.com

COMPANY:

ADDRESS: 2102 WESTLAKE WAY
HOUSTON TX 77084-4845

PHONE: 7138172120

FAX:

COMMENTS: A lot of residents in Westlake have a real concern about this permit. Dumping an additional 990,000 gallons of wastewater into the spillway east of Westlake and then into the South Mayde Creek Bayou could be a real flood issue. There has been so much concrete poured in the area the last few years for businesses and hospitals that our neighborhood narrowly escapes flooding each time we have a heavy rain. With an additional 990,000 gallons pouring into the spillway houses will flood. In addition, some of the water will drain

MWD

onto Core of Engineer property in Cullen Park and back up. The creek in Cullen Park has not been cleared out in years. There are tires, appliances, trash, bramble and fallen trees blocking the flow. More investigation needs to be done and questions answered before this permit is approved.

Marisa Weber

From: PUBCOMMENT-OCC
Sent: Wednesday, February 05, 2014 8:42 AM
To: PUBCOMMENT-OCC2
Subject: FW: Public comment on Permit Number WQ0012346001

From: Sredditt50@gmail.com [<mailto:Sredditt50@gmail.com>]
Sent: Tuesday, February 04, 2014 6:36 PM
To: donotReply@tceq.state.tx.us
Subject: Public comment on Permit Number WQ0012346001

*MWD
90555ce*

REGULATED ENTY NAME WEST PARK MUD WATER PLANT

RN NUMBER: RN102487782

PERMIT NUMBER: WQ0012346001

DOCKET NUMBER:

COUNTY: HARRIS

PRINCIPAL NAME: WEST PARK MUD

CN NUMBER: CN601279185

FROM

NAME: Steve Redditt

E-MAIL: Sredditt50@gmail.com

COMPANY:

ADDRESS: 19714 SAN GABRIEL DR
HOUSTON TX 77084-5219

PHONE: 2814927151

FAX:

COMMENTS: Flooding concerns

MWD

Marisa Weber

From: PUBCOMMENT-OCC
Sent: Wednesday, March 26, 2014 9:51 AM
To: PUBCOMMENT-OCC2
Subject: FW: Public comment on Permit Number WQ0012346001

From: brek1977@gmail.com [<mailto:brek1977@gmail.com>]
Sent: Monday, March 24, 2014 7:44 PM
To: donotReply@tceq.state.tx.us
Subject: Public comment on Permit Number WQ0012346001

MWD
90556

REGULATED ENTITY NAME WEST PARK MUD WATER PLANT

RN NUMBER: RN102487782

PERMIT NUMBER: WQ0012346001

DOCKET NUMBER:

COUNTY: HARRIS

PRINCIPAL NAME: WEST PARK MUD

CN NUMBER: CN601279185

FROM

NAME: Brenna Rektorik

E-MAIL: brek1977@gmail.com

COMPANY:

ADDRESS: 2419 CYPRESSVINE DR
HOUSTON TX 77084-5228

PHONE: 7132991357

FAX:

COMMENTS: My house partially flooded in 2009. Every heavy rain we would bite our nails down to the quick. We received some relief when Mayde Creek was made wider. If you go forward with the additional 990,000 gals I have a feeling we will be right where we were in 2009. Thank you for your time. GOD BLESS

RM

Marisa Weber

From: PUBCOMMENT-OCC
Sent: Wednesday, February 19, 2014 8:01 AM
To: PUBCOMMENT-OCC2
Subject: FW: Public comment on Permit Number WQ0012346001

*MWA
90556*

From: jd_java_nut@yahoo.com [mailto:jd_java_nut@yahoo.com]
Sent: Tuesday, February 18, 2014 6:00 PM
To: donotReply@tceq.state.tx.us
Subject: Public comment on Permit Number WQ0012346001

REGULATED ENTY NAME WEST PARK MUD WATER PLANT

RN NUMBER: RN102487782

PERMIT NUMBER: WQ0012346001

DOCKET NUMBER:

COUNTY: HARRIS

PRINCIPAL NAME: WEST PARK MUD

CN NUMBER: CN601279185

FROM

NAME: MR Jerome D Richardson

E-MAIL: jd_java_nut@yahoo.com

COMPANY:

ADDRESS: 2427 CYPRESSVINE DR
HOUSTON TX 77084-5228

PHONE: 8322368322

FAX:

COMMENTS: In my 10 yrs as a resident, I have seen a number of incidents in which flooding was occurring because S Mayde Creek was full and our streets could not drain. By leaning on this water way to transport your waste water you are increasing the likely hood of flooding. If this new waste water is due to development, why can they not expand the capacity to releave the increase volume? Some entity is profitting from this

MWA

development they should pay their share of the resources consumed by expanding and improving the facility. Its bad enough they are sending their dirty water our direction. What is the plan for excessive rain?

Marisa Weber

From: PUBCOMMENT-OCC
Sent: Thursday, February 06, 2014 3:45 PM
To: PUBCOMMENT-OCC2
Subject: FW: Public comment on Permit Number WQ0012346001

From: carlaswounds@yahoo.com [<mailto:carlaswounds@yahoo.com>]
Sent: Thursday, February 06, 2014 2:56 PM
To: donotReply@tceq.state.tx.us
Subject: Public comment on Permit Number WQ0012346001

MWD
905556

REGULATED ENTY NAME WEST PARK MUD WATER PLANT

RN NUMBER: RN102487782

PERMIT NUMBER: WQ0012346001

DOCKET NUMBER:

COUNTY: HARRIS

PRINCIPAL NAME: WEST PARK MUD

CN NUMBER: CN601279185

FROM

NAME: MRS Carla Scholwinski

E-MAIL: carlaswounds@yahoo.com

COMPANY:

ADDRESS: 2418 CROOKED LN
HOUSTON TX 77084-5250

PHONE: 2816467056

FAX:

COMMENTS: The location from which this waste water would be coming from seems to be from the dialysis clinic, doctor's office areas, Solera (which is a nursing home/rehab facility), and possibly the hospitals Methodist and Texas Children's Hospital. This waste water is most likely medical waste and is hazardous to animals and humans. I would go on to say that we should not be naive to this information. From a medical standpoint; there are people on dialysis that have Hepatitis (more often than not) and even HIV. Medical waste

MWD

water is not treated and rendered "clean" by any stretch of the imagination, and, furthermore; to my knowledge, waste water from medical facilities is not regulated by the EPA. Please take into consideration the cancer patients that receive chemo and radiation therapy--their waste (urine and feces) are contaminated with chemo and radiation by-products that go into our sewers daily when deciding on this, and finally, South Mayde Creek bayou is too small to handle the volume of water amount proposed and would cause our subdivision, Westlake Forest and surrounding others to more likely flood.

Marisa Weber

From: PUBCOMMENT-OCC
Sent: Thursday, February 06, 2014 3:51 PM
To: PUBCOMMENT-OCC2
Subject: FW: Public comment on Permit Number WQ0012346001

From: Robins53@att.net [<mailto:Robins53@att.net>]
Sent: Wednesday, February 05, 2014 5:48 PM
To: donotReply@tceq.state.tx.us
Subject: Public comment on Permit Number WQ0012346001

*MWD
POSSIBLE*

REGULATED ENTY NAME WEST PARK MUD WATER PLANT

RN NUMBER: RN102487782

PERMIT NUMBER: WQ0012346001

DOCKET NUMBER:

COUNTY: HARRIS

PRINCIPAL NAME: WEST PARK MUD

CN NUMBER: CN601279185

FROM

NAME: MS Robin Snitofsky

E-MAIL: Robins53@att.net

COMPANY:

ADDRESS: 19510 FRANZ RD
HOUSTON TX 77084-5256

PHONE: 2818293419

FAX:

COMMENTS: My home faces South Mayde Creek. On April 27th 2013, there was a hard rain. It went over the side walk and started creeping up the slope. That was one day. There have been other "high tides", which is a concern for me. This past spring was such a lovely time walking on the trail. There was a feeling of community on the walking path. Meeting neighbors, seeing children playing, not on the streets but with their parents enjoying the beautiful trees that the county planted. Please reconsider your plans. It will devalue this area.

MS

Marisa Weber

From: PUBCOMMENT-OCC
Sent: Tuesday, February 11, 2014 12:21 PM
To: PUBCOMMENT-OCC2
Subject: FW: Public comment on Permit Number WQ0012346001

From: jcstrange@sbcglobal.net [<mailto:jcstrange@sbcglobal.net>]
Sent: Tuesday, February 11, 2014 11:59 AM
To: donotReply@tceq.state.tx.us
Subject: Public comment on Permit Number WQ0012346001

*MUD
90556*

REGULATED ENTY NAME WEST PARK MUD WATER PLANT

RN NUMBER: RN102487782

PERMIT NUMBER: WQ0012346001

DOCKET NUMBER:

COUNTY: HARRIS

PRINCIPAL NAME: WEST PARK MUD

CN NUMBER: CN601279185

FROM

NAME: MRS Jeanne C Strange

E-MAIL: jcstrange@sbcglobal.net

COMPANY:

ADDRESS: 2022 WESTLAKE WAY
HOUSTON TX 77084-4843

PHONE: 2815792282

FAX:

COMMENTS: I have lived in my home for 23 yrs. & over that period of time we've had an abundance of new construction in the area, which as increased the street flooding during heavy rains. We have narrowly escaped flood in the last couple of really heavy rains. If 990,000 gallons of additional waste water PER DAY is dumped into the spillway and South Mayde Creek Bayou we will flood for sure. Especially since some of the flow goes to Cullen Park which floods at the drop of rain because all of the creeks in the park are clogged with trash, tires,

Mu

appliances, bramble and fallen trees which is supposed to be maintained by the Corps of Engineers. As a long time homeowner I would be forced to buy flood insurance to protect my home from the future flooding that would occur with an additional 990,000 gal. of water per day. If the spillway and South Mayde Creek can't handle what it has to now during rain, what in the world would make anybody think it would handle the flow with an additional 990,000 gal. of water per day, that's not even logical.

Marisa Weber

From: PUBCOMMENT-OCC
Sent: Monday, March 17, 2014 8:10 AM
To: PUBCOMMENT-OCC2
Subject: FW: Public comment on Permit Number WQ0012346001

From: pst3@pdq.net [<mailto:pst3@pdq.net>]
Sent: Sunday, March 16, 2014 5:40 AM
To: donotReply@tceq.state.tx.us
Subject: Public comment on Permit Number WQ0012346001

*MWD
90556*

REGULATED ENTY NAME WEST PARK MUD WATER PLANT

RN NUMBER: RN102487782

PERMIT NUMBER: WQ0012346001

DOCKET NUMBER:

COUNTY: HARRIS

PRINCIPAL NAME: WEST PARK MUD

CN NUMBER: CN601279185

FROM

NAME: Sherry Thompson

E-MAIL: pst3@pdq.net

COMPANY:

ADDRESS: 19734 SAN GABRIEL DR
HOUSTON TX 77084-5219

PHONE: 2815786564

FAX:

COMMENTS: concerning permit# WQ0012346001 - dumping 990,000 gallons of wastewater into South Mayde Creek. This wastewater will also dump into the Cullen Park creek area, which is not well maintained by the Corps of Engineers. The Cullen Park area floods just with a typically Harris county rain and roads are impassable for several days. When the new Flood lines were drawn a few years ago, I found myself having to pay several hundred dollars a year more for flood insurance. I only managed to keep it just under \$900 a year

CM

because I pulled money from my retirement account and paid off my house. I was hoping the next flood control survey would lower the rates, but not if they have to account for 990,000 gallons a day of extra water running through Mayde Creek and the surrounding creeks. Please do not move forward with your plans - please reconsider.

Marisa Weber

From: PUBCOMMENT-OCC
Sent: Wednesday, February 05, 2014 8:43 AM
To: PUBCOMMENT-OCC2
Subject: FW: Public comment on Permit Number WQ0012346001

From: jimmy.vance@gmail.com [mailto:jimmy.vance@gmail.com]
Sent: Tuesday, February 04, 2014 5:53 PM
To: donotReply@tceq.state.tx.us
Subject: Public comment on Permit Number WQ0012346001

*MWD
90552*

REGULATED ENTY NAME WEST PARK MUD WATER PLANT

RN NUMBER: RN102487782

PERMIT NUMBER: WQ0012346001

DOCKET NUMBER:

COUNTY: HARRIS

PRINCIPAL NAME: WEST PARK MUD

CN NUMBER: CN601279185

FROM

NAME: Jimmy Vance

E-MAIL: jimmy.vance@gmail.com

COMPANY: N/A

ADDRESS: 19702 SOUTHAVEN DR
HOUSTON TX 77084-5223

PHONE: 2815798783

FAX:

COMMENTS: I'm very concerned that if this proposal is approved the chance of flooding will increase in the Westlake Forest and surrounding subdivisions. Currently when the area gets from a few to several inches of rain in a short time period, South Mayde Creek west of Greenhouse Rd. rises rapidly. From the east side of Greenhouse Rd. towards Barker Cypress Rd. South Mayde Creek flows into the Addicks Reservoir Watershed Basin where it eventually flows into Langham Creek and Buffalo Bayou. Between Greenhouse and the reservoir

MWD

basin the creek is very narrow and full of tree roots and other debris which bottlenecks the flow of water into the basin. This bottleneck backs up water flow from the creek near Westlake Forest. The addition of 990,000 gallons of water per day will leave us at risk for flood damage to our homes and property. Viewing data from the Harris County Flood Control District at <http://www.harriscountyfws.org/GageDetail/Index/2150?R=1> shows that over the past year the creek was near or over bank several times during rain events. Flowing an additional 990,00 gallons of water flowing into this bottleneck on a daily basis is not a good plan.

Marisa Weber

From: PUBCOMMENT-OCC
Sent: Thursday, February 27, 2014 2:27 PM
To: PUBCOMMENT-OCC2
Subject: FW: Public comment on Permit Number WQ0012346001

*mwd
90556*

From: weidof@yahoo.com [<mailto:weidof@yahoo.com>]
Sent: Thursday, February 27, 2014 2:19 PM
To: donotReply@tceq.state.tx.us
Subject: Public comment on Permit Number WQ0012346001

REGULATED ENTY NAME WEST PARK MUD WATER PLANT

RN NUMBER: RN102487782

PERMIT NUMBER: WQ0012346001

DOCKET NUMBER:

COUNTY: HARRIS

PRINCIPAL NAME: WEST PARK MUD

CN NUMBER: CN601279185

FROM

NAME: MR Frank Weido

E-MAIL: weidof@yahoo.com

COMPANY:

ADDRESS: 2430 CYPRESSVINE DR
HOUSTON TX 77084-5229

PHONE: 2813988512

FAX:

COMMENTS: It's my understanding that you are wanting to dump 990,000 gallons of water per day into the Mayde Creek Bayou. This bayou can't handle that water on a daily basis we have flooded in the Westlake Forest Subdivision just from mother natures rainfall and it sure wasn't that much water. That flood resulted in the flood district remapping and causing everyone that has a mortgage to buy flood insurance and the class that we were labeled was high risk, just put two and two together and you will understand where I'm coming from. Keep it

MW

where it is since it is working it is not broken if it comes our way I'm sure that a lot of us will be when it floods again. Very concerned homeowner Frank Weido