

**Marisa Weber**

---

**From:** PUBCOMMENT-OCC  
**Sent:** Friday, July 10, 2015 8:18 AM  
**To:** PUBCOMMENT-WQ; PUBCOMMENT-ELD; PUBCOMMENT-OCC2; PUBCOMMENT-OPIC  
**Subject:** FW: Public comment on Permit Number WQ0010940001

H

**From:** [sophiam8399@yahoo.com](mailto:sophiam8399@yahoo.com) [mailto:[sophiam8399@yahoo.com](mailto:sophiam8399@yahoo.com)]  
**Sent:** Friday, July 10, 2015 7:36 AM  
**To:** DoNot Reply  
**Subject:** Public comment on Permit Number WQ0010940001

*MWD  
95449*

**REGULATED ENTY NAME CITY OF WHITE OAK**

**RN NUMBER:** RN102079696

**PERMIT NUMBER:** WQ0010940001

**DOCKET NUMBER:**

**COUNTY:** GREGG

**PRINCIPAL NAME:** CITY OF WHITE OAK

**CN NUMBER:** CN600739684

**FROM**

**NAME:** MR Kelly Gossage & Sophia Gossage

**E-MAIL:** [sophiam8399@yahoo.com](mailto:sophiam8399@yahoo.com)

**COMPANY:**

**ADDRESS:** PO BOX 3382  
KILGORE TX 75663-3382

**PHONE:** 9039830709

**FAX:**

**COMMENTS:** Hawkins Creek crosses our property approximately 20,000 feet. Our property starts where Hawkins Creek crosses Harrison Road and runs South all the way to the Sabine River. We already have, at times, flooding issues where it gets out of the bank and pipeline companies can't get to the control valves at the river and it causes various bodies of water to stand. Our concern is more water, more flooding. We live on our 2700 acre ranch and we are in the cattle business. Too much more water will keep us flooded. We love water

*MWD*

and need it but too much water causes problems. You can look up all of our property on Gregg County. It is under KG Family Partnership, LTD. This side of the river is about 1700 acres. We request a contested case hearing so that our voice may be heard. Please take our concern into consideration. Kelly and Sophia Gossage

**Marisa Weber**

---

**From:** PUBCOMMENT-OCC  
**Sent:** Friday, July 10, 2015 1:12 PM  
**To:** PUBCOMMENT-WQ; PUBCOMMENT-ELD; PUBCOMMENT-OCC2; PUBCOMMENT-OPIC  
**Subject:** FW: Public comment on Permit Number WQ0010940001  
**Attachments:** White Oak Water2.docx

H

**From:** [wekowalik@suddenlink.net](mailto:wekowalik@suddenlink.net) [mailto:[wekowalik@suddenlink.net](mailto:wekowalik@suddenlink.net)]  
**Sent:** Friday, July 10, 2015 11:02 AM  
**To:** DoNot Reply  
**Subject:** Public comment on Permit Number WQ0010940001

*mwd*  
*95449*

**REGULATED ENTY NAME CITY OF WHITE OAK**

**RN NUMBER:** RN102079696

**PERMIT NUMBER:** WQ0010940001

**DOCKET NUMBER:**

**COUNTY:** GREGG

**PRINCIPAL NAME:** CITY OF WHITE OAK

**CN NUMBER:** CN600739684

**FROM**

**NAME:** Walter Edward Kowalik

**E-MAIL:** [wekowalik@suddenlink.net](mailto:wekowalik@suddenlink.net)

**COMPANY:**

**ADDRESS:** 8514 RADCLIFFE DR  
TYLER TX 75703-5217

**PHONE:** 9035814192

**FAX:**

**COMMENTS:** See attached.

*mwd*

**9 July 2015**

**To:** Texas commission on Environmental Quality (TCEQ)

**From:** Walter E. Kowalik

8514 Radcliffe Dr.

Tyler, TX 75703

**Phone #:** 903-581-4192 (Home)

903-245-0308 (Cell)

**Applicant:** City of White Oak

**Permit #:** WQ0010940001

**My Property Legal Description:**

**AB 176 RUDDLE SUR TR 47 SEC 2 AG Use 54.31 Acres (ID – R26347)**

**Location: One (1) mile east of Hwy. 42 North side.**

**Distance to applicant's facility: Approx. 1.5 miles SE**

**Length of property on Hawkins Creek: Approx. 2,200 feet.**

**Description of adverse affect y the applicants proposal – not common to the general public:**

Approximately one-fourth of my acreage in the north and north-east part of the tract is identified as in the flood plain. When I bought the property in 2007, this area would flood when Hawkins Creek came over it's banks. In a day or two, it would recede and my property drained back into the creek. Presently, the above stated flood plain property is under water. The cause is the logs, limbs and trash coming downstream and damming the drainage ditch. Additionally, this trash has stopped up a 10 inch thick reinforced concrete bridge on my property causing it to wash out and two large trees falling across and busting the bridge. This occurred within the last month. This bridge gives access to wells on the north side by the energy companies. It was built about 35 years ago according to the previous owner. This is the first time for it to be destroyed. Replacement of this bridge is estimated to cost approximately \$50,000 per discussion with a Breitburn Energy supervisor, Chris Foreman. I would be happy to show this to anyone wishing to see it.

I believe that if Hawkins Creek was cleaned of debris periodically to preclude damming up draining ditches and bridges, the requested water input could be handled. Hawkins Creek extends about 2 miles past my property line where it meets the Sabine River.

Because of the above, I/we request a contested case hearing.

I never received notice of this application and a copy was given me by a third party a week ago. I use White Oak water and get my bills without delay each month. I do not take the local newspapers since I live in Tyler, TX and the notice had been posted in the Longview newspaper. The address of the affected property is 5648 W. Harrison Rd, Longview, TX, but I receive my mail at:

Walter Kowalik

8514 Radcliffe Dr.

Tyler, TX 75703

**Marisa Weber**

---

**From:** PUBCOMMENT-OCC  
**Sent:** Friday, May 22, 2015 4:30 PM  
**To:** PUBCOMMENT-OCC2  
**Subject:** FW: Public comment on Permit Number WQ0010940001  
**Attachments:** GREGG TCEQ2.docx

*MWD  
95449*

PM  
H

**From:** [allison@williamsconstructionltd.com](mailto:allison@williamsconstructionltd.com) [mailto:[allison@williamsconstructionltd.com](mailto:allison@williamsconstructionltd.com)]  
**Sent:** Friday, May 22, 2015 3:55 PM  
**To:** DoNot Reply  
**Subject:** Public comment on Permit Number WQ0010940001

**REGULATED ENTY NAME:** CITY OF WHITE OAK

**RN NUMBER:** RN102079696

**PERMIT NUMBER:** WQ0010940001

**DOCKET NUMBER:**

**COUNTY:** GREGG

**PRINCIPAL NAME:** CITY OF WHITE OAK

**CN NUMBER:** CN600739684

**FROM**

**NAME:** Gregg Williams

**E-MAIL:** [allison@williamsconstructionltd.com](mailto:allison@williamsconstructionltd.com)

**COMPANY:** Aglyn Number Four, LLC Aglyn Number Three, LLC

**ADDRESS:** 3610 W LOOP 281  
LONGVIEW TX 75604-2673

**PHONE:** 9037382140

**FAX:**

**COMMENTS:** To: Texas Commission on Environmental Quality From: Gregg Williams 3610 W Loop 281 Longview, TX 75604 Re: Public Comments / Public Meeting & Request for Contested Case Hearing for TPDES Permit for Municipal Wastewater Amendment Listed below are the items you requested I provide for

*MWD*

my request: My name: Gregg Williams My address: 3610 W Loop 281 Longview, TX 75604 My phone numbers: (903) 738-2140 (Cell) and (903) 759-3985 (Office) Applicant's Name: City of White Oak Applicant's Permit Number: WQ0010940001 Location of my properties: (1) Gregg County Appraisal District Property ID: 201953 ; Legal Description: AB 176 J RUDDLE SUR TR 26-03 SEC 3 TIMBER USE ON 45.349 ACRES ; (2) Gregg County Appraisal District Property ID: 26378 ; Legal Description: AB 176 J RUDDLE SUR TR 27 SEC 3 TIMBER USE ON 75.878 ACRES Distance of my Property/Activities Relative from the Facility: 2,857 Linear Feet South Creek Length of my Property: 4,853 Linear Feet Long Specific Description of how I would be adversely affected by the facility in a way not common to the general public: I/we request a contested case hearing. It is for AGLYN Number TWO, LLC and AGLYN Number ONE, LLC, which I, Gregg Williams, am the manager/member of both. The reason for my contest is that our property is already in a flood plain. We did not always flood when we bought the property, but now we are flooding more and more often. The majority of the problem, I believe, is that the creek cannot handle the amount of water that has been introduced into it. Because of obstructions in the creek all the way to the Sabine River, my creek is approximately 4,853 linear feet long, then it is another 28,652 linear feet to the Sabine River. I believe that if the creek was clean and maintained to the Sabine River, it would flow better than it does now and have less flooding. Trees are being washed out of the ground and dead trees are falling into the creek. We have two creek crossings; one is too small and one just washed out because a tree fell and blocked the culverts. It was 12" thick concrete. As the city has continued to release more water with the rain, this problem has gotten worse and as the city grows, they will release more and more water. As a result, with a small rainfall we will continue to flood more and more often. Sincerely, Gregg Williams

To: Texas Commission on Environmental Quality

From: Gregg Williams  
3610 W Loop 281  
Longview, TX 75604

**Re: Public Comments / Public Meeting & Request for Contested Case Hearing for TPDES Permit for Municipal Wastewater Amendment**

Listed below are the items you requested I provide for my request:

**My name:** Gregg Williams

**My address:** 3610 W Loop 281 Longview, TX 75604

**My phone numbers:** (903) 738-2140 (Cell) and (903) 759-3985 (Office)

**Applicant's Name:** City of White Oak

**Applicant's Permit Number:** WQ0010940001

**Location of my properties:**

**(1)** Gregg County Appraisal District Property ID: 201953 ; Legal Description: AB 176 J RUDDLE SUR TR 26-03 SEC 3 TIMBER USE ON 45.349 ACRES ;

**(2)** Gregg County Appraisal District Property ID: 26378 ; Legal Description: AB 176 J RUDDLE SUR TR 27 SEC 3 TIMBER USE ON 75.878 ACRES

**Distance of my Property/Activities Relative from the Facility:** 2,857 Linear Feet South

**Creek Length of my Property:** 4,853 Linear Feet Long

---

**Specific Description of how I would be adversely affected by the facility in a way not common to the general public:**

I/we request a contested case hearing. It is for AGLYN Number TWO, LLC and AGLYN Number ONE, LLC, which I, Gregg Williams, am the manager/member of both.

The reason for my contest is that our property is already in a flood plain. We did not always flood when we bought the property, but now we are flooding more and more often. The majority of the problem, I believe, is that the creek cannot handle the amount of water that has been introduced into it.

Because of obstructions in the creek all the way to the Sabine River, my creek is approximately 4,853 linear feet long, then it is another 28,652 linear feet to the Sabine River. I believe that if the creek was clean and maintained to the Sabine River, it would flow better than it does now and have less flooding.

Trees are being washed out of the ground and dead trees are falling into the creek. We have two creek crossings; one is too small and one just washed out because a tree fell and blocked the culverts. It was 12" thick concrete.

As the city has continued to release more water with the rain, this problem has gotten worse and as the city grows, they will release more and more water. As a result, with a small rainfall we will continue to flood more and more often.

Sincerely,

Gregg Williams

**Marisa Weber**

---

**From:** PUBCOMMENT-OCC  
**Sent:** Friday, May 22, 2015 3:55 PM  
**To:** PUBCOMMENT-OCC2  
**Subject:** FW: Public comment on Permit Number WQ0010940001  
**Attachments:** GREGG TCEQ1.docx

PM  
H

*MWD  
95449*

**From:** [allison@williamsconstructionltd.com](mailto:allison@williamsconstructionltd.com) [<mailto:allison@williamsconstructionltd.com>]  
**Sent:** Friday, May 22, 2015 3:51 PM  
**To:** DoNot Reply  
**Subject:** Public comment on Permit Number WQ0010940001

**REGULATED ENTY NAME** CITY OF WHITE OAK

**RN NUMBER:** RN102079696

**PERMIT NUMBER:** WQ0010940001

**DOCKET NUMBER:**

**COUNTY:** GREGG

**PRINCIPAL NAME:** CITY OF WHITE OAK

**CN NUMBER:** CN600739684

**FROM**

**NAME:** Gregg Williams

**E-MAIL:** [allison@williamsconstructionltd.com](mailto:allison@williamsconstructionltd.com)

**COMPANY:**

**ADDRESS:** 3610 W LOOP 281  
LONGVIEW TX 75604-2673

**PHONE:** 9037382140

**FAX:**

**COMMENTS:** To: Texas Commission on Environmental Quality From: Gregg Williams 3610 W Loop 281 Longview, TX 75604 Re: Public Comments / Public Meeting & Request for Contested Case Hearing for TPDES Permit for Municipal Wastewater Amendment Listed below are the items you requested I provide for

*MWD*

my request: My name: Gregg Williams My address: 3610 W Loop 281 Longview, TX 75604 My phone numbers: (903) 738-2140 (Cell) and (903) 759-3985 (Office) Applicant's Name: City of White Oak Applicant's Permit Number: WQ0010940001 Location of my properties: (1) Gregg County Appraisal District Property ID: 201953 ; Legal Description: AB 176 J RUDDLE SUR TR 26-03 SEC 3 TIMBER USE ON 45.349 ACRES ; (2) Gregg County Appraisal District Property ID: 26378 ; Legal Description: AB 176 J RUDDLE SUR TR 27 SEC 3 TIMBER USE ON 75.878 ACRES Distance of my Property/Activities Relative from the Facility: 2,857 Linear Feet South Creek Length of my Property: 4,853 Linear Feet Long Specific Description of how I would be adversely affected by the facility in a way not common to the general public: I/we request a contested case hearing. It is for AGLYN Number TWO, LLC and AGLYN Number ONE, LLC, which I, Gregg Williams, am the manager/member of both. The reason for my contest is that our property is already in a flood plain. We did not always flood when we bought the property, but now we are flooding more and more often. The majority of the problem, I believe, is that the creek cannot handle the amount of water that has been introduced into it. Because of obstructions in the creek all the way to the Sabine River, my creek is approximately 4,853 linear feet long, then it is another 28,652 linear feet to the Sabine River. I believe that if the creek was clean and maintained to the Sabine River, it would flow better than it does now and have less flooding. Trees are being washed out of the ground and dead trees are falling into the creek. We have two creek crossings; one is too small and one just washed out because a tree fell and blocked the culverts. It was 12" thick concrete. As the city has continued to release more water with the rain, this problem has gotten worse and as the city grows, they will release more and more water. As a result, with a small rainfall we will continue to flood more and more often. Sincerely, Gregg Williams

To: Texas Commission on Environmental Quality

From: Gregg Williams  
3610 W Loop 281  
Longview, TX 75604

**Re: Public Comments / Public Meeting & Request for Contested Case Hearing for TPDES Permit for Municipal Wastewater Amendment**

Listed below are the items you requested I provide for my request:

**My name:** Gregg Williams

**My address:** 3610 W Loop 281 Longview, TX 75604

**My phone numbers:** (903) 738-2140 (Cell) and (903) 759-3985 (Office)

**Applicant's Name:** City of White Oak

**Applicant's Permit Number:** WQ0010940001

**Location of my properties:**

**(1)** Gregg County Appraisal District Property ID: 201953 ; Legal Description: AB 176 J RUDDLE SUR TR 26-03 SEC 3 TIMBER USE ON 45.349 ACRES ;

**(2)** Gregg County Appraisal District Property ID: 26378 ; Legal Description: AB 176 J RUDDLE SUR TR 27 SEC 3 TIMBER USE ON 75.878 ACRES

**Distance of my Property/Activities Relative from the Facility:** 2,857 Linear Feet South

**Creek Length of my Property:** 4,853 Linear Feet Long

---

**Specific Description of how I would be adversely affected by the facility in a way not common to the general public:**

I/we request a contested case hearing. It is for AGLYN Number TWO, LLC and AGLYN Number ONE, LLC, which I, Gregg Williams, am the manager/member of both.

The reason for my contest is that our property is already in a flood plain. We did not always flood when we bought the property, but now we are flooding more and more often. The majority of the problem, I believe, is that the creek cannot handle the amount of water that has been introduced into it.

Because of obstructions in the creek all the way to the Sabine River, my creek is approximately 4,853 linear feet long, then it is another 28,652 linear feet to the Sabine River. I believe that if the creek was clean and maintained to the Sabine River, it would flow better than it does now and have less flooding.

Trees are being washed out of the ground and dead trees are falling into the creek. We have two creek crossings; one is too small and one just washed out because a tree fell and blocked the culverts. It was 12" thick concrete.

As the city has continued to release more water with the rain, this problem has gotten worse and as the city grows, they will release more and more water. As a result, with a small rainfall we will continue to flood more and more often.

Sincerely,

Gregg Williams