Received Jun 13 2016 08:11am

SAVE OUR SHORES
P. O. BOX 1020
BACLIFF, TX. 77518

TEXAS COMMISSION ON ENVIRONMENTAL QUALITY
2016 JUN 13 AM 8:15
CHIEF CLERKS OFFICE

June 12, 2016

TO WHOM IT MAY CONCERN;

RE: CLEAN HARBORS PERMIT #WQ0004086000

We are forwarding the latest soil and water testing at the Clean Harbors location. This was done thru San Leon Mud following EPA guidelines. You will need to consider this information seriously before the meeting in Austin on July 6, 2016. We will have representatives at that meeting who will answer any questions. We wanted TCEQ to analyze this information before it is made public. They are water and mud samples from different areas around the plant after severe rains. These findings would be much higher under normal weather conditions.

Save our Shores has been involved with this company since the mid 90's under the original name Bird Environmental; In May 1996 sold to DuraTherm Inc, The new name is "Clean Harbors". We have records in our files citing many violations by Clean Harbors over the years. TCEQ continues to issue permits out of Austin. They are operating in a fishing and recreational area with families living in close proximity, many with water wells.

As it is TCEQ's mission to protect human health and safety, and the natural resources, we know that this information will have a bearing on your decision.

Sincerely yours,

(Mary Ann McCracke

Phil Cone 832 385-2710

Phil Cone, President, Save our Shores

EASTEX Environmental Labs Inc.
P.O. Box 1089 Coldspring, Texas 77331
Website: eastexlabs.com
Email: eastexlab@eastex.net
Tel: 936 653 3249

Quality Control Report

Customer: San Leon MUD
Project: San Leon Special

Test | Units | Method

Batch	Blank	Standard True	Standard Found	% Rec.	Note	Spike % Rec.	Spike Note	Lab ID	Duplicate Result	Duplicate Dup	Duplicate RPD	Duplicate Note	RL	Original Order ID
Aluminum | mg/Kg dry | EPA SW 846-6010, 3050														
B6E1343	<0.100	2.50	2.82	113	<WL	--	--	--	13500	--	--	--	0.182	C6E1378-01
B6E1343	<0.100	2.50	2.82	113	<WL	--	--	--	18900	--	--	--	0.166	C6E1378-02
B6E1343	<0.100	2.50	2.82	113	<WL	--	--	--	15100	--	--	--	0.226	C6E1378-03
Antimony | mg/Kg dry | EPA SW 846-6010, 3050														
B6E1343	<0.0500	2.50	2.65	106	<WL	--	--	--	0.436	--	--	--	0.065	C6E1378-01
B6E1343	<0.0500	2.50	2.65	106	<WL	--	--	--	0.356	--	--	--	0.083	C6E1378-02
B6E1343	<0.0500	2.50	2.65	106	<WL	--	--	--	0.461	--	--	--	0.113	C6E1378-03
Arsenic | mg/Kg dry | EPA SW 846-6010, 3050														
B6E1343	<0.0500	2.50	2.76	110	<WL	--	--	--	4.51	--	--	--	0.065	C6E1378-01
B6E1343	<0.0500	2.50	2.76	110	<WL	--	--	--	13.7	--	--	--	0.083	C6E1378-02
B6E1343	<0.0500	2.50	2.76	110	<WL	--	--	--	11.0	--	--	--	0.113	C6E1378-03
Barium | mg/Kg dry | EPA SW 846-6010, 3050														
B6E1343	<0.100	2.50	2.49	99.6	<WL	--	--	--	58.0	--	--	--	0.132	C6E1378-01
B6E1343	<0.100	2.50	2.49	99.6	<WL	--	--	--	140	--	--	--	0.166	C6E1378-02
B6E1343	<0.100	2.50	2.49	99.6	<WL	--	--	--	145	--	--	--	0.226	C6E1378-03
Beryllium | mg/Kg dry | EPA SW 846-6010, 3050														
B6E1343	<0.0100	2.50	2.51	100	<WL	--	--	--	0.0910	--	--	--	0.013	C6E1378-01
B6E1343	<0.0100	2.50	2.51	100	<WL	--	--	--	0.150	--	--	--	0.016	C6E1378-02
B6E1343	<0.0100	2.50	2.51	100	<WL	--	--	--	<0.0226	--	--	--	0.022	C6E1378-03
Cadmium | mg/Kg dry | EPA SW 846-6010, 3050														
B6E1343	<0.0100	2.50	2.5	99.1	<WL	--	--	--	1.93	--	--	--	0.013	C6E1378-01
B6E1343	<0.0100	2.50	2.5	99.1	<WL	--	--	--	2.37	--	--	--	0.016	C6E1378-02
B6E1343	<0.0100	2.50	2.5	99.1	<WL	--	--	--	2.33	--	--	--	0.022	C6E1378-03
Calcium | mg/Kg dry | EPA SW 846-6010, 3050														
B6E1350	<5.00	250	250	100	<WL	105	<WL	C6E2255-01	123000	1220(	1.0253	<WL	6.59	C6E1378-01
B6E1350	<5.00	250	250	100	<WL	105	<WL	C6E2255-01	123000	1220(	1.0253	<WL	8.32	C6E1378-02
B6E1350	<5.00	250	250	100	<WL	105	<WL	C6E2255-01	123000	1220(	1.0253	<WL	11.3	C6E1378-03
Chromium | mg/Kg dry | EPA SW 846-6010, 3050														
B6E1343	<0.050	2.50	2.67	107	<WL	--	--	--	14.0	--	--	--	0.066	C6E1378-01
B6E1343	<0.050	2.50	2.67	107	<WL	--	--	--	27.7	--	--	--	0.083	C6E1378-02
B6E1343	<0.050	2.50	2.67	107	<WL	--	--	--	49.7	--	--	--	0.113	C6E1378-03
Cobalt | mg/Kg dry | EPA SW 846-6010, 3050														
B6E1343	<0.500	2.50	2.51	101	<WL	--	--	--	8.98	--	--	--	0.659	C6E1378-01
B6E1343	<0.500	2.50	2.51	101	<WL	--	--	--	348	--	--	--	0.832	C6E1378-02
B6E1343	<0.500	2.50	2.51	101	<WL	--	--	--	69.3	--	--	--	1.13	C6E1378-03

NOTE <WL is within warning limits
>WL is outside warning limits but within control limits
>CL is outside control limits

EASTEX ENVIRONMENTAL LAB INC.

P.O. Box 1089 Coldspring Tx 77331
Website: eastexlabs.com
Email: eastexlab@eastex.net
Tel: 936 653 3249

San Leon MUD
443 - 24th Street
San Leon TX, 77539

LABORATORY ANALYTICAL REPORT

Project: San Leon Special
Sample Matrix: Waste
Client Matrix: Waste

Sample Date and Time: 05/04/2016 11:20
Collector: CA
Sample Type: Grab
Print Date: 5/20/2016

1 Small Mud

C6E1378-01 (Waste)

Analyte	Result	Reporting Limit	Units	Nelac Status	Batch	Analyzed Date & Time	Method	Notes
Eastex Environmental Laboratory - Coldspring								
Aluminum	13500	0.132	mg/Kg dry	A	B6E1343	05/16/2016 14:58	EPA SW 846-6010, 3050	
Antimony	0.436	0.0659	mg/Kg dry	A	B6E1343	05/16/2016 14:58	EPA SW 846-6010, 3050	
Arsenic	4.51	0.0659	mg/Kg dry	A	B6E1343	05/16/2016 14:58	EPA SW 846-6010, 3050	
Barium	58.0	0.132	mg/Kg dry	A	B6E1343	05/16/2016 14:58	EPA SW 846-6010, 3050	
Beryllium	0.0910	0.0132	mg/Kg dry	A	B6E1343	05/16/2016 14:58	EPA SW 846-6010, 3050	
Cadmium	1.93	0.0132	mg/Kg dry	A	B6E1343	05/16/2016 14:58	EPA SW 846-6010, 3050	
Calcium	10100	6.59	mg/Kg dry	A	B6E1343	05/16/2016 14:58	EPA SW 846-6010, 3050	
Chromium	14.0	0.066	mg/Kg dry	A	B6E1350	05/13/2016 15:31	EPA SW 846-6010, 3050	12
Cobalt	8.98	0.659	mg/Kg dry	A	B6E1343	05/16/2016 14:58	EPA SW 846-6010, 3050	
Iron	8840	0.659	mg/Kg dry	A	B6E1343	05/16/2016 14:58	EPA SW 846-6010, 3050	
Lead	8.08	0.0659	mg/Kg dry	A	B6E1343	05/16/2016 14:58	EPA SW 846-6010, 3050	12
Magnesium	2990	6.59	mg/Kg dry	A	B6E1343	05/16/2016 14:58	EPA SW 846-6010, 3050	12
Manganese	198	0.132	mg/Kg dry	A	B6E1350	05/13/2016 15:31	EPA SW 846-6010, 3050	12
Mercury, Total	0.0903	0.00264	mg/Kg dry	A	B6E1343	05/16/2016 14:58	EPA SW 846-6010, 3050	
Nickel	40.4	0.132	mg/Kg dry	A	B6E1740	05/13/2016 13:47	EPA SW 846-7471B	
Percent Solid	75.9	0.1	%	A	B6E1343	05/16/2016 14:58	EPA SW 846-6010, 3050	
Potassium	2770	6.59	mg/Kg dry	A	B6E0813	05/08/2016 15:00	SM 2540G	
Selenium	0.125	0.0659	mg/Kg dry	A	B6E1350	05/13/2016 15:31	EPA SW 846-6010, 3050	
Silver	0.440	0.0264	mg/Kg dry	A	B6E1343	05/16/2016 14:58	EPA SW 846-6010, 3050	12
Sodium	514	6.59	mg/Kg dry	A	B6E2001	05/18/2016 11:06	EPA SW 846-6010, 3050	12
Zinc	52.8	0.0659	mg/Kg dry	A	B6E1350	05/13/2016 15:31	EPA SW 846-6010, 3050	
					B6E1343	05/16/2016 14:58	EPA SW 846-6010, 3050	12

DRAFT REPORT

The results in this report apply to the samples analyzed in accordance with the chain of custody document.
This analytical report must be reproduced in its entirety.

*NELAC Status: A=Accredited, N=Accreditation not offered, O=Not Accredited, P=Approved

PromiumforCold.v5.rpt ; revision date 03/31/2016

EASTEX Environmental Labs Inc.
P.O. Box 1089 Coldspring Tx 77331
Website: eastexlabs.com
Email: eastexlab@eastex.net
Tel: 936 653 3249

San Leon MUD
443 - 24th Street
San Leon TX, 77539

Project: San Leon Special
Sample Matrix: Waste
Client Matrix: Waste

Sample Date and Time: 05/04/2016 11:20
Collector: CA
Sample Type: Grab
Print Date: 5/20/2016

2 Large Mud

C6E1378-02 (Waste)

Analyte	Result	Reporting Limit	Units	Nelac Status	Batch	Analyzed Date & Time	Method	Notes
Eastex Environmental Laboratory - Coldspring								
Aluminum	18900	0.166	mg/Kg dry	A	B6E1343	05/16/2016 15:03	EPA SW 846-6010, 3050	
Antimony	0.356	0.0832	mg/Kg dry	A	B6E1343	05/16/2016 15:03	EPA SW 846-6010, 3050	
Arsenic	13.7	0.0832	mg/Kg dry	A	B6E1343	05/16/2016 15:03	EPA SW 846-6010, 3050	
Barium	140	0.166	mg/Kg dry	A	B6E1343	05/16/2016 15:03	EPA SW 846-6010, 3050	
Beryllium	0.150	0.0166	mg/Kg dry	A	B6E1343	05/16/2016 15:03	EPA SW 846-6010, 3050	
Cadmium	2.37	0.0166	mg/Kg dry	A	B6E1343	05/16/2016 15:03	EPA SW 846-6010, 3050	
Calcium	77700	8.32	mg/Kg dry	A	B6E1350	05/13/2016 15:33	EPA SW 846-6010, 3050	12
Chromium	27.7	0.083	mg/Kg dry	A	B6E1343	05/16/2016 15:03	EPA SW 846-6010, 3050	
Cobalt	348	0.832	mg/Kg dry	A	B6E1343	05/16/2016 15:03	EPA SW 846-6010, 3050	
Iron	10200	0.832	mg/Kg dry	A	B6E1343	05/16/2016 15:03	EPA SW 846-6010, 3050	12
Lead	24.6	0.0832	mg/Kg dry	A	B6E1343	05/16/2016 15:03	EPA SW 846-6010, 3050	12
Magnesium	10200	8.32	mg/Kg dry	A	B6E1350	05/13/2016 15:33	EPA SW 846-6010, 3050	12
Manganese	171	0.166	mg/Kg dry	A	B6E1343	05/16/2016 15:03	EPA SW 846-6010, 3050	
Mercury, Total	0.265	0.00333	mg/Kg dry	A	B6E1340	05/13/2016 13:48	EPA SW 846-7471B	
Nickel	1410	0.166	mg/Kg dry	A	B6E1343	05/16/2016 15:03	EPA SW 846-6010, 3050	
Percent Solid	60.1	0.1	%	A	B6E0810	05/06/2016 15:00	SM 2540G	
Potassium	3500	8.32	mg/Kg dry	A	B6E1350	05/13/2016 15:33	EPA SW 846-6010, 3050	
Selenium	1.51	0.0832	mg/Kg dry	A	B6E1343	05/16/2016 15:03	EPA SW 846-6010, 3050	12
Silver	<0.0333	0.0333	mg/Kg dry	A	B6E2001	05/18/2016 11:11	EPA SW 846-6010, 3050	12
Sodium	2060	8.32	mg/Kg dry	A	B6E1350	05/13/2016 15:33	EPA SW 846-6010, 3050	
Zinc	317	0.0832	mg/Kg dry	A	B6E1343	05/16/2016 15:03	EPA SW 846-6010, 3050	12

DRAFT REPORT

The results in this report apply to the samples analyzed in accordance with the chain of custody document.
This analytical report must be reproduced in its entirety.

*NELAC Status: A=Accredited, N=Accreditation not offered, O=Not Accredited; P=Approved

PremiumforCold.v5.rpt : revision date 03/31/2016

EASTEX ENVIRONMENTAL LABS INC.

P.O. Box 1089 Coldspring Tx 77331
Website: eastexlabs.com
Email: eastexlab@eastex.net
Tel: 936 653 3249

San Leon MUD
443 - 24th Street
San Leon TX, 77539

Project: San Leon Special
Sample Matrix: Waste
Client Matrix: Waste

Sample Date and Time: 05/04/2016 11:20
Collector: CA
Sample Type:Grab
Print Date: 5/20/2016

3 Liquid
C6E1378-03 (Waste)

Analyte	Result	Reporting Limit	Units	Nelac Status	Batch	Analyzed Date & Time	Method	Notes
Eastex Environmental Laboratory - Coldspring								
Aluminum	15100	0.226	mg/Kg dry	A	B6E1343	05/16/2016 15:08	EPA SW 846-6010, 3050	
Antimony	0.461	0.113	mg/Kg dry	A	B6E1343	05/16/2016 15:08	EPA SW 846-6010, 3050	
Arsenic	11.0	0.113	mg/Kg dry	A	B6E1343	05/16/2016 15:08	EPA SW 846-6010, 3050	
Barium	145	0.226	mg/Kg dry	A	B6E1343	05/16/2016 15:08	EPA SW 846-6010, 3050	
Beryllium	<0.0226	0.0226	mg/Kg dry	A	B6E1343	05/16/2016 15:08	EPA SW 846-6010, 3050	
Cadmium	2.33	0.0226	mg/Kg dry	A	B6E1343	05/16/2016 15:08	EPA SW 846-6010, 3050	
Calcium	120000	11.3	mg/Kg dry	A	B6E1350	05/13/2016 15:36	EPA SW 846-6010, 3050	12
Chromium	49.7	0.113	mg/Kg dry	A	B6E1343	05/16/2016 15:08	EPA SW 846-6010, 3050	
Cobalt	69.3	1.13	mg/Kg dry	A	B6E1343	05/16/2016 15:08	EPA SW 846-6010, 3050	
Iron	11200	1.13	mg/Kg dry	A	B6E1343	05/16/2016 15:08	EPA SW 846-6010, 3050	
Lead	13.5	0.113	mg/Kg dry	A	B6E1343	05/16/2016 15:08	EPA SW 846-6010, 3050	12
Magnesium	9300	11.3	mg/Kg dry	A	B6E1350	05/13/2016 15:36	EPA SW 846-6010, 3050	12
Manganese	239	0.226	mg/Kg dry	A	B6E1343	05/16/2016 15:08	EPA SW 846-6010, 3050	12
Mercury, Total	0.157	0.00451	mg/Kg dry	A	B6E1740	05/13/2016 13:51	EPA SW 846-7471B	
Nickel	387	0.226	mg/Kg dry	A	B6E1343	05/16/2016 15:08	EPA SW 846-6010, 3050	
Percent Solid	44.3	0.1	%	A	B6E0813	05/06/2016 16:00	SM 2540G	
Potassium	2510	11.3	mg/Kg dry	A	B6E1350	05/13/2016 15:36	EPA SW 846-6010, 3050	
Selenium	1.41	0.113	mg/Kg dry	A	B6E1343	05/16/2016 15:08	EPA SW 846-6010, 3050	12
Silver	<0.0451	0.0451	mg/Kg dry	A	B6E2001	05/18/2016 11:16	EPA SW 846-6010, 3050	12
Sodium	1800	11.3	mg/Kg dry	A	B6E1350	05/13/2016 15:36	EPA SW 846-6010, 3050	
Zinc	166	0.113	mg/Kg dry	A	B6E1343	05/16/2016 15:08	EPA SW 846-6010, 3050	12

DRAFT REPORT

The results in this report apply to the samples analyzed in accordance with the chain of custody document.
This analytical report must be reproduced in its entirety.

*NELAC Status: A=Accredited, N=Accreditation not offered, O=Not Accredited, P=Approved

PromiumforCold.v5.rpt : revision date 03/31/2016

EASTEX ENVIRONMENTAL LABS INC.

P.O. Box 1089 Coldspring Tx 77331
Website: eastexlabs.com
Email: eastexlab@eastex.net
Tel: 936 653 3249

NELAP ACCREDITED LABORATORY

San Leon MUD
445 - 24th Street
San Leon TX, 77539

SM 2540G - Quality Control

Eastex Environmental Laboratory - Coldspring

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch B6E0813 - No Prep										
Blank (B6E0813-BLK1)				Prepared & Analyzed: 5/6/2016 3:00:00PM						
Percent Solid	ND	0.1	%							
Duplicate (B6E0813-DUP1)		Source: C6E1220-01		Prepared & Analyzed: 5/6/2016 3:00:00PM						
Percent Solid	13.2	0.1	%		13.4			1.50	20	
Batch B6E1343 - SW846-3050										
Blank (B6E1343-BLK1)				Prepared & Analyzed: 5/16/2016 2:01:24PM						
Aluminum	ND	0.100	mg/Kg wet							
Antimony	ND	0.0500	mg/Kg wet							
Arsenic	ND	0.0500	mg/Kg wet							
Barium	ND	0.100	mg/Kg wet							
Beryllium	ND	0.0100	mg/Kg wet							
Cadmium	ND	0.0100	mg/Kg wet							
Chromium	ND	0.050	mg/Kg wet							
Cobalt	ND	0.500	mg/Kg wet							
Iron	ND	0.500	mg/Kg wet							
Lead	ND	0.0500	mg/Kg wet							12
Manganese	ND	0.100	mg/Kg wet							12
Nickel	ND	0.100	mg/Kg wet							
Selenium	ND	0.0500	mg/Kg wet							12
Zinc	ND	0.0500	mg/Kg wet							12
LCS (B6E1343-BS1)				Prepared & Analyzed: 5/16/2016 2:06:23PM						
Aluminum	2.82	0.100	mg/Kg wet	2.50		113	80-120			
Antimony	2.65	0.0500	mg/Kg wet	2.50		106	80-120			
Arsenic	2.76	0.0500	mg/Kg wet	2.50		110	80-120			
Barium	2.49	0.100	mg/Kg wet	2.50		99.6	80-120			
Beryllium	2.51	0.0100	mg/Kg wet	2.50		100	80-120			
Cadmium	2.5	0.0100	mg/Kg wet	2.50		99.1	80-120			
Chromium	2.67	0.050	mg/Kg wet	2.50		107	80-120			
Cobalt	2.51	0.500	mg/Kg wet	2.50		101	80-120			
Iron	2.54	0.500	mg/Kg wet	2.50		101	80-120			
Lead	2.52547	0.0500	mg/Kg wet	2.50		101	80-120			12
Manganese	2.96	0.100	mg/Kg wet	2.50		118	80-120			12
Nickel	2.52	0.100	mg/Kg wet	2.50		101	80-120			
Selenium	2.48	0.0500	mg/Kg wet	2.50		99.1	80-120			12
Zinc	2.76513	0.0500	mg/Kg wet	2.50		111	80-120			12

DRAFT REPORT

The results in this report apply to the samples analyzed in accordance with the chain of custody document.
This analytical report must be reproduced in its entirety.

*NELAC Status: A=Accredited, N=Accreditation not offered, O=Not Accredited, P=Approved

PromiumforCold.v5.rpt : revision date 03/31/2016

EASTEX Environmental Labs Inc.

P.O. Box 1089 Coldspring Tx 77331
Website: eastexlabs.com
Email: eastexlab@eastex.net
Tel: 936 653 3249

San Leon MUD
4-43 - 24th Street
San Leon TX, 77539

EPA SW 846-6010, 3050 - Quality Control

Eastex Environmental Laboratory - Coldspring

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch B6E1343 - SW846-3050										
Post Spike (B6E1343-PS1)		**Source: C6E2255-01**		**Prepared & Analyzed: 5/16/2016 3:33:29PM**						
Aluminum	28.2		mg/L	2.50	25.5	109	0-200			
Antimony	2.82		mg/L	2.50	0.000756	113	0-200			
Arsenic	2.89		mg/L	2.50	0.0669	110	0-200			
Barium	4.20		mg/L	2.50	0.992	128	0-200			
Beryllium	2.62		mg/L	2.50	0.000198	105	0-200			
Cadmium	2.5		mg/L	2.50	0.0023	101	0-200			
Chromium	2.75		mg/L	2.50	0.0245	109	0-200			
Cobalt	2.54		mg/L	2.50	0.00319	102	0-200			
Iron	18.6		mg/L	2.50	16.1	99.2	0-200			
Lead	2.64718		mg/L	2.50	0.0271398	105	0-200			12
Manganese	3.50		mg/L	2.50	0.434	123	0-200			12
Nickel	2.59		mg/L	2.50	0.0308	102	0-200			
Selenium	2.79		mg/L	2.50	0.0257	111	0-200			
Zinc	3.55124		mg/L	2.50	1.21589	93.4	0-200			12
Post Spike (B6E1343-PS2)		**Source: C6E2255-01**		**Prepared & Analyzed: 5/16/2016 3:49:23PM**						12
Aluminum	28.2		mg/L	2.50	25.5	112	0-200			
Antimony	2.74		mg/L	2.50	0.000756	109	0-200			
Arsenic	2.77		mg/L	2.50	0.0669	108	0-200			
Barium	4.05		mg/L	2.50	0.992	122	0-200			
Beryllium	2.47		mg/L	2.50	0.000198	99.0	0-200			
Cadmium	2.4		mg/L	2.50	0.0023	96.7	0-200			
Chromium	2.60		mg/L	2.50	0.0245	103	0-200			
Cobalt	2.44		mg/L	2.50	0.00319	97.6	0-200			
Iron	18.0		mg/L	2.50	16.1	75.8	0-200			
Lead	2.51923		mg/L	2.50	0.0271398	99.7	0-200			12
Manganese	3.38		mg/L	2.50	0.434	118	0-200			12
Nickel	2.46		mg/L	2.50	0.0308	97.1	0-200			
Selenium	2.60		mg/L	2.50	0.0257	103	0-200			
Zinc	3.28477		mg/L	2.50	1.21589	82.8	0-200			12
										12

DRAFT REPORT

The results in this report apply to the samples analyzed in accordance with the chain of custody document.
This analytical report must be reproduced in its entirety.

*NELAC Status: A=Accredited, N=Accreditation not offered, O=Not Accredited, P=Approved

PromiumForCold.v5.rpt : revision date 03/31/2016

EASTEX Environmental Lab Inc

P.O. Box 1089 Coldspring Tx 77331
Website: eastexlabs.com
Email: eastexlab@eastex.net
Tel: 936 653 3249

San Leon MUD
443 - 24th Street
San Leon TX, 77539

EPA SW 846-6010, 3050 - Quality Control

Eastex Environmental Laboratory - Coldspring

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch B6E1350 - SW846-3050										
Blank (B6E1350-BLK1)				Prepared & Analyzed: 5/13/2016 3:13:56PM						
Calcium	ND	5.00	mg/Kg wet							
Magnesium	ND	5.00	mg/Kg wet							12
Potassium	ND	5.00	mg/Kg wet							12
Sodium	ND	5.00	mg/Kg wet							
LCS (B6E1350-BS1)				Prepared & Analyzed: 5/13/2016 3:16:10PM						
Calcium	250	5.00	mg/Kg wet	250		100	80-120			
Magnesium	244	5.00	mg/Kg wet	250		97.5	80-120			12
Potassium	207	5.00	mg/Kg wet	250		83.0	80-120			12
Sodium	230	5.00	mg/Kg wet	250		92.2	80-120			
Matrix Spike (B6E1350-MS1)		Source: C6E2255-01		Prepared & Analyzed: 5/13/2016 3:22:50PM						
Calcium	123000	208	mg/Kg dry	10400	113000	105	75-125			
Magnesium	13200	208	mg/Kg dry	10400	2780	100	75-125			12
Potassium	13100	208	mg/Kg dry	10400	2480	102	75-125			12
Sodium	16200	208	mg/Kg dry	10400	4070	116	75-125			
Matrix Spike Dup (B6E1350-MSD1)		Source: C6E2255-01		Prepared & Analyzed: 5/13/2016 3:25:04PM						
Calcium	122000	208	mg/Kg dry	10400	113000	92.7	75-125	1.03	20	
Magnesium	12900	208	mg/Kg dry	10400	2780	96.8	75-125	2.84	20	12
Potassium	13100	208	mg/Kg dry	10400	2480	102	75-125	0.0[illegible]	20	12
Sodium	15900	208	mg/Kg dry	10400	4070	113	75-125	1.87	20	
Batch B6E1740 - SW 846-7471B										
Blank (B6E1740-BLK1)				Prepared & Analyzed: 5/13/2016 1:35:04PM						
Mercury, Total	ND	0.00200	mg/Kg wet							

DRAFT REPORT

The results in this report apply to the samples analyzed in accordance with the chain of custody document.
This analytical report must be reproduced in its entirety.

*NELAC Status: A=Accredited, N=Accreditation not offered, O=Not Accredited, P=Approved

PromiumforCold.v5.rpt ; revision date 03/31/2016

EASTEX ENVIRONMENTAL LAB INC.

P.O. Box 1089 Coldspring Tx 77331
Website: eastexlabs.com
Email: eastexlab@eastex.net
Tel: 936 653 3249

NELAP ACCREDITED LABORATORY

San Leon MUD
443 - 24th Street
San Leon TX. 77539

EPA SW 846-7471B - Quality Control

Eastex Environmental Laboratory - Coldspring

Analyte	Result	Reporting Limit	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch B6E1740 - SW 846-7471B										
LCS (B6E1740-BS1)				Prepared & Analyzed: 5/13/2016 1:37:05PM						
Mercury, Total	0.0254	0.00200	mg/Kg wet	0.0250		102	80-120			
Matrix Spike (B6E1740-MS1)		Source: C6E2255-01		Prepared & Analyzed: 5/13/2016 1:43:10PM						
Mercury, Total	1.25	0.0833	mg/Kg dry	1.04	0.259	94.7	75-125			
Matrix Spike Dup (B6E1740-MSD1)		Source: C6E2255-01		Prepared & Analyzed: 5/13/2016 1:45:10PM						
Mercury, Total	1.33	0.0833	mg/Kg dry	1.04	0.259	103	75-125	6.47	20	
Batch B6E2001 - SW846-3050										
Blank (B6E2001-BLK1)				Prepared & Analyzed: 5/18/2016 10:26:22AM						
Silver	0.0484	0.0200	mg/Kg wet							12
LCS (B6E2001-BS1)				Prepared & Analyzed: 5/18/2016 10:31:21AM						
Silver	2.89	0.0200	mg/Kg wet	2.50		116	80-120			12
Matrix Spike (B6E2001-MS1)		Source: C6E3625-01		Prepared & Analyzed: 5/18/2016 10:46:18AM						
Silver	2.13	0.0200	mg/Kg dry	2.50	ND	85.2	75-125			12
Matrix Spike Dup (B6E2001-MSD1)		Source: C6E3625-01		Prepared & Analyzed: 5/18/2016 10:51:18AM						
Silver	2.37	0.0200	mg/Kg dry	2.50	ND	94.7	75-125	10.6	20	12

DRAFT REPORT

The results in this report apply to the samples analyzed in accordance with the chain of custody document.
This analytical report must be reproduced in its entirety.

*NELAC Status: A=Accredited, N=Accreditation not offered, O=Not Accredited, P=Approved

PromiumforCold.v5.rpt ; revision date 03/31/2016

EASTEX ENVIRONMENTAL LABS INC.

P.O. Box 1089 Coldspring Tx 77331
Website: eastexlabs.com
Email: eastexlab@eastex.net
Tel: 936 653 3249

San Leon MUD
443 - 24th Street
San Leon TX, 77539

Notes and Definitions

12	CCV associated with sample batch did not meet acceptance criteria.
DET	Analyte DETECTED
ND	Analyte NOT DETECTED at or above the reporting limit
NR	Not Reported
dry	Sample results reported on a dry weight basis
RPD	Relative Percent Difference

Received Jun 13 2016 08:13am

Bundles at Sea level

Received Jun 13 2016 08:13am



↑Black residue on plants at C.H. drainage ditch