

7.0 LITERATURE CITED

- Allman, W. F. (1985). Staying alive in the 20th century. *Science* 85:31-41.
- Armstrong, N.E. (1987). The ecology of open-bay bottoms of Texas: a community profile. *U.S. Fish. Wildl. Serv. Biol. Rep.* 85(7.12). 104 p.
- Armstrong, H.W., K. Fucik, J.W. Anderson, and J.M. Neff. (1979). Effects of oilfield brine effluent on sediments and benthic organisms in Trinity Bay, Texas. *Mar. Environ. Res.*, 2, 55.
- Anderson, R.D. (1975). Petroleum hydrocarbons and oyster resources of Galveston Bay, Texas. In: *Conference on Prevention and Control of Oil Pollution*, American Petroleum Institute, Washington, DC, pp 541-548.
- Bechtel, T.J. and B.J. Copeland. (1970). Fish species diversity indices as indicators of pollution in Galveston Bay, Texas. *Contrib. Mar. Sci.*, 15, 103.
- Brooks, J.M., M.A. Champ, T.L. Wade, and S.J. McDonald. (1991). GEARS: Response Strategy for Oil and Hazardous Spills. *Sea Technology*, 32(4), 25-32.
- Brooks, J.M., et al. (1990) NOAA Status and Trends Mussel Watch Program, Year IV Technical Report. Geochemical and Environmental Research Group, August 1990 (revised).
- Butler, P.A. (1973). Organochlorine residues in estuarine mollusks, 1965-72. National Pesticide Monitoring Program. *Pestic. Monit. J.*, 6, 238.
- Chamber, G.V. and A.K. Sparks. (1959). An ecological survey of Houston Ship Channel and adjacent bays. *Contrib. Mar. Sci.*, 10, 213.
- Copeland, B.J. and E.G. Fruh. (1970). Ecological studies of Galveston Bay, 1969. Texas Water Quality Board, Austin, 482 p.
- Couch, E.A.C. and R. Wilson. (1984). Inter-risk comparison, pp. 97-112. In: *Assessment and Management of Chemical Risks*. J. B. Rodricks and R.G., Tardiss (eds.). ACS Symposium Ser. 239. American Chemical Society, Washington, D.C.
- Crocker, P.A. and C. Young. (1990). Tetrachlorodibenzo-p-dioxins and -dibenzofurans in edible fish tissue at selected sites in Arkansas, Louisiana and Texas. U.S. Environmental Protection Agency Region 6 Report, March 1990.
- Davis, J.R. (1989) Results of Intensive Priority Pollutant Monitoring in Texas – Phase II. Texas Water Commission Report LP 89-07, December 1989, 333 pp.
- Ditton, R.B., D.K. Loomis, A.D. Risenhoover, S. Choi, M. F. Osborn, J. Clark, R. Riechers and G. Matlock. (1990). Demographics, participation, attitudes,

- expenditures, and management preferences of Texas saltwater anglers, 1986. Management Data Series No. 18. Texas Parks and Wildlife Department, Austin, TX 57 pp.
- Ehrhardt, M. (1972). Petroleum hydrocarbons in oysters from Galveston Bay. *Environ. Poll.*, 3, 257.
- Eisler, R. (1981). Trace Metal Concentrations in Marine Organisms. Pergamon Press, New York, pp. 140-325.
- Farrington, J.W., J. Albaiges, K.A. Burns, B.P. Dunn, P. Eaton, J.L. Laseter, P.L. Parker, and S. Wise. (1980). Fossil fuels. In: *The International Mussel Watch*, Report of a workshop sponsored by the Environmental Studies Board Commission on Natural Resources, National Research Council, pp 7-77.
- Farrington, J.W., E.D. Goldberg, R.W. Risebrough, J.H. Martin, and V.T. Bowen. (1983). U.S. "Mussel Watch" 1976-1978: An overview of the trace metal, DDE, PCB, hydrocarbon and artificial radionuclide data. *Environ. Sci. Technol.*, 17, 490.
- Fazio, T. (1971). Analysis of oyster samples for polycyclic hydrocarbons. In: *Proceedings of the 7th National Shellfish Sanitation Workshop*. FDA, Washington, DC, pp 238-243.
- Fox, R.G. (1988). Spatial and temporal variation of polynuclear aromatic hydrocarbons, pesticides and polychlorinated biphenyls in *Crassostrea virginica* and sediments from Galveston Bay, Texas. M.Sc. Thesis, Texas A&M University, College Station, Texas, 92 pp.
- Ginn, T.C. and R.C. Barrick. (1988). Bioaccumulation of Toxic Substances in Puget Sound organisms. In: *Oceanic Processes in Marine Pollution*, Vol. 5, Wolf, D.A. and O'Connor, T.P. (eds.), Krieger Publishers.
- Haby, M., D. Hollin and M. C. Pussell. (1989). Texas commercial fisheries profile. Technical Fact Sheet TAMU-SG-90-501, Texas A&M Sea Grant College Program, College Station, TX 6 p.
- Hann, R.W. and J.F. Slowey. (1972). Sediment analysis Bay: Texas A&M University Environmental Engineering Division, Civil Engineering Department, and Texas A&M Research Foundation. Estuarine Systems Project Technical Report No. 24, College Station, TX. 24 p.
- Hohn, M.H. (1959). The use of diatom populations as a measure of water quality in selected areas of Galveston and Chocolate Bays, Texas. *Contrib. Mar. Sci.*, 6, 206.
- Jenkins, K.D., D.A. Brown, G.P. Hershelman, and W.C. Meyer. (1982). Contaminants in white croakers from the Southern California Bight. In:

Physiological Mechanisms of Marine Pollutant Toxicity. Vernberg, W.B. et al. (eds.), Academic Press.

- King, K.A. (1989a). Foods habits and organochlorine contaminants in the diet of black skimmers, Galveston Bay, Texas, USA. *Colonial Waterbirds*, 12, 109.
- King, K.A. (1989b). Food habits and organochlorine contaminants in the diet of olivaceous cormorants in Galveston Bay, Texas. *Southwestern Nat.*, 34, 338.
- King, K.A. and A.J. Krynitsky. (1986). Population trends, reproductive success and organochlorine chemical contaminants in waterbirds nesting in Galveston Bay, Texas. *Arch. Environ. Contam. Toxicol.*, 15, 367.
- King, K.A., C.J. Stafford, B.W. Cain, A.J. Mueller, and H.D. Hall. (1987). Industrial, agricultural and petroleum contaminants in cormorants wintering near the Houston Ship Channel, Texas, USA. *Colonial Waterbirds*, 10, 93.
- Murray, H., E. Lee, and C.S. Giam. (1981a). Analysis of marine sediments, water and biota for selected organic pollutants. *Chemosphere*, 10, 1327.
- Murray, H., E. Lee, and C.S. Giam. (1981b). Phthalic acid esters, total DDTs and polychlorinated biphenyls in marine samples from Galveston Bay, Texas. *Bull. Environm. Contam. Toxicol.*, 26, 769.
- Murray, H., G.S. Neff, Y. Hrung, and C.S. Giam. (1980). Determination of benzo(a)pyrene, hexachlorobenzene and pentachlorophenol in oysters from Galveston Bay, Texas. *Bull. Environm. Contam. Toxicol.*, 25, 663.
- N.O.A.A. (1987). A summary of selected data on chemical contaminants in tissue collected during 1984, 1985, 1986, and 1987. NOAA Technical Memorandum NOS OMA 38. 104 pp.
- Osburn, H. R., M. F. Osborn, and H. R. Maddux. (1988). Trends in finfish landings by sport-boat fishermen in Texas marine waters, May 1974-1987. Management Data Series No. 150. Texas Parks and Wildlife Department, Austin, Texas. 573 pp.
- Petrocelli, S.R., J.W. Anderson, and A.R. Hanks. (1975). Seasonal fluctuations of dieldrin residues in the tissues of the marsh clam, *Rangia cuneata*, from a Texas estuary. *Texas J. Sci.*, 16, 443.
- Presley, B.J., R.J. Taylor, and P.N. Boothe. (1990). Trace metals in Gulf of Mexico oysters. *Science of the Total Environment* 97/98: 551-593.
- Quast, W. D., B. G. Dansby, and M. Henderson. (1989). Trends in Texas commercial fishery landings. Management Data Series No. 7, Texas Parks and Wildlife Department, Austin, Texas. 110 pp.

- Saleh, F.Y., and G.F. Lee. (1976). Analytical methodology for chlorinated hydrocarbon pesticides and polychlorinated biphenyls in water, elutriate and sediments using EC-GC. Center for Environmental Studies, University of Texas at Dallas, Paper #12.
- Sericano, J.L., E.L. Atlas, T.L. Wade, and J.M. Brooks. (1990a). NOAA's Status and Trends Mussel Watch Program: Chlorinated pesticides and PCBs in oysters (*Crassostrea virginica*) and sediments from the Gulf of Mexico, 1986-1987. *Mar. Environ. Res.*, 29, 161.
- Sericano, J.L., T.L. Wade, E.L. Atlas, and J.M. Brooks. (1990b). Historical perspective on the environmental bioavailability of DDT and its derivatives to Gulf of Mexico oysters. *Environ. Sci. Technol.*, 24, 1541.
- Stanley, D.W. (1989) Historical trends in water quality and fisheries resources in Galveston Bay, Texas. Draft Report to NOAA Ocean Pollution Program Office, Rockville, MD.
- Stahl, R.G. (1980). Polychlorinated biphenyls in water, sediments and selected organisms of Galveston Bay, Texas. Environmental levels and bioaccumulation. M. Sc. Thesis, Texas A&M University, College Station, Texas, 151 pp.
- Strawn, K., D.V. Aldrich, W.B. Wilson, L.M. Wisepape, F.V. Jones, G. Gibbard, M. Branch, B. Fredieu, L.A. St. Clair, and C. Strong. (1977). The effects on selected organisms of water passing through the Cedar Bayou generating station. Texas Agricultural Experiment Station, Project 1869, 144 pp.
- Tetra Tech. (1988). Health risk assessment of chemical contamination in Puget Sound seafood. EPA 910/9-88-249. Prepared for U.S. Environmental Protection Agency. Region X, Office of Puget Sound, Seattle, Washington. Tetra Tech, Inc., Bellevue, Washington. 102 pp. + appendixes.
- Texas Water Commission. (1987). Analysis of fish kills and associated water quality conditions in the Trinity River, Texas. I. Review of historical data, 1970-1985. Austin, TX.
- Tripp, A. (1988). Geochemistry of Arsenic and Antimony in Galveston Bay, Texas. M.S. Thesis, Department of Oceanography, Texas A&M University, August 1988, 75 p.
- U.S. Environmental Protection Agency. (1989). Assessing human health risks from chemically contaminated fish and shellfish: a guidance manual. EPA 503/8-89-002. EPA Office of Marine and Estuarine Protection, Washington, D.C. 91 pp. + appendixes.
- Wade, T.L., E.L. Atlas, J.M. Brooks, M.C. Kennicutt II, R.G. Fox, J. Sericano, B. Garcia-Romero, and D. DeFreitas. (1988). NOAA Gulf of Mexico Status and Trends Program: Trace organic contaminant distribution in sediments and oysters. *Estuaries*, 11, 171.

- Wade, T.L. and J.L. Sericano. (1989). Trends in organic contaminant distributions in oysters from the Gulf of Mexico. In: Proceedings of the Oceans '89 Conference, 18-21 September 1989, Seattle, Washington, pp. 585-589.
- Wade, T.L., J.L. Sericano, B. Garcia-Romero, J.M. Brooks, and B.J. Presley. (1990). Gulf coast NOAA National Status and Trends Mussel Watch: The first four years. In: Proceedings Marine Technology Society 90, Washington, DC, 26-28 September 1990, pp. 274-280.