

LITERATURE CITED

- Adams, W.J., R.A. Kimerle, and R.G. Mosher. 1985. Aquatic safety assessment of chemicals sorbed to sediments. In R.D. Cardwell, R. Purdy, and R.C. Bahner, eds., *Aquatic Toxicology and Hazard Assessment: Seventh Symposium*. ASTM STP 854, American Society of Testing and Materials, Philadelphia, PA, pp. 429-453.
- American Society for Testing and Materials (ASTM). 1990. Standard guide for conducting solid phase 10-day static sediment toxicity tests with marine and estuarine infaunal amphipods. ASTM E 1367-90, pp. 1-24.
- Armstrong, H.W., K. Fucik, J.W. Anderson, and J.M. Neff. 1979. Effects of oilfield brine effluent on sediments and benthic organisms in Trinity Bay, Texas. *Mar. Environ. Res.* 2:55-69.
- Baker, J.H., L.A. Pugh III and K.T. Kimball. 1977. A simple hand corer for shallow water sampling. *Chesapeake Sci.* 18:232-236.
- Betchel, T.J. and B.J. Copeland. 1970. Fish species diversity indices as indicators of pollution in Galveston Bay, Texas. *Contrib. Mar. Sci.* 15:103-132.
- Brooks, J.M, T.L. Wade, E.L. Atlas, M.C. Kennicutt II, B.J. Presley, R.R. Fay, E.N. Powell and G. Wolff. 1989. Analysis of bivalves and sediments for organic chemicals and trace elements. Third Annual Report for NOAA's National Status and Trends Program, Contract 50-DGNC-5-00262.
- Bureau of Economic Geology. 1985. White, W.A., T.R. Calnan, R.A. Morton, R.S. Kimble, T.G. Littleton, J.H. McGowen, H.S. Nance, and K.E. Schmedes. Submerged lands of Texas, Galveston-Houston Area: Sediments, geochemistry, benthic macroinvertebrates, and associated wetlands. University of Texas at Austin, Bureau of Economic Geology, 145 pp.
- Carr, R.S. and D.C. Chapman. 1992. Comparison of solid-phase and pore-water approaches for assessing the quality of marine and estuarine sediments. *Chem. Ecol.* 7:19-30.
- Carr, R.S. and D.C. Chapman. Comparison of methods for conducting marine and estuarine sediment porewater toxicity tests. I. Extraction, storage and handling techniques. *Arch. Environ. Contam. Toxicol.* (in review).
- Carr, R.S., E.R. Long, D.C. Chapman, H.L. Windom, and G. Thursby. Sediment quality assessment survey of Tampa Bay, Florida. *Ecotoxicology* (in review).
- Carr, R.S., J.W. Williams, and C.T.B. Fragata. 1989. Development and evaluation of a novel marine sediment pore water toxicity test with the polychaete *Dinophilus gyrociliatus*. *Environ. Toxicol. Chem.* 8:533-543.

- Chapman, P.M. 1986. Sediment quality criteria from the sediment quality triad: an example. *Environ. Toxicol. Chem.* 5:957-964.
- Chapman, P.M. 1990. The sediment quality triad approach to determining pollution-induced degradation. *Sci. Total Environ.* 97/98:815-825.
- Chapman, P.M., R.N. Dexter, and E.R. Long. 1987. Synoptic measures of sediment contamination, Toxicity and infaunal community composition (the Sediment Quality Triad) in San Francisco Bay. *Mar. Ecol. Prog. Ser.* 37:75-96.
- Copeland, B.J. and T.J. Bechtel. 1971. Species diversity and water quality in Galveston Bay, Texas. *Water Air Soil Pollut.* 1:89-105
- Day, R.W. and G.P. Quinn. 1989. Comparisons of treatments after an analysis of variance in ecology. *Ecol. Monogr.* 59:433-463.
- Di Toro, D.M. 1988. A review of the data supporting the equilibrium partitioning approach to establishing sediment quality criteria. Hydroqual Inc., Mahwah, New Jersey, presented at the National Research Council Marine Board Symposium/Workshop on Contaminated Marine Sediments. Tampa, Florida. Marine Board, National Research Council, Washington, D.C.
- Di Toro, D.M., J.D. Mahony, D.J. Hansen, K.J. Scott, M.B. Hicks, S.M. Mayr, and M.S. Redmond. 1990. Toxicity of cadmium in sediments: the role of acid volatile sulfide. *Environ. Toxicol. Chem.* 9:1487-1502.
- Engel, D.W., W.G. Sunda, and B.A. Fowler. 1981. Factors affecting trace metal uptake and toxicity to estuarine organisms. I. Environmental parameters. pp. 127-144. In: *Biological Monitoring of Marine Organisms*, ed. by J. Vernberg, A. Calabrese, F.P. Thurberg, and W.B. Vernberg, Academic Press, New York, NY.
- Environmental Protection Agency (EPA). 1991. Draft analytical method for determination of acid volatile sulfide in sediment. Washington, DC.
- Environmental Protection Agency/Army Corps of Engineers. (1991). Ecological evaluation of proposed discharge of dredged material in ocean waters. U.S. Environmental Protection Agency, Office of Marine and Estuarine Protection and Department of the Army, U.S. Army Corps of Engineers, EPA-503-8-91/002.
- Everett, D.H. 1988. *Basic Principles of Colloid Science*. Royal Society of Chemistry, London, England.
- Hamilton, M.A., R.C. Russo, and R.V. Thurston. 1977. Trimmed Spearman-Kärber method for estimating median lethal concentrations in toxicity bioassays. *Environ. Sci. Technol.* 11(7):714-719; Correction 12(4):417 (1978)

- Holland, A.F. (ed.). 1990. Near Coastal Program Plan for Estuaries. EPA 600/14-90/033. USEPA Office of Research and Development, ERL-Narragansett, RI.
- Houston Lighting & Power. 1980. Bedinger, C.A., Jr., J.H. Baker, R.E. Childers, J.T. Ivy, J. Janousek, W.D. Jobe, A.Y. Kwok, J.D. Zotter, Sr. Ecological effects of the Houston Lighting & Power Company Cedar Bayou Generating Station on the environments of Trinity Bay and vicinity. Houston Lighting & Power Company, Houston, Texas.
- Long, E.R., M.R. Buchman, S.M. Bay, R.J. Breteler, R.S. Carr, P.M. Chapman, J.E. Hose, A.L. Lissner, J. Scott, and D.A. Wolfe. 1990. A comparative evaluation of five toxicity tests with sediments from San Francisco Bay and Tomales Bay, California. *Environ. Toxicol. Chem.* 9:1193-1214.
- Long, E.R. and P.M. Chapman. 1985. A sediment quality triad: measures of sediment contamination, toxicity and infaunal community composition in Puget Sound. *Mar. Pollut. Bull.* 16:405-415.
- Long, E.R. and L.G. Morgan. 1990. The potential for biological effects of sediment-sorbed contaminants tested in the National Status and Trends Program. NOAA Tech. Mem. NOS OMA 52, 175 pp. + 7 appendices.
- MacLeod, W.D., D.W. Brown, A.J. Friedman, D.G. Burrow, O. Mayes, R.W. Pearce, C.A. Wigren, and R.G. Bogar. 1985. Standard analytical procedures of the NOAA National Analytical Facility 1985-1086. Extractable Toxic Organic Compounds. 2nd Ed. U.S. Dept. of Commerce, NOAA/NMFS. NOAA Tech. Memo. NMFX F/NWC-92.
- MacDonald, D.D. 1992. Development of an approach to the assessment of sediment quality in Florida coastal waters. Report submitted to the Florida Coastal Management Program by MacDonald Environmental Sciences Ltd., 122 pp.
- McNiff, M.E., P.F. Roscigno, and W. Ji. A geographic information systems approach to the analysis of contaminants in Galveston Bay. In: Proceedings of the the Third National U.S. Fish and Wildlife Service Geographic Information Systems Workshop, held May, 1992 in Lacrosse, WI (in press).
- Oshida, P.S., T.K. Goochey, and A.J. Mearns. 1981. Effects of municipal wastewater on fertilization, survival and development of the sea urchin, *Strongylocentrotus purpuratus*. In: F.J. Vernberg, A. Calabrese, F.P. Thurberg, and W.B. Vernberg (eds.), *Biological Monitoring of Marine Pollutants*, pp. 389-402. Academic Press, New York.
- Roach, R.W., R.S. Carr, C.L. Howard, and B.W. Cain. 1992. An assessment of produced water impacts in the Galveston Bay system. Draft report prepared by U.S. Fish and Wildlife Service report, 61 pp.
- SAS Institute Inc. 1985. *SAS® Introductory Guide for Personal Computers, Version 6 Edition*. Cary, NC:SAS Institute Inc., 111 pp.

- SAS Institute Inc. 1985. *SAS® Introductory Guide for Personal Computers, Version 6 Edition*. Cary, NC:SAS Institute Inc., 111 pp.
- Schropp, S.J. 1979. Petroleum hydrocarbon-degrading bacteria in the Galveston Bay system. M.S. Thesis, Dept. of Biology, Texas A&M University, 103 pp.
- Schropp, S.J., F.G. Lewis, H.L. Windom, J.D. Ryan, F.D. Calder, and L.C. Burney. 1990. Interpretation of metal concentrations in estuarine sediments of Florida using aluminum as a reference element. *Estuaries* 13:227-235.
- Swartz, R.C., W.A. DeBen, J.K.P. Jones, J.O. Lamberson, and F.A. Cole. 1985. Phoxocephalid amphipod bioassay for marine sediment toxicity. In: *Aquatic Toxicology and Hazard Assessment: Seventh Symposium*, ASTM STP 854, R.D. Cardwell, R. Purdy, and R.C. Bahner (eds.), American Society for Testing and Materials, Philadelphia, PA, pp. 284-307.
- Tetra Tech Inc. 1986. Development of sediment quality values for Puget Sound. Vol. 1. Puget Sound Dredged Disposal Analysis Report, 129 pp.
- Wade, T.L., E.L. Atlas, J.M. Brooks, M.C. Kennicutt II, R.G. Fox, J. Sericano, B. Garcia, and D. DeFreitas. 1988. NOAA Gulf of Mexico Status and Trends Program: Trace organic contaminant distribution in sediment and oysters. *Estuaries* 11:171-179.
- Walton, A.H. and A.W. Green. 1992. Probable causes of declining trends in selected living resources in the Galveston Bay system. Draft final report submitted to the Galveston Bay National Estuary Program by the Texas Parks and Wildlife Department, 30 pp. + appendices.
- Weber, C.I, W.B. Horning, II, D.J. Klemm, T.W. Neiheisel, P.A. Lewis, E.L. Robinson, J. Menkedick, and F. Kessler. 1988. Short-term methods for estimating the chronic toxicity of effluents and receiving waters to marine and estuarine organisms. U.S. Environmental Protection Agency, Environmental Monitoring and Support Laboratory, Office of Research and Development, Cincinnati, OH, EPA-600/4-87/028.