REFERENCES

Aleem, A. A. 1972. Effect of river outflow management on marine life. Marine Biology 15:200-208.

Alexander, S. K. 1986. Diet of the blue crab, Callinectes sapidus Rathbun, from nearshore habitats of Galveston Island, Texas. Texas Journal of Science 38:85-89.

Armstrong, N. E., and G. H. Ward. in press. Point sources loading characterization of Galveston Bay. Galveston Bay National Estuary Program.

Bateman, H. A., T. Joanen, and C. D. Stutzenbaker. 1988. History and status of midcontinent snow geese on their Gulf Coast winter range. p. 495-515 in M. W. Weller (ed.): Waterfowl in Winter. University of Minnesota Press, Minneapolis, Minnesota.

Baumgartner, T., V. Ferreira-Bartrine, H. Schrader, and A. Soutar. 1985. A 20-year varve record of siliceous phytoplankton variability in the central Gulf of California. Marine Geology 64:113-129.

Benefield, R. L., and T. L. Linton. 1990. Movement of blue crabs in Trinity Bay. Texas Parks and Wildlife Department Management Data Series 16. Austin, Texas. 6 p.

Blasing, T. J., D. W. Stahle, and D. N. Duvick. 1988. Tree ring-based reconstruction of annual precipitation in the south-central United States from 1750 to 1980. Water Resources Research 24:163-171.

Bowling, B. G. 1992. Rehabilitation of public oyster reefs damaged by a natural disaster in Galveston Bay. Texas Parks and Wildlife Department Management Data Series 84. Austin, Texas. 6 p.

Brooks, J. M., T. L. Wade, M. C. Dennicutt II, D. A. Wiesenburg, D. Wilkinson, T. J. McDonald, and S. J. McDonald. 1992. Toxic contaminant characterization of aquatic organisms in Galveston Bay: a pilot study. Galveston Bay National Estuary Program Publication GBNEP-20. Houston, Texas. 341 p.

Bryan, C. E., T. J. Cody, and G. C. Matlock. 1982. Organisms captured by the commercial shrimp fleet. Texas Parks and Wildlife Department Technical Series 31. Austin, Texas. 26 p.

Buskey, E. J. 1992. Characterization of plankton from Galveston Bay. p. 347-375 in C. Loeffler and A. Walton (eds.): Status and Trends of Selected Living Resources in the Galveston Bay System. Galveston Bay National Estuary Program Publication 19. Houston, Texas.

Butcher, G. S. 1990. Audubon Christmas Bird Counts. p. 5-13 in J. R. Sauer and S. Droege (eds.): Survey Designs and Statistical Methods for the Estimation of Avian Population Trends. U.S. Fish and Wildlife Service Biological Reports 90(1).

Caillouet, C. W., F. J. Patella and W. B. Jackson. 1980. Trends toward decreasing size of brown shrimp, Penaeus aztecus, and white shrimp, Penaeus setiferus, in reported annual catches from Texas and Louisiana. Fishery Bulletin 77:985-989.

Cain, B. W. 1988. Wintering waterfowl habitat in Texas: shrinking and contaminated. p. 583-596 in M. W. Weller (ed.): Waterfowl in Winter. University of Minnesota Press, Minneapolis, Minnesota.

Cain, B. W. 1993. Contaminant assessment of the Upper Texas Coast. p. 103-108 in R. W. Jensen, R. W. Kiesling and F. S. Shipley (eds.): Proceedings, The Second State of the Bay Symposium, February 4-6, 1993. Galveston Bay National Estuary Program Publication GBNEP-23. Houston, Texas.

Cain, B. W., and J. S. Feierabend. 1988. Workshop summary: toxins, disease, and lead poisoning. p. 609-612 in M. W. Weller (ed.): Waterfowl in Winter. University of Minnesota Press, Minneapolis, Minnesota.

Campbell, P., T. Storck, V. Price and L. Robinson. 1992. Trends in Texas commercial fishery landings, 1972-1991. Texas Parks and Wildlife Department Management Data Series 86. Austin, Texas. 108 p.

Carr, R. S., D. C. Chapman, and C. L. Howard. 1993. Survey of Galveston Bay bottom sediments and benthic communities. p. 83-94 in R. W. Jensen, R. W. Kiesling and F. S. Shipley (eds.): Proceedings, The Second State of the Bay Symposium, February 4-6, 1993. Galveston Bay National Estuary Program Publication GBNEP-23. Houston, Texas.

Chai, P. 1991. Fish bycatch by trawls in Texas waters. American Fisheries Society Annual Meeting, September 8-10, 1991, San Antonio, Texas. Abstracts:109-110.

Chelliah, M. 1990. The global climate for June-August 1989: a season of near normal conditions in the tropical Pacific. Journal of Climate 3:138-162.

Childers, D. L., J. W. Day, and R. A. Muller. 1990. Relating climatological forcing to coastal water levels in Louisiana estuaries and the potential importance of El Niño-Southern Oscillation events. Climate Research 1:31-42.

Cody, T. J., R. P. Campbell, P. C. Hammerschmidt, G. C. Matlock, C. E. Bryan, J. E. Clark, and L. S. Procarione. 1989. Texas Shrimp Fishery Management Plan. Source document. Texas Parks and Wildlife Department Fishery Management Plan Series 2. Austin, Texas. 261 p.

Cody, T. J., T. Wagner, C. E. Bryan, L. W. McEachron, R. Rayburn, B. Bowling, and J. Mambretti. 1992. Fishery management plan for the blue crab fishery in Texas waters. Texas Parks and Wildlife Department Fishery Management Plan Series 4. Austin, Texas. 27 p.

Crocker, P. A. 1993. Water quality trends for the Houston Ship Channel. p. 27-32 in R. W. Jensen, R. W. Kiesling and F. S. Shipley (eds.): Proceedings, The Second State of the Bay Symposium, February 4-6, 1993. Galveston Bay National Estuary Program Publication GBNEP-23. Houston, Texas.

Custer, T. W., B. A. Rattner, H. M. Ohlendorf, and M. J. Melancon. 1991. Herons and egrets as proposed indicators of estuarine contamination in the United States. Acta XX Congressus Internationalis Ornithologici:2474-2479.

Dailey, J. A., Kana, J. C., and McEachron, L. W. 1991. Trends in relative abundance and size of selected finfishes and shellfishes along the Texas coast: November 1975-December 1990. Texas Parks and Wildlife Department Management Data Series 74. Austin, Texas. 128 p.

Darnell, R. 1958. Food habits of fishes and larger invertebrates of Lake Ponchartrain, Louisiana, an estuarine community. Publications of the Institute of Marine Science, University of Texas 5:353-416.

Desbonnet, A., M. Eatough, V. Lee, J. Cogan, and D. Stanley. 1991. Correlations between water quality and fisheries trends in six major U.S. estuaries. 11th International Estuarine Research Conference, November 10-14, 1991, San Francisco. Abstracts:34.

Ditton, R. B., D. K. Loomis, D. R. Fesenmaier, M. O. Osborn, D. Hollin, and J. W. Kolb. 1989. Galveston Bay and the surrounding area; human uses, production and economic values. p. 53-65 in Galveston Bay: Issues, Resources, Status and Management. NOAA Estuary-of-the-Month Seminar Series 13.

Fitz, H. C., and R. G. Wiegert. 1991. Utilization of the intertidal zone of a salt marsh by the blue crab Callinectes sapidus: density, return frequency, and feeding habits. Marine Ecology Progress Series 76:249-260.

Flint, R. W., and S. C. Rabalais. 1981. Estuarine benthic community dynamics related to freshwater inflow to the Corpus Christi Bay estuary. p. 489-508 in R. D. Cross and D. L. Williams (eds.): Proceedings of the National Symposium on Freshwater Inflow to Estuaries. Volume I. U. S. Fish and Wildlife Service FWS/OBS-81-14.

Gawlik, D. E., R. D. Slack, J. A. Thomas, and D. N. Harpole. 1992. Structural changes in the colonial waterbird community of Galveston Bay Estuary. Cooper Ornithological Meetings, June 1992. Program.

Glass, P. 1992. An analysis of the advisability and need of creating new colonial waterbird nesting islands in Galveston Bay, Texas. Appendix to: Fish and Wildlife Coordination Act Report, Houston-Galveston Navigation Channels, Texas Project. Draft. U.S. Fish and Wildlife Service. Houston, Texas.

Gordon, K. G., J. Gillespie, W. B. Brogden, and C. H. Oppenheimer. 1972. Shrimp bioassay of Galveston Bay waters. Chapter III in C. H. Oppenheimer, W. B. Brogden, and K. G. Gordon (eds.): Toxicity Studies of Galveston Bay Project. University of Texas Marine Science Institute. Port Aransas, Texas.

Green, A. W. 1992. Executive summary. p. 1-9 in C. Loeffler and A. Walton (eds.): Status and Trends of Selected Living Resources in the Galveston Bay System. Galveston Bay National Estuary Program Publication 19. Houston, Texas.

Green, L. M., R. P. Campbell, and K. W. Spiller. 1991. Trends in finfish landings, and social and economic characteristics of sport-boat fishermen in Texas marine waters, May 1974 - May 1989. Texas Parks and Wildlife Department Management Data Series 56. Austin, Texas. 103 p.

Gunter, G., and J. C. Edwards. 1969. The relation of rainfall and fresh water drainage to the production of penaeid shrimp (Penaeus fluviatilis Say and Penaeus aztecus Ives) in Texas and Louisiana waters. p. 875-892 in M. N. Mistakidis (ed.): Proceedings of the World Scientific Conference on the Biology and Culture of Shrimp and Prawns. FAO Fisheries Report No. 57, Vol. 3.

Gunter, G., and H. H. Hildebrand. 1954. The relation of rainfall of the state and catch of the marine shrimp (Penaeus setiferus) in Texas waters. Bulletin of Marine Science of the Gulf and Caribbean 4:95-103.

Hammerschmidt, P. C. 1985. Relative blue crab abundance in Texas coastal waters. Journal of Shellfish Research 5:9-11.

Hammerschmidt, P. C., and R. L. Benefield. 1986. Number and distribution of crab traps in Texas bays. Texas Parks and Wildlife Department Management Data Series 92. Austin, Texas. 7 p.

Harper, D. E., Jr., and G. Guillen. 1989. Occurrence of a dinoflagellate bloom associated with an influx of low salinity water at Galveston, Texas, and coincident mortalities of demersal fish and benthic invertebrates. Contributions in Marine Science 31:147-161.

Haskins, J. 1990. Analyses of selected Mid-winter Waterfowl Survey data (1955-1990): Region 2. U. S. Fish and Wildlife Service. Albuquerque, New Mexico. 76 p.

Hobaugh, W. C., C. D. Stutzenbaker, and E. L. Flickinger. 1989. The rice prairies. p. 367-383 in L. M. Smith, R. L. Pederson, and R. M. Kaminski (eds.): Habitat Management for Migrating and Wintering Waterfowl in North America. Texas Tech Press, Lubbock, Texas.

Hofstetter, R. P. 1981. Rehabilitation of public oyster reefs damaged or destroyed by a natural disaster. Texas Parks and Wildlife Department Management Data Series 21. Austin, Texas. 9 p.

Jaworski, E. 1972. The blue crab fishery in Barataria Estuary. Sea Grant Publication LSU-SG-72-01. Baton Rouge, Louisiana. 112 p.

Johns, M. A. 1990. Trends in Texas commercial fishery landings, 1972-1989. Texas Parks and Wildlife Department Management Data Series 37. Austin, Texas.

Johnson, D. R., K. Strawn, and W. H. Neill. 1981. Rainfall-related trends in the structure of a fish-crustacean community in Texas' Galveston Bay system. p. 335-349 in R. D. Cross and D. L. Williams (eds.): Proceedings of the National Symposium on Freshwater Inflow to Estuaries. Volume II. U. S. Fish and Wildlife Service FWS/OBS-81/04.

Johnson, R. B., Jr. 1974. Ecological changes associated with the industrialization of Cedar Bayou and Trinity Bay, Texas. Texas Parks and Wildlife Department Technical Series 16. Austin, Texas. 79 p.

Kennish, M. J. 1992. Ecology of Estuaries: Anthropogenic Effects. CRC Press, Boca Raton, Louisiana.

Keppenne, C. L., and M. Ghil. 1992. Extreme weather events. Nature 358:547.

King, K. A. 1989. Food habits and organochlorine contaminants in the diet of olivaceous cormorants in Galveston Bay, Texas. The Southwestern Naturalist 34:338-343.

King, K. A., and A. J. Krynitsky. 1986. Population trends, reproductive success, and organochlorine chemical contaminants in waterbirds nesting in Galveston Bay, Texas. Archives of Environmental Contamination and Toxicology 15:367-376.

King, K. A., C. J. Stafford, B. W. Cain, A. J. Mueller, and H. D. Hall. 1987. Industrial, agricultural, and petroleum contaminants in cormorants wintering near the Houston Ship Channel, Texas, USA. Colonial Waterbirds 10:93-99.

Lange, C. B., S. K. Burke, and W. H. Berger. 1990. Biological production off southern California is linked to climate change. Climate Change 16:319-329.

Lange, M. L. In review. Texas Colonial Waterbird Colonies: 1973-1990 Census Summary, Atlas, and Trends. U. S. Fish and Wildlife Service.

Loeffler, C., and A. Walton (eds.). 1992. Status and Trends of Selected Living Resources in the Galveston Bay System. Galveston Bay National Estuary Program Publication 19. Houston, Texas. 452 p.

Longley, W. L. (ed.). In review. Freshwater Inflows to Texas Bays and Estuaries: Ecological Relationships and Methods for Determination of Needs. Texas Water Development Board and Texas Parks and Wildlife Department. Austin, Texas.

Martin, C. 1989. Texas colonial waterbird summary -- 1989. Special Administrative Report. Texas Parks and Wildlife Department. Austin, Texas.

Matlock, G. C., and M. A. Garcia. 1983. Stomach contents of selected fishes from Texas bays. Contributions in Marine Science 26:95-110.

McClintock, J. B., and K. R. Marion. 1990. The habitat utilization, population dynamics, reproductive biology and nutrition of the blue crab Callinectes sapidus in Weeks Bay, Alabama: important implications for fisheries. NOAA Technical Memorandum. 62 p.

McTigue, T. A., and R. J. Zimmerman. 1991. A model of food resource utilization by two fisheries species in marsh and unvegetated habitats. American Fisheries Society Annual Meeting, September 8-12, San Antonio, Texas. Abstracts:110-111.

Millikin, M. R., and Williams, A. B. 1984. Synopsis of biological data on the blue crab, Callinectes sapidus Rathbun. FAO Fisheries Synopsis 138. NOAA Technical Report NMFS 1. 38 p.

Minello, T. J., and Zimmerman, R. J. 1985. Differential selection for vegetative structure between juvenile brown shrimp (Penaeus aztecus) and white shrimp (P. setiferus), and implications in predator-prey relationships. Estuarine, Coastal and Shelf Science 20:707-716.

Minello, T. J., R. J. Zimmerman, and P. A. Barrick. 1990. Experimental studies in selection for vegetative structure by penaeid shrimp. NOAA Technical Memorandum NMFS-SEFC-237. Galveston, Texas. 30 p.

Minello, T. J., R. J. Zimmerman, and T. E. Czapla. 1989. Habitat-related differences in diets of small fishes in Lavaca Bay, Texas, 1985-1986. NOAA Technical Memorandum NMFS-SEFC-236. Galveston, Texas. 16 p.

Minello, T. J., R. J. Zimmerman, and E. X. Martinez. 1989. Mortality of young brown shrimp Penaeus aztecus in estuarine nurseries. Transactions of the American Fisheries Society 118:693-708.

Montagna, P. A. 1991. Relationship between climate, freshwater inflow, and benthos in Texas estuaries. 11th Annual Estuarine Research Conference, November 10-14, 1991, San Francisco. Abstracts:95.

More, W. R. 1969. A study of the blue crab in Texas. Texas Parks and Wildlife Department Technical Series 1. Austin, Texas. 31 p.

Morrison, M. L., E. Shaley, Jr., and R. D. Slack. 1977. The food of nestling cormorants. The Southwestern Naturalist 22:321-326.

Moulton, D. W., C. D. Frentress, C. D. Stutzenbaker, D. S. Lobpries, and W. C. Brownless. 1988. Ingestion of shotshell pellets by waterfowl wintering in Texas. p. 597-607 in M. W. Weller (ed.): Waterfowl in Winter. University of Minnesota Press, Minneapolis, Minnesota.

Mueller, A. J., and G. A. Matthews. 1987. Freshwater inflow needs of the Matagorda Bay system with focus on penaeid shrimp. NOAA Technical Memorandum NMFS-SEFC-189. Galveston, Texas. 97 p.

Muncy, R. J. 1984. Species profiles: life histories and environmental requirements of coastal fishes and invertebrates (Gulf of Mexico): white shrimp. U. S. Fish and Wildlife Service FWS/OBS-82/11.20. Slidell, Louisiana. 19 p.

Mysak, L. A. 1986. El Niño, interannual variability and fisheries in the northeast Pacific Ocean. Canadian Journal of Fisheries and Aquatic Science 43:464-497.

Nance, J. M., E. F. Klima, and T. E. Czapla. 1989. Gulf of Mexico shrimp stock assessment workshop. NOAA Technical Memorandum NMFS-SEFC-239. Galveston, Texas. 23 p.

Nance, J., E. Martinez, D. Emiliani, J. Davis, L. Rathmell and Z. Zein-Eldin. 1993. Shrimp trawl bycatch in the Galveston Bay System. p. 249-253 in R. W. Jensen, R. W. Kiesling and F. S. Shipley (eds.): Proceedings, The Second State of the Bay Symposium, February 4-6, 1993. Galveston Bay National Estuary Program Publication GBNEP-23. Houston, Texas.

Neill, R. L. 1992. Recent trends in shorebird migration for north-central Texas. The Southwestern Naturalist 37:87-88.

Nelson, K., and M. Soulé. 1987. Genetical conservation of exploited fishes. p. 345-418 in N. Ryman and F. Utter (eds.): Population Genetics and Fishery Management. Washington Sea Grant Program, University of Washington Press, Seattle.

Newell, C. J., H. S. Rifani, and P. P. Bedient. 1992. Characterization of non-point sources and loadings to Galveston Bay. Galveston Bay National Estuary Program Publication GBNEP-15. Houston, Texas. 221 pp.

Nixon, S. W. 1981. Freshwater inputs and estuarine productivity. p. 31-57 in R. D. Cross and D. L. Williams (eds.): Proceedings of the National Symposium on Freshwater Inflow to Estuaries. Volume I. U. S. Fish and Wildlife Service FWS/OBS-81/04.

Oberholser, H. C. 1974. E. B. Kincaid, Jr., ed. The Bird Life of Texas. Volume I. University of Texas Press, Austin, Texas. 530 pp.

Oppenheimer, C. H., W. B. Brogden, and K. G. Gordon (eds.). 1973. Toxicity Studies of Galveston Bay Project, Sept. 1, 1971 to Dec. 1, 1972. Final report to the Texas Water Quality Board, Galveston Bay Study Program, for contract IAC (72-73) 183. University of Texas Marine Science Institute. Port Aransas, Texas.

Orth, R. J., and J. van Montfrans. 1991. Seagrass beds as critical nursery areas for the blue crab, Callinectes sapidus. American Fisheries Society Annual Meeting, September 8-12, 1991, San Antonio, Texas. Abstracts:115.

Osborn, M. 1992. Appendix 3: Commercial and recreational fisheries landings. p. 232-261 in C. Loeffler and A. Walton (eds.): Status and Trends of Selected Living Resources in the Galveston Bay System. Galveston Bay National Estuary Program Publications 19. Houston, Texas.

Osborn, M., A. Green, P. Chai, J. Lin, A. Morgan, P. Rubec, S. Spanyers, and A. Walton. 1992. Fisheries. p. 12-264 in C. Loeffler and A. Walton (eds.): Status and Trends of Selected Living Resources in the Galveston Bay System. Galveston Bay National Estuary Program Publications 19. Houston, Texas.

Parker, J. C. 1970. Distribution of juvenile brown shrimp (Penaeus aztecus Ives) in Galveston Bay, Texas, as related to certain hydrographic features and salinity. Contributions to Marine Science 15:1-12.

Parker, J. C. 1971. The biology of the spot, Leiostomus xanthurus Lacepede, and the Atlantic croaker, Micropogon undulatus (Linnaeus), in two Gulf of Mexico nursery areas. NOAA Sea Grant Publication TAMU-GS-71-210. Galveston, Texas. 182 p.

Pederson, R. L., D. G. Jorde, and S. G. Simpson. 1989. Northern Great Plains. p. 281-310 in L. M. Smith, R. L. Pederson, and R. M. Kaminski (eds.): Habitat Management for Migrating and Wintering Waterfowl in North America. Texas Tech Press, Lubbock, Texas.

Perry, H. M. (ed.), G. Adkins, R. Condrey, P. C. Hammerschmidt, S. Heath, J. R. Herring, C. Moss, and G. Perkins. 1984. A profile of the blue crab fishery of the Gulf of Mexico. Gulf States Marine Fisheries Commission Publication 9. Ocean Springs, Mississippi. 80 p.

Powell, E. N. 1993. Status and trends analysis of oyster reef habitat in Galveston Bay. p. 207-209 in R. W. Jensen, R. W. Kiesling and F. S. Shipley (eds.): Proceedings, The Second State of the Bay Symposium, February 4-6, 1993. Galveston Bay National Estuary Program Publication GBNEP-23. Houston, Texas.

Powell, E. N., J. D. Gauthier, E. A. Wilson, A. Nelson, R. R. Fay, and J. M. Brooks. 1993. Oyster disease and climate change. Are yearly changes in Perkinsus marinus parasitism in oysters (Crassostrea virginica) controlled by climate cycles in the Gulf of Mexico? PSZNI Marine Ecology 13:243-270.

Powell, G. V. N., J. W. Fourqurean, W. J. Kenworthy, and J. C. Zieman. 1991. Bird colonies cause seagrass enrichment in a subtropical estuary: observational and experimental evidence. Estuarine, Coastal and Shelf Science 32:567-579.

Pulich, W. M., and W. A. White. 1990. Decline of submerged vegetation in the Galveston Bay System: chronology and relationships to physical processes. University of Texas at Austin Bureau of Economic Geology. Austin, Texas. 27 p.

Ragan, J. G. and B. A. Matherne. 1974. Studies on Loxothylacus texanus. p. 185-203 in R. L. Ampborski, M. A. Hood and R. R. Miller (eds.): Proceedings Gulf Coast Regional Symposium on Diseased Marine Animals. Sea Grant Publication LSU-SG-74-05, Louisiana State University. Baton Rouge, Louisiana.

Ropelewski, C. F., and M. S. Halpert. 1986. North American precipitation and temperature patterns associated with the El Niño/Southern Oscillation (ENSO). Monthly Weather Review 114:2352-2362.

Slack, R. D. 1978. The Texas Colonial Waterbird Survey. Proceedings National Audubon Society, Cornell University Conference on the Amateur and North American Ornithology. National Audubon Society.

Slack, R. D., D. Gawlik, D. Harpole, and J. Thomas. 1992. Status and trends of selected vertebrate resources in the Galveston Estuary: birds and alligators. p. 265-346 in C. Loeffler and A. Walton (eds.): Status and Trends of Selected Living Resources in the Galveston Bay System. Galveston Bay National Estuary Program Publication 19. Houston, Texas.

Spalding, M. G. 1990. Antemortem diagnosis of Eustrongylidosis in wading birds (Ciconiformes). Colonial Waterbirds 13:75-77.

Spalding, M. G. 1991. Water bird diseases. p. 177-181 in Coastal Nongame Workshop, Southeast Region, Gainesville, Florida.

Spendelow, J. A., R. M. Erwin, and B. K. Williams. 1989. Patterns of species co-occurrence of nesting colonial Ciconiiformes in Atlantic Coast estuarine areas. Colonial Waterbirds 12:51-59.

Stahle, D. W., and M. K. Cleaveland. 1993. Southern Oscillation extremes reconstructed from tree rings of the Sierra Madre Occidental and Southern Great Plains. Journal of Climate 6:129-140.

Stanley, D. W. 1989. Historical trends in water quality and fisheries resources in Galveston Bay, Texas. Draft Report to National Ocean Pollution Program Office (NOAA, Rockville, MD). Institute for Coastal and Marine Resources, East Carolina University, Greenville, North Carolina.

Steele, P., and H. M. Perry (eds.). 1990. The blue crab fishery of the Gulf of Mexico, United States: a regional management plan. Gulf States Marine Fisheries Commission 21. Ocean Springs, Mississippi.

Strecker, J. K. 1912. The birds of Texas: an annotated check list. Baylor University Bulletin 15(1). Waco, Texas.

Stutzenbaker, C. D., and M. W. Weller. 1989. The Texas coast. p. 385-405 in L. M. Smith, R. L. Pederson, and R. M. Kaminski (eds.): Habitat Management for Migrating and Wintering Waterfowl in North America. Texas Tech Press, Lubbock, Texas.

Summers, K., and E. Hornig. Potential toxicity concerns for Galveston Bay: results from the Environmental Monitoring and Assessment Program (EMAP). p. 99-101 in R. W. Jensen, R. W. Kiesling and F. S. Shipley (eds.): Proceedings, The Second State of the Bay Symposium, February 4-6, 1993. Galveston Bay National Estuary Program Publication GBNEP-23. Houston, Texas.

Swetnam, T. W., and J. L. Betancourt. 1990. Fire-Southern Oscillation relations in the southwestern United States. Science 249:1017-1020.

Telfair, R. C. II. in press. Cattle egret (Bubulcus ibis) population trends and dynamics in Texas (1954-1990). Texas Parks and Wildlife Department. Austin, Texas.

Telfair, R. C. II, C. D. Frentress, and B. G. Davis. 1982. Food of fledgling olivaceous cormorants (Phalacrocorax olivaceus) in East Central Texas. Bulletin of the Texas Ornithological Society 15:16-18.

Texas Colonial Waterbird Society. 1982. An Atlas and Census of Texas Waterbird Colonies 1973-1980. Caesar Kleberg Wildlife Research Institute. Kingsville, Texas.

Texas Department of Water Resources. 1981. Trinity-San Jacinto Estuary: a study of the influences of freshwater inflows. TPWR LP-113. Austin, Texas.

Thomas, J. L., R. J. Zimmerman, and T. J. Minello. 1990. Abundance patterns of juvenile blue crabs (Callinectes sapidus) in nursery habitats of two Texas bays. Bulletin of Marine Science 46:115-125.

Trebatoski, B. 1988. Observations on the 1986-1987 Texas red tide (Ptychodiscus brevis). Texas Water Commission Report 88-02. Austin, Texas. 48 p.

Trenberth, K. E., G. W. Branstator, and P. A. Arkin. 1988. Origins of the 1988 North American drought. Science 242:1640-1645.

Turner, R. E. 1977. Intertidal vegetation and commercial yields of penaeid shrimp. Transactions of the American Fisheries Society 106:411-416.

Turner, R. E. 1991. Tide gauge records, water level rise, and subsidence in the northern Gulf of Mexico. Estuaries 14:139-147.

Turner, R. E., and M. S. Brody. 1983. Habitat suitability index models: northern Gulf of Mexico brown shrimp and white shrimp. U.S. Fish and Wildlife Service FWS/OBS-82/10.54. Slidell, Louisiana. 24 p.

Wadie, W. F., and Abdel Razek, F. A. 1985. The effects of damming on the shrimp population in the south-eastern part of the Mediterranean Sea. Fisheries Research 3:323-335.

Ward, G. H., and N. E. Armstrong. 1992. Ambient water and sediment quality of Galveston Bay: present status and historical trends. Galveston Bay National Estuary Program Publication GBNEP-22. Houston, Texas. 181 p.

White, D. H., C. A. Mitchell, and D. M. Swineford. 1984. Reproductive success of black skimmers in Texas relative to environmental pollutants. Journal of Field Ornithology 55:18-30.

White, W. A., T. A. Tremblay, E. G. Wermund, and L. R. Handley. 1993. Trends and status of wetland and aquatic habitats, Galveston Bay, Texas. p. 201-205 in R. W. Jensen, R. W. Kiesling and F. S. Shipley (eds.): Proceedings, The Second State of the Bay Symposium, February 4-6, 1993. Galveston Bay National Estuary Program Publication GBNEP-23. Houston, Texas.

Williams, A. B. 1969. Penaeid shrimp catch and heat summation, an apparent relationship. p. 643-656 in M. N. Mistakidis (ed.): Proceedings of the World Scientific Conference on the Biology and Cultutre of Shrimps and Prawns. FAO Fisheries Reports No. 57, vol. 3.

Williams, G. G. 1938. Notes on the waterbirds of the upper Texas coast. The Auk 55:62-70.

Wilson, C. A., D. W. Beckman, D. L. Nieland, and A. L. Stanley. 1992. The variation of year-class strength and annual reproductive output of red drum, Sciaenops ocellatus, and black drum, Pogonias cromis, from the northern Gulf of Mexico; and age structure and reproductive potential of the northern Gulf of Mexico offshore population of red drum not vulnerable to purse seine capture: the missing fish? Final report. Marine Fisheries Initiative (MARFIN) Program LSU-CFI-92-2. Baton Rouge, Louisiana.

Wilson, E. A., E. N. Powell, T. L. Wade, R. J. Taylor, B. J. Presley, and J. M. Brooks. 1993. Spatial and temporal distributions of contaminant body burden and disease in Gulf of Mexico oyster populations: the role of local and large-scale climatic controls. Hegolander Meeresuntersuchungen 46:201-235.

Zimmerman, R. J., and T. J. Minello. 1984. Densities of Penaeus aztecus, Penaeus setiferus, and other natant macrofauna in a Texas salt marsh. Estuaries 7:421-433.

Zimmerman, R. J., T. J. Minello, M. C. Castiglione, and D. L. Smith. 1990. Utilization of marsh and associated habitats along a salinity gradient in Galveston Bay. NOAA Technical Memorandum NMFS-SEFC-250. Galveston, Texas. 68 p.

Zimmerman, R. J., T. J. Minello, E. F. Klima, and J. M. Nance. 1991. Effects of accelerated sea-level rise on coastal secondary production. p. 110-124 in H. S. Bolton (ed.): Coastal Wetlands. American Society of Civil Engineers, New York.