

LITERATURE CITED

- Aloi, J.E. 1990. *A critical review of recent freshwater periphyton field methods*. Can. J. Fish. Aquat. Sci. 47:656-670.
- American Public Health Association. 1998. *Standard Methods for the Examination of Water and Wastewater*. 20th edition. Amer. Publ. Heal. Assoc., Amer. Water Works Assoc. and Water Poll. Contr. Fed., Washington, D.C.
- Bahls, L.L. 1992. *Periphyton bioassessment methods for Montana streams*. MT Dept. of Health and Env. Services. Water Qual. Bur. Helena, Montana.
- Barbour, M.T., J. Gerritsen, B.D. Snyder, and J.B. Stribling. 1999. *Rapid Bioassessment Protocols for Use in Streams and Wadeable Rivers: Periphyton, Benthic Macroinvertebrates, and Fish*. 2nd edition. EPA 841-B-99-002. US EPA, Office of Water, Washington, D.C.
- Bayer, C.W., J.R. Davis, S.R. Twidwell, R. Kleinsasser, G. Linam, K. Mayes, and E. Hornig. 1992. *Texas Aquatic Ecoregion Project: An Assessment of Least Disturbed Streams*. Draft. Texas Natural Resource Conservation Commission. Austin, Texas.
- Biggs, B.J.F. and C. Kilroy. 2000. *Stream Periphyton Monitoring Manual*. The New Zealand Ministry for the Environment. NIWA, Christchurch, New Zealand.
- Caton, L.W. 1991. *Improving subsampling methods for the EPA "Rapid Bioassessment" benthic protocols*. Bulletin of the N. Am. Benthol. Soc. 8(3): 317-319.
- Collins, G.B. and C.I. Weber. 1978. *Phycoperiphyton (algae) as indicators of water quality*. Trans. Amer. Micros. Soc. 97:36-43.
- Davic, R.D. and J.E. DeShon. 1989. *The Ohio Lake Condition Index: A New Multiparameter Approach to Lake Classification*. Lake Research Management 5:1-8.
- Davis, J.R. 1997. *A Benthic Index of Biotic Integrity (B-IBI) for Texas Lotic-Erosional Habitats*. Draft. Data Collection Section, Texas Natural Resource Conservation Commission, Austin, Texas.
- Descy, J.P. 1979. *A new approach to water quality estimation using diatoms*. Nova Hedwigia 64: 305-323.
- Dixit, S.S., J.P. Smol, J.C. Kingston, and D.F. Charles. 1992. *Diatoms: powerful indicators of environmental change*. Environ. Sci. Tech. 26(1):23-33.
- Dodds, W.K. and E. Welch. 2000. *Establishing nutrient criteria in streams*. J. No. Am. Benthol. Soc. 19(1): 186-196.
- Dycus, D.L. and T.F. Baker. 2001. *Aquatic Ecological Health Determinations for TVA Reservoirs—2000: An Informal Summary of 2000 Vital Signs Monitoring Results and Ecological Health Determination Methods*. Section 6. Tennessee Valley Authority, Chattanooga, Tennessee.
- Emery, E.B., T.P. Simon, F.H. McCormick, P.L. Angermeier, J.E. Deshon, C.O. Yoder, R.E. Sanders, W.D. Pearson, G.D. Hickman, R.J. Reash, and J.A. Thomas. 2003. *Development of a multimetric index for assessing the biological condition of the Ohio River*. Transactions of the American Fisheries Society 132:791-808.
- Fink, W.L., K.E. Hartel, W.G. Saul, E.M. Koon, and E.O. Wiley. 1979. *A report on current supplies and practices used in curation of ichthyological collections*. American Society of Ichthyologists and Herpetologists. Report of the ad hoc Subcommittee on Curatorial Supplies and Practices, Carbondale, Illinois.

- Fore, L.S., J.R. Karr, and R.W. Wisseman. 1996. *Assessing Invertebrate Responses to Human Activities: Evaluating Alternative Approaches*. Journal of the North American Benthological Society 15:212-231.
- Harrison, B. 1996. *Metric Set for Use in Setting Aquatic Life Use Designations Using Benthic Macroinvertebrate Samples Collected from Texas Streams Following Rapid Bioassessment Protocols*. Draft. Data Collection Section, Texas Natural Resource Conservation Commission, Austin, Texas.
- Hilsenhoff, W.L. 1987. *An improved biotic index of organic stream pollution*. Great Lakes Entomol. 20:31-39.
- Hoese H.D. and R.H. Moore. 1998. *Fishes of the Gulf of Mexico—Texas, Louisiana, and Adjacent Waters*. Texas A&M University Press, College Station, Texas.
- Hubbs, C., R.J. Edwards, and G.P. Garrett. 1991. *An annotated checklist of the freshwater fishes of Texas, with keys to identification of species*. Tex. J. of Sci. 43(4):1-56.
- Karr, J.R., K.D. Fausch, P.L. Angermeier, P.R. Yant, and I.J. Schlosser. 1986. *Assessment of Biological Integrity in Running Water: A Method and its Rationale*. Illinois Natural History Survey Special Publication Number 5. Champaign, Illinois.
- Kaufmann, P.R. and E.G. Robison. 1998. Physical Habitat Characterization. pp 77-118 In: J.M. Lazorchak, D.J. Klemm, and D.V. Peck (eds.). *Environmental Monitoring and Assessment Program—Surface Waters: Field Operations and Methods For Measuring the Ecological Condition of Wadeable Streams*. EPA/620/R-94/004F, U.S. Environmental Protection Agency, Office of Research and Development, Washington, D.C.
- Kentucky Division of Water. 2002. *Methods for Assessing Biological Integrity of Surface Waters in Kentucky*. Kentucky Dept. Env. Prot., Frankfort, Kentucky.
- Lange-Bertalot, H. 1979. *Pollution tolerance as a criterion for water quality estimation*. Nova Hed. 64:283-304.
- Lee, D.S., C.R. Gilbert., C.H. Hocutt, R.E. Jenkins, D.E. McAllister, and J.R. Stauffer, Jr. 1980. *Atlas of North American Freshwater Fishes*. North Carolina State Museum of Natural History, Publication #1980-12 of the North Carolina Biological Survey. Raleigh, North Carolina. 854 pp.
- Lenat, D.R. 1993. *A biotic index for the southeastern U.S.: derivation and list of tolerance values, with criteria for assigning water-quality ratings*. J. of the North American Benthological Soc. 12:279-290.
- Linam, G.W. and L.J. Kleinsasser. 1998. *Classification of Texas Freshwater Fishes into Trophic and Tolerance Groups*. River Studies Report No. 14., Texas Parks and Wildlife Department, Austin, Texas.
- Linam, G.W., L.J. Kleinsasser, and K.B. Mayes. 2002. *Regionalization of the Index of Biotic Integrity for Texas Streams*. River Studies Report No. 17., Texas Parks and Wildlife Department, Austin, Texas.
- Lowe, R.L. 1974. *Environmental Requirements and Pollution Tolerance of Freshwater Diatoms*. EPA-670/4-74-005. US EPA, Cincinnati, Ohio.
- Merritt, R. W. and K. W. Cummins. 1996. *An Introduction to the Aquatic Insects of North America 3rd Edition*. Kendall/Hunt Publishing Company, Dubuque, Iowa.
- Minshall, G.W. 1981. *Structure and temporal variations of the benthic macroinvertebrate community inhabiting Mink Creek, Idaho, U.S.A., a 3rd order Rocky Mountain stream*. J. of Freshwater Ecol.1:13-26.

- Mulvey, M., L. Caton, and R. Hafele. 1992. *Oregon Nonpoint Source Monitoring Protocols Stream Bioassessment Field Manual for Macrinvertebrates and Habitat Assessment*. Oregon Department of Environmental Quality, Laboratory Biomonitoring Section. Portland, Oregon. 40 p.
- Murdy, E.O. 1995 (revised). *Saltwater Fishes of Texas. A Dichotomous Key*. TAMU-SG-83-607(r). Texas A & M University Sea Grant College Program. College Station, Texas. 164 pp.
- Murphy, B.R. and D.W. Willis, eds. 1996. *Fisheries Techniques*. 2nd Edition. American Fisheries Society, Bethesda, Maryland. 732 pp.
- Omernik, J.M. 1985. *Aquatic Ecoregions of the Conterminous United States*. Annals of the Assoc. of Am. Geo. 77:118-225.
- Omernik, J.M. and A.L. Gallant. 1987. *Ecoregions of the South Central States*. EPA/600/D-87/315. U.S. Environmental Protection Agency, ERL, Corvallis, Oregon.
- Palmer, C. M. 1969. *A composite rating of algae tolerating organic pollution*. J. Phycol. 5: 78-82.
- Palmer, C.M. 1977. *Algae and Water Pollution. An Illustrated Manual on the Identification, Significance, and Control of Algae in Water Supplies and Polluted Water*. EPA-600/9-77-036. U.S. Environmental Protection Agency. Cincinnati, Ohio.
- Patrick, R. 1973. *Use of algae, especially diatoms, in the assessment of water quality*. In Biological Methods for the Assessment of Water Quality. ASTM STP 528:76-95.
- Patrick, R. 1977. *Ecology of freshwater diatoms and diatom communities*. in D. Werner, ed. The biology of diatoms. Botan. Mono. Vol. 13, Blackwell Sci. Pub. University of California Press, Berkley and Los Angeles, California.
- Patrick, R. and C. W. Reimer. 1966. *The Diatoms of the United States, exclusive of Alaska and Hawaii*. Monograph No. 13, Vol. 1. Acad. Nat. Sci., Phila., Philadelphia, Pennsylvania. 13 xi+1-688
- Patrick, R. and C. W. Reimer. 1975. *The Diatoms of the United States, exclusive of Alaska and Hawaii*. Monograph No. 13, Vol. 2. Acad. Nat. Sci., Phila., Philadelphia, Pennsylvania. 13 ix+1-213
- Pennak, R.W. 1989. *Freshwater invertebrates of the United States*. 3rd edition. John Wiley and Sons, New York, New York.
- Platts, W.S., W.F. Megahan, and G.W. Minshall. 1983. *Methods For Evaluating Stream, Riparian, and Biotic Conditions*. General Technical Report INT-138. U.S. Department of Agriculture, Ogden, Utah.
- Pontasch, K.W. and M.A. Brusven. 1988. *Diversity and community comparison indices: assessing macroinvertebrate recovery following a gasoline spill*. Water Res. 22(5):619-626.
- Round, F.E. 1991. *Diatoms in water-monitoring studies*. J. Appl. Phy. 3:129-145.
- Sabater, S., F. Sabater, and J. Armengol. 1988. *Relationships between diatom assemblages and physico-chemical variables in the River Ter (NE Spain)*. Int. Rev. Ges. Hydrobiol. 73:171-179.
- Shipp, R.L. 1999. *Dr. Bob Shipp's Guide to the Fishes of the Gulf of Mexico*. 2nd Edition. KME Seabooks. Mobile, Alabama. 256 pp.
- Simon, T. P., and R. E. Sanders. 1999. *Applying an index of biotic integrity based on great river fish communities: considerations in sampling and interpretation*. Pages 475-506 in T. P. Simon, editor. Assessing the sustainability and biological integrity of water resources using fish communities. CRC Press, Boca Raton, Florida.

- Smith-Root, Inc. Technology for Fisheries Conservation. 2003. Product Catalog. Smith-Root, Inc., Vancouver, Washington.
- Stauffer, J.R., J. Karish, and T.D. Stecko. 2001. *Guidelines for Using Digital Photos as Fish Vouchers for Pennsylvania Fishes*. The Pennsylvania State University and National Park Service. 13 pp.
- Stevenson, R.J. 1984. *Epilithic and epipellic diatoms in the Sandusky River, with emphasis on species diversity and water pollution*. Hydrobiol. 114:161-175.
- Stevenson, R.J. and R.L. Lowe. 1986. *Sampling and interpretation of algal patterns for water quality assessments*. in: B.G. Isom, ed. Rationale for Sampling and Interpretation of Ecological Data in the Assessment of Freshwater Ecosystems. ASTM STP 894:118-149.
- 30 TEXAS ADMINISTRATIVE CODE, Chapter 307, Texas Surface Water Quality Standards. (Effective Aug. 17, 2000).
- Texas Commission on Environmental Quality. 2003. *Surface Water Quality Procedures Manual-Volume I*. Report No. RG-415. Texas Commission on Environmental Quality, Austin, Texas.
- Texas Parks and Wildlife Department. 2002. *Texas Inland Fishery Assessment Procedures for Reservoir Survey*. Texas Parks and Wildlife Department, Austin, Texas.
- Twidwell, S.R. and J.R. Davis. 1989. *An Assessment of Six Least Disturbed Unclassified Texas Streams*. Report No. LP 89-04. Texas Water Commission, Austin, Texas.
- U.S. Environmental Protection Agency. 1976. *Microscopic Analysis of Plankton, Periphyton and Activated Sludge*. EPA-430/1/76/008. U.S. Environmental Protection Agency Office of Water, Washington, D.C.
- U.S. Environmental Protection Agency. 1982. *Freshwater Snails(Mollusca:Gastropoda) of North America*. EPA-600/3/82/026. U.S. Environmental Protection Agency, Washington D.C.
- U.S. Environmental Protection Agency. 1997. *Environmental Monitoring and Assessment Program Surface Waters: Field Operations Manual for Lakes*. EPA-620/R/97/001. U.S. Environmental Protection Agency, Washington D.C.
- U.S. Environmental Protection Agency. 1998. *Lake and Reservoir Bioassessment and Biocriteria: Technical Guidance Document*. EPA-841/B/98/007. U. S. Environmental Protection Agency Office of Water, Washington D.C.
- U.S. Environmental Protection Agency. 2000. *Estuarine and Coastal Marine Waters: Bioassessment and Biocriteria Technical Guidance*. EPA-822/B/00/024. U. S. Environmental Protection Agency Office of Water, Washington D.C.
- U.S. Environmental Protection Agency. 2000. *Field Operations and Methods for Measuring the Ecological Condition of Non-Wadeable Rivers and Streams*. EPA-620/R/00/007. U. S. Environmental Protection Agency Office of Research and Development, Washington D.C.
- U.S. Geological Survey. 1977. *Methods for Collection and Analysis of Aquatic Biological and Microbiological Samples*. Techniques of Water-Resources Investigations of the United States Geological Survey. Book 5. Chapter A4. 332pp.
- U.S. Geological Survey. 2000. *Methods of Analysis by the U.S. Geological Survey National Water Quality Laboratory—Processing, Taxonomy, and Quality Control of Benthic Macroinvertebrate Samples*. Open-File Report 00-212.
- U.S. Geological Survey. 2002. *Revised Protocols for Sampling Algal, Invertebrate, and Fish Communities as Part of the National Water-Quality Assessment Program*. Open-File Report 02-150. Reston, Virginia.

- Vannote, R.L., G.W. Minshall, K.W. Cummins, J.R. Sedell, and C.E. Cushing. 1980. *The River Continuum Concept*. Can. J. of Fish. and Aq. Sci. 37:130-137.
- Weber, C.I., ed. 1973. *Biological Field and Laboratory Methods for Measuring the Quality of Surface Waters and Effluents*. EPA-670/4-73-001. U.S. Environmental Protection Agency, Cincinnati, Ohio.
- Weitzel, R.L. 1979. *Periphyton measurements and applications*. ASTM STP 690:3-33.
- Whittaker, R.H. 1952. *A study of summer foliage insect communities in the Great Smoky Mountains*. Ecol. Mono. 22:1-44.
- Whittaker, R.H. and C.W. Fairbanks. 1958. *A study of plankton copepod communities in the Columbia Basin, Southeastern Washington*. Ecol. 39:46-65.

