



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

Pace Analytical Services, LLC - Ormond Beach FL

8 East Tower Circle
Ormond Beach, FL 32174-8749

Certificate: T104704184-17-11
Expiration Date: 10/31/2018
Issue Date: 11/1/2017

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: *Drinking Water*

Method EPA 200.7

Analyte	AB	Analyte ID	Method ID
Aluminum	FL	1000	10013806
Arsenic	FL	1010	10013806
Barium	FL	1015	10013806
Beryllium	FL	1020	10013806
Cadmium	FL	1030	10013806
Chromium	FL	1040	10013806
Copper	FL	1055	10013806
Iron	FL	1070	10013806
Magnesium	FL	1085	10013806
Manganese	FL	1090	10013806
Nickel	FL	1105	10013806
Potassium	FL	1125	10013806
Silica as SiO ₂	FL	1990	10013806
Silver	FL	1150	10013806
Sodium	FL	1155	10013806
Zinc	FL	1190	10013806

Method EPA 200.8

Analyte	AB	Analyte ID	Method ID
Aluminum	FL	1000	10014605
Antimony	FL	1005	10014605
Arsenic	FL	1010	10014605
Barium	FL	1015	10014605
Beryllium	FL	1020	10014605
Cadmium	FL	1030	10014605
Chromium	FL	1040	10014605
Copper	FL	1055	10014605
Lead	FL	1075	10014605
Manganese	FL	1090	10014605
Nickel	FL	1105	10014605



Texas Commission on Environmental Quality

NELAP - Recognized Laboratory Fields of Accreditation



Pace Analytical Services, LLC - Ormond Beach FL

8 East Tower Circle
Ormond Beach, FL 32174-8749

Certificate: T104704184-17-11
Expiration Date: 10/31/2018
Issue Date: 11/1/2017

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: *Drinking Water*

Selenium	FL	1140	10014605
Silver	FL	1150	10014605
Thallium	FL	1165	10014605
Uranium	FL	3035	10014605
Zinc	FL	1190	10014605
Method EPA 245.1			
Analyte	AB	Analyte ID	Method ID
Mercury	FL	1095	10036609
Method EPA 300.0			
Analyte	AB	Analyte ID	Method ID
Bromide	FL	1540	10053200
Chloride	FL	1575	10053200
Fluoride	FL	1730	10053200
Nitrate as N	FL	1810	10053200
Nitrite as N	FL	1840	10053200
Sulfate	FL	2000	10053200
Method EPA 300.1			
Analyte	AB	Analyte ID	Method ID
Bromate	FL	1535	10275602
Bromide	FL	1540	10275602
Chlorate	FL	1570	10275602
Chlorite	FL	1595	10275602
Method EPA 335.4			
Analyte	AB	Analyte ID	Method ID
Total cyanide	FL	1645	10061402
Method EPA 353.2			
Analyte	AB	Analyte ID	Method ID
Nitrate as N	FL	1810	10067604
Nitrite as N	FL	1840	10067604
Method EPA 504.1			
Analyte	AB	Analyte ID	Method ID



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

Pace Analytical Services, LLC - Ormond Beach FL

8 East Tower Circle
Ormond Beach, FL 32174-8749

Certificate: T104704184-17-11
Expiration Date: 10/31/2018
Issue Date: 11/1/2017

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: *Drinking Water*

1,2-Dibromo-3-chloropropane (DBCP)	FL	4570	10082801
1,2-Dibromoethane (EDB, Ethylene dibromide)	FL	4585	10082801
Method EPA 508.1			
Analyte	AB	Analyte ID	Method ID
Alachlor	FL	7005	10086405
Atrazine	FL	7065	10086405
Chlordane (tech.)	FL	7250	10086405
Endrin	FL	7540	10086405
gamma-BHC (Lindane, gamma-Hexachlorocyclohexane)	FL	7120	10086405
Heptachlor	FL	7685	10086405
Heptachlor epoxide	FL	7690	10086405
Hexachlorobenzene	FL	6275	10086405
Hexachlorocyclopentadiene	FL	6285	10086405
Methoxychlor	FL	7810	10086405
PCB Aroclor Identification	FL	8872	10086405
Simazine	FL	8125	10086405
Toxaphene (Chlorinated camphene)	FL	8250	10086405
Method EPA 515.3			
Analyte	AB	Analyte ID	Method ID
2,4-D	FL	8545	10088401
Dalapon	FL	8555	10088401
Dinoseb (2-sec-butyl-4,6-dinitrophenol, DNBP)	FL	8620	10088401
Pentachlorophenol	FL	6605	10088401
Picloram	FL	8645	10088401
Silvex (2,4,5-TP)	FL	8650	10088401
Method EPA 524.2			
Analyte	AB	Analyte ID	Method ID
1,1,1-Trichloroethane	FL	5160	10088809
1,1,2-Trichloroethane	FL	5165	10088809
1,1-Dichloroethylene	FL	4640	10088809
1,2,4-Trichlorobenzene	FL	5155	10088809



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

Pace Analytical Services, LLC - Ormond Beach FL

8 East Tower Circle
Ormond Beach, FL 32174-8749

Certificate: T104704184-17-11
Expiration Date: 10/31/2018
Issue Date: 11/1/2017

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: *Drinking Water*

1,2-Dichlorobenzene	FL	4610	10088809
1,2-Dichloroethane (Ethylene dichloride)	FL	4635	10088809
1,2-Dichloropropane	FL	4655	10088809
1,4-Dichlorobenzene	FL	4620	10088809
Benzene	FL	4375	10088809
Carbon tetrachloride	FL	4455	10088809
Chlorobenzene	FL	4475	10088809
cis-1,2-Dichloroethylene	FL	4645	10088809
Ethylbenzene	FL	4765	10088809
m+p-xylene	FL	5240	10088809
Methylene chloride (Dichloromethane)	FL	4975	10088809
o-Xylene	FL	5250	10088809
Styrene	FL	5100	10088809
Tetrachloroethylene (Perchloroethylene)	FL	5115	10088809
Toluene	FL	5140	10088809
Total trihalomethanes	FL	5205	10088809
trans-1,2-Dichloroethylene	FL	4700	10088809
Trichloroethene (Trichloroethylene)	FL	5170	10088809
Vinyl chloride	FL	5235	10088809
Xylene (total)	FL	5260	10088809

Method EPA 525.2

Analyte	AB	Analyte ID	Method ID
Atrazine	FL	7065	10090003
Benzo(a)pyrene	FL	5580	10090003
bis(2-Ethylhexyl) adipate (Di(2-Ethylhexyl) adipate, DEHA)	FL	6062	10090003
bis(2-Ethylhexyl) phthalate (Di(2-Ethylhexyl) phthalate, DEHP)	FL	6065	10090003

Method EPA 531.1

Analyte	AB	Analyte ID	Method ID
Aldicarb (Temik)	FL	7010	10091006
Aldicarb sulfone	FL	7015	10091006
Aldicarb sulfoxide	FL	7020	10091006



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

Pace Analytical Services, LLC - Ormond Beach FL

8 East Tower Circle
Ormond Beach, FL 32174-8749

Certificate: T104704184-17-11
Expiration Date: 10/31/2018
Issue Date: 11/1/2017

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: *Drinking Water*

Carbofuran (Furaden)	FL	7205	10091006
Oxamyl (Vydate)	FL	7940	10091006
Method EPA 547			
Analyte Glyphosate	AB FL	Analyte ID 9411	Method ID 10092009
Method EPA 548.1			
Analyte Endothall	AB FL	Analyte ID 7525	Method ID 10092805
Method EPA 549.2			
Analyte Diquat	AB FL	Analyte ID 9390	Method ID 10093400
Method EPA 552.2			
Analyte Total haloacetic acids	AB FL	Analyte ID 9414	Method ID 10095804
Method EPA 552.3			
Analyte Total haloacetic acids	AB FL	Analyte ID 9414	Method ID 10239608
Method IDEXX Laboratories SimPlate®			
Analyte Heterotrophic plate count	AB FL	Analyte ID 2555	Method ID 60032602
Method SM 2510 B			
Analyte Conductivity	AB FL	Analyte ID 1610	Method ID 20048004
Method SM 2540 C			
Analyte Residue-filterable (TDS)	AB FL	Analyte ID 1955	Method ID 20049803
Method SM 9223-IDEXX Laboratories Colilert® Test			
Analyte Total coliforms and E. coli (P/A)	AB FL	Analyte ID 2502	Method ID 20212413



Texas Commission on Environmental Quality

NELAP - Recognized Laboratory Fields of Accreditation



Pace Analytical Services, LLC - Ormond Beach FL
8 East Tower Circle
Ormond Beach, FL 32174-8749

Certificate: T104704184-17-11
Expiration Date: 10/31/2018
Issue Date: 11/1/2017

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: *Drinking Water*

Method SM 9223-IDEXX Laboratories
Colilert®-18 Test

Analyte

Total coliforms and E. coli (P/A)

AB

FL

Analyte ID

2502

Method ID

20214602

Method SM 9223-IDEXX Laboratories
Colisure® Test

Analyte

Total coliforms and E. coli (P/A)

AB

FL

Analyte ID

2502

Method ID

20231805