



# Texas Commission on Environmental Quality



## NELAP - Recognized Laboratory Fields of Accreditation

San Antonio River Authority Regional Environmental Laboratory  
 600 East Euclid  
 San Antonio, TX 78212-4405

Certificate: T104704262-17-19  
 Expiration Date: 2/28/2018  
 Issue Date: 3/1/2017

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

---

**Matrix: *Drinking Water***

---

**Method EPA 120.1**

Analyte	AB	Analyte ID	Method ID
Conductivity	TX	1610	10006403

**Method EPA 200.8**

Analyte	AB	Analyte ID	Method ID
Aluminum	TX	1000	10014605
Antimony	TX	1005	10014605
Arsenic	TX	1010	10014605
Barium	TX	1015	10014605
Beryllium	TX	1020	10014605
Cadmium	TX	1030	10014605
Chromium	TX	1040	10014605
Copper	TX	1055	10014605
Lead	TX	1075	10014605
Manganese	TX	1090	10014605
Mercury	TX	1095	10014605
Nickel	TX	1105	10014605
Selenium	TX	1140	10014605
Silver	TX	1150	10014605
Thallium	TX	1165	10014605
Uranium	TX	3035	10014605
Zinc	TX	1190	10014605

**Method EPA 300.0**

Analyte	AB	Analyte ID	Method ID
Bromide	TX	1540	10053006
Chloride	TX	1575	10053006
Fluoride	TX	1730	10053006
Nitrate as N	TX	1810	10053006
Nitrite as N	TX	1840	10053006
Sulfate	TX	2000	10053006



# Texas Commission on Environmental Quality



## NELAP - Recognized Laboratory Fields of Accreditation

San Antonio River Authority Regional Environmental Laboratory  
 600 East Euclid  
 San Antonio, TX 78212-4405

Certificate: T104704262-17-19  
 Expiration Date: 2/28/2018  
 Issue Date: 3/1/2017

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

---

**Matrix: *Drinking Water***

---

**Method** IDEXX Laboratories SimPlate®

<b>Analyte</b>	<b>AB</b>	<b>Analyte ID</b>	<b>Method ID</b>
Heterotrophic plate count	TX	2555	60032602

**Method** SM 2340 C

<b>Analyte</b>	<b>AB</b>	<b>Analyte ID</b>	<b>Method ID</b>
Total hardness as CaCO <sub>3</sub>	TX	1755	20047001

**Method** SM 2540 C

<b>Analyte</b>	<b>AB</b>	<b>Analyte ID</b>	<b>Method ID</b>
Residue-filterable (TDS)	TX	1955	20049803

**Method** SM 2540 D

<b>Analyte</b>	<b>AB</b>	<b>Analyte ID</b>	<b>Method ID</b>
Residue-nonfilterable (TSS)	TX	1960	20004802

**Method** SM 9223-IDEXX Laboratories Colilert®-18 Test

<b>Analyte</b>	<b>AB</b>	<b>Analyte ID</b>	<b>Method ID</b>
Total coliforms and E. coli (P/A)	TX	2502	20214602

**Method** SM 9223-IDEXX Laboratories Colilert®-18 Quanti-Tray Test

<b>Analyte</b>	<b>AB</b>	<b>Analyte ID</b>	<b>Method ID</b>
Escherichia coli (enumeration)	TX	2525	20211603



# Texas Commission on Environmental Quality



## NELAP - Recognized Laboratory Fields of Accreditation

San Antonio River Authority Regional Environmental Laboratory  
 600 East Euclid  
 San Antonio, TX 78212-4405

Certificate: T104704262-17-19  
 Expiration Date: 2/28/2018  
 Issue Date: 3/1/2017

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

---

**Matrix: *Non-Potable Water***

---

**Method** EPA 120.1

Analyte	AB	Analyte ID	Method ID
Conductivity	TX	1610	10006403

**Method** EPA 160.4

Analyte	AB	Analyte ID	Method ID
Residue-volatile	TX	1970	10010409

**Method** EPA 180.1

Analyte	AB	Analyte ID	Method ID
Turbidity	TX	2055	10011606

**Method** EPA 200.8

Analyte	AB	Analyte ID	Method ID
Aluminum	TX	1000	10014605
Antimony	TX	1005	10014605
Arsenic	TX	1010	10014605
Barium	TX	1015	10014605
Beryllium	TX	1020	10014605
Cadmium	TX	1030	10014605
Calcium	TX	1035	10014605
Chromium	TX	1040	10014605
Cobalt	TX	1050	10014605
Copper	TX	1055	10014605
Iron	TX	1070	10014605
Lead	TX	1075	10014605
Magnesium	TX	1085	10014605
Manganese	TX	1090	10014605
Molybdenum	TX	1100	10014605
Nickel	TX	1105	10014605
Potassium	TX	1125	10014605
Selenium	TX	1140	10014605
Silver	TX	1150	10014605
Sodium	TX	1155	10014605



# Texas Commission on Environmental Quality



## NELAP - Recognized Laboratory Fields of Accreditation

San Antonio River Authority Regional Environmental Laboratory  
 600 East Euclid  
 San Antonio, TX 78212-4405

Certificate: T104704262-17-19  
 Expiration Date: 2/28/2018  
 Issue Date: 3/1/2017

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

**Matrix: Non-Potable Water**

Thallium	TX	1165	10014605
Uranium	TX	3035	10014605
Zinc	TX	1190	10014605
<b>Method EPA 300.0</b>			
<b>Analyte</b>	<b>AB</b>	<b>Analyte ID</b>	<b>Method ID</b>
Bromide	TX	1540	10053006
Chloride	TX	1575	10053006
Fluoride	TX	1730	10053006
Nitrate as N	TX	1810	10053006
Nitrite as N	TX	1840	10053006
Sulfate	TX	2000	10053006
<b>Method EPA 351.2</b>			
<b>Analyte</b>	<b>AB</b>	<b>Analyte ID</b>	<b>Method ID</b>
Kjeldahl Nitrogen (Total Kjeldahl Nitrogen-TKN)	TX	1790	10065200
<b>Method EPA 365.3</b>			
<b>Analyte</b>	<b>AB</b>	<b>Analyte ID</b>	<b>Method ID</b>
Orthophosphate as P	TX	1870	10070801
Phosphorus	TX	1910	10070801
<b>Method SM 2320 B</b>			
<b>Analyte</b>	<b>AB</b>	<b>Analyte ID</b>	<b>Method ID</b>
Alkalinity as CaCO <sub>3</sub>	TX	1505	20045005
<b>Method SM 2340 B</b>			
<b>Analyte</b>	<b>AB</b>	<b>Analyte ID</b>	<b>Method ID</b>
Total hardness as CaCO <sub>3</sub>	TX	1755	20046008
<b>Method SM 2340 C</b>			
<b>Analyte</b>	<b>AB</b>	<b>Analyte ID</b>	<b>Method ID</b>
Total hardness as CaCO <sub>3</sub>	TX	1755	20047001
<b>Method SM 2540 C</b>			
<b>Analyte</b>	<b>AB</b>	<b>Analyte ID</b>	<b>Method ID</b>
Residue-filterable (TDS)	TX	1955	20049803



# Texas Commission on Environmental Quality



## NELAP - Recognized Laboratory Fields of Accreditation

San Antonio River Authority Regional Environmental Laboratory  
 600 East Euclid  
 San Antonio, TX 78212-4405

Certificate: T104704262-17-19  
 Expiration Date: 2/28/2018  
 Issue Date: 3/1/2017

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

---

**Matrix: *Non-Potable Water***

---

<b>Method</b> SM 2540 D			
<b>Analyte</b> Residue-nonfilterable (TSS)	<b>AB</b> TX	<b>Analyte ID</b> 1960	<b>Method ID</b> 20004802
<b>Method</b> SM 4500-H+ B			
<b>Analyte</b> pH	<b>AB</b> TX	<b>Analyte ID</b> 1900	<b>Method ID</b> 20104603
<b>Method</b> SM 4500-NH3 B			
<b>Analyte</b> Ammonia as N	<b>AB</b> TX	<b>Analyte ID</b> 1515	<b>Method ID</b> 20022804
<b>Method</b> SM 4500-NH3 D			
<b>Analyte</b> Ammonia as N	<b>AB</b> TX	<b>Analyte ID</b> 1515	<b>Method ID</b> 20108809
<b>Method</b> SM 5210 B			
<b>Analyte</b> Biochemical oxygen demand (BOD)	<b>AB</b> TX	<b>Analyte ID</b> 1530	<b>Method ID</b> 20027401
Carbonaceous BOD, CBOD	TX	1555	20027401
<b>Method</b> SM 5310 C			
<b>Analyte</b> Total Organic Carbon (TOC)	<b>AB</b> TX	<b>Analyte ID</b> 2040	<b>Method ID</b> 20138209
<b>Method</b> SM 9223 B			
<b>Analyte</b> Escherichia coli (enumeration)	<b>AB</b> TX	<b>Analyte ID</b> 2525	<b>Method ID</b> 20211205



# Texas Commission on Environmental Quality



## NELAP - Recognized Laboratory Fields of Accreditation

San Antonio River Authority Regional Environmental Laboratory  
600 East Euclid  
San Antonio, TX 78212-4405

Certificate: T104704262-17-19  
Expiration Date: 2/28/2018  
Issue Date: 3/1/2017

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

---

### Matrix: *Solid & Chemical Materials*

---

Method EPA 6010

Analyte	AB	Analyte ID	Method ID
Aluminum	TX	1000	10155803
Antimony	TX	1005	10155803
Arsenic	TX	1010	10155803
Barium	TX	1015	10155803
Beryllium	TX	1020	10155803
Cadmium	TX	1030	10155803
Calcium	TX	1035	10155803
Chromium	TX	1040	10155803
Cobalt	TX	1050	10155803
Copper	TX	1055	10155803
Iron	TX	1070	10155803
Lead	TX	1075	10155803
Lithium	TX	1080	10155803
Magnesium	TX	1085	10155803
Manganese	TX	1090	10155803
Molybdenum	TX	1100	10155803
Nickel	TX	1105	10155803
Phosphorus	TX	1910	10155803
Potassium	TX	1125	10155803
Selenium	TX	1140	10155803
Silver	TX	1150	10155803
Sodium	TX	1155	10155803
Strontium	TX	1160	10155803
Thallium	TX	1165	10155803
Tin	TX	1175	10155803
Titanium	TX	1180	10155803
Vanadium	TX	1185	10155803
Zinc	TX	1190	10155803



# Texas Commission on Environmental Quality



## NELAP - Recognized Laboratory Fields of Accreditation

San Antonio River Authority Regional Environmental Laboratory  
600 East Euclid  
San Antonio, TX 78212-4405

Certificate: T104704262-17-19  
Expiration Date: 2/28/2018  
Issue Date: 3/1/2017

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

---

**Matrix: *Solid & Chemical Materials***

---

**Method** EPA 7471

<b>Analyte</b>	<b>AB</b>	<b>Analyte ID</b>	<b>Method ID</b>
Mercury	TX	1095	10166402

**Method** SM 9221 C / 9221 E

<b>Analyte</b>	<b>AB</b>	<b>Analyte ID</b>	<b>Method ID</b>
Fecal coliforms (enumeration)	TX	2530	20195806

**Method** SM 9223 B

<b>Analyte</b>	<b>AB</b>	<b>Analyte ID</b>	<b>Method ID</b>
Escherichia coli (enumeration)	TX	2525	20211205