

Aboveground Storage Tank Facility Plan Application
 For Permanent Storage on The
 Edwards Aquifer Recharge and Transition Zones
 And Relating to 30 TAC §213.5(e), Effective June 1, 1999

REGULATED ENTITY NAME: _____

ABOVEGROUND STORAGE TANK (AST) FACILITY INFORMATION

1. Tanks and substance stored:

AST Number	Size (Gallons)	Substance to be Stored	Tank Material
1			
2			
3			
4			
5			
Total		x 1.5 =	gallons

2. The AST will be placed within a containment structure that is sized to capture one and one-half (1 1/2) times the storage capacity of the system. For facilities with more than one tank system, the containment structure is sized to capture one and one-half (1 1/2) times the cumulative storage capacity of all systems.
- ATTACHMENT A - Alternative Methods of Secondary Containment.** Alternative methods for providing secondary containment are proposed. Specifications that show equivalent protection for the Edwards Aquifer are found as **ATTACHMENT A** at the end of this form.

3. Inside dimensions and capacity of containment structure(s):

Length (L)	Width (W) (Ft.)	Height (H) (Ft.)	L x W x H =	Gallons
Total				

4. All piping, hoses, and dispensers will be located inside the containment structure.
- Some of the piping to dispensers or equipment will extend outside the containment structure.
- The piping will be aboveground
- The piping will be underground

5. The containment area must be constructed of and in a material impervious to the substance(s) being stored. The proposed containment structure will be constructed of _____.
6. **ATTACHMENT B - Scaled Drawing(s) of Containment Structure.** A scaled drawing of the containment structure that shows the following is found as **ATTACHMENT B** at the end of this form:
- Interior dimensions (length, width, depth and wall and floor thickness).
 - Internal drainage to a point convenient for the collection of any spillage.
 - Tanks clearly labeled
 - Piping clearly labeled
 - Dispenser clearly labeled

SITE PLAN

Items 7 through 17 must be included on the Site Plan.

7. The Site Plan must have a minimum scale of 1" = 400'.
Site Plan Scale: 1" = ____'.
8. 100-year floodplain boundaries
- Some part(s) of the project site is located within the 100-year floodplain. The floodplain is shown and labeled.
 - No part of the project site is located within the 100-year floodplain.

The 100-year floodplain boundaries are based on the following specific (including date of material) sources(s):

9. The layout of the development is shown with existing and finished contours at appropriate, but not greater than ten-foot contour intervals. Show lots, recreation centers, buildings, roads, etc.
- The layout of the development is shown with existing contours. Finished topographic contours will not differ from the existing topographic configuration and are not shown.
10. All known wells (oil, water, unplugged, capped and/or abandoned, test holes, etc.):
- There are ____ (#) wells present on the project site and the locations are shown and labeled. (Check all of the following that apply)
 - The wells are not in use and have been properly abandoned.
 - The wells are not in use and will be properly abandoned.
 - The wells are in use and comply with 16 TAC § 76.
 - There are no wells or test holes of any kind known to exist on the project site.

11. Geologic or manmade features which are on the site:
- All **sensitive** geologic or manmade features identified in the Geologic Assessment are shown and labeled.
 - No **sensitive** geologic or manmade features were identified in the Geologic Assessment.
 - ATTACHMENT C - Exception to the Geologic Assessment.** An exception to the Geologic Assessment requirement is requested and explained at the end of this form.
12. The drainage patterns and approximate slopes anticipated after major grading activities.
13. Areas of soil disturbance and areas which will not be disturbed.
14. Locations of major structural and nonstructural controls. These are the Temporary Best Management Practices.
15. Locations where soil stabilization practices are expected to occur.
16. Surface waters (including wetlands).
17. Locations where stormwater discharges to surface water or sensitive features.
 There will be no discharges to surface water or sensitive features.

BEST MANAGEMENT PRACTICES

18. Any spills must be directed to a point convenient for collection and recovery. Spills from storage tank facilities must be removed from the controlled drainage area for disposal within 24 hours of the spill.
- In the event of a spill, any spillage will be removed from the containment structure within 24 hours of the spill and disposed of properly.
 - In the event of a spill, any spillage will be drained from the containment structure through a drain and valve within 24 hours of the spill and disposed of properly. The drain and valve system are shown in detail on the scaled drawing.
19. All stormwater accumulating inside the containment structure will be disposed of through an authorized waste disposal contractor.
- Containment area will be covered by a roof.
 - Containment area will not be covered by a roof.
 - A description of the alternate method of stormwater disposal is submitted for the executive director's review and approval and is provided directly behind this page.
20. **ATTACHMENT D - Spill and Overfill Control.** Descriptions of the methods to be used at the facility for spill and overfill control are provided as **ATTACHMENT D**. Methods can include the proper transfer of fuels or chemicals from tanks into motor vehicles, and having a person present during fuel or chemical transfers.
21. **ATTACHMENT E - Response Actions to Spills.** A description of the planned response actions to spills that will take place at the facility is provided as **ATTACHMENT E**.

ADMINISTRATIVE INFORMATION

- 22. A Water Pollution Abatement Plan (WPAP) is required for construction of any associated commercial, industrial or residential project located on the Recharge Zone.
 - ___ The WPAP application for this project was approved by letter dated _____. A copy of the approval letter is attached at the end of this application.
 - ___ The WPAP application for this project was submitted to the TCEQ on _____, but has not been approved.
 - ___ A WPAP application is required for an associated project, but it has not been submitted.
 - ___ There will be no building or structure associated with this project. In the event a building or structure is needed in the future, the required WPAP will be submitted to the TCEQ.
 - ___ The proposed AST is located on the Transition Zone and a WPAP is not required.

- 23. ___ This facility is subject to the requirements for the reporting and cleanup of surface spills and overfills pursuant to 30 TAC 334 Subchapter D relating to Release Reporting and Corrective Action.

- 24. ___ Submit one (1) original and one (1) copy of the application, plus additional copies as needed for each affected incorporated city, groundwater conservation district, and county in which the project will be located. The TCEQ will distribute the additional copies to these jurisdictions. The copies must be submitted to the appropriate regional office.

- 25. ___ Any modification of this AST Facility Plan application will require executive director approval, prior to construction, and may require submission of a revised application, with appropriate fees.

To the best of my knowledge, the responses to this form accurately reflect all information requested concerning the proposed regulated activities and methods to protect the Edwards Aquifer. This **ABOVEGROUND STORAGE TANK FACILITY PLAN APPLICATION** is hereby submitted for TCEQ review and Executive Director approval. The application was prepared by:

Print Name of Customer/Agent

Signature of Customer/Agent

Date