

2004 Texas 303(d) List (May 13, 2005)

The Texas Commission on Environmental Quality (TCEQ) is required, under Section 303(d) of the federal Clean Water Act, to identify water bodies for which effluent limitations are not stringent enough to implement water quality standards. The TCEQ also develops a schedule identifying Total Maximum Daily Loads (TMDLs) that will be initiated in the next two years for priority impaired waters. Water quality permitting in 303(d)-listed water bodies is described in the TCEQ regulatory guidance document *Procedures to Implement the Texas Surface Water Quality Standards* (August 2002, RG-194).

Explanation of Column Headings

- SegID:** May be one of two types of numbers. The first type is a classified segment number (4 digits, *e.g.* 0218), as defined in the *Texas Surface Water Quality Standards*. The second type is an unclassified water body (0218A), not defined in the Standards, associated with a classified water body because it is in the same watershed.
- Area:** This describes the specific area in which one or more water quality standards are not met.
- Parameter:** These are pollutants or water quality conditions that screening procedures indicate are the reason the water quality standards are not met.
- NP:** Point sources of pollutants contribute to the impairment of this parameter.
- NPS:** Nonpoint sources of pollutants contribute to the impairment of this parameter.
- Category:** One of five categories is assigned to each combination of one parameter and one water body to provide information about the water quality status and management activities. Category 5 is divided into three subcategories; when a water body has parameters in multiple subcategories, its overall category is the highest category. The category and its subcategories are defined below:
Category 5: The water body does not meet applicable water quality standards or is threatened for one or more designated uses by one or more pollutants.
Category 5a - A TMDL is underway, scheduled, or will be scheduled.
Category 5b - A review of the water quality standards for this water body will be conducted before a TMDL is scheduled.
Category 5c - Additional data and information will be collected before a TMDL is scheduled.
- Rank:** Water bodies in Category 5 have been prioritized by TCEQ. For Category 5a, a rank of High (H), Medium (M), or Low (L) is given for the urgency to initiate a TMDL. Once a TMDL project is initiated, the rank changes to "U" for Underway. Rankings are based on the current understanding of the causes of the non-support of the water quality standards and the sources of pollution, the importance of the resource, the severity of the impact, and the likelihood of TMDL success.
 For water bodies in Category 5b, a ranking of "S" has been assigned to indicate that a standards review will be conducted before a TMDL is scheduled. For water bodies in Category 5c, a ranking of "D" has been assigned to indicate that additional data and information will be collected before a TMDL is scheduled.
 For Categories 5b and 5c, TCEQ will develop a separate prioritized schedule for standards review or the collection of additional data and information. These activities will be conducted at the same time that TMDLs are being developed for the parameters in Category 5a.

SegID: **0101A** **Dixon Creek (unclassified water body)**

Category: **5b**

Water body location: From confluence of the Canadian River to the upstream perennial portion of the stream east of Borger in Hutchinson County

| Area | Parameter | PS | NPS | Category | Rank |
|-------------------|----------------------------|----|-----|----------|------|
| Entire water body | bacteria | Y | Y | 5c | D |
| Entire water body | depressed dissolved oxygen | Y | Y | 5b | S |

SegID: **0102** **Lake Meredith**

Category: **5c**

Water body location: From Sanford Dam in Hutchinson County to a point immediately upstream of the confluence of Camp Creek in Potter County, up to normal pool level of 2936.5 feet (impounds Canadian River)

| Area | Parameter | PS | NPS | Category | Rank |
|-------------------------|--------------------|----|-----|----------|------|
| Downstream half of lake | mercury in walleye | | Y | 5c | D |

SegID: **0102** (continued)Category: **5c**

| Area | Parameter | PS | NPS | Category | Rank |
|-----------------------|--------------------|----|-----|----------|------|
| Upstream half of lake | mercury in walleye | | Y | 5c | D |

SegID: **0105** **Rita Blanca Lake**Category: **5b**

Water body location: From Rita Blanca Dam in Hartley County up to normal pool level of 3860 feet (impounds Rita Blanca Creek)

| Area | Parameter | PS | NPS | Category | Rank |
|----------------|------------------------|----|-----|----------|------|
| Entire segment | total dissolved solids | | Y | 5b | S |

SegID: **0199A** **Palo Duro Reservoir (unclassified water body)**Category: **5c**

Water body location: From Palo Duro dam up to normal pool elevation of 2,892 feet north of Spearman in Hansford County (impounds Palo Duro Creek)

| Area | Parameter | PS | NPS | Category | Rank |
|------------------|----------------------------|----|-----|----------|------|
| Entire reservoir | depressed dissolved oxygen | Y | Y | 5c | D |

SegID: **0201A** **Mud Creek (unclassified water body)**Category: **5c**

Water body location: From the confluence of the Red River to the upstream perennial portion of the stream northwest of De Kalb in Bowie County

| Area | Parameter | PS | NPS | Category | Rank |
|-------------------|-----------|----|-----|----------|------|
| Entire water body | bacteria | Y | Y | 5c | D |

SegID: **0202D** **Pine Creek (unclassified water body)**Category: **5c**

Water body location: From the confluence of the Red River to the upstream perennial portion of the stream west of Paris in Lamar County

| Area | Parameter | PS | NPS | Category | Rank |
|-------------------|-----------|----|-----|----------|------|
| Entire water body | bacteria | Y | Y | 5c | D |

SegID: **0202E** **Post Oak Creek (unclassified water body)**Category: **5c**

Water body location: From the confluence of Choctaw Creek southeast of Sherman to the upstream perennial portion of the stream northwest of Sherman in Grayson County

| Area | Parameter | PS | NPS | Category | Rank |
|---|-----------|----|-----|----------|------|
| From lower end of segment to N. FM 1417 | bacteria | | Y | 5c | D |

SegID: **0203A** **Big Mineral Creek (unclassified water body)**Category: **5c**

Water body location: From the confluence of Lake Texoma to the confluence of North/Middle/South Big Mineral Creeks north of Whitesboro in Grayson County

| Area | Parameter | PS | NPS | Category | Rank |
|-------------------|-----------|----|-----|----------|------|
| Entire water body | bacteria | Y | Y | 5c | D |

SegID: **0207A** **Buck Creek (unclassified water body)**Category: **5c**

Water body location: From Oklahoma State Line east of Childress in Childress County to the upstream perennial portion of the stream west of Wellington in Collinworth County

| Area | Parameter | PS | NPS | Category | Rank |
|----------------|-----------|----|-----|----------|------|
| Lower 25 miles | bacteria | Y | Y | 5c | D |

SegID: **0211 Little Wichita River**

Category: **5b**

Water body location: From the confluence with the Red River in Clay County to Lake Arrowhead Dam in Clay County

| Area | Parameter | PS | NPS | Category | Rank |
|--|----------------------------|----|-----|----------|------|
| East Fork confluence to dam | depressed dissolved oxygen | Y | Y | 5b | S |
| East Fork confluence to dam | total dissolved solids | Y | Y | 5b | S |
| Lower end of segment to East Fork confluence | total dissolved solids | Y | Y | 5b | S |

SegID: **0214A Beaver Creek (unclassified water body)**

Category: **5c**

Water body location: From the confluence of the Wichita River west of Wichita Falls in Wichita County to the upstream perennial portion of the stream south of Vernon in Wilbarger County

| Area | Parameter | PS | NPS | Category | Rank |
|---------------------------|----------------------------|----|-----|----------|------|
| Lower 25 miles of segment | depressed dissolved oxygen | Y | Y | 5c | D |
| Upper 23 miles of segment | depressed dissolved oxygen | Y | Y | 5c | D |

SegID: **0218 Wichita/North Fork Wichita River**

Category: **5c**

Water body location: From a point 9.4 kilometers (5.8 miles) downstream of the confluence of Crooked Creek in Baylor County to a point 8.5 kilometers (5.3 miles) downstream of the most upstream crossing of FM 193 in Dickens County)

| Area | Parameter | PS | NPS | Category | Rank |
|---|-----------------------------|----|-----|----------|------|
| Cottle county line to King County line | selenium (chronic) in water | Y | Y | 5c | D |
| FM 287 to Foard County line | selenium (chronic) in water | Y | Y | 5c | D |
| Foard County line to Cottle County line | selenium (chronic) in water | Y | Y | 5c | D |
| King County line to end of segment | selenium (chronic) in water | Y | Y | 5c | D |

SegID: **0218A Middle Fork Wichita River (unclassified water body)**

Category: **5c**

Water body location: From the confluence of the North Wichita River southwest of Crowell in Foard County to the upstream perennial portion of the stream northeast of Guthrie in King County

| Area | Parameter | PS | NPS | Category | Rank |
|------------------------------|-----------------------------|----|-----|----------|------|
| Lower 30 miles of water body | selenium (chronic) in water | Y | Y | 5c | D |

SegID: **0229 Upper Prairie Dog Town Fork Red River**

Category: **5c**

Water body location: From a point 100 meters (110 yards) upstream of the confluence of Salt Fork Creek in Armstrong County to Lake Tanglewood Dam in Randall County

| Area | Parameter | PS | NPS | Category | Rank |
|---|----------------------------|----|-----|----------|------|
| Palo Duro Canyon State Park upstream boundary to upper end of segment | depressed dissolved oxygen | Y | | 5c | D |
| SH 207 to Palo Duro Canyon State Park north boundary | bacteria | | Y | 5c | D |

SegID: **0299A Sweetwater Creek (unclassified water body)**

Category: **5c**

Water body location: From the Oklahoma stateline in Wheeler County to the upstream perennial portion of the stream northwest of Wheeler in Wheeler County (tributary of North Fork Red River)

| Area | Parameter | PS | NPS | Category | Rank |
|----------------|-----------|----|-----|----------|------|
| Lower 25 miles | bacteria | Y | Y | 5c | D |

SegID: **0302** **Wright Patman Lake**Category: **5c**

Water body location: From Wright Patman Lake Dam in Bowie/Cass County to a point 1.5 kilometers (0.9 miles) downstream of Bassett Creek in Bowie/Cass County, up to the normal pool elevation of 225 feet (impounds the Sulphur River)

| Area | Parameter | PS | NPS | Category | Rank |
|---|----------------------------|----|-----|----------|------|
| 1600 acres in upper mid-lake | depressed dissolved oxygen | Y | Y | 5c | D |
| 1600 acres in upper mid-lake | high pH | Y | Y | 5c | D |
| 200 acres in the northwestern tip of lake | depressed dissolved oxygen | Y | Y | 5c | D |
| 200 acres in the northwestern tip of lake | high pH | Y | Y | 5c | D |
| 2300 acres in arm, west of dam | high pH | Y | Y | 5c | D |
| 300 acres at International Paper intake | depressed dissolved oxygen | Y | Y | 5c | D |
| 400 acres, south dam | depressed dissolved oxygen | Y | Y | 5c | D |
| 4000 acres in upper portion of lake | depressed dissolved oxygen | Y | Y | 5c | D |
| 4000 acres mid-lake | high pH | Y | Y | 5c | D |
| 500 acres in the northeast corner of lake | high pH | Y | Y | 5c | D |

SegID: **0303B** **White Oak Creek (unclassified water body)**Category: **5b**

Water body location: From the confluence of the Sulphur River north of Naples in Morris County to the upstream perennial portion of the stream east of Sulphur Springs in Hopkins County

| Area | Parameter | PS | NPS | Category | Rank |
|------------------------------|----------------------------|----|-----|----------|------|
| Lower 25 miles of segment | depressed dissolved oxygen | Y | Y | 5b | S |
| Middle 25 miles near Hwy 271 | depressed dissolved oxygen | | Y | 5b | S |
| Upper 25 miles of segment | depressed dissolved oxygen | Y | Y | 5b | S |

SegID: **0306** **Upper South Sulphur River**Category: **5c**

Water body location: From a point 1.0 km (0.6 miles) upstream of SH 71 in Delta/Hopkins County to SH 78 in Fannin County

| Area | Parameter | PS | NPS | Category | Rank |
|----------------------|----------------------------|----|-----|----------|------|
| 25 miles above SH 11 | high pH | Y | Y | 5c | D |
| Lower 6 miles | depressed dissolved oxygen | Y | Y | 5c | D |

SegID: **0307** **Cooper Lake**Category: **5c**

Water body location: From Delta/Hopkins County Dam in Delta/Hopkins County to a point 1.0 km (0.6 miles) upstream of SH 71 on the South Sulphur River Arm in Delta/Hopkins County and 300 meters (330 yards) below the confluence of Barnett Creek on the Middle Sulphur River in Delta County, up to conservation pool elevation of 440 feet (impounds the Middle Sulphur/South Sulphur River)

| Area | Parameter | PS | NPS | Category | Rank |
|-----------------------------------|----------------------------|----|-----|----------|------|
| Lower 3000 acre Doctors Creek arm | depressed dissolved oxygen | Y | Y | 5c | D |
| Lower 3000 acre Doctors Creek arm | high pH | Y | Y | 5c | D |
| Lower 5000 acres near dam | depressed dissolved oxygen | Y | Y | 5c | D |
| Lower 5000 acres near dam | high pH | Y | Y | 5c | D |
| Middle 5000 acres | high pH | Y | Y | 5c | D |

SegID: **0401** **Caddo Lake**

Category: **5c**

Water body location: From the Louisiana State Line in Harrison/Marion County to a point 12.3 km (7.6 miles) downstream of SH 43 in Harrison/Marion County, up to pool elevation of 168.5 feet (impounds Big Cypress Creek)

| Area | Parameter | PS | NPS | Category | Rank |
|-------------------------|--|----|-----|----------|------|
| Clinton Lake | depressed dissolved oxygen | Y | Y | 5c | D |
| Clinton Lake | mercury in largemouth bass and freshwater drum | | Y | 5c | D |
| Goose Prairie arm | depressed dissolved oxygen | Y | Y | 5c | D |
| Goose Prairie arm | low pH | Y | Y | 5c | D |
| Goose Prairie arm | mercury in largemouth bass and freshwater drum | | Y | 5c | D |
| Harrison Bayou arm | depressed dissolved oxygen | Y | Y | 5c | D |
| Harrison Bayou arm | mercury in largemouth bass and freshwater drum | | Y | 5c | D |
| Hells Half Acre | depressed dissolved oxygen | Y | Y | 5c | D |
| Hells Half Acre | mercury in largemouth bass and freshwater drum | | Y | 5c | D |
| Lower 5000 acres | mercury in largemouth bass and freshwater drum | | Y | 5c | D |
| Mid-lake near Uncertain | mercury in largemouth bass and freshwater drum | | Y | 5c | D |
| Pine Island | mercury in largemouth bass and freshwater drum | | Y | 5c | D |
| Remainder of segment | mercury in largemouth bass and freshwater drum | | Y | 5c | D |

SegID: **0401A** **Harrison Bayou (unclassified water body)**

Category: **5c**

Water body location: From the confluence of Caddo Lake east of Karnack in Harrison County to the upstream perennial portion of the stream east of Marshall in Harrison County

| Area | Parameter | PS | NPS | Category | Rank |
|---------------------------------------|----------------------------|----|-----|----------|------|
| Lower 5 miles | depressed dissolved oxygen | Y | Y | 5c | D |
| Middle 3 miles near Bill Coleman Road | depressed dissolved oxygen | Y | Y | 5c | D |
| Middle 3 miles near FM 134 | depressed dissolved oxygen | Y | Y | 5c | D |

SegID: **0402** **Big Cypress Creek Below Lake O' the Pines**

Category: **5c**

Water body location: From a point 12.3 km (7.6 miles) downstream of SH 43 in Harrison/Marion County to Ferrell's Bridge Dam in Marion County

| Area | Parameter | PS | NPS | Category | Rank |
|------------------------------------|----------------------------|----|-----|----------|------|
| 11 miles below Black Cypress Creek | depressed dissolved oxygen | Y | Y | 5c | D |
| 11 miles below Black Cypress Creek | low pH | Y | Y | 5c | D |
| 11 miles below Black Cypress Creek | mercury in fish tissue | | Y | 5c | D |
| Lower 9 miles | depressed dissolved oxygen | Y | Y | 5c | D |
| Lower 9 miles | mercury in fish tissue | | Y | 5c | D |
| Middle 15 miles near Jefferson | mercury in fish tissue | | Y | 5c | D |
| Upper 7 miles | lead (chronic) in water | Y | | 5c | D |
| Upper 7 miles | mercury in fish tissue | | Y | 5c | D |

SegID: **0402A** **Black Cypress Bayou (unclassified water body)**Category: **5b**

Water body location: Perennial stream from the confluence with Big Cypress in Marion County up to 7.5 miles above FM 250 in Cass County.

| Area | Parameter | PS | NPS | Category | Rank |
|------------------------------|----------------------------|----|-----|----------|------|
| Lower 15 miles of water body | depressed dissolved oxygen | Y | Y | 5b | S |
| Middle 1 mile, Pruitt Lake | depressed dissolved oxygen | Y | Y | 5b | S |
| Middle 1 mile, Pruitt Lake | mercury in fish tissue | | Y | 5c | D |
| Middle 17 miles near CR 1617 | depressed dissolved oxygen | Y | Y | 5b | S |
| Upper 10 miles of water body | depressed dissolved oxygen | Y | Y | 5b | S |

SegID: **0402D** **Lake Daingerfield (unclassified water body)**Category: **5c**

Water body location: Southeast of the City of Daingerfield in Daingerfield State Park in Morris County

| Area | Parameter | PS | NPS | Category | Rank |
|-------------|------------------------|----|-----|----------|------|
| Entire lake | mercury in fish tissue | | Y | 5c | D |

SegID: **0403** **Lake O' the Pines**Category: **5a**

Water body location: From Ferrell's Bridge Dam in Marion County to a point 1.0 km (0.6 miles) downstream of US 259 in Morris/Upshur County, up to normal pool elevation of 228.5 feet (impounds Big Cypress Creek)

| Area | Parameter | PS | NPS | Category | Rank |
|------------------|----------------------------|----|-----|----------|------|
| Upper 3700 acres | depressed dissolved oxygen | Y | Y | 5a | U |

SegID: **0404** **Big Cypress Creek Below Lake Bob Sandlin**Category: **5c**

Water body location: From a point 1.0 km (0.6 miles) downstream of US 259 in Morris/Upshur Counties to Fort Sherman Dam in Camp/Titus Counties

| Area | Parameter | PS | NPS | Category | Rank |
|----------------|-----------|----|-----|----------|------|
| Upper 18 miles | bacteria | Y | Y | 5c | D |

SegID: **0404B** **Tankersley Creek (unclassified water body)**Category: **5c**

Water body location: Perennial stream from the confluence with Big Cypress Creek upstream to the confluence with an unnamed tributary 250 meters upstream of IH 30

| Area | Parameter | PS | NPS | Category | Rank |
|----------------------------|-----------|----|-----|----------|------|
| Middle 2 miles near FM 127 | bacteria | Y | Y | 5c | D |

SegID: **0406** **Black Bayou**Category: **5b**

Water body location: From the Louisiana State Line in Cass County to FM 96 in Cass County

| Area | Parameter | PS | NPS | Category | Rank |
|----------------|----------------------------|----|-----|----------|------|
| Lower 12 miles | depressed dissolved oxygen | Y | Y | 5b | S |
| Upper 12 miles | depressed dissolved oxygen | Y | Y | 5b | S |

SegID: **0407** **James' Bayou**Category: **5c**

Water body location: From the Louisiana State Line in Marion County to Club Lake Road northwest of Linden in Cass County

| Area | Parameter | PS | NPS | Category | Rank |
|---------------------------|----------------------------|----|-----|----------|------|
| Lower 15 miles of segment | depressed dissolved oxygen | Y | Y | 5c | D |
| Upper 25 miles of segment | copper (acute) in water | Y | Y | 5c | D |

SegID: **0407** (continued)Category: **5c**

| Area | Parameter | PS | NPS | Category | Rank |
|---------------------------|----------------------------|----|-----|----------|------|
| Upper 25 miles of segment | depressed dissolved oxygen | Y | Y | 5c | D |

SegID: **0409** **Little Cypress Bayou (Creek)**Category: **5c**

Water body location: From the confluence of Big Cypress Creek in Harrison/Marion County to a point 1.0 km (0.6 miles) upstream of FM 2088 in Wood County

| Area | Parameter | PS | NPS | Category | Rank |
|-------------------------------|----------------------------|----|-----|----------|------|
| Lower 25 miles of segment | depressed dissolved oxygen | Y | Y | 5c | D |
| Middle 18 miles above Hwy 154 | depressed dissolved oxygen | | Y | 5c | D |
| Middle 25 miles below Hwy 271 | depressed dissolved oxygen | Y | Y | 5c | D |

SegID: **0501B** **Little Cypress Bayou (unclassified water body)**Category: **5c**

Water body location: From the confluence with the Sabine River to the headwaters west of Reese in Orange County.

| Area | Parameter | PS | NPS | Category | Rank |
|--|--|----|-----|----------|------|
| 0.3 mile upstream to 0.5 mile downstream of Bear Path Road | chronic toxicity in water to aquatic organisms | Y | Y | 5c | D |
| Lower 4.2 miles of bayou | chronic toxicity in water to aquatic organisms | Y | Y | 5c | D |
| Upper 3.2 miles of bayou | chronic toxicity in water to aquatic organisms | Y | Y | 5c | D |

SegID: **0502A** **Nichols Creek (unclassified water body)**Category: **5c**

Water body location: From the confluence of the Sabine River to the upstream perennial portion of the stream south of Kirbyville in Newton and Jasper Counties

| Area | Parameter | PS | NPS | Category | Rank |
|-------------------------|--|----|-----|----------|------|
| Lower 25 miles of creek | bacteria | Y | Y | 5c | D |
| Lower 25 miles of creek | chronic toxicity in water to aquatic organisms | Y | Y | 5c | D |
| Lower 25 miles of creek | depressed dissolved oxygen | Y | Y | 5c | D |

SegID: **0504** **Toledo Bend Reservoir**Category: **5c**

Water body location: From Toledo Ben Dam in Newton County to a point immediately upstream of the confluence of Murvaul Creek in Panola County, up to the normal pool elevation of 172 feet (impounds the Sabine River)

| Area | Parameter | PS | NPS | Category | Rank |
|--|--|----|-----|----------|------|
| Lowermost 5120 acres of reservoir, adjacent to dam | mercury in largemouth bass and freshwater drum | | Y | 5c | D |
| Near SH 21 | mercury in largemouth bass and freshwater drum | | Y | 5c | D |
| Patroon Bayou Branch arm | mercury in largemouth bass and freshwater drum | | Y | 5c | D |
| Remainder of reservoir | mercury in largemouth bass and freshwater drum | | Y | 5c | D |
| Six Mile Boat Lane arm | mercury in largemouth bass and freshwater drum | | Y | 5c | D |
| Sunshine Bay arm | mercury in largemouth bass and freshwater drum | | Y | 5c | D |

SegID: **0504** (continued)Category: **5c**

| Area | Parameter | PS | NPS | Category | Rank |
|-----------------------------------|--|----|-----|----------|------|
| Tenaha Creek arm | depressed dissolved oxygen | Y | Y | 5c | D |
| Tenaha Creek arm | mercury in largemouth bass and freshwater drum | | Y | 5c | D |
| Uppermost 5120 acres of reservoir | mercury in largemouth bass and freshwater drum | | Y | 5c | D |

SegID: **0504C** **Palo Gaucho Bayou (unclassified water body)**Category: **5c**

Water body location: From the confluence with Toledo Bend Reservoir in Sabine County to the headwaters northeast of San Augustine in San Augustine County

| Area | Parameter | PS | NPS | Category | Rank |
|--------------|--|----|-----|----------|------|
| Entire bayou | chronic toxicity in water to aquatic organisms | Y | Y | 5c | D |

SegID: **0505** **Sabine River Above Toledo Bend Reservoir**Category: **5c**

Water body location: From a point immediately upstream of the confluence of Murvaul Creek in Panola County to a point 100 meters (110 yards) downstream of US 271 in Gregg County

| Area | Parameter | PS | NPS | Category | Rank |
|---------------------------|-----------|----|-----|----------|------|
| 22 mile reach near SH 149 | bacteria | Y | Y | 5c | D |

SegID: **0505B** **Grace Creek (unclassified water body)**Category: **5c**

Water body location: Perennial stream from the confluence with the Sabine River up to FM 1844 in Gregg County

| Area | Parameter | PS | NPS | Category | Rank |
|------------------|----------------------------|----|-----|----------|------|
| Upper 12.3 miles | bacteria | Y | Y | 5c | D |
| Upper 12.3 miles | depressed dissolved oxygen | Y | Y | 5c | D |

SegID: **0505G** **Wards Creek (unclassified water body)**Category: **5c**

Water body location: From the confluence with Hatley Creek to the headwaters east of Hallsville in Harrison County

| Area | Parameter | PS | NPS | Category | Rank |
|-------------------|----------------------------|----|-----|----------|------|
| Entire water body | depressed dissolved oxygen | Y | Y | 5c | D |

SegID: **0506** **Sabine River Below Lake Tawakoni**Category: **5c**

Water body location: From a point 100 meters (110 yards) downstream of US 271 in Gregg County to Iron Bridge Dam in Rains County

| Area | Parameter | PS | NPS | Category | Rank |
|----------------------------|-----------|----|-----|----------|------|
| 26.5 mile reach near FM 17 | bacteria | Y | Y | 5c | D |

SegID: **0506A** **Harris Creek (unclassified water body)**Category: **5b**

Water body location: From the confluence of the Sabine River northeast of Winona in Smith County to the upstream perennial portion of the stream east of Tyler in Smith County

| Area | Parameter | PS | NPS | Category | Rank |
|--------------|----------------------------|----|-----|----------|------|
| Entire creek | depressed dissolved oxygen | Y | Y | 5b | S |

SegID: **0506G** **Little White Oak Creek (unclassified water body)**

Category: **5c**

Water body location: From the confluence with the Sabine River to the headwaters southwest of Gilmer in Upshur County

| Area | Parameter | PS | NPS | Category | Rank |
|-------------------|--|----|-----|----------|------|
| Entire water body | chronic toxicity in water to aquatic organisms | Y | Y | 5c | D |

SegID: **0507** **Lake Tawakoni**

Category: **5c**

Water body location: From Iron Bridge Dam in Rains County up to normal pool elevation of 437 feet (impounds Sabine River)

| Area | Parameter | PS | NPS | Category | Rank |
|---|----------------------------|----|-----|----------|------|
| Lowermost 5,120 acres of reservoir, adjacent to dam | depressed dissolved oxygen | Y | Y | 5c | D |

SegID: **0507A** **Cowleech Fork Sabine River (unclassified water body)**

Category: **5c**

Water body location: From the confluence of Lake Tawakoni southeast of Greenville in Hunt County to the upstream perennial portion of the stream south of Celeste in Hunt County

| Area | Parameter | PS | NPS | Category | Rank |
|--|----------------------------|----|-----|----------|------|
| Upper 20 miles, upstream of Long Branch confluence | bacteria | | Y | 5c | D |
| Upper 20 miles, upstream of Long Branch confluence | depressed dissolved oxygen | | Y | 5c | D |

SegID: **0508** **Adams Bayou Tidal**

Category: **5a**

Water body location: From the confluence with the Sabine River in Orange County to a point 1.1 km (0.7 miles) upstream of IH 10 in Orange County

| Area | Parameter | PS | NPS | Category | Rank |
|----------------------------------|----------------------------|----|-----|----------|------|
| 1 mile reach near Green Avenue | bacteria | Y | Y | 5a | U |
| 1 mile reach near Green Avenue | depressed dissolved oxygen | Y | Y | 5a | U |
| 2 mile reach near Western Avenue | bacteria | Y | Y | 5a | U |
| 2 mile reach near Western Avenue | depressed dissolved oxygen | Y | Y | 5a | U |
| Lower 3 miles of segment | depressed dissolved oxygen | Y | Y | 5a | U |
| Upper 2 miles of segment | bacteria | Y | Y | 5a | U |
| Upper 2 miles of segment | depressed dissolved oxygen | Y | Y | 5a | U |

SegID: **0508A** **Adams Bayou Above Tidal (unclassified water body)**

Category: **5a**

Water body location: From a point 1.1 km (0.7 miles) upstream of IH 10 in Orange County to the upstream perennial portion of the stream northwest of Orange in Orange County

| Area | Parameter | PS | NPS | Category | Rank |
|--------------------------|----------------------------|----|-----|----------|------|
| Entire bayou above tidal | bacteria | Y | Y | 5a | U |
| Entire bayou above tidal | depressed dissolved oxygen | Y | Y | 5a | U |

SegID: **0508B** **Gum Gully (unclassified water body)**

Category: **5a**

Water body location: From the confluence of Adams Bayou to the upstream perennial portion of the stream northwest of Orange in Orange County

| Area | Parameter | PS | NPS | Category | Rank |
|--------------|----------------------------|----|-----|----------|------|
| Entire creek | bacteria | Y | Y | 5a | U |
| Entire creek | depressed dissolved oxygen | Y | Y | 5a | U |

SegID: **0508C Hudson Gully (unclassified water body)**

Category: **5a**

Water body location: From the confluence with Adams Bayou to the headwaters near US 890 in Pinehurst in Orange County

| Area | Parameter | PS | NPS | Category | Rank |
|--------------|----------------------------|----|-----|----------|------|
| Entire creek | bacteria | Y | Y | 5a | U |
| Entire creek | depressed dissolved oxygen | Y | Y | 5a | U |

SegID: **0511 Cow Bayou Tidal**

Category: **5a**

Water body location: From the confluence with the Sabine River in Orange County to a point 4.8 km (3.0 miles) upstream of IH 10 in Orange County

| Area | Parameter | PS | NPS | Category | Rank |
|--|----------------------------|----|-----|----------|------|
| 5 mile reach near FM 1442 (north crossing) | depressed dissolved oxygen | Y | Y | 5a | U |
| 6 mile reach near FM 105 | depressed dissolved oxygen | Y | Y | 5a | U |
| Lower 5 miles | bacteria | Y | Y | 5a | U |
| Lower 5 miles | depressed dissolved oxygen | Y | Y | 5a | U |
| Upper 4 miles | bacteria | Y | Y | 5a | U |
| Upper 4 miles | depressed dissolved oxygen | Y | Y | 5a | U |
| Upper 4 miles | low pH | Y | Y | 5a | U |

SegID: **0511A Cow Bayou Above Tidal (unclassified water body)**

Category: **5a**

Water body location: From a point 4.8 km (3.0 miles) upstream of IH 10 in Orange County to the upstream perennial portion of the stream northeast of Vidor in Orange County

| Area | Parameter | PS | NPS | Category | Rank |
|--------------------------------------|----------------------------|----|-----|----------|------|
| Upper 5.3 miles of above-tidal reach | depressed dissolved oxygen | Y | Y | 5a | U |

SegID: **0511B Coon Bayou (unclassified water body)**

Category: **5a**

Water body location: From the confluence with Cow Bayou up to the extent of tidal limit in Orange County

| Area | Parameter | PS | NPS | Category | Rank |
|--------------------|----------------------------|----|-----|----------|------|
| Entire tidal reach | bacteria | Y | Y | 5a | U |
| Entire tidal reach | depressed dissolved oxygen | Y | Y | 5a | U |

SegID: **0511C Cole Creek (unclassified water body)**

Category: **5a**

Water body location: From the confluence of Cow Bayou west of Orange in Orange County to the upstream perennial portion of the stream south of Mauriceville in Orange County

| Area | Parameter | PS | NPS | Category | Rank |
|--------------------|----------------------------|----|-----|----------|------|
| Entire tidal reach | bacteria | Y | Y | 5a | U |
| Entire tidal reach | depressed dissolved oxygen | Y | Y | 5a | U |

SegID: **0511E Terry Gully (unclassified water body)**

Category: **5a**

Water body location: From the confluence with Cow Bayou in Orange County to the headwaters northeast of Vidor in Orange County

| Area | Parameter | PS | NPS | Category | Rank |
|--------------|-----------|----|-----|----------|------|
| Entire creek | bacteria | Y | Y | 5a | U |

SegID: **0512A** **Running Creek (unclassified water body)**Category: **5c**

Water body location: From the confluence with Lake Fork Reservoir to the headwaters southeast of Martin Springs in Hopkins County

| Area | Parameter | PS | NPS | Category | Rank |
|--------------|-----------|----|-----|----------|------|
| Entire creek | bacteria | Y | Y | 5c | D |

SegID: **0512B** **Elm Creek (unclassified water body)**Category: **5c**

Water body location: From the confluence with Lake Fork Reservoir in Rains County to the headwaters northwest of Shirley in Hopkins County

| Area | Parameter | PS | NPS | Category | Rank |
|--------------|-----------|----|-----|----------|------|
| Entire creek | bacteria | Y | Y | 5c | D |

SegID: **0601A** **Star Lake Canal (unclassified water body)**Category: **5c**

Water body location: North of Groves in Jefferson County

| Area | Parameter | PS | NPS | Category | Rank |
|-------------------|----------------------------|----|-----|----------|------|
| Entire water body | depressed dissolved oxygen | Y | Y | 5c | D |

SegID: **0602A** **Booger Branch (unclassified water body)**Category: **5b**

Water body location: From the confluence of Massey Lake Slough south of Silsbee to a point 0.6 miles (1.0 km) upstream of US 96 in Hardin County

| Area | Parameter | PS | NPS | Category | Rank |
|-------------------|----------------------------|----|-----|----------|------|
| Entire water body | depressed dissolved oxygen | | Y | 5b | S |

SegID: **0603** **B. A. Steinhagen Lake**Category: **5c**

Water body location: From Town Bluff Dam in Jasper/Tyler County to a point immediately upstream of the confluence of Hopson Mill Creek on the Neches River Arm in Jasper/Tyler County and to a point immediately upstream of the confluence of Indian Creek on the Angelina River Arm in Jasper County, up to the normal pool elevation of 83 feet (impounds Neches River)

| Area | Parameter | PS | NPS | Category | Rank |
|------------------------|--|----|-----|----------|------|
| Main pool by dam | mercury in white and hybrid white/striped bass | | Y | 5c | D |
| Remainder of reservoir | mercury in white and hybrid white/striped bass | | Y | 5c | D |

SegID: **0603A** **Sandy Creek (unclassified water body)**Category: **5c**

Water body location: From the confluence of B.A. Steinhagen Lake southwest of Jasper in Jasper County to the confluence of Big and Little Sandy Creeks in Jasper in Jasper County

| Area | Parameter | PS | NPS | Category | Rank |
|------------------|-----------|----|-----|----------|------|
| Lower 11.5 miles | bacteria | | Y | 5c | D |

SegID: **0604** **Neches River Below Lake Palestine**Category: **5c**

Water body location: From a point immediately upstream of the confluence of Hopson Mill Creek in Jasper/Tyler County to Blackburn Crossing Dam in Anderson/Cherokee County

| Area | Parameter | PS | NPS | Category | Rank |
|---------------------|-------------------------|----|-----|----------|------|
| From SH 21 to US 84 | lead (chronic) in water | Y | Y | 5c | D |

SegID: 0604A Cedar Creek (unclassified water body)Category: **5c**

Water body location: From the confluence of the Neches River southwest of Lufkin in Angelina County to the upstream perennial portion of the stream in Lufkin in Angelina County

| Area | Parameter | PS | NPS | Category | Rank |
|----------------------------------|-----------|----|-----|----------|------|
| Lower area downstream of FM 2497 | bacteria | | Y | 5c | D |
| Upper area upstream of FM 2497 | bacteria | Y | Y | 5c | D |

SegID: 0604B Hurricane Creek (unclassified water body)Category: **5c**

Water body location: From the confluence of Cedar Creek south of Lufkin in Angelina County to the upstream perennial portion of the stream in Lufkin in Angelina County

| Area | Parameter | PS | NPS | Category | Rank |
|---------------|-----------|----|-----|----------|------|
| Lower 2 miles | bacteria | Y | Y | 5c | D |
| Upper 2 miles | bacteria | Y | Y | 5c | D |

SegID: 0604C Jack Creek (unclassified water body)Category: **5c**

Water body location: From the confluence of Cedar Creek southwest of Lufkin in Angelina County to the upstream perennial portion of the stream in northeast Lufkin in Angelina County

| Area | Parameter | PS | NPS | Category | Rank |
|---------------|-----------|----|-----|----------|------|
| Lower 8 miles | bacteria | | Y | 5c | D |
| Upper 8 miles | bacteria | | Y | 5c | D |

SegID: 0604D Piney Creek (unclassified water body)Category: **5c**

Water body location: From the confluence of the Neches River at the Polk/Tyler/Angelina County lines east of Corrigan to the upstream perennial portion of the stream east of Crockett in Houston county

| Area | Parameter | PS | NPS | Category | Rank |
|----------------|----------------------------|----|-----|----------|------|
| Lower 25 miles | depressed dissolved oxygen | | Y | 5c | D |

SegID: 0604M Biloxi Creek (unclassified water body)Category: **5c**

Water body location: From the confluence with the Neches River southeast of Diboll to FM 325 east of Lufkin in Angelina County

| Area | Parameter | PS | NPS | Category | Rank |
|----------------------------|-----------|----|-----|----------|------|
| Lower portion below CR 228 | bacteria | | Y | 5c | D |
| Upper portion above CR 228 | bacteria | | Y | 5c | D |

SegID: 0604T Lake Ratcliff (unclassified water body)Category: **5c**

Water body location: Lake in Houston County 3.4 miles northeast of Kennard

| Area | Parameter | PS | NPS | Category | Rank |
|-------------|------------------------|----|-----|----------|------|
| Entire lake | mercury in fish tissue | | Y | 5c | D |

SegID: 0605A Kickapoo Creek (unclassified water body)Category: **5c**

Water body location: From the confluence of Lake Palestine east of Brownsboro in Henderson County to the upstream perennial portion of the stream northeast of Murchinson in Henderson County

| Area | Parameter | PS | NPS | Category | Rank |
|-----------------------|-----------|----|-----|----------|------|
| Downstream of FM 1803 | bacteria | Y | Y | 5c | D |

SegID: **0606** **Neches River Above Lake Palestine**

Category: **5c**

Water body location: From a point 6.7 km (4.2 miles) downstream of FM 279 in Henderson/Smith County to Rhines Lake Dam in Van Zandt County

| Area | Parameter | PS | NPS | Category | Rank |
|---------------------------------|----------------------------|----|-----|----------|------|
| Prairie Creek to river mile 7.0 | depressed dissolved oxygen | Y | Y | 5c | D |
| Prairie Creek to river mile 7.0 | zinc (acute) in water | Y | Y | 5c | D |
| River mile 7.0 to headwaters | low pH | | Y | 5c | D |

SegID: **0606A** **Prairie Creek (unclassified water body)**

Category: **5c**

Water body location: From the confluence of the Neches River west of Tyler in Smith County to the upstream perennial portion of the stream south of Lindale in Smith County

| Area | Parameter | PS | NPS | Category | Rank |
|---------------|-----------|----|-----|----------|------|
| Lower 4 miles | bacteria | Y | Y | 5c | D |

SegID: **0607** **Pine Island Bayou**

Category: **5b**

Water body location: From the confluence with the Neches River in Hardin/Jefferson County to FM 787 in Hardin County

| Area | Parameter | PS | NPS | Category | Rank |
|-------------------------------|----------------------------|----|-----|----------|------|
| Mouth to river mile 5.7 | depressed dissolved oxygen | Y | | 5b | S |
| River Mile 12.1 to mile 21.5 | depressed dissolved oxygen | | Y | 5b | S |
| River Mile 21.5 to mile 46.5 | depressed dissolved oxygen | | Y | 5b | S |
| River Mile 46.5 to headwaters | depressed dissolved oxygen | Y | | 5b | S |
| River Mile 5.7 to mile 12.1 | depressed dissolved oxygen | | Y | 5b | S |

SegID: **0607A** **Boggy Creek (unclassified water body)**

Category: **5c**

Water body location: From the confluence of Pine Island Bayou south of Lumberton in Hardin County to the upstream perennial portion of the stream west of Lumberton in Hardin County

| Area | Parameter | PS | NPS | Category | Rank |
|--------------|----------------------------|----|-----|----------|------|
| Entire creek | depressed dissolved oxygen | Y | Y | 5c | D |

SegID: **0607B** **Little Pine Island Bayou (unclassified water body)**

Category: **5c**

Water body location: From the confluence of Pine Island Bayou southwest of Lumberton in Hardin County to the upstream perennial portion of the stream west of Kountze in Hardin County

| Area | Parameter | PS | NPS | Category | Rank |
|----------------|----------------------------|----|-----|----------|------|
| Lower 25 miles | depressed dissolved oxygen | Y | Y | 5c | D |

SegID: **0607C** **Willow Creek (unclassified water body)**

Category: **5b**

Water body location: From the confluence of Pine Island Bayou north of Nome in Jefferson County to the upstream perennial portion of the stream east of Devers in Liberty County

| Area | Parameter | PS | NPS | Category | Rank |
|--------------|----------------------------|----|-----|----------|------|
| Entire creek | depressed dissolved oxygen | Y | Y | 5b | S |

SegID: **0608** **Village Creek**

Category: **5b**

Water body location: From the confluence with the Neches River in Hardin County to Lake Kimble Dam in Hardin County

| Area | Parameter | PS | NPS | Category | Rank |
|--------------------------------|-----------|----|-----|----------|------|
| From FM 418 to Lake Kimble dam | low pH | | Y | 5b | S |

SegID: 0608A Beech Creek (unclassified water body)

Category: 5c

Water body location: From the confluence of Village Creek northeast of Kountze in Hardin County to the upstream perennial portion of the stream southeast of Woodville in Tyler County

| Area | Parameter | PS | NPS | Category | Rank |
|------------------------------|----------------------------|----|-----|----------|------|
| Lower 20 miles of water body | depressed dissolved oxygen | Y | Y | 5c | D |
| Upper 19 miles of water body | depressed dissolved oxygen | Y | Y | 5c | D |

SegID: 0608B Big Sandy Creek (unclassified water body)

Category: 5c

Water body location: From the confluence of Village Creek northwest of Kountze in Hardin County to the upstream perennial portion of the stream northeast of Livingston in Polk County

| Area | Parameter | PS | NPS | Category | Rank |
|-------------------------------------|-----------|----|-----|----------|------|
| Lower 30 miles downstream of US 190 | bacteria | | Y | 5c | D |
| Upper 16.9 miles of segment | bacteria | | Y | 5c | D |

SegID: 0608C Cypress Creek (unclassified water body)

Category: 5c

Water body location: From the confluence of Village Creek east of Kountze in Hardin County to the upstream perennial portion of the stream northwest of Kountze in Hardin County

| Area | Parameter | PS | NPS | Category | Rank |
|-------------------|----------------------------|----|-----|----------|------|
| Entire water body | aluminum (acute) in water | | Y | 5c | D |
| Entire water body | depressed dissolved oxygen | | Y | 5c | D |

SegID: 0608F Turkey Creek (unclassified water body)

Category: 5c

Water body location: From the confluence of Village Creek north of Kountze in Hardin County to the upstream perennial portion of the stream southeast of Woodville in Tyler County

| Area | Parameter | PS | NPS | Category | Rank |
|---------------------------|-----------|----|-----|----------|------|
| Lower 25 miles of segment | bacteria | | Y | 5c | D |

SegID: 0608G Lake Kimball (unclassified water body)

Category: 5c

Water body location: From Kimble Creek Dam northwest of Kountze in Hardin County to normal pool elevation in Tyler County (impounds Kimble and Village Creeks)

| Area | Parameter | PS | NPS | Category | Rank |
|-------------|------------------------|----|-----|----------|------|
| Entire lake | mercury in fish tissue | | Y | 5c | D |

SegID: 0610 Sam Rayburn Reservoir

Category: 5c

Water body location: From Sam Rayburn Dam in Jasper County to a point 5.6 kilometers (3.5 miles) upstream of Marion's Ferry on the Angelina River Arm in Angelina/Nacogdoches County and to a point 3.9 km (2.4 miles) downstream of Curry Creek on the Attoyac Bayou Arm in Nacogdoches/San Augustine County, up to the normal pool elevation of 164 ft (except on the Angelina River Arm)(impounds Angelina River and Attoyac Bayou)

| Area | Parameter | PS | NPS | Category | Rank |
|----------------------------------|--|----|-----|----------|------|
| Bear Creek arm | mercury in largemouth bass and freshwater drum | | Y | 5c | D |
| Extreme upper Angelina River arm | mercury in largemouth bass and freshwater drum | | Y | 5c | D |
| Lower Angelina River arm | mercury in largemouth bass and freshwater drum | | Y | 5c | D |
| Lower Attoyac Bayou arm | depressed dissolved oxygen | Y | Y | 5c | D |

SegID: **0610** (continued)

Category: **5c**

| Area | Parameter | PS | NPS | Category | Rank |
|---------------------------------|--|----|-----|----------|------|
| Lower Attoyac Bayou arm | mercury in largemouth bass and freshwater drum | | Y | 5c | D |
| Lower Ayish Bayou arm | mercury in largemouth bass and freshwater drum | | Y | 5c | D |
| Main pool by the dam | mercury in largemouth bass and freshwater drum | | Y | 5c | D |
| Mid-Angelina River arm (SH 147) | mercury in largemouth bass and freshwater drum | | Y | 5c | D |
| Upper Angelina River arm | depressed dissolved oxygen | Y | Y | 5c | D |
| Upper Angelina River arm | mercury in largemouth bass and freshwater drum | | Y | 5c | D |
| Upper Attoyac Bayou arm | mercury in largemouth bass and freshwater drum | | Y | 5c | D |
| Upper Ayish Bayou arm | depressed dissolved oxygen | Y | Y | 5c | D |
| Upper Ayish Bayou arm | mercury in largemouth bass and freshwater drum | | Y | 5c | D |
| Upper mid-Angelina River arm | depressed dissolved oxygen | Y | Y | 5c | D |
| Upper mid-Angelina River arm | mercury in largemouth bass and freshwater drum | | Y | 5c | D |

SegID: **0610A** **Ayish Bayou (unclassified water body)**

Category: **5c**

Water body location: From the confluence of Sam Rayburn Reservoir south of San Augustine in San Augustine County to the upstream perennial portion of the stream north of San Augustine in San Augustine County

| Area | Parameter | PS | NPS | Category | Rank |
|--|-----------|----|-----|----------|------|
| Lower portion downstream of US 96 | bacteria | Y | Y | 5c | D |
| Middle portion from US 96 to SH 21 | bacteria | Y | Y | 5c | D |
| Upper portion from SH 21 to headwaters | bacteria | Y | Y | 5c | D |

SegID: **0611** **Angelina River Above Sam Rayburn Reservoir**

Category: **5c**

Water body location: From the aqueduct crossing 1.0 km (0.6 miles) upstream of the confluence of Paper Mill Creek in Angelina/Nacogdoches County to the confluence of Barnhardt Creek and Mill Creek at FM 225 in Rusk County

| Area | Parameter | PS | NPS | Category | Rank |
|-----------------|-----------|----|-----|----------|------|
| FM 343 to US 84 | bacteria | Y | Y | 5c | D |

SegID: **0611A** **East Fork Angelina River (unclassified water body)**

Category: **5c**

Water body location: From the confluence of the Angelina River at the Rusk/Nacogdoches county line to the upstream perennial portion of the stream west of Mount Enterprise in Rusk County

| Area | Parameter | PS | NPS | Category | Rank |
|---|-------------------------|----|-----|----------|------|
| Confluence with Grassy Lake area | bacteria | | Y | 5c | D |
| Confluence with Grassy Lake area | lead (chronic) in water | Y | Y | 5c | D |
| Confluence with Grassy Lake area | lead in water | Y | Y | 5c | D |
| County road near Happy Valley to Wotten Creek | lead (chronic) in water | Y | Y | 5c | D |
| County road near Happy Valley to Wotten Creek | lead in water | Y | Y | 5c | D |
| Grassy Lake area to county road near Happy Valley | lead (chronic) in water | Y | Y | 5c | D |

SegID: **0611A** (continued)Category: **5c**

| Area | Parameter | PS | NPS | Category | Rank |
|---|-------------------------|----|-----|----------|------|
| Grassy Lake area to county road near Happy Valley | lead in water | Y | Y | 5c | D |
| Wotten Creek to headwaters | lead (chronic) in water | Y | Y | 5c | D |
| Wotten Creek to headwaters | lead in water | Y | Y | 5c | D |

SegID: **0611B** **La Nana Bayou (unclassified water body)**Category: **5c**

Water body location: From the confluence of the Angelina River south of Nacogdoches in Nacogdoches County to the upstream perennial portion of the stream north of Nacogdoches in Nacogdoches County

| Area | Parameter | PS | NPS | Category | Rank |
|--|-----------|----|-----|----------|------|
| Mouth to unimproved road near FM 3228/1275 | bacteria | Y | Y | 5c | D |
| Unimproved road near FM 3228/1275 to SH 7 | bacteria | Y | Y | 5c | D |

SegID: **0611C** **Mud Creek (unclassified water body)**Category: **5c**

Water body location: From the confluence of the Angelina River east of Rusk in Cherokee County to the upstream perennial portion of the stream west of Troup in Smith County

| Area | Parameter | PS | NPS | Category | Rank |
|-----------------------------|-----------|----|-----|----------|------|
| Lower portion of water body | bacteria | Y | Y | 5c | D |

SegID: **0612** **Attoyac Bayou**Category: **5c**

Water body location: From a point 3.9 km (2.4 miles) downstream of Curry Creek in Nacogdoches/San Augustine County to FM 95 in Rusk County

| Area | Parameter | PS | NPS | Category | Rank |
|---------------------------------------|-----------|----|-----|----------|------|
| Bear Creek to headwaters | bacteria | Y | Y | 5c | D |
| Mouth to 8.2 miles downstream of SH 7 | bacteria | Y | Y | 5c | D |

SegID: **0615** **Angelina River/Sam Rayburn Reservoir**Category: **5c**

Water body location: The riverine portion of Sam Rayburn Reservoir from a point 5.6 kilometers (3.5 miles) upstream of Marion's Ferry to a point 2.75 kilometers (1.71 miles) upstream of the confluence of Paper Mill Creek

| Area | Parameter | PS | NPS | Category | Rank |
|-------------------------------|--|----|-----|----------|------|
| Downstream of Papermill Creek | depressed dissolved oxygen | Y | | 5c | D |
| Downstream of Papermill Creek | impaired fish community | Y | | 5c | D |
| Downstream of Papermill Creek | mercury in largemouth bass and freshwater drum | | Y | 5c | D |
| Upstream of Papermill Creek | depressed dissolved oxygen | | Y | 5c | D |
| Upstream of Papermill Creek | mercury in largemouth bass and freshwater drum | | Y | 5c | D |

SegID: **0701** **Taylor Bayou Above Tidal**Category: **5c**

Water body location: From the saltwater lock 7.7 km (4.8 miles) downstream of SH 73 in Jefferson County to the Lower Neches Valley Authority Canal in Jefferson County

| Area | Parameter | PS | NPS | Category | Rank |
|---|----------------------------|----|-----|----------|------|
| Lower 8 miles of segment | depressed dissolved oxygen | Y | Y | 5c | D |
| Portion 7 mi downstream of the confluence of N and S Forks Taylor Bayou | depressed dissolved oxygen | Y | Y | 5c | D |

SegID: 0701D Shallow Prong Lake (unclassified water body)

Category: 5c

Water body location: Reservoir on Big Hill Bayou located approximately 3.5 miles downstream of the confluence with Taylor Bayou in Jefferson County

| Area | Parameter | PS | NPS | Category | Rank |
|-------------------|----------------------------|----|-----|----------|------|
| Entire water body | depressed dissolved oxygen | Y | Y | 5c | D |

SegID: 0702A Alligator Bayou (unclassified water body)

Category: 5c

Water body location: From the Alligator Bayou pump station at the Jefferson County hurricane protection levee one mile downstream of Spur 215 in Port Arthur to a point immediately upstream of the confluence with Jefferson county Drainage District No. 7 city outfall canal

| Area | Parameter | PS | NPS | Category | Rank |
|---|---|----|-----|----------|------|
| Drainage canal leading into Alligator Bayou approx. 0.8 miles north of SH82 | acute toxicity in water to aquatic organisms | Y | Y | 5c | D |
| Lower portion from SH82 to its confluence with Taylor Bayou | chronic toxicity in sediment to aquatic organisms | Y | Y | 5c | D |
| Lower portion from SH82 to its confluence with Taylor Bayou | impaired fish community | Y | Y | 5c | D |
| Upper portion from its headwaters at the Port Arthur Canal to SH82 | acute toxicity in water to aquatic organisms | Y | Y | 5c | D |

SegID: 0704 Hillebrandt Bayou

Category: 5c

Water body location: From the confluence of Taylor Bayou in Jefferson County to a point 100 meters (110 yards) upstream of SH 124 in Jefferson County

| Area | Parameter | PS | NPS | Category | Rank |
|--|----------------------------|----|-----|----------|------|
| From confluence with Bayou Din to upper end of segment | depressed dissolved oxygen | Y | Y | 5c | D |
| From confluence with Taylor Bayou to confluence with Bayou Din | depressed dissolved oxygen | Y | Y | 5c | D |

SegID: 0803 Lake Livingston

Category: 5c

Water body location: From Livingston Dam in Polk/San Jacinto County to a point 1.8 km (1.1 miles) upstream of Boggy Creek in Houston/Leon County, up to normal pool elevation of 131 feet (impounds Trinity River)

| Area | Parameter | PS | NPS | Category | Rank |
|---|----------------------------|----|-----|----------|------|
| Cove off upper portion of reservoir, East Trinity | depressed dissolved oxygen | Y | Y | 5c | D |
| Cove off upper portion of reservoir, East Trinity | pH | Y | Y | 5c | D |
| Lower portion of reservoir, East Willow Springs | depressed dissolved oxygen | Y | Y | 5c | D |
| Lower portion of reservoir, East Wolf Creek | depressed dissolved oxygen | Y | Y | 5c | D |
| Lowermost portion of reservoir, adjacent to dam | depressed dissolved oxygen | Y | Y | 5c | D |
| Middle portion of reservoir, East Pointblank | depressed dissolved oxygen | Y | Y | 5c | D |
| Upper portion of reservoir, west of Carlisle | high pH | Y | Y | 5c | D |

SegID: 0805 Upper Trinity River

Category: 5a

Water body location: From a point immediately upstream of the confluence of the Cedar Creek Reservoir discharge canal in Henderson/Navarro County to a point immediately upstream of the confluence of Elm Fork Trinity River in Dallas County

| Area | Parameter | PS | NPS | Category | Rank |
|-------------------------------|---------------------|----|-----|----------|------|
| 11 mile reach near S. Loop 12 | PCBs in fish tissue | | Y | 5a | H |

SegID: **0805** (continued)Category: **5a**

| Area | Parameter | PS | NPS | Category | Rank |
|-------------------------------|---------------------|----|-----|----------|------|
| 11 mile reach near S. Loop 12 | bacteria | Y | Y | 5a | U |
| 25 mile reach near SH 34 | bacteria | Y | Y | 5a | U |
| Upper 8 miles | PCBs in fish tissue | | Y | 5a | H |
| Upper 8 miles | bacteria | Y | Y | 5a | U |

SegID: **0806** **West Fork Trinity River Below Lake Worth**Category: **5a**

Water body location: From a point immediately upstream of the confluence of Village Creek in Tarrant County to Lake Worth Dam in Tarrant County

| Area | Parameter | PS | NPS | Category | Rank |
|-------------------------------|---------------------|----|-----|----------|------|
| Lower 22 miles of the segment | PCBs in fish tissue | | Y | 5a | H |
| Lower 22 miles of the segment | bacteria | Y | Y | 5a | U |

SegID: **0807** **Lake Worth**Category: **5a**

Water body location: From Lake Worth Dam in Tarrant County to a point 4.0 km (2.5 miles) downstream of Eagle Mountain Dam in Tarrant County, up to normal pool elevation of 594.3 feet (impounds West Fork Trinity River)

| Area | Parameter | PS | NPS | Category | Rank |
|------------------|---------------------|----|-----|----------|------|
| Entire reservoir | PCBs in fish tissue | | Y | 5a | H |

SegID: **0810** **West Fork Trinity River Below Bridgeport Reservoir**Category: **5c**

Water body location: From a point 0.6 km (0.4 miles) downstream of the confluence of Oates Branch in Wise County to Bridgeport Dam in Wise County

| Area | Parameter | PS | NPS | Category | Rank |
|---------------------------|-----------|----|-----|----------|------|
| Lower 25 miles of segment | bacteria | Y | Y | 5c | D |

SegID: **0812** **West Fork Trinity River Above Bridgeport Reservoir**Category: **5b**

Water body location: From a point immediately upstream of the confluence of Bear Hollow in Jack County to SH 79 in Archer County

| Area | Parameter | PS | NPS | Category | Rank |
|---------------------------|----------------------------|----|-----|----------|------|
| Lower 25 miles of segment | chloride | | Y | 5b | S |
| Lower 25 miles of segment | depressed dissolved oxygen | | Y | 5b | S |
| Lower 25 miles of segment | total dissolved solids | | Y | 5b | S |
| Upper 60 miles of segment | chloride | | Y | 5b | S |
| Upper 60 miles of segment | total dissolved solids | | Y | 5b | S |

SegID: **0814** **Chambers Creek Above Richland-Chambers Reservoir**Category: **5c**

Water body location: From a point 4.0 km (2.5 miles) downstream of Tupelo Branch in Navarro County to the confluence of North Fork Chambers Creek and South Fork Chambers Creek

| Area | Parameter | PS | NPS | Category | Rank |
|---|----------------------------|----|-----|----------|------|
| From confluence with Cummins Creek to a point 16.5 miles upstream | depressed dissolved oxygen | Y | | 5c | D |

SegID: **0818** Cedar Creek ReservoirCategory: **5c**

Water body location: From Joe B. Hoggsett Dam in Henderson County up to normal pool elevation of 322 feet (impounds Cedar Creek)

| Area | Parameter | PS | NPS | Category | Rank |
|---|-----------|----|-----|----------|------|
| Caney Creek cove | high pH | Y | Y | 5c | D |
| Clear Creek cove | high pH | Y | Y | 5c | D |
| Cove off lower portion of reservoir adjacent to Clearview Estates | high pH | Y | Y | 5c | D |
| Lower portion of reservoir east of Key Ranch Estates | high pH | Y | Y | 5c | D |
| Lowermost portion of reservoir adjacent to dam | high pH | Y | Y | 5c | D |
| Middle portion of reservoir downstream of Twin Creeks cove | high pH | Y | Y | 5c | D |
| Twin Creeks cove | high pH | Y | Y | 5c | D |
| Upper portion of reservoir adjacent to Lacy Fork cove | high pH | Y | Y | 5c | D |
| Upper portion of reservoir east of Tolosa | high pH | Y | Y | 5c | D |
| Uppermost portion of reservoir downstream of Kings Creek | high pH | Y | Y | 5c | D |

SegID: **0820C** Muddy Creek (unclassified water body)Category: **5c**

Water body location: From the confluence with Lake Ray Hubbard, in Dallas County, to the headwaters east of Allen, in Collin County

| Area | Parameter | PS | NPS | Category | Rank |
|--------------|-----------|----|-----|----------|------|
| Entire creek | bacteria | Y | Y | 5c | D |

SegID: **0823A** Little Elm Creek (unclassified water body)Category: **5c**

Water body location: Perennial stream from FM 455 in Collin County up to 1.4 km above FM 121 in Grayson County near Gunter

| Area | Parameter | PS | NPS | Category | Rank |
|--------------|-----------|----|-----|----------|------|
| Entire creek | bacteria | Y | Y | 5c | D |

SegID: **0824** Elm Fork Trinity River Above Ray Roberts LakeCategory: **5c**

Water body location: From a point 9.5 km (5.9 miles) downstream of the confluence of Pecan Creek in Cooke County to US 82 in Montague County

| Area | Parameter | PS | NPS | Category | Rank |
|----------------------------|-----------|----|-----|----------|------|
| 3.5 mile reach near SH 51 | bacteria | Y | Y | 5c | D |
| Lower 7.5 miles of segment | bacteria | Y | Y | 5c | D |

SegID: **0829** Clear Fork Trinity River Below Benbrook LakeCategory: **5a**

Water body location: From the confluence with the West Fork Trinity River in Tarrant County to Benbrook Dam in Tarrant County

| Area | Parameter | PS | NPS | Category | Rank |
|-----------------------|---------------------|----|-----|----------|------|
| Lower mile of segment | PCBs in fish tissue | | Y | 5a | H |

SegID: 0831 Clear Fork Trinity River Below Lake WeatherfordCategory: **5b**

Water body location: From a point 200 meters (220 yards) downstream of US 377 in Tarrant County to Weatherford Dam in Parker County

| Area | Parameter | PS | NPS | Category | Rank |
|--|----------------------------|----|-----|----------|------|
| 2 mi upstream of South Fork Trinity R. confluence to Squaw Ck confluence | bacteria | Y | Y | 5c | D |
| 2 mi upstream of South Fork Trinity R. confluence to Squaw Ck confluence | depressed dissolved oxygen | Y | Y | 5b | S |
| From the confluence of Squaw Ck. to Lake Weatherford Dam | depressed dissolved oxygen | Y | Y | 5b | S |

SegID: 0833 Clear Fork Trinity River Above Lake WeatherfordCategory: **5b**

Water body location: From a point 3.1 km (1.9 miles) upstream of FM 1707 in Parker County, to FM 3107 in Parker County

| Area | Parameter | PS | NPS | Category | Rank |
|--|----------------------------|----|-----|----------|------|
| From the confluence of McKnight Branch to the confluence of Cottonwood Ck. | depressed dissolved oxygen | Y | Y | 5b | S |
| Upper 11 miles of segment | depressed dissolved oxygen | Y | Y | 5b | S |

SegID: 0836 Richland-Chambers ReservoirCategory: **5c**

Water body location: From Richland-Chambers Dam in Freestone County to the confluence of Pin Oak Creek on the Richland Creek Arm in Navarro County and to a point 4.0 km (2.5 miles) downstream of Tupelo Branch on the Chambers Creek Arm in Navarro County, up to normal pool elevation of 315 feet (impounds Richland and Chambers Creeks)

| Area | Parameter | PS | NPS | Category | Rank |
|-------------------------------------|-----------|----|-----|----------|------|
| Lower portion of Chambers Creek arm | high pH | Y | Y | 5c | D |

SegID: 0841 Lower West Fork Trinity RiverCategory: **5a**

Water body location: From a point immediately upstream of the confluence of the Elm Fork Trinity River in Dallas County to a point immediately upstream of the confluence of Village Creek in Tarrant County

| Area | Parameter | PS | NPS | Category | Rank |
|---------------------------|---------------------|----|-----|----------|------|
| Lower 14 miles of segment | PCBs in fish tissue | | Y | 5a | H |
| Lower 14 miles of segment | bacteria | Y | Y | 5a | U |
| Upper 13 miles of segment | PCBs in fish tissue | | Y | 5a | H |

SegID: 0901 Cedar Bayou TidalCategory: **5a**

Water body location: From the confluence with Galveston Bay 1.0 km (0.6 miles) downstream of Tri-City Beach Road in Chambers County to a point 2.2 km (1.4 miles) upstream of IH 10 in Chambers/Harris County

| Area | Parameter | PS | NPS | Category | Rank |
|----------------|-----------------------------------|----|-----|----------|------|
| Entire segment | dioxin in catfish and crab tissue | Y | | 5a | U |

SegID: 0902 Cedar Bayou Above TidalCategory: **5c**

Water body location: From a point 2.2 km (1.4 miles) upstream of IH 10 in Chambers/Harris County to a point 7.4 km (4.6 miles) upstream of FM 1960 in Liberty County

| Area | Parameter | PS | NPS | Category | Rank |
|----------------|----------------------------|----|-----|----------|------|
| Entire segment | depressed dissolved oxygen | Y | Y | 5c | D |

SegID: **1001** **San Jacinto River Tidal**

Category: **5a**

Water body location: From a point 100 meters (110yards) downstream of IH 10 in Harris County to Lake Houston Dam in Harris County

| Area | Parameter | PS | NPS | Category | Rank |
|---------------------------------------|-----------------------------------|----|-----|----------|------|
| From Lake Houston Dam to US Hwy 90 | dioxin in catfish and crab tissue | Y | | 5a | U |
| From US Hwy 90 to downstream of IH 10 | PCBs in fish tissue | Y | | 5a | H |
| From US Hwy 90 to downstream of IH 10 | dioxin in catfish and crab tissue | Y | | 5a | U |

SegID: **1004** **West Fork San Jacinto River**

Category: **5c**

Water body location: From the confluence of Spring Creek in Harris/Montgomery County to Conroe Dam in Montgomery County

| Area | Parameter | PS | NPS | Category | Rank |
|--------------------------------------|-----------|----|-----|----------|------|
| IH 45 to a point 10 miles downstream | bacteria | Y | Y | 5c | D |

SegID: **1005** **Houston Ship Channel/San Jacinto River Tidal**

Category: **5a**

Water body location: From the confluence with Galveston Bay at Morgan's Point in Harris/Chambers County to a point 100 meters (110 yards) downstream of IH 10 in Harris County

| Area | Parameter | PS | NPS | Category | Rank |
|---|--|----|-----|----------|------|
| Downstream I-10 to Lynchburg Ferry Road | PCBs in fish tissue | Y | | 5a | H |
| Downstream I-10 to Lynchburg Ferry Road | dioxin in catfish and crab tissue | Y | | 5a | U |
| Goose Island to SH 146 | PCBs in catfish, spotted seatrout, and blue crab | Y | | 5a | H |
| Goose Island to SH 146 | dioxin in catfish and crab tissue | Y | | 5a | U |
| Lynchburg Ferry Road to Goose Island | PCBs in catfish, spotted seatrout, and blue crab | Y | | 5a | H |
| Lynchburg Ferry Road to Goose Island | dioxin in catfish and crab tissue | Y | | 5a | U |
| SH 146 to Morgans Point | PCBs in catfish, spotted seatrout, and blue crab | Y | | 5a | H |
| SH 146 to Morgans Point | dioxin in catfish and crab tissue | Y | | 5a | U |

SegID: **1006** **Houston Ship Channel Tidal**

Category: **5a**

Water body location: From the confluence with the San Jacinto River in Harris County to a point immediately upstream of Greens Bayou in Harris County, including tidal portions of tributaries

| Area | Parameter | PS | NPS | Category | Rank |
|----------------------------|-----------------------------------|----|-----|----------|------|
| Goodyear Creek Tidal | PCBs in fish tissue | Y | | 5a | H |
| Goodyear Creek Tidal | chlordan in fish tissue | | Y | 5a | H |
| Goodyear Creek Tidal | dieldrin in fish tissue | | Y | 5a | H |
| Goodyear Creek Tidal | dioxin in catfish and crab tissue | Y | | 5a | U |
| Goodyear Creek Tidal | heptachlor epoxide in fish tissue | | Y | 5a | H |
| Greens Bayou Tidal | PCBs in fish tissue | Y | | 5a | H |
| Greens Bayou Tidal | chlordan in fish tissue | | Y | 5a | H |
| Greens Bayou Tidal | dieldrin in fish tissue | | Y | 5a | H |
| Greens Bayou Tidal | dioxin in catfish and crab tissue | Y | | 5a | U |
| Greens Bayou Tidal | heptachlor epoxide in fish tissue | | Y | 5a | H |
| Houston Ship Channel Tidal | PCBs in fish tissue | Y | | 5a | H |
| Houston Ship Channel Tidal | chlordan in fish tissue | | Y | 5a | H |
| Houston Ship Channel Tidal | dieldrin in fish tissue | | Y | 5a | H |

SegID: 1006 (continued)

Category: 5a

| Area | Parameter | PS | NPS | Category | Rank |
|----------------------------|---|----|-----|----------|------|
| Houston Ship Channel Tidal | dioxin in catfish and crab tissue | Y | | 5a | U |
| Houston Ship Channel Tidal | heptachlor epoxide in fish tissue | | Y | 5a | H |
| Patrick Bayou Tidal | PCBs in fish tissue | Y | | 5a | H |
| Patrick Bayou Tidal | acute toxicity in sediment to aquatic organisms | Y | Y | 5c | D |
| Patrick Bayou Tidal | chlordane in fish tissue | | Y | 5a | H |
| Patrick Bayou Tidal | dieldrin in fish tissue | | Y | 5a | H |
| Patrick Bayou Tidal | dioxin in catfish and crab tissue | Y | | 5a | U |
| Patrick Bayou Tidal | heptachlor epoxide in fish tissue | | Y | 5a | H |
| Patrick Bayou Tidal | mercury in water | Y | | 5c | D |
| Patrick Bayou Tidal | temperature | Y | | 5c | D |

SegID: 1006D Halls Bayou Below US 59 (unclassified water body)

Category: 5a

Water body location: Perennial stream from the confluence with Greens Bayou up to US 59 in Harris County

| Area | Parameter | PS | NPS | Category | Rank |
|--|-----------|----|-----|----------|------|
| From US 59 to Hirsch Road | bacteria | Y | Y | 5a | M |
| Tidwell Road to confluence with Greens Bayou | bacteria | Y | Y | 5a | M |

SegID: 1006E Halls Bayou Above US 59 (unclassified water body)

Category: 5a

Water body location: Perennial stream from US 59 upstream to Frick Road

| Area | Parameter | PS | NPS | Category | Rank |
|---------------------|-----------|----|-----|----------|------|
| Entire stream reach | bacteria | Y | Y | 5a | M |

SegID: 1006F Big Gulch Above Tidal (unclassified water body)

Category: 5a

Water body location: From the confluence with Greens Bayou Tidal to Wallisville Road in Harris County

| Area | Parameter | PS | NPS | Category | Rank |
|---------------|-----------|----|-----|----------|------|
| Entire stream | bacteria | Y | Y | 5a | M |

SegID: 1006H Spring Gully Above Tidal (unclassified water body)

Category: 5a

Water body location: From confluence with Greens Bayou to US 90 in Harris County

| Area | Parameter | PS | NPS | Category | Rank |
|---------------|-----------|----|-----|----------|------|
| Entire stream | bacteria | Y | Y | 5a | M |

SegID: 1006I Unnamed Tributary of Halls Bayou (unclassified water body)

Category: 5a

Water body location: From the confluence with Halls Bayou to a point 0.13 miles upstream of Richland Drive in Harris County

| Area | Parameter | PS | NPS | Category | Rank |
|----------------|-----------|----|-----|----------|------|
| Entire segment | bacteria | Y | Y | 5a | M |

SegID: **1006J** **Unnamed Tributary of Halls Bayou (unclassified water body)**

Category: **5a**

Water body location: From the confluence of Halls Bayou (east of US 59 and south of Langley Road) to Mount Houston Road in Harris County

| Area | Parameter | PS | NPS | Category | Rank |
|---------------|-----------|----|-----|----------|------|
| Entire stream | bacteria | Y | Y | 5a | M |

SegID: **1007** **Houston Ship Channel/Buffalo Bayou Tidal**

Category: **5a**

Water body location: From a point immediately upstream of Greens Bayou in Harris County to a point 100 meters (110 yards) upstream of US 59 in Harris County, including tidal portion of tributaries

| Area | Parameter | PS | NPS | Category | Rank |
|--|---|----|-----|----------|------|
| Berry Bayou Tidal | PCBs in fish tissue | | | 5a | H |
| Berry Bayou Tidal | chlordan in fish tissue | | Y | 5a | H |
| Berry Bayou Tidal | dieldrin in fish tissue | | Y | 5a | H |
| Berry Bayou Tidal | dioxin in catfish and crab tissue | Y | | 5a | U |
| Berry Bayou Tidal | heptachlor epoxide in fish tissue | | Y | 5a | H |
| Brays Bayou Tidal | PCBs in fish tissue | | | 5a | H |
| Brays Bayou Tidal | chlordan in fish tissue | | Y | 5a | H |
| Brays Bayou Tidal | dieldrin in fish tissue | | Y | 5a | H |
| Brays Bayou Tidal | dioxin in catfish and crab tissue | Y | | 5a | U |
| Brays Bayou Tidal | heptachlor epoxide in fish tissue | | Y | 5a | H |
| Houston Ship Channel/Buffalo Bayou Tidal | PCBs in fish tissue | | | 5a | H |
| Houston Ship Channel/Buffalo Bayou Tidal | chlordan in fish tissue | | Y | 5a | H |
| Houston Ship Channel/Buffalo Bayou Tidal | dieldrin in fish tissue | | Y | 5a | H |
| Houston Ship Channel/Buffalo Bayou Tidal | dioxin in catfish and crab tissue | Y | | 5a | U |
| Houston Ship Channel/Buffalo Bayou Tidal | heptachlor epoxide in fish tissue | | Y | 5a | H |
| Hunting Bayou Tidal | PCBs in fish tissue | | | 5a | H |
| Hunting Bayou Tidal | chlordan in fish tissue | | Y | 5a | H |
| Hunting Bayou Tidal | dieldrin in fish tissue | | Y | 5a | H |
| Hunting Bayou Tidal | dioxin in catfish and crab tissue | Y | | 5a | U |
| Hunting Bayou Tidal | heptachlor epoxide in fish tissue | | Y | 5a | H |
| Sims Bayou Tidal | PCBs in fish tissue | | | 5a | H |
| Sims Bayou Tidal | chlordan in fish tissue | | Y | 5a | H |
| Sims Bayou Tidal | dieldrin in fish tissue | | Y | 5a | H |
| Sims Bayou Tidal | dioxin in catfish and crab tissue | Y | | 5a | U |
| Sims Bayou Tidal | heptachlor epoxide in fish tissue | | Y | 5a | H |
| Vince Bayou Tidal | PCBs in fish tissue | | | 5a | H |
| Vince Bayou Tidal | acute toxicity in sediment to aquatic organisms | Y | Y | 5c | D |
| Vince Bayou Tidal | chlordan in fish tissue | | Y | 5a | H |
| Vince Bayou Tidal | dieldrin in fish tissue | | Y | 5a | H |
| Vince Bayou Tidal | dioxin in catfish and crab tissue | Y | | 5a | U |
| Vince Bayou Tidal | heptachlor epoxide in fish tissue | | Y | 5a | H |

SegID: 1007B Brays Bayou Above Tidal (unclassified water body)

Category: **5a**

Water body location: Perennial stream from 11.5 km upstream of confluence with Houston Ship Channel up to SH 6

| Area | Parameter | PS | NPS | Category | Rank |
|--|-----------|----|-----|----------|------|
| From 11.5km upstream of confluence with Houston Ship Channel (Brays Bayou Tidal) to SH 6 | bacteria | Y | Y | 5a | M |

SegID: 1007C Keegans Bayou Above Tidal (unclassified water body)

Category: **5a**

Water body location: Perennial stream from confluence with Brays Bayou upstream to Harris County line

| Area | Parameter | PS | NPS | Category | Rank |
|--|-----------|----|-----|----------|------|
| From Harris County line to confluence with Brays Bayou | bacteria | Y | Y | 5a | M |

SegID: 1007D Sims Bayou Above Tidal (unclassified water body)

Category: **5a**

Water body location: Perennial stream from 11.0 km upstream of confluence with Houston Ship Channel upstream to Hiram Clark Drive

| Area | Parameter | PS | NPS | Category | Rank |
|---|-----------|----|-----|----------|------|
| From 11.0km upstream of confluence with Houston Ship Channel (Sims Bayou Tidal) to Hiram Clarke | bacteria | Y | Y | 5a | M |

SegID: 1007E Willow Waterhole Bayou Above Tidal (unclassified water body)

Category: **5a**

Water body location: Perennial stream from confluence with Brays Bayou upstream to South Garden (in Missouri City)

| Area | Parameter | PS | NPS | Category | Rank |
|---------------|-----------|----|-----|----------|------|
| Entire stream | bacteria | Y | Y | 5a | M |

SegID: 1007F Berry Bayou Above Tidal (unclassified water body)

Category: **5a**

Water body location: Perennial stream from 2.4 km upstream from the confluence with Sims Bayou to the southern city limits of South Houston

| Area | Parameter | PS | NPS | Category | Rank |
|--|-----------|----|-----|----------|------|
| 1.5 miles upstream from confluence with Sims Bayou to SH 3 | bacteria | Y | Y | 5a | M |

SegID: 1007G Kuhlman Gully Above Tidal (unclassified water body)

Category: **5a**

Water body location: From confluence with Brays Bayou in Harris County to Atchison, Topeka and Santa Fe Railroad tracks in Harris County

| Area | Parameter | PS | NPS | Category | Rank |
|---------------|-----------|----|-----|----------|------|
| Entire stream | bacteria | Y | Y | 5a | M |

SegID: 1007H Pine Gully Above Tidal (unclassified water body)

Category: **5a**

Water body location: From the confluence with Sims Bayou in Harris County to Broadway in Harris County

| Area | Parameter | PS | NPS | Category | Rank |
|---------------|----------------------------|----|-----|----------|------|
| Entire stream | bacteria | Y | Y | 5a | M |
| Entire stream | depressed dissolved oxygen | Y | Y | 5c | D |

SegID: 1007I Plum Creek Above Tidal (unclassified water body)Category: **5a**

Water body location: From the confluence with Sims Bayou in Harris County to Telephone Road in Harris County

| Area | Parameter | PS | NPS | Category | Rank |
|---------------|----------------------------|----|-----|----------|------|
| Entire stream | bacteria | Y | Y | 5a | M |
| Entire stream | depressed dissolved oxygen | Y | Y | 5c | D |

SegID: 1007K Country Club Bayou Above Tidal (unclassified water body)Category: **5a**

Water body location: From the confluence with Brays Bayou to approximately 0.5 miles upstream of North Wayside Drive in Harris County

| Area | Parameter | PS | NPS | Category | Rank |
|----------------|----------------------------|----|-----|----------|------|
| Entire segment | bacteria | Y | | 5a | M |
| Entire segment | depressed dissolved oxygen | Y | Y | 5c | D |

SegID: 1007L Unnamed Non-Tidal Tributary of Brays Bayou (unclassified water body)Category: **5a**

Water body location: From the confluence with Brays Bayou near Fondren Road to a point 0.60 miles upstream in Harris County

| Area | Parameter | PS | NPS | Category | Rank |
|------------------------------------|-----------|----|-----|----------|------|
| Entire perennial portion of stream | bacteria | Y | Y | 5a | M |

SegID: 1007M Unnamed Non-Tidal Tributary of Hunting Bayou (unclassified water body)Category: **5a**

Water body location: From the confluence with Hunting Bayou to Mercury Road in Harris County

| Area | Parameter | PS | NPS | Category | Rank |
|---------------|-----------|----|-----|----------|------|
| Entire stream | bacteria | Y | Y | 5a | M |

SegID: 1007N Unnamed Non-Tidal Tributary of Sims Bayou (unclassified water body)Category: **5a**

Water body location: From confluence with Sims Bayou, south of Airport Road, to Reed Road, east of SH 288 in Harris County

| Area | Parameter | PS | NPS | Category | Rank |
|---------------|-----------|----|-----|----------|------|
| Entire stream | bacteria | Y | Y | 5a | M |

SegID: 1007O Unnamed Non-Tidal Tributary of Buffalo Bayou (unclassified water body)Category: **5a**

Water body location: From confluence with Buffalo Bayou to IH-10 between Hirsch Road and Lockwood in Harris County

| Area | Parameter | PS | NPS | Category | Rank |
|---------------|----------------------------|----|-----|----------|------|
| Entire stream | bacteria | Y | Y | 5a | M |
| Entire stream | depressed dissolved oxygen | Y | Y | 5c | D |

SegID: 1007P Brays Bayou Above Tidal (unclassified water body)Category: **5a**

Water body location: From Alief Clodine Road to SH 6 in Harris County

| Area | Parameter | PS | NPS | Category | Rank |
|---------------------------------|-----------|----|-----|----------|------|
| From Alief Clodine Road to SH 6 | bacteria | Y | Y | 5a | M |

SegID: 1007Q Sims Bayou Above Tidal (unclassified water body)Category: **5a**

Water body location: From Hiram Clark Drive to south of West Orem Road in Harris County

| Area | Parameter | PS | NPS | Category | Rank |
|--------------------------------------|-----------|----|-----|----------|------|
| From South Post Oak to Tiffany Drive | bacteria | Y | Y | 5a | M |

SegID: **1007Q** (continued)

Category: **5a**

| Area | Parameter | PS | NPS | Category | Rank |
|---|----------------------------|----|-----|----------|------|
| From Tiffany Drive to Hiram Creek | bacteria | Y | Y | 5a | M |
| From just south of West Orem Road to South Post Oak | bacteria | Y | Y | 5a | M |
| From just south of West Orem Road to South Post Oak | depressed dissolved oxygen | Y | Y | 5c | D |

SegID: **1007R** **Hunting Bayou Above Tidal (unclassified water body)**

Category: **5a**

Water body location: From the confluence with Hunting Bayou Tidal at IH-10 to Maury Street on the north fork and Bain Street on the south fork

| Area | Parameter | PS | NPS | Category | Rank |
|---|----------------------------|----|-----|----------|------|
| From Bains Street to Sayers Street (South Fork) | bacteria | Y | Y | 5a | M |
| From Bains Street to Sayers Street (South Fork) | depressed dissolved oxygen | Y | Y | 5c | D |
| From Falls Street to Loop 610 (South of US 90A) | bacteria | Y | Y | 5a | M |
| From Loop 610 to IH 10 | bacteria | Y | Y | 5a | M |

SegID: **1008** **Spring Creek**

Category: **5b**

Water body location: From the confluence with the West Fork San Jacinto River in Harris/Montgomery County to the most upstream crossing of FM 1736 in Waller County

| Area | Parameter | PS | NPS | Category | Rank |
|---------------------------------------|----------------------------|----|-----|----------|------|
| Field Store Road to SH 249 | depressed dissolved oxygen | Y | Y | 5b | S |
| IH 45 to confluence with Lake Houston | bacteria | Y | Y | 5c | D |

SegID: **1009** **Cypress Creek**

Category: **5c**

Water body location: From the confluence with Spring Creek in Harris County to the confluence of Snake Creek and Mound Creek in Waller County

| Area | Parameter | PS | NPS | Category | Rank |
|--|-----------|----|-----|----------|------|
| IH 45 to confluence with Spring Creek | bacteria | Y | Y | 5c | D |
| SH 249 to IH 45 | bacteria | Y | Y | 5c | D |
| US 290 to SH 249 | bacteria | Y | Y | 5c | D |
| Upper portion of segment to downstream of US 290 | bacteria | Y | Y | 5c | D |

SegID: **1013** **Buffalo Bayou Tidal**

Category: **5a**

Water body location: From a point 100 meters (110 yards) upstream of US 59 in Harris County to a point 400 meters (440 yards) upstream of Shepard Drive in Harris County

| Area | Parameter | PS | NPS | Category | Rank |
|----------------|-----------|----|-----|----------|------|
| Entire segment | bacteria | Y | Y | 5a | U |

SegID: **1013A** **Little White Oak Bayou (unclassified water body)**

Category: **5a**

Water body location: Perennial stream from the confluence with Whiteoak Bayou up to RR tracks north of IH 610

| Area | Parameter | PS | NPS | Category | Rank |
|--|----------------------------|----|-----|----------|------|
| From RR tracks north of IH 610 to Trimble St | bacteria | Y | Y | 5a | M |
| From RR tracks north of IH 610 to Trimble St | depressed dissolved oxygen | Y | Y | 5c | D |

SegID: **1013A** (continued)Category: **5a**

| Area | Parameter | PS | NPS | Category | Rank |
|--|-----------|----|-----|----------|------|
| From Trimble St to confluence with White Oak Bayou | bacteria | Y | Y | 5a | M |

SegID: **1013C** **Unnamed Non-Tidal Tributary of Buffalo Bayou Tidal (unclassified water body)**Category: **5a**

Water body location: Located approximately 1.8 miles upstream of the Buffalo Bayou/White Oak Bayou confluence between IH-10 and Memorial Drive west of IH-45 in Harris County

| Area | Parameter | PS | NPS | Category | Rank |
|---------------|-----------|----|-----|----------|------|
| Entire stream | bacteria | Y | Y | 5a | M |

SegID: **1014** **Buffalo Bayou Above Tidal**Category: **5a**

Water body location: From a point 400 meters (440 yards) upstream of Shepherd Drive in Harris County to SH 6 in Harris County

| Area | Parameter | PS | NPS | Category | Rank |
|----------------|-----------|----|-----|----------|------|
| Entire segment | bacteria | Y | Y | 5a | U |

SegID: **1014H** **South Mayde Creek (unclassified water body)**Category: **5a**

Water body location: Perennial stream in the Addicks Reservoir flood pool area, from the confluence with Buffalo Bayou upstream to the confluence with an unnamed tributary 0.62 km east of Barker-Cypress Road

| Area | Parameter | PS | NPS | Category | Rank |
|---------------|-----------|----|-----|----------|------|
| Entire stream | bacteria | Y | Y | 5a | M |

SegID: **1014K** **Turkey Creek (unclassified water body)**Category: **5a**

Water body location: Perennial stream from the confluence with South Mayde Creek in Harris County upstream to the headwaters south of Clay Road in Harris County

| Area | Parameter | PS | NPS | Category | Rank |
|---------------|-----------|----|-----|----------|------|
| Entire stream | bacteria | Y | Y | 5a | M |

SegID: **1014M** **Neimans Bayou (unclassified water body)**Category: **5a**

Water body location: From confluence with Buffalo Bayou Above Tidal to upstream of IH 10

| Area | Parameter | PS | NPS | Category | Rank |
|---------------|----------------------------|----|-----|----------|------|
| Entire stream | bacteria | Y | Y | 5a | M |
| Entire stream | depressed dissolved oxygen | Y | Y | 5c | D |

SegID: **1014N** **Rummel Creek (unclassified water body)**Category: **5a**

Water body location: From confluence with Buffalo Bayou Above Tidal in Harris County to IH 10/Beltway 8 in Harris County

| Area | Parameter | PS | NPS | Category | Rank |
|---------------|-----------|----|-----|----------|------|
| Entire stream | bacteria | Y | Y | 5a | M |

SegID: **1014O** **Spring Branch (unclassified water body)**Category: **5a**

Water body location: From confluence with Buffalo Bayou in Harris County to Blalock Road in Harris County

| Area | Parameter | PS | NPS | Category | Rank |
|---------------|-----------|----|-----|----------|------|
| Entire stream | bacteria | Y | Y | 5a | M |

SegID: 1016 Greens Bayou Above TidalCategory: **5a**

Water body location: From a point 0.7 km (0.4 miles) above the confluence of Halls Bayou in Harris County to a point 100 meters (110 yards) above FM 1960 in Harris County

| Area | Parameter | PS | NPS | Category | Rank |
|---------------------------|-----------|----|-----|----------|------|
| IH 45 to US 59 | bacteria | Y | Y | 5a | L |
| Upstream FM 1960 to IH 45 | bacteria | Y | Y | 5a | L |

SegID: 1016A Garners Bayou (unclassified water body)Category: **5a**

Water body location: Perennial stream from the confluence with Williams Gully upstream to 1.5 km north of Atoscocita Road

| Area | Parameter | PS | NPS | Category | Rank |
|--|-----------|----|-----|----------|------|
| From Williams Gully confluence to confluence with Greens Bayou | bacteria | Y | Y | 5a | M |
| From a point adjacent to Vegas Road to Williams Gully confluence | bacteria | Y | Y | 5a | M |

SegID: 1016B Unnamed Tributary of Greens Bayou (unclassified water body)Category: **5a**

Water body location: From confluence with Greens Bayou to Hirsch Road in Harris County

| Area | Parameter | PS | NPS | Category | Rank |
|---------------|-----------|----|-----|----------|------|
| Entire stream | bacteria | Y | Y | 5a | M |

SegID: 1016C Unnamed Tributary of Greens Bayou (unclassified water body)Category: **5a**

Water body location: From the confluence with Greens Bayou, east of Aldine Westfield Road, to the Hardy Toll Road in Harris County

| Area | Parameter | PS | NPS | Category | Rank |
|---------------|-----------|----|-----|----------|------|
| Entire stream | bacteria | Y | Y | 5a | M |

SegID: 1016D Unnamed Tributary of Greens Bayou (unclassified water body)Category: **5a**

Water body location: From confluence with Greens Bayou, west of El Dorado Country Club to Lee Road, west of US Hwy 59 in Harris County

| Area | Parameter | PS | NPS | Category | Rank |
|---------------|----------------------------|----|-----|----------|------|
| Entire stream | bacteria | Y | Y | 5a | M |
| Entire stream | depressed dissolved oxygen | Y | Y | 5c | D |

SegID: 1017 Whiteoak Bayou Above TidalCategory: **5a**

Water body location: From a point immediately upstream of the confluence of Little White Oak Bayou in Harris County to a point 3.0 km (1.9 miles) upstream of FM 1960 in Harris County

| Area | Parameter | PS | NPS | Category | Rank |
|----------------|-----------|----|-----|----------|------|
| Entire segment | bacteria | Y | Y | 5a | U |

SegID: 1017A Brickhouse Gully/Bayou (unclassified water body)Category: **5a**

Water body location: Perennial stream from the confluence with Whiteoak Bayou up to Gessner Road

| Area | Parameter | PS | NPS | Category | Rank |
|---------------|-----------|----|-----|----------|------|
| Entire stream | bacteria | Y | Y | 5a | M |

SegID: **1017B** Cole Creek (unclassified water body)Category: **5a**

Water body location: Perennial stream from the confluence with White Oak Bayou up to south of Beltway 8

| Area | Parameter | PS | NPS | Category | Rank |
|--|-----------|----|-----|----------|------|
| From Flintlock Street to confluence with White Oak Bayou | bacteria | Y | Y | 5a | M |

SegID: **1017D** Unnamed Tributary of White Oak Bayou (unclassified water body)Category: **5a**

Water body location: From confluence with White Oak Bayou downstream of TC Jester, to Hempstead Hwy, north of US Hwy 290 in Harris County

| Area | Parameter | PS | NPS | Category | Rank |
|---------------|----------------------------|----|-----|----------|------|
| Entire stream | bacteria | Y | Y | 5a | M |
| Entire stream | depressed dissolved oxygen | Y | Y | 5c | D |

SegID: **1017E** Unnamed Tributary of White Oak Bayou (unclassified water body)Category: **5a**

Water body location: From the confluence with White Oak Bayou, near W 11th Street, to just upstream of W 26th Street, south of Loop 610 W in Harris County

| Area | Parameter | PS | NPS | Category | Rank |
|---------------|-----------|----|-----|----------|------|
| Entire stream | bacteria | Y | Y | 5a | M |

SegID: **1101** Clear Creek TidalCategory: **5a**

Water body location: From the confluence with Clear Lake at a point 3.2 km (2.0 miles) downstream of El Camino Real in Galveston/Harris County to a point 100 m (110 yards) upstream of FM528 in Galveston/Harris County

| Area | Parameter | PS | NPS | Category | Rank |
|--|-----------|----|-----|----------|------|
| Downstream of SH 3 to confluence with Clear Lake | bacteria | Y | Y | 5a | U |
| IH 45 to SH 3 | bacteria | Y | Y | 5a | U |
| Upstream of FM 528 to IH 45 | bacteria | Y | Y | 5a | U |

SegID: **1101B** Chigger Creek (unclassified water body)Category: **5a**

Water body location: From the confluence of Clear Creek Tidal to the Brazos River Authority Canal near CR 143 in Galveston County

| Area | Parameter | PS | NPS | Category | Rank |
|---|-----------|----|-----|----------|------|
| FM 528 to the confluence with Clear Creek | bacteria | Y | Y | 5a | U |
| From the headwaters to FM 528 | bacteria | Y | Y | 5a | U |

SegID: **1102** Clear Creek Above TidalCategory: **5a**

Water body location: From a point 100 meters (110 yards) upstream of FM 528 in Galveston/Harris County to Rouen Road in Fort Bend County

| Area | Parameter | PS | NPS | Category | Rank |
|------------------------------------|------------------------|----|-----|----------|------|
| FM 1959 to upstream of FM 528 | bacteria | Y | Y | 5a | U |
| FM 1959 to upstream of FM 528 | chloride | | Y | 5a | U |
| FM 1959 to upstream of FM 528 | total dissolved solids | | Y | 5a | U |
| SH 35 to FM 1959 (Dixie Farm Road) | bacteria | Y | Y | 5a | U |
| SH 35 to FM 1959 (Dixie Farm Road) | chloride | | Y | 5a | U |
| SH 35 to FM 1959 (Dixie Farm Road) | total dissolved solids | | Y | 5a | U |
| Upper segment boundary to SH 35 | bacteria | Y | Y | 5a | U |

SegID: 1102 (continued)

Category: 5a

| Area | Parameter | PS | NPS | Category | Rank |
|---------------------------------|------------------------|----|-----|----------|------|
| Upper segment boundary to SH 35 | chloride | | Y | 5a | U |
| Upper segment boundary to SH 35 | total dissolved solids | | Y | 5a | U |

SegID: 1102A Cowart Creek (unclassified water body)

Category: 5a

Water body location: Intermittent stream with perennial pools from the confluence with Clear Creek in Galveston County to SH 35 in Brazoria County

| Area | Parameter | PS | NPS | Category | Rank |
|---------------|-----------|----|-----|----------|------|
| Entire stream | bacteria | Y | Y | 5a | U |

SegID: 1102B Mary's Creek/ North Fork Mary's Creek (unclassified water body)

Category: 5a

Water body location: Perennial stream from the confluence with Clear Creek upstream to the confluence with North Fork Mary's Creek and South Fork Mary's Creek near FM 1128, approximately 5 km southwest of Pearland. Includes perennial portions of North Fork Mary's Creek from the confluence to Mary's Creek to the confluence of an unnamed tributary approximately 3.2 km upstream of FM 1128

| Area | Parameter | PS | NPS | Category | Rank |
|---------------|-----------|----|-----|----------|------|
| Entire stream | bacteria | Y | Y | 5a | U |

SegID: 1103 Dickinson Bayou Tidal

Category: 5a

Water body location: From the confluence with Dickinson Bay 2.1 km (1.3 miles) downstream of SH 146 in Galveston County to a point 4.0 km (2.5 miles) downstream of FM 517 in Galveston County

| Area | Parameter | PS | NPS | Category | Rank |
|---|----------------------------|----|-----|----------|------|
| Arcadia Cemetery Road to IH 45 | bacteria | Y | Y | 5a | M |
| Arcadia Cemetery Road to IH 45 | depressed dissolved oxygen | Y | Y | 5a | U |
| Benson Bayou confluence to SH 3 | bacteria | Y | Y | 5a | M |
| Benson Bayou confluence to SH 3 | depressed dissolved oxygen | Y | Y | 5a | U |
| IH 45 to Benson Bayou confluence | bacteria | Y | Y | 5a | M |
| IH 45 to Benson Bayou confluence | depressed dissolved oxygen | Y | Y | 5a | U |
| Upper segment boundary to Arcadia Cemetery Road | bacteria | Y | Y | 5a | M |
| Upper segment boundary to Arcadia Cemetery Road | depressed dissolved oxygen | Y | Y | 5a | U |

SegID: 1103A Bensons Bayou (unclassified water body)

Category: 5c

Water body location: From the confluence with Dickinson Bayou Tidal to 0.37 miles upstream of FM 646 in Galveston County

| Area | Parameter | PS | NPS | Category | Rank |
|---------------|-----------|----|-----|----------|------|
| Entire stream | bacteria | Y | Y | 5c | D |

SegID: 1103B Bordens Gully (unclassified water body)

Category: 5a

Water body location: From confluence with Dickinson Bayou Tidal to upstream of Calder Road in Galveston County

| Area | Parameter | PS | NPS | Category | Rank |
|---------------|-----------|----|-----|----------|------|
| Entire stream | bacteria | Y | Y | 5a | M |

SegID: **1103C Geisler Bayou (unclassified water body)**Category: **5a**

Water body location: From confluence with Dickinson Bayou tidal to IH 45 in Galveston County

| Area | Parameter | PS | NPS | Category | Rank |
|---------------|-----------|----|-----|----------|------|
| Entire stream | bacteria | Y | Y | 5a | M |

SegID: **1103D Gum Bayou (unclassified water body)**Category: **5a**

Water body location: From confluence with Dickinson Bayou to FM 3436 in Galveston County

| Area | Parameter | PS | NPS | Category | Rank |
|---------------|-----------|----|-----|----------|------|
| Entire stream | bacteria | Y | Y | 5a | M |

SegID: **1104 Dickinson Bayou Above Tidal**Category: **5a**

Water body location: From a point 4.0 km (2.5 miles) downstream of FM 517 in Galveston County to FM 528 in Galveston County

| Area | Parameter | PS | NPS | Category | Rank |
|----------------|-----------|----|-----|----------|------|
| Entire segment | bacteria | Y | Y | 5a | M |

SegID: **1110 Oyster Creek Above Tidal**Category: **5b**

Water body location: From a point 100 meters (110 yards) upstream of FM 2004 in Brazoria County to the Brazos River Authority diversion dam 1.8 km (1.1 miles) upstream of SH 6 in Fort Bend County

| Area | Parameter | PS | NPS | Category | Rank |
|--|----------------------------|----|-----|----------|------|
| From just upstream of Ramsey Prison Unit (Cow Cr) to CR 290/S Walker St. | depressed dissolved oxygen | Y | Y | 5b | S |

SegID: **1113 Armand Bayou Tidal**Category: **5b**

Water body location: From the confluence with Clear Lake (at NASA Road 1 bridge) in Harris County to a point 0.8 km (0.5 miles) downstream of Genoa-Red Bluff road in Pasadena in Harris County (includes Mud Lake)

| Area | Parameter | PS | NPS | Category | Rank |
|--|----------------------------|----|-----|----------|------|
| Upper segment boundary to Bay Area Blvd. | depressed dissolved oxygen | | Y | 5b | S |

SegID: **1113A Armand Bayou Above Tidal (unclassified water body)**Category: **5b**

Water body location: From a point 0.8 km (0.5 miles) downstream of Genoa-Red Bluff Road in Pasadena in Harris County

| Area | Parameter | PS | NPS | Category | Rank |
|---------------|----------------------------|----|-----|----------|------|
| Entire stream | bacteria | Y | Y | 5c | D |
| Entire stream | depressed dissolved oxygen | | Y | 5b | S |

SegID: **1202H Allen's Creek (unclassified water body)**Category: **5c**

Water body location: From the confluence with the Brazos River, two miles northeast of Wallis, to the headwaters one mile north of IH 10 in Austin County.

| Area | Parameter | PS | NPS | Category | Rank |
|-------------------|-----------|----|-----|----------|------|
| Entire water body | bacteria | | Y | 5c | D |

SegID: **1202J** **Big Creek (unclassified water body)**Category: **5c**

Water body location: From the confluence of Cottonwood and Coon Creeks, 5 miles north of Needville in Fort Bend County, downstream to the confluence with the Brazos River

| Area | Parameter | PS | NPS | Category | Rank |
|---|-----------|----|-----|----------|------|
| Upstream portion of water body to Whaley-Longpoint Road | bacteria | | Y | 5c | D |

SegID: **1209** **Navasota River Below Lake Limestone**Category: **5c**

Water body location: From the confluence with the Brazos River in Grimes County to Sterling C. Robertson Dam in Leon/Robertson County

| Area | Parameter | PS | NPS | Category | Rank |
|--|-----------|----|-----|----------|------|
| From confluence with Camp Creek to 25 miles upstream | bacteria | | Y | 5c | D |
| From confluence with Rocky Creek to confluence with Sandy Branch | bacteria | | Y | 5c | D |
| From lower segment boundary to confluence with Rocky Creek | bacteria | | Y | 5c | D |

SegID: **1209A** **Country Club Lake (unclassified water body)**Category: **5c**

Water body location: From the Country Club Branch Dam up to normal pool elevation in Bryan in Brazos County

| Area | Parameter | PS | NPS | Category | Rank |
|------------------|---|----|-----|----------|------|
| Entire reservoir | chronic toxicity in sediment to aquatic organisms | Y | | 5c | D |

SegID: **1209B** **Fin Feather Lake (unclassified water body)**Category: **5c**

Water body location: From Fin Feather Dam up to normal pool elevation in northwest Bryan in Brazos County

| Area | Parameter | PS | NPS | Category | Rank |
|-------------|---|----|-----|----------|------|
| Entire lake | chronic toxicity in sediment to aquatic organisms | Y | | 5c | D |

SegID: **1209C** **Carters Creek (unclassified water body)**Category: **5c**

Water body location: Perennial stream from the confluence with the Navasota River southeast of College Station in Brazos County upstream to the confluence of an unnamed tributary 0.5 km upstream of FM 158 in Brazos County

| Area | Parameter | PS | NPS | Category | Rank |
|-------------------|-----------|----|-----|----------|------|
| Entire water body | bacteria | Y | Y | 5c | D |

SegID: **1209G** **Cedar Creek (unclassified water body)**Category: **5c**

Water body location: From the confluence with the Navasota River in Brazos County to the confluence with Moores Branch and Rocky Branch in Robertson County

| Area | Parameter | PS | NPS | Category | Rank |
|-------------------|-----------|----|-----|----------|------|
| Entire water body | bacteria | | Y | 5c | D |

SegID: **1209I** **Gibbons Creek (unclassified water body)**Category: **5c**

Water body location: From confluence with Navasota River in Grimes County to SH 90 in Grimes County

| Area | Parameter | PS | NPS | Category | Rank |
|---|----------------------------|----|-----|----------|------|
| From confluence with Dry Creek to SH 90 | depressed dissolved oxygen | | Y | 5c | D |

SegID: **1209I** (continued)Category: **5c**

| Area | Parameter | PS | NPS | Category | Rank |
|---|-----------|----|-----|----------|------|
| From lower end to confluence with Dry Creek | bacteria | | Y | 5c | D |

SegID: **1209J** **Shepherd Creek (unclassified water body)**Category: **5c**

Water body location: From the confluence with the Navasota River in Madison County to a point 0.7 miles upstream of FM 1452 in Madison County

| Area | Parameter | PS | NPS | Category | Rank |
|-------------------|-----------|----|-----|----------|------|
| Entire water body | bacteria | | Y | 5c | D |

SegID: **1209K** **Steele Creek (unclassified water body)**Category: **5c**

Water body location: From confluence with Navasota River in Robertson County to a point 2.4 miles upstream of FM 147 in Limestone County

| Area | Parameter | PS | NPS | Category | Rank |
|----------------|-----------|----|-----|----------|------|
| Lower 25 miles | bacteria | | Y | 5c | D |

SegID: **1210** **Lake Mexia**Category: **5b**

Water body location: From Bistone Dam in Limestone County up to the normal pool elevation of 448.3 feet (impounds Navasota River)

| Area | Parameter | PS | NPS | Category | Rank |
|---|----------------------------|----|-----|----------|------|
| Eastern end of reservoir, from dam to RR 2681 east of Washington Park | depressed dissolved oxygen | | Y | 5b | S |
| Western end, from point where reservoir begins to widen, to upper end | depressed dissolved oxygen | | Y | 5b | S |

SegID: **1210A** **Navasota River above Lake Mexia (unclassified water body)**Category: **5c**

Water body location: From the confluence with the headwaters of Lake Mexia in Limestone County to a point 1.25 miles upstream of SH 31 in Hill County

| Area | Parameter | PS | NPS | Category | Rank |
|-------------------|-----------|----|-----|----------|------|
| Entire water body | bacteria | | Y | 5c | D |

SegID: **1211A** **Davidson Creek (unclassified water body)**Category: **5c**

Water body location: Intermittent stream with perennial pools from the confluence with Yegua Creek to 0.2 km above SH 21 near Caldwell in Burleson County

| Area | Parameter | PS | NPS | Category | Rank |
|----------------|-----------|----|-----|----------|------|
| Upper 25 miles | bacteria | | Y | 5c | D |

SegID: **1212** **Somerville Lake**Category: **5c**

Water body location: From Somerville Dam in Burleson/Washington County up to normal pool elevation of 238 feet (impounds Yegua Creek)

| Area | Parameter | PS | NPS | Category | Rank |
|-----------------------------------|-----------------|----|-----|----------|------|
| Eastern end of reservoir near dam | low and high pH | | Y | 5c | D |

SegID: **1212B** **East Yegua Creek (unclassified water body)**Category: **5c**

Water body location: From the confluence with Middle Yegua and Yegua Creeks southeast of Dime Box in Lee County to the upstream portion of the stream, south of Alcoa Lake in Milam County

| Area | Parameter | PS | NPS | Category | Rank |
|----------------|-----------|----|-----|----------|------|
| Lower 25 miles | bacteria | | Y | 5c | D |

SegID: **1217** **Lampasas River Above Stillhouse Hollow Lake**Category: **5c**

Water body location: From a point immediately upstream of the confluence of Rock Creek in Bell County to FM 2005 in Hamilton County

| Area | Parameter | PS | NPS | Category | Rank |
|--|-----------|----|-----|----------|------|
| From the FM 1690 crossing to the CR 117 crossing | bacteria | | Y | 5c | D |

SegID: **1217A** **Rocky Creek (unclassified water body)**Category: **5b**

Water body location: From the confluence of the Lampasas River north of Okalla in Burnet County to the confluences of the North and South Rocky Creeks south of Oakalla in Burnet County

| Area | Parameter | PS | NPS | Category | Rank |
|--------------|----------------------------|----|-----|----------|------|
| Entire creek | depressed dissolved oxygen | | Y | 5b | S |

SegID: **1218** **Nolan Creek/ South Nolan Creek**Category: **5c**

Water body location: From the confluence with the Leon River in Bell County to a point 100 meters (110 yards) upstream to the most upstream crossing of US 190 and Loop 172 in Bell County

| Area | Parameter | PS | NPS | Category | Rank |
|----------------|-----------|----|-----|----------|------|
| Entire segment | bacteria | | Y | 5c | D |

SegID: **1221** **Leon River Below Proctor Lake**Category: **5a**

Water body location: From a point 100 meters (110 yards) upstream of FM 236 in Coryell County to Proctor Dam in Comanche County

| Area | Parameter | PS | NPS | Category | Rank |
|---------------------------------------|-----------|----|-----|----------|------|
| Portion of segment north of Gustine | bacteria | | Y | 5a | U |
| Portion of segment west of US Hwy 281 | bacteria | | Y | 5a | U |

SegID: **1221A** **Resley Creek (unclassified water body)**Category: **5c**

Water body location: From the confluence of the Leon River east of Gustine in Comanche County to the upstream perennial portion of the stream north of Gustine in Comanche County

| Area | Parameter | PS | NPS | Category | Rank |
|-------------------|-----------|----|-----|----------|------|
| Entire water body | bacteria | | Y | 5c | D |

SegID: **1222** **Proctor Lake**Category: **5c**

Water body location: From Proctor Dam in Comanche County to a point immediately upstream of the confluence of Mill Branch in Comanche County, up to the normal pool elevation of 1162 feet (impounds Leon River)

| Area | Parameter | PS | NPS | Category | Rank |
|---------------------------------|----------------------------|----|-----|----------|------|
| Rush-Copperas Creek arm of lake | depressed dissolved oxygen | Y | Y | 5c | D |
| Sabana River arm of lake | depressed dissolved oxygen | Y | Y | 5c | D |

SegID: 1222A Duncan Creek (unclassified water body)

Category: **5c**

Water body location: From the confluence of Proctor Lake northeast of Comanche in Comanche County to the upstream perennial portion of the stream west of Comanche in Comanche County

| Area | Parameter | PS | NPS | Category | Rank |
|--------------|-----------|----|-----|----------|------|
| Entire creek | bacteria | | Y | 5c | D |

SegID: 1226B Green Creek (unclassified water body)

Category: **5c**

Water body location: From the confluence of the North Bosque River south of Clairette in Erath County to the upstream perennial portion of the stream south of Stephenville in Erath County

| Area | Parameter | PS | NPS | Category | Rank |
|-------------------|-----------|----|-----|----------|------|
| Entire water body | bacteria | | Y | 5c | D |

SegID: 1226E Indian Creek (unclassified water body)

Category: **5c**

Water body location: From the confluence with the North Bosque River in Erath County to the headwaters 3.5 miles east of Stephenville in Erath County

| Area | Parameter | PS | NPS | Category | Rank |
|-------------------|-----------|----|-----|----------|------|
| Entire water body | bacteria | | Y | 5c | D |

SegID: 1226F Sims Creek (unclassified water body)

Category: **5c**

Water body location: From the confluence with the North Bosque River in Erath County to the headwaters 6 miles southeast of Stephenville in Erath County

| Area | Parameter | PS | NPS | Category | Rank |
|-------------------|-----------|----|-----|----------|------|
| Entire water body | bacteria | | Y | 5c | D |

SegID: 1227 Nolan River

Category: **5b**

Water body location: From a point immediately upstream of the confluence of Rock Creek in Hill County to Cleburne Dam in Johnson County

| Area | Parameter | PS | NPS | Category | Rank |
|---------------|-----------|----|-----|----------|------|
| Lower 8 miles | sulfate | | Y | 5b | S |
| Upper 8 miles | bacteria | Y | Y | 5c | D |
| Upper 8 miles | sulfate | | Y | 5b | S |

SegID: 1238 Salt Fork Brazos River

Category: **5b**

Water body location: From the confluence of the Double Mountain Fork Brazos River in Stonewall County to the most upstream crossing of SH 207 in Crosby County

| Area | Parameter | PS | NPS | Category | Rank |
|----------------------------------|------------------------|----|-----|----------|------|
| 25 miles near Hwy 380 at Swenson | chloride | | Y | 5b | S |
| 25 miles near Hwy 380 at Swenson | total dissolved solids | | Y | 5b | S |
| 25 miles near Hwy 83 | chloride | | Y | 5b | S |
| 25 miles near Hwy 83 | total dissolved solids | | Y | 5b | S |
| Remainder of segment | chloride | | Y | 5b | S |
| Remainder of segment | total dissolved solids | | Y | 5b | S |

SegID: **1240** **White River Lake**

Category: **5b**

Water body location: From White River Dam in Crosby County up to normal pool elevation of 2369 feet (impounds White River)

| Area | Parameter | PS | NPS | Category | Rank |
|----------------|-----------|----|-----|----------|------|
| Entire segment | chloride | | Y | 5b | S |

SegID: **1241A** **North Fork Double Mountain Fork Brazos River (unclassified water body)**

Category: **5c**

Water body location: Perennial stream from the confluence with Double Mountain Fork Brazos River to the dam forming Lake Ransom Canyon

| Area | Parameter | PS | NPS | Category | Rank |
|---------------|-----------|----|-----|----------|------|
| Upper 3 miles | bacteria | Y | Y | 5c | D |

SegID: **1242** **Brazos River Above Navasota River**

Category: **5c**

Water body location: From a point immediately upstream of the confluence of the Navasota River in Brazos/Grimes/Washington County to the low water dam forming Lake Brazos in McLennan County

| Area | Parameter | PS | NPS | Category | Rank |
|--|-----------|----|-----|----------|------|
| Downstream portion of segment | bacteria | | Y | 5c | D |
| Portion of segment within Waco city limits | bacteria | | Y | 5c | D |

SegID: **1242D** **Thompson Creek (unclassified water body)**

Category: **5c**

Water body location: Intermittent stream with perennial pools from the confluence with the Brazos River upstream to the confluence with Thompson Branch north of FM 1687

| Area | Parameter | PS | NPS | Category | Rank |
|----------------------------------|-----------|----|-----|----------|------|
| Downstream portion of water body | bacteria | Y | Y | 5c | D |
| Upstream portion of water body | bacteria | | Y | 5c | D |

SegID: **1242I** **Campbells Creek (unclassified water body)**

Category: **5c**

Water body location: From the confluence with the Little Brazos River upstream to the headwaters, one mile west of Old San Antonio Road

| Area | Parameter | PS | NPS | Category | Rank |
|-------------------|-----------|----|-----|----------|------|
| Entire water body | bacteria | Y | Y | 5c | D |

SegID: **1242K** **Mud Creek (unclassified water body)**

Category: **5c**

Water body location: From confluence with the Little Brazos River, upstream to the confluence with Touchstone Branch and Wolf Den Branch, in Robertson County

| Area | Parameter | PS | NPS | Category | Rank |
|-------------------|-----------|----|-----|----------|------|
| Entire water body | bacteria | Y | Y | 5c | D |

SegID: **1242L** **Pin Oak Creek (unclassified water body)**

Category: **5c**

Water body location: From the confluence with the Little Brazos River in Robertson County upstream to the headwaters, 2.07 miles south of Franklin

| Area | Parameter | PS | NPS | Category | Rank |
|-------------------|-----------|----|-----|----------|------|
| Entire water body | bacteria | Y | Y | 5c | D |

SegID: **1242M** **Spring Creek (unclassified water body)**

Category: **5c**

Water body location: From the confluence with the Little Brazos River in Robertson County, upstream to the headwaters, 1.5 miles north of FM 391

| Area | Parameter | PS | NPS | Category | Rank |
|-------------------|-----------|----|-----|----------|------|
| Entire water body | bacteria | | Y | 5c | D |

SegID: **1242N** **Tehuacana Creek (unclassified water body)**

Category: **5c**

Water body location: From the confluence with the Brazos River in McLennan county upstream to the headwaters 2 miles south of Penelope in Hill County

| Area | Parameter | PS | NPS | Category | Rank |
|----------------------------------|-----------|----|-----|----------|------|
| Downstream portion of water body | bacteria | Y | Y | 5c | D |

SegID: **1242P** **Big Creek (unclassified water body)**

Category: **5c**

Water body location: From the confluence with Little Brazos River in Falls County upstream to the confluence with unnamed creeks near Mart in the northeast corner of Falls County

| Area | Parameter | PS | NPS | Category | Rank |
|------------------|-----------|----|-----|----------|------|
| Upper 33.5 miles | bacteria | Y | Y | 5c | D |

SegID: **1243** **Salado Creek**

Category: **5c**

Water body location: From the confluence with the Lampasas River in Bell County to the confluence of North Salado Creek and South Salado Creek in Williamson County

| Area | Parameter | PS | NPS | Category | Rank |
|---------------------------------|----------------------------|----|-----|----------|------|
| Lower end of segment to FM 2268 | depressed dissolved oxygen | | Y | 5c | D |

SegID: **1245** **Upper Oyster Creek**

Category: **5a**

Water body location: From Steep Bank Creek/Brazos River confluence in Fort Bend County to pumping station on Jones Creek confluence at Brazos River in Fort Bend County (includes portions of Steep Bank Creek, Flat Bank Creek, and Jones Creek)

| Area | Parameter | PS | NPS | Category | Rank |
|--|----------------------------|----|-----|----------|------|
| From Dam #1 to Oyster Creek/Jones Creek confluence | depressed dissolved oxygen | | Y | 5c | D |
| From Dam #3, just upstream of Lexington Blvd. to the Brooks Lake outfall | depressed dissolved oxygen | Y | Y | 5c | D |
| From Hwy 90A to Dam #1, located 1.5 miles upstream of Harmon St. | bacteria | | Y | 5a | U |
| From Hwy 90A to Dam #1, located 1.5 miles upstream of Harmon St. | depressed dissolved oxygen | | Y | 5c | D |
| From Oyster Creek/Jones Creek confluence to upper end of segment | depressed dissolved oxygen | Y | Y | 5c | D |
| From lower end of segment to Dam #3, just upstream of Lexington Blvd. | depressed dissolved oxygen | Y | Y | 5c | D |
| From the Brooks Lake outfall to Hwy 90A | depressed dissolved oxygen | Y | Y | 5c | D |

SegID: **1246E** **Wasp Creek (unclassified water body)**Category: **5c**

Water body location: From the confluence with Tonk Creek in Crawford in McLennan County, upstream to the headwaters in Coryell County, 0.15 mile east of FM 185

| Area | Parameter | PS | NPS | Category | Rank |
|-------------------|-----------|----|-----|----------|------|
| Entire water body | bacteria | | Y | 5c | D |

SegID: **1247A** **Willis Creek (unclassified water body)**Category: **5c**

Water body location: From the confluence with the headwaters of Granger Lake in Williamson County to CR 313 in Williamson County

| Area | Parameter | PS | NPS | Category | Rank |
|-------------------|-----------|----|-----|----------|------|
| Entire water body | bacteria | | Y | 5c | D |

SegID: **1248** **San Gabriel/North Fork San Gabriel River**Category: **5c**

Water body location: From point 1.9 km (1.2 miles) downstream of SH 95 in Williamson County to North San Gabriel Dam in Williamson County

| Area | Parameter | PS | NPS | Category | Rank |
|--|------------------------|----|-----|----------|------|
| From confluence of South Fork San Gabriel River to North San Gabriel Dam | total dissolved solids | | Y | 5c | D |
| From confluence with Weir Branch to confluence with South Fork San Gabriel | total dissolved solids | | Y | 5c | D |
| From lower end of segment to the confluence with Weir Branch | total dissolved solids | | Y | 5c | D |

SegID: **1248C** **Mankins Branch (unclassified water body)**Category: **5c**

Water body location: Perennial stream from the confluence with the San Gabriel River in Williamson County to the intersection of CR 105 and 104 in Williamson County

| Area | Parameter | PS | NPS | Category | Rank |
|-----------------|-----------|----|-----|----------|------|
| Lower 2.5 miles | bacteria | | Y | 5c | D |
| Upper 2.5 miles | bacteria | | Y | 5c | D |

SegID: **1254** **Aquilla Reservoir**Category: **5c**

Water body location: From Aquilla Dam in Hill County up to the normal pool elevation of 537.5 feet (impounds Aquilla Creek)

| Area | Parameter | PS | NPS | Category | Rank |
|---------------------------------|----------------------------|----|-----|----------|------|
| Aquilla Creek arm on the west | depressed dissolved oxygen | | Y | 5c | D |
| Hackberry Creek arm on the east | depressed dissolved oxygen | | Y | 5c | D |
| South end of reservoir near dam | depressed dissolved oxygen | | Y | 5c | D |

SegID: **1255** **Upper North Bosque River**Category: **5c**

Water body location: From a point immediately above the confluence of Indian Creek in Erath County to the confluence of the North Fork and South Fork of the Bosque River in Erath County

| Area | Parameter | PS | NPS | Category | Rank |
|-------------------------------|-----------|----|-----|----------|------|
| Downstream portion of segment | bacteria | | Y | 5c | D |
| Upstream portion of segment | bacteria | | Y | 5c | D |

SegID: 1255A Goose Branch (unclassified water body)Category: **5a**

Water body location: From the confluence with the south fork of the North Bosque River 2.5 miles (4.0 km) west of Stephenville, upstream to the headwaters 0.5 miles (0.8 km) north of FM 8 in Erath County

| Area | Parameter | PS | NPS | Category | Rank |
|-------------------|-----------|----|-----|----------|------|
| Entire water body | bacteria | | Y | 5a | L |

SegID: 1255B North Fork Upper North Bosque River (unclassified water body)Category: **5c**

Water body location: From the confluence with the South Fork of the Upper North Bosque River in Stephenville, upstream to the headwaters, 2.0 miles north of FM 219

| Area | Parameter | PS | NPS | Category | Rank |
|-------------------|-----------|----|-----|----------|------|
| Entire water body | bacteria | | Y | 5c | D |

SegID: 1255C Scarborough Creek (unclassified water body)Category: **5c**

Water body location: From the confluence with the North Fork of the upper North Bosque River, upstream to the headwaters 0.1 miles (0.2 km) southeast of FM 219 in Erath County

| Area | Parameter | PS | NPS | Category | Rank |
|-------------------|-----------|----|-----|----------|------|
| Entire water body | bacteria | | Y | 5c | D |

SegID: 1255D South Fork North Bosque River (unclassified water body)Category: **5c**

Water body location: From the confluence with the North Fork of the upper North Bosque River in Stephenville, upstream to the headwaters 3 miles (4.8 km) north of FM 219 in Erath County

| Area | Parameter | PS | NPS | Category | Rank |
|----------------------------------|-----------|----|-----|----------|------|
| Downstream portion of water body | bacteria | | Y | 5c | D |
| Upstream portion of water body | bacteria | | Y | 5c | D |

SegID: 1255E Unnamed tributary of Goose Branch (unclassified water body)Category: **5a**

Water body location: From the confluence with Goose Branch in Erath County to its headwaters, 0.2 miles southeast of the intersection of FM 8 and Farm Road 1219

| Area | Parameter | PS | NPS | Category | Rank |
|-------------------|-----------|----|-----|----------|------|
| Entire water body | bacteria | | Y | 5a | L |

SegID: 1255F Unnamed tributary of Scarborough Creek (unclassified water body)Category: **5c**

Water body location: From the confluence with Scarborough Creek, 1.0 mile west of SH 108 in Erath County, upstream to the headwaters, 0.3 mile north of FM 219

| Area | Parameter | PS | NPS | Category | Rank |
|-------------------|-----------|----|-----|----------|------|
| Entire water body | bacteria | | Y | 5c | D |

SegID: 1255G Woodhollow Branch (unclassified water body)Category: **5c**

Water body location: From the confluence with the South Fork of the North Bosque River, 6 miles northwest of Stephenville, upstream to the headwaters, 1.5 miles north of FM 219 in Erath County

| Area | Parameter | PS | NPS | Category | Rank |
|-------------------|-----------|----|-----|----------|------|
| Entire water body | bacteria | | Y | 5c | D |

SegID: 1302 San Bernard River Above TidalCategory: **5c**

Water body location: From a point 3.2 km (2.0 miles) upstream of SH 35 in Brazoria County to the county road southeast of New Ulm in Austin County

| Area | Parameter | PS | NPS | Category | Rank |
|----------------|-----------|----|-----|----------|------|
| Lower 50 miles | bacteria | | Y | 5c | D |

SegID: 1305 Caney Creek Above TidalCategory: **5b**

Water body location: From a point 1.9 km (1.2 miles) upstream of the confluence of Linnville Bayou in Matagorda County to Old Caney Road in Wharton County

| Area | Parameter | PS | NPS | Category | Rank |
|----------------------------|----------------------------|----|-----|----------|------|
| 25 miles surrounding SH 35 | bacteria | | Y | 5c | D |
| 25 miles surrounding SH 35 | depressed dissolved oxygen | | Y | 5b | S |

SegID: 1403A Bull Creek (unclassified water body)Category: **5c**

Water body location: From the confluence of Lake Austin in northwest Austin in Travis County to the upstream perennial portion of the stream north of Austin in Travis County

| Area | Parameter | PS | NPS | Category | Rank |
|--|---------------------------------|----|-----|----------|------|
| From most downstream xing to most upstream xing of Spicewood Springs Rd. | impaired macrobenthos community | | Y | 5c | D |

SegID: 1403J Spicewood Tributary to Shoal Creek (unclassified water body)Category: **5c**

Water body location: From the MoPac Expressway in north Austin in Travis County to a point west of Hart Lane in Travis County

| Area | Parameter | PS | NPS | Category | Rank |
|-------------------|-----------|----|-----|----------|------|
| Entire water body | bacteria | | Y | 5c | D |

SegID: 1403K Taylor Slough South (unclassified water body)Category: **5c**

Water body location: Form the confluence of Lake Austin in Travis County to a point west of Pecos Street in Austin in Travis County

| Area | Parameter | PS | NPS | Category | Rank |
|-------------------|-----------|----|-----|----------|------|
| Entire water body | bacteria | | Y | 5c | D |

SegID: 1416A Brady Creek (unclassified water body)Category: **5c**

Water body location: From the confluence of the San Saba River southwest of San Saba in San Saba County to Brady Lake Dam west of Brady in McCulloch County

| Area | Parameter | PS | NPS | Category | Rank |
|--|----------------------------|----|-----|----------|------|
| From FM 714 upstream to Brady Lake dam | depressed dissolved oxygen | Y | Y | 5c | D |

SegID: 1420 Pecan Bayou Above Lake BrownwoodCategory: **5c**

Water body location: From a point 100 meter (110 yards) upstream of FM 2559 in Brown County to the confluence of the North Prong Pecan Bayou and the South Prong of Pecan Bayou in Callahan County

| Area | Parameter | PS | NPS | Category | Rank |
|----------------|----------------------------|----|-----|----------|------|
| Lower 25 miles | depressed dissolved oxygen | Y | Y | 5c | D |

SegID: 1421 **Concho River**

Category: 5c

Water body location: From a point 2 km (1.2 miles) above the confluence of Fuzzy Creek in Concho County to San Angelo Dam on the North Concho River in Tom Green County and to Nasworthy Dam on the South Concho River in Tom Green County

| Area | Parameter | PS | NPS | Category | Rank |
|--|---------------------------------|----|-----|----------|------|
| Loop 306 to end of segment, including both North and South forks | impaired macrobenthos community | | Y | 5c | D |

SegID: 1425 **O. C. Fisher Lake**

Category: 5c

Water body location: From San Angelo Dam in Tom Green County up to normal pool elevation of 1908 feet (impounds North Concho River)

| Area | Parameter | PS | NPS | Category | Rank |
|------------------|------------------------|----|-----|----------|------|
| Entire reservoir | chloride | | Y | 5c | D |
| Entire reservoir | total dissolved solids | | Y | 5c | D |

SegID: 1426 **Colorado River Below E. V. Spence Reservoir**

Category: 5a

Water body location: From a point 3.7 km (2.3 miles) below the confluence of Mustang Creek in Runnels County to Robert Lee Dam in Coke County

| Area | Parameter | PS | NPS | Category | Rank |
|---|------------------------|----|-----|----------|------|
| Coke County line to SH 208 | chloride | | Y | 5a | U |
| Coke County line to SH 208 | total dissolved solids | | Y | 5a | U |
| Country Club Lake to Coke County line | chloride | | Y | 5a | U |
| Country Club Lake to Coke County line | total dissolved solids | | Y | 5a | U |
| Lower end of segment to Country Club Lake | chloride | | Y | 5a | U |
| Lower end of segment to Country Club Lake | total dissolved solids | | Y | 5a | U |
| SH 208 to dam | chloride | | Y | 5a | U |
| SH 208 to dam | total dissolved solids | | Y | 5a | U |

SegID: 1427 **Onion Creek**

Category: 5c

Water body location: From the confluence with the Colorado River in Travis County to the most upstream crossing of FM 165 in Blanco County

| Area | Parameter | PS | NPS | Category | Rank |
|--|----------------------------|----|-----|----------|------|
| From end of segment upstream to US 183 | depressed dissolved oxygen | Y | Y | 5c | D |

SegID: 1427A **Slaughter Creek (unclassified water body)**

Category: 5c

Water body location: Intermittent stream with perennial pools from the confluence with Onion Creek to above US 290 west of Austin

| Area | Parameter | PS | NPS | Category | Rank |
|-------------------|---------------------------------|----|-----|----------|------|
| Entire water body | impaired macrobenthos community | | Y | 5c | D |

SegID: 1428C **Gilleland Creek (unclassified water body)**

Category: 5a

Water body location: Perennial stream and intermittent stream with perennial pools from the confluence with the Colorado River up to the spring source (Ward Spring) northwest of Pflugerville, in Travis County

| Area | Parameter | PS | NPS | Category | Rank |
|---|-----------|----|-----|----------|------|
| From the Colorado River upstream to Taylor Lane | bacteria | Y | | 5a | U |

SegID: 1429B Eanes Creek (unclassified water body)

Category: 5c

Water body location: From the confluence of Town Lake in central Austin in Travis County to the upstream perennial portion of the stream in west Austin in Travis County

| Area | Parameter | PS | NPS | Category | Rank |
|-------------------|-----------|----|-----|----------|------|
| Entire water body | bacteria | | Y | 5c | D |

SegID: 1429C Waller Creek (unclassified water body)

Category: 5c

Water body location: From the confluence of Town Lake in central Austin in Travis county to the upstream portion of the stream in north Austin in Travis County

| Area | Parameter | PS | NPS | Category | Rank |
|--|---------------------------------|----|-----|----------|------|
| From the confluence with Town Lake to East MLK Blvd. | bacteria | Y | Y | 5c | D |
| From the confluence with Town Lake to East MLK Blvd. | impaired macrobenthos community | | Y | 5c | D |

SegID: 1501 Tres Palacios Creek Tidal

Category: 5b

Water body location: From the confluence with Tres Palacios Bay in Matagorda County to a point 1.0 km (0.6 miles) upstream of the confluence of Wilson creek in Matagorda County

| Area | Parameter | PS | NPS | Category | Rank |
|----------------|----------------------------|----|-----|----------|------|
| Entire segment | depressed dissolved oxygen | | Y | 5b | S |

SegID: 1502 Tres Palacios Creek Above Tidal

Category: 5c

Water body location: From a point 1.0 km (0.6 miles) upstream of the confluence of Wilson Creek in Matagorda County to US 59 in Wharton County

| Area | Parameter | PS | NPS | Category | Rank |
|----------------------------|-----------|----|-----|----------|------|
| Middle 23 miles of segment | bacteria | Y | | 5c | D |

SegID: 1602 Lavaca River Above Tidal

Category: 5b

Water body location: From a point 8.6 km (5.3 miles) downstream of US 59 in Jackson County to a point 5.5 km (3.4 miles) upstream of SH 95 in Lavaca County

| Area | Parameter | PS | NPS | Category | Rank |
|---------------------------|----------------------------|----|-----|----------|------|
| Upper 29 miles of segment | depressed dissolved oxygen | | Y | 5b | S |

SegID: 1801 Guadalupe River Tidal

Category: 5c

Water body location: From the confluence with Guadalupe Bay in Calhoun/Refugio County to the Guadalupe-Blanco River Authority Salt Water Barrier 0.7 km (0.4 miles) downstream of the confluence of the San Antonio River in Calhoun/Refugio County

| Area | Parameter | PS | NPS | Category | Rank |
|----------------|----------------------------|----|-----|----------|------|
| Entire segment | depressed dissolved oxygen | Y | Y | 5c | D |

SegID: 1803A Elm Creek (unclassified water body)

Category: 5a

Water body location: From the confluence of Sandies Creek east of Smiley in Gonzales County to the upstream perennial portion of the stream southwest of Smiley in Gonzales County

| Area | Parameter | PS | NPS | Category | Rank |
|-------------------|----------------------------|----|-----|----------|------|
| Entire water body | bacteria | Y | Y | 5a | U |
| Entire water body | depressed dissolved oxygen | Y | Y | 5a | U |

SegID: 1803B Sandies Creek (unclassified water body)

Category: **5a**

Water body location: From the confluence of the Guadalupe River west of Cuero in DeWitt County to the upstream perennial portion of the stream northwest of Smiley in Gonzales County

| Area | Parameter | PS | NPS | Category | Rank |
|---|----------------------------|----|-----|----------|------|
| From the confluence with Elm Creek to upper end of water body | bacteria | Y | Y | 5a | U |
| From the confluence with Elm Creek to upper end of water body | depressed dissolved oxygen | Y | Y | 5a | U |
| From the confluence with the Guadalupe River to the confluence with Elm Ck. | bacteria | Y | Y | 5a | U |
| From the confluence with the Guadalupe River to the confluence with Elm Ck. | depressed dissolved oxygen | Y | Y | 5a | U |

SegID: 1803C Peach Creek (unclassified water body)

Category: **5a**

Water body location: From the confluence of the Guadalupe River southeast of Gonzales in Gonzales County to the upstream perennial portion of the stream northeast of Waelder in Gonzales County

| Area | Parameter | PS | NPS | Category | Rank |
|------------------------------|-----------|----|-----|----------|------|
| Lower 25 miles of water body | bacteria | Y | Y | 5a | U |

SegID: 1806 Guadalupe River Above Canyon Lake

Category: **5a**

Water body location: From a point 2.7 km (1.7 miles) downstream of Rebecca Creek Road in Comal County to the confluence of North Fork Guadalupe River and the South Fork Guadalupe River in Kerr County

| Area | Parameter | PS | NPS | Category | Rank |
|--|-----------|----|-----|----------|------|
| From 1 mile upstream Flat Rock Dam to confluence with Camp Meeting Creek | bacteria | Y | Y | 5a | U |
| From RR 394 1 mile downstream | bacteria | Y | Y | 5a | U |

SegID: 1806A Camp Meeting Creek (unclassified water body)

Category: **5a**

Water body location: From the confluence of Flatrock Lake in southeast Kerrville in Kerr County to the upstream perennial portion of the stream west of Kerrville in Kerr County

| Area | Parameter | PS | NPS | Category | Rank |
|---------------|----------------------------|----|-----|----------|------|
| Upper 9 miles | depressed dissolved oxygen | Y | Y | 5a | M |

SegID: 1810 Plum Creek

Category: **5c**

Water body location: From the confluence with the San Marcos River in Caldwell County to FM 2770 in Hays County

| Area | Parameter | PS | NPS | Category | Rank |
|---|-----------|----|-----|----------|------|
| From approx. 1 mi downstream of Caldwell CR 202 to upper end of segment | bacteria | Y | Y | 5c | D |

SegID: 1901 Lower San Antonio River

Category: **5a**

Water body location: From the confluence with the Guadalupe River in Refugio/Victoria County to a point 600 meters (660 yards) downstream of FM 791 at Mays crossing near Falls City in Karnes County

| Area | Parameter | PS | NPS | Category | Rank |
|---|-----------|----|-----|----------|------|
| 25 miles downstream of the confluence with Manahuilla Creek | bacteria | Y | Y | 5a | U |
| 25 miles upstream of Manahuilla Creek | bacteria | Y | Y | 5a | U |
| 9 miles downstream of Escondido Creek | bacteria | Y | Y | 5a | U |

SegID: **1902** **Lower Cibolo Creek**

Category: **5c**

Water body location: From the confluence with the San Antonio River in Karnes County to a point 100 meters (110 yards) downstream of IH 10 in Bexar/Guadalupe County

| Area | Parameter | PS | NPS | Category | Rank |
|--|-----------|----|-----|----------|------|
| From 5 miles upstream of confluence with the San Antonio River to FM 541 | bacteria | Y | Y | 5c | D |

SegID: **1906** **Lower Leon Creek**

Category: **5a**

Water body location: From the confluence with the Medina River in Bexar County to a point 100 meters (110 yards) upstream of SH 16 northwest of San Antonio in Bexar County

| Area | Parameter | PS | NPS | Category | Rank |
|--|----------------------------|----|-----|----------|------|
| From 2 miles upstream of Hwy 353 to Hwy 90 | PCBs in fish tissue | Y | Y | 5a | H |
| From 2 miles upstream of Hwy 353 to Hwy 90 | depressed dissolved oxygen | Y | Y | 5c | D |
| From 3 miles upstream lower end of segment to confluence with Indian Creek | depressed dissolved oxygen | Y | Y | 5c | D |
| From Hwy 353 to two miles upstream | depressed dissolved oxygen | Y | Y | 5c | D |
| From confluence with Indian Creek to Hwy 353 | depressed dissolved oxygen | Y | Y | 5c | D |
| Lower 3 miles of segment | bacteria | Y | Y | 5c | D |
| Lower 3 miles of segment | depressed dissolved oxygen | Y | Y | 5c | D |
| Remainder of segment | bacteria | Y | Y | 5c | D |
| Remainder of segment | depressed dissolved oxygen | Y | Y | 5c | D |

SegID: **1908** **Upper Cibolo Creek**

Category: **5c**

Water body location: From the Missouri-Pacific Railroad Bridge west of Bracken in Comal County to a point 1.5 km (0.9 miles) upstream of the confluence of Champee Springs in Kendall County

| Area | Parameter | PS | NPS | Category | Rank |
|---|----------------------------|----|-----|----------|------|
| From confl. with Balcones Ck. to approx. 2 mi. upstream of Hwy 87 in Boerne | depressed dissolved oxygen | Y | Y | 5c | D |

SegID: **1910** **Salado Creek**

Category: **5a**

Water body location: From the confluence with the San Antonio River in Bexar County to Rocking Horse Lane west of Camp Bullis in Bexar County

| Area | Parameter | PS | NPS | Category | Rank |
|---|-------------------------|----|-----|----------|------|
| From Hwy 368 to approx 1.5 miles upstream of Loop 410 | bacteria | | Y | 5a | U |
| From IH 10 to approx 1.5 miles upstream of IH 35 | bacteria | | Y | 5a | U |
| From IH 10 to approx 1.5 miles upstream of IH 35 | impaired fish community | | Y | 5b | S |
| From Rice Road to IH 10 | bacteria | | Y | 5a | U |
| From Roland Road to Rice Road | bacteria | | Y | 5a | U |
| From approx. 1.5 miles upstream of IH 35 to Hwy 368 | bacteria | | Y | 5a | U |
| From confluence with Rosillo Creek to Roland Road | bacteria | | Y | 5a | U |
| From confluence with San Antonio River to confluence with Rosillo Creek | bacteria | | Y | 5a | U |

SegID: 1910A Walzem Creek (unclassified water body)

Category: **5a**

Water body location: From the confluence with Salado Creek to approximately 1.5 miles upstream of Walzem Road in San Antonio

| Area | Parameter | PS | NPS | Category | Rank |
|------------------|-----------|----|-----|----------|------|
| Lower 0.25 miles | bacteria | Y | Y | 5a | U |

SegID: 1911 Upper San Antonio River

Category: **5a**

Water body location: From a point 600 meters (660 yards) downstream of FM 791 at Mays Crossing near Falls City in Karnes County to a point 100 meters (110 yards) upstream of Hildebrand Avenue at San Antonio in Bexar County

| Area | Parameter | PS | NPS | Category | Rank |
|---|-----------|----|-----|----------|------|
| From 3 miles upstream of confluence w/ Medina R. to confluence w/ Salado Cr | bacteria | Y | Y | 5a | U |
| From Bexar CR 125 to approx. 2 miles downstream confluence with Medina R. | bacteria | Y | Y | 5a | U |
| From approx. 2.5 miles upstream of FM 528 to Bexar CR 125 | bacteria | Y | Y | 5a | U |
| From confluence with Sixmile Creek to confluence with San Pedro Creek | bacteria | Y | Y | 5a | U |
| Upper 8 miles of segment | bacteria | Y | Y | 5a | U |

SegID: 1913 Mid Cibolo Creek

Category: **5a**

Water body location: From a point 100 meters (110 yards) downstream of IH 10 in Bexar/Guadalupe County to the Missouri-Pacific Railroad bridge west of Bracken in Comal County

| Area | Parameter | PS | NPS | Category | Rank |
|---|----------------------------|----|-----|----------|------|
| From approx. 0.10 mi. upstrm of Buffalo Trail in Cibolo to upper end of seg | depressed dissolved oxygen | Y | Y | 5a | U |

SegID: 2001 Mission River Tidal

Category: **5c**

Water body location: From the confluence with Mission Bay in Refugio County to a point 7.4 kilometers (4.6 miles) downstream of US 77 in Refugio County

| Area | Parameter | PS | NPS | Category | Rank |
|----------------|-----------|----|-----|----------|------|
| Entire segment | bacteria | | Y | 5c | D |

SegID: 2003 Aransas River Tidal

Category: **5c**

Water body location: From the confluence with Copano Bay in Aransas/Refugio County to a point 1.6 kilometers (1.0 mile) upstream of US 77 in Refugio/San Patricio County

| Area | Parameter | PS | NPS | Category | Rank |
|----------------|-----------|----|-----|----------|------|
| Entire segment | bacteria | | Y | 5c | D |

SegID: 2104 Nueces River Above Frio River

Category: **5c**

Water body location: From the confluence of the Frio River in Live Oak County to Holland Dam in LaSalle County

| Area | Parameter | PS | NPS | Category | Rank |
|----------------------------|----------------------------|----|-----|----------|------|
| 25 miles surrounding SH 16 | depressed dissolved oxygen | Y | Y | 5c | D |

SegID: 2107 Atascosa River

Category: **5a**

Water body location: From the confluence with the Frio River in Live Oak County to the confluence of the West Prong Atascosa River and the North Prong Atascosa River in Atascosa County

| Area | Parameter | PS | NPS | Category | Rank |
|-------------------------------|----------------------------|----|-----|----------|------|
| 25 miles surrounding U.S. 281 | bacteria | | Y | 5a | U |
| 25 miles surrounding U.S. 281 | depressed dissolved oxygen | Y | Y | 5c | D |
| Lower 25 miles of segment | bacteria | | Y | 5a | U |

SegID: 2110 Lower Sabinal River

Category: **5a**

Water body location: From the confluence with the Frio River in Frio County to Uvalde County to a point 100 meters (110 yards) upstream of SH 127 in Uvalde County

| Area | Parameter | PS | NPS | Category | Rank |
|----------------|-----------|----|-----|----------|------|
| Entire segment | nitrate | | Y | 5a | U |

SegID: 2113 Upper Frio River

Category: **5c**

Water body location: From a point 100 meters (110 yards) upstream of US 90 in Uvalde County to the confluence of the West Frio River and the East Frio River in Real County

| Area | Parameter | PS | NPS | Category | Rank |
|-----------------------------|----------------------------|----|-----|----------|------|
| 25 miles surrounding SH 127 | depressed dissolved oxygen | Y | Y | 5c | D |

SegID: 2116 Choke Canyon Reservoir

Category: **5b**

Water body location: From Choke Canyon Dam in Live Oak County to a point 4.2 km (2.6 miles) downstream of SH 16 on the Frio River Arm in McMullen County and to a point 100 meters (110 yards) upstream of the confluence of Mustang Branch on the San Miguel Creek Arm in McMullen County, up to the normal pool elevation of 220.5 feet (impounds Frio River)

| Area | Parameter | PS | NPS | Category | Rank |
|---|------------------------|----|-----|----------|------|
| 5120 acres in middle of lake | total dissolved solids | | Y | 5b | S |
| 5120 acres near dam | bacteria | | Y | 5c | D |
| 5120 acres near dam | total dissolved solids | | Y | 5b | S |
| Large north arm near mid lake and Jacob Oil Field | bacteria | | Y | 5c | D |
| Large north arm near mid lake and Jacob Oil Field | total dissolved solids | | Y | 5b | S |
| Remainder of lake | bacteria | | Y | 5c | D |
| Remainder of lake | total dissolved solids | | Y | 5b | S |
| Small north arm of lake near dam and Willow Hollow Tank | bacteria | | Y | 5c | D |
| Small north arm of lake near dam and Willow Hollow Tank | total dissolved solids | | Y | 5b | S |
| Southern arm near mid lake and Rec. Road 7 west of Calliham | bacteria | | Y | 5c | D |
| Southern arm near mid lake and Rec. Road 7 west of Calliham | total dissolved solids | | Y | 5b | S |
| Western end of lake up to RR 99 bridge | bacteria | | Y | 5c | D |
| Western end of lake up to RR 99 bridge | total dissolved solids | | Y | 5b | S |

SegID: 2117 Frio River Above Choke Canyon Reservoir

Category: 5c

Water body location: From a point 4.2 km (2.6 miles) downstream of SH 16 in McMullen County to a point 100 meters (110 yards) upstream of US 90 in Uvalde County

| Area | Parameter | PS | NPS | Category | Rank |
|---|----------------------------|----|-----|----------|------|
| 25 mi. surrounding La Salle CR crossing north of SH 97 | depressed dissolved oxygen | | Y | 5c | D |
| 25 miles surrounding IH 35 | depressed dissolved oxygen | | Y | 5c | D |
| From 2 mi. downstream of SH 97 to 14 mi. upstream of SH 97 crossing | depressed dissolved oxygen | | Y | 5c | D |
| Lower 25 miles of segment | bacteria | | Y | 5c | D |
| Lower 25 miles of segment | depressed dissolved oxygen | | Y | 5c | D |

SegID: 2201 Arroyo Colorado Tidal

Category: 5c

Water body location: From confluence with Laguna Madre in Cameron/Willacy County to a point 100 meters (110 yards) downstream of Cemetery Road south of Port Harlingen in Cameron County

| Area | Parameter | PS | NPS | Category | Rank |
|---|----------------------------|----|-----|----------|------|
| Approx. 1 mile upstream to 3 miles downstream of Camp Perry | depressed dissolved oxygen | Y | Y | 5c | D |
| Upper 4 miles of segment | depressed dissolved oxygen | Y | Y | 5c | D |

SegID: 2202 Arroyo Colorado Above Tidal

Category: 5c

Water body location: From a point 100 meters (110 yards) downstream of Cemetery Road south of Port Harlingen in Cameron County to FM 2062 in Hidalgo County

| Area | Parameter | PS | NPS | Category | Rank |
|--|-----------|----|-----|----------|------|
| Approx 14 miles upstream to approx. 11 miles downstream of FM 1015 | bacteria | Y | Y | 5c | D |
| Approx. 11 miles upstream to approx. 4 miles downstream of US 77 | bacteria | Y | Y | 5c | D |
| Lower 4 miles of segment | bacteria | Y | Y | 5c | D |
| Upper 19 miles of segment | bacteria | Y | Y | 5c | D |

SegID: 2204 Petronila Creek Above Tidal

Category: 5a

Water body location: From a point 1 km (0.6 miles) upstream of private road crossing near Laureles Ranch in Kleberg County to the confluence of Agua Dulce and Banquete Creeks in Nueces County

| Area | Parameter | PS | NPS | Category | Rank |
|---------------------------|------------------------|----|-----|----------|------|
| Lower 25 miles of segment | chloride | | Y | 5a | U |
| Lower 25 miles of segment | sulfate | | Y | 5a | U |
| Lower 25 miles of segment | total dissolved solids | | Y | 5a | U |
| Upper 19 miles of segment | chloride | | Y | 5a | U |
| Upper 19 miles of segment | sulfate | | Y | 5a | U |
| Upper 19 miles of segment | total dissolved solids | | Y | 5a | U |

SegID: 2302 **Rio Grande Below Falcon Reservoir**

Category: 5c

Water body location: From a point 10.8 km (6.7 miles) downstream of the International Bridge in Cameron County to Falcon Dam in Starr County

| Area | Parameter | PS | NPS | Category | Rank |
|---|-----------|----|-----|----------|------|
| Pharr International Bridge to downstream of the Santa Ana Wildlife Refuge | bacteria | Y | | 5c | D |

SegID: 2302A **Arroyo Los Olmos (unclassified water body)**

Category: 5c

Water body location: From confluence with the Rio Grande at Rio Grande City to El Sauz in Starr County

| Area | Parameter | PS | NPS | Category | Rank |
|---------------|-----------|----|-----|----------|------|
| Entire stream | bacteria | Y | Y | 5c | D |

SegID: 2304 **Rio Grande Below Amistad Reservoir**

Category: 5c

Water body location: From the confluence of the Arroyo Salado (Mexico) in Zapata County to Amistad Dam in Val Verde County

| Area | Parameter | PS | NPS | Category | Rank |
|---|--|----|-----|----------|------|
| 3 miles downstream of U.S. 277 in Eagle Pass | bacteria | Y | | 5c | D |
| 4.5 miles downstream of Hwy 277 | bacteria | Y | | 5c | D |
| 4.5 miles downstream of Hwy 277 | chronic toxicity in water to aquatic organisms | Y | Y | 5c | D |
| Downstream of International Bridge 2 to pipeline crossing | bacteria | Y | | 5c | D |
| El Cenizo to San Isidro pump station | bacteria | Y | | 5c | D |
| Pipeline crossing to downstream of El Cenizo | bacteria | Y | | 5c | D |
| San Isidro pump station to segment boundary | bacteria | Y | | 5c | D |

SegID: 2306 **Rio Grande Above Amistad Reservoir**

Category: 5c

Water body location: From a point 1.8 km (1.1 miles) downstream of the confluence of Ramsey Canyon in Val Verde County to the confluence of the Rio Conchos (Mexico) in Presidio County

| Area | Parameter | PS | NPS | Category | Rank |
|---|--|----|-----|----------|------|
| 25 miles downstream of upper segment boundary | bacteria | Y | Y | 5c | D |
| 25 miles downstream of upper segment boundary | chronic toxicity in water to aquatic organisms | | Y | 5c | D |

SegID: 2307 **Rio Grande Below Riverside Diversion Dam**

Category: 5b

Water body location: From the confluence of the Rio Conchos (Mexico) in Presidio County to Riverside Diversion Dam in El Paso County

| Area | Parameter | PS | NPS | Category | Rank |
|--|------------------------|----|-----|----------|------|
| 25 miles upstream of segment boundary | chloride | Y | Y | 5b | S |
| 25 miles upstream of segment boundary | total dissolved solids | Y | Y | 5b | S |
| Arroyo Diablo to 1 mile downstream of Neely Canyon | chloride | Y | Y | 5b | S |
| Arroyo Diablo to 1 mile downstream of Neely Canyon | total dissolved solids | Y | Y | 5b | S |
| Guadalupe Bridge to Arroyo Diablo | bacteria | Y | Y | 5c | D |
| Guadalupe Bridge to Arroyo Diablo | chloride | Y | Y | 5b | S |
| Guadalupe Bridge to Arroyo Diablo | total dissolved solids | Y | Y | 5b | S |

SegID: **2307** (continued)

Category: **5b**

| Area | Parameter | PS | NPS | Category | Rank |
|----------------------|------------------------|----|-----|----------|------|
| Remainder of segment | chloride | Y | Y | 5b | S |
| Remainder of segment | total dissolved solids | Y | Y | 5b | S |

SegID: **2314** **Rio Grande Above International Dam**

Category: **5c**

Water body location: From International Dam in El Paso County to the New Mexico State Line in El Paso County

| Area | Parameter | PS | NPS | Category | Rank |
|--|-----------|----|-----|----------|------|
| Upstream of Anthony Drain to International Dam | bacteria | Y | Y | 5c | D |

SegID: **2421** **Upper Galveston Bay**

Category: **5a**

Water body location:

| Area | Parameter | PS | NPS | Category | Rank |
|---|--|----|-----|----------|------|
| Area west of a line from Eagle Point to Five Mile Pass to Houston Point(OW) | bacteria (oyster waters) | | Y | 5a | U |
| Red Bluff to Five Mile Cut to Houston Point to Morgans Point | PCBs in catfish, spotted seatrout, and blue crab | Y | | 5a | H |
| Red Bluff to Five Mile Cut to Houston Point to Morgans Point | dioxin in catfish and crab tissue | Y | | 5a | U |

SegID: **2422** **Trinity Bay**

Category: **5a**

Water body location:

| Area | Parameter | PS | NPS | Category | Rank |
|--|--------------------------|----|-----|----------|------|
| Area in the northern portion of the bay near Trinity River confluence (OW) | bacteria (oyster waters) | | Y | 5a | U |

SegID: **2422B** **Double Bayou West Fork (unclassified water body)**

Category: **5c**

Water body location: From the confluence with Trinity Bay to Belton Road in Chambers County

| Area | Parameter | PS | NPS | Category | Rank |
|---------------|----------------------------|----|-----|----------|------|
| Entire stream | depressed dissolved oxygen | Y | Y | 5c | D |

SegID: **2422C** **Cotton Bayou Tidal (unclassified water body)**

Category: **5b**

Water body location: From the confluence of Cotton Lake southeast of Mont Belvieu in Chambers County upstream to a point approximately 1 mile north of IH 10 in Chambers County.

| Area | Parameter | PS | NPS | Category | Rank |
|---------------------|----------------------------|----|-----|----------|------|
| Lower half of bayou | depressed dissolved oxygen | Y | Y | 5b | S |

SegID: **2423** **East Bay**

Category: **5a**

Water body location:

| Area | Parameter | PS | NPS | Category | Rank |
|---|--------------------------|----|-----|----------|------|
| Area at the east end of the bay near East Bay Bayou and ICWW to Marsh Point | bacteria (oyster waters) | | Y | 5a | U |

SegID: 2424 West Bay

Category: 5a

Water body location:

| Area | Parameter | PS | NPS | Category | Rank |
|--|--------------------------|----|-----|----------|------|
| 24.4 square miles at the east end near Galveston and Texas City (OW) | bacteria (oyster waters) | | Y | 5a | U |

SegID: 2424A Highland Bayou (unclassified water body)

Category: 5c

Water body location: From confluence with Jones Bay to Avenue Q 1/2 north of SH 6 between Arcadia and Alta Loma in Galveston County

| Area | Parameter | PS | NPS | Category | Rank |
|----------------------------------|----------------------------|----|-----|----------|------|
| From FM 2001 to FM 519 | bacteria | Y | Y | 5c | D |
| From Fairwood Road to Bayou Lane | bacteria | Y | Y | 5c | D |
| From the headwaters to FM 2004 | bacteria | Y | Y | 5c | D |
| From the headwaters to FM 2004 | depressed dissolved oxygen | | Y | 5c | D |

SegID: 2424C Marchand Bayou (unclassified water body)

Category: 5c

Water body location: From confluence with Highland Bayou to 0.45 mile north of IH 45 in Galveston County

| Area | Parameter | PS | NPS | Category | Rank |
|--------------|----------------------------|----|-----|----------|------|
| Entire bayou | bacteria | Y | Y | 5c | D |
| Entire bayou | depressed dissolved oxygen | Y | Y | 5c | D |

SegID: 2425B Jarbo Bayou (unclassified water body)

Category: 5c

Water body location: From confluence with Clear Lake to 0.6 mile upstream of FM 518 in Galveston County

| Area | Parameter | PS | NPS | Category | Rank |
|--|-----------|----|-----|----------|------|
| From Lawrence Road to confluence with Clear Lake | bacteria | Y | Y | 5c | D |
| From headwaters to Lawrence Road | bacteria | Y | Y | 5c | D |

SegID: 2425C Robinson Bayou (unclassified water body)

Category: 5a

Water body location: From confluence with Clear Lake to 0.33 mile upstream of Webster Street in Galveston County

| Area | Parameter | PS | NPS | Category | Rank |
|--|-----------|----|-----|----------|------|
| From Abilene St. to confluence with Clear Lake | bacteria | Y | Y | 5a | U |
| From headwater to Abilene St. | bacteria | Y | Y | 5a | U |

SegID: 2426 Tabbs Bay

Category: 5a

Water body location:

| Area | Parameter | PS | NPS | Category | Rank |
|----------------|--|----|-----|----------|------|
| Entire segment | PCBs in catfish, spotted seatrout, and blue crab | Y | | 5a | H |
| Entire segment | dioxin in catfish and crab tissue | Y | | 5a | U |

SegID: 2427 San Jacinto Bay

Category: 5a

Water body location:

| Area | Parameter | PS | NPS | Category | Rank |
|----------------|--|----|-----|----------|------|
| Entire segment | PCBs in catfish, spotted seatrout, and blue crab | Y | | 5a | H |
| Entire segment | dioxin in catfish and crab tissue | Y | | 5a | U |

SegID: 2428 Black Duck Bay

Category: 5a

Water body location:

| Area | Parameter | PS | NPS | Category | Rank |
|----------------|--|----|-----|----------|------|
| Entire segment | PCBs in catfish, spotted seatrout, and blue crab | Y | | 5a | H |
| Entire segment | dioxin in catfish and crab tissue | Y | | 5a | U |

SegID: 2429 Scott Bay

Category: 5a

Water body location:

| Area | Parameter | PS | NPS | Category | Rank |
|----------------|--|----|-----|----------|------|
| Entire segment | PCBs in catfish, spotted seatrout, and blue crab | Y | | 5a | H |
| Entire segment | dioxin in catfish and crab tissue | Y | | 5a | U |

SegID: 2430 Burnett Bay

Category: 5a

Water body location:

| Area | Parameter | PS | NPS | Category | Rank |
|----------------|--|----|-----|----------|------|
| Entire segment | PCBs in catfish, spotted seatrout, and blue crab | Y | | 5a | H |
| Entire segment | dioxin in catfish and crab tissue | Y | | 5a | U |

SegID: 2432 Chocolate Bay

Category: 5a

Water body location:

| Area | Parameter | PS | NPS | Category | Rank |
|----------------|--------------------------|----|-----|----------|------|
| Entire segment | bacteria (oyster waters) | | Y | 5a | U |

SegID: 2436 Barbours Cut

Category: 5a

Water body location:

| Area | Parameter | PS | NPS | Category | Rank |
|----------------|--|----|-----|----------|------|
| Entire segment | PCBs in catfish, spotted seatrout, and blue crab | Y | | 5a | H |
| Entire segment | dioxin in catfish and crab tissue | Y | | 5a | U |

SegID: 2438 Bayport Channel

Category: 5a

Water body location:

| Area | Parameter | PS | NPS | Category | Rank |
|----------------|--|----|-----|----------|------|
| Entire Segment | PCBs in catfish, spotted seatrout, and blue crab | Y | | 5a | H |
| Entire Segment | dioxin in catfish and crab tissue | Y | | 5a | U |

SegID: 2439 Lower Galveston Bay

Category: 5a

Water body location:

| Area | Parameter | PS | NPS | Category | Rank |
|---|--------------------------|----|-----|----------|------|
| 60.7 square miles from Galveston to Texas City to Port Bolivar (OW) | bacteria (oyster waters) | | Y | 5a | U |

SegID: 2441 East Matagorda Bay

Category: 5a

Water body location:

| Area | Parameter | PS | NPS | Category | Rank |
|--|--------------------------|----|-----|----------|------|
| 13.1 square miles in the eastern portion of the bay (OW) | bacteria (oyster waters) | | Y | 5a | M |

SegID: 2442 Cedar Lakes

Category: 5c

Water body location:

| Area | Parameter | PS | NPS | Category | Rank |
|----------------|--------------------------|----|-----|----------|------|
| Entire segment | bacteria (oyster waters) | | Y | 5c | D |

SegID: 2451 Matagorda Bay/Powderhorn Lake

Category: 5a

Water body location:

| Area | Parameter | PS | NPS | Category | Rank |
|---|----------------------------|----|-----|----------|------|
| 21.7 square miles at the east end of the bay (OW) | bacteria (oyster waters) | | Y | 5a | M |
| East half of main bay | depressed dissolved oxygen | | Y | 5c | D |

SegID: 2452 Tres Palacios Bay/Turtle Bay

Category: 5a

Water body location:

| Area | Parameter | PS | NPS | Category | Rank |
|---|----------------------------|----|-----|----------|------|
| 7.2 square miles - upper half Tres Palacios Bay and Turtle Bay (OW) | bacteria (oyster waters) | | Y | 5a | M |
| Palacios area | depressed dissolved oxygen | Y | Y | 5c | D |

SegID: 2453 Lavaca Bay/Chocolate Bay

Category: 5a

Water body location:

| Area | Parameter | PS | NPS | Category | Rank |
|---|---------------------------------|----|-----|----------|------|
| N. end near Lavaca R. confl, near Port Lavaca, Pt Comfort, Chocolate Bay (OW) | bacteria (oyster waters) | | Y | 5a | M |
| Point Comfort area | mercury in fish and crab tissue | | Y | 5c | D |

SegID: 2453A **Garcitas Creek Tidal (unclassified water body)**

Category: 5b

Water body location: From the confluence of Lavaca Bay in Jackson County to a point 8.5 miles upstream of FM 616 in Jackson County

| Area | Parameter | PS | NPS | Category | Rank |
|-------------------|----------------------------|----|-----|----------|------|
| Entire water body | depressed dissolved oxygen | | Y | 5b | S |

SegID: 2456 **Carancahua Bay**

Category: 5a

Water body location:

| Area | Parameter | PS | NPS | Category | Rank |
|---|--------------------------|----|-----|----------|------|
| 9.2 square miles at the north end of the bay and Carancahua Creek | bacteria (oyster waters) | | Y | 5a | M |
| 9.2 square miles at the north end of the bay and Carancahua Creek | high pH | Y | Y | 5c | D |

SegID: 2462 **San Antonio Bay/Hynes Bay/Guadalupe Bay**

Category: 5a

Water body location:

| Area | Parameter | PS | NPS | Category | Rank |
|--|--------------------------|----|-----|----------|------|
| Guadalupe Bay, San Antonio Bay near Seadrift and ICWW (OW) | bacteria (oyster waters) | | Y | 5a | M |

SegID: 2472 **Copano Bay/Port Bay/Mission Bay**

Category: 5a

Water body location:

| Area | Parameter | PS | NPS | Category | Rank |
|--|--------------------------|----|-----|----------|------|
| Area along southern shore including Port Bay, area near Bayside (OW) | bacteria (oyster waters) | | Y | 5a | U |

SegID: 2473 **St. Charles Bay**

Category: 5c

Water body location:

| Area | Parameter | PS | NPS | Category | Rank |
|---|-----------|----|-----|----------|------|
| Bay, Northeast of Goose Island State Park | bacteria | Y | Y | 5c | D |

SegID: 2482 **Nueces Bay**

Category: 5a

Water body location:

| Area | Parameter | PS | NPS | Category | Rank |
|------------------------|-----------------------|----|-----|----------|------|
| Remainder of bay | zinc in oyster tissue | | Y | 5a | U |
| South shore power line | zinc in oyster tissue | | Y | 5a | U |
| US 181 causeway | zinc in oyster tissue | | Y | 5a | U |
| Whites Point | zinc in oyster tissue | | Y | 5a | U |

SegID: 2483A **Conn Brown Harbor (unclassified water body)**

Category: 5c

Water body location: From the confluence with the Aransas Channel southeast of Aransas Pass in San Patricio County to a point 1 mile northeast in Aransas County

| Area | Parameter | PS | NPS | Category | Rank |
|---------------|----------------------------|----|-----|----------|------|
| Entire harbor | depressed dissolved oxygen | Y | Y | 5c | D |

SegID: 2485 Oso Bay

Category: 5a

Water body location:

| Area | Parameter | PS | NPS | Category | Rank |
|--|----------------------------|----|-----|----------|------|
| Lower portion of bay | bacteria | Y | | 5a | M |
| Lower portion of bay | depressed dissolved oxygen | Y | | 5c | D |
| Lower portion of bay, western side | bacteria | Y | | 5a | M |
| Middle portion of bay near SH 358 | bacteria | Y | | 5a | M |
| Middle portion of bay near SH 358 | depressed dissolved oxygen | Y | | 5c | D |
| Middle portion of bay near railroad bridge | depressed dissolved oxygen | Y | | 5c | D |
| Upper portion of bay | depressed dissolved oxygen | Y | | 5c | D |

SegID: 2485A Oso Creek (unclassified water body)

Category: 5a

Water body location: From the confluence with Oso Bay in southern Corpus Christi to a point 3 miles upstream of SH 44, west of Corpus Christi in Nueces County

| Area | Parameter | PS | NPS | Category | Rank |
|------------------------------|-----------|----|-----|----------|------|
| Lower 25 miles of water body | bacteria | Y | | 5a | M |

SegID: 2491 Laguna Madre

Category: 5c

Water body location:

| Area | Parameter | PS | NPS | Category | Rank |
|---|----------------------------|----|-----|----------|------|
| Area around the mouth of Baffin Bay | depressed dissolved oxygen | | Y | 5c | D |
| Area around the mouth of the Arroyo Colorado | depressed dissolved oxygen | | Y | 5c | D |
| Area near upper end of Padre Island National Seashore | depressed dissolved oxygen | | Y | 5c | D |
| Upper Laguna Madre near Packery Channel Park | depressed dissolved oxygen | | Y | 5c | D |

SegID: 2501 Gulf of Mexico

Category: 5c

Water body location: From the Gulf shoreline to the limit of Texas jurisdiction between Sabine Pass and the Rio Grande

| Area | Parameter | PS | NPS | Category | Rank |
|-------------------------------------|--------------------------------------|----|-----|----------|------|
| Bolivar Point to Port Aransas | mercury in king mackerel > 43 inches | | Y | 5c | D |
| Jefferson-Chambers County line area | mercury in king mackerel > 43 inches | | Y | 5c | D |
| Near Bolivar Roads/Bolivar Point | mercury in king mackerel > 43 inches | | Y | 5c | D |
| Port Aransas area | mercury in king mackerel > 43 inches | | Y | 5c | D |
| Port Isabel area | mercury in king mackerel > 43 inches | | Y | 5c | D |
| Port Mansfield area | mercury in king mackerel > 43 inches | | Y | 5c | D |
| Sabine Pass area | depressed dissolved oxygen | | Y | 5c | D |
| Sabine Pass area | mercury in king mackerel > 43 inches | | Y | 5c | D |