

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

Explanation of Column Headings

SegID and Name:	The unique identifier (SegID), segment name, and location of the water body. The SegID may be one of two types of numbers. The first type is a classified segment number (4 digits, e.g. 0218), as defined in the Texas Surface Water Quality Standards. The second type is an unclassified water body (0218A), not defined in the Standards, though associated with a classified water body because it is in the same watershed. The segment name and description immediately follow SegID. The segment size is expressed in miles (length) for streams, square miles for estuaries, and acres for reservoirs.
Segment Type:	The type of water body (e.g. Reservoir, Estuary, Freshwater Stream, Tidal Stream, etc.)
Area:	Assessment Unit (AU) ID (e.g., 0101A_01) is the alpha-numeric identifier of one portion of a segment. The AU descriptions immediately follow the AU ID. The area is the size of the AU expressed in miles (length) for streams, square miles for estuaries, and acres for reservoirs.
Flow Type:	Type of flow regime (perennial, intermittent, intermittent with perennial pools) for streams. For non-stream water bodies, Flow type and Segment Type are typically the same.
Flow Type Source:	This is the reference source used to determine the flow type of an AU.
ALU Designation:	This is the designated Aquatic Life Use associated with the AU (exceptional, high, intermediate, limited, and minimal).
ALU Designation Source:	This is the reference source of the ALU designation.
Station ID(s):	Station IDs are the numbers that identify specific monitoring sites. Some assessment units do not have monitoring stations; other information may have been evaluated to determine support status for those AUs.

SegID 0101	Canadian River Below Lake Meredith
From the Oklahoma State Line in Hemphill County to Sanford Dam in Hutchinson County	
<u>Segment Type</u>	Freshwater Stream
<u>Segment Size</u>	108 Miles

AU_ID 0101_01 portion in Hemphill County

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	37.00 Miles
<u>Station ID(s)</u>	10032			

AU_ID 0101_02 portion in Roberts County

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	36.00 Miles
<u>Station ID(s)</u>	10033			

AU_ID 0101_03 portion in Hutchinson County

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	21.00 Miles
<u>Station ID(s)</u>	10034			

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

AU_ID 0101_04 portion above Dixon Creek

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	14.00 Miles
Station ID(s) 10035				

SegID 0101A Dixon Creek (unclassified water body)

From confluence of the Canadian River to the upstream perennial portion of the stream east of Borger in Hutchinson County

Segment Type	Segment Size
Freshwater Stream	19 Miles

AU_ID 0101A_01 Dixon Creek downstream of Phillips

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type	5.50 Miles
Station ID(s) 10016				

AU_ID 0101A_02 Dixon Creek upstream of Phillips

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type	13.50 Miles
Station ID(s) 17045				

SegID 0101B Rock Creek (unclassified water body)

Perennial stream from the confluence with the Canadian River up to SH 136 in the City of Borger

Segment Type	Segment Size
Freshwater Stream	20 Miles

AU_ID 0101B_01 Perennial stream from the confluence with the Canadian River up to SH 136 in the City of Borger

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TWQS-Appendix D	Limited	TWQS-Appendix D	7.00 Miles
Station ID(s) 10024; 10025				

AU_ID 0101B_02 Rock Creek above SH 136

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type	13.00 Miles
Station ID(s)				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

SegID 0102 Lake Meredith

From Sanford Dam in Hutchinson County to a point immediately upstream of the confluence of Camp Creek in Potter County, up to normal pool level of 2936.5 feet (impounds Canadian River)

Segment Type Reservoir **Segment Size** 16504 Acres

AU_ID 0102_01 Downstream half of lake including Big Blue Creek arm

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	Exceptional	TWQS-Appendix A	5000.00 Acres

Station ID(s) 10036; 10037; 10038; 10043; 10044; 10045; 10050; 10051; 10052

AU_ID 0102_02 Upstream half of lake, above Big Blue Creek arm

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	Exceptional	TWQS-Appendix A	11504.00 Acres

Station ID(s) 10039; 10040; 10041; 10042; 10046; 10047; 10048; 10049

SegID 0102A Big Blue Creek (unclassified water body)

From confluence of Lake Meredith in Carson County to the upstream perennial portion of the stream in Moore County

Segment Type Freshwater Stream **Segment Size** 28 Miles

AU_ID 0102A_01 Entire creek

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent	Flow Questionnaire	Minimal	Presumption from Flow Type	28.00 Miles

Station ID(s) 15270

SegID 0103 Canadian River Above Lake Meredith

From a point immediately upstream of the confluence of Camp Creek in Potter County to the New Mexico State Line in Oldham County

Segment Type Freshwater Stream **Segment Size** 111 Miles

AU_ID 0103_01 Lake Meredith headwaters to Sand Creek

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	31.00 Miles

Station ID(s) 10054

AU_ID 0103_02 Sand Creek to Punta de Agua Creek

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	21.00 Miles

Station ID(s) 10056

AU_ID 0103_03 Punta de Agua Creek to New Mexico State Line

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	59.00 Miles

Station ID(s) 16344

SegID 0103A East Amarillo Creek (unclassified water body)

From the confluence of the Canadian River to the upstream perennial portion of the stream northwest of Amarillo in Potter County

Segment Type Freshwater Stream **Segment Size** 23 Miles

AU_ID 0103A_01 Entire water body

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent	Flow Questionnaire	Minimal	Presumption from Flow Type	23.00 Miles

Station ID(s) 10017; 10018

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

SegID 0103B Punta De Agua Creek (unclassified water body)

From the confluence of the Canadian River to the New Mexico State Line in Hartley County

Segment Type Freshwater Stream Segment Size 46 Miles

AU_ID 0103B_01 Lower 25 miles of water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
intermittent w/ pools	Flow Questionnaire	Intermediate	Presumption from Flow Type	25.00 Miles
<u>Station ID(s)</u> 10003				

AU_ID 0103B_02 Remainder of water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
intermittent w/ pools	Flow Questionnaire	Intermediate	Presumption from Flow Type	37.00 Miles
<u>Station ID(s)</u>				

SegID 0104 Wolf Creek

From the Oklahoma State Line in Lipscomb County to a point 2.0 kilometers (1.2 miles) upstream of FM 3045 in Ochiltree County

Segment Type Freshwater Stream Segment Size 78 Miles

AU_ID 0104_01 Oklahoma State Line to Plum Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
perennial	TSWQS	High	TWQS-Appendix A	18.00 Miles
<u>Station ID(s)</u> 10059				

AU_ID 0104_02 Plum Creek to Lake Fryer Dam

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
perennial	TSWQS	High	TWQS-Appendix A	35.00 Miles
<u>Station ID(s)</u> 10058				

AU_ID 0104_03 Lake Fryer to upstream end of segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
reservoir	Water body description	High	TWQS-Appendix A	25.00 Miles
<u>Station ID(s)</u> 17465				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

SegID 0105 Rita Blanca Lake

From Rita Blanca Dam in Hartley County up to normal pool level of 3860 feet (impounds Rita Blanca Creek)

Segment Type Reservoir **Segment Size** 524 Acres

AU_ID 0105_01 Entire segment

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	Limited	TWQS-Appendix A	524.00 Acres
Station ID(s) 10060				

SegID 0199A Palo Duro Reservoir (unclassified water body)

From Palo Duro dam up to normal pool elevation of 2,892 feet north of Spearman in Hansford County (impounds Palo Duro Creek)

Segment Type Reservoir **Segment Size** 2410 Acres

AU_ID 0199A_01 Entire reservoir

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	Water body description	High	Presumption from Flow Type	2410.00 Acres
Station ID(s) 10005				

SegID 0201 Lower Red River

From the Arkansas State Line in Bowie County to the Arkansas-Oklahoma State Line in Bowie County

Segment Type Freshwater Stream **Segment Size** 65 Miles

AU_ID 0201_01 Arkansas State Line to Walnut Bayou (Oklahoma)

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	22.00 Miles
Station ID(s) 10123				

AU_ID 0201_02 Remainder of segment

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	24.00 Miles
Station ID(s)				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

SegID 0201A Mud Creek (unclassified water body)

From the confluence of the Red River to the upstream perennial portion of the stream northwest of De Kalb in Bowie County

Segment Type Freshwater Stream **Segment Size** 31 Miles

AU_ID 0201A_01 Entire water body

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type	31.00 Miles
Station ID(s) 15319				

SegID 0202 Red River Below Lake Texoma

From the Arkansas-Oklahoma State Line in Bowie County to Denison Dam in Grayson County

Segment Type Freshwater Stream **Segment Size** 200 Miles

AU_ID 0202_01 End of segment to Pecan Bayou confluence

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	TWQS-Appendix A	35.00 Miles
Station ID(s) 10125				

AU_ID 0202_02 Pecan Bayou to Pine Creek

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	TWQS-Appendix A	54.00 Miles
Station ID(s) 15779				

AU_ID 0202_03 Pine Creek to Bois d'Arc Creek

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	TWQS-Appendix A	46.00 Miles
Station ID(s) 10126				

AU_ID 0202_04 Bois d'Arc Creek to SH 78

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	TWQS-Appendix A	33.00 Miles
Station ID(s) 10127				

AU_ID 0202_05 SH 78 to Denison Dam

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	TWQS-Appendix A	32.00 Miles
Station ID(s) 13684				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

SegID 0202A Bois D' Arc Creek (unclassified water body)

From the confluence of the Red River to the upstream perennial portion of the stream southwest of Bonham in Fannin County

Segment Type Freshwater Stream **Segment Size** 70 Miles

AU_ID 0202A_01 From the confluence with the Red River to the confluence with Sandy Creek

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Flow Questionnaire	High	Presumption from Flow Type	25.00 Miles

Station ID(s) 15318

AU_ID 0202A_02 Perennial stream from the confluence with Sandy Creek upstream to the confluence with Pace Creek

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D	22.00 Miles

Station ID(s)

AU_ID 0202A_03 From the confluence with Pace Creek to the upper end of segment

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	Presumption from Flow Type	23.00 Miles

Station ID(s)

SegID 0202C Pecan Bayou (unclassified water body)

From the confluence with the Red River in northeast Red River County to the upstream perennial portion northeast of Clarksville

Segment Type Freshwater Stream **Segment Size** 39 Miles

AU_ID 0202C_01 Entire water body

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Flow Questionnaire	High	Presumption from Flow Type	39.00 Miles

Station ID(s) 16001

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

SegID 0202D Pine Creek (unclassified water body)

From the confluence of the Red River to the upstream perennial portion of the stream west of Paris in Lamar County

Segment Type Freshwater Stream **Segment Size** 29 Miles

AU_ID 0202D_01 Perennial and intermittent stream from the confluence with the Red River upstream to the dam forming Lake Crook

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D	29.00 Miles

Station ID(s) 10118; 10120

SegID 0202E Post Oak Creek (unclassified water body)

From the confluence of Choctaw Creek southeast of Sherman to the upstream perennial portion of the stream northwest of Sherman in Grayson County

Segment Type Freshwater Stream **Segment Size** 13 Miles

AU_ID 0202E_01 Entire segment

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Flow Questionnaire	High	Presumption from Flow Type	13.00 Miles

Station ID(s) 10115; 17599

SegID 0202F Choctaw Creek (unclassified water body)

From the confluence with the Red River east of Denison to the upstream perennial portion near the intersection of SH 56 and SH 289 in Grayson County

Segment Type Freshwater Stream **Segment Size** 40 Miles

AU_ID 0202F_01 Entire water body

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Flow Questionnaire	High	Presumption from Flow Type	40.00 Miles

Station ID(s) 16123; 18370

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

SegID 0202G Smith Creek (unclassified water body)

From the confluence with Pine Creek north of Paris to the upstream portion of the stream in north Paris in Lamar County

Segment Type Freshwater Stream **Segment Size** 5.6 Miles

AU_ID 0202G_01 Entire segment

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent	WQS/Permits program	Minimal	Previous TCEQ Permit Decision	5.60 Miles
Station ID(s) 17044				

SegID 0203 Lake Texoma

From Denison Dam in Grayson County to a point immediately upstream of the confluence of Sycamore Creek in Cooke County, up to normal pool elevation of 617 feet (impounds Red River)

Segment Type Reservoir **Segment Size** 89000 Acres

AU_ID 0203_01 Near dam

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	Water body description	High	TWQS-Appendix A	5000.00 Acres
Station ID(s) 10128; 15440				

AU_ID 0203_02 Little Mineral arm

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	Water body description	High	TWQS-Appendix A	2500.00 Acres
Station ID(s) 17480				

AU_ID 0203_03 Mid-lake near Big Mineral arm

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	Water body description	High	TWQS-Appendix A	11000.00 Acres
Station ID(s) 10130				

AU_ID 0203_04 Upper end of lake

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	Water body description	High	TWQS-Appendix A	14000.00 Acres
Station ID(s) 10131				

AU_ID 0203_05 Remainder of lake

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	Water body description	High	TWQS-Appendix A	56500.00 Acres
Station ID(s)				

SegID 0203A Big Mineral Creek (unclassified water body)

From the confluence of Lake Texoma to the confluence of North/Middle/South Big Mineral Creeks north of Whitesboro in Grayson County

Segment Type Freshwater Stream **Segment Size** 14.3 Miles

AU_ID 0203A_01 From Lake Texoma upstream to the confl. with an unnamed 2nd order trib. on North Branch 2.4 km upstream of US 377 and upstream to the confl. with an unnamed 2nd order trib. on South Branch 1.1 km upstream of US 377 north of the City of Whitesboro

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/pools	TWQS-Appendix D	Intermediate	TWQS-Appendix D	14.30 Miles

Station ID(s) 15320; 15750; 17502; 17505; 17589

SegID 0203C Mustang Creek (unclassified water body)

From the confluence with Big Mineral Creek upstream to headwaters approximately 3.3 km southeast of Whitesboro

Segment Type Freshwater Stream **Segment Size** 9 Miles

AU_ID 0203C_01 Entire segment

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type	9.00 Miles

Station ID(s) 17504

SegID 0203D Deaver Creek (unclassified water body)

From the confluence with Big Mineral Creek upstream to headwaters approximately 6.5 km wsw of Southmayd

Segment Type Freshwater Stream **Segment Size** 13 Miles

AU_ID 0203D_01 Entire segment

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type	13.00 Miles

Station ID(s) 17503

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

SegID 0204 Red River Above Lake Texoma

From a point immediately upstream of the confluence of Sycamore Creek in Cooke County to the confluence of the Wichita River in Clay County

Segment Type Freshwater Stream **Segment Size** 156 Miles

AU_ID 0204_01 Segment end to Fish Creek

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	TWQS-Appendix A	28.00 Miles

Station ID(s) 10132

AU_ID 0204_02 Fish Creek to Farmers Creek

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	TWQS-Appendix A	52.00 Miles

Station ID(s)

AU_ID 0204_03 Farmers Creek to Little Wichita River

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	TWQS-Appendix A	38.00 Miles

Station ID(s) 10133

AU_ID 0204_04 Little Wichita River to end of segment

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	TWQS-Appendix A	38.00 Miles

Station ID(s)

SegID 0204B Moss Lake (unclassified water body)

From Fish Creek Dam to spillway elevation of 715 feet (impounds Fish Creek)

Segment Type Reservoir **Segment Size** 1125 Acres

AU_ID 0204B_01 Entire lake

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	Water body description	High	Presumption from Flow Type	1125.00 Acres

Station ID(s) 15447

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

SegID 0205 Red River Below Pease River

From the confluence of the Wichita River in Clay County to the confluence of the Pease River in Wilbarger County

Segment Type Freshwater Stream **Segment Size** 76 Miles

AU_ID 0205_01 From lower end of segment to IH 44

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	29.00 Miles

Station ID(s) 10134

AU_ID 0205_02 China Creek to upstream end of segment

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	47.00 Miles

Station ID(s) 16733

SegID 0206 Red River Above Pease River

From the confluence of the Pease River in Wilbarger County to a point immediately upstream of the confluence of Buck Creek in Hardeman County

Segment Type Freshwater Stream **Segment Size** 89 Miles

AU_ID 0206_01 Downstream segment boundary to Groesbeck Creek

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	TWQS-Appendix A	61.00 Miles

Station ID(s)

AU_ID 0206_02 Groesbeck Creek to upstream segment boundary

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	TWQS-Appendix A	28.00 Miles

Station ID(s) 10135

SegID 0206A Groesbeck Creek (unclassified water body)

From the confluence of Prairie Dog Town Fork Red River north of Quanah in Hardeman County to the upstream perennial portion of the stream east of Childress in Childress County

Segment Type Freshwater Stream **Segment Size** 29 Miles

AU_ID 0206A_01 Entire water body

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	Presumption from Flow Type	29.00 Miles

Station ID(s)

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

SegID 0206B South Groesbeck Creek (unclassified water body)

From the confluence of Groesbeck Creek NNW of Quanah in Hardeman County to the upstream portion 7.8 miles (12.6 Km) southwest of Childress

Segment Type Freshwater Stream **Segment Size** 30 Miles

AU_ID 0206B_01 Entire segment

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	Presumption from Flow Type	30.00 Miles
Station ID(s) 16000				

SegID 0207 Lower Prairie Dog Town Fork Red River

From a point immediately upstream of the confluence of Buck Creek in Hardeman County to the confluence of a point 100 meters (110 yards) upstream of the confluence of Salt Fork Creek in Armstrong County

Segment Type Freshwater Stream **Segment Size** 116 Miles

AU_ID 0207_01 Lower end of segment to US 62/83

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	TWQS-Appendix A	38.00 Miles
Station ID(s) 10136				

AU_ID 0207_02 US 62/83 to Parker Creek

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	TWQS-Appendix A	22.00 Miles
Station ID(s)				

AU_ID 0207_03 Parker Creek to SH 70

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	TWQS-Appendix A	33.00 Miles
Station ID(s) 16037				

AU_ID 0207_04 SH 70 to upstream end of segment

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	TWQS-Appendix A	44.00 Miles
Station ID(s) 13637				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

SegID 0207A Buck Creek (unclassified water body)

From Oklahoma State Line east of Childress in Childress County to the upstream perennial portion of the stream west of Wellington in Collinsworth County

Segment Type Freshwater Stream Segment Size 68 Miles

AU_ID 0207A_01 From Oklahoma state line to House Log Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
intermittent w/pools	Flow Questionnaire	High	Presumption from Flow Type	28.00 Miles

Station ID(s) 15811

AU_ID 0207A_02 House Log Creek to upper end of segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
intermittent w/pools	Flow Questionnaire	High	Presumption from Flow Type	40.00 Miles

Station ID(s)

SegID 0208 Lake Crook

From Lake Crook Dam in Lamar County up to normal pool elevation of 476 feet (impounds Pine Creek)

Segment Type Reservoir Segment Size 1226 Acres

AU_ID 0208_01 Entire lake

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
reservoir	TSWQS	High	TWQS-Appendix A	1226.00 Acres

Station ID(s)

SegID 0209 Pat Mayse Lake

From Pat Mayse Dam in Lamar County up to normal pool elevation of 451 feet (impounds Sanders Creek)

Segment Type Reservoir Segment Size 5993 Acres

AU_ID 0209_01 Lower half of lake

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
reservoir	TSWQS	High	TWQS-Appendix A	2997.00 Acres

Station ID(s) 10138; 16343

AU_ID 0209_02 Upper half of lake

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
reservoir	TSWQS	High	TWQS-Appendix A	2996.00 Acres

Station ID(s) 16342; 18439

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

SegID 0210 Farmers Creek Reservoir

From Farmer Creek Dam in Montague County up to normal pool elevation of 827 feet (impounds Farmers Creek)

Segment Type Reservoir **Segment Size** 1470 Acres

AU_ID 0210_01 Entire segment

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	1470.00 Acres
Station ID(s) 10139				

SegID 0211 Little Wichita River

From the confluence with the Red River in Clay County to Lake Arrowhead Dam in Clay County

Segment Type Freshwater Stream **Segment Size** 49 Miles

AU_ID 0211_01 Lower end of segment to East Fork confluence

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	TWQS-Appendix A	20.00 Miles
Station ID(s)				

AU_ID 0211_02 East Fork confluence to dam

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	TWQS-Appendix A	29.00 Miles
Station ID(s) 10141; 13633; 17479				

SegID 0212 Lake Arrowhead

From Lake Arrowhead Dam in Clay County up to normal pool elevation of 926 feet (impounds the Little Wichita River)

Segment Type Reservoir **Segment Size** 9800 Acres

AU_ID 0212_01 Entire lake

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	9800.00 Acres
Station ID(s) 10142				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

SegID 0213 Lake Kickapoo

From Kickapoo Dam in Archer County up to normal pool elevation of 1045 feet (impounds the North Fork Little Wichita River)

Segment Type Reservoir **Segment Size** 6390 Acres

AU_ID 0213_01 Entire lake

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	6390.00 Acres

Station ID(s) 10143

SegID 0214 Wichita River Below Diversion Lake Dam

From the confluence with the Red River in Clay County to Diversion Dam in Archer County

Segment Type Freshwater Stream **Segment Size** 111 Miles

AU_ID 0214_01 Lower end of segment to FM 2393

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	31.00 Miles

Station ID(s) 10145

AU_ID 0214_02 FM 2393 to River Road WWTP

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	22.00 Miles

Station ID(s) 10148; 10149

AU_ID 0214_03 From River Road WWTP to confluence with Buffalo Creek

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	20.00 Miles

Station ID(s) 10150; 10151; 10153; 15999; 16734; 16735

AU_ID 0214_04 From Buffalo Creek to the confluence with Beaver Creek

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	20.00 Miles

Station ID(s) 10154

AU_ID 0214_05 From Beaver Creek to Diversion Dam

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	18.00 Miles

Station ID(s) 10155; 10156

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

SegID 0214A Beaver Creek (unclassified water body)

From the confluence of the Wichita River west of Wichita Falls in Wichita County to the upstream perennial portion of the stream south of Vernon in Wilbarger County

Segment Type Freshwater Stream **Segment Size** 48 Miles

AU_ID 0214A_01 From Wichita River to confluence with Bull Creek

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Flow Questionnaire	High	Presumption from Flow Type	25.00 Miles

Station ID(s) 15120

AU_ID 0214A_02 From Bull Creek to Santa Rosa Lake dam

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Flow Questionnaire	High	Presumption from Flow Type	23.00 Miles

Station ID(s) 15121

SegID 0214B Buffalo Creek (unclassified water body)

From the confluence of the Wichita River west of Wichita Falls in Wichita County to the upstream perennial portion of the stream east of Electra in Wichita County

Segment Type Freshwater Stream **Segment Size** 9 Miles

AU_ID 0214B_01 Entire water body

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/ pools	Routine Flow Data	Intermediate	Presumption from Flow Type	9.00 Miles

Station ID(s) 10097

SegID 0214C Holliday Creek (unclassified water body)

From the confluence of the Wichita River in Wichita Falls in Wichita County to the Lake Wichita dam

Segment Type Freshwater Stream **Segment Size** 9 Miles

AU_ID 0214C_01 Entire water body

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	Presumption from Flow Type	9.00 Miles

Station ID(s) 10095

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

SegID 0215 Diversion Lake

From Diversion Dam in Archer County to a point 1.5 kilometers (0.9 miles) downstream of the confluence of Cottonwood Creek in Baylor County, up to the normal pool elevation of 1051 feet (impounds Wichita River)

Segment Type Reservoir Segment Size 3350 Acres

AU_ID 0215_01 Entire lake

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	3419.00 Acres
<u>Station ID(s)</u> 10157				

SegID 0216 Wichita River Below Lake Kemp Dam

From a point 1.5 kilometers (0.9 miles) downstream of the confluence of Cottonwood Creek in Baylor County to Lake Kemp Dam in Baylor County

Segment Type Freshwater Stream Segment Size 13 Miles

AU_ID 0216_01 Entire segment

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	13.00 Miles
<u>Station ID(s)</u> 10158				

SegID 0217 Lake Kemp

From Lake Kemp Dam in Baylor County to a point 9.4 kilometers (5.8 miles) downstream of the confluence of Crooked Creek in Baylor County, up to pool elevation of 1144 feet (impounds Wichita River)

Segment Type Reservoir Segment Size 15300 Acres

AU_ID 0217_01 Lower half of lake

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	7700.00 Acres
<u>Station ID(s)</u> 10159				

AU_ID 0217_02 Upper half of lake

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	7600.00 Acres
<u>Station ID(s)</u> 10160				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

SegID 0218 Wichita/North Fork Wichita River

From a point 9.4 kilometers (5.8 miles) downstream of the confluence of Crooked Creek in Baylor County to a point 8.5 kilometers (5.3 miles) downstream of the most upstream crossing of FM 193 in Dickens County)

Segment Type Freshwater Stream Segment Size 144 Miles

AU_ID 0218_01 Lower end of segment to confluence with South Wichita River

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	21.00 Miles

Station ID(s) 10161

AU_ID 0218_02 From the confluence with South Wichita River to Confluence with Deadman Creek

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	33.00 Miles

Station ID(s) 15177

AU_ID 0218_03 From the confluence with Deadman Creek to the confluence with Middle Wichita River

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	25.00 Miles

Station ID(s) 10162

AU_ID 0218_04 From the confluence with Middle Wichita River to confluence with Salt Creek

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	26.00 Miles

Station ID(s) 15119

AU_ID 0218_05 King County line to end of segment

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	28.00 Miles

Station ID(s)

SegID 0218A Middle Fork Wichita River (unclassified water body)

From the confluence of the North Wichita River southwest of Crowell in Foard County to the upstream perennial portion of the stream northeast of Guthrie in King County

Segment Type Freshwater Stream Segment Size 47 Miles

AU_ID 0218A_01 Entire segment

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	Presumption from Flow Type	47.00 Miles

Station ID(s) 14900

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

SegID 0219 Lake Wichita

From Lake Wichita Dam in Wichita County up to the normal pool elevation of 980.5 feet (impounds Holliday Creek)

Segment Type Reservoir **Segment Size** 2200 Acres

AU_ID 0219_01 Entire segment

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	2200.00 Acres
Station ID(s) 10163				

SegID 0219A Holliday Creek above Lake Wichita (unclassified water body)

From the headwaters of Lake Wichita to the upstream perennial portion of the stream southwest of Holliday in Archer County

Segment Type Freshwater Stream **Segment Size** 29 Miles

AU_ID 0219A_01 Entire water body

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	Presumption from Flow Type	29.00 Miles
Station ID(s) 15122				

SegID 0220 Upper Pease/North Fork Pease River

From the confluence with Canal Creek at the Hardeman-Foard county line to 6.0 kilometers (3.7 miles) upstream of the confluence of Dick Moore Canyon in Floyd County

Segment Type Freshwater Stream **Segment Size** 108 Miles

AU_ID 0220_01 Lower end to Middle Pease confluence

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	34.00 Miles
Station ID(s) 10167				

AU_ID 0220_02 Middle Pease to end of segment

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	TWQS-Appendix A	74.00 Miles
Station ID(s) 10168				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

SegID 0221 Middle Fork Pease River

From the confluence with the North Fork Pease River in Cottle County to the confluence of Boggy Creek and Mott Creek in Motley County

Segment Type Freshwater Stream Segment Size 66 Miles

AU_ID 0221_01 Lower end of segment to South Pease River confluence

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	25.00 Miles

Station ID(s) 10170

AU_ID 0221_02 Remainder of segment

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	41.00 Miles

Station ID(s)

SegID 0222 Salt Fork Red River

From the Oklahoma State Line in Collingsworth County to Greenbelt Dam in Donley County

Segment Type Freshwater Stream Segment Size 66 Miles

AU_ID 0222_01 Oklahoma State Line to Lake Creek confluence

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	27.00 Miles

Station ID(s) 10171

AU_ID 0222_02 Lake Creek to upper end of segment

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	49.00 Miles

Station ID(s)

SegID 0222A Lelia Lake Creek (unclassified water body)

From the confluence of the Salt Fork Red River north of Hedley in Donley County of the upstream perennial portion of the stream west of Hedley

Segment Type Freshwater Stream Segment Size 20 Miles

AU_ID 0222A_01 Entire water body

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	Presumption from Flow Type	17.00 Miles

Station ID(s) 10076

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

SegID 0223 Greenbelt Lake

From Greenbelt Dam in Donley County up to normal pool elevation of 2664 feet (impounds Salt Fork Red River)

Segment Type Reservoir **Segment Size** 1570 Acres

AU_ID 0223_01 Entire segment

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	1570.00 Acres

Station ID(s) 10173

SegID 0224 North Fork Red River

From the Oklahoma State Line in Wheeler County to a point 4.0 kilometers (2.4 miles) upstream of FM 2300 in Gray County

Segment Type Freshwater Stream **Segment Size** 83 Miles

AU_ID 0224_01 Oklahoma State Line to confluence with McClellan Creek

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	42.00 Miles

Station ID(s) 10178

AU_ID 0224_02 From McClellan Creek to upper end of segment

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	41.00 Miles

Station ID(s)

SegID 0225 McKinney Bayou

From the Arkansas State Line in Bowie County to a point 100 meters (110 yards) upstream of FM 2300 in Gray County

Segment Type Freshwater Stream **Segment Size** 6 Miles

AU_ID 0225_01 Entire segment

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	Limited	TWQS-Appendix A	6.00 Miles

Station ID(s)

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

SegID 0226 South Fork Wichita River

From the confluence with the North Fork Wichita River in Knox County to a point 15.0 kilometers (9.3 miles) upstream of US 82 in Dickens County

Segment Type Freshwater Stream **Segment Size** 144 Miles

AU_ID 0226_01 Lower end of segment to SH 6

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	42.00 Miles

Station ID(s) 10185

AU_ID 0226_02 From SH 6 to confluence with Willow Creek

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	50.00 Miles

Station ID(s)

AU_ID 0226_03 From confluence with Willow Creek to confluence with Long Canyon Creek

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	28.00 Miles

Station ID(s) 13635; 13636

AU_ID 0226_04 Low-water dam to 0.5 mile upstream

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	0.50 Miles

Station ID(s)

SegID 0227 South Fork Pease River

From the confluence with the Middle Fork Pease River in Cottle County to the confluence of Wolf Creek and Rustler Creek in Motley County

Segment Type Freshwater Stream **Segment Size** 54 Miles

AU_ID 0227_01 Lower end of segment to Motley County line

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	22.00 Miles

Station ID(s) 10187

AU_ID 0227_02 Motley County line to end of segment

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	32.00 Miles

Station ID(s)

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

SegID 0228 Mackenzie Reservoir

From Mackenzie Dam in Briscoe County up to the normal pool elevation of 3100 feet (impounds Tule Creek)

Segment Type Reservoir **Segment Size** 896 Acres

AU_ID 0228_01 Entire segment

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	896.00 Acres

Station ID(s) 10188

SegID 0229 Upper Prairie Dog Town Fork Red River

From a point 100 meters (110 yards) upstream of the confluence of Salt Fork Creek in Armstrong County to Lake Tanglewood Dam in Randall County

Segment Type Freshwater Stream **Segment Size** 41 Miles

AU_ID 0229_01 Lower end of segment to Palo Duro State Park northern boundary

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	29.00 Miles

Station ID(s) 10191

AU_ID 0229_02 Palo Duro Canyon State Park upstream boundary to upper end of segment at Tanglewood Dam

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	24.00 Miles

Station ID(s) 18317

SegID 0229A Lake Tanglewood (unclassified water body)

From Randall County Dam up to normal pool elevation south of Amarillo (impounds Prairie Dog Town Fork Red River)

Segment Type Reservoir **Segment Size** 264 Acres

AU_ID 0229A_01 Entire lake

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	Water body description	High	Presumption from Flow Type	264.00 Acres

Station ID(s) 10192

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

SegID 0229B Tierra Blanca Creek (unclassified water body)

From the confluence with Palo Duro Creek in Randall County to the New Mexico State Line in Deaf Smith County

Segment Type Freshwater Stream **Segment Size** 103 Miles

AU_ID 0229B_01 Entire segment

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type	103.00 Miles
Station ID(s)				

SegID 0230 Pease River

From the confluence with the Red River in Wilbarger County upstream to the confluence with Canal Creek at the Hardeman-Foard county line

Segment Type Freshwater Stream **Segment Size** 54 Miles

AU_ID 0230_01 Red River to confluence with Mule Creek

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	Intermediate	TWQS-Appendix A	41.00 Miles
Station ID(s) 10165				

AU_ID 0230_02 County line to end of segment

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	Intermediate	TWQS-Appendix A	13.00 Miles
Station ID(s)				

SegID 0230A Paradise Creek (unclassified water body)

From the confluence with the Pease River east of Vernon to the upstream perennial portion near Thalia in Foard County

Segment Type Freshwater Stream **Segment Size** 39 Miles

AU_ID 0230A_03 Lower 5 miles of water body

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type	5.00 Miles
Station ID(s) 10094				

AU_ID 0230A_04 Remainder of water body

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type	34.00 Miles
Station ID(s) 17600				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

SegID 0299A Sweetwater Creek (unclassified water body)

From the Oklahoma State Line in Wheeler County to the upstream perennial portion of the stream northwest of Wheeler in Wheeler County (tributary of North Fork Red River)

Segment Type Freshwater Stream **Segment Size** 56 Miles

AU_ID 0299A_01 From Oklahoma State Line to confluence with Graham Creek

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	Presumption from Flow Type	36.00 Miles

Station ID(s) 10072; 10074

AU_ID 0299A_02 Remainder of creek

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	Presumption from Flow Type	20.00 Miles

Station ID(s)

SegID 0301 Sulphur River Below Wright Patman Lake

From the Arkansas State Line in Bowie/Cass County to Wright Patman Lake Dam in Bowie/Cass County

Segment Type Freshwater Stream **Segment Size** 19 Miles

AU_ID 0301_01 Lower 9 miles

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	WQS/Permits program	High	TWQS-Appendix A	9.00 Miles

Station ID(s) 13783

AU_ID 0301_02 Upper 10 miles

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	WQS/Permits program	High	TWQS-Appendix A	10.00 Miles

Station ID(s) 10212

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

SegID 0302 Wright Patman Lake

From Wright Patman Lake Dam in Bowie/Cass County to a point 1.5 kilometers (0.9 miles) downstream of Bassett Creek in Bowie/Cass County, up to the normal pool elevation of 225 feet (impounds the Sulphur River)

Segment Type Reservoir Segment Size 20300 Acres

AU_ID 0302_01 800 acres near dam

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	WQS/Permits program	High	TWQS-Appendix A	800.00 Acres

Station ID(s) 14097; 14098

AU_ID 0302_02 300 acres at International Paper intake

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	WQS/Permits program	High	TWQS-Appendix A	300.00 Acres

Station ID(s) 16859

AU_ID 0302_03 1600 acres southwest of dam

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	WQS/Permits program	High	TWQS-Appendix A	1600.00 Acres

Station ID(s) 10213

AU_ID 0302_04 500 acres in the northeast corner of lake

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	WQS/Permits program	High	TWQS-Appendix A	500.00 Acres

Station ID(s) 15061

AU_ID 0302_05 200 acres in the northwestern tip of lake

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	WQS/Permits program	High	TWQS-Appendix A	200.00 Acres

Station ID(s) 14099

AU_ID 0302_06 Big Creek arm

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	WQS/Permits program	High	TWQS-Appendix A	2300.00 Acres

Station ID(s) 14100; 16860

AU_ID 0302_07 4000 acres mid-lake

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	WQS/Permits program	High	TWQS-Appendix A	4000.00 Acres

Station ID(s) 14102

AU_ID 0302_08 1600 acres in upper mid-lake

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	WQS/Permits program	High	TWQS-Appendix A	1600.00 Acres

Station ID(s) 14103

AU_ID 0302_09 5000 acres mid-lake, below Hwy 8

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	WQS/Permits program	High	TWQS-Appendix A	5000.00 Acres

Station ID(s) 16205; 16857

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

AU_ID 0302_10 4000 acres in upper portion of lake

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	WQS/Permits program	High	TWQS-Appendix A	4000.00 Acres
Station ID(s) 10214; 16858				

The following water bodies in the watershed to this classified segment had some data however there was not enough information to be included in the assessment: Aiken Creek, Andersen Creek, East Fork Elliott Creek.

SegID 0302A Big Creek (unclassified water body)

Intermittent stream with perennial pools from FM 2149 up to 1.3 kilometers south of U.S. 82 south-east of New Boston

Segment Type Freshwater Stream **Segment Size** 10 Miles

AU_ID 0302A_01 Entire segment

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/pools	TWQS-Appendix D	Intermediate	TWQS-Appendix D	10.00 Miles
Station ID(s) 16864				

SegID 0302B Boone Creek (unclassified water body)

From the confluence with Wright Patman Lake upstream to approximately 3.5 miles north of highway 67 in Bowie County

Segment Type Freshwater Stream **Segment Size** 6 Miles

AU_ID 0302B_01 Entire segment

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type	5.90 Miles
Station ID(s) 17326				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

SegID 0303 Sulphur/South Sulphur River

From a point 1.5 kilometers (0.9 miles) downstream of Bassett Creek in Bowie/Cass County to Cooper Lake Dam in Delta/Hopkins County

Segment Type Freshwater Stream **Segment Size** 181 Miles

AU_ID 0303_01 Lower 25 miles

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	25.00 Miles

Station ID(s) 10215; 10216

AU_ID 0303_02 Middle 25 miles

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	25.00 Miles

Station ID(s) 10218; 10219

AU_ID 0303_03 Upper 25 miles

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	25.00 Miles

Station ID(s) 10222

AU_ID 0303_04 Remainder of segment

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	106.00 Miles

Station ID(s)

The following water bodies in the watershed to this classified segment had some data however there was not enough information to be included in the assessment: Bassett Creek, Cuthand Creek, Kickapoo Creek, Little Mustang Creek

SegID 0303A Big Creek Lake (unclassified water body)

From Big Creek Dam up to normal pool elevation of 458 feet north of Cooper (impounds Big Creek)

Segment Type Reservoir **Segment Size** 700 Acres

AU_ID 0303A_01 Entire segment

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	Water body description	High	Presumption from Flow Type	700.00 Acres

Station ID(s) 16856

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

SegID 0303B White Oak Creek (unclassified water body)

From the confluence of the Sulphur River north of Naples in Morris County to the upstream perennial portion of the stream east of Sulphur Springs in Hopkins County

Segment Type Freshwater Stream **Segment Size** 108 Miles

AU_ID 0303B_01 Lower 25 miles of segment

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Flow Questionnaire	High	Presumption from Flow Type	25.00 Miles

Station ID(s) 10198

AU_ID 0303B_02 Middle 25 miles near Hwy 271

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Flow Questionnaire	High	Presumption from Flow Type	25.00 Miles

Station ID(s) 10199

AU_ID 0303B_03 Upper 25 miles of segment

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Flow Questionnaire	High	Presumption from Flow Type	25.00 Miles

Station ID(s) 10201

AU_ID 0303B_04 Remainder of segment

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Flow Questionnaire	High	Presumption from Flow Type	33.00 Miles

Station ID(s)

SegID 0303C Morrison Branch (unclassified water body)

Intermittent stream with perennial pools from the confluence with Little Mustang Creek upstream to approximately 0.7 km south of FM 909 southeast of the City of Bogata

Segment Type Freshwater Stream **Segment Size** 6 Miles

AU_ID 0303C_01 Entire segment

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/pools	TWQS-Appendix D	Intermediate	TWQS-Appendix D	6.00 Miles

Station ID(s)

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

SegID 0303E East Caney Creek (unclassified water body)

From the confluence with White Oak Creek to just east of Como in southeastern Hopkins County

Segment Type Freshwater Stream **Segment Size** 16 Miles

AU_ID 0303E_01 Entire segment

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type	16.00 Miles

Station ID(s) 17909

SegID 0303F Stouts Creek (unclassified water body)

From the confluence with White Oak Creek to approximately 7 miles due east of Como in Hopkins County

Segment Type Freshwater Stream **Segment Size** 20 Miles

AU_ID 0303F_01 Entire segment

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type	20.00 Miles

Station ID(s) 18189

SegID 0303G North Caney Creek (unclassified water body)

From the confluence with White Oak Creek in Hopkins County to Farm Road 71

Segment Type Freshwater Stream **Segment Size** 29 Miles

AU_ID 0303G_01 Entire segment

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type	29.00 Miles

Station ID(s) 17908

SegID 0303H Big Creek (unclassified water body)

From the confluence with Sulphur/South Sulphur River in Delta County northwest to just south of FM 128

Segment Type Freshwater Stream **Segment Size** 19 Miles

AU_ID 0303H_01 Entire segment

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type	19.00 Miles
Station ID(s) 17618				

SegID 0303I Big Creek (unclassified water body)

From the confluence with White Oak Creek south to approximately .5 miles north of FM 900 in Hopkins County

Segment Type Freshwater Stream **Segment Size** 18 Miles

AU_ID 0303I_01 Entire segment

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type	18.00 Miles
Station ID(s) 17906				

SegID 0304 Days Creek

From the Arkansas State Line in Bowie County to the confluence of Swampoodle Creek and Nix Creek in Bowie County.

Segment Type Freshwater Stream **Segment Size** 5 Miles

AU_ID 0304_01 Entire segment

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	WQS/Permits program	Intermediate	TWQS-Appendix A	5.00 Miles
Station ID(s) 10226; 10227; 10228; 10229; 14432				

The following water bodies in the watershed to this classified segment had some data however there was not enough information to be included in the assessment: Nix Creek.

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

SegID 0304A Swampoodle Creek (unclassified water body)

From the confluence of Days Creek in central Texarkana in Bowie County to the upstream perennial portion of the stream in northern Texarkana in Bowie County

Segment Type Freshwater Stream **Segment Size** 3 Miles

AU_ID 0304A_01 Entire segment

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Flow Questionnaire	High	Presumption from Flow Type	3.00 Miles
Station ID(s) 15256; 15342				

SegID 0304B Cowhorn Creek (unclassified water body)

From the confluence of Wagner Creek in southern Texarkana in Bowie County to the upstream perennial portion of the stream in northern Texarkana in Bowie County

Segment Type Freshwater Stream **Segment Size** 4.5 Miles

AU_ID 0304B_01 Entire water body

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Flow Questionnaire	High	Presumption from Flow Type	4.50 Miles
Station ID(s) 15254				

SegID 0304C Wagner Creek (unclassified water body)

Perennial stream from the confluence with Days Creek to a point 1.5 km upstream of IH 30

Segment Type Freshwater Stream **Segment Size** 7 Miles

AU_ID 0304C_01 Entire segment

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D	7.00 Miles
Station ID(s) 14431; 17325; 18355				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

SegID 0305 North Sulphur River

From the confluence with the South Sulphur River in Lamar County to a point 6.7 km (4.2 miles) upstream of FM 68 in Fannin County

Segment Type Freshwater Stream **Segment Size** 48 Miles

AU_ID 0305_01 Lower 25 miles

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	25.00 Miles

Station ID(s) 10231

AU_ID 0305_02 Upper 23 miles

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	WQS/Permits program	High	TWQS-Appendix A	23.00 Miles

Station ID(s) 17613

The following water bodies in the watershed to this classified segment had some data however there was not enough information to be included in the assessment: Big Sandy Creek, Auds Creek, Hickory Creek.

SegID 0305A Rowdy Creek (unclassified water body)

From the confluence with the North Sulphur River in Lamar county, northwest to US HWY 82

Segment Type Freshwater Stream **Segment Size** 12.5 Miles

AU_ID 0305A_01 Entire segment

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type	12.50 Miles

Station ID(s) 17617

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

SegID 0306 Upper South Sulphur River

From a point 1.0 km (0.6 miles) upstream of SH 71 in Delta/Hopkins County to SH 78 in Fannin County

Segment Type Freshwater Stream **Segment Size** 42 Miles

AU_ID 0306_01 Lower 5 miles

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	Intermediate	TWQS-Appendix A	5.00 Miles

Station ID(s)

AU_ID 0306_02 25 miles above SH 11

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	Intermediate	TWQS-Appendix A	25.00 Miles

Station ID(s) 10238; 17510; 17511; 17512; 17513; 17514

AU_ID 0306_03 Remainder of segment

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	Intermediate	TWQS-Appendix A	11.00 Miles

Station ID(s)

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

SegID 0307 Cooper Lake

from Cooper Lake dam in Delta/Hopkins County to a point 1.0 kilometers (0.6 mile) upstream of SH 71 on the South Sulphur River arm in Delta/Hopkins County and 300 meters (330 yards) below the confluence of Barnett Creek on the Middle Sulphur River arm in Delta County, up to a conservation pool elevation of 440 feet (impounds the Middle Sulphur/South Sulphur River)

Segment Type Reservoir **Segment Size** 19305 Acres

AU_ID 0307_01 Lower 5000 acres near dam

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	5000.00 Acres

Station ID(s) 13855

AU_ID 0307_02 Lower 3000 acre Doctors Creek arm

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	3000.00 Acres

Station ID(s) 13856; 17075

AU_ID 0307_03 Middle 5000 acres

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	5000.00 Acres

Station ID(s) 10233; 13857

AU_ID 0307_04 Middle 2000 acre Johns Creek arm

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	2000.00 Acres

Station ID(s) 13858

AU_ID 0307_05 Middle 1000 acres near Finley Branch

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	1000.00 Acres

Station ID(s) 15211

AU_ID 0307_06 Remainder of segment

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	3305.00 Acres

Station ID(s)

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

SegID 0307A Middle Sulphur River (unclassified water body)

From the confluence Cooper Lake in Hopkins County to the upstream perennial portion of the stream east of Wolfe City in Hunt County

Segment Type Freshwater Stream **Segment Size** 29 Miles

AU_ID 0307A_01 Entire water body

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type	29.00 Miles

Station ID(s) 13632

SegID 0307B Jernigan Creek (unclassified water body)

From the confluence with Cooper Lake to the confluence with the east and west forks of Jernigan Creek in Delta County

Segment Type Freshwater Stream **Segment Size** 2.7 Miles

AU_ID 0307B_01 Entire segment

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type	2.70 Miles

Station ID(s) 17614

SegID 0307C Pecan Creek (unclassified water body)

From the confluence with the Middle Sulphur River to 2,5 miles below Ladonia discharge in Hunt County

Segment Type Freshwater Stream **Segment Size** 14.5 Miles

AU_ID 0307C_01 Entire segment

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type	14.50 Miles

Station ID(s) 17615

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

SegID 0401 Caddo Lake

From the Louisiana State Line in Harrison/Marion County to a point 12.3 km (7.6 miles) downstream of SH 43 in Harrison/Marion County, up to pool elevation of 168.5 feet (impounds Big Cypress Creek)

Segment Type Reservoir **Segment Size** 25800 Acres

AU_ID 0401_01 Lower 5000 acres

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	5000.00 Acres

Station ID(s) 10283

AU_ID 0401_02 Harrison Bayou arm

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	650.00 Acres

Station ID(s) 10285; 10286; 14946; 16365

AU_ID 0401_03 Goose Prairie arm

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	300.00 Acres

Station ID(s) 15275

AU_ID 0401_05 Clinton Lake

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	2000.00 Acres

Station ID(s) 14236

AU_ID 0401_06 Pine Island

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	100.00 Acres

Station ID(s)

AU_ID 0401_07 Mid-lake near Uncertain

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	1000.00 Acres

Station ID(s) 15249; 17867

AU_ID 0401_08 Remainder of segment

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	16750.00 Acres

Station ID(s)

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

SegID 0401A Harrison Bayou (unclassified water body)

From the confluence of Caddo Lake east of Karnack in Harrison County to the upstream perennial portion of the stream east of Marshall in Harrison County

Segment Type Freshwater Stream **Segment Size** 16 Miles

AU_ID 0401A_01 Lower 5 miles

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/ pools	Flow Questionnaire	Limited	Presumption from Flow Type	5.00 Miles

Station ID(s) 15509

AU_ID 0401A_02 Middle 3 miles near FM 134

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/ pools	Flow Questionnaire	Limited	Presumption from Flow Type	3.00 Miles

Station ID(s) 15508

AU_ID 0401A_03 Middle 3 miles near Bill Coleman Road

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/ pools	Flow Questionnaire	Limited	Presumption from Flow Type	3.00 Miles

Station ID(s) 15506

AU_ID 0401A_04 Upper 5 miles

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/ pools	Flow Questionnaire	Limited	Presumption from Flow Type	5.00 Miles

Station ID(s) 15507

SegID 0401B Kitchen Creek (unclassified water body)

From the confluence with Clinton Lake to near Payne in Marion County

Segment Type Freshwater Stream **Segment Size** 15 Miles

AU_ID 0401B_01 Entire water body

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/ pools	Flow Questionnaire	Limited	Presumption from Flow Type	15.00 Miles

Station ID(s) 14998

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

SegID 0402 Big Cypress Creek Below Lake O' the Pines

From a point 12.3 km (7.6 miles) downstream of SH 43 in Harrison/Marion County to Ferrell's Bridge Dam in Marion County

Segment Type Freshwater Stream **Segment Size** 42 Miles

AU_ID 0402_01 Lower 9 miles

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	9.00 Miles

Station ID(s) 10295; 15022; 15023

AU_ID 0402_02 11 miles below Black Cypress Creek

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	11.00 Miles

Station ID(s) 14471; 16254

AU_ID 0402_03 Middle 15 miles near Jefferson

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	15.00 Miles

Station ID(s) 15511

AU_ID 0402_04 Upper 7 miles

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	7.00 Miles

Station ID(s) 13630; 15135

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

SegID 0402A Black Cypress Bayou (unclassified water body)

Perennial stream from the confluence with Big Cypress in Marion County up to 7.5 miles above FM 250 in Cass County.

Segment Type Freshwater Stream **Segment Size** 56 Miles

AU_ID 0402A_01 Lower 15 miles of water body

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D	15.00 Miles

Station ID(s) 10245

AU_ID 0402A_02 Middle 17 miles near CR 1617

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D	17.00 Miles

Station ID(s) 16705

AU_ID 0402A_03 Middle 1 mile, Pruitt Lake

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D	1.00 Miles

Station ID(s) 10246

AU_ID 0402A_04 Middle 13 miles near FM 250

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D	13.00 Miles

Station ID(s) 10247

AU_ID 0402A_05 Upper 10 miles of water body

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D	10.00 Miles

Station ID(s) 10248

SegID 0402B Hughes Creek (unclassified water body)

Perennial stream from the confluence with Black Cypress Creek upstream to the confluence with an unnamed first order tributary approximately 0.5 km downstream of FM 250

Segment Type Freshwater Stream **Segment Size** 14 Miles

AU_ID 0402B_01 Entire Segment

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	WQS/Permits program	High	TWQS-Appendix D	14.00 Miles

Station ID(s) 16936

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

SegID 0402C Haggerty Creek (unclassified water body)

From the confluence with Big Cypress Bayou to approximately 6 miles east of Marshall in Harrison County

Segment Type Freshwater Stream **Segment Size** 14 Miles

AU_ID 0402C_01 Entire segment

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type	14.00 Miles
Station ID(s) 16253				

SegID 0402D Flat Creek (unclassified water body)

From the confluence with Black Cypress Creek in Cass County, north to approximately 2 miles south of State HWY 77

Segment Type Freshwater Stream **Segment Size** 24 Miles

AU_ID 0402D_01 Entire segment

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type	24.00 Miles
Station ID(s) 16935				

SegID 0402E Kelly Creek (unclassified water body)

From the confluence with Black Cypress Creek in Cass County, north to approximately 2 miles southwest of where State HWY 338 and US HWY 259 merge

Segment Type Freshwater Stream **Segment Size** 26 Miles

AU_ID 0402E_01 Entire segment

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Flow Questionnaire	High	Presumption from Flow Type	26.00 Miles
Station ID(s) 16934				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

SegID 0403 Lake O' the Pines

From Ferrell's Bridge Dam in Marion County to a point 1.0 km (0.6 miles) downstream of US 259 in Morris/Upshur County, up to normal pool elevation of 228.5 feet (impounds Big Cypress Creek)

Segment Type Reservoir **Segment Size** 18700 Acres

AU_ID 0403_01 Lower 5000 acres

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	5000.00 Acres

Station ID(s) 10296; 13974; 13975; 13976; 13978; 16448; 16452; 17967; 17968

AU_ID 0403_02 Middle 5000 acres

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	5000.00 Acres

Station ID(s) 13977; 13979; 16156; 16449; 16450

AU_ID 0403_03 Middle 5000 acres below Hwy 155

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	Water body description	High	TWQS-Appendix A	5000.00 Acres

Station ID(s) 10297

AU_ID 0403_04 Upper 3700 acres

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	3700.00 Acres

Station ID(s) 10298; 10300; 13980; 16868; 17087

The following water bodies in the watershed to this classified segment had some data however there was not enough information to be included in the assessment: Kitchen Branch.

SegID 0404 Big Cypress Creek Below Lake Bob Sandlin

From a point 1.0 km (0.6 miles) downstream of US 259 in Morris/Upshur Counties to Fort Sherman Dam in Camp/Titus Counties

Segment Type Freshwater Stream **Segment Size** 33 Miles

AU_ID 0404_01 Lower 15 miles

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	Intermediate	TWQS-Appendix A	15.00 Miles

Station ID(s) 13631; 15257; 16458

AU_ID 0404_02 Upper 18 miles

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	Intermediate	TWQS-Appendix A	18.00 Miles

Station ID(s) 10307; 10308; 10310; 10311; 16457

The following water bodies in the watershed to this classified segment had some data however there was not enough information to be included in the assessment: Dragoo Creek, Unnamed Tributary of Dragoo Creek, Tankersley Lake, Unnamed Tributary of Tankersl

SegID 0404A Ellison Creek Reservoir (unclassified water body)

From the Morris County Dam up to normal pool elevation near Lone Star in Morris County (impounds Ellison Creek)

Segment Type Reservoir **Segment Size** 1516 Acres

AU_ID 0404A_01 Entire reservoir

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	Water body description	High	Presumption from Flow Type	1516.00 Acres

Station ID(s) 14473; 14994

SegID 0404B Tankersley Creek (unclassified water body)

Perennial stream from the confluence with Big Cypress Creek upstream to the confluence with an unnamed tributary 250 meters upstream of IH 30

Segment Type Freshwater Stream **Segment Size** 8 Miles

AU_ID 0404B_01 Lower 3 miles

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TWQS-Appendix D	High	TWQS-Appendix D	3.00 Miles

Station ID(s) 10261

AU_ID 0404B_02 Middle 2 miles near FM 127

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TWQS-Appendix D	High	TWQS-Appendix D	2.00 Miles

Station ID(s) 10263

AU_ID 0404B_03 3 miles below Tankersley Lake

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TWQS-Appendix D	High	TWQS-Appendix D	3.00 Miles

Station ID(s) 10264; 15513

AU_ID 0404B_04 Upper 2 miles above Tankersley Lake

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TWQS-Appendix D	High	TWQS-Appendix D	Miles

Station ID(s) 15494; 15512

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

SegID 0404C Hart Creek (unclassified water body)

Perennial stream from the confluence with Big Cypress Creek upstream to 0.2 km upstream of FM 1402

Segment Type Freshwater Stream Segment Size 15 Miles

AU_ID 0404C_01 Entire water body

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TWQS-Appendix D	High	TWQS-Appendix D	15.00 Miles
<u>Station ID(s)</u> 10266; 10272				

SegID 0404D Welsh Reservoir (unclassified water body)

From Titus County Dam up to normal pool level located between Mt. Pleasant and Daingerfield in Titus County (impounds Swauano and Justiss Creeks)

Segment Type Reservoir Segment Size 1365 Acres

AU_ID 0404D_01 Entire reservoir

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	Water body description	High	Presumption from Flow Type	1365.00 Acres
<u>Station ID(s)</u> 10267; 10268; 17567				

SegID 0404E Dry Creek (unclassified water body)

Perennial stream from the confluence with Big Cypress Creek upstream to the confluence of Mile Branch and Little Creek

Segment Type Freshwater Stream Segment Size 9 Miles

AU_ID 0404E_01 Entire segment

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D	9.00 Miles
<u>Station ID(s)</u> 10274; 10275				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

SegID 0404F Sparks Branch (unclassified water body)

Perennial stream from the confluence with Dry Creek upstream to US 271

Segment Type Freshwater Stream **Segment Size** 3 Miles

AU_ID 0404F_01 Entire segment

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/pools	TWQS-Appendix D	Intermediate	TWQS-Appendix D	3.00 Miles
Station ID(s) 10277				

SegID 0404I Boggy Creek (unclassified water body)

From the confluence with Big Cypress Creek in Morris County to a point near SH 67 west of Omaha.

Segment Type Freshwater Stream **Segment Size** 31 Miles

AU_ID 0404I_01 Entire segment

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/ pools	Flow Questionnaire	Limited	Presumption from Flow Type	31.00 Miles
Station ID(s) 15894				

SegID 0404J Prairie Creek (unclassified water body)

From the confluence with Big Cypress Creek to Bennett Lake, south of Pittsburg in Camp County

Segment Type Freshwater Stream **Segment Size** 16 Miles

AU_ID 0404J_01 Entire segment

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/ pools	Flow Questionnaire	Limited	Presumption from Flow Type	16.00 Miles
Station ID(s) 15836				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

SegID 0404K Walkers Creek (unclassified water body)

From the confluence with Big Cypress Creek to approximately 2 miles west of Pittsburg in Camp County

Segment Type Freshwater Stream Segment Size 8.5 Miles

AU_ID 0404K_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
intermittent	Flow Questionnaire	Minimal	Presumption from Flow Type	8.50 Miles
<u>Station ID(s)</u> 16454; 16714				

SegID 0404L Swauano Creek (unclassified water body)

From the confluence of Big Cypress Creek below Lake Bob Sandlin to approximately 6 miles north of SH 49.

Segment Type Freshwater Stream Segment Size 18.5 Miles

AU_ID 0404L_01 Entire segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type	18.50 Miles
<u>Station ID(s)</u> 15738				

SegID 0404M Greasy Creek (unclassified water body)

From the confluence of Big Cypress Creek below Lake Bob Sandlin to approximately 4 miles SW of FM 557.

Segment Type Freshwater Stream Segment Size 19.4 Miles

AU_ID 0404M_01 Entire segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type	19.40 Miles
<u>Station ID(s)</u> 16016				

SegID 0404N Lake Daingerfield (unclassified water body)

Southeast of the City of Daingerfield in Daingerfield State Park in Morris County

Segment Type Reservoir **Segment Size** 62 Acres

AU_ID 0404N_01 Entire lake

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	Water body description	High	Presumption from Flow Type	62.00 Acres
Station ID(s) 17337				

SegID 0405 Lake Cypress Springs

From Franklin County Dam in Franklin County up to the normal pool elevation of 378 feet (impounds Big Cypress Creek)

Segment Type Reservoir **Segment Size** 3400 Acres

AU_ID 0405_01 Lower 800 acres

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	800.00 Acres
Station ID(s) 10312; 17868; 17869; 17870; 17871				

AU_ID 0405_02 Upper 2600 acres

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	2000.00 Acres
Station ID(s) 10313; 16937; 16939; 17872				

AU_ID 0405_03 Panther Arm

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	600.00 Acres
Station ID(s) 16938; 16940; 17518; 17548				

SegID 0405A Big Cypress Creek (unclassified water body)

From the confluence with Lake Cypress springs in Franklin County, to approximately 5 miles west of State HWY 37

Segment Type Freshwater Stream **Segment Size** 10.5 Miles

AU_ID 0405A_01 Entire segment

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type	10.50 Miles
Station ID(s) 15260				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

SegID 0405B Panther Creek (unclassified water body)

From the confluence with Lake Cypress springs in Franklin County, to approximately .25 miles west of State HWY 37

Segment Type Freshwater Stream **Segment Size** 4 Miles

AU_ID 0405B_01 Entire segment

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Flow Questionnaire	High	Presumption from Flow Type	4.00 Miles
Station ID(s) 17322				

SegID 0405C Blair Creek (unclassified water body)

From the confluence with Lake Cypress springs in Franklin County, to approximately .5 miles south of FM 900

Segment Type Freshwater Stream **Segment Size** 3 Miles

AU_ID 0405C_01 Entire segment

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Flow Questionnaire	High	Presumption from Flow Type	3.00 Miles
Station ID(s) 17952				

SegID 0406 Black Bayou

From the Louisiana State Line in Cass County to FM 96 in Cass County

Segment Type Freshwater Stream **Segment Size** 24 Miles

AU_ID 0406_01 Lower 12 miles

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	Intermediate	TWQS-Appendix A	12.00 Miles
Station ID(s) 10314				

AU_ID 0406_02 Upper 12 miles

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	Intermediate	TWQS-Appendix A	12.00 Miles
Station ID(s) 10316; 16157				

The following water bodies in the watershed to this classified segment had some data however there was not enough information to be included in the assessment: Haw Creek.

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

SegID 0407 James' Bayou

From the Louisiana State Line in Marion County to Club Lake Road northwest of Linden in Cass County

Segment Type Freshwater Stream **Segment Size** 40 Miles

AU_ID 0407_01 Lower 15 miles of segment

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	Intermediate	TWQS-Appendix A	15.00 Miles

Station ID(s) 10319

AU_ID 0407_02 Upper 25 miles of segment

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	Intermediate	TWQS-Appendix A	25.00 Miles

Station ID(s) 10320; 10321; 18200

SegID 0407A Beach Creek (unclassified water body)

Perennial stream from Iron Ore Lake upstream to the confluence with an unnamed tributary 0.48 km upstream of Hwy 59

Segment Type Freshwater Stream **Segment Size** 6.7 Miles

AU_ID 0407A_01 Entire segment

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D	6.70 Miles

Station ID(s) 10256

SegID 0407B Frazier Creek (unclassified water body)

From the confluence with James Bayou to approximately 4 miles northwest of SH 8 near Red Hill in Cass County

Segment Type Freshwater Stream **Segment Size** 35 Miles

AU_ID 0407B_01 Upper 25 miles

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type	25.00 Miles

Station ID(s) 10259

AU_ID 0407B_02 Remainder of water body

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type	10.00 Miles

Station ID(s) 17619

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

SegID 0408 Lake Bob Sandlin

From Fort Sherman Dam in Camp/Titus County to Franklin County Dam in Franklin County up to normal pool elevation of 337.5 feet (impounds Big Cypress Creek)

Segment Type Reservoir **Segment Size** 9460 Acres

AU_ID 0408_01 Lower 2000 acres near dam

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	2000.00 Acres

Station ID(s) 10329; 17059; 17060

AU_ID 0408_02 Middle 4460 acres

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	4460.00 Acres

Station ID(s) 10330

AU_ID 0408_03 Upper 3000 acres

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	3000.00 Acres

Station ID(s) 16158

SegID 0408A Lake Monticello (unclassified water body)

Reservoir southwest of Mt. Pleasant in Titus County

Segment Type Reservoir **Segment Size** 2100 Acres

AU_ID 0408A_01 Entire water body

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	Water body description	High	Presumption from Flow Type	2100.00 Acres

Station ID(s) 10278

SegID 0408B Andy's Creek (unclassified water body)

From the confluence with Lake Bob Sandlin in Titus County to the headwaters in Franklin County approximately .25 miles south of Farm Road 21

Segment Type Freshwater Stream **Segment Size** 7.5 Miles

AU_ID 0408B_01 Entire segment

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type	7.50 Miles

Station ID(s) 17323

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

SegID 0408C Brushy Creek (unclassified water body)

From the confluence with Lake Bob Sandlin in Franklin County to Winnsboro at State HWY 37

Segment Type Freshwater Stream **Segment Size** 13 Miles

AU_ID 0408C_01 Entire segment

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Flow Questionnaire	High	Presumption from Flow Type	13.00 Miles
Station ID(s) 15261				

SegID 0408D Blundell Creek (unclassified water body)

From the confluence with Lake Bob Sandlin in Titus County to the headwaters in Franklin County approximately .25 miles south of Farm Road 21

Segment Type Freshwater Stream **Segment Size** 10.5 Miles

AU_ID 0408D_01 Entire segment

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type	10.50 Miles
Station ID(s) 15262				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

SegID 0409 Little Cypress Bayou (Creek)

From the confluence of Big Cypress Creek in Harrison/Marion County to a point 1.0 km (0.6 miles) upstream of FM 2088 in Wood County

Segment Type Freshwater Stream **Segment Size** 93 Miles

AU_ID 0409_01 Lower 25 miles of segment

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	25.00 Miles

Station ID(s) 10332

AU_ID 0409_02 Middle 18 miles above Hwy 154

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	18.00 Miles

Station ID(s) 15773; 16861

AU_ID 0409_03 Middle 25 miles below Hwy 271

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	25.00 Miles

Station ID(s) 10333; 10334; 10335

AU_ID 0409_04 Upper 25 miles

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	25.00 Miles

Station ID(s) 14975; 16017

The following water bodies in the watershed to this classified segment had some data however there was not enough information to be included in the assessment: Caney Creek, Clear Creek, Grays Creek, Gum Creek, Moccasin Creek, Sugar Creek.

SegID 0409A Lilly Creek (unclassified water body)

From the confluence with Little Cypress Creek to the Camp County line near Lawton in Upshur County.

Segment Type Freshwater Stream **Segment Size** 14.5 Miles

AU_ID 0409A_01 Entire segment

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/ pools	Flow Questionnaire	Limited	Presumption from Flow Type	14.50 Miles

Station ID(s) 15834

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

SegID 0409B South Lilly Creek (unclassified water body)

From the confluence of Lilly Creek to approximately 2 miles west of FM 1647

Segment Type Freshwater Stream **Segment Size** 15.2 Miles

AU_ID 0409B_01 Entire segment

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type	15.20 Miles
Station ID(s) 17953; 17954				

SegID 0409C Kelsey Creek (unclassified water body)

From the confluence of Little Cypress Creek to the headwaters near SH 154 west of Gilmer.

Segment Type Freshwater Stream **Segment Size** 18.2 Miles

AU_ID 0409C_01 Entire segment

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type	Miles
Station ID(s)				

SegID 0409D Lake Gilmer (unclassified water body)

Unclassified reservoir bisecting Kelsey Creek, approximately 2 miles west of US Hwy 271 and 1 mile south of Little Cypress Bayou.

Segment Type Reservoir **Segment Size** 1000 Acres

AU_ID 0409D_01 Entire segment

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	Water body description	High	Presumption from Flow Type	Acres
Station ID(s) 16453; 17478				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

SegID 0501 Sabine River Tidal

From the confluence with Sabine Lake in Orange County to West Bluff in Orange County

Segment Type Tidal Stream Segment Size 24 Miles

AU_ID 0501_01 Lower 10 miles of segment

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
tidal	TSWQS	High	TWQS-Appendix A	10.00 Miles

Station ID(s) 10391; 18055

AU_ID 0501_02 Upper 14 miles of segment

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
tidal	TSWQS	High	TWQS-Appendix A	14.00 Miles

Station ID(s) 10394

SegID 0501B Little Cypress Bayou (unclassified water body)

From the confluence with the Sabine River to the headwaters west of Reese in Orange County.

Segment Type Tidal Stream Segment Size 8.2 Miles

AU_ID 0501B_01 Lower 4.2 miles of bayou

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
tidal stream	Flow Questionnaire	High	Presumption from Flow Type	4.20 Miles

Station ID(s) 14503

AU_ID 0501B_02 0.3 mile upstream to 0.5 mile downstream of Bear Path Road

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
tidal stream	Flow Questionnaire	High	Presumption from Flow Type	0.80 Miles

Station ID(s) 15520

AU_ID 0501B_03 Upper 3.2 miles of bayou

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
tidal stream	Flow Questionnaire	High	Presumption from Flow Type	3.20 Miles

Station ID(s) 16690

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

SegID 0502 Sabine River Above Tidal

From West Bluff in Orange County to the confluence with Caney Creek in Newton County

Segment Type Freshwater Stream **Segment Size** 77 Miles

AU_ID 0502_01 Lower 11 miles

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	11.00 Miles

Station ID(s) 10395

AU_ID 0502_02 Middle 25 miles around SH 12

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	25.00 Miles

Station ID(s) 10397

AU_ID 0502_03 Upper 41 miles

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	41.00 Miles

Station ID(s)

SegID 0502A Nichols Creek (unclassified water body)

From the confluence of the Sabine River to the upstream perennial portion of the stream south of Kirbyville in Newton and Jasper Counties

Segment Type Freshwater Stream **Segment Size** 31.5 Miles

AU_ID 0502A_01 Lower 25 miles of creek

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/ pools	Routine Flow Data	Limited	Presumption from Flow Type	25.00 Miles

Station ID(s) 15652

AU_ID 0502A_02 Upper 6.5 miles of creek

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/ pools	Routine Flow Data	Limited	Presumption from Flow Type	6.50 Miles

Station ID(s)

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

SegID 0502B Caney Creek (unclassified water body)

Perennial stream from the Sabine River upstream to the confluence with Martin Branch

Segment Type Freshwater Stream Segment Size 24.7 Miles

AU_ID 0502B_01 Perennial stream from the Sabine River upstream to the confluence with Martin Branch

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
perennial	TWQS-Appendix D	High	TWQS-Appendix D	24.70 Miles

Station ID(s) 14491

AU_ID 0502B_02 From Davison Street upstream to the confluence with Caney Branch and Little Caney Branch

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
perennial	TWQS-Appendix D	High	TWQS-Appendix D	11.00 Miles

Station ID(s) 17464

SegID 0502C Sabine River Authority Canal (unclassified water body)

Segment Type Freshwater Stream Segment Size 8.5 Miles

AU_ID 0502C_01 Entire segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
intermittent w/pools	Routine Flow Data	High	Presumption from Flow Type	8.50 Miles

Station ID(s) 10345

SegID 0502D Dempsey Creek (unclassified water body)

From the confluence with Sabine River to 8.3 miles upstream near FM 363

Segment Type Freshwater Stream Segment Size 8.3 Miles

AU_ID 0502D_01 Entire segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type	8.30 Miles

Station ID(s) 14966

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

SegID 0503 Sabine River Above Caney Creek

From a point immediately upstream of the confluence with Caney Creek in Newton County up to Toledo Bend Dam in Newton County

Segment Type Freshwater Stream **Segment Size** 60 Miles

AU_ID 0503_01 Lower 25 miles of segment

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	25.00 Miles

Station ID(s) 10398; 17433

AU_ID 0503_02 Approx. 7 miles upstream to 18 miles downstream of SH 63

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	25.00 Miles

Station ID(s) 17432

AU_ID 0503_03 Upper 10 miles of segment

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	10.00 Miles

Station ID(s) 10399; 10400; 10401

SegID 0503D Little Cow Creek (unclassified water body)

From the confluence with Sabine River to 2.75 miles upstream of Rt 255

Segment Type Freshwater Stream **Segment Size** 26.5 Miles

AU_ID 0503D_01 From confluence with Sabine River to confluence with McGraw Creek

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	Presumption from Flow Type	10.60 Miles

Station ID(s) 14969

AU_ID 0503D_02 From confluence with McGraw Creek to 2.75 miles upstream of Rt 255

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	Presumption from Flow Type	15.70 Miles

Station ID(s) 18321

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

SegID 0504 Toledo Bend Reservoir

From Toledo Bend Dam in Newton County to a point immediately upstream of the confluence of Murvaul Creek in Panola County, up to the normal pool elevation of 172 feet (impounds the Sabine River)

Segment Type Reservoir Segment Size 181600 Acres

AU_ID 0504_01 Lowermost 5200 acres of reservoir, adjacent to dam, including Indian Creek arm

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	5200.00 Acres

Station ID(s) 10404; 16696

AU_ID 0504_02 Six Mile Boat Lane arm

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	6400.00 Acres

Station ID(s) 10407

AU_ID 0504_03 Sunshine Bay arm

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	3000.00 Acres

Station ID(s) 10411

AU_ID 0504_04 Near SH 21

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	5800.00 Acres

Station ID(s) 10402

AU_ID 0504_05 Patroon Bayou Branch arm

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	3500.00 Acres

Station ID(s) 15655

AU_ID 0504_06 Tenaha Creek arm

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	3800.00 Acres

Station ID(s) 10412

AU_ID 0504_07 Uppermost 5120 acres of reservoir

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	6000.00 Acres

Station ID(s) 10403; 18051

AU_ID 0504_08 Negreet Bayou arm

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	3400.00 Acres

Station ID(s) 18054

AU_ID 0504_09 San Miguel arm

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	6000.00 Acres

Station ID(s) 15656; 18053

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

AU_ID 0504_10 San Patricia arm

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
reservoir	TSWQS	High	TWQS-Appendix A	2800.00 Acres
<u>Station ID(s)</u> 15657				

AU_ID 0504_11 Toledo Bend reservoir near Buzzard Bend

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
reservoir	TSWQS	High	TWQS-Appendix A	6000.00 Acres
<u>Station ID(s)</u> 18052				

AU_ID 0504_12 Remainder of reservoir

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
reservoir	TSWQS	High	TWQS-Appendix A	129700.00 Acres
<u>Station ID(s)</u>				

SegID 0504C Palo Gaucho Bayou (unclassified water body)

From the confluence with Toledo Bend Reservoir in Sabine County to the headwaters northeast of San Augustine in San Augustine County

Segment Type Freshwater Stream **Segment Size** 23.6 Miles

AU_ID 0504C_01 Entire segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
perennial	Routine Flow Data	High	Presumption from Flow Type	23.60 Miles
<u>Station ID(s)</u> 16695				

SegID 0504D Tenaha Creek (unclassified water body)

From the confluence with Flat Fork Creek upstream to the confluence with Porter and Huana Creeks

Segment Type Freshwater Stream **Segment Size** 18.5 Miles

AU_ID 0504D_01 Entire segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
perennial	Routine Flow Data	High	Presumption from Flow Type	18.50 Miles
<u>Station ID(s)</u> 10339				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

SegID 0504E Clear Lake

Oxbow lake 12 miles northwest of Logansport, LA

Segment Type Reservoir **Segment Size** 15 Acres

AU_ID 0504E_01 Oxbow lake 12 miles northwest of Logansport, LA

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	Water body description	High	Presumption from Flow Type	15.00 Acres
Station ID(s) 18426				

SegID 0505 Sabine River Above Toledo Bend Reservoir

From a point immediately upstream of the confluence of Murvaul Creek in Panola County to a point 100 meters (110 yards) downstream of US 271 in Gregg County

Segment Type Freshwater Stream **Segment Size** 104 Miles

AU_ID 0505_01 Lower 20 miles

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	20.00 Miles
Station ID(s) 10415				

AU_ID 0505_02 32 mile reach near SH 59

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	32.00 Miles
Station ID(s) 10418; 13628				

AU_ID 0505_03 22 mile reach near SH 149

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	22.00 Miles
Station ID(s) 10423				

AU_ID 0505_04 10 mile reach near US 259

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	10.00 Miles
Station ID(s) 10426				

AU_ID 0505_05 Upper 20 miles

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	20.00 Miles
Station ID(s) 10427				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

SegID 0505B Grace Creek (unclassified water body)

Perennial stream from the confluence with the Sabine River up to FM 1844 in Gregg County

Segment Type Freshwater Stream **Segment Size** 14 Miles

AU_ID 0505B_01 Lower 1.7 miles

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D	1.70 Miles

Station ID(s)

AU_ID 0505B_02 Upper 12.3 miles

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D	12.30 Miles

Station ID(s) 14499; 16686; 16689

SegID 0505C Hawkins Creek (unclassified water body)

From the confluence of the Sabine River in Gregg County to the upstream perennial portion of the stream north west of Longview in Gregg County Standards: Perennial stream from confluence with the Sabine River upstream to FM 2605 in White Oak

Segment Type Freshwater Stream **Segment Size** 25 Miles

AU_ID 0505C_01 Perennial stream from the confluence with the Sabine River upstream to FM 2605 in White Oak

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TWQS-Appendix D	Limited	TWQS-Appendix D	Miles

Station ID(s) 10383; 10384; 15487

AU_ID 0505C_02 From FM 2605 upstream 1.3 km (0.8 mile)

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	Presumption from Flow Type	0.80 Miles

Station ID(s) 16683; 16684

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

SegID 0505D Rabbit Creek (unclassified water body)

From the confluence with the Sabine River near Kilgore in Gregg County to the headwaters west of Overton in Smith County.

Segment Type Freshwater Stream Segment Size 26.4 Miles

AU_ID 0505D_01 Perennial stream from the confluence with the Sabine River in Gregg County up to the confluence with Little Rabbit Creek in Rusk County

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix A	18.30 Miles

Station ID(s) 10371; 16681

AU_ID 0505D_02 From the confluence with Little Rabbit Creek upstream to the headwaters west of Overton in Smith County

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	Presumption from Flow Type	8.10 Miles

Station ID(s) 16693

SegID 0505E Brandy Branch Reservoir (unclassified water body)

From Harrison County Dam up to normal pool elevation of 340 feet southwest of Marshall in Harrison County (impounds Brandy Branch)

Segment Type Reservoir Segment Size 1240 Acres

AU_ID 0505E_01 Entire reservoir

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	Water body description	High	Presumption from Flow Type	1240.00 Acres

Station ID(s) 17571; 17572

SegID 0505F Martin Creek Reservoir (unclassified water body)

From Rusk County Dam up to normal pool elevation of 306 feet northeast of Henderson in Rusk County

Segment Type Reservoir Segment Size 5020 Acres

AU_ID 0505F_01 Entire reservoir

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	Water body description	High	Presumption from Flow Type	5020.00 Acres

Station ID(s) 13601; 13602; 17568; 17569; 17570

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

SegID 0505G Wards Creek (unclassified water body)

From the confluence with Hatley Creek to the headwaters east of Hallsville in Harrison County

Segment Type Freshwater Stream **Segment Size** 5 Miles

AU_ID 0505G_01 Wards Creek from the confluence with Sewell Creek upstream to the confluence with unnamed 2nd order stream

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/ pools	TWQS-Appendix D	Intermediate	TWQS-Appendix D	2.50 Miles

Station ID(s) 15188

AU_ID 0505G_02 From 2nd order stream to headwaters

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/pools	TWQS-Appendix D	Limited	TWQS-Appendix D	2.50 Miles

Station ID(s)

SegID 0505O Hills Lake

Oxbow lake 13 miles east of Carthage

Segment Type Reservoir **Segment Size** 40 Acres

AU_ID 0505O_01 Entire segment

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	Water body description	High	Presumption from Flow Type	40.00 Acres

Station ID(s) 18422

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

SegID 0506 Sabine River Below Lake Tawakoni

From a point 100 meters (110 yards) downstream of US 271 in Gregg County to Iron Bridge Dam in Rains County

Segment Type Freshwater Stream **Segment Size** 118 Miles

AU_ID 0506_01 From US 271 upstream to the confluence with Big Sandy Creek

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	15.00 Miles

Station ID(s) 10428

AU_ID 0506_02 From the confluence with Big Sandy Creek upstream to the confluence with Lake Fork Creek

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	30.00 Miles

Station ID(s) 10429

AU_ID 0506_03 From the confluence with Lake Fork Creek upstream to the confluence with Grand Saline Creek

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	29.00 Miles

Station ID(s) 10430

AU_ID 0506_04 From the confluence with Grand Saline Creek upstream to SH 19

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	26.00 Miles

Station ID(s) 17065

AU_ID 0506_05 From SH 19 upstream to Iron Bridge dam

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	12.00 Miles

Station ID(s) 10432

SegID 0506A Harris Creek (unclassified water body)

From the confluence of the Sabine River northeast of Winona in Smith County to the upstream perennial portion of the stream east of Tyler in Smith County

Segment Type Freshwater Stream **Segment Size** 21 Miles

AU_ID 0506A_01 Entire segment

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	Presumption from Flow Type	21.00 Miles

Station ID(s) 14500

SegID 0506C Wiggins Creek (unclassified water body)

Perennial stream from the confluence with Harris Creek upstream to the dam impounding an unnamed reservoir located approximately 3.8 km upstream of FM 2015 northeast of the City of Tyler

Segment Type Freshwater Stream Segment Size 6.3 Miles

AU_ID 0506C_01 Appendix D - From the confluence with Harris Creek upstream to Smith County WWTP

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TWQS-Appendix D	High	TWQS-Appendix D	0.70 Miles

Station ID(s) 14507

AU_ID 0506C_02 From Smith County WWTP upstream to dam impounding unnamed reservoir

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TWQS-Appendix D	High	TWQS-Appendix D	5.60 Miles

Station ID(s) 16362

SegID 0506G Little White Oak Creek (unclassified water body)

From the confluence with the Sabine River to the headwaters southwest of Gilmer in Upshur County

Segment Type Freshwater Stream Segment Size 11.5 Miles

AU_ID 0506G_01 Entire water body

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	Presumption from Flow Type	11.50 Miles

Station ID(s) 15986

SegID 0506H Lake Gladewater (unclassified water body)

From the dam up to the normal pool elevation of 300.2 ft northeast of Gladewater (impounds Glade Creek)

Segment Type Reservoir Segment Size 800 Acres

AU_ID 0506H_01 Entire segment

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	Water body description	High	Presumption from Flow Type	800.00 Acres

Station ID(s) 17062; 17585

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

SegID 0507 Lake Tawakoni

From Iron Bridge Dam in Rains County up to normal pool elevation of 437 feet (impounds Sabine River)

Segment Type Reservoir **Segment Size** 37879 Acres

AU_ID 0507_01 Lowermost 5,120 acres of reservoir, adjacent to dam

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	5120.00 Acres

Station ID(s) 10434

AU_ID 0507_02 Kitsee Inlet

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	5120.00 Acres

Station ID(s) 10435

AU_ID 0507_03 South Fork of Sabine River cove

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	2133.00 Acres

Station ID(s)

AU_ID 0507_04 Cowleech Fork of Sabine River arm

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	3695.00 Acres

Station ID(s) 10440; 17836

AU_ID 0507_05 5120 acres near SH 276

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	5120.00 Acres

Station ID(s) 10437

AU_ID 0507_06 5120 acres near Spring Point

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	5120.00 Acres

Station ID(s) 17835

AU_ID 0507_07 Remainder of reservoir

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	11571.00 Acres

Station ID(s)

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

SegID 0507A Cowleech Fork Sabine River (unclassified water body)

From the confluence of Lake Tawakoni southeast of Greenville in Hunt County to the upstream perennial portion of the stream south of Celeste in Hunt County

Segment Type Freshwater Stream **Segment Size** 30 Miles

AU_ID 0507A_01 Lower 10 miles, downstream of Long Branch confluence

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	Minimal	Previous TCEQ Permit Decision	10.00 Miles

Station ID(s) 10343

AU_ID 0507A_02 Upper 20 miles, upstream of Long Branch confluence

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent	WQS/Permits program	Minimal	Presumption from Flow Type	20.00 Miles

Station ID(s) 14493; 14971; 15661; 15989

SegID 0507B Long Branch (unclassified water body)

From the confluence with Cowleech Fork Sabine River to the upstream perennial portion of the stream in Greenville in Hunt County

Segment Type Freshwater Stream **Segment Size** 8.5 Miles

AU_ID 0507B_01 Entire creek

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent	Flow Questionnaire	Minimal	Presumption from Flow Type	8.50 Miles

Station ID(s) 15993; 17508

SegID 0507D Hickory Creek (unclassified water body)

From the confluence of Cowleech Fork Sabine River to FM 272 east of Celeste in Hunt County

Segment Type Freshwater Stream **Segment Size** 11.5 Miles

AU_ID 0507D_01 Entire segment

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type	12.20 Miles

Station ID(s) 15992

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

SegID 0507E Horse Creek (unclassified water body)

From the confluence of Cowleech Fork Sabine River to 0.95 km (0.6 miles) upstream of SH 34

Segment Type Freshwater Stream **Segment Size** 12.2 Miles

AU_ID 0507E_01 Entire segment

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type	12.20 Miles
Station ID(s) 17507				

SegID 0507F Tidwell Creek (unclassified water body)

From the confluence of Cowleech Fork Sabine River to 0.8 km (0.5 mile) upstream of FM 1566

Segment Type Freshwater Stream **Segment Size** 11.6 Miles

AU_ID 0507F_01 Entire segment

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type	11.60 Miles
Station ID(s) 15991				

SegID 0507G South Fork of Sabine River (unclassified water body)

From the confluence with Lake Tawakoni upstream to the confluence with Klutts and Sabine Creeks

Segment Type Freshwater Stream **Segment Size** 16.6 Miles

AU_ID 0507G_01 Entire segment

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	Presumption from Flow Type	16.60 Miles
Station ID(s) 14967				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

SegID 0507H Caddo Creek (unclassified water body)

From the confluence with Lake Tawakoni at Caddo Inlet upstream to the confluence with East Caddo and West Caddo Creeks

Segment Type Freshwater Stream **Segment Size** 7 Miles

AU_ID 0507H_01 Entire creek

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type	7.00 Miles

Station ID(s) 10439

SegID 0508 Adams Bayou Tidal

From the confluence with the Sabine River in Orange County to a point 1.1 km (0.7 miles) upstream of IH 10 in Orange County

Segment Type Tidal Stream **Segment Size** 8 Miles

AU_ID 0508_01 Lower 3 miles of segment

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
tidal	TSWQS	High	TWQS-Appendix A	3.00 Miles

Station ID(s) 10441

AU_ID 0508_02 2 mile reach near Western Avenue

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
tidal	TSWQS	High	TWQS-Appendix A	2.00 Miles

Station ID(s)

AU_ID 0508_03 1 mile reach near Green Avenue

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
tidal	TSWQS	High	TWQS-Appendix A	1.00 Miles

Station ID(s)

AU_ID 0508_04 Upper 2 miles of segment

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
tidal	TSWQS	High	TWQS-Appendix A	2.00 Miles

Station ID(s)

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

SegID 0508A Adams Bayou Above Tidal (unclassified water body)

From a point 1.1 km (0.7 miles) upstream of IH 10 in Orange County to the upstream perennial portion of the stream northwest of Orange in Orange Count

Segment Type Freshwater Stream Segment Size 8 Miles

AU_ID 0508A_01 Entire bayou above tidal

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
intermittent w/ pools	Routine Flow Data	Limited	Presumption from Flow Type	8.00 Miles
<u>Station ID(s)</u> 15107				

SegID 0508B Gum Gully (unclassified water body)

From the confluence of Adams Bayou to the upstream perennial portion of the stream northwest of Orange in Orange County

Segment Type Freshwater Stream Segment Size 3.5 Miles

AU_ID 0508B_01 Entire creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
intermittent w/ pools	Routine Flow Data	Limited	Presumption from Flow Type	3.50 Miles
<u>Station ID(s)</u>				

SegID 0508C Hudson Gully (unclassified water body)

From the confluence with Adams Bayou to the headwaters near US 890 in Pinehurst in Orange County

Segment Type Tidal Stream Segment Size 0.5 Miles

AU_ID 0508C_01 Entire creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
tidal	Water body description	High	Presumption from Flow Type	0.50 Miles
<u>Station ID(s)</u> 16041				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

SegID 0509 Murvaul Lake

From Murvaul Dam in Panola County up to the normal pool elevation of 265.3 feet (impounds Murvaul Bayou)

Segment Type Reservoir **Segment Size** 3827 Acres

AU_ID 0509_01 Entire reservoir

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	3827.00 Acres

Station ID(s) 10444; 16954

SegID 0510 Lake Cherokee

From Cherokee Dam in Gregg/Rusk County up to the normal pool elevation of 280 feet (impounds Cherokee Bayou)

Segment Type Reservoir **Segment Size** 3981 Acres

AU_ID 0510_01 Lower 2352 acres of reservoir

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	2352.00 Acres

Station ID(s) 15514

AU_ID 0510_02 Upper 1629 acres of reservoir

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	1629.00 Acres

Station ID(s) 15195

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

SegID 0511 Cow Bayou Tidal

From the confluence with the Sabine River in Orange County to a point 4.8 km (3.0 miles) upstream of IH 10 in Orange County

Segment Type Tidal Stream **Segment Size** 20 Miles

AU_ID 0511_01 Lower 5 miles

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
tidal	TSWQS	High	TWQS-Appendix A	5.00 Miles

Station ID(s) 10446; 10449; 10451

AU_ID 0511_02 6 mile reach near FM 105

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
tidal	TSWQS	High	TWQS-Appendix A	6.00 Miles

Station ID(s) 10454; 17877

AU_ID 0511_03 5 mile reach near FM 1442 (north crossing)

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
tidal	TSWQS	High	TWQS-Appendix A	5.00 Miles

Station ID(s) 13781

AU_ID 0511_04 Upper 4 miles

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
tidal	TSWQS	High	TWQS-Appendix A	4.00 Miles

Station ID(s)

SegID 0511A Cow Bayou Above Tidal (unclassified water body)

From a point 4.8 km (3.0 miles) upstream of IH 10 in Orange County to the upstream perennial portion of the stream northeast of Vidor in Orange County

Segment Type Freshwater Stream **Segment Size** 10.6 Miles

AU_ID 0511A_01 Lower 5.3 miles of above-tidal reach

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/ pools	Routine Flow Data	Limited	Presumption from Flow Type	5.30 Miles

Station ID(s)

AU_ID 0511A_02 Upper 5.3 miles of above-tidal reach

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/ pools	Routine Flow Data	Limited	Presumption from Flow Type	5.30 Miles

Station ID(s)

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

SegID 0511B Coon Bayou (unclassified water body)

From the confluence with Cow Bayou up to the extent of tidal limit in Orange County

Segment Type Tidal Stream **Segment Size** 4.7 Miles

AU_ID 0511B_01 Entire tidal reach

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
tidal	TWQS-Appendix D	High	TWQS-Appendix D	4.70 Miles

Station ID(s)

SegID 0511C Cole Creek (unclassified water body)

From the confluence of Cow Bayou west of Orange in Orange County to the upstream perennial portion of the stream south of Mauriceville in Orange Count

Segment Type Tidal Stream **Segment Size** 9.5 Miles

AU_ID 0511C_01 Entire tidal reach

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
tidal	Water body description	High	Presumption from Flow Type	9.50 Miles

Station ID(s) 16060

SegID 0511E Terry Gully (unclassified water body)

From the confluence with Cow Bayou in Orange County to the headwaters northeast of Vidor in Orange County

Segment Type Freshwater Stream **Segment Size** 8.6 Miles

AU_ID 0511E_01 Entire creek

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type	8.60 Miles

Station ID(s) 16040

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

SegID 0512 Lake Fork Reservoir

From Lake Fork Dam in Wood County up to normal pool elevation of 403 feet (impounds Lake Fork Creek)

Segment Type Reservoir **Segment Size** 27690 Acres

AU_ID 0512_01 Lowermost 5120 acres of reservoir, adjacent to dam

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	5120.00 Acres

Station ID(s) 10458

AU_ID 0512_02 Caney Creek arm, centering on FM 515

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	5120.00 Acres

Station ID(s) 10461

AU_ID 0512_03 Running Creek cove, centering on FM 2966

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	301.00 Acres

Station ID(s) 13704; 16192

AU_ID 0512_04 Lake Fork Creek arm, centering on FM 515

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	5120.00 Acres

Station ID(s) 10462

AU_ID 0512_05 Uppermost 5120 acres of Lake Fork Creek arm

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	5120.00 Acres

Station ID(s) 16691

AU_ID 0512_06 Remainder of reservoir

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	6909.00 Acres

Station ID(s)

SegID 0512A Running Creek (unclassified water body)

From the confluence with Lake Fork Reservoir to the headwaters southeast of Martin Springs in Hopkins County

Segment Type Freshwater Stream **Segment Size** 11.6 Miles

AU_ID 0512A_01 Entire creek

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	Presumption from Flow Type	11.60 Miles

Station ID(s) 14264; 14275

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

SegID 0512B Elm Creek (unclassified water body)

From the confluence with Lake Fork Reservoir in Rains County to the headwaters northwest of Shirley in Hopkins County

Segment Type Freshwater Stream **Segment Size** 9.8 Miles

AU_ID 0512B_01 Entire creek

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/ pools	Routine Flow Data	Limited	Presumption from Flow Type	9.80 Miles

Station ID(s)

SegID 0513 Big Cow Creek

From the confluence with the Sabine River in Newton County to a point 4.6 km (2.9 miles) upstream of CR 255 in Newton County

Segment Type Freshwater Stream **Segment Size** 30 Miles

AU_ID 0513_01 Entire segment

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	30.00 Miles

Station ID(s) 10465

SegID 0514 Big Sandy Creek

From the confluence with the Sabine River in Upshur County to a point 2.6 km (1.6 miles) upstream of SH 11 in Hopkins County

Segment Type Freshwater Stream **Segment Size** 34 Miles

AU_ID 0514_01 From confluence with Sabine River to just upstream of FM 49

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	25.00 Miles

Station ID(s) 10467; 10468; 16011

AU_ID 0514_02 From just upstream of FM 49 to upper end of segment

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	29.00 Miles

Station ID(s) 16867

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

SegID 0515 Lake Fork Creek

From the confluence with the Sabine River in Wood County to Lake Fork Dam in Wood County

Segment Type Freshwater Stream **Segment Size** 21 Miles

AU_ID 0515_01 Entire segment

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	21.00 Miles
Station ID(s) 10469; 10470				

SegID 0601 Neches River Tidal

From the confluence with the Sabine Lake in Orange County to a point 11.3 km (7.0 miles) upstream of IH 10 in Orange County

Segment Type Tidal Stream **Segment Size** 27 Miles

AU_ID 0601_01 Lower boundary to top of first oxbow

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
tidal	TSWQS	Intermediate	TWQS-Appendix A	4.70 Miles
Station ID(s) 10563				

AU_ID 0601_02 Top of first oxbow to top of U.S. Nat'l Defense Reserve Fleet Basin

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
tidal	TSWQS	Intermediate	TWQS-Appendix A	7.20 Miles
Station ID(s) 10566				

AU_ID 0601_03 Top of U.S. Nat'l Defense Reserve Fleet Basin to top of last oxbow below Kansas City S.R.R bridge

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
tidal	TSWQS	Intermediate	TWQS-Appendix A	4.60 Miles
Station ID(s) 10570				

AU_ID 0601_04 Top of last oxbow below Kansas City S.R.R bridge to top of boundary

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
tidal	TSWQS	Intermediate	TWQS-Appendix A	10.50 Miles
Station ID(s) 10575				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

SegID 0601A Star Lake Canal (unclassified water body)

North of Groves in Jefferson County

Segment Type Tidal Stream **Segment Size** 3.2 Miles

AU_ID 0601A_01 Entire water body

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
tidal	WQS/Permits program	intermediate	Previous TCEQ Permit Decision	3.20 Miles
Station ID(s) 10485				

SegID 0602 Neches River Below B. A. Steinhagen Lake

From a point 11.3 km (7.0 miles) upstream of IH 10 in Orange County to Town Bluff Dam in Jasper/Tyler County

Segment Type Freshwater Stream **Segment Size** 84 Miles

AU_ID 0602_01 Lower boundary to confluence with Village Creek (0608)

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	11.20 Miles
Station ID(s) 15343				

AU_ID 0602_02 confluence with Village Creek (0608) to 18.4 miles upstream Evadale

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	33.70 Miles
Station ID(s) 10580				

AU_ID 0602_03 18.4 miles upstream Evadale to 5.4 miles upstream FM 1013

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	29.70 Miles
Station ID(s) 10581				

AU_ID 0602_04 5.4 miles upstream FM 1013 to Town Bluff Dam

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	9.40 Miles
Station ID(s) 13626				

Reviewed: Unclassified stream Walnut Run was sampled 5 times for flow and 2 times for DO. Flow was <0.1 in 4 of the 5 flow samples. Not enough samples were collected to assess.

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

SegID 0602A Booger Branch (unclassified water body)

From the confluence of Massey Lake Slough south of Silsbee to a point 0.6 miles (1.0 km) upstream of US 96 in Hardin County

Segment Type Freshwater Stream **Segment Size** 6 Miles

AU_ID 0602A_01 Entire water body

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TWQS-Appendix D	Limited	TWQS-Appendix D	6.00 Miles
Station ID(s) 16128				

SegID 0603 B. A. Steinhagen Lake

From Town Bluff Dam in Jasper/Tyler County to a point immediately upstream of the confluence of Hopson Mill Creek on the Neches River Arm in Jasper/Tyler County and to a point immediately upstream of the confluence of Indian Creek on the Angelina River Arm in Jasper County, up to the normal pool elevation of 83 feet (impounds Neches River)

Segment Type Reservoir **Segment Size** 13700 Acres

AU_ID 0603_01 Main pool by dam

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	5120.00 Acres
Station ID(s) 10582				

AU_ID 0603_02 Remainder of reservoir

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	8580.00 Acres
Station ID(s) 10583				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

SegID 0603A Sandy Creek (unclassified water body)

From the confluence of B.A. Steinhagen Lake southwest of Jasper in Jasper County to the confluence of Big and Little Sandy Creeks in Jasper in Jasper County

Segment Type Freshwater Stream **Segment Size** 23 Miles

AU_ID 0603A_01 Lower 11.5 miles

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TWQS-Appendix D	High	TWQS-Appendix D	11.50 Miles

Station ID(s) 10484

AU_ID 0603A_02 Upper 11.5 miles

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TWQS-Appendix D	High	TWQS-Appendix D	11.50 Miles

Station ID(s) 16129

SegID 0603B Wolf Creek (unclassified water body)

From the confluence of B. A. Steinhagen Lake southeast of Colmesneil in Tyler County to the upstream perennial portion of the stream south of Colmesneil in Tyler County

Segment Type Freshwater Stream **Segment Size** 11.8 Miles

AU_ID 0603B_01 Entire creek

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	Presumption from Flow Type	11.80 Miles

Station ID(s) 15344

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

SegID 0604 Neches River Below Lake Palestine

From a point immediately upstream of the confluence of Hopson Mill Creek in Jasper/Tyler County to Blackburn Crossing Dam in Anderson/Cherokee County

Segment Type Freshwater Stream Segment Size 231 Miles

AU_ID 0604_01 Lower boundary to US 69

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	36.30 Miles

Station ID(s) 10585

AU_ID 0604_02 From US 69 to SH 94

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	34.10 Miles

Station ID(s) 10586

AU_ID 0604_03 From SH 94 to SH 21

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	33.80 Miles

Station ID(s) 17067

AU_ID 0604_04 From SH 21 to US 84

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	31.60 Miles

Station ID(s) 10588; 14794

AU_ID 0604_05 From US 84 to CR 336

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	43.10 Miles

Station ID(s) 10591; 13627

SegID 0604A Cedar Creek (unclassified water body)

From the confluence of the Neches River southwest of Lufkin in Angelina County to the upstream perennial portion of the stream in Lufkin in Angelina County

Segment Type Freshwater Stream Segment Size 23 Miles

AU_ID 0604A_01 Lower area downstream of FM 2497

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D	12.50 Miles

Station ID(s)

AU_ID 0604A_02 Upper area upstream of FM 2497

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D	10.50 Miles

Station ID(s) 10478; 10479; 13528

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

SegID 0604B Hurricane Creek (unclassified water body)

From the confluence of Cedar Creek south of Lufkin in Angelina County to the upstream perennial portion of the stream in Lufkin in Angelina County

Segment Type Freshwater Stream **Segment Size** 4 Miles

AU_ID 0604B_01 Upper 2 miles

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D	2.00 Miles
Station ID(s) 13529				

SegID 0604C Jack Creek (unclassified water body)

From the confluence of Cedar Creek southwest of Lufkin in Angelina County to the upstream perennial portion of the stream in northeast Lufkin in Angelina County

Segment Type Freshwater Stream **Segment Size** 16 Miles

AU_ID 0604C_01 Entire water body

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	Presumption from Flow Type	16.00 Miles
Station ID(s) 10492				

SegID 0604D Piney Creek (unclassified water body)

From the confluence of the Neches River at the Polk/Tyler/Angelina County lines east of Corrigan to the upstream perennial portion of the stream east of Crockett in Houston County

Segment Type Freshwater Stream **Segment Size** 70 Miles

AU_ID 0604D_01 Lower 25 miles

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	Presumption from Flow Type	25.00 Miles
Station ID(s) 16081				

AU_ID 0604D_02 Upper 25 miles

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	Presumption from Flow Type	45.00 Miles
Station ID(s) 10530; 16095; 16096				

SegID 0604H One Eye Creek (unclassified water body)

Perennial stream from the confluence with Beans Creek southwest of Rusk to the dam at State Hospital Reservoir north of Rusk in Cherokee County

Segment Type Freshwater Stream **Segment Size** 9.4 Miles

AU_ID 0604H_01 Entire length

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D	9.40 Miles
Station ID(s) 16293				

SegID 0604M Biloxi Creek (unclassified water body)

From the confluence with the Neches River southeast of Diboll to FM 325 east of Lufkin in Angelina County

Segment Type Freshwater Stream **Segment Size** 23.3 Miles

AU_ID 0604M_02 Lower portion below CR 228

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/ pools	Routine Flow Data	Limited	Presumption from Flow Type	12.90 Miles
Station ID(s) 16097				

AU_ID 0604M_03 Upper portion above CR 228

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/ pools	Routine Flow Data	Limited	Presumption from Flow Type	10.40 Miles
Station ID(s) 10499				

SegID 0604N Buck Creek (unclassified water body)

From its confluence with Biloxi Creek south of Huntington to a point 2.1 mi upstream of FM 1475, northwest of Huntington in Angelina County

Segment Type Freshwater Stream **Segment Size** 22.6 Miles

AU_ID 0604N_01 Lower 13.6 miles near FM 1818

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/ pools	Routine Flow Data	Limited	Presumption from Flow Type	13.60 Miles
Station ID(s) 16098				

AU_ID 0604N_02 Upper 9 miles near US 69

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/ pools	Routine Flow Data	Limited	Presumption from Flow Type	9.00 Miles
Station ID(s) 16297				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

SegID 0604T Lake Ratcliff (unclassified water body)

Lake in Houston County 3.4 miles northeast of Kennard

Segment Type Reservoir **Segment Size** 52.9 Acres

AU_ID 0604T_01 Entire lake

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
reservoir	Water body description	High	Presumption from Flow Type	52.90 Acres

Station ID(s) 17339

Not assessed for other parameters

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

SegID 0605 Lake Palestine

From Blackburn Crossing Dam in Anderson/Cherokee County to a point 6.7km (4.2 miles) downstream of FM 279 in Henderson/Smith County, up to normal pool elevation of 345 feet (impounds Neches River)

Segment Type Reservoir Segment Size 23500 Acres

AU_ID 0605_01 Lower portion of reservoir near dam

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	3098.00 Acres

Station ID(s) 16159; 17966

AU_ID 0605_02 Lower Mid-lake near SH 155

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	7290.00 Acres

Station ID(s) 10593

AU_ID 0605_03 Mid-lake near Tyler PWS intake

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	4667.00 Acres

Station ID(s) 16346

AU_ID 0605_04 Upper lake (Neches arm)

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	1075.00 Acres

Station ID(s) 10594

AU_ID 0605_05 Indian Creek Cove

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	65.00 Acres

Station ID(s) 16345

AU_ID 0605_06 Headwaters (Neches River)

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	40.00 Acres

Station ID(s) 10595

AU_ID 0605_07 Headwaters (Kickapoo Creek arm)

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	1611.00 Acres

Station ID(s) 17550

AU_ID 0605_08 Flat Creek Headwaters

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	568.00 Acres

Station ID(s) 17549

AU_ID 0605_09 Flat Creek arm

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	2080.00 Acres

Station ID(s) 18371; 18557

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

AU_ID 0605_10 Upper Lake

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	3006.00 Acres
Station ID(s) 18643				

SegID 0605A Kickapoo Creek (unclassified water body)

From the confluence of Lake Palestine east of Brownsboro in Henderson County to the upstream perennial portion of the stream northeast of Murchinson in Henderson County

Segment Type Freshwater Stream **Segment Size** 42.6 Miles

AU_ID 0605A_01 Downstream of FM 1803

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/ pools	Routine Flow Data	Limited	Presumption from Flow Type	10.90 Miles
Station ID(s) 10517				

AU_ID 0605A_02 From CR 3514 to CR 3806

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/ pools	Routine Flow Data	Limited	Presumption from Flow Type	9.20 Miles
Station ID(s) 16796				

AU_ID 0605A_03 From CR 3806 to FM 1881

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/ pools	Routine Flow Data	Limited	Presumption from Flow Type	8.90 Miles
Station ID(s) 16797				

AU_ID 0605A_04 From FM 1881 to headwaters

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/ pools	Routine Flow Data	Limited	Presumption from Flow Type	13.60 Miles
Station ID(s) 16798				

SegID 0605F Lake Athens (unclassified water body)

From the dam 5.5 miles East of Athens, 1.8 miles South of FN 317 on Flat Ck, to a point one mile west of FM 2495 in Henderson County.

Segment Type Reservoir **Segment Size** 1472.6 Acres

AU_ID 0605F_01 Entire lake

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	Water body description	High	Presumption from Flow Type	1472.60 Acres
Station ID(s) 15288; 17575				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

SegID 0606 Neches River Above Lake Palestine

From a point 6.7 km (4.2 miles) downstream of FM 279 in Henderson/Smith County to Rhines Lake Dam in Van Zandt County

Segment Type Freshwater Stream **Segment Size** 27 Miles

AU_ID 0606_01 Lower boundary to Prairie Creek

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	Intermediate	TWQS-Appendix A	3.80 Miles

Station ID(s) 10596

AU_ID 0606_02 Prairie Creek to river mile 7.0

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	Intermediate	TWQS-Appendix A	3.20 Miles

Station ID(s) 10597

AU_ID 0606_03 River mile 7.0 to headwaters

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	Intermediate	TWQS-Appendix A	20.00 Miles

Station ID(s) 10598

SegID 0606A Prairie Creek (unclassified water body)

From the confluence of the Neches River west of Tyler in Smith County to the upstream perennial portion of the stream south of Lindale in Smith County

Segment Type Freshwater Stream **Segment Size** 13 Miles

AU_ID 0606A_01 Lower 4 miles

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	Presumption from Flow Type	4.00 Miles

Station ID(s) 10520

AU_ID 0606A_02 Upper 9 miles

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	Presumption from Flow Type	9.00 Miles

Station ID(s) 10518

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

SegID 0607 Pine Island Bayou

From the confluence with the Neches River in Hardin/Jefferson County to FM 787 in Hardin County

Segment Type Freshwater Stream **Segment Size** 81 Miles

AU_ID 0607_01 Mouth to river mile 5.7

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	5.70 Miles

Station ID(s) 10599

AU_ID 0607_02 River Mile 5.7 to mile 12.1

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	6.40 Miles

Station ID(s) 10602

AU_ID 0607_03 River Mile 12.1 to mile 35.4 at confluence with Willow Creek (0607C)

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	23.30 Miles

Station ID(s) 10606; 10607; 10608

AU_ID 0607_04 River Mile 35.4 at confluence with Willow Creek (0607C) to mile 60.4

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	25.00 Miles

Station ID(s) 15367

AU_ID 0607_05 River Mile 60.4 to top of segment at FM 787

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	20.60 Miles

Station ID(s)

SegID 0607A Boggy Creek (unclassified water body)

From the confluence of Pine Island Bayou south of Lumberton in Hardin County to the upstream perennial portion of the stream west of Lumberton in Hardin County

Segment Type Freshwater Stream **Segment Size** 12 Miles

AU_ID 0607A_01 Entire creek

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TWQS-Appendix D	High	TWQS-Appendix D	12.00 Miles

Station ID(s) 16127

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

SegID 0607B Little Pine Island Bayou (unclassified water body)

From the confluence of Pine Island Bayou southwest of Lumberton in Hardin County to the upstream perennial portion of the stream west of Kountze in Hardin County

Segment Type Freshwater Stream **Segment Size** 50 Miles

AU_ID 0607B_01 Lower 25 miles

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	Presumption from Flow Type	25.00 Miles

Station ID(s) 15346

AU_ID 0607B_02 Upper 25 miles

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	Presumption from Flow Type	25.00 Miles

Station ID(s) 15545

SegID 0607C Willow Creek (unclassified water body)

From the confluence of Pine Island Bayou north of Nome in Jefferson County to the upstream perennial portion of the stream east of Devers in Liberty County

Segment Type Freshwater Stream **Segment Size** 15 Miles

AU_ID 0607C_01 Entire creek

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	Presumption from Flow Type	15.00 Miles

Station ID(s) 15345

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

SegID 0608 Village Creek

From the confluence with the Neches River in Hardin County to Lake Kimble Dam in Hardin County

Segment Type Freshwater Stream **Segment Size** 53 Miles

AU_ID 0608_01 From confluence with Neches River to FM 418

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	WQS/Permits program	High	TWQS-Appendix A	27.70 Miles

Station ID(s) 10609

AU_ID 0608_02 From FM 418 to Lake Kimble dam

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	25.30 Miles

Station ID(s) 13625

Reviewed: Big Cypress Creek, Horsepen Creek and Woods Creek. All three waterbodies are upstream of 0608 and were part of a targeted monitoring study. The data collected from these studies were not appropriate for the assessment.

SegID 0608A Beech Creek (unclassified water body)

From the confluence of Village Creek northeast of Kountze in Hardin County to the upstream perennial portion of the stream southeast of Woodville in Tyler County

Segment Type Freshwater Stream **Segment Size** 39 Miles

AU_ID 0608A_01 Lower 20 miles of water body

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	Presumption from Flow Type	20.00 Miles

Station ID(s) 15355

AU_ID 0608A_02 Upper 19 miles of water body

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	Presumption from Flow Type	19.00 Miles

Station ID(s) 10529; 17903

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

SegID 0608B Big Sandy Creek (unclassified water body)

From the confluence of Village Creek northwest of Kountze in Hardin County to the upstream perennial portion of the stream northeast of Livingston in Polk County

Segment Type Freshwater Stream **Segment Size** 46.9 Miles

AU_ID 0608B_01 Lower 30 miles downstream of US 190

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	Presumption from Flow Type	30.00 Miles

Station ID(s) 15353

AU_ID 0608B_02 Upper 16.9 miles of segment

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	Presumption from Flow Type	16.90 Miles

Station ID(s) 15354

SegID 0608C Cypress Creek (unclassified water body)

From the confluence of Village Creek east of Kountze in Hardin County to the upstream perennial portion of the stream northwest of Kountze in Hardin County

Segment Type Freshwater Stream **Segment Size** 24 Miles

AU_ID 0608C_01 Entire water body

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TWQS-Appendix D	High	Presumption from Flow Type	24.00 Miles

Station ID(s) 15352; 16728

Reviewed: Unnamed intermittent tributary of Cypress Creek near Kountze WWTP outfall. Not enough data were collected to be evaluated for the assessment, but very low DO values were reported from a special study that also reported all flow measurements <0.1

SegID 0608D Hickory Creek (unclassified water body)

From the confluence of Village Creek north of Kountze in Hardin County to the upstream perennial portion of the stream south of Woodville in Tyler County

Segment Type Freshwater Stream **Segment Size** 26.2 Miles

AU_ID 0608D_01 Entire creek

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	Presumption from Flow Type	26.20 Miles

Station ID(s) 15349

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

SegID 0608E Mill Creek (unclassified water body)

From the confluence of Village Creek southwest of Silsbee in Hardin County to the upstream perennial portion of the stream northwest of Silsbee in Hardin County

Segment Type Freshwater Stream **Segment Size** 8 Miles

AU_ID 0608E_01 Entire water body

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type	8.00 Miles
Station ID(s) 16126				

SegID 0608F Turkey Creek (unclassified water body)

From the confluence of Village Creek north of Kountze in Hardin County to the upstream perennial portion of the stream southeast of Woodville in Tyler County

Segment Type Freshwater Stream **Segment Size** 41.6 Miles

AU_ID 0608F_01 Lower 25 miles of segment

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TWQS-Appendix D	High	TWQS-Appendix D	25.00 Miles
Station ID(s) 15356				

AU_ID 0608F_02 Upper 16.6 miles of segment

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TWQS-Appendix D	High	TWQS-Appendix D	16.60 Miles
Station ID(s) 14138				

SegID 0608G Lake Kimball (unclassified water body)

From Kimble Creek Dam northwest of Kountze in Hardin County to normal pool elevation in Tyler County (impounds Kimble and Village Creeks)

Segment Type Reservoir **Segment Size** 3584 Acres

AU_ID 0608G_01 Entire lake

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	Water body description	High	Presumption from Flow Type	3584.00 Acres
Station ID(s) 15641				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

SegID 0609 Angelina River Below Sam Rayburn Reservoir

From a point immediately upstream of the confluence of Indian Creek in Jasper County to Sam Rayburn Dam in Jasper County

Segment Type Freshwater Stream **Segment Size** 12.5 Miles

AU_ID 0609_01 Entire segment

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	12.50 Miles
<u>Station ID(s)</u> 10610				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

SegID 0610 Sam Rayburn Reservoir

From Sam Rayburn Dam in Jasper County to a point 5.6 kilometers (3.5 miles) upstream of Marion's Ferry on the Angelina River Arm in Angelina/Nacogdoches County and to a point 3.9 km (2.4 miles) downstream of Curry Creek on the Attoyac Bayou Arm in Nacogdoches/San Augustine County, up to the normal pool elevation of 164 ft (except on the Angelina River Arm)(impounds Angelina River and Attoyac Bayou)

Segment Type Reservoir **Segment Size** 106666 Acres

AU_ID 0610_01 Main pool by the dam

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	12355.00 Acres
Station ID(s) 14906				

AU_ID 0610_02 Lower Angelina River arm

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	23565.00 Acres
Station ID(s) 15522				

AU_ID 0610_03 Mid-Angelina River arm (SH 147)

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	22701.00 Acres
Station ID(s) 10612				

AU_ID 0610_04 Upper mid-Angelina River arm

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	12810.00 Acres
Station ID(s) 15524				

AU_ID 0610_05 Lower Attoyac Bayou arm

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	4486.00 Acres
Station ID(s) 15523				

AU_ID 0610_06 Upper Attoyac Bayou arm

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	3790.00 Acres
Station ID(s) 10614				

AU_ID 0610_07 Upper Angelina River arm

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	9395.00 Acres
Station ID(s) 10613				

AU_ID 0610_08 Bear Creek arm

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	6029.00 Acres
Station ID(s) 15527				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

AU_ID 0610_09 Lower Ayish Bayou arm

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	6028.00 Acres
Station ID(s) 15526				

AU_ID 0610_10 Upper Ayish Bayou arm

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	5507.00 Acres
Station ID(s) 14907				

SegID 0610A Ayish Bayou (unclassified water body)

From the confluence of Sam Rayburn Reservoir south of San Augustine in San Augustine County to the upstream perennial portion of the stream north of San Augustine in San Augustine County

Segment Type Freshwater Stream **Segment Size** 32 Miles

AU_ID 0610A_01 Lower portion downstream of US 96

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	Presumption from Flow Type	18.50 Miles
Station ID(s) 15361				

AU_ID 0610A_02 Middle portion from US 96 to SH 21

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	Presumption from Flow Type	5.00 Miles
Station ID(s) 15364				

AU_ID 0610A_03 Upper portion from SH 21 to headwaters

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	Presumption from Flow Type	8.50 Miles
Station ID(s) 15365				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

SegID 0611 Angelina River Above Sam Rayburn Reservoir

From the aqueduct crossing 1.0 km (0.6 miles) upstream of the confluence of Paper Mill Creek in Angelina/Nacogdoches County to the confluence of Barnhardt Creek and Mill Creek at FM 225 in Rusk County

Segment Type Freshwater Stream Segment Size 104 Miles

AU_ID 0611_01 Lower boundary to FM 1911

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	30.90 Miles

Station ID(s) 10627

AU_ID 0611_02 FM 1911 to FM 343

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	23.00 Miles

Station ID(s) 10630

AU_ID 0611_03 FM 343 to US 84

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	19.80 Miles

Station ID(s) 10633

AU_ID 0611_04 US 84 to headwaters

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	30.30 Miles

Station ID(s) 10635

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

SegID 0611A East Fork Angelina River (unclassified water body)

From the confluence of the Angelina River at the Rusk/Nacogdoches county line to the upstream perennial portion of the stream west of Mount Enterprise in Rusk County

Segment Type Freshwater Stream **Segment Size** 30.4 Miles

AU_ID 0611A_01 Confluence with Grassy Lake area

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	Presumption from Flow Type	9.20 Miles

Station ID(s) 10551

AU_ID 0611A_02 Grassy Lake area to county road near Happy Valley

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	Presumption from Flow Type	8.10 Miles

Station ID(s) 10552

AU_ID 0611A_03 County road near Happy Valley to Wooten Creek

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	Presumption from Flow Type	6.10 Miles

Station ID(s) 13788

AU_ID 0611A_04 Wooten Creek to headwaters

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	Presumption from Flow Type	7.00 Miles

Station ID(s) 16290

Other carry-forwards (5c-D) include those for bacteria and lead (see 2004 list)

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

SegID 0611B La Nana Bayou (unclassified water body)

From the confluence of the Angelina River south of Nacogdoches in Nacogdoches County to the upstream perennial portion of the stream north of Nacogdoches in Nacogdoches County

Segment Type Freshwater Stream **Segment Size** 32 Miles

AU_ID 0611B_01 Mouth to unimproved road near FM 3228/1275

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D	13.40 Miles

Station ID(s) 10474

AU_ID 0611B_02 Unimproved road near FM 3228/1275 to SH 7

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D	5.20 Miles

Station ID(s) 10475

AU_ID 0611B_03 SH 7 to headwaters

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TWQS-Appendix D	high	TWQS-Appendix D	13.40 Miles

Station ID(s) 16301

SegID 0611C Mud Creek (unclassified water body)

From the confluence of the Angelina River east of Rusk in Cherokee County to the upstream perennial portion of the stream west of Troup in Smith County

Segment Type Freshwater Stream **Segment Size** 45 Miles

AU_ID 0611C_01 Lower portion of water body

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	Presumption from Flow Type	12.40 Miles

Station ID(s) 10532; 14477

AU_ID 0611C_02 Upper portion of water body

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	Presumption from Flow Type	32.60 Miles

Station ID(s) 10536; 16586; 17103

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

SegID 0611D West Mud Creek (unclassified water body)

From the confluence of Mud Creek southwest of Troup in Cherokee County to the upstream perennial portion of the stream south of Tyler in Smith County

Segment Type Freshwater Stream Segment Size 23 Miles

AU_ID 0611D_01 Mouth to US 69

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TWQS-Appendix D	Limited	TWQS-Appendix D	14.40 Miles
<u>Station ID(s)</u> 10538; 10540				

SegID 0611H Ragsdale Creek (unclassified water body)

Perennial stream from the confluence with Keys Creek to the confluence of an unnamed tributary 250 meters upstream of Canada Street in Jacksonville

Segment Type Freshwater Stream Segment Size 5.5 Miles

AU_ID 0611H_01 Entire water body

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D	5.50 Miles
<u>Station ID(s)</u> 16298				

SegID 0611Q Lake Nacogdoches (unclassified water body)

Located approximately 10 miles west of Nacogdoches in Nacogdoches County

Segment Type Reservoir Segment Size 2210 Acres

AU_ID 0611Q_01 Entire reservoir

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	Water body description	High	Presumption from Flow Type	2210.00 Acres
<u>Station ID(s)</u> 15801; 17818				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

SegID 0611R Lake Striker (unclassified water body)

From the dam approximately 0.5 mile west of CR2430 to the north end of the lake close to US HWY 79 in Ruck County north of Reklaw.

Segment Type Reservoir **Segment Size** Acres

AU_ID 0611R_01 Entire Lake

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	Water body description	High	Presumption from Flow Type	1957.80 Acres

Station ID(s) 17822; 17824

SegID 0612 Attoyac Bayou

From a point 3.9 km (2.4 miles) downstream of Curry Creek in Nacogdoches/San Augustine County to FM 95 in Rusk County

Segment Type Freshwater Stream **Segment Size** 81.7 Miles

AU_ID 0612_01 Mouth to 8.2 miles downstream of SH 7

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Water body description	High	TWQS-Appendix A	25.00 Miles

Station ID(s) 10636

AU_ID 0612_02 8.2 miles below SH 7 to Bear Creek confluence

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	30.00 Miles

Station ID(s) 15253

AU_ID 0612_03 Bear Creek to headwaters

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	26.70 Miles

Station ID(s) 16076

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

SegID 0612B Waffelow Creek (unclassified water body)

From the confluence of Attoyac Bayou north of Martinsville in Nacogdoches County to the upstream perennial portion of the stream northeast of Nacogdoches in Nacogdoches County

Segment Type Freshwater Stream Segment Size 10.5 Miles

AU_ID 0612B_01 Lower portion downstream of CR 234

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
perennial	Routine Flow Data	High	Presumption from Flow Type	4.00 Miles

Station ID(s) 16083

AU_ID 0612B_02 Upper portion upstream of CR 234

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
perennial	Routine Flow Data	High	Presumption from Flow Type	6.50 Miles

Station ID(s) 16085

SegID 0612C Pinkston Reservoir (unclassified water body)

Located approximately 12 miles southwest of Center in Shelby County (impounds Sandy Creek)

Segment Type Reservoir Segment Size 523 Acres

AU_ID 0612C_01 Entire reservoir

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
perennial	Routine Flow Data	High	Presumption from Flow Type	523.00 Acres

Station ID(s) 15802

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

SegID 0613 Lake Tyler/Lake Tyler East

From Whitehouse Dam and Mud Creek Dam in Smith County up to the normal pool elevation of 375.38 feet (impounds Prairie Creek and Mud Creek)

Segment Type Reservoir **Segment Size** 4880 Acres

AU_ID 0613_01 Lake Tyler lower reservoir

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	1220.00 Acres

Station ID(s) 10637

AU_ID 0613_02 Lake Tyler upper reservoir

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	1220.00 Acres

Station ID(s) 15210

AU_ID 0613_03 Lake Tyler East lower reservoir

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	1220.00 Acres

Station ID(s) 10638

AU_ID 0613_04 Lake Tyler East upper reservoir

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	1220.00 Acres

Station ID(s) 14235; 17929

SegID 0614 Lake Jacksonville

From Buckner Dam in Cherokee County up to the normal pool elevation of 422 feet (impounds Gum Creek)

Segment Type Reservoir **Segment Size** 1320 Acres

AU_ID 0614_01 Lower reservoir

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	660.00 Acres

Station ID(s) 10639

AU_ID 0614_02 Upper reservoir

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	660.00 Acres

Station ID(s) 16535

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

SegID 0615 Angelina River/Sam Rayburn Reservoir

The riverine portion of Sam Rayburn Reservoir from a point 5.6 kilometers (3.5 miles) upstream of Marion's Ferry to a point 2.75 kilometers (1.71 miles) upstream of the confluence of Paper Mill Creek

Segment Type Reservoir **Segment Size** 5068 Acres

AU_ID 0615_01 Upstream of Papermill Creek

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	388.00 Acres

Station ID(s) 10623

AU_ID 0615_02 Downstream of Papermill Creek

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	Intermediate	TWQS-Appendix A	4679.00 Acres

Station ID(s) 10621

SegID 0615A Papermill Creek (unclassified water body)

From the confluence of Sam Rayburn Reservoir (Angelina River Arm) northeast of Lufkin in Angelina County to the upstream perennial portion of the stream in Lufkin in Angelina County

Segment Type Freshwater Stream **Segment Size** 9 Miles

AU_ID 0615A_01 Lower 9 miles

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent	TWQS-Appendix D	Minimal	TWQS-Appendix D	9.00 Miles

Station ID(s) 10502

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

SegID 0701 Taylor Bayou Above Tidal

From the saltwater lock 7.7 km (4.8 miles) downstream of SH 73 in Jefferson County to the Lower Neches Valley Authority Canal in Jefferson County

Segment Type Freshwater Stream **Segment Size** 33 Miles

AU_ID 0701_01 From saltwater lock to 8 miles upstream

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	Intermediate	TWQS-Appendix A	8.00 Miles

Station ID(s) 10668

AU_ID 0701_02 from 8 miles upstream of saltwater lock to the confluence of N and S Forks Taylor Bayou

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	Intermediate	TWQS-Appendix A	7.80 Miles

Station ID(s) 10669

AU_ID 0701_03 From the confluence with N and S forks of Taylor Bayou to LNVA canal

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	Intermediate	TWQS-Appendix A	18.00 Miles

Station ID(s)

SegID 0701D Shallow Prong Lake (unclassified water body)

Reservoir on Big Hill Bayou located approximately 3.5 miles downstream of the confluence with Taylor Bayou in Jefferson County

Segment Type Reservoir **Segment Size** 150 Acres

AU_ID 0701D_01 Entire water body

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
freshwater wetland	not available	High	not available	150.00 Acres

Station ID(s) 10642

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

SegID 0702 Intracoastal Waterway Tidal

From the confluence with Galveston Bay at Port Bolivar in Galveston County to the confluence with the Sabine-Neches Canal in Jefferson County (including Taylor Bayou Tidal from the confluence with the Intracoastal Waterway up to the saltwater lock 7.7 km (4.8 mi) downstream of SH 73 in Jefferson County

Segment Type Tidal Stream Segment Size 63 Miles

AU_ID 0702_01 From East Bay to confluence with Sabine-Neches Canal Tidal (0703)

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
tidal stream	TSWQS	High	TWQS-Appendix A	36.50 Miles

Station ID(s) 10679; 17426

AU_ID 0702_02 Taylor Bayou tidal

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
tidal	TSWQS	High	TWQS-Appendix A	3.00 Miles

Station ID(s) 10640

AU_ID 0702_03 From Port Bolivar to top of East Bay

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
tidal	TSWQS	High	TWQS-Appendix A	23.50 Miles

Station ID(s) 15233; 17082; 17083; 17084

SegID 0702A Alligator Bayou (unclassified water body)

From the Alligator Bayou pump station at the Jefferson County hurricane protection levee one mile downstream of Spur 215 in Port Arthur to a point immediately upstream of the confluence with Jefferson county Drainage District No. 7 city outfall canal

Segment Type Freshwater Stream Segment Size 7.11 Miles

AU_ID 0702A_02 Lower portion from SH82 to its confluence with Taylor Bayou

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D	1.35 Miles

Station ID(s) 10643

AU_ID 0702A_03 Upper portion from its headwaters at the Port Arthur Canal to SH82

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D	2.40 Miles

Station ID(s) 14410

AU_ID 0702A_04 Drainage canal leading into Alligator Bayou approx. 0.8 miles north of SH82

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D	3.36 Miles

Station ID(s) 14411

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

SegID 0703 Sabine-Neches Canal Tidal

From the confluence with Sabine Pass at the southern tip of Pleasure Island in Jefferson County to the Sabine Lake seawall at the northern tip of Pleasure Island in Jefferson County

Segment Type Tidal Stream **Segment Size** 16 Miles

AU_ID 0703_01 Entire segment

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
tidal	TSWQS	High	TWQS-Appendix A	16.00 Miles
Station ID(s) 10652; 10683				

SegID 0704 Hillebrandt Bayou

From the confluence of Taylor Bayou in Jefferson County to a point 100 meters (110 yards) upstream of SH 124 in Jefferson County

Segment Type Freshwater Stream **Segment Size** 14 Miles

AU_ID 0704_01 From confluence with Taylor Bayou to confluence with Bayou Din

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	Intermediate	TWQS-Appendix A	6.00 Miles
Station ID(s) 10685				

AU_ID 0704_02 From confluence with Bayou Din to upper end of segment

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	Intermediate	TWQS-Appendix A	8.00 Miles
Station ID(s) 10686				

SegID 0704A Willow Marsh Bayou (unclassified water body)

Perennial stream from the confluence with Hillebrandt Bayou upstream to the confluence with an unnamed tributary immediately upstream of Old Sour Lake Road

Segment Type Freshwater Stream **Segment Size** 11.5 Miles

AU_ID 0704A_01 Entire water body

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D	11.50 Miles
Station ID(s) 16711				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

SegID 0704B Kidd Gully (unclassified water body)

From the confluence with Pevitot Bayou to approximately 3.5 miles upstream of IH 10 in Jefferson County.

Segment Type Freshwater Stream **Segment Size** 10.5 Miles

AU_ID 0704B_01 Entire water body

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	Presumption from Flow Type	10.50 Miles
Station ID(s) 16125				

SegID 0704C Pevitot Gully (unclassified water body)

From the confluence with Hillebrandt Bayou to approximately 1.8 miles upstream of IH-10 in Jefferson County

Segment Type Freshwater Stream **Segment Size** 7.4 Miles

AU_ID 0704C_01 Entire water body

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/ pools	Routine Flow Data	Limited	Presumption from Flow Type	7.40 Miles
Station ID(s) 16710				

SegID 0801 Trinity River Tidal

From the confluence with Anahuac Channel in Chambers County to a point 3.1 km (1.9 miles) downstream of US 90 in Liberty County

Segment Type Tidal Stream **Segment Size** 37 Miles

AU_ID 0801_01 Lower 25 miles of segment

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
tidal stream	TSWQS	High	TWQS-Appendix A	25.00 Miles
Station ID(s) 10892				

AU_ID 0801_02 Upper 12 miles of segment

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
tidal	TSWQS	High	TWQS-Appendix A	12.00 Miles
Station ID(s)				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

SegID 0801A Lost River (unclassified water body)

From IH 10 in Chambers County to approximately 6 KM upstream of confluence with John Wiggins Bayou.

Segment Type Tidal Stream **Segment Size** 7 Miles

AU_ID 0801A_01 Entire Segment

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
tidal stream	Water body description	High	Presumption from Flow Type	7.00 Miles
Station ID(s) 17879; 17880; 17881				

SegID 0801B Old River (unclassified water body)

From IH 10 in Chambers County to approximately 9 miles upstream of confluence with Cherry Point Gully.

Segment Type Tidal Stream **Segment Size** 9 Miles

AU_ID 0801B_01 Entire Segment

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Water body description	High	Presumption from Flow Type	9.00 Miles
Station ID(s) 18360				

SegID 0801C Cotton Bayou (unclassified water body)

From the confluence of Cotton Lake southeast of Mont Belvieu in Chambers County upstream to a point approximately 1 mile north of IH 10 in Chambers County

Segment Type Tidal Stream **Segment Size** 5 Miles

AU_ID 0801C_01 Upper half of bayou

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
tidal stream	Water body description	High	Presumption from Flow Type	2.50 Miles
Station ID(s)				

AU_ID 0801C_02 Lower half of bayou

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
tidal stream	Water body description	High	Presumption from Flow Type	2.50 Miles
Station ID(s)				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

SegID 0802 Trinity River Below Lake Livingston

From a point 3.1 km (1.9 miles) downstream of US 90 in Liberty County to Livingston Dam in Polk/San Jacinto County

Segment Type Freshwater Stream **Segment Size** 84 Miles

AU_ID 0802_01 Lower 17 miles of segment

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	17.00 Miles

Station ID(s) 10894

AU_ID 0802_02 Approx. 9 miles upstream to approx. 15 miles downstream of SH 105

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	25.00 Miles

Station ID(s) 10895

AU_ID 0802_03 11 miles upstream to approx. 9 miles downstream of FM 787

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	20.00 Miles

Station ID(s) 10896

AU_ID 0802_04 5 miles upstream to 11 miles downstream of US 59

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	16.00 Miles

Station ID(s) 10897

AU_ID 0802_05 Upper 6 miles of segment

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	6.00 Miles

Station ID(s) 16998

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

SegID 0803 Lake Livingston

From Livingston Dam in Polk/San Jacinto County to a point 1.8 km (1.1 miles) upstream of Boggy Creek in Houston/Leon County, up to normal pool elevation of 131 feet (impounds Trinity River)

Segment Type Reservoir Segment Size 82600 Acres

AU_ID 0803_01 Lowermost portion of reservoir, adjacent to dam

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	5120.00 Acres

Station ID(s) 10899; 14003; 14004

AU_ID 0803_02 Lower portion of reservoir, East Wolf Creek

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	5120.00 Acres

Station ID(s) 14005

AU_ID 0803_03 Lower portion of reservoir, East Willow Springs

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	5120.00 Acres

Station ID(s) 14006

AU_ID 0803_04 Middle portion of reservoir, East Pointblank

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	5120.00 Acres

Station ID(s) 14007; 14008

AU_ID 0803_05 Middle portion of reservoir, downstream of Kickapoo Creek

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	5120.00 Acres

Station ID(s) 10909; 14009

AU_ID 0803_06 Middle portion of reservoir, centering on US 190

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	5120.00 Acres

Station ID(s) 10911; 14010

AU_ID 0803_07 Upper portion of reservoir, west of Carlisle

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	4841.00 Acres

Station ID(s) 10913; 14013

AU_ID 0803_08 Cove off upper portion of reservoir, East Trinity

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	4146.00 Acres

Station ID(s) 14014

AU_ID 0803_09 West Carolina Creek cove, off upper portion of reservoir

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	675.00 Acres

Station ID(s) 14011

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

AU_ID 0803_10 Upper portion of reservoir, centering on SH 19

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	2799.00 Acres
Station ID(s) 10914; 14012				

AU_ID 0803_11 Riverine portion of reservoir, centering on SH 21

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	324.00 Acres
Station ID(s) 10917				

AU_ID 0803_12 Remainder of reservoir

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	39095.00 Acres
Station ID(s)				

SegID 0803A Harmon Creek (unclassified water body)

From the confluence with Lake Livingston (normal pool elevation of 131 feet) to the headwaters east of Huntsville in Walker County

Segment Type Freshwater Stream **Segment Size** 16 Miles

AU_ID 0803A_01 Entire creek

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TWQS-Appendix D	High	TWQS-Appendix D	16.00 Miles
Station ID(s)				

SegID 0803B White Rock Creek (unclassified water body)

From the confluence of Lake Livingston northeast of Trinity in Trinity County to the upstream perennial portion of the stream east of Lovelady in Houston County

Segment Type Freshwater Stream **Segment Size** 38 Miles

AU_ID 0803B_01 lower 25 miles of segment

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	Presumption from Flow Type	25.00 Miles
Station ID(s) 10696				

AU_ID 0803B_02 Upper 13 miles of segment

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	Presumption from Flow Type	13.00 Miles
Station ID(s)				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

SegID 0804 Trinity River Above Lake Livingston

From a point 1.8 km (1.1 miles) upstream of Boggy Creek in Houston/Leon County to a point immediately upstream of the confluence of the Cedar Creek Reservoir discharge canal in Henderson/Navarro County

Segment Type Freshwater Stream Segment Size 160 Miles

AU_ID 0804_01 Lower 25 miles of segment

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	25.00 Miles

Station ID(s) 13690

AU_ID 0804_02 12 miles upstream to 13 miles downstream US 79

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	25.00 Miles

Station ID(s) 10919

AU_ID 0804_03 9.5 miles upstream to 15.5 miles downstream of US 287

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	25.00 Miles

Station ID(s) 10920

AU_ID 0804_04 Upper 22 miles of segment

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	22.00 Miles

Station ID(s) 10921

AU_ID 0804_05 Remainder of segment

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	63.00 Miles

Station ID(s)

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

SegID 0804F Tehuacana Creek (unclassified water body)

From the confluence with the Trinity River northeast of Fairfield in Freestone County to the headwaters northwest of Mexia in Limestone County

Segment Type Freshwater Stream **Segment Size** 55.4 Miles

AU_ID 0804F_01 12 miles upstream to 13 miles downstream of US 75

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/ pools	Water body description	Limited	Presumption from Flow Type	25.00 Miles

Station ID(s) 10705

AU_ID 0804F_02 Remainder of segment

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/ pools	Water body description	Limited	Presumption from Flow Type	30.40 Miles

Station ID(s)

SegID 0804G Catfish Creek (unclassified water body)

Twenty mile stretch of Catfish Creek running upstream from US 287 in Anderson Co., to Catfish Creek Ranch Lake just upstream of SH 19 in Henderson Co.

Segment Type Freshwater Stream **Segment Size** 12 Miles

AU_ID 0804G_01 Entire Segment

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	Presumption from Flow Type	20.00 Miles

Station ID(s) 10717

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

SegID 0805 Upper Trinity River

From a point immediately upstream of the confluence of the Cedar Creek Reservoir discharge canal in Henderson/Navarro County to a point immediately upstream of the confluence of Elm Fork Trinity River in Dallas County

Segment Type Freshwater Stream Segment Size 100 Miles

AU_ID 0805_01 25 mile reach near FM 85

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	25.00 Miles

Station ID(s) 10924

AU_ID 0805_02 25 mile reach near SH 34

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	25.00 Miles

Station ID(s) 10925

AU_ID 0805_03 11 mile reach near S. Loop 12

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	11.00 Miles

Station ID(s) 10934

AU_ID 0805_04 Upper 8 miles

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	8.00 Miles

Station ID(s) 10937

AU_ID 0805_05 Remainder of segment

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	31.00 Miles

Station ID(s)

AU_ID 0805_06 From 15.57 mi. upstream of SH 34 to 4.71 mi. downstream of S Loop 12

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	19.40 Miles

Station ID(s) 10930; 10932

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

SegID 0805A Red Oak Creek (unclassified water body)

From confluence with segment 0805 Trinity River 12 miles upstream to I 45.

Segment Type Freshwater Stream Segment Size 12 Miles

AU_ID 0805A_01 Entire Segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
perennial	Routine Flow Data	High	Presumption from Flow Type	12.00 Miles
<u>Station ID(s)</u> 17506				

SegID 0805B Parsons Slough (unclassified water body)

From confluence with segment 0805 Trinity River in Kaufman County, 11 miles upstream to Malloy Bridge Road in Dallas Co.

Segment Type Freshwater Stream Segment Size 11 Miles

AU_ID 0805B_01 Entire Segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type	11.00 Miles
<u>Station ID(s)</u> 10839				

SegID 0806 West Fork Trinity River Below Lake Worth

From a point immediately upstream of the confluence of Village Creek in Tarrant County to Lake Worth Dam in Tarrant County

Segment Type Freshwater Stream Segment Size 33 Miles

AU_ID 0806_01 Lower 22 miles of the segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
perennial	TSWQS	High	TWQS-Appendix A	22.00 Miles
<u>Station ID(s)</u> 10938; 10939; 16120; 17368; 17662				

AU_ID 0806_02 Upper 11 miles of the segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
perennial	TSWQS	High	TWQS-Appendix A	11.00 Miles
<u>Station ID(s)</u>				

AU_ID 0806_FA1 Lower 22 mi of segment 0806

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>	<u>AU Size</u>
perennial	TSWQS	High	TWQS-Appendix A	22.00 Miles
<u>Station ID(s)</u>				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

SegID 0806A Fosdic Lake (unclassified water body)

From Fosdic Lake Dam to the reservoir headwaters in Oakland Lake Park in Tarrant County

Segment Type Reservoir **Segment Size** 6 Acres

AU_ID 0806A_01 Entire lake

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	Presumption from Flow Type	6.00 Acres
Station ID(s) 16818				

SegID 0806B Echo Lake (unclassified water body)

From Echo Lake Dam to the reservoirs headwaters in Tarrant County

Segment Type Reservoir **Segment Size** 17 Acres

AU_ID 0806B_01 Entire lake

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	Water body description	High	Presumption from Flow Type	17.00 Acres
Station ID(s) 16813				

SegID 0806C Big Fossil Creek (unclassified water body)

From confluence with Little Fossil Creek in Haltem City, to HWY 183 in Tarrant Co.

Segment Type Freshwater Stream **Segment Size** 3 Miles

AU_ID 0806C_01 Entire Segment

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	Presumption from Flow Type	3.00 Miles
Station ID(s) 17133				

SegID 0806D Marine Creek (unclassified water body)

Two mile stretch of Marine Creek running upstream from confluence with the W. Fork of Trinity River to Tennmile Bridge Road in Fort Worth.

Segment Type Freshwater Stream Segment Size 2 Miles

AU_ID 0806D_01 Marine Creek from the confluence with W. Fork Trinity River 2 miles upstream to Tennmile Bridge Rd. in Ft. Worth

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	Presumption from Flow Type	2.00 Miles

Station ID(s) 17370

SegID 0806E Sycamore Creek (unclassified water body)

Five mile stretch of Sycamore Creek running upstream from confluence with the W. Fork of Trinity River to confluence with Echo Lake Tributary in Fort Worth.

Segment Type Freshwater Stream Segment Size 5 Miles

AU_ID 0806E_01 Five mile stretch of Sycamore Creek running upstream from confluence with the W. Fork of Trinity River to confluence with Echo Lake Tributary in Fort Worth

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	Presumption from Flow Type	Miles

Station ID(s) 17369

SegID 0807 Lake Worth

From Lake Worth Dam in Tarrant County to a point 4.0 km (2.5 miles) downstream of Eagle Mountain Dam in Tarrant County, up to normal pool elevation of 594.3 feet (impounds West Fork Trinity River)

Segment Type Reservoir Segment Size 3560 Acres

AU_ID 0807_01 Entire reservoir

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	3560.00 Acres

Station ID(s) 10942; 15166

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

SegID 0808 West Fork Trinity River Below Eagle Mountain Reservoir

From a point 4.0 km (2.5 miles) downstream of Eagle Mountain Dam in Tarrant County to Eagle Mountain Dam in Tarrant County

Segment Type Freshwater Stream **Segment Size** 2 Miles

AU_ID 0808_01 Entire segment

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	2.00 Miles
<u>Station ID(s)</u>				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

SegID 0809 Eagle Mountain Reservoir

From Eagle Mountain Dam in Tarrant County to a point 0.6 km (0.4 miles) downstream of the confluence of Oates Branch in Wise County up to normal pool elevation of 649.1 feet (impounds West Fork Trinity River)

Segment Type Reservoir Segment Size 9200 Acres

AU_ID 0809_01 Lowermost portion of reservoir near east end of dam

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	548.00 Acres

Station ID(s) 10944

AU_ID 0809_02 Dosier Slough cove

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	189.00 Acres

Station ID(s) 10947

AU_ID 0809_03 Ash Creek cove

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	135.00 Acres

Station ID(s) 10949; 10950; 10951

AU_ID 0809_04 Lowermost portion of reservoir near west end of dam

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	1949.00 Acres

Station ID(s) 10945

AU_ID 0809_05 Lower portion of reservoir east of Walnut Creek cove

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	1641.00 Acres

Station ID(s) 10952

AU_ID 0809_06 Walnut Creek cove

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	348.00 Acres

Station ID(s) 10954

AU_ID 0809_07 Old Ranch cove

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	21.00 Acres

Station ID(s) 10958; 10959

AU_ID 0809_08 Middle portion of reservoir near Cole subdivision

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	402.00 Acres

Station ID(s) 10956

AU_ID 0809_09 Indian Creek cove

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	125.00 Acres

Station ID(s) 10961; 10962

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

<i>AU_ID</i>	<i>0809_10</i>	<i>Upper portion of reservoir near Indian Creek cove</i>			
Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size	
reservoir	TSWQS	High	TWQS-Appendix A	1290.00 Acres	
Station ID(s)	10960				
<i>AU_ID</i>	<i>0809_11</i>	<i>Darrett Creek cove</i>			
Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size	
reservoir	TSWQS	High	TWQS-Appendix A	36.00 Acres	
Station ID(s)	10965				
<i>AU_ID</i>	<i>0809_12</i>	<i>Upper portion of reservoir near Newark Beach</i>			
Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size	
reservoir	TSWQS	High	TWQS-Appendix A	737.00 Acres	
Station ID(s)	10964				
<i>AU_ID</i>	<i>0809_13</i>	<i>Remainder of reservoir</i>			
Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size	
reservoir	TSWQS	High	TWQS-Appendix A	889.00 Acres	
Station ID(s)					
<i>AU_ID</i>	<i>0809_14</i>	<i>Mid-Lake, from just above Walnut Cr. Cove to Oakwood Rd. peninsula</i>			
Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size	
reservoir	TSWQS	High	TWQS-Appendix A	890.00 Acres	
Station ID(s)	17667				

SegID 0810 West Fork Trinity River Below Bridgeport Reservoir

From a point 0.6 km (0.4 miles) downstream of the confluence of Oates Branch in Wise County to Bridgeport Dam in Wise County

Segment Type	Freshwater Stream	Segment Size	36 Miles
---------------------	-------------------	---------------------	----------

<i>AU_ID</i>	<i>0810_01</i>	<i>Lower 25 miles of segment</i>			
Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size	
perennial	TSWQS	High	TWQS-Appendix A	25.00 Miles	
Station ID(s)	10967; 10968; 10969; 14246; 17844				
<i>AU_ID</i>	<i>0810_02</i>	<i>Upper 11 miles of segment</i>			
Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size	
perennial	TSWQS	High	TWQS-Appendix A	11.00 Miles	
Station ID(s)	14904				

SegID 0810A Big Sandy Creek (unclassified water body)

Fifteen mile stretch of Sycamore Creek running upstream from confluence with Waggoner Creek to FM 1810, west of Alvord, Wise County

Segment Type Freshwater Stream **Segment Size** 15 Miles

AU_ID 0810A_01 Fifteen mile stretch of Big Sandy Creek running from confluence with Waggoner Creek to FM 1810 West of Alvord, Wise Co.

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	Presumption from Flow Type	15.00 Miles
Station ID(s) 15688				

SegID 0810B Garrett Creek (unclassified water body)

Eighteen mile stretch of Garrett Creek running upstream from confluence with Salt Creek to Wise County Road approximately 14 miles upstream of SH114, Wise County

Segment Type Freshwater Stream **Segment Size** 18 Miles

AU_ID 0810B_01 Eighteen mile stretch of Garrett Creek running upstream from confluence with Salt Creek to Wise County Road approximately 14 miles upstream of SH114, Wise Co.

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type	18.00 Miles
Station ID(s) 16767				

SegID 0810C Martin Branch (unclassified water body)

The eight mile stretch of Martin Branch running upstream from confluence with Center Creek to FM 730 south of Decatur, Wise County.

Segment Type Freshwater Stream **Segment Size** 8 Miles

AU_ID 0810C_01 Eight mile stretch of Martin Branch running upstream from confluence with Center Creek to FM 730 south of Decatur, Wise County.

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	Presumption from Flow Type	8.00 Miles
Station ID(s) 17848				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

SegID 0810D Salt Creek (unclassified water body)

Eleven mile stretch of Salt Creek running upstream from confluence with Garrett Creek, Wise County.

Segment Type Freshwater Stream **Segment Size** 11 Miles

AU_ID 0810D_01 Eleven mile stretch of Salt Creek running upstream from confluence with Garrett Creek, Wise County.

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/pools	TSWQS	Limited	Presumption from Flow Type	11.00 Miles
Station ID(s) 16766				

SegID 0811 Bridgeport Reservoir

From Bridgeport Dam in Wise County to a point immediately upstream of the confluence of Bear Hollow in Jack County, up to normal pool elevation of 836 feet (impounds West Fork Trinity River)

Segment Type Reservoir **Segment Size** 13000 Acres

AU_ID 0811_01 Southeast portion of main body of reservoir

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	1844.00 Acres
Station ID(s) 16762				

AU_ID 0811_02 Southwest portion of main body of reservoir

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	1865.00 Acres
Station ID(s) 15165				

AU_ID 0811_03 Central portion of main body of reservoir

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	3028.00 Acres
Station ID(s) 10970				

AU_ID 0811_04 Northern portion of main body of reservoir

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	1204.00 Acres
Station ID(s) 15164				

AU_ID 0811_05 Remainder of reservoir

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	5059.00 Acres
Station ID(s)				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

SegID 0812 West Fork Trinity River Above Bridgeport Reservoir

From a point immediately upstream of the confluence of Bear Hollow in Jack County to SH 79 in Archer County

Segment Type Freshwater Stream **Segment Size** 85 Miles

AU_ID 0812_01 Lower 25 miles of segment

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	25.00 Miles

Station ID(s) 10972; 18058; 18059

AU_ID 0812_02 Upper 60 miles of segment

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	60.00 Miles

Station ID(s)

SegID 0813 Houston County Lake

From Houston County Dam in Houston County up to the normal pool elevation of 260 feet (impounds Little Elkhart Creek)

Segment Type Reservoir **Segment Size** 1282 Acres

AU_ID 0813_01 Entire reservoir

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	1282.00 Acres

Station ID(s) 10973

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

SegID 0814 Chambers Creek Above Richland-Chambers Reservoir

From a point 4.0 km (2.5 miles) downstream of Tupelo Branch in Navarro County to the confluence of North Fork Chambers Creek and South Fork Chambers Creek

Segment Type Freshwater Stream Segment Size 49 Miles

AU_ID 0814_01 From confluence with Cummins Creek to a point 16.5 miles upstream

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	16.50 Miles

Station ID(s) 10977

AU_ID 0814_02 Upper 24 miles of segment

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	24.00 Miles

Station ID(s) 10978

AU_ID 0814_03 Lower 8.5 miles of segment

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	8.50 Miles

Station ID(s) 10975

SegID 0814A Mill Creek (unclassified water body)

Twenty-five mile stretch of Mill Creek running upstream from confluence with Chambers Creek in Navarro Co., to Union Pacific RR in Milford, Ellis Co.

Segment Type Freshwater Stream Segment Size 25 Miles

AU_ID 0814A_01 Twenty-five mile stretch of Mill Creek running upstream from confluence with Chambers Creek in Navarro Co. to Union Pacific RR in Milford, Ellis Co.

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	Presumption from Flow Type	25.00 Miles

Station ID(s) 18566

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

SegID 0815 Bardwell Reservoir

From Bardwell Dam in Ellis County up to the normal pool elevation of 421 feet (impounds Waxahachie Creek)

Segment Type Reservoir **Segment Size** 3570 Acres

AU_ID 0815_01 Entire reservoir

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	3570.00 Acres
Station ID(s) 10979; 16700; 18549; 18550				

SegID 0815A Waxahachie Creek (unclassified water body)

Perennial stream from the confluence with Bardwell Reservoir (normal pool elevation 421 feet) to the headwaters west of Waxahachie in Ellis County

Segment Type Freshwater Stream **Segment Size** 18.2 Miles

AU_ID 0815A_01 Entire creek

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D	18.20 Miles
Station ID(s) 13686				

SegID 0816 Lake Waxahachie

From South Prong Dam in Ellis County up to normal pool elevation of 531.5 feet (impounds South Prong Creek)

Segment Type Reservoir **Segment Size** 690 Acres

AU_ID 0816_01 Entire reservoir

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	690.00 Acres
Station ID(s) 10980				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

SegID 0817 Navarro Mills Lake

From Navarro Mills Dam in Navarro County up to normal pool elevation of 424.5 feet (impounds Richland Creek)

Segment Type Reservoir **Segment Size** 5070 Acres

AU_ID 0817_01 Entire reservoir

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	5070.00 Acres
Station ID(s) 10981; 17442; 18545; 18546; 18547; 18548				

SegID 0817A Richland Creek (unclassified water body)

Ten mile stretch of Richland Creek running upstream from 0.5 mi. downstream of FM 744 in Navarro Co., to FM 308 south of Mertens, Hill Co.

Segment Type Freshwater Stream **Segment Size** 10 Miles

AU_ID 0817A_01 Ten mile stretch of Richland Creek running upstream from 0.5 miles downstream of FM 744 in Navarro Co., to FM 308 South of Mertens, Hill Co.

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	Presumption from Flow Type	10.00 Miles
Station ID(s) 18518				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

SegID 0818 Cedar Creek Reservoir

From Joe B. Hoggsett Dam in Henderson County up to normal pool elevation of 322 feet (impounds Cedar Creek)

Segment Type Reservoir **Segment Size** 33750 Acres

AU_ID 0818_01 Lowermost portion of reservoir adjacent to dam

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	2961.00 Acres

Station ID(s) 13845; 16748

AU_ID 0818_02 Caney Creek cove

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	1686.00 Acres

Station ID(s) 16744

AU_ID 0818_03 Clear Creek cove

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	1761.00 Acres

Station ID(s) 16743

AU_ID 0818_04 Lower portion of reservoir east of Key Ranch Estates

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	2879.00 Acres

Station ID(s) 13848; 16749

AU_ID 0818_05 Cove off lower portion of reservoir adjacent to Clearview Estates

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	648.00 Acres

Station ID(s) 16746

AU_ID 0818_06 Middle portion of reservoir downstream of Twin Creeks cove

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	4478.00 Acres

Station ID(s) 15812; 16747; 16750

AU_ID 0818_07 Twin Creeks cove

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	2205.00 Acres

Station ID(s) 16739

AU_ID 0818_08 Prairie Creek cove

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	402.00 Acres

Station ID(s) 16751; 16752

AU_ID 0818_09 Upper portion of reservoir adjacent to Lacy Fork cove

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	5450.00 Acres

Station ID(s) 13854; 16753

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

<i>AU_ID</i>	<i>0818_10</i>	<i>Lacy Fork cove</i>		
Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	1604.00 Acres
Station ID(s) 16771				
<i>AU_ID</i>	<i>0818_11</i>	<i>Upper portion of reservoir east of Tolosa</i>		
Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	3360.00 Acres
Station ID(s) 16772				
<i>AU_ID</i>	<i>0818_12</i>	<i>Uppermost portion of reservoir downstream of Kings Creek</i>		
Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	1880.00 Acres
Station ID(s) 16774				
<i>AU_ID</i>	<i>0818_13</i>	<i>Cedar Creek cove</i>		
Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	981.00 Acres
Station ID(s) 16773				
<i>AU_ID</i>	<i>0818_14</i>	<i>Remainder of reservoir</i>		
Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	3455.00 Acres
Station ID(s)				

SegID	0819	East Fork Trinity River
From the confluence with the Trinity River in Kaufman County to Rockwall-Forney Dam in Kaufman County		
Segment Type	Freshwater Stream	Segment Size 29 Miles

<i>AU_ID</i>	<i>0819_01</i>	<i>Entire segment</i>		
Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	Intermediate	TWQS-Appendix A	29.00 Miles
Station ID(s) 10987; 10990; 10991; 10992; 10996; 13612				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

SegID 0820 Lake Ray Hubbard

From Rockwall-Forney Dam in Kaufman County to Lavon Dam in Collin County, up to normal pool elevation of 435.5 feet (impounds East Fork Trinity River)

Segment Type Reservoir **Segment Size** 22745 Acres

AU_ID 0820_01 Lower portion of East Fork arm, centering on IH 30

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	5120.00 Acres

Station ID(s) 16809

AU_ID 0820_02 Middle portion of East Fork arm, centering on SH 66

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	5120.00 Acres

Station ID(s) 16829

AU_ID 0820_03 Remainder of segment

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	3905.00 Acres

Station ID(s)

AU_ID 0820_04 Lower portion of main body of reservoir extending up from dam to Yankee Cr. Arm.

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	3500.00 Acres

Station ID(s) 10998

AU_ID 0820_05 Mid-reservoir, I30 crossing Rowlett Cr. Arm to Yankee Cr. Arm

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	5000.00 Acres

Station ID(s) 17829

AU_ID 0820_06 Outfall canal from Lake Lavon Dam

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	100.00 Acres

Station ID(s) 17846

SegID 0820C Muddy Creek (unclassified water body)

From the confluence with Lake Ray Hubbard, in Dallas County, to the headwaters east of Allen, in Collin County

Segment Type Freshwater Stream **Segment Size** 16 Miles

AU_ID 0820C_01 Entire creek

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	Presumption from Flow Type	16.00 Miles

Station ID(s) 16828

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

SegID 0821 Lake Lavon

From Lavon Dam in Collin County, up to normal pool elevation of 492 feet (impounds East Fork Trinity River)

Segment Type Reservoir **Segment Size** 21400 Acres

AU_ID 0821_01 Lowermost portion of reservoir

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	5577.00 Acres

Station ID(s) 15684; 15685

AU_ID 0821_02 East Fork arm

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	3593.00 Acres

Station ID(s) 15686

AU_ID 0821_03 Middle portion of Sister Grove Creek arm

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	5019.00 Acres

Station ID(s) 15687

AU_ID 0821_04 Remainder of segment

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	7211.00 Acres

Station ID(s)

SegID 0821A Pilot Grove Creek (unclassified water body)

Perennial stream from confluence of Desert Creek up to FM 121 near Blue Ridge

Segment Type Freshwater Stream **Segment Size** 26.6 Miles

AU_ID 0821A_01 From confluence of Desert Creek up to FM 121 near Blue Ridge

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TWQS-Appendix D	Limited	TWQS-Appendix D	26.60 Miles

Station ID(s)

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

SegID 0821B Sister Grove Creek (unclassified water body)

From the confluence with Lake Lavon in Collin County to the confluence of West Prong Sister Grove Creek/East Prong Sister Grove Creek, east of Van Alstyne in Grayson County

Segment Type Freshwater Stream **Segment Size** 20.2 Miles

AU_ID 0821B_01 Entire creek

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	Presumption from Flow Type	20.20 Miles
Station ID(s) 13613				

SegID 0822 Elm Fork Trinity River Below Lewisville Lake

From the confluence with the West Fork Trinity River in Dallas County to Lewisville Dam in Denton County

Segment Type Freshwater Stream **Segment Size** 30 Miles

AU_ID 0822_01 Lower 11 miles of segment

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	11.00 Miles
Station ID(s) 16436; 17163; 17164; 18310				

AU_ID 0822_02 4.5 miles upstream to 7.5 miles downstream DWU intake

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	12.00 Miles
Station ID(s) 11024; 16438; 17162				

AU_ID 0822_03 1.0 mi upstream to 4.5 miles downstream SH 121

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	5.50 Miles
Station ID(s) 13615; 18358				

AU_ID 0822_04 Upper 1.5 miles of segment

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	1.50 Miles
Station ID(s) 15252; 16437				

SegID 0822A Cottonwood Branch (unclassified water body)

A 6 mile stretch of Cottonwood Branch running upstream from confluence with Hackberry Creek, to Valley View Road in Dallas County.

Segment Type Freshwater Stream **Segment Size** 6 Miles

AU_ID 0822A_01 A 2.5 mile stretch of Cottonwood Branch running upstream from confluence with Hackberry Creek to approx. 0.5 miles downstream of N. Story Rd., Dallas Co.

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type	2.50 Miles

Station ID(s) 17167; 17168; 18359

AU_ID 0822A_02 A 3.5 mile stretch of Cottonwood Branch running upstream from approximately 0.5 miles downstream of N. Story Rd. to Valley View Rd, Dallas, Co.

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type	3.50 Miles

Station ID(s) 17165; 17166

SegID 0822B Grapevine Creek (unclassified water body)

A 5.5 mile stretch of Grapevine Creek running upstream from Coppell Rd. in Coppell, Dallas Co., to approximately 1.5 miles upstream of SH 21, Tarrant County.

Segment Type Freshwater Stream **Segment Size** 5.5 Miles

AU_ID 0822B_01 A 5.5 mile stretch of Grapevine Creek running upstream from Coppell Rd. in Coppell, Dallas Co., to approximately 1.5 miles upstream of SH 21, Tarrant County.

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type	5.50 Miles

Station ID(s) 17169; 17531; 17939

SegID 0822C Hackberry Creek (unclassified water body)

A 5.5 mile stretch of Hackberry Creek running upstream from confluence with Cottonwood Branch, to approximately 2.4 miles upstream of SH 114, in Irving, Dallas County.

Segment Type Freshwater Stream **Segment Size** 7.6 Miles

AU_ID 0822C_01 A 5.5 mile stretch of Hackberry Creek running upstream from confluence with S. Fork Hackberry Creek to approximately 2.4 miles upstream of SH 114 in Irving, Dallas Co.

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	Presumption from Flow Type	Miles

Station ID(s) 17170; 17171; 17172; 17532; 17938

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

SegID 0822D Ski Lake (unclassified water body)

A 65 acre reservoir locate just south of the intersection of US 35E and spur 482 in Irving.

Segment Type Reservoir Segment Size 65 Acres

AU_ID 0822D_01 Entire segment.

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	Water body description	High	Presumption from Flow Type	65.00 Acres
<u>Station ID(s)</u> 17849				

SegID 0823 Lewisville Lake

From Lewisville Dam in Denton County to a point 100 meters (110 yards) upstream of US 380 in Denton County, up to normal pool elevation of 515 feet (impounds Elm Fork Trinity River)

Segment Type Reservoir Segment Size 23280 Acres

AU_ID 0823_01 Lowermost portion of reservoir

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	5736.00 Acres
<u>Station ID(s)</u> 13995; 13996				

AU_ID 0823_02 Stewart Creek arm

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	1528.00 Acres
<u>Station ID(s)</u> 13997; 16808				

AU_ID 0823_03 Hickory Creek arm

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	2616.00 Acres
<u>Station ID(s)</u> 11027; 13998				

AU_ID 0823_04 Little Elm Creek arm

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	3589.00 Acres
<u>Station ID(s)</u> 11026; 17830				

AU_ID 0823_05 Middle portion of reservoir east of Lake Dallas

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	5851.00 Acres
<u>Station ID(s)</u> 13999; 14001				

AU_ID 0823_06 Remainder of reservoir

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	3960.00 Acres
<u>Station ID(s)</u>				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

SegID 0823A Little Elm Creek (unclassified water body)

From confluence with Lake Lewisville in Denton Co., up to 1.4 km above FM 453 in Collin Co.

Segment Type Freshwater Stream **Segment Size** 27 Miles

AU_ID 0823A_01 From the confluence with Lake Lewisville in Denton Co., up to FM 455 in Collin Co. (Lower 12 miles of segment).

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TWQS-Appendix D	High	Presumption from Flow Type	27.00 Miles

Station ID(s) 13617; 16826

AU_ID 0823A_02 From FM 455 in Collin Co., up to 1.4 km above FM 121 in Grayson, Co. near Guenther. (Upper 15 miles of segment).

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D	15.00 Miles

Station ID(s)

SegID 0823B Stewart Creek (unclassified water body)

From the confluence with Lake Lewisville in Denton County to the headwaters near Frisco in Collin County.

Segment Type Freshwater Stream **Segment Size** 9.3 Miles

AU_ID 0823B_01 Entire segment.

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	Presumption from Flow Type	9.30 Miles

Station ID(s) 10860

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

SegID 0823C Clear Creek (unclassified water body)

From the confluence with Lake Lewisville in Denton County to the headwaters west of Montague in Montague County

Segment Type Freshwater Stream **Segment Size** 65 Miles

AU_ID 0823C_01 Lower 25 miles of segment

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	Presumption from Flow Type	25.00 Miles

Station ID(s) 16827

AU_ID 0823C_02 Upper 40 miles of segment

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	Routine Flow Data	High	Presumption from Flow Type	40.00 Miles

Station ID(s)

SegID 0824 Elm Fork Trinity River Above Ray Roberts Lake

From a point 9.5 km (5.9 miles) downstream of the confluence of Pecan Creek in Cooke County to US 82 in Montague County

Segment Type Freshwater Stream **Segment Size** 86 Miles

AU_ID 0824_01 Lower 7.5 miles of segment

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	7.50 Miles

Station ID(s) 11029; 11031

AU_ID 0824_02 2 mile reach near unmarked county road, 1.4 km downstream Gainesville WWTP

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	2.00 Miles

Station ID(s) 11033

AU_ID 0824_03 3.5 mile reach near SH 51

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	3.50 Miles

Station ID(s) 15635; 17670

AU_ID 0824_04 25 mile reach near FM 3108

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	25.00 Miles

Station ID(s) 16432

AU_ID 0824_05 Upper 48 miles of segment

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	48.00 Miles

Station ID(s)

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

SegID 0825 Denton Creek

From the confluence with the Elm Fork Trinity River in Dallas County to Grapevine Dam in Tarrant County

Segment Type Freshwater Stream **Segment Size** 12 Miles

AU_ID 0825_01 Entire segment

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
perennial	TSWQS	High	TWQS-Appendix A	12.00 Miles
<u>Station ID(s)</u> 11034; 14244				

2006 Texas Water Quality Inventory Water Bodies Evaluated (June 27, 2007)

SegID 0826	Grapevine Lake
From Grapevine Dam in Tarrant County up to normal pool elevation of 535 feet (impounds Denton Creek)	
Segment Type	Reservoir
Segment Size	7380 Acres

AU_ID 0826_01 Lowermost portion of reservoir

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	597.00 Acres
Station ID(s) 13873; 13874; 16113; 17827				

AU_ID 0826_02 Morehead Creek cove

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	90.00 Acres
Station ID(s) 11036; 11037; 16118				

AU_ID 0826_03 Lower portion of reservoir north of Oak Grove Park

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	978.00 Acres
Station ID(s) 16114				

AU_ID 0826_04 North Main Slough cove

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	89.00 Acres
Station ID(s) 16116; 16117				

AU_ID 0826_05 Middle portion of reservoir east of Meadowmere Park

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	1351.00 Acres
Station ID(s) 13875; 16115				

AU_ID 0826_06 Middle portion of reservoir southeast of Walnut Grove Park

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	1523.00 Acres
Station ID(s) 13876; 16112; 17828				

AU_ID 0826_07 Upper portion of reservoir east of Marshall Creek Park

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	1399.00 Acres
Station ID(s) 13877; 13878; 16111				

AU_ID 0826_08 Remainder of reservoir

Flow Type	Flow Type Source	ALU Designation	ALU Designation Source	AU Size
reservoir	TSWQS	High	TWQS-Appendix A	1353.00 Acres
Station ID(s)				

