

Segment ID: 1253

Water body name: Navasota River Below Lake Mexia

Freshwater Stream

Brazos River Basin

Total size:

19 Miles

Assessment Year	Assessment Method	Status of Use Support or Concern	Location	Location size	# of samples	# of exceedances	Mean
-----------------	-------------------	----------------------------------	----------	---------------	--------------	------------------	------

Aquatic Life Use

2004	Dissolved Oxygen grab average	Use Concern	From FM 1245 to Springfield Lake Dam	5	32	4	
2004	Dissolved Oxygen grab average	Not Assessed	From FM 1633 to upper end of segment	3	2	1	
2004	Dissolved Oxygen grab average	No Concern	From Springfield Lake Dam to upper end of Springfield Lake	2	20	1	
2004	Dissolved Oxygen grab average	Use Concern	From upper end of Springfield Lake to FM 1633	2	14	4	
2004	Dissolved Oxygen grab average	No Concern	Lower 7 miles of segment to FM 1245	7	57	6	
2004	Dissolved Oxygen grab minimum	Fully Supporting	From FM 1245 to Springfield Lake Dam	5	32	1	
2004	Dissolved Oxygen grab minimum	Not Assessed	From FM 1633 to upper end of segment	3	2	0	
2004	Dissolved Oxygen grab minimum	Fully Supporting	From Springfield Lake Dam to upper end of Springfield Lake	2	20	0	
2004	Dissolved Oxygen grab minimum	Fully Supporting	From upper end of Springfield Lake to FM 1633	2	14	1	
2004	Dissolved Oxygen grab minimum	Fully Supporting	Lower 7 miles of segment to FM 1245	7	57	1	
2002	Dissolved Oxygen 24hr average	Not Assessed	From FM 1245 to Springfield Lake Dam	5	0		
2002	Dissolved Oxygen 24hr average	Not Assessed	From FM 1633 to upper end of segment	3	0		
2004	Dissolved Oxygen 24hr average	Use Concern-Limited Data	From Springfield Lake Dam to upper end of Springfield Lake	2	4	1	
2002	Dissolved Oxygen 24hr average	Not Assessed	From upper end of Springfield Lake to FM 1633	2	0		
2002	Dissolved Oxygen 24hr average	Not Assessed	Lower 7 miles of segment to FM 1245	7	0		
2002	Dissolved Oxygen 24hr minimum	Not Assessed	From FM 1245 to Springfield Lake Dam	5	0		
2002	Dissolved Oxygen 24hr minimum	Not Assessed	From FM 1633 to upper end of segment	3	0		
2004	Dissolved Oxygen 24hr minimum	Not Assessed	From Springfield Lake Dam to upper end of Springfield Lake	2	4	0	
2002	Dissolved Oxygen 24hr minimum	Not Assessed	From upper end of Springfield Lake to FM 1633	2	0		
2002	Dissolved Oxygen 24hr minimum	Not Assessed	Lower 7 miles of segment to FM 1245	7	0		
2002	Acute Organics in water	Not Assessed	From Springfield Lake Dam to upper end of Springfield Lake	2	1		

Segment ID: 1253

Water body name: Navasota River Below Lake Mexia

Freshwater Stream

Brazos River Basin

Total size:

19 Miles

Assessment Year	Assessment Method	Status of Use Support or Concern	Location	Location size	# of samples	# of exceedances	Mean
-----------------	-------------------	----------------------------------	----------	---------------	--------------	------------------	------

Aquatic Life Use (continued)

2002	Chronic Organics in water	Not Assessed	From Springfield Lake Dam to upper end of Springfield Lake	2	1		
2004	Overall Aquatic Life Use	Fully Supporting	From FM 1245 to Springfield Lake Dam	5			
2004	Overall Aquatic Life Use	Not Assessed	From FM 1633 to upper end of segment	3			
2004	Overall Aquatic Life Use	Fully Supporting	From Springfield Lake Dam to upper end of Springfield Lake	2			
2004	Overall Aquatic Life Use	Fully Supporting	From upper end of Springfield Lake to FM 1633	2			
2004	Overall Aquatic Life Use	Fully Supporting	Lower 7 miles of segment to FM 1245	7			

Contact Recreation Use

2002	E. coli single sample	Not Assessed	From FM 1245 to Springfield Lake Dam	5	0		
2002	E. coli single sample	Not Assessed	From FM 1633 to upper end of segment	3	0		
2002	E. coli single sample	Not Assessed	From Springfield Lake Dam to upper end of Springfield Lake	2	0		
2002	E. coli single sample	Not Assessed	From upper end of Springfield Lake to FM 1633	2	0		
2002	E. coli single sample	Not Assessed	Lower 7 miles of segment to FM 1245	7	0		
2002	E. coli geometric mean	Not Assessed	From FM 1245 to Springfield Lake Dam	5	0		
2002	E. coli geometric mean	Not Assessed	From FM 1633 to upper end of segment	3	0		
2002	E. coli geometric mean	Not Assessed	From Springfield Lake Dam to upper end of Springfield Lake	2	0		
2002	E. coli geometric mean	Not Assessed	From upper end of Springfield Lake to FM 1633	2	0		
2002	E. coli geometric mean	Not Assessed	Lower 7 miles of segment to FM 1245	7	0		
2002	Fecal coliform single sample	Fully Supporting	From FM 1245 to Springfield Lake Dam	5	20	2	
2002	Fecal coliform single sample	No Concern-Limited Data	From FM 1633 to upper end of segment	3	9	2	
2002	Fecal coliform single sample	Fully Supporting	From Springfield Lake Dam to upper end of Springfield Lake	2	11	0	

Segment ID: 1253 **Water body name: Navasota River Below Lake Mexia**

Freshwater Stream

Brazos River Basin

Total size:

19 Miles

Assessment Year	Assessment Method	Status of Use Support or Concern	Location	Location size	# of samples	# of exceedances	Mean
-----------------	-------------------	----------------------------------	----------	---------------	--------------	------------------	------

Contact Recreation Use (continued)

2002	Fecal coliform single sample	No Concern-Limited Data	From upper end of Springfield Lake to FM 1633	2	7	1	
2002	Fecal coliform single sample	Fully Supporting	Lower 7 miles of segment to FM 1245	7	43	9	
2002	Fecal coliform geometric mean	Fully Supporting	From FM 1245 to Springfield Lake Dam	5	20		38
2002	Fecal coliform geometric mean	No Concern-Limited Data	From FM 1633 to upper end of segment	3	9		71
2002	Fecal coliform geometric mean	Fully Supporting	From Springfield Lake Dam to upper end of Springfield Lake	2	11		22
2002	Fecal coliform geometric mean	No Concern-Limited Data	From upper end of Springfield Lake to FM 1633	2	7		82
2002	Fecal coliform geometric mean	Fully Supporting	Lower 7 miles of segment to FM 1245	7	43		122
2002	Overall Recreation Use	Fully Supporting	From FM 1245 to Springfield Lake Dam	5			
2002	Overall Recreation Use	Not Assessed	From FM 1633 to upper end of segment	3			
2002	Overall Recreation Use	Fully Supporting	From Springfield Lake Dam to upper end of Springfield Lake	2			
2002	Overall Recreation Use	Not Assessed	From upper end of Springfield Lake to FM 1633	2			
2002	Overall Recreation Use	Fully Supporting	Lower 7 miles of segment to FM 1245	7			

General Use

2002	Water Temperature	Fully Supporting	From FM 1245 to Springfield Lake Dam	5	24	0	
2002	Water Temperature	No Concern-Limited Data	From FM 1633 to upper end of segment	3	8	0	
2002	Water Temperature	Fully Supporting	From Springfield Lake Dam to upper end of Springfield Lake	2	11	0	
2002	Water Temperature	No Concern-Limited Data	From upper end of Springfield Lake to FM 1633	2	7	0	
2002	Water Temperature	Fully Supporting	Lower 7 miles of segment to FM 1245	7	45	0	

Segment ID: 1253

Water body name: Navasota River Below Lake Mexia

Freshwater Stream

Brazos River Basin

Total size:

19 Miles

Assessment Year	Assessment Method	Status of Use Support or Concern	Location	Location size	# of samples	# of exceedances	Mean
-----------------	-------------------	----------------------------------	----------	---------------	--------------	------------------	------

General Use (continued)

2002	pH	Fully Supporting	From FM 1245 to Springfield Lake Dam	5	24	0	
2002	pH	No Concern-Limited Data	From FM 1633 to upper end of segment	3	8	0	
2002	pH	Fully Supporting	From Springfield Lake Dam to upper end of Springfield Lake	2	11	0	
2002	pH	No Concern-Limited Data	From upper end of Springfield Lake to FM 1633	2	7	0	
2002	pH	Fully Supporting	Lower 7 miles of segment to FM 1245	7	46	0	
2002	Chloride	Fully Supporting	From FM 1245 to Springfield Lake Dam	5	92		54.98
2002	Chloride	Fully Supporting	From FM 1633 to upper end of segment	3	92		54.98
2002	Chloride	Fully Supporting	From Springfield Lake Dam to upper end of Springfield Lake	2	92		54.98
2002	Chloride	Fully Supporting	From upper end of Springfield Lake to FM 1633	2	92		54.98
2002	Chloride	Fully Supporting	Lower 7 miles of segment to FM 1245	7	92		54.98
2002	Sulfate	Fully Supporting	From FM 1245 to Springfield Lake Dam	5	92		34.65
2002	Sulfate	Fully Supporting	From FM 1633 to upper end of segment	3	92		34.65
2002	Sulfate	Fully Supporting	From Springfield Lake Dam to upper end of Springfield Lake	2	92		34.65
2002	Sulfate	Fully Supporting	From upper end of Springfield Lake to FM 1633	2	92		34.65
2002	Sulfate	Fully Supporting	Lower 7 miles of segment to FM 1245	7	92		34.65
2002	Total Dissolved Solids	Fully Supporting	From FM 1245 to Springfield Lake Dam	5	101		327.8
2002	Total Dissolved Solids	Fully Supporting	From FM 1633 to upper end of segment	3	101		327.8
2002	Total Dissolved Solids	Fully Supporting	From Springfield Lake Dam to upper end of Springfield Lake	2	101		327.8
2002	Total Dissolved Solids	Fully Supporting	From upper end of Springfield Lake to FM 1633	2	101		327.8
2002	Total Dissolved Solids	Fully Supporting	Lower 7 miles of segment to FM 1245	7	101		327.8

Segment ID: 1253 Water body name: Navasota River Below Lake Mexia

Freshwater Stream

Brazos River Basin

Total size:

19 Miles

Assessment Year	Assessment Method	Status of Use Support or Concern	Location	Location size	# of samples	# of exceedances	Mean
-----------------	-------------------	----------------------------------	----------	---------------	--------------	------------------	------

General Use (continued)

2002	Overall General Use	Fully Supporting	From FM 1245 to Springfield Lake Dam	5			
2002	Overall General Use	Fully Supporting	From FM 1633 to upper end of segment	3			
2002	Overall General Use	Fully Supporting	From Springfield Lake Dam to upper end of Springfield Lake	2			
2002	Overall General Use	Fully Supporting	From upper end of Springfield Lake to FM 1633	2			
2002	Overall General Use	Fully Supporting	Lower 7 miles of segment to FM 1245	7			

Fish Consumption Use

2002	Human Health Criteria Organics	Not Assessed	From Springfield Lake Dam to upper end of Springfield Lake	2	1		
2002	Overall Fish Consumption Use	Not Assessed	From FM 1245 to Springfield Lake Dam	5			
2002	Overall Fish Consumption Use	Not Assessed	From FM 1633 to upper end of segment	3			
2002	Overall Fish Consumption Use	Not Assessed	From Springfield Lake Dam to upper end of Springfield Lake	2			
2002	Overall Fish Consumption Use	Not Assessed	From upper end of Springfield Lake to FM 1633	2			
2002	Overall Fish Consumption Use	Not Assessed	Lower 7 miles of segment to FM 1245	7			

Public Water Supply Use

2002	Finished Water: Running Avg	Fully Supporting	From FM 1245 to Springfield Lake Dam	5			
2002	Finished Water: Running Avg	Fully Supporting	From FM 1633 to upper end of segment	3			
2002	Finished Water: Running Avg	Fully Supporting	From Springfield Lake Dam to upper end of Springfield Lake	2			
2002	Finished Water: Running Avg	Fully Supporting	From upper end of Springfield Lake to FM 1633	2			
2002	Finished Water: Running Avg	Fully Supporting	Lower 7 miles of segment to FM 1245	7			
2002	Surface Water: Long-term average Nitrate+Nitrite Nitrogen	Fully Supporting	From FM 1245 to Springfield Lake Dam	5	24		0.35
2002	Surface Water: Long-term average Nitrate+Nitrite Nitrogen	No Concern-Limited Data	From FM 1633 to upper end of segment	3	9		0.16

Segment ID: 1253 **Water body name: Navasota River Below Lake Mexia**

Freshwater Stream

Brazos River Basin

Total size:

19 Miles

Assessment Year	Assessment Method	Status of Use Support or Concern	Location	Location size	# of samples	# of exceedances	Mean
-----------------	-------------------	----------------------------------	----------	---------------	--------------	------------------	------

Public Water Supply Use (continued)

2002	Surface Water: Long-term average Nitrate+Nitrite Nitrogen	Fully Supporting	From Springfield Lake Dam to upper end of Springfield Lake	2	11		0.11
2002	Surface Water: Long-term average Nitrate+Nitrite Nitrogen	No Concern-Limited Data	From upper end of Springfield Lake to FM 1633	2	7		0.1
2002	Surface Water: Long-term average Nitrate+Nitrite Nitrogen	Fully Supporting	Lower 7 miles of segment to FM 1245	7	43		0.38
2002	Surface Water: Long-term average Organics	Not Assessed	From Springfield Lake Dam to upper end of Springfield Lake	2	1		
2002	Surface Water: Running average Nitrate+Nitrite Nitrogen	Fully Supporting	From FM 1245 to Springfield Lake Dam	5	24	0	
2002	Surface Water: Running average Nitrate+Nitrite Nitrogen	No Concern-Limited Data	From FM 1633 to upper end of segment	3	9	0	
2002	Surface Water: Running average Nitrate+Nitrite Nitrogen	Fully Supporting	From Springfield Lake Dam to upper end of Springfield Lake	2	11	0	
2002	Surface Water: Running average Nitrate+Nitrite Nitrogen	No Concern-Limited Data	From upper end of Springfield Lake to FM 1633	2	7	0	
2002	Surface Water: Running average Nitrate+Nitrite Nitrogen	Fully Supporting	Lower 7 miles of segment to FM 1245	7	43	0	
2002	Surface Water: Running average Organics	Not Assessed	From Springfield Lake Dam to upper end of Springfield Lake	2	1	0	
2002	Overall Public Water Supply Use	Fully Supporting	From FM 1245 to Springfield Lake Dam	5			
2002	Overall Public Water Supply Use	Fully Supporting	From FM 1633 to upper end of segment	3			
2002	Overall Public Water Supply Use	Fully Supporting	From Springfield Lake Dam to upper end of Springfield Lake	2			
2002	Overall Public Water Supply Use	Fully Supporting	From upper end of Springfield Lake to FM 1633	2			
2002	Overall Public Water Supply Use	Fully Supporting	Lower 7 miles of segment to FM 1245	7			

Overall Use Support

2004		Fully Supporting	From FM 1245 to Springfield Lake Dam	5			
------	--	------------------	--------------------------------------	---	--	--	--

Segment ID: 1253

Water body name: Navasota River Below Lake Mexia

Freshwater Stream

Brazos River Basin

Total size:

19 Miles

Assessment Year	Assessment Method	Status of Use Support or Concern	Location	Location size	# of samples	# of exceedances	Mean
-----------------	-------------------	----------------------------------	----------	---------------	--------------	------------------	------

Overall Use Support (continued)

2004		Fully Supporting	From FM 1633 to upper end of segment	3			
2004		Fully Supporting	From Springfield Lake Dam to upper end of Springfield Lake	2			
2004		Fully Supporting	From upper end of Springfield Lake to FM 1633	2			
2004		Fully Supporting	Lower 7 miles of segment to FM 1245	7			

Nutrient Enrichment Concern

2002	Ammonia Nitrogen	Not Assessed	From FM 1245 to Springfield Lake Dam	5	0		
2002	Ammonia Nitrogen	Not Assessed	From FM 1633 to upper end of segment	3	0		
2002	Ammonia Nitrogen	Concern	From Springfield Lake Dam to upper end of Springfield Lake	2	11	4	
2002	Ammonia Nitrogen	Not Assessed	From upper end of Springfield Lake to FM 1633	2	7	1	
2002	Ammonia Nitrogen	Not Assessed	Lower 7 miles of segment to FM 1245	7	4	0	
2002	Nitrite + Nitrate Nitrogen	No Concern	From FM 1245 to Springfield Lake Dam	5	24	0	
2002	Nitrite + Nitrate Nitrogen	Not Assessed	From FM 1633 to upper end of segment	3	9	0	
2002	Nitrite + Nitrate Nitrogen	No Concern	From Springfield Lake Dam to upper end of Springfield Lake	2	11	0	
2002	Nitrite + Nitrate Nitrogen	Not Assessed	From upper end of Springfield Lake to FM 1633	2	7	0	
2002	Nitrite + Nitrate Nitrogen	No Concern	Lower 7 miles of segment to FM 1245	7	43	0	
2002	Orthophosphorus	No Concern	From FM 1245 to Springfield Lake Dam	5	24	0	
2002	Orthophosphorus	Not Assessed	From FM 1633 to upper end of segment	3	9	0	
2002	Orthophosphorus	No Concern	From Springfield Lake Dam to upper end of Springfield Lake	2	11	0	
2002	Orthophosphorus	Not Assessed	From upper end of Springfield Lake to FM 1633	2	7	0	
2002	Orthophosphorus	No Concern	Lower 7 miles of segment to FM 1245	7	43	3	
2002	Total Phosphorus	Not Assessed	From FM 1245 to Springfield Lake Dam	5	0		

Segment ID: 1253

Water body name: Navasota River Below Lake Mexia

Freshwater Stream

Brazos River Basin

Total size:

19 Miles

Assessment Year	Assessment Method	Status of Use Support or Concern	Location	Location size	# of samples	# of exceedances	Mean
-----------------	-------------------	----------------------------------	----------	---------------	--------------	------------------	------

Nutrient Enrichment Concern (continued)

2002	Total Phosphorus	Not Assessed	From FM 1633 to upper end of segment	3	0		
2002	Total Phosphorus	No Concern	From Springfield Lake Dam to upper end of Springfield Lake	2	11	0	
2002	Total Phosphorus	Not Assessed	From upper end of Springfield Lake to FM 1633	2	7	0	
2002	Total Phosphorus	Not Assessed	Lower 7 miles of segment to FM 1245	7	4	0	
2002	Overall Nutrient Enrichment Concerns	No Concern	From FM 1245 to Springfield Lake Dam	5			
2002	Overall Nutrient Enrichment Concerns	Not Assessed	From FM 1633 to upper end of segment	3			
2002	Overall Nutrient Enrichment Concerns	Concern	From Springfield Lake Dam to upper end of Springfield Lake	2			
2002	Overall Nutrient Enrichment Concerns	Not Assessed	From upper end of Springfield Lake to FM 1633	2			
2002	Overall Nutrient Enrichment Concerns	No Concern	Lower 7 miles of segment to FM 1245	7			

Algal Growth Concern

2002	Chlorophyll a	Not Assessed	From FM 1245 to Springfield Lake Dam	5	0		
2002	Chlorophyll a	Not Assessed	From FM 1633 to upper end of segment	3	0		
2002	Chlorophyll a	Concern	From Springfield Lake Dam to upper end of Springfield Lake	2	11	7	
2002	Chlorophyll a	Not Assessed	From upper end of Springfield Lake to FM 1633	2	7	5	
2002	Chlorophyll a	Not Assessed	Lower 7 miles of segment to FM 1245	7	4	2	

Sediment Contaminants Concern

2002	Overall Sediment Contaminant Concerns	Not Assessed	From FM 1245 to Springfield Lake Dam	5			
2002	Overall Sediment Contaminant Concerns	Not Assessed	From FM 1633 to upper end of segment	3			

Segment ID: 1253

Water body name: Navasota River Below Lake Mexia

Freshwater Stream

Brazos River Basin

Total size:

19 Miles

Assessment Year	Assessment Method	Status of Use Support or Concern	Location	Location size	# of samples	# of exceedances	Mean
-----------------	-------------------	----------------------------------	----------	---------------	--------------	------------------	------

Sediment Contaminants Concern (continued)

2002	Overall Sediment Contaminant Concerns	Not Assessed	From Springfield Lake Dam to upper end of Springfield Lake	2			
2002	Overall Sediment Contaminant Concerns	Not Assessed	From upper end of Springfield Lake to FM 1633	2			
2002	Overall Sediment Contaminant Concerns	Not Assessed	Lower 7 miles of segment to FM 1245	7			

Fish Tissue Contaminants Concern

2002	Overall Fish Tissue Contaminant Concerns	Not Assessed	From FM 1245 to Springfield Lake Dam	5			
2002	Overall Fish Tissue Contaminant Concerns	Not Assessed	From FM 1633 to upper end of segment	3			
2002	Overall Fish Tissue Contaminant Concerns	Not Assessed	From Springfield Lake Dam to upper end of Springfield Lake	2			
2002	Overall Fish Tissue Contaminant Concerns	Not Assessed	From upper end of Springfield Lake to FM 1633	2			
2002	Overall Fish Tissue Contaminant Concerns	Not Assessed	Lower 7 miles of segment to FM 1245	7			

Public Water Supply Concern

2002	Finished Water: Chloride	No Concern	From FM 1245 to Springfield Lake Dam	5			
2002	Finished Water: Chloride	No Concern	From FM 1633 to upper end of segment	3			
2002	Finished Water: Chloride	No Concern	From Springfield Lake Dam to upper end of Springfield Lake	2			
2002	Finished Water: Chloride	No Concern	From upper end of Springfield Lake to FM 1633	2			
2002	Finished Water: Chloride	No Concern	Lower 7 miles of segment to FM 1245	7			
2002	Finished Water: Sulfate	No Concern	From FM 1245 to Springfield Lake Dam	5			
2002	Finished Water: Sulfate	No Concern	From FM 1633 to upper end of segment	3			
2002	Finished Water: Sulfate	No Concern	From Springfield Lake Dam to upper end of Springfield Lake	2			

Segment ID: 1253

Water body name: Navasota River Below Lake Mexia

Freshwater Stream

Brazos River Basin

Total size:

19 Miles

Assessment Year	Assessment Method	Status of Use Support or Concern	Location	Location size	# of samples	# of exceedances	Mean
-----------------	-------------------	----------------------------------	----------	---------------	--------------	------------------	------

Public Water Supply Concern (continued)

2002	Finished Water: Sulfate	No Concern	From upper end of Springfield Lake to FM 1633	2			
2002	Finished Water: Sulfate	No Concern	Lower 7 miles of segment to FM 1245	7			
2002	Finished Water: Total Dissolved Solids	No Concern	From FM 1245 to Springfield Lake Dam	5			
2002	Finished Water: Total Dissolved Solids	No Concern	From FM 1633 to upper end of segment	3			
2002	Finished Water: Total Dissolved Solids	No Concern	From Springfield Lake Dam to upper end of Springfield Lake	2			
2002	Finished Water: Total Dissolved Solids	No Concern	From upper end of Springfield Lake to FM 1633	2			
2002	Finished Water: Total Dissolved Solids	No Concern	Lower 7 miles of segment to FM 1245	7			
2002	Finished Water: MTBE	No Concern	From FM 1245 to Springfield Lake Dam	5			
2002	Finished Water: MTBE	No Concern	From FM 1633 to upper end of segment	3			
2002	Finished Water: MTBE	No Concern	From Springfield Lake Dam to upper end of Springfield Lake	2			
2002	Finished Water: MTBE	No Concern	From upper end of Springfield Lake to FM 1633	2			
2002	Finished Water: MTBE	No Concern	Lower 7 miles of segment to FM 1245	7			
2002	Finished Water: Perchlorate	Not Assessed	From FM 1245 to Springfield Lake Dam	5			
2002	Finished Water: Perchlorate	Not Assessed	From FM 1633 to upper end of segment	3			
2002	Finished Water: Perchlorate	Not Assessed	From Springfield Lake Dam to upper end of Springfield Lake	2			
2002	Finished Water: Perchlorate	Not Assessed	From upper end of Springfield Lake to FM 1633	2			
2002	Finished Water: Perchlorate	Not Assessed	Lower 7 miles of segment to FM 1245	7			
2002	Finished Water: Overall	No Concern	From FM 1245 to Springfield Lake Dam	5			
2002	Finished Water: Overall	No Concern	From FM 1633 to upper end of segment	3			

Segment ID: 1253

Water body name: Navasota River Below Lake Mexia

Freshwater Stream

Brazos River Basin

Total size:

19 Miles

Assessment Year	Assessment Method	Status of Use Support or Concern	Location	Location size	# of samples	# of exceedances	Mean
-----------------	-------------------	----------------------------------	----------	---------------	--------------	------------------	------

Public Water Supply Concern (continued)

2002	Finished Water: Overall	No Concern	From Springfield Lake Dam to upper end of Springfield Lake	2			
2002	Finished Water: Overall	No Concern	From upper end of Springfield Lake to FM 1633	2			
2002	Finished Water: Overall	No Concern	Lower 7 miles of segment to FM 1245	7			
2002	Surface Water: Chloride	No Concern	From FM 1245 to Springfield Lake Dam	5	92		54.98
2002	Surface Water: Chloride	No Concern	From FM 1633 to upper end of segment	3	92		54.98
2002	Surface Water: Chloride	No Concern	From Springfield Lake Dam to upper end of Springfield Lake	2	92		54.98
2002	Surface Water: Chloride	No Concern	From upper end of Springfield Lake to FM 1633	2	92		54.98
2002	Surface Water: Chloride	No Concern	Lower 7 miles of segment to FM 1245	7	92		54.98
2002	Surface Water: Sulfate	No Concern	From FM 1245 to Springfield Lake Dam	5	92		34.65
2002	Surface Water: Sulfate	No Concern	From FM 1633 to upper end of segment	3	92		34.65
2002	Surface Water: Sulfate	No Concern	From Springfield Lake Dam to upper end of Springfield Lake	2	92		34.65
2002	Surface Water: Sulfate	No Concern	From upper end of Springfield Lake to FM 1633	2	92		34.65
2002	Surface Water: Sulfate	No Concern	Lower 7 miles of segment to FM 1245	7	92		34.65
2002	Surface Water: Total Dissolved Solids	No Concern	From FM 1245 to Springfield Lake Dam	5	101		327.8
2002	Surface Water: Total Dissolved Solids	No Concern	From FM 1633 to upper end of segment	3	101		327.8
2002	Surface Water: Total Dissolved Solids	No Concern	From Springfield Lake Dam to upper end of Springfield Lake	2	101		327.8
2002	Surface Water: Total Dissolved Solids	No Concern	From upper end of Springfield Lake to FM 1633	2	101		327.8
2002	Surface Water: Total Dissolved Solids	No Concern	Lower 7 miles of segment to FM 1245	7	101		327.8
2002	Surface Water: Overall	No Concern	From FM 1245 to Springfield Lake Dam	5			

Segment ID: 1253 **Water body name: Navasota River Below Lake Mexia**

Freshwater Stream

Brazos River Basin

Total size:

19 Miles

Assessment Year	Assessment Method	Status of Use Support or Concern	Location	Location size	# of samples	# of exceedances	Mean
-----------------	-------------------	----------------------------------	----------	---------------	--------------	------------------	------

Public Water Supply Concern (continued)

2002	Surface Water: Overall	No Concern	From FM 1633 to upper end of segment	3			
2002	Surface Water: Overall	No Concern	From Springfield Lake Dam to upper end of Springfield Lake	2			
2002	Surface Water: Overall	No Concern	From upper end of Springfield Lake to FM 1633	2			
2002	Surface Water: Overall	No Concern	Lower 7 miles of segment to FM 1245	7			
2002	Overall Public Water Supply Concerns	No Concern	From FM 1245 to Springfield Lake Dam	5			
2002	Overall Public Water Supply Concerns	No Concern	From FM 1633 to upper end of segment	3			
2002	Overall Public Water Supply Concerns	No Concern	From Springfield Lake Dam to upper end of Springfield Lake	2			
2002	Overall Public Water Supply Concerns	No Concern	From upper end of Springfield Lake to FM 1633	2			
2002	Overall Public Water Supply Concerns	No Concern	Lower 7 miles of segment to FM 1245	7			

Narrative Criteria Concern

2002	Overall Narrative Criteria Concerns	No Concern	From FM 1245 to Springfield Lake Dam	5			
2002	Overall Narrative Criteria Concerns	No Concern	From FM 1633 to upper end of segment	3			
2002	Overall Narrative Criteria Concerns	No Concern	From Springfield Lake Dam to upper end of Springfield Lake	2			
2002	Overall Narrative Criteria Concerns	No Concern	From upper end of Springfield Lake to FM 1633	2			
2002	Overall Narrative Criteria Concerns	No Concern	Lower 7 miles of segment to FM 1245	7			

Overall Secondary Concern

2002		No Concern	From FM 1245 to Springfield Lake Dam	5			
------	--	------------	--------------------------------------	---	--	--	--

Segment ID: 1253**Water body name:** Navasota River Below Lake Mexia

Freshwater Stream

Brazos River Basin

Total size:

19 Miles

Assessment Year	Assessment Method	Status of Use Support or Concern	Location	Location size	# of samples	# of exceedances	Mean
-----------------	-------------------	----------------------------------	----------	---------------	--------------	------------------	------

Overall Secondary Concern (continued)

2002		No Concern	From FM 1633 to upper end of segment	3			
2002		Concern	From Springfield Lake Dam to upper end of Springfield Lake	2			
2002		No Concern	From upper end of Springfield Lake to FM 1633	2			
2002		No Concern	Lower 7 miles of segment to FM 1245	7			