
TEXAS REGISTER


Volume 29

Number 13

March 26, 2004

Pages 2979-3310

Gabriela Canales
3rd Grade



25 TAC §14.301, §14.302.....	3182	ANATOMICAL BOARD OF THE STATE OF TEXAS	
25 TAC §14.501.....	3182	OFFICERS	
MATERNAL AND INFANT HEALTH SERVICES		25 TAC §471.1, §471.2.....	3229
25 TAC §§37.33 - 37.46.....	3183	MEETINGS	
25 TAC §§37.561 - 37.573.....	3183	25 TAC §§475.1 - 475.4.....	3230
25 TAC §37.350.....	3186	DISTRIBUTION OF BODIES	
CHILDREN WITH SPECIAL HEALTH CARE NEEDS		25 TAC §§477.1, 477.3 - 477.8.....	3230
SERVICES PROGRAM		25 TAC §477.10.....	3231
25 TAC §38.15.....	3186	FACILITIES: STANDARDS AND INSPECTIONS	
ORAL HEALTH IMPROVEMENT SERVICES		25 TAC §§479.1, 479.4, 479.5.....	3231
PROGRAM		HEARING PROCEDURES	
25 TAC §49.16.....	3187	25 TAC §483.1.....	3232
CHRONIC DISEASES		25 TAC §483.1.....	3232
25 TAC §61.12.....	3187	AUDIT PROCEDURES	
COMMUNICABLE DISEASES		25 TAC §485.1.....	3232
25 TAC §§97.61 - 97.63, 97.65, 97.67, 97.71 - 97.77.....	3190	TEXAS COMMISSION ON ENVIRONMENTAL	
25 TAC §§97.61 - 97.72.....	3190	QUALITY	
25 TAC §§97.171 - 97.180, 97.190, 97.191.....	3192	CONTROL OF AIR POLLUTION FROM VOLATILE	
HOSPITAL LICENSING		ORGANIC COMPOUNDS	
25 TAC §133.2.....	3197	30 TAC §115.769.....	3233
25 TAC §§133.22, 133.23, 133.26.....	3200	TEXAS DEPARTMENT OF HUMAN SERVICES	
25 TAC §133.45, §133.48.....	3202	NURSING FACILITY REQUIREMENTS FOR	
25 TAC §133.101.....	3203	LICENSURE AND MEDICAID CERTIFICATION	
25 TAC §133.121.....	3205	40 TAC §§19.301, 19.334, 19.340, 19.341.....	3236
25 TAC §§133.141 - 133.143.....	3205	40 TAC §19.602.....	3236
25 TAC §§133.161 - 133.167.....	3205	40 TAC §19.1103.....	3236
AMBULATORY SURGICAL CENTERS		40 TAC §19.1929.....	3236
25 TAC §§135.1 - 135.28.....	3207	COST DETERMINATION PROCESS	
25 TAC §§135.24 - 135.29.....	3213	40 TAC §20.110, §20.112.....	3236
25 TAC §135.41, §135.42.....	3213	INTERMEDIATE CARE FACILITIES FOR PERSONS	
25 TAC §§135.51 - 135.54.....	3213	WITH MENTAL RETARDATION OR RELATED	
BIRTHING CENTERS		CONDITIONS	
25 TAC §137.11.....	3225	40 TAC §§90.61, 90.65, 90.68, 90.74.....	3237
25 TAC §137.22.....	3226	LICENSING STANDARDS FOR HOME AND	
25 TAC §137.44.....	3226	COMMUNITY SUPPORT SERVICES AGENCIES	
ZOONOSIS CONTROL		40 TAC §97.249.....	3237
25 TAC §169.101.....	3226	40 TAC §97.282.....	3238
25 TAC §169.102.....	3226	40 TAC §97.403.....	3238
FOOD AND DRUG		RULE REVIEW	
25 TAC §§229.61 - 229.73.....	3227	Proposed Rule Reviews	
25 TAC §229.90.....	3228	Texas Department of Agriculture.....	3239

The new rule is adopted under Health and Safety Code §691.007 which authorizes the board to promulgate rules for its administration.

No other statutes, articles, or codes are affected by the new rule.

§485.1. Audit Procedures.

Each member institution shall conduct an audit of its procedures and methods for receiving, storing, using, and transporting bodies or anatomical specimens and disposing of remains. This audit must be conducted at a minimum interval of 5 years, coincidental with regularly scheduled Board inspections. The audit shall be performed by the institution's audit department or a professional audit firm. The results of the audit shall be filed with the secretary-treasurer within 30 days of its completion. The audit, at a minimum, shall include:

(1) A records review to determine that the receipt and shipment of bodies and anatomical specimens are acknowledged by appropriate filing of records with the board;

(2) An inventory of bodies and anatomical specimens on hand verified by SAB number and a determination that the records of the board reflect that the bodies or specimens are in the possession of the institution;

(3) A review of crematory contracts, if any, and a determination that the contracting crematory is properly licensed in this state;

(4) A determination of proper payment of assessment and transfer fees to the board when due;

(5) A review of shipping documents for verification that shipments have been approved by the board and a determination that the records of both the institution and the board reflect the location where the bodies or anatomical specimens were shipped;

(6) A review of the supervisory chain of command to determine the existence of actual oversight to assure that bodies and anatomical specimens are treated with respect; and

(7) A determination that remains are disposed of in accordance with state law, including these rules.

This agency hereby certifies that the adoption has been reviewed by legal counsel and found to be a valid exercise of the agency's legal authority.

Filed with the Office of the Secretary of State on March 9, 2004.

TRD-200401800

Cue D. Boykin

Assistant Attorney General

Anatomical Board of the State of Texas

Effective date: March 29, 2004

Proposal publication date: November 21, 2003

For further information, please call: (512) 475-4219



TITLE 30. ENVIRONMENTAL QUALITY

PART 1. TEXAS COMMISSION ON ENVIRONMENTAL QUALITY

CHAPTER 115. CONTROL OF AIR POLLUTION FROM VOLATILE ORGANIC COMPOUNDS

SUBCHAPTER H. HIGHLY-REACTIVE VOLATILE ORGANIC COMPOUNDS DIVISION 2. COOLING TOWER HEAT EXCHANGE SYSTEMS

30 TAC §115.769

The Texas Commission on Environmental Quality (commission) adopts an amendment to §115.769; Subchapter H, Highly-Reactive Volatile Organic Compounds; Division 2, Cooling Tower Heat Exchange Systems. Section 115.769 is adopted *without change* to the proposed text as published in the November 7, 2003 issue of the *Texas Register* (28 TexReg 9715) and will not be republished.

The amendment to §115.769 and corresponding revision to the state implementation plan (SIP) will be submitted to the United States Environmental Protection Agency (EPA).

BACKGROUND AND SUMMARY OF THE FACTUAL BASIS FOR THE ADOPTED RULE

The commission adopts this amendment to Chapter 115 and the associated revision to the SIP in order to change the compliance date for cooling tower heat exchange systems in the eight-county Houston/Galveston (HGA) ozone nonattainment area from no later than December 31, 2004 to no later than December 31, 2005. This amendment would make the compliance date for cooling tower heat exchange systems in highly-reactive volatile organic compound (HRVOC) service the same as the compliance dates for HRVOC flares and HRVOC vent gas streams, but would not affect the compliance date for the site-wide cap in 30 TAC §115.761, Site-wide Cap. This change is necessary to provide sufficient time for owners and operators of cooling tower heat exchange systems to purchase and install the required monitoring equipment, and is consistent with commission objectives to achieve the intended volatile organic compound (VOC) emission reductions of the HGA ozone SIP.

The scope of the rulemaking is limited to the change to the compliance date for cooling tower heat exchange systems in the eight-county HGA ozone nonattainment area. No additional changes are being adopted to the cooling tower rules or other HRVOC rules at this time.

SECTION DISCUSSION

The amendment to §115.769, Counties and Compliance Schedules, changes the compliance date for cooling tower heat exchange systems in the eight-county HGA ozone nonattainment area from no later than December 31, 2004 to no later than December 31, 2005. The amendment makes the compliance date for cooling tower heat exchange systems with HRVOC in the water the same as the compliance dates for HRVOC flares and HRVOC vent gas streams, but does not affect the compliance date for the site-wide cap in §115.761.

FINAL REGULATORY IMPACT ANALYSIS DETERMINATION

The commission reviewed this rulemaking action in light of the regulatory impact analysis requirements of Texas Government Code, §2001.0225, and determined that this rulemaking action does not meet the definition of a "major environmental rule." A "major environmental rule" is a rule, the specific intent of which is to protect the environment or reduce risks to human health from environmental exposure, and that may adversely affect in a material way the economy, a sector of the economy, productivity, competition, jobs, the environment, or the public health and

safety of the state or a sector of the state. This primary purpose of this amended rule is to extend the compliance date for cooling tower heat exchange systems with HRVOC contained in the water, and this amended rule does not implement additional regulations that are not already required by the commission and EPA. This rulemaking action will not adversely affect, in a material way, the economy, a sector of the economy, productivity, competition, jobs, the environment, or the public health and safety of the state or a sector of the state. Therefore, this is not a major environmental rule.

In addition, a regulatory impact analysis is not required because this rule does not meet any of the four applicability criteria for requiring a regulatory analysis of a "major environmental rule" as defined in Texas Government Code, §2001.0225. Section 2001.0225 applies only to a major environmental rule the result of which is to: 1) exceed a standard set by federal law, unless the rule is specifically required by state law; 2) exceed an express requirement of state law, unless the rule is specifically required by federal law; 3) exceed a requirement of a delegation agreement or contract between the state and an agency or representative of the federal government to implement a state and federal program; or 4) adopt a rule solely under the general powers of the agency instead of under a specific state law. This rule amendment does not exceed a standard set by federal law nor exceed an express requirement of state law. There is no contract or delegation agreement that covers the topic that is the subject of this rulemaking action. Finally, this rulemaking action was not developed solely under the general powers of the agency, but is authorized by specific sections of the Texas Health and Safety Code and the Texas Water Code, which are cited in the STATUTORY AUTHORITY section of this preamble. Therefore, this rulemaking action is not subject to the regulatory analysis provisions of Texas Government Code, §2001.0225(b), because this adopted rule amendment does not meet any of the four applicability requirements.

TAKINGS IMPACT ASSESSMENT

The commission evaluated this rulemaking action and performed an analysis of whether this rule amendment is subject to Texas Government Code, Chapter 2007. The primary purpose of this rulemaking action is to extend the compliance date for cooling tower heat exchange systems with HRVOC contained in the water. Promulgation and enforcement of this rule amendment would be neither a statutory nor a constitutional taking because it does not affect private real property. Specifically, this rule amendment does not affect a landowner's rights in private real property because this rule amendment does not burden (constitutionally), nor restrict or limit the owner's right to property or reduce its value by 25% or more beyond that which would otherwise exist in the absence of this rule amendment. Therefore, this rule amendment will not constitute a takings under Texas Government Code, Chapter 2007.

CONSISTENCY WITH THE COASTAL MANAGEMENT PROGRAM

The commission reviewed this rulemaking action and found that this action is identified in Coastal Coordination Act Implementation Rules, 31 TAC §505.11, or will affect an action/authorization identified in Coastal Coordination Act Implementation Rules, 31 TAC §505.11, and therefore, requires that applicable goals and policies of the Texas Coastal Management Program (CMP) be considered during the rulemaking process.

The commission determined that this rulemaking action is consistent with the applicable CMP goals and policies. The CMP goal applicable to this rulemaking action is the goal to protect, preserve, and enhance the diversity, quality, quantity, functions, and values of coastal natural resource areas (31 TAC §501.12(1)). No new sources of air contaminants will be authorized. The CMP policy applicable to this rulemaking action is the policy that commission rules comply with regulations in 40 Code of Federal Regulations, to protect and enhance air quality in the coastal area (31 TAC §501.14(q)). This rulemaking action complies with 40 Code of Federal Regulations; therefore, in compliance with 31 TAC §505.22(e), this rulemaking action is consistent with CMP goals and policies.

EFFECT ON SITES SUBJECT TO THE FEDERAL OPERATING PERMIT PROGRAM

Chapter 115 is an applicable requirement under 30 TAC Chapter 122; therefore, owners or operators subject to the federal operating permit program must, consistent with the revision process in Chapter 122, revise their operating permits to include the revised Chapter 115 requirements for each emission unit at their sites affected by this revision to Chapter 115.

PUBLIC COMMENT

A public hearing on this proposal was held in Austin on December 2, 2003. No person presented oral comments at the hearing. The following persons submitted written comments: BP Products North America, Inc. (BP); EPA; Sierra Club, Houston Regional Group (Sierra); and Texas Chemical Council (TCC).

RESPONSE TO COMMENTS

BP and TCC supported the proposal. EPA and Sierra opposed the proposal.

BP and TCC stated that if a company chooses to submit an alternative cooling water monitoring plan, time will be needed for agency review and approval. BP and TCC also stated that after a plan is approved, approximately 12 to 18 months will be necessary to procure and install monitoring equipment. Finally, BP and TCC commented that more time is necessary because the previous Chapter 115 rulemaking was delayed.

The commission appreciates the support and acknowledges that there are many factors that may delay the installation of monitors in certain cases. Therefore, the commission maintains that extending the compliance date to December 31, 2005 will ensure that all accounts will have sufficient time to demonstrate compliance with the division.

EPA expressed a belief that the proposed rule change may not ensure that the monitoring requirements are being required as expeditiously as practicable. EPA suggested that the compliance date be six months earlier than proposed.

The commission is confident that, in most cases, monitors will be installed as soon as practicable per the requirements of §115.769. However, due to the current supply and demand for these specialized monitors, associated equipment, and construction required for installation and operation, the commission has concluded that a December 31, 2005 compliance date will better ensure overall compliance with this rule. Moreover, a compliance date that matches the compliance dates for flares and vent gas streams in HRVOC service is logical because it will provide the regulated community with consistent HRVOC compliance dates for which the regulated community may better coordinate the installation of monitors to ensure complete and

timely compliance. While requiring monitoring six months earlier as EPA suggests would provide the commission with additional data for modeling purposes, the data would not be available for assessment and analysis in time to impact the site-wide cap by the April 1, 2006 site-wide cap compliance date.

Sierra stated that it opposed the delay of implementation of the compliance date from December 31, 2004 to December 31, 2005. Sierra further commented on the health effects of ozone and stated that the SIP is nine years past the Federal Clean Air Act Amendment's 1994 deadline and seven years past the 1996 deadline, and that the commission is unreasonably putting the public at risk. Sierra also commented that it supported the existing cooling tower rules that require continuous VOC measurements, continuous flow measurements, the requirement to continuously operate each monitoring system at least 95% of the time when the cooling tower is operating, and the recordkeeping requirements in §115.767.

The commission has been working to adopt measures to meet the health-based ozone standards. Due to ongoing advances in the science of ozone formation, the commission has regularly modified the SIP over the past 13 years since the Federal Clean Air Act Amendments were signed into law in 1990. The 1990 amendments mandated that the HGA ozone attainment demonstration be submitted by 1996. However, this deadline was changed in 1995 when EPA issued guidance that allowed states to postpone completion of their attainment demonstrations until an assessment of the role of transported ozone and precursors was completed for the eastern half of the nation, including the eastern portion of Texas. Texas participated in this study, which concluded that Texas does not significantly contribute to ozone exceedances in the northeastern United States. It is important to note that none of the changes to the submittal deadlines have resulted in changes to the attainment deadline in the Federal Clean Air Act, which requires HGA to attain the one-hour ozone standard by November 15, 2007.

The commission appreciates Sierra's comments supporting the existing cooling tower rules that require continuous VOC measurements, continuous flow measurements, the requirement to continuously operate each monitoring system at least 95% of the time when the cooling tower is operating, and the recordkeeping requirements in §115.767. The commission disagrees with Sierra's comments opposing the proposed compliance date of December 31, 2005. Due to the current supply and demand for the specialized monitors, associated equipment, and construction required for the installation and operation that will meet the requirements of this division, the commission has concluded that a December 31, 2005 compliance date will better ensure overall compliance with this rule. Moreover, a compliance date that matches the compliance dates for flares and vent gas streams in HRVOC service is logical because it will provide the regulated community with consistent HRVOC compliance dates for which the regulated community may better coordinate the installation of monitors to ensure complete and timely compliance. Finally, the date for complying with the site-wide cap, April 1, 2006, has not been changed.

STATUTORY AUTHORITY

The amendment is adopted under Texas Water Code, §5.103, concerning Rules, and §5.105, concerning General Policy, which authorize the commission to adopt rules necessary to carry out its powers and duties under the Texas Water Code; and under Texas Health and Safety Code, §382.017, concerning Rules, which authorizes the commission to adopt rules

consistent with the policy and purposes of the Texas Clean Air Act. The amendment is also adopted under Texas Health and Safety Code, §382.002, concerning Policy and Purpose, which establishes the commission's purpose to safeguard the state's air resources, consistent with the protection of public health, general welfare, and physical property; §382.011, concerning General Powers and Duties, which authorizes the commission to control the quality of the state's air; §382.012, concerning State Air Control Plan, which authorizes the commission to prepare and develop a general, comprehensive plan for the proper control of the state's air; and §382.016, concerning Monitoring Requirements Examination of Records, which authorizes the commission to prescribe reasonable requirements for measuring and monitoring the emissions of air contaminants.

This agency hereby certifies that the adoption has been reviewed by legal counsel and found to be a valid exercise of the agency's legal authority.

Filed with the Office of the Secretary of State on March 12, 2004.

TRD-200401869

Stephanie Bergeron

Director, Environmental Law Division

Texas Commission on Environmental Quality

Effective date: April 1, 2004

Proposal publication date: November 7, 2003

For further information, please call: (512) 239-0348



TITLE 40. SOCIAL SERVICES AND ASSISTANCE

PART 1. TEXAS DEPARTMENT OF HUMAN SERVICES

CHAPTER 19. NURSING FACILITY REQUIREMENTS FOR LICENSURE AND MEDICAID CERTIFICATION

The Texas Department of Human Services (DHS) adopts amendments to §§19.301, 19.334, 19.340, 19.341, 19.602, 19.1103, and 19.1929, without changes to the proposed text published in the January 9, 2004, issue of the *Texas Register* (29 TexReg 332).

Justification for the amendments is to implement changes mandated by the 78th Texas Legislature. Justification for the amendment to §19.334 is to allow nursing facilities to have beds without casters, because casters are no longer required by the Life Safety Code beginning with the 1991 edition, and to correct the National Fire Protection Association (NFPA) reference for the storage and use of oxygen. The amendment to §19.340 implements House Bill 867 by adopting a minimum standard that requires nursing facilities constructed or licensed after January 1, 2004, to have a central air conditioning system, or a substantially similar air conditioning system, that is capable of maintaining a temperature suitable for resident comfort within areas used by residents. Justification for the amendment to §19.1929 is to implement the provisions of the Health and Safety Code, §242.037, as amended by House Bill 776 and Senate Bill 1549, that added a requirement for nursing staff to receive at least one hour of training each year in caring for people who have dementia. In order to provide facilities with accurate information in DHS's rule