

The Texas Natural Resource Conservation Commission (commission) adopts amendments to §§335.1, 335.2, 335.41, 335.261, and 335.431, Industrial Solid Waste and Municipal Hazardous Waste. Section 335.261 is adopted with changes to the proposed text as published in the November 5, 1999 issue of the *Texas Register* (24 TexReg 9777). Sections 335.1, 335.2, 335.41, and 335.431 are adopted without changes and will not be republished.

BACKGROUND AND SUMMARY OF THE FACTUAL BASIS FOR THE ADOPTED RULES

The primary purpose of the adopted amendments is to revise the state rules to address the federal regulation promulgated by the United States Environmental Protection Agency (EPA) on July 6, 1999 at 64 FedReg 36466, which added hazardous waste lamps to the federal list of universal wastes regulated under the Resource Conservation and Recovery Act (RCRA). Handlers of universal wastes are subject to streamlined standards for storing, transporting, and collecting these wastes. The commission believes that regulating spent hazardous waste lamps as a universal waste will lead to better management of these lamps, facilitate compliance with hazardous waste requirements, and support energy conservation efforts. The adopted amendments include conforming changes that are needed to establish equivalency with the federal regulations, which will enable the State of Texas to increase its level of authorization to operate aspects of the federal hazardous waste program. The amendments also include technical and cross-reference corrections of commission rules regarding universal wastes. Finally, in response to public comment, certain allowances have been made in the adopted amendments for lamp crushing under controlled conditions.

SECTION BY SECTION DISCUSSION

Under §335.1(74), the adopted definition of “lamp” states that it has the same definition as under §335.261 of this title (relating to Universal Waste Rule), where the federal definition of “lamp” under 40 Code of Federal Regulations (CFR), §273.9 is adopted by reference. The definitions following §335.1(74) are then renumbered to account for the addition of the new definition of “lamp.” Under adopted §335.1(145), the definition of “universal waste” contains a correction by replacing the phrase “§335.261 of this title” with “Subchapter H, Division 5 of this chapter.”

Adopted §335.2(l) contains a correction by replacing the phrase “§335.261 of this title” with “Subchapter H, Division 5 of this chapter.”

Adopted §335.41(j) contains the same correction, replacing the phrase “§335.261 of this title” with “Subchapter H, Division 5 of this chapter.”

Under §335.261(a), the 40 CFR Part 273 federal universal waste regulations are adopted by reference, as amended and adopted through July 6, 1999 at 64 FedReg 36466, except as provided in §335.261(b).

Adopted §335.261(b) contains technical and cross-reference corrections and other changes to the adoption by reference to make the federal regulations “fit” the state rules. Generally, these amendments adopt the aforementioned federal hazardous waste lamp regulation, and include the recent changes made by the EPA under 40 CFR Part 273, relating to standards for universal waste management. These changes include reformatting changes, as well as substantive changes regarding management standards for universal waste lamps. As adopted by reference under §335.261(a), the

definition of “lamp” under 40 CFR §273.9 is as follows: “Lamp, also referred to as ‘universal waste lamp’ is defined as the bulb or tube portion of an electric lighting device. A lamp is specifically designed to produce radiant energy, most often in the ultraviolet, visible, and infrared regions of the electromagnetic spectrum. Examples of common universal waste electric lamps include, but are not limited to, fluorescent, high intensity discharge, neon, mercury vapor, high pressure sodium, and metal halide lamps.”

The lamp standards of 40 CFR Part 273 adopted under §335.261(a) and (b) include applicability, prohibitions, waste management, notification, and labeling/marketing requirements. 40 CFR §273.10 is the applicability statement for small quantity handlers of universal waste. 40 CFR §273.11 spells out the prohibitions for small quantity handlers of universal waste, including prohibitions against disposal, dilution, and treatment of universal wastes. As adopted under §335.261(b)(18), in a change from proposal in response to comment, the prohibition against treatment is amended to allow the controlled crushing of lamps in accordance with §335.261(e), which is discussed later in this preamble. 40 CFR §273.13 contains the waste management standards for small quantity handlers, with a new subsection (d) for lamps. As adopted under this subsection, a small quantity handler of universal waste must manage lamps in a way that prevents releases of any universal waste or component of a universal waste to the environment, by containing any lamp in containers or packages that are: (1) structurally sound; (2) adequate to prevent breakage, except as specified in §335.261(e) of this title (relating to Universal Waste Rule); and (3) compatible with the contents of the lamps. The exception for breakage is adopted under §335.261(b)(22), and is a change from proposal in response to comment, as discussed later in this preamble. Such containers and packages must also remain closed and must lack evidence of leakage,

spillage or damage that could cause leakage under reasonably foreseeable conditions. In addition, a small quantity handler of universal waste must immediately clean up and place in a container any lamp that is broken and must place in a container any lamp that shows evidence of breakage, leakage, or damage that could cause the release of mercury or other hazardous constituents to the environment. Containers for such lamps must be closed, structurally sound, compatible with the contents of the lamps and must lack evidence of leakage, spillage or damage that could cause leakage or releases of mercury or other hazardous constituents to the environment under reasonably foreseeable conditions. 40 CFR §273.14(e) requires that each lamp or a container or package in which such lamps are contained must be labeled or marked clearly with one of the following phrases: “Universal Waste – Lamp(s),” or “Waste Lamp(s),” or “Used Lamp(s).”

40 CFR §273.30 contains the applicability statement for large quantity handlers of universal waste. 40 CFR §273.31 spells out the prohibitions for large quantity handlers of universal waste, including prohibitions against disposal, dilution, and treatment of universal wastes. As adopted under §335.261(b)(27), in a change from proposal in response to comment, the prohibition against treatment is amended to allow the controlled crushing of lamps in accordance with §335.261(e), which is discussed later in this preamble. 40 CFR §273.32(b)(4) and (5) contain changes under these notification requirements to include lamps. 40 CFR §273.33 contains the management standards for large quantity handlers, with a new subsection (d) for lamps. Under this subsection, a large quantity handler of universal waste must manage lamps in a way that prevents releases of any universal waste or component of a universal waste to the environment. The requirements are exactly the same as for small quantity handlers under 40 CFR §273.13(d) described earlier in this preamble. The aforementioned exception

for breakage, as it applies to large quantity handlers of universal waste, is adopted under §335.261(b)(31). In addition, the labeling/marketing requirements for large quantity handlers of universal waste lamps are exactly the same as such requirements for small quantity handlers under 40 CFR §273.14 described earlier in this preamble. The adoption includes formatting changes involving paragraph renumbering to account for the addition of new paragraphs (18), (22), (27), and (31).

40 CFR §273.50 is the applicability statement for universal waste transporters, containing a formatting change to include reference to newly designated 40 CFR §273.9, which is now the federal universal waste section containing definitions. Likewise, 40 CFR §273.60 is the applicability statement for destination facilities, containing the formatting change to include reference to newly designated 40 CFR §273.9.

Section 335.261(e) is a new subsection, adopted in response to public comment, which sets forth the control conditions for crushing of lamps which must be met in order to qualify for the aforementioned exceptions from the treatment prohibitions and from the requirements regarding breakage. The purpose of this section is to create a set of control conditions which will, in effect, be equivalent to the federal treatment prohibition. The first control requirement, under adopted §335.261(e)(1), is that the crushing system must be demonstrated to have an exposure limit of no more than 0.05 milligrams of mercury per cubic meter through sampling and analysis using Occupational Safety and Health Administration (OSHA) Method ID-140 or National Institute for Occupational Safety and Health Method No. 6009, based on an eight-hour time-weighted average of samples taken at the breathing zone height near the crushing system operating at the maximum expected level of activity. The limit of 0.05 milligrams of

mercury per cubic meter is OSHA's permissible exposure limit for mercury vapor in the workplace.

Under §335.261(e)(2), compliance with the notification requirements of 30 TAC §106.262 is required, while under §335.261(e)(3), documentation of the demonstrations under paragraphs (1) and (2) of this subsection must be provided in a written report to the executive director. Under §335.261(e)(4), crushing lamps is permissible only after the executive director approves the crushing system in writing.

Finally, §335.431(b)(3) contains a correction by replacing the phrase "§335.261 of this title" with "Subchapter H, Division 5 of this chapter."

FINAL REGULATORY IMPACT ANALYSIS

The commission has reviewed the rulemaking in light of the regulatory analysis requirements of Texas Government Code, §2001.0225, and has determined that the rulemaking is not subject to §2001.0225 because it does not meet the definition of a "major environmental rule" as defined in the act.

Furthermore, it does not meet any of the four applicability requirements listed in §2001.0225(a).

Although this rule is adopted to protect the environment and reduce the risk to human health from environmental exposure, this is not a major environmental rule because it does not adversely affect in a material way the economy, a sector of the economy, productivity, competition, jobs, the environment, or the public health and safety of the state or a sector of the state. The rule will not adversely affect in a material way the aforementioned aspects of the state because the rule provides for streamlined waste management standards for hazardous waste lamps, which in turn provides an overall benefit to the affected economy, sectors of the economy, productivity, competition, jobs, the environment, and the public health and safety of the state and affected sectors of the state. More simply stated, the

amendments are intended to revise the commission's hazardous waste rules in a manner which could provide a benefit to the economy while enhancing the protection of the environment and public health and safety, as explained in the following information. The overall benefit from streamlining waste management standards for hazardous waste lamps is due to the fact that the new standards would reduce the regulatory burden on persons generating, collecting, or transporting these wastes. The streamlined waste management standards for hazardous waste lamps would provide a benefit to the economy, sectors of the economy, productivity, competition, and jobs by lessening regulatory requirements, thus costing certain companies less. The rule also provides benefit, as opposed to an adverse effect in a material way, to the environment and the public health and safety of the state and affected sectors of the state by facilitating environmentally sound collection and increasing the proper recycling or processing of hazardous waste lamps. The reason there is no adverse effect in a material way on the environment, or the public health and safety of the state or a sector of the state is because these rules, while reducing certain procedural or administrative requirements such as strict manifesting requirements by replacing them with more flexible record keeping and tracking requirements, would provide for protection of the environment, public health, and public safety by, for example, requiring containment of the universal waste. In this regard, the standards require containers to be closed, structurally sound, compatible with the contents of the lamps, and lack evidence of leakage, spillage, or damage that could cause leakage or releases of mercury or other hazardous constituents to the environment under reasonably foreseeable conditions. The standards are anticipated to reduce regulatory requirements while facilitating an alternative for the collection of hazardous waste lamps and increasing the proper recycling or processing of these wastes, and providing for protection of the environment, public health, and public safety. Furthermore, this rule does not meet any of the four applicability requirements listed in

§2001.0225(a). The rule does not exceed a standard set by federal law because its purpose is to adopt state rules which are accordant with the corresponding federal regulations. Any requirements in this rule are in accord with the corresponding federal regulations, and they do not exceed an express requirement of state law because there is no express requirement in state law concerning universal wastes. This adoption does not exceed a requirement of a delegation agreement or contract between the state and an agency or representative of the federal government to implement a state and federal program because the rule fits the framework of the corresponding federal universal waste regulations. See 40 CFR §271.21, relating to procedures for revision of state programs and 40 CFR Part 273, relating to standards for universal waste management. This rulemaking adopts a rule under specific state law (i.e., Texas Health and Safety Code, Solid Waste Disposal Act, §361.017 and §361.024). Finally, this rulemaking is not adopted on an emergency basis to protect the environment or to reduce risks to human health from environmental exposure.

TAKINGS IMPACT ASSESSMENT

The commission has prepared a Takings Impact Assessment for these rules pursuant to Texas Government Code, §2007.043. The following is a summary of that assessment. The specific purpose of these rules is to provide an alternative for the collection of hazardous waste lamps, facilitating environmentally sound collection and increasing the proper recycling or processing of hazardous waste lamps. The rules would substantially advance this stated purpose by adopting environmentally protective streamlined standards relating to universal wastes meeting the definition of hazardous waste lamps. Promulgation and enforcement of these rules would not affect private real property which is the subject of the rules because the rule language provides an alternative set of management standards for

hazardous waste lamps in lieu of other more stringent hazardous waste regulations, representing a streamlined approach to the regulation of certain types of management of hazardous waste lamps. The adopted standards are not considered to be more stringent than existing standards. In addition, this reduction of regulatory requirements may be taken only at the initiative of certain persons managing hazardous waste lamps. For these reasons, this action is not considered a burden to private real property and does not constitute a taking under Texas Government Code, Chapter 2007. The subject regulations do not affect a landowner's rights in private real property.

COASTAL MANAGEMENT PROGRAM CONSISTENCY REVIEW

The commission has reviewed this rulemaking for consistency with Texas Coastal Management Program (CMP) goals and policies in accordance with the rules of the Coastal Coordination Council. The commission has found that the adoption is a rulemaking which relates to an action or actions subject to the CMP, in accordance with the Coastal Coordination Act of 1991, as amended (Texas Natural Resources Code, §§33.201 et seq.), and the commission's rules at 30 TAC Chapter 281, Subchapter B, relating to consistency with the Texas CMP. Therefore, as required by 31 TAC §505.11(b)(2) and 30 TAC §281.45(a)(3) relating to actions and rules subject to the CMP, this adoption must be consistent with all applicable goals and policies of the CMP. The commission has prepared a consistency determination for this adoption pursuant to 31 TAC §505.22 and has found that the rulemaking is consistent with the applicable CMP goals and policies. The following is a summary of that determination. The CMP goals applicable to the rulemaking are the goals to protect, preserve, restore, and enhance the diversity, quality, quantity, functions, and values of coastal natural resource areas (CNRAs). Applicable policies are construction and operation of solid waste treatment, storage,

and disposal facilities, such that new solid waste facilities and areal expansions of existing solid waste facilities shall be sited, designed, constructed, and operated to prevent releases of pollutants that may adversely affect CNRAs and, at a minimum, comply with standards established under the Solid Waste Disposal Act, 42 United States Code Annotated, §§6901 et seq. Promulgation and enforcement of this rule is consistent with the applicable CMP goals and policies because the rule facilitates the environmentally sound collection and increases the proper recycling or processing of hazardous waste lamps. It also facilitates programs developed to reduce the quantity of these wastes going to municipal solid waste landfills or combustors, and helps assure that these wastes will go to appropriate processing or recycling facilities under full hazardous waste regulatory controls. Thus, the rule serves to protect, preserve, restore, and enhance the diversity, quality, quantity, functions, and values of CNRAs, and also serves to ensure that new solid waste facilities and areal expansions of existing solid waste facilities are sited, designed, constructed, and operated to prevent releases of pollutants that may adversely affect CNRAs and, at a minimum, comply with standards established under the Solid Waste Disposal Act, 42 United States Code Annotated, §§6901 et seq. The commission has determined that the specific actions detailed in this section and earlier in this preamble under the sections concerning background and summary of the factual basis for the adopted rules, section by section discussion, final regulatory impact analysis, and takings impact assessment will comply with the goals and policies of the CMP. In addition, the rule does not violate any applicable provisions of the CMP's stated goals and policies.

The commission did not hold a public meeting on the proposed rule changes. The comment period for the proposed rules closed at 5:00 p.m., December 6, 1999. Written comments were submitted by the City of Austin's Electric Utility Department, d.b.a. Austin Energy (City of Austin); and by TXU Business Services (TXU) on behalf of TXU Electric & Gas, TXU SESCO & Gas, and TXU Mining.

ANALYSIS OF COMMENTS

TXU expressed strong support for the adoption by the commission of the proposed rule to add lighting waste to the list of universal waste. TXU suggested that unintentionally broken lamps be handled as a universal waste by ensuring that the residues are properly contained in acceptable packaging and recycled rather than disposed as hazardous waste.

The commission agrees with this comment, and notes that the adopted standards require small quantity and large quantity handlers to “immediately clean up and place in a container any lamp that is broken and must place in a container any lamp that shows evidence of breakage, leakage, or damage that could cause the release of mercury or other hazardous constituents to the environment.” The commission believes that it can be inferred from this requirement that these lamps can continue to be managed as universal wastes.

The City of Austin commented that the commission should consider allowing the controlled crushing of lamps, and submitted a written report showing emissions at their facilities to be well below applicable Occupational Safety and Health Administration permissible exposure limits.

The commission agrees with this comment, and notes that the adoption sets forth control conditions for crushing of lamps which must be met in order to qualify for the adopted exceptions from the treatment prohibition and from the requirements regarding breakage. The commission believes that this adopted set of control conditions is, in effect, equivalent to the federal treatment prohibition. The control requirements are discussed earlier in this preamble under the SECTION BY SECTION DISCUSSION of §335.261(e).

STATUTORY AUTHORITY

The amendments are adopted under Texas Water Code, §5.103 and §5.105, which provide the commission with the authority to adopt any rules necessary to carry out its powers and duties under the provisions of the Texas Water Code or other laws of this state; and under Texas Health and Safety Code, Solid Waste Disposal Act, §361.017 and §361.024, which authorize the commission to regulate industrial solid waste and municipal hazardous waste and to adopt rules consistent with the general intent and purposes of the Act.

**SUBCHAPTER A: INDUSTRIAL SOLID WASTE AND
MUNICIPAL HAZARDOUS WASTE IN GENERAL**

§335.1, §335.2

§335.1. Definitions.

The following words and terms, when used in this chapter, shall have the following meanings, unless the context clearly requires otherwise.

(1) **Aboveground tank** - A device meeting the definition of tank in this section and that is situated in such a way that the entire surface area of the tank is completely above the plane of the adjacent surrounding surface and the entire surface area of the tank (including the tank bottom) is able to be visually inspected.

(2) **Act** - The Solid Waste Disposal Act, Texas Health and Safety Code, Chapter 361 (Vernon Pamphlet 1992).

(3) **Active life** - The period from the initial receipt of hazardous waste at the facility until the executive director receives certification of final closure.

(4) **Active portion** - That portion of a facility where processing, storage, or disposal operations are being or have been conducted after November 19, 1980, and which is not a closed portion. (See also "closed portion" and "inactive portion.")

(5) **Activities associated with the exploration, development, and protection of oil or gas or geothermal resources** - Activities associated with:

(A) the drilling of exploratory wells, oil wells, gas wells, or geothermal resource wells;

(B) the production of oil or gas or geothermal resources, including:

(i) activities associated with the drilling of injection water source wells that penetrate the base of usable quality water;

(ii) activities associated with the drilling of cathodic protection holes associated with the cathodic protection of wells and pipelines subject to the jurisdiction of the commission to regulate the production of oil or gas or geothermal resources;

(iii) activities associated with gasoline plants, natural gas or natural gas liquids processing plants, pressure maintenance plants, or repressurizing plants;

(iv) activities associated with any underground natural gas storage facility, provided the terms "natural gas" and "storage facility" shall have the meanings set out in the Texas Natural Resources Code, §91.173;

(v) activities associated with any underground hydrocarbon storage facility, provided the terms "hydrocarbons" and "underground hydrocarbon storage facility" shall have the meanings set out in the Texas Natural Resources Code, §91.173; and

(vi) activities associated with the storage, handling, reclamation, gathering, transportation, or distribution of oil or gas prior to the refining of such oil or prior to the use of such gas in any manufacturing process or as a residential or industrial fuel;

(C) the operation, abandonment, and proper plugging of wells subject to the jurisdiction of the commission to regulate the exploration, development, and production of oil or gas or geothermal resources; and

(D) the discharge, storage, handling, transportation, reclamation, or disposal of waste or any other substance or material associated with any activity listed in subparagraphs (A)-(C) of this paragraph, except for waste generated in connection with activities associated with gasoline plants, natural gas or natural gas liquids processing plants, pressure maintenance plants, or repressurizing plants if that waste is a hazardous waste as defined by the administrator of the United

States Environmental Protection Agency (EPA) pursuant to the Federal Solid Waste Disposal Act, as amended (42 United States Code, §6901 et seq.).

(6) **Administrator** - The administrator of the United States Environmental Protection Agency or his designee.

(7) **Ancillary equipment** - Any device including, but not limited to, such devices as piping, fittings, flanges, valves, and pumps, that is used to distribute, meter, or control the flow of hazardous waste from its point of generation to a storage or processing tank(s), between hazardous waste storage and processing tanks to a point of disposal on-site, or to a point of shipment for disposal off-site.

(8) **Aquifer** - A geologic formation, group of formations, or part of a formation capable of yielding a significant amount of groundwater to wells or springs.

(9) **Authorized representative** - The person responsible for the overall operation of a facility or an operation unit (i.e., part of a facility), e.g., the plant manager, superintendent, or person of equivalent responsibility.

(10) **Battery** - Has the definition adopted under §335.261 of this title (relating to Universal Waste Rule).

(11) **Boiler** - An enclosed device using controlled flame combustion and having the following characteristics:

(A) the unit must have physical provisions for recovering and exporting thermal energy in the form of steam, heated fluids, or heated gases;

(B) the unit's combustion chamber and primary energy recovery section(s) must be of integral design. To be of integral design, the combustion chamber and the primary energy recovery section(s) (such as waterwalls and superheaters) must be physically formed into one manufactured or assembled unit. A unit in which the combustion chamber and the primary energy recovery section(s) are joined only by ducts or connections carrying flue gas is not integrally designed; however, secondary energy recovery equipment (such as economizers or air preheaters) need not be physically formed into the same unit as the combustion chamber and the primary energy recovery section. The following units are not precluded from being boilers solely because they are not of integral design: process heaters (units that transfer energy directly to a process stream), and fluidized bed combustion units; and

(C) while in operation, the unit must maintain a thermal energy recovery efficiency of at least 60%, calculated in terms of the recovered energy compared with the thermal value of the fuel; and

(D) the unit must export and utilize at least 75% of the recovered energy, calculated on an annual basis. In this calculation, no credit shall be given for recovered heat used internally in the same unit. (Examples of internal use are the preheating of fuel or combustion air, and the driving of induced or forced draft fans or feedwater pumps); or

(E) the unit is one which the executive director has determined, on a case-by-case basis, to be a boiler, after considering the standards in §335.20 of this title (relating to Variance to be Classified as a Boiler).

(12) **Carbon regeneration unit** - Any enclosed thermal treatment device used to regenerate spent activated carbon.

(13) **Certification** - A statement of professional opinion based upon knowledge and belief.

(14) **Class 1 wastes** - Any industrial solid waste or mixture of industrial solid wastes which because of its concentration, or physical or chemical characteristics, is toxic, corrosive, flammable, a strong sensitizer or irritant, a generator of sudden pressure by decomposition, heat, or other means, or may pose a substantial present or potential danger to human health or the environment when improperly processed, stored, transported, or disposed of or otherwise managed, as further defined in §335.505 of this title (relating to Class 1 Waste Determination). Class 1 waste is also referred to throughout this chapter as Class I waste.

(15) **Class 2 wastes** - Any individual solid waste or combination of industrial solid waste which cannot be described as Hazardous, Class 1 or Class 3 as defined in §335.506 of this title (relating to Class 2 Waste Determination). Class 2 waste is also referred to throughout this chapter as Class II waste.

(16) **Class 3 wastes** - Inert and essentially insoluble industrial solid waste, usually including, but not limited to, materials such as rock, brick, glass, dirt, and certain plastics and rubber, etc., that are not readily decomposable, as further defined in §335.507 of this title (relating to Class 3 Waste Determination). Class 3 waste is also referred to throughout this chapter as Class III waste.

(17) **Closed portion** - That portion of a facility which an owner or operator has closed in accordance with the approved facility closure plan and all applicable closure requirements. (See also "active portion" and "inactive portion.")

(18) **Closure** - The act of permanently taking a waste management unit or facility out of service.

(19) **Commercial hazardous waste management facility** - Any hazardous waste management facility that accepts hazardous waste or PCBs for a charge, except a captured facility or a facility that accepts waste only from other facilities owned or effectively controlled by the same person, where "captured facility" means a manufacturing or production facility that generates an industrial solid waste or hazardous waste that is routinely stored, processed, or disposed of on a shared basis in an

integrated waste management unit owned, operated by, and located within a contiguous manufacturing complex.

(20) **Component** - Either the tank or ancillary equipment of a tank system.

(21) **Confined aquifer** - An aquifer bounded above and below by impermeable beds or by beds of distinctly lower permeability than that of the aquifer itself; an aquifer containing confined groundwater.

(22) **Consignee** - The ultimate treatment, storage, or disposal facility in a receiving country to which the hazardous waste will be sent.

(23) **Container** - Any portable device in which a material is stored, transported, processed, or disposed of, or otherwise handled.

(24) **Containment building** - A hazardous waste management unit that is used to store or treat hazardous waste under the provisions of §335.152(a)(19) or §335.112(a)(21) of this title (relating to Standards).

(25) **Contaminant** - Includes, but is not limited to, “solid waste,” “hazardous waste,” and “hazardous waste constituent” as defined in this subchapter, “pollutant” as defined in the Texas Water Code, §26.001, and Texas Health and Safety Code, §361.431, “hazardous substance” as defined

in the Texas Health and Safety Code, §361.003, and other substances that are subject to the Texas Hazardous Substances Spill Prevention and Control Act, Texas Water Code, §§26.261-26.268.

(26) **Contaminated medium/media** - A portion or portions of the physical environment to include soil, sediment, surface water, ground water or air, that contain contaminants at levels that pose a substantial present or future threat to human health and the environment.

(27) **Contingency plan** - A document setting out an organized, planned, and coordinated course of action to be followed in case of a fire, explosion, or release of hazardous waste or hazardous waste constituents which could threaten human health or the environment.

(28) **Control** - To apply engineering measures such as capping or reversible treatment methods and/or institutional measures such as deed restrictions to facilities or areas with wastes or contaminated media which result in remedies that are protective of human health and the environment when combined with appropriate maintenance, monitoring, and any necessary further corrective action.

(29) **Corrective action management unit or CAMU** - An area within a facility that is designated by the commission under 40 Code of Federal Regulations (CFR) Part 264, Subpart S, for the purpose of implementing corrective action requirements under §335.167 of this title (relating to Corrective Action for Solid Waste Management Units) and the Texas Solid Waste Disposal Act, Texas Health and Safety Code Annotated (Vernon Pamphlet 1993), §361.303 (concerning Corrective Action).

A CAMU shall only be used for the management of remediation wastes pursuant to implementing such corrective action requirements at the facility.

(30) **Corrosion expert** - A person who, by reason of his knowledge of the physical sciences and the principles of engineering and mathematics, acquired by a professional education and related practical experience, is qualified to engage in the practice of corrosion control on buried or submerged metal piping systems and metal tanks. Such a person must be certified as being qualified by the National Association of Corrosion Engineers (NACE) or be a registered professional engineer who has certification or licensing that includes education and experience in corrosion control on buried or submerged metal piping systems and metal tanks.

(31) **Decontaminate** - To apply a treatment process(es) to wastes or contaminated media whereby the substantial present or future threat to human health and the environment is eliminated.

(32) **Designated facility** - A Class I or hazardous waste storage, processing, or disposal facility which has received an EPA permit (or a facility with interim status) in accordance with the requirements of 40 Code of Federal Regulations, Parts 270 and 124; a permit from a state authorized in accordance with 40 Code of Federal Regulations Part 271 (in the case of hazardous waste); a permit issued pursuant to §335.2 of this title (relating to Permit Required) (in the case of nonhazardous waste); or that is regulated under §335.24(f), (g), or (h) of this title (relating to Requirements for Recyclable Materials and Nonhazardous Recyclable Materials) or §335.241 of this

title (relating to Applicability and Requirements) and that has been designated on the manifest by the generator pursuant to §335.10 of this title (relating to Shipping and Reporting Procedures Applicable to Generators of Hazardous Waste or Class I Waste and Primary Exporters of Hazardous Waste). If a waste is destined to a facility in an authorized state which has not yet obtained authorization to regulate that particular waste as hazardous, then the designated facility must be a facility allowed by the receiving state to accept such waste.

(33) **Destination facility** - Has the definition adopted under §335.261 of this title (relating to Universal Waste Rule).

(34) **Dike** - An embankment or ridge of either natural or man-made materials used to prevent the movement of liquids, sludges, solids, or other materials.

(35) **Discharge or hazardous waste discharge** - The accidental or intentional spilling, leaking, pumping, pouring, emitting, emptying, or dumping of waste into or on any land or water.

(36) **Disposal** - The discharge, deposit, injection, dumping, spilling, leaking, or placing of any solid waste or hazardous waste (whether containerized or uncontainerized) into or on any land or water so that such solid waste or hazardous waste or any constituent thereof may enter the environment or be emitted into the air or discharged into any waters, including groundwaters.

(37) **Disposal facility** - A facility or part of a facility at which solid waste is intentionally placed into or on any land or water, and at which waste will remain after closure. The term “disposal facility” does not include a corrective action management unit into which remediation wastes are placed.

(38) **Drip pad** - An engineered structure consisting of a curbed, free-draining base, constructed of a non-earthen materials and designed to convey preservative kick-back or drippage from treated wood, precipitation, and surface water run-on to an associated collection system at wood preserving plants.

(39) **Elementary neutralization unit** - A device which:

(A) is used for neutralizing wastes which are hazardous only because they exhibit the corrosivity characteristic defined in 40 CFR §261.22, or are listed in 40 CFR Part 261, Subpart D, only for this reason; or is used for neutralizing the pH of non-hazardous industrial solid waste; and

(B) meets the definition of tank, tank system, container, transport vehicle, or vessel as defined in this section.

(40) **Environmental Protection Agency acknowledgment of consent** - The cable sent to EPA from the United States Embassy in a receiving country that acknowledges the written consent of

the receiving country to accept the hazardous waste and describes the terms and conditions of the receiving country's consent to the shipment.

(41) **Environmental Protection Agency hazardous waste number** - The number assigned by the EPA to each hazardous waste listed in 40 Code of Federal Regulations, Part 261, Subpart D and to each characteristic identified in 40 Code of Federal Regulations, Part 261, Subpart C.

(42) **Environmental Protection Agency identification number** - The number assigned by the EPA or the commission to each generator, transporter, and processing, storage, or disposal facility.

(43) **Essentially insoluble** - Any material, which if representatively sampled and placed in static or dynamic contact with deionized water at ambient temperature for seven days, will not leach any quantity of any constituent of the material into the water in excess of current United States Public Health Service or EPA limits for drinking water as published in the Federal Register.

(44) **Equivalent method** - Any testing or analytical method approved by the administrator under 40 Code of Federal Regulations §260.20 and §260.21.

(45) **Existing portion** - That land surface area of an existing waste management unit, included in the original Part A permit application, on which wastes have been placed prior to the issuance of a permit.

(46) **Existing tank system or existing component** - A tank system or component that is used for the storage or processing of hazardous waste and that is in operation, or for which installation has commenced on or prior to July 14, 1986. Installation will be considered to have commenced if the owner or operator has obtained all federal, state, and local approvals or permits necessary to begin physical construction of the site or installation of the tank system and if either:

(A) a continuous on-site physical construction or installation program has begun; or

(B) the owner or operator has entered into contractual obligations--which cannot be canceled or modified without substantial loss--for physical construction of the site or installation of the tank system to be completed within a reasonable time.

(47) **Extrusion** - A process using pressure to force ground poultry carcasses through a decreasing-diameter barrel or nozzle, causing the generation of heat sufficient to kill pathogens, and resulting in an extruded product acceptable as a feed ingredient.

(48) **Facility** - Includes:

(A) all contiguous land, and structures, other appurtenances, and improvements on the land, used for storing, processing, or disposing of municipal hazardous waste or

industrial solid waste. A facility may consist of several storage, processing, or disposal operational units (e.g., one or more landfills, surface impoundments, or combinations of them);

(B) for the purpose of implementing corrective action under §335.167 of this title (relating to Corrective Action for Solid Waste Management Units), all contiguous property under the control of the owner or operator seeking a permit for the storage, processing, and/or disposal of hazardous waste. This definition also applies to facilities implementing corrective action under the Texas Solid Waste Disposal Act, Texas Health and Safety Code Annotated (Vernon Pamphlet 1993), §361.303 (Corrective Action).

(49) **Final closure** - The closure of all hazardous waste management units at the facility in accordance with all applicable closure requirements so that hazardous waste management activities under Subchapter E of this chapter (relating to Interim Standards for Owners and Operators of Hazardous Waste Storage, Processing, or Disposal Facilities) and Subchapter F of this chapter (relating to Permitting Standards for Owners and Operators of Hazardous Waste Storage, Processing or Disposal Facilities) are no longer conducted at the facility unless subject to the provisions in §335.69 of this title (relating to Accumulation Time).

(50) **Food-chain crops** - Tobacco, crops grown for human consumption, and crops grown for feed for animals whose products are consumed by humans.

(51) **Freeboard** - The vertical distance between the top of a tank or surface impoundment dike, and the surface of the waste contained therein.

(52) **Free liquids** - Liquids which readily separate from the solid portion of a waste under ambient temperature and pressure.

(53) **Generator** - Any person, by site, who produces municipal hazardous waste or industrial solid waste; any person who possesses municipal hazardous waste or industrial solid waste to be shipped to any other person; or any person whose act first causes the solid waste to become subject to regulation under this chapter. For the purposes of this regulation, a person who generates or possesses Class III wastes only shall not be considered a generator.

(54) **Groundwater** - Water below the land surface in a zone of saturation.

(55) **Hazardous industrial waste** - Any industrial solid waste or combination of industrial solid wastes identified or listed as a hazardous waste by the administrator of the EPA pursuant to the Resource Conservation and Recovery Act of 1976, §3001. The administrator has identified the characteristics of hazardous wastes and listed certain wastes as hazardous in 40 Code of Federal Regulations Part 261. The executive director will maintain in the offices of the commission a current list of hazardous wastes, a current set of characteristics of hazardous waste, and applicable appendices, as promulgated by the administrator.

(56) **Hazardous substance** - Any substance designated as a hazardous substance under the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA), 40 Code of Federal Regulations, Part 302.

(57) **Hazardous waste** - Any solid waste identified or listed as a hazardous waste by the administrator of the EPA pursuant to the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code 6901 et seq., as amended.

(58) **Hazardous waste constituent** - A constituent that caused the administrator to list the hazardous waste in 40 Code of Federal Regulations Part 261, Subpart D or a constituent listed in Table 1 of 40 Code of Federal Regulations §261.24.

(59) **Hazardous waste management facility** - All contiguous land, including structures, appurtenances, and other improvements on the land, used for processing, storing, or disposing of hazardous waste. The term includes a publicly or privately owned hazardous waste management facility consisting of processing, storage, or disposal operational hazardous waste management units such as one or more landfills, surface impoundments, waste piles, incinerators, boilers, and industrial furnaces, including cement kilns, injection wells, salt dome waste containment caverns, land treatment facilities, or a combination of units.

(60) **Hazardous waste management unit** - A landfill, surface impoundment, waste pile, industrial furnace, incinerator, cement kiln, injection well, container, drum, salt dome waste

containment cavern, or land treatment unit, or any other structure, vessel, appurtenance, or other improvement on land used to manage hazardous waste.

(61) **In operation** - Refers to a facility which is processing, storing, or disposing of hazardous waste.

(62) **Inactive portion** - That portion of a facility which is not operated after November 19, 1980. (See also "active portion" and "closed portion.")

(63) **Incinerator** - Any enclosed device that:

(A) uses controlled flame combustion and neither meets the criteria for classification as a boiler, sludge dryer, or carbon regeneration unit, nor is listed as an industrial furnace; or

(B) meets the definition of infrared incinerator or plasma arc incinerator.

(64) **Incompatible waste** - A hazardous waste which is unsuitable for:

(A) placement in a particular device or facility because it may cause corrosion or decay of containment materials (e.g., container inner liners or tank walls); or

(B) commingling with another waste or material under uncontrolled conditions because the commingling might produce heat or pressure, fire or explosion, violent reaction, toxic dusts, mists, fumes, or gases, or flammable fumes or gases.

(65) **Individual generation site** - The contiguous site at or on which one or more hazardous wastes are generated. An individual generation site, such as a large manufacturing plant, may have one or more sources of hazardous waste but is considered a single or individual generation site if the site or property is contiguous.

(66) **Industrial furnace** - Includes any of the following enclosed devices that use thermal treatment to accomplish recovery of materials or energy:

(A) cement kilns;

(B) lime kilns;

(C) aggregate kilns;

(D) phosphate kilns;

(E) coke ovens;

(F) blast furnaces;

(G) smelting, melting, and refining furnaces (including pyrometallurgical devices such as cupolas, reverberator furnaces, sintering machines, roasters, and foundry furnaces);

(H) titanium dioxide chloride process oxidation reactors;

(I) methane reforming furnaces;

(J) pulping liquor recovery furnaces;

(K) combustion devices used in the recovery of sulfur values from spent sulfuric acid;

(L) halogen acid furnaces (HAFs) for the production of acid from halogenated hazardous waste generated by chemical production facilities where the furnace is located on the site of a chemical production facility, the acid product has a halogen acid content of at least 3.0%, the acid product is used in a manufacturing process, and, except for hazardous waste burned as fuel, hazardous waste fed to the furnace has a minimum halogen content of 20% as generated; and

(M) other devices the commission may list, after the opportunity for notice and comment is afforded to the public.

(67) **Industrial solid waste** - Solid waste resulting from or incidental to any process of industry or manufacturing, or mining or agricultural operation, which may include hazardous waste as defined in this section.

(68) **Infrared incinerator** - Any enclosed device that uses electric powered resistance heaters as a source of radiant heat followed by an afterburner using controlled flame combustion and which is not listed as an industrial furnace.

(69) **Inground tank** - A device meeting the definition of tank in this section whereby a portion of the tank wall is situated to any degree within the ground, thereby preventing visual inspection of that external surface area of the tank that is in the ground.

(70) **Injection well** - A well into which fluids are injected. (See also "underground injection.")

(71) **Inner liner** - A continuous layer of material placed inside a tank or container which protects the construction materials of the tank or container from the contained waste or reagents used to treat the waste.

(72) **Installation inspector** - A person who, by reason of his knowledge of the physical sciences and the principles of engineering, acquired by a professional education and related practical experience, is qualified to supervise the installation of tank systems.

(73) **International shipment** - The transportation of hazardous waste into or out of the jurisdiction of the United States.

(74) **Lamp** - Has the definition adopted under §335.261 of this title (relating to Universal Waste Rule).

(75) **Land treatment facility** - A facility or part of a facility at which hazardous waste is applied onto or incorporated into the soil surface and that is not a corrective action management unit; such facilities are disposal facilities if the waste will remain after closure.

(76) **Landfill** - A disposal facility or part of a facility where hazardous waste is placed in or on land and which is not a pile, a land treatment facility, a surface impoundment, an injection well, a salt dome formation, a salt bed formation, an underground mine, a cave, or a corrective action management unit.

(77) **Landfill cell** - A discrete volume of a hazardous waste landfill which uses a liner to provide isolation of wastes from adjacent cells or wastes. Examples of landfill cells are trenches and pits.

(78) **Leachate** - Any liquid, including any suspended components in the liquid, that has percolated through or drained from hazardous waste.

(79) **Leak-detection system** - A system capable of detecting the failure of either the primary or secondary containment structure or the presence of a release of hazardous waste or accumulated liquid in the secondary containment structure. Such a system must employ operational controls (e.g., daily visual inspections for releases into the secondary containment system of aboveground tanks) or consist of an interstitial monitoring device designed to detect continuously and automatically the failure of the primary or secondary containment structure or the presence of a release of hazardous waste into the secondary containment structure.

(80) **Liner** - A continuous layer of natural or man-made materials, beneath or on the sides of a surface impoundment, landfill, or landfill cell, which restricts the downward or lateral escape of hazardous waste, hazardous waste constituents, or leachate.

(81) **Management or hazardous waste management** - The systematic control of the collection, source separation, storage, transportation, processing, treatment, recovery, and disposal of hazardous waste.

(82) **Manifest** - The waste shipping document which accompanies and is used for tracking the transportation, disposal, treatment, storage, or recycling of shipments of hazardous wastes or Class 1 industrial solid wastes. The form used for this purpose is TNRCC-0311 (Uniform Hazardous Waste Manifest) which is furnished by the executive director or may be printed through the agency's "Print Your Own Manifest Program."

(83) **Manifest document number** - A number assigned to the manifest by the commission for reporting and recordkeeping purposes.

(84) **Miscellaneous unit** - A hazardous waste management unit where hazardous waste is stored, processed, or disposed of and that is not a container, tank, surface impoundment, pile, land treatment unit, landfill, incinerator, boiler, industrial furnace, underground injection well with appropriate technical standards under Chapter 331 of this title (relating to Underground Injection Control), corrective action management unit, containment building, or unit eligible for a research, development, and demonstration permit or under Chapter 305, Subchapter K of this title (relating to Research Development and Demonstration Permits).

(85) **Movement** - That hazardous waste transported to a facility in an individual vehicle.

(86) **Municipal hazardous waste** - A municipal solid waste or mixture of municipal solid wastes which has been identified or listed as a hazardous waste by the administrator of the United States Environmental Protection Agency.

(87) **Municipal solid waste** - Solid waste resulting from or incidental to municipal, community, commercial, institutional, and recreational activities; including garbage, rubbish, ashes, street cleanings, dead animals, abandoned automobiles, and all other solid waste other than industrial waste.

(88) **New tank system or new tank component** - A tank system or component that will be used for the storage or processing of hazardous waste and for which installation has commenced after July 14, 1986; except, however, for purposes of 40 Code of Federal Regulations §264.193(g)(2) (incorporated by reference at §335.152(a)(8) of this title (relating to Standards)) and 40 Code of Federal Regulations §265.193(g)(2) (incorporated by reference at §335.112(a)(9) of this title (relating to Standards)), a new tank system is one for which construction commences after July 14, 1986 (see also “existing tank system.”)

(89) **Off-site** - Property which cannot be characterized as on-site.

(90) **Onground tank** - A device meeting the definition of tank in this section and that is situated in such a way that the bottom of the tank is on the same level as the adjacent surrounding surface so that the external tank bottom cannot be visually inspected.

(91) **On-site** - The same or geographically contiguous property which may be divided by public or private rights-of-way, provided the entrance and exit between the properties is at a cross-roads intersection, and access is by crossing, as opposed to going along, the right-of-way. Noncontiguous properties owned by the same person but connected by a right-of-way which he controls and to which the public does not have access, is also considered on-site property.

(92) **Open burning** - The combustion of any material without the following characteristics:

(A) control of combustion air to maintain adequate temperature for efficient combustion;

(B) containment of the combustion-reaction in an enclosed device to provide sufficient residence time and mixing for complete combustion; and

(C) control of emission of the gaseous combustion products. (See also "incineration" and "thermal treatment.")

(93) **Operator** - The person responsible for the overall operation of a facility.

(94) **Owner** - The person who owns a facility or part of a facility.

(95) **Partial closure** - The closure of a hazardous waste management unit in accordance with the applicable closure requirements of Subchapters E and F of this chapter (relating to Interim Standards for Owners and Operators of Hazardous Waste Storage, Processing, or Disposal Facilities; and Permitting Standards for Owners and Operators of Hazardous Waste Storage, Processing or Disposal Facilities) at a facility that contains other active hazardous waste management units. For example, partial closure may include the closure of a tank (including its associated piping and underlying containment systems), landfill cell, surface impoundment, waste pile, or other hazardous waste management unit, while other units of the same facility continue to operate.

(96) **PCBs or polychlorinated biphenyl compounds** - Compounds subject to Title 40, Code of Federal Regulations, Part 761.

(97) **Permit** - A written permit issued by the commission which, by its conditions, may authorize the permittee to construct, install, modify or operate a specified municipal hazardous waste or industrial solid waste storage, processing, or disposal facility in accordance with specified limitations.

(98) **Person** - Any individual, corporation, organization, government or governmental subdivision or agency, business trust, partnership, association or any other legal entity.

(99) **Personnel or facility personnel** - All persons who work at, or oversee the operations of, a hazardous waste facility, and whose actions or failure to act may result in noncompliance with the requirements of this chapter.

(100) **Pesticide** - Has the definition adopted under §335.261 of this title (relating to Universal Waste Rule).

(101) **Petroleum substance** - A crude oil or any refined or unrefined fraction or derivative of crude oil which is a liquid at standard conditions of temperature and pressure.

(A) Except as provided in subparagraph (C) of this definition for the purposes of this chapter, a "petroleum substance" shall be limited to a substance in or a combination or mixture

of substances within the following list (except for any listed substance regulated as a hazardous waste under the federal Solid Waste Disposal Act, Subtitle C (42 United States Code §§6921, et seq.)) and which is liquid at standard conditions of temperature (20 degrees Centigrade) and pressure (1 atmosphere):

(i) basic petroleum substances - i.e., crude oils, crude oil fractions, petroleum feedstocks, and petroleum fractions;

(ii) motor fuels - a petroleum substance which is typically used for the operation of internal combustion engines and/or motors (which includes but is not limited to stationary engines and engines used in transportation vehicles and marine vessels);

(iii) aviation gasolines - i.e., Grade 80, Grade 100, and Grade 100-LL;

(iv) aviation jet fuels - i.e., Jet A, Jet A-1, Jet B, JP-4, JP-5, and JP-8;

(v) distillate fuel oils - i.e., Number 1-D, Number 1, Number 2-D, and Number 2;

(vi) residual fuel oils - i.e., Number 4-D, Number 4-light, Number 4, Number 5-light, Number 5-heavy, and Number 6;

(vii) gas-turbine fuel oils - i.e., Grade O-GT, Grade 1-GT, Grade 2-GT, Grade 3-GT, and Grade 4-GT;

(viii) illuminating oils - i.e., kerosene, mineral seal oil, long-time burning oils, 300 oil, and mineral colza oil;

(ix) lubricants - i.e., automotive and industrial lubricants;

(x) building materials - i.e., liquid asphalt and dust-laying oils;

(xi) insulating and waterproofing materials - i.e., transformer oils and cable oils;

(xii) used oils - (See definition for "used oil" in this section); and

(B) For the purposes of this chapter, a "petroleum substance" shall include solvents or a combination or mixture of solvents (except for any listed substance regulated as a hazardous waste under the federal Solid Waste Disposal Act, Subtitle C (42 United States Code §§6921, et seq.)) and which is liquid at standard conditions of temperature (20 degrees Centigrade) and pressure (1 atmosphere) i.e., Stoddard solvent, petroleum spirits, mineral spirits, petroleum ether, varnish makers' and painters' naphthas, petroleum extender oils, and commercial hexane.

(C) The following materials are not considered petroleum substances:

(i) polymerized materials, i.e., plastics, synthetic rubber, polystyrene,
high and low density polyethylene;

(ii) animal, microbial, and vegetable fats;

(iii) food grade oils;

(iv) hardened asphalt and solid asphaltic materials—i.e., roofing
shingles, roofing felt, hot mix (and cold mix); and

(v) cosmetics.

(102) **Pile** - Any noncontainerized accumulation of solid, nonflowing hazardous waste that is used for processing or storage, and that is not a corrective action management unit or a containment building.

(103) **Plasma arc incinerator** - Any enclosed device using a high intensity electrical discharge or arc as a source of heat followed by an afterburner using controlled flame combustion and which is not listed as an industrial furnace.

(104) **Poultry** - Chickens or ducks being raised or kept on any premises in the state for profit.

(105) **Poultry carcass** - The carcass, or part of a carcass, of poultry that died as a result of a cause other than intentional slaughter for use for human consumption.

(106) **Poultry facility** - A facility that:

(A) is used to raise, grow, feed, or otherwise produce poultry for commercial purposes; or

(B) is a commercial poultry hatchery that is used to produce chicks or ducklings.

(107) **Primary exporter** - Any person who is required to originate the manifest for a shipment of hazardous waste in accordance with the regulations contained in 40 Code of Federal Regulations, Part 262, Subpart B, which are in effect as of November 8, 1986, or equivalent state provision, which specifies a treatment, storage, or disposal facility in a receiving country as the facility to which the hazardous waste will be sent and any intermediary arranging for the export.

(108) **Processing** - The extraction of materials, transfer, volume reduction, conversion to energy, or other separation and preparation of solid waste for reuse or disposal, including the

treatment or neutralization of hazardous waste, designed to change the physical, chemical, or biological character or composition of any hazardous waste so as to neutralize such waste, or so as to recover energy or material from the waste or so as to render such waste nonhazardous, or less hazardous; safer to transport, store or dispose of; or amenable for recovery, amenable for storage, or reduced in volume. The transfer of solid waste for reuse or disposal as used in this definition does not include the actions of a transporter in conveying or transporting solid waste by truck, ship, pipeline, or other means. Unless the executive director determines that regulation of such activity is necessary to protect human health or the environment, the definition of processing does not include activities relating to those materials exempted by the administrator of the Environmental Protection Agency pursuant to the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code §6901 et seq., as amended.

(109) **Publicly-owned treatment works (POTW)** - Any device or system used in the treatment (including recycling and reclamation) of municipal sewage or industrial wastes of a liquid nature which is owned by a state or municipality (as defined by the Clean Water Act, §502(4)). The definition includes sewers, pipes or other conveyances only if they convey wastewater to a POTW providing treatment.

(110) **Qualified groundwater scientist** - A scientist or engineer who has received a baccalaureate or post-graduate degree in the natural sciences or engineering, and has sufficient training and experience in groundwater hydrology and related fields as may be demonstrated by state registration, professional certifications, or completion of accredited university courses that enable that

individual to make sound professional judgments regarding groundwater monitoring and contaminant fate and transport.

(111) **Receiving country** - A foreign country to which a hazardous waste is sent for the purpose of treatment, storage, or disposal (except short-term storage incidental to transportation).

(112) **Regional administrator** - The regional administrator for the Environmental Protection Agency region in which the facility is located, or his designee.

(113) **Remediation** - The act of eliminating or reducing the concentration of contaminants in contaminated media.

(114) **Remediation waste** - All solid and hazardous wastes, and all media (including groundwater, surface water, soils, and sediments) and debris, which contain listed hazardous wastes or which themselves exhibit a hazardous waste characteristic, that are managed for the purpose of implementing corrective action requirements under §335.167 of this title (relating to Corrective Action for Solid Waste Management Units) and the Texas Solid Waste Disposal Act, Texas Health and Safety Code Annotated (Vernon Pamphlet 1993), §361.303 (Corrective Action). For a given facility, remediation wastes may originate only from within the facility boundary, but may include waste managed in implementing corrective action for releases beyond the facility boundary under the Texas Solid Waste Disposal Act, Texas Health and Safety Code Annotated (Vernon Pamphlet 1993),

§361.303 (Corrective Action), §335.166(5) of this title (relating to Corrective Action Program), or §335.167(c) of this title (relating to Corrective Action for Solid Waste Management Units).

(115) **Remove** - To take waste, contaminated design or operating system components, or contaminated media away from a waste management unit, facility, or area to another location for storage, processing, or disposal.

(116) **Replacement unit** - A landfill, surface impoundment, or waste pile unit:

(A) from which all or substantially all the waste is removed; and

(B) that is subsequently reused to treat, store, or dispose of hazardous waste.

"Replacement unit" does not apply to a unit from which waste is removed during closure, if the subsequent reuse solely involves the disposal of waste from that unit and other closing units or corrective action areas at the facility, in accordance with an approved closure plan or EPA or state approved corrective action.

(117) **Representative sample** - A sample of a universe or whole (e.g., waste pile, lagoon, groundwater) which can be expected to exhibit the average properties of the universe or whole.

(118) **Run-off** - Any rainwater, leachate, or other liquid that drains over land from any part of a facility.

(119) **Run-on** - Any rainwater, leachate, or other liquid that drains over land onto any part of a facility.

(120) **Saturated zone or zone of saturation** - That part of the earth's crust in which all voids are filled with water.

(121) **Shipment** - Any action involving the conveyance of municipal hazardous waste or industrial solid waste by any means off-site.

(122) **Sludge dryer** - Any enclosed thermal treatment device that is used to dehydrate sludge and that has a maximum total thermal input, excluding the heating value of the sludge itself, of 2,500 Btu/lb of sludge treated on a wet-weight basis.

(123) **Small quantity generator** - A generator who generates less than 1,000 kg of hazardous waste in a calendar month.

(124) **Solid Waste** -

(A) Any garbage, refuse, sludge from a waste treatment plant, water supply treatment plant or air pollution control facility, and other discarded material, including solid, liquid, semisolid, or contained gaseous material resulting from industrial, municipal, commercial, mining, and agricultural operations, and from community and institutional activities, but does not include:

(i) solid or dissolved material in domestic sewage, or solid or dissolved material in irrigation return flows, or industrial discharges subject to regulation by permit issued pursuant to the Texas Water Code, Chapter 26 (an exclusion applicable only to the actual point source discharge that does not exclude industrial wastewaters while they are being collected, stored or processed before discharge, nor does it exclude sludges that are generated by industrial wastewater treatment);

(ii) uncontaminated soil, dirt, rock, sand and other natural or man-made inert solid materials used to fill land if the object of the fill is to make the land suitable for the construction of surface improvements. The material serving as fill may also serve as a surface improvement such as a structure foundation, a road, soil erosion control, and flood protection. Man-made materials exempted under this provision shall only be deposited at sites where the construction is in progress or imminent such that rights to the land are secured and engineering, architectural, or other necessary planning have been initiated. Waste disposal shall be considered to have occurred on any land which has been filled with man-made inert materials under this provision if the land is sold, leased, or otherwise conveyed prior to the completion of construction of the surface improvement. Under such conditions, deed recordation shall be required. The deed recordation shall include the information required under §335.5(a) of this title (relating to Deed Recordation), prior to sale or other conveyance of the property;

(iii) waste materials which result from activities associated with the exploration, development, or production of oil or gas or geothermal resources, as those activities are

defined in this section, and any other substance or material regulated by the Railroad Commission of Texas pursuant to the Natural Resources Code, §91.101, unless such waste, substance, or material results from activities associated with gasoline plants, natural gas or natural gas liquids processing plants, pressure maintenance plants, or repressurizing plants and is a hazardous waste as defined by the administrator of the United States Environmental Protection Agency pursuant to the federal Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act, 42 United States Code §6901 et seq., as amended; or

(iv) a material excluded by 40 Code of Federal Regulations (CFR) §261.4(a)(1) - (14), as amended through August 6, 1998, at 63 FedReg 42110, by 40 CFR §261.4(a)(16), as amended June 19, 1998 at 63 FedReg 33782, subject to the changes in this clause, by 40 CFR §261.4(a)(17), as amended May 11, 1999 at 64 FedReg 25408, by 40 CFR §261.4(a)(18) - (19), as amended through August 6, 1998, at 63 FedReg 42110, or by variance granted under §335.18 of this title (relating to Variances from Classification as a Solid Waste) and §335.19 of this title (relating to Standards and Criteria for Variances from Classification as a Solid Waste). For the purposes of the exclusion under 40 CFR §261.4(a)(16), as amended June 19, 1998 at 63 FedReg 33782, 40 CFR §261.38 is revised as follows, with “30 TAC §335.1(123)(A)(iv)” meaning “§335.1(123)(A)(iv) of this title (relating to Definitions)”:

(I) in the certification statement under 40 CFR §261.38(c)(1)(i)(C)(4), the reference to “40 CFR §261.38” is changed to “40 CFR §261.38, as revised

under 30 TAC §335.1(123)(A)(iv),” and the reference to “40 CFR §261.28(c)(10)” is changed to “40 CFR §261.38(c)(10)”;

(II) in 40 CFR §261.38(c)(2), the references to “§260.10 of this chapter” are changed to “§335.1 of this title (relating to Definitions),” and the reference to “parts 264 or 265 of this chapter” is changed to “Chapter 335, Subchapter E of this title (relating to Interim Standards for Owners and Operators of Hazardous Waste Storage, Processing, or Disposal Facilities) or Chapter 335, Subchapter F of this title (relating to Permitting Standards for Owners and Operators of Hazardous Waste Storage, Processing, or Disposal Facilities)”;

(III) in 40 CFR §261.38(c)(3), (4), and (5), the references to “parts 264 and 265, or §262.34 of this chapter” are changed to “Chapter 335, Subchapter E of this title (relating to Interim Standards for Owners and Operators of Hazardous Waste Storage, Processing, or Disposal Facilities) and Chapter 335, Subchapter F of this title (relating to Permitting Standards for Owners and Operators of Hazardous Waste Storage, Processing, or Disposal Facilities), or §335.69 of this title (relating to Accumulation Time)”;

(IV) in 40 CFR §261.38(c)(5), the reference to “§261.6(c) of this chapter” is changed to “§335.24(e) and (f) of this title (relating to Requirements for Recyclable Materials and Nonhazardous Recyclable Materials)”;

(V) in 40 CFR §261.38(c)(7), the references to “appropriate regulatory authority” and “regulatory authority” are changed to “executive director”;

(VI) in 40 CFR §261.38(c)(8), the reference to “§262.11 of this chapter” is changed to “§335.62 of this title (relating to Hazardous Waste Determination and Waste Classification)”;

(VII) in 40 CFR §261.38(c)(9), the reference to “§261.2(c)(4) of this chapter” is changed to “§335.1(123)(D)(iv) of this title (relating to Definitions)”;

(VIII) in 40 CFR §261.38(c)(10), the reference to “implementing authority” is changed to “executive director.”

(B) A discarded material is any material which is:

(i) abandoned, as explained in subparagraph (C) of this paragraph;

(ii) recycled, as explained in subparagraph (D) of this paragraph; or

(iii) considered inherently waste-like, as explained in subparagraph (E)

of this paragraph.

(C) Materials are solid wastes if they are abandoned by being:

(i) disposed of;

(ii) burned or incinerated; or

(iii) accumulated, stored, or processed (but not recycled) before or in lieu of being abandoned by being disposed of, burned, or incinerated.

(D) Materials are solid wastes if they are "recycled" or accumulated, stored, or processed before recycling as specified in this subparagraph. The chart referred to as Table 1 indicates only which materials are considered to be solid wastes when they are recycled and is not intended to supersede the definition of solid waste provided in subparagraph (A) of this paragraph.

(i) Used in a manner constituting disposal. Materials noted with an asterisk in Column 1 of Table 1 are solid wastes when they are:

(I) applied to or placed on the land in a manner that constitutes disposal; or

(II) used to produce products that are applied to or placed on the land or are otherwise contained in products that are applied to or placed on the land (in which cases

the product itself remains a solid waste). However, commercial chemical products listed in 40 CFR §261.33 are not solid wastes if they are applied to the land and that is their ordinary manner of use.

(ii) Burning for energy recovery. Materials noted with an asterisk in Column 2 of Table 1 are solid wastes when they are:

(I) burned to recover energy; or

(II) used to produce a fuel or are otherwise contained in fuels (in which cases the fuel itself remains a solid waste). However, commercial chemical products, which are listed in 40 CFR §261.33, not listed in §261.33 but that exhibit one or more of the hazardous waste characteristics, or would be considered nonhazardous waste if disposed, are not solid wastes if they are fuels themselves and burned for energy recovery.

(iii) Reclaimed. Materials noted with an asterisk in Column 3 of Table 1 are solid wastes when reclaimed (except as provided under 40 CFR §261.4(a)(16)). Materials without an asterisk in Column 3 of Table 1 are not solid wastes when reclaimed (except as provided under 40 CFR §261.4(a)(16)).

(iv) Accumulated speculatively. Materials noted with an asterisk in Column 4 of Table 1 are solid wastes when accumulated speculatively.

Figure 1: 30 TAC §335.1(124)(D)(iv)

(E) Materials that are identified by the administrator of the EPA as inherently waste-like materials under 40 CFR §261.2(d) are solid wastes when they are recycled in any manner.

(F) Materials are not solid wastes when they can be shown to be recycled by being:

(i) used or reused as ingredients in an industrial process to make a product, provided the materials are not being reclaimed;

(ii) used or reused as effective substitutes for commercial products; or

(iii) returned to the original process from which they were generated, without first being reclaimed or land disposed. The material must be returned as a substitute for feedstock materials. In cases where the original process to which the material is returned is a secondary process, the materials must be managed such that there is no placement on the land. In cases where the materials are generated and reclaimed within the primary mineral processing industry, the conditions of the exclusion found at 40 CFR §261.4(a)(16) apply rather than this provision.

(iv) secondary materials that are reclaimed and returned to the original process or processes in which they were generated where they are reused in the production process provided:

(I) only tank storage is involved, and the entire process through completion of reclamation is closed by being entirely connected with pipes or other comparable enclosed means of conveyance;

(II) reclamation does not involve controlled flame combustion (such as occurs in boilers, industrial furnaces, or incinerators);

(III) the secondary materials are never accumulated in such tanks for over twelve months without being reclaimed; and

(IV) the reclaimed material is not used to produce a fuel, or used to produce products that are used in a manner constituting disposal.

(G) The following materials are solid wastes, even if the recycling involves use, reuse, or return to the original process, as described in subparagraph (F) of this paragraph:

(i) materials used in a manner constituting disposal, or used to produce products that are applied to the land;

(ii) materials burned for energy recovery, used to produce a fuel, or contained in fuels;

(iii) materials accumulated speculatively; or

(iv) materials deemed to be inherently waste-like by the administrator of the Environmental Protection Agency, as described in 40 CFR §261.2(d)(1) - §261.2(d)(2).

(H) Respondents in actions to enforce the industrial solid waste regulations who raise a claim that a certain material is not a solid waste, or is conditionally exempt from regulation, must demonstrate that there is a known market or disposition for the material, and that they meet the terms of the exclusion or exemption. In doing so, they must provide appropriate documentation (such as contracts showing that a second person uses the material as an ingredient in a production process) to demonstrate that the material is not a waste, or is exempt from regulation. In addition, owners or operators of facilities claiming that they actually are recycling materials must show that they have the necessary equipment to do so and that the recycling activity is legitimate and beneficial.

(I) Materials that are reclaimed from solid wastes and that are used beneficially are not solid wastes and hence are not hazardous wastes under 40 CFR §261.3(c) unless the reclaimed material is burned for energy recovery or used in a manner constituting disposal.

(J) Other portions of this chapter that relate to solid wastes that are recycled include §335.6 of this title (relating to Notification Requirements), §335.17 of this title (relating to Special Definitions for Recyclable Materials and Nonhazardous Recyclable Materials), §335.18 of this

title (relating to Variances from Classification as a Solid Waste), §335.19 of this title (relating to Standards and Criteria for Variances from Classification as a Solid Waste), §335.24 of this title (relating to Requirements for Recyclable Materials and Nonhazardous Recyclable Materials), and Subchapter H of this chapter (relating to Standards for the Management of Specific Wastes and Specific Types of Materials).

(125) **Sorbent** - A material that is used to soak up free liquids by either adsorption or absorption, or both. Sorb means to either adsorb or absorb, or both.

(126) **Spill** - The accidental spilling, leaking, pumping, emitting, emptying, or dumping of hazardous wastes or materials which, when spilled, become hazardous wastes into or on any land or water.

(127) **Storage** - The holding of solid waste for a temporary period, at the end of which the waste is processed, disposed of, recycled or stored elsewhere.

(128) **Sump** - Any pit or reservoir that meets the definition of tank in this section and those troughs/trenches connected to it that serve to collect hazardous waste for transport to hazardous waste storage, processing, or disposal facilities; except that as used in the landfill, surface impoundment, and waste pile rules, "sump" means any lined pit or reservoir that serves to collect liquids drained from a leachate collection and removal system or leak detection system for subsequent removal from the system.

(129) **Surface impoundment or impoundment** - A facility or part of a facility which is a natural topographic depression, man-made excavation, or diked area formed primarily of earthen materials (although it may be lined with man-made materials), which is designed to hold an accumulation of liquid wastes or wastes containing free liquids, and which is not an injection well or a corrective action management unit. Examples of surface impoundments are holding, storage, settling, and aeration pits, ponds, and lagoons.

(130) **Tank** - A stationary device, designed to contain an accumulation of solid waste which is constructed primarily of non-earthen materials (e.g., wood, concrete, steel, plastic) which provide structural support.

(131) **Tank system** - A hazardous waste storage or processing tank and its associated ancillary equipment and containment system.

(132) **Thermal processing** - The processing of hazardous waste in a device which uses elevated temperatures as the primary means to change the chemical, physical, or biological character or composition of the hazardous waste. Examples of thermal processing are incineration, molten salt, pyrolysis, calcination, wet air oxidation, and microwave discharge. (See also "incinerator" and "open burning.")

(133) **Thermostat** - Has the definition adopted under §335.261 of this title (relating to Universal Waste Rule).

(134) **Totally enclosed treatment facility** - A facility for the processing of hazardous waste which is directly connected to an industrial production process and which is constructed and operated in a manner which prevents the release of any hazardous waste or any constituent thereof into the environment during processing. An example is a pipe in which acid waste is neutralized.

(135) **Transfer facility** - Any transportation-related facility including loading docks, parking areas, storage areas, and other similar areas where shipments of hazardous or industrial solid waste are held during the normal course of transportation.

(136) **Transit country** - Any foreign country, other than a receiving country, through which a hazardous waste is transported.

(137) **Transport vehicle** - A motor vehicle or rail car used for the transportation of cargo by any mode. Each cargo-carrying body (trailer, railroad freight car, etc.) is a separate transport vehicle. Vessel includes every description of watercraft, used or capable of being used as a means of transportation on the water.

(138) **Transporter** - Any person who conveys or transports municipal hazardous waste or industrial solid waste by truck, ship, pipeline, or other means.

(139) **Treatability study** - A study in which a hazardous or industrial solid waste is subjected to a treatment process to determine:

(A) whether the waste is amenable to the treatment process;

(B) what pretreatment (if any) is required;

(C) the optimal process conditions needed to achieve the desired treatment;

(D) the efficiency of a treatment process for a specific waste or wastes; or

(E) the characteristics and volumes of residuals from a particular treatment process. Also included in this definition for the purpose of 40 CFR §261.4(e) and (f) (§§335.2, 335.69, and 335.78 of this title (relating to Permit Required; Accumulation Time; and Special Requirements for Hazardous Waste Generated by Conditionally Exempt Small Quantity Generators)) exemptions are liner compatibility, corrosion, and other material compatibility studies and toxicological and health effects studies. A treatability study is not a means to commercially treat or dispose of hazardous or industrial solid waste.

(140) **Treatment** - To apply a physical, biological, or chemical process(es) to wastes and contaminated media which significantly reduces the toxicity, volume, or mobility of contaminants and which, depending on the process(es) used, achieves varying degrees of long-term effectiveness.

(141) **Treatment zone** - A soil area of the unsaturated zone of a land treatment unit within which hazardous constituents are degraded, transferred, or immobilized.

(142) **Underground injection** - The subsurface emplacement of fluids through a bored, drilled, or driven well; or through a dug well, where the depth of the dug well is greater than the largest surface dimension. (See also "injection well.")

(143) **Underground tank** - A device meeting the definition of tank in this section whose entire surface area is totally below the surface of and covered by the ground.

(144) **Unfit-for-use tank system** - A tank system that has been determined through an integrity assessment or other inspection to be no longer capable of storing or processing hazardous waste without posing a threat of release of hazardous waste to the environment. Waste and Municipal Hazardous Waste except as otherwise specified in §335.261 of this title.

(145) **Universal waste** - Any of the hazardous wastes defined as universal waste under §335.261(b)(13)(F) that are managed under the universal waste requirements of Subchapter H, Division 5 of this Chapter (relating to Universal Waste Rule).

(146) **Universal waste handler** - Has the definition adopted under §335.261 of this title (relating to Universal Waste Rule).

(147) **Universal waste transporter** - Has the definition adopted under §335.261 of this title (relating to Universal Waste Rule).

(148) **Unsaturated zone or zone of aeration** - The zone between the land surface and the water table.

(149) **Uppermost aquifer** - The geologic formation nearest the natural ground surface that is an aquifer, as well as lower aquifers that are hydraulically interconnected within the facility's property boundary.

(150) **Used oil** - Any oil that has been refined from crude oil, or any synthetic oil, that has been used, and, as a result of such use, is contaminated by physical or chemical impurities. Used oil fuel includes any fuel produced from used oil by processing, blending, or other treatment. Rules applicable to nonhazardous used oil, oil characteristically hazardous from use versus mixing, Conditionally Exempt Small Quantity Generator (CESQG) hazardous used oil, and household used oil after collection that will be recycled are found in Chapter 324 of this title (relating to Used Oil) and 40 CFR Part 279 (Standards for Management of Used Oil).

(151) **Wastewater treatment unit** - A device which:

(A) is part of a wastewater treatment facility subject to regulation under either the Federal Water Pollution Control Act (Clean Water Act), 33 United States Code §466 et seq., §402 or §307(b), as amended;

(B) receives and processes or stores an influent wastewater which is a hazardous or industrial solid waste, or generates and accumulates a wastewater treatment sludge which is a hazardous or industrial solid waste, or processes or stores a wastewater treatment sludge which is a hazardous or industrial solid waste; and

(C) meets the definition of tank or tank system as defined in this section.

(152) **Water (bulk shipment)** - The bulk transportation of municipal hazardous waste or Class I industrial solid waste which is loaded or carried on board a vessel without containers or labels.

(153) **Well** - Any shaft or pit dug or bored into the earth, generally of a cylindrical form, and often walled with bricks or tubing to prevent the earth from caving in.

(154) **Zone of engineering control** - An area under the control of the owner/operator that, upon detection of a hazardous waste release, can be readily cleaned up prior to the release of hazardous waste or hazardous constituents to groundwater or surface water.

§335.2. Permit Required.

(a) Except with regard to storage, processing, or disposal to which subsections (c)-(h) of this section apply, and as provided in §335.45(b) of this title (relating to Effect on Existing Facilities), and

in accordance with the requirements of §335.24 of this title (relating to Requirements for Recyclable Materials and Nonhazardous Recyclable Materials) and §335.25 of this title (relating to Handling, Storing, Processing, Transporting, and Disposing of Poultry Carcasses), and as provided in §332.4 of this title (relating to General Requirements), no person may cause, suffer, allow, or permit any activity of storage, processing, or disposal of any industrial solid waste or municipal hazardous waste unless such activity is authorized by a permit, amended permit, or other authorization from the Texas Natural Resource Conservation Commission or its predecessor agencies, the Texas Department of Health, or other valid authorization from a Texas state agency. No person may commence physical construction of a new hazardous waste management facility without first having submitted Part A and Part B of the permit application and received a finally effective permit.

(b) In accordance with the requirements of subsection (a) of this section, no generator, transporter, owner or operator of a facility, or any other person may cause, suffer, allow, or permit its wastes to be stored, processed, or disposed of at an unauthorized facility or in violation of a permit. In the event this requirement is violated, the executive director will seek recourse against not only the person who stored, processed, or disposed of the waste, but also against the generator, transporter, owner or operator, or other person who caused, suffered, allowed, or permitted its waste to be stored, processed, or disposed.

(c) Any owner or operator of a solid waste management facility that is in existence on the effective date of a statutory or regulatory change that subjects the owner or operator to a requirement to obtain a hazardous waste permit who has filed a hazardous waste permit application with the

commission in accordance with the rules and regulations of the commission, may continue the storage, processing, or disposal of hazardous waste until such time as the Texas Natural Resource Conservation Commission (commission) approves or denies the application, or, if the owner or operator becomes subject to a requirement to obtain a hazardous waste permit after November 8, 1984, except as provided by the United States Environmental Protection Agency or commission rules relative to termination of interim status. If a solid waste facility which has become a commercial hazardous waste management facility as a result of the federal toxicity characteristic rule effective September 25, 1990, and is required to obtain a hazardous waste permit, such facility that qualifies for interim status is limited to those activities that qualify it for interim status until the facility obtains the hazardous waste permit. Owners or operators of municipal hazardous waste facilities which satisfied this requirement by filing an application on or before November 19, 1980, with the United States Environmental Protection Agency are not required to submit a separate application with the Texas Department of Health. Applications filed under this section shall meet the requirements of §335.44 of this title (relating to Application for Existing On-Site Facilities). Owners and operators of solid waste management facilities that are in existence on the effective date of statutory or regulatory amendments under the Solid Waste Disposal Act, Texas Health and Safety Code, Chapter 361 (Vernon's Supplement 1991), Texas Civil Statutes, Article 4477-7, or the Resource Conservation and Recovery Act of 1976, as amended, 42 United States Code, §§6901 et seq., that render the facility subject to the requirement to obtain a hazardous waste permit, may continue to operate if Part A of their permit application is submitted no later than six months after the date of publication of regulations by the United States Environmental Protection Agency pursuant to the Resource Conservation and Recovery Act of 1976, as amended, which first require them to comply with the standards set forth in Subchapter E of this chapter (relating

to Interim Standards for Owners and Operators of Hazardous Waste Storage, Processing, or Disposal Facilities), or Subchapter H of this chapter (relating to Standards for the Management of Specific Wastes and Specific Types of Facilities); or 30 days after the date they first become subject to the standards set forth in these subchapters, whichever first occur; or for generators who generate greater than 100 kilograms but less than 1,000 kilograms of hazardous waste in a calendar month and who process, store, or dispose of these wastes on-site, a Part A permit application shall be submitted to the United States Environmental Protection Agency by March 24, 1987, as required by 40 Code of Federal Regulations, §270.10(e)(1)(iii). This subsection shall not apply to a facility if it has been previously denied a hazardous waste permit or if authority to operate the facility has been previously terminated. Applications filed under this section shall meet the requirements of §335.44 of this title (relating to Application for Existing On-Site Facilities). For purposes of this subsection, a solid waste management facility is in existence if the owner or operator has obtained all necessary federal, state, and local preconstruction approvals or permits, as required by applicable federal, state, and local hazardous waste control statutes, regulations, or ordinances; and either:

(1) a continuous physical, on-site construction program has begun; or

(2) the owner or operator has entered into contractual obligations, which cannot be cancelled or modified without substantial loss, for construction of the facility to be completed within a reasonable time.

(d) No permit shall be required for:

(1) the processing or disposal of nonhazardous industrial solid waste, if the waste is processed or disposed on property owned or otherwise effectively controlled by the owner or operator of the industrial plant, manufacturing plant, mining operation, or agricultural operation from which the waste results or is produced; the property is within 50 miles of the plant or operation; and the waste is not commingled with waste from any other source or sources (An industrial plant, manufacturing plant, mining operation, or agricultural operation owned by one person shall not be considered an “other source” with respect to other plants and operations owned by the same person.);

(2) the storage of nonhazardous industrial solid waste, if the waste is stored on property owned or otherwise effectively controlled by the owner or operator of the industrial plant, manufacturing plant, mining operation, or agricultural operation from which the waste results or is produced, and the waste is not commingled with waste from any other source or sources (An industrial plant, manufacturing plant, mining operation, or agricultural operation owned by one person shall not be considered an “other source” with respect to other plants and operations owned by the same person.);

(3) the storage or processing of nonhazardous industrial solid waste, if the waste is processed in an elementary neutralization unit, or a wastewater treatment unit;

(4) the collection, storage, or processing of nonhazardous industrial solid waste, if the waste is collected, stored, or processed as part of a treatability study;

(5) the storage of nonhazardous industrial solid waste, if the waste is stored in a transfer facility in containers for a period of 10 days or less, unless the executive director determines that a permit should be required in order to protect human health and the environment; or

(6) the storage or processing of nonhazardous industrial solid waste, if the waste is processed in a publicly owned treatment works with discharges subject to regulation under the Clean Water Act, §402, as amended through October 4, 1996, if the owner or operator has a National Pollutant Discharge Elimination System permit and complies with the conditions of that permit.

(e) No permit shall be required for the on-site storage of hazardous waste by a person who is a conditionally exempt small quantity generator as described in §335.78 of this title (relating to Special Requirements for Hazardous Waste Generated by Conditionally Exempt Small Quantity Generators).

(f) No permit under this chapter shall be required for the storage, processing, or disposal of hazardous waste by a person described in §335.41(b)-(d) of this title (relating to Purpose, Scope, and Applicability) or for the storage of hazardous waste under the provisions of 40 Code of Federal Regulations §261.4(c) and (d).

(g) No permit under this chapter shall be required for the storage, processing, or disposal of hazardous industrial waste or municipal hazardous waste which is generated or collected for the purpose of conducting treatability studies. Such samples are subject to the requirements set out at 40 Code of

Federal Regulations §261.4(e) and (f), as amended and adopted in the Code of Federal Regulations through February 18, 1994, at 59 FedReg 8362, which are adopted herein by reference.

(h) A person may obtain authorization from the executive director for the storage, processing, or disposal of nonhazardous industrial solid waste in an interim status landfill which has qualified for interim status pursuant to 40 Code of Federal Regulations, Part 270, Subpart G, and which has complied with the standards set forth in Subpart E of this chapter (relating to Interim Standards for Owners and Operators of Hazardous Waste Storage, Processing or Disposal Facilities), by complying with the notification and information requirements as set forth in §335.6 of this title (relating to Notification Requirements). The executive director may approve or deny the request for authorization or grant the request for authorization subject to conditions which may include, without limitation, public notice and technical requirements. A request for authorization for the disposal of nonhazardous industrial solid waste under this subsection shall not be approved unless the executive director determines that the subject facility is suitable for disposal of such waste at the facility as requested. At a minimum, a determination of suitability by the executive director must include approval by the executive director of construction of a hazardous waste landfill meeting the design requirements of Title 40, Code of Federal Regulations, §265.301(a). In accordance with §335.6 of this title (relating to Notification Requirement), such person shall not engage in the requested activities if denied by the executive director or unless 90 days' notice has been provided and the executive director approves the request except where express executive director approval has been obtained prior to the expiration of the 90 days. Authorization may not be obtained under this subsection for:

(1) nonhazardous industrial solid waste, the storage, processing, or disposal of which is expressly prohibited under an existing permit or site development plan applicable to the facility or a portion of the facility;

(2) PCB wastes subject to regulation by 40 Code of Federal Regulations, Part 761;

(3) explosives and shock-sensitive materials;

(4) pyrophorics;

(5) infectious materials;

(6) liquid organic peroxides;

(7) radioactive or nuclear waste materials, receipt of which would require a license from the Texas Department of Health or Texas Natural Resource Conservation Commission or any other successor agency; and

(8) friable asbestos waste unless authorization is obtained in compliance with the procedures established under §330.136(b)(6)(B)-(E) of this title (relating to Disposal of Special Wastes). Authorizations obtained under this subsection shall be effective during the pendency of the interim status and shall cease upon the termination of interim status, final administrative disposition of the

subject permit application, failure of the facility to operate the facility in compliance with the standards set forth in Subchapter E of this chapter (relating to Interim Standards for Owners and Operators of Hazardous Waste Storage, Processing, or Disposal Facilities), or as otherwise provided by law.

(i) Owners or operators of hazardous waste management units must have permits during the active life (including the closure period) of the unit. Owners or operators of surface impoundments, landfills, land treatment units, and waste pile units that received wastes after July 26, 1982, or that certified closure (according to 40 Code of Federal Regulations, §265.115) after January 26, 1983, must have post-closure permits, unless they demonstrate closure by removal as provided under 40 Code of Federal Regulations, §270.1(c)(5) and (6). If a post-closure permit is required, the permit must address applicable provisions of 40 Code of Federal Regulations, Part 264, and Subchapter F of this chapter (relating to Permitting Standards for Owners and Operators of Hazardous Waste Storage, Processing, or Disposal Facilities) provisions relating to Groundwater Monitoring, Unsaturated Zone Monitoring, Corrective Action, and Post-closure Care Requirements. The denial of a permit for the active life of a hazardous waste management facility or unit does not affect the requirement to obtain a post-closure permit under this section.

(j) Upon receipt of the federal Hazardous and Solid Waste Act (HSWA) authorization for the commission's Hazardous Waste Program, the commission shall be authorized to enforce the provisions that the Environmental Protection Agency (EPA) imposed in hazardous waste permits that were issued before the HSWA authorization was granted.

(k) Any person who intends to conduct an activity under subsection (d) of this section shall comply with the notification requirements of §335.6 of this title (relating to Notification Requirements).

(l) No permit shall be required for the management of universal wastes by universal waste handlers or universal waste transporters, in accordance with the definitions and requirements of Subchapter H, Division 5 of this chapter (relating to Universal Waste Rule).

SUBCHAPTER B : HAZARDOUS WASTE MANAGEMENT

GENERAL PROVISIONS

§335.41

STATUTORY AUTHORITY

The amendment is adopted under Texas Water Code, §5.103 and §5.105, which provide the commission with the authority to adopt any rules necessary to carry out its powers and duties under the provisions of the Texas Water Code or other laws of this state; and under Texas Health and Safety Code, Solid Waste Disposal Act, §361.017 and §361.024, which authorize the commission to regulate industrial solid waste and municipal hazardous waste and to adopt rules consistent with the general intent and purposes of the Act.

§335.41. Purpose, Scope and Applicability.

(a) The purpose of this chapter is to implement a state hazardous waste program which controls from point of generation to ultimate disposal those wastes which have been identified by the administrator of the United States Environmental Protection Agency (EPA) in 40 Code of Federal Regulations Part 261.

(b) Subchapter E of this chapter (relating to Interim Standards for Owners and Operators of Hazardous Waste Storage, Processing, or Disposal Facilities) and Subchapter F of this chapter (relating to Permitting Standards for Owners and Operators of Hazardous Waste, Storage, Processing, or

Disposal Facilities) and §335.12 of this title (relating to Shipping Requirements Applicable to Owners or Operators of Storage, Processing, or Disposal Facilities) and §335.15 of this title (relating to Recordkeeping and Reporting Requirements Applicable to Owners or Operators of Storage, Processing, or Disposal Facilities) do not apply to an owner or operator of a totally enclosed treatment facility, as defined in §335.1 of this title (relating to Definitions).

(c) Except as provided in §335.47 of this title (relating to Special Requirements for Persons Eligible for a Federal Permit by Rule), Subchapter E of this chapter (relating to Interim Standards for Owners and Operators of Hazardous Waste Storage, Processing or Disposal Facilities) and Subchapter F of this chapter (relating to Permitting Standards for Owners and Operators of Hazardous Waste, Storage, Processing, or Disposal Facilities) do not apply to the owner or operator of a publicly-owned treatment works (POTW) which processes, stores, or disposes of hazardous waste.

(d) Subchapter E of this chapter (relating to Interim Standards for Owners and Operators of Hazardous Waste Storage, Processing, or Disposal Facilities) and Subchapter F of this chapter (relating to Permitting Standards for Owners and Operators of Hazardous Waste, Storage, Processing, or Disposal Facilities) do not apply to:

(1) The owner or operator of an elementary neutralization unit or a wastewater treatment unit as defined in §335.1 of this title (relating to Definitions), provided that if the owner or operator is diluting hazardous ignitable (D001) wastes (other than the D001 High TOC Subcategory defined in 40 Code of Federal Regulations §268.40, Table Treatment Standards for Hazardous Wastes),

or reactive (D003) waste, to remove the characteristic before land disposal, the owner/operator must comply with the requirements set out in 40 Code of Federal Regulations §264.17(b);

(2) Persons engaged in processing or containment activities during immediate response to a discharge of a hazardous waste; an imminent and substantial threat of discharge of hazardous waste; or a discharge of a material which, when discharged, becomes a hazardous waste, except that such person must comply with all applicable requirements of 40 Code of Federal Regulations Part 264, Subparts C and D, and 40 Code of Federal Regulations, Part 265, Subparts C and D. Any person who continues or initiates hazardous waste processing or containment activities after the immediate response is over is subject to all applicable requirements of Subchapter E (relating to Interim Standards for Owners and Operators of Hazardous Waste Storage, Processing or Disposal Facilities) (incorporating by reference 40 Code of Federal Regulations Part 265), Subchapter F of this chapter (relating to Permitting Standards for Owners and Operators of Hazardous Waste Storage, Processing, or Disposal Facilities) (incorporating by reference 40 Code of Federal Regulations Part 264) and Chapter 305 of this title (relating to Consolidated Permits); and

(3) Persons adding absorbent material to waste in a container, as defined in §335.1 of this title (relating to Definitions) and persons adding waste to absorbent material in a container, provided that these actions occur at the time that waste is first placed in the container, and that in the case of permitted facilities, 40 Code of Federal Regulations §§264.17(b), 264.171, and 264.172 are complied with, and for all other facilities, 40 Code of Federal Regulations §§265.17(b), 265.171, and 265.172 are complied with.

(4) A farmer disposing of waste pesticides from his own use in compliance with §335.77 (relating to Farmers) of this title.

(e) Subchapter E of this chapter (relating to Interim Standards for Owners and Operators of Hazardous Waste Storage, Processing, or Disposal Facilities) does not apply to:

(1) a person who stores, processes or disposes of hazardous waste on-site and meets the requirements of §335.78 of this title (relating to Special Requirements for Hazardous Waste Generated by Conditionally Exempt Small Quantity Generators); or

(2) the owner or operator of a solid waste facility under the jurisdiction of the Texas Department of Health who stores, processes or disposes of hazardous waste received from a conditionally exempt small quantity generator.

(f) The following requirements apply to residues of hazardous waste in containers:

(1) Subchapters B-F and O of this chapter (relating to Hazardous Waste Management General Provisions; Standards Applicable to Generators of Hazardous Waste; Standards Applicable to Transporters of Hazardous Waste; Interim Standards for Owners and Operators of Hazardous Waste Storage, Processing, or Disposal Facilities; Permitting Standards for Owners and Operators of Hazardous Waste, Storage, Processing, or Disposal Facilities; and Land Disposal Restrictions) do not apply to any hazardous waste remaining in either an empty container or an inner liner removed from an

empty container, as defined in paragraph (2) of this subsection. This exemption does not apply to any hazardous waste in either a container that is not empty or an inner liner removed from a container that is not empty.

(2) For purposes of determining whether a container is empty under this subsection, the following provisions apply:

(A) a container or an inner liner removed from a container that has held any hazardous waste, except a waste that is a compressed gas or that is identified as an acute hazardous waste listed in 40 Code of Federal Regulations §§261.31, 261.32 or 261.33(e) is empty if:

(i) all wastes have been removed that can be using the practices commonly employed to remove materials from that type of container, e.g. pouring, pumping, and aspirating; and

(ii) no more than 2.5 centimeters (one inch) of residue remains on the bottom of the container or inner liner; or

(iii) no more than 3.0% by weight of the total capacity of the container remains in the container or inner liner if the container is less than or equal to 110 gallons in size, or no more than 0.3% by weight of the total capacity of the container remains in the container or inner liner if the container is greater than 110 gallons in size.

(B) a container that has held a hazardous waste that is a compressed gas is empty when the pressure in the container approaches atmosphere;

(C) a container or an inner liner removed from a container that has held an acute hazardous waste listed in 40 Code of Federal Regulations §§261.31, 261.32 or 261.33(e) is empty if:

(i) the container or inner liner has been triple rinsed using a solvent capable of removing the commercial chemical product or manufacturing chemical intermediate;

(ii) the container or inner liner has been cleaned by another method that has been shown in the scientific literature, or by tests conducted by the generator, to achieve equivalent removal; or

(iii) in the case of a container, the inner liner that prevented contact of the commercial chemical product or manufacturing chemical intermediate with the container, has been removed.

(g) Subchapters B-F and O of this chapter (relating to Hazardous Waste Management General Provisions; Standards Applicable to Generators of Hazardous Waste; Standards Applicable to Transporters of Hazardous Waste; Interim Standards for Owners and Operators of Hazardous Waste Storage, Processing, or Disposal Facilities; Permitting Standards for Owners and Operators of

Hazardous Waste Storage, Processing or Disposal Facilities; and Land Disposal Restrictions) do not apply to hazardous waste which is managed as a recyclable material described in §§335.24(b) and (c) of this title (relating to Requirements for Recyclable Materials and Nonhazardous Recyclable Materials), except to the extent that requirements of these subchapters are referred to in Subchapter H of this chapter (relating to Standards for the Management of Specific Wastes and Specific Types of Facilities) and Chapter 324 of this title (relating to Used Oil).

(h) Subchapter E of this chapter (relating to Interim Standards for Owners and Operators of Hazardous Waste, Storage, Processing, or Disposal Facilities) and Subchapter F of this chapter (relating to Permitting Standards for Owners and Operators of Hazardous Waste, Storage, Processing, or Disposal Facilities) apply to owners or operators of all facilities which treat, store, or dispose of hazardous waste referred to in Subchapter O of this chapter (relating to Land Disposal Restrictions).

(i) Except as provided in §335.47 of this title (relating to Special Requirements for Persons Eligible for a Federal Permit by Rule), Subchapter F of this chapter (relating to Permitting Standards for Owners and Operators of Hazardous waste Storage, Processing, or Disposal Facilities) does not apply to persons disposing of hazardous waste by means of underground injection. However, Subchapter F does apply to the aboveground storage or processing of hazardous waste before it is injected underground.

(j) Except as specified in Subchapter H, Division 5 of this chapter (relating to Universal Waste Rule), Subchapters B-F and O of this chapter (relating to Hazardous Waste Management General

Provisions; Standards Applicable to Generators of Hazardous Waste; Standards Applicable to Transporters of Hazardous Waste; Permitting Standards for Owners and Operators of Hazardous Waste Storage, Processing, or Disposal Facilities; Interim Standards for Owners and Operators of Hazardous Waste Storage, Processing, or Disposal Facilities; and Land Disposal Restrictions) and Chapter 305 of this title (relating to Consolidated Permits) do not apply to universal wastes, universal waste handlers, or universal waste transporters as defined in §335.261 of this title (relating to Universal Waste Rule). Universal wastes are not fully regulated hazardous wastes, but are subject to regulation under Subchapter H, Division 5 of this chapter (relating to Universal Waste Rule).

**SUBCHAPTER H: STANDARDS FOR THE MANAGEMENT OF
SPECIFIC WASTES AND SPECIFIC TYPES OF FACILITIES
DIVISION 5: UNIVERSAL WASTE RULE**

§335.261

STATUTORY AUTHORITY

The amendment is adopted under Texas Water Code, §5.103 and §5.105, which provide the commission with the authority to adopt any rules necessary to carry out its powers and duties under the provisions of the Texas Water Code or other laws of this state; and under Texas Health and Safety Code, Solid Waste Disposal Act, §361.017 and §361.024, which authorize the commission to regulate industrial solid waste and municipal hazardous waste and to adopt rules consistent with the general intent and purposes of the Act.

§335.261. Universal Waste Rule.

(a) This section establishes requirements for managing universal wastes as defined in this section, and provides an alternative set of management standards in lieu of regulation, except as provided in this section, under all otherwise applicable chapters under Title 30 Texas Administrative Code. Except as provided in subsection (b) of this section, Title 40 Code of Federal Regulations (CFR) Part 273 is adopted by reference as amended and adopted through July 6, 1999 at 64 FedReg 36466.

(b) Title 40 CFR Part 273, except §273.1, is adopted subject to the following changes:

(1) The term "regional administrator" is changed to "executive director" or "commission" consistent with the organization of the commission as set out in the Texas Water Code, Chapter 5.

(2) The terms "U.S. Environmental Protection Agency" and "EPA" are changed to "the Texas Natural Resource Conservation Commission," "the agency," or "the commission" consistent with the organization of the commission as set out in the Texas Water Code, Chapter 5. This paragraph does not apply to 40 CFR §273.32(a)(3) or §273.52 or to references to the following: "EPA Acknowledgment of Consent" or "EPA Identification Number."

(3) The term "treatment" is changed to "processing."

(4) The term "universal waste" is changed to "universal waste as defined under §335.261(b)(16)(F) of this title (relating to Universal Waste Rule)."

(5) The term "this part" is changed to "Chapter 335, Subchapter H, Division 5 of this title (relating to Universal Waste Rule)."

(6) In 40 CFR §273.2(a) and (b), references to "40 CFR part 266, subpart G," are changed to "§335.251 of this title (relating to Applicability and Requirements)."

(7) In 40 CFR §273.2(b)(2), the reference to "part 261 of this chapter" is changed to "Chapter 335 of this title (relating to Industrial Solid Waste and Municipal Hazardous Waste)."

(8) In 40 CFR §273.3(b)(1), the reference to "40 CFR 262.70" is changed to "§335.77 of this title (relating to Farmers)." Also, the phrase "(40 CFR 262.70 addresses pesticides disposed of on the farmer's own farm in a manner consistent with the disposal instructions on the pesticide label, providing the container is triple rinsed in accordance with 40 CFR 261.7(b)(3))" is deleted.

(9) In 40 CFR §273.3(b)(2), the reference to "40 CFR parts 260 through 272" is changed to "Chapter 335 of this title (relating to Industrial Solid Waste and Municipal Hazardous Waste)."

(10) In 40 CFR §273.3(b)(3), the reference to "part 261 of this chapter" is changed to "Chapter 335 of this title (relating to Industrial Solid Waste and Municipal Hazardous Waste)."

(11) In 40 CFR §273.3(d)(1)(i) and (ii), references to "40 CFR 261.2" are changed to "§335.1 of this title (relating to Definitions)."

(12) In 40 CFR §273.4(a), the reference to "§273.9" is changed to "§335.261(b)(16)(E) of this title (relating to Universal Waste Rule)" and in 40 CFR §273.4(b)(1), the reference to "part 261 of this chapter" is changed to "Chapter 335 of this title (relating to Industrial Solid Waste and Municipal Hazardous Waste)."

(13) In 40 CFR 273.5(b)(1), the reference to "part 261 of this chapter" is changed to "Chapter 335 of this title (relating to Industrial Solid Waste and Municipal Hazardous Waste)."

(14) In 40 CFR §273.8(a)(1), the reference to "40 CFR 261.4(b)(1)" is changed to "§335.1 of this title (relating to Definitions)" and the reference to "§273.9" is changed to "§335.261(b)(16)(F) of this title (relating to Universal Waste Rule)."

(15) In 40 CFR §273.8(a)(1), the reference to "40 CFR 261.5" is changed to "§335.78 of this title (relating to Special Requirements for Hazardous Waste Generated by Conditionally Exempt Small Quantity Generators)" and the reference to "§273.9" is changed to "§335.261(b)(16)(F) of this title (relating to Universal Waste Rule)."

(16) In 40 CFR §273.9, the following definitions are changed to the meanings described in this paragraph:

(A) "Destination Facility" means a facility that treats, disposes, or recycles a particular category of universal waste, except those management activities described in 40 CFR §273.13(a) and (c) and 40 CFR §273.33(a) and (c), as adopted by reference in this section. A facility at which a particular category of universal waste is only accumulated is not a destination facility for purposes of managing that category of universal waste;

(B) "Generator" means any person, by site, whose act or process produces hazardous waste identified or listed in 40 CFR Part 261 or whose act first causes a hazardous waste to become subject to regulation;

(C) "Large Quantity Handler of Universal Waste" means a universal waste handler (as defined in this section) who accumulates at any time 5,000 kilograms or more total of universal waste (as defined in this section), calculated collectively. This designation as a large quantity handler of universal waste is retained through the end of the calendar year in which 5,000 kilograms or more total universal waste is accumulated;

(D) "Small Quantity Handler of Universal Waste" means a universal waste handler (as defined in this section) who does not accumulate at any time 5,000 kilograms or more total of universal waste (as defined in this section), calculated collectively;

(E) "Thermostat" means a temperature control device that contains metallic mercury in an ampule attached to a bimetal sensing element, and mercury-containing ampules that have been removed from these temperature control devices in compliance with the requirements of 40 CFR §273.13(c)(2) or §273.33(c)(2) as adopted by reference in this section; and

(F) "Universal Waste" means any of the following hazardous wastes that are subject to the universal waste requirements of this section:

(i) batteries as described in 40 CFR §273.2;

(ii) pesticides as described in 40 CFR §273.3;

(iii) thermostats as described in 40 CFR §273.4;

(iv) paint and paint-related waste as described in §335.262(b) of this title (relating to Standards for Management of Paint and Paint-Related Waste); and

(v) lamps as described in 40 CFR §273.5.

(17) In 40 CFR §273.10, the reference to "40 CFR 273.9" is changed to "§335.261(b)(16)(D) of this title (relating to Universal Waste Rule)."

(18) 40 CFR §273.11(b) is changed to read as follows: "Prohibited from diluting or treating universal waste, except when responding to releases as provided in 40 CFR §273.17; managing specific wastes as provided in 40 CFR §273.13; or crushing lamps under the control conditions of §335.261(e) of this title (relating to Universal Waste Rule)."

(19) In 40 CFR §273.13(a)(3)(i), the reference to "40 CFR parts 260 through 272" and the reference to "40 CFR part 262" are changed to "Chapter 335 of this title (relating to Industrial Solid Waste and Municipal Hazardous Waste)."

(20) In 40 CFR §273.13(c)(2)(iii) and (iv), references to "40 CFR 262.34" are changed to "§335.69 of this title (relating to Accumulation Time)."

(21) In 40 CFR §273.13(c)(3)(ii), the reference to "40 CFR parts 260 through 272" and the reference to "40 CFR part 262" are changed to "Chapter 335 of this title (relating to Industrial Solid Waste and Municipal Hazardous Waste)."

(22) In 40 CFR §273.13(d)(1), the phrase "adequate to prevent breakage" is changed to "adequate to prevent breakage, except as specified in §335.261(e) of this title (relating to Universal Waste Rule)."

(23) In 40 CFR §273.17(b), the reference to "40 CFR parts 260 through 272" and the reference to "40 CFR part 262" are changed to "Chapter 335 of this title (relating to Industrial Solid Waste and Municipal Hazardous Waste)."

(24) In 40 CFR §273.20(a), the reference to "40 CFR 262.53, 262.56(a)(1) through (4), (6), and (b) and 262.57" is changed to "§335.13 of this title (relating to Recordkeeping and Reporting Procedures Applicable to Generators Shipping Hazardous Waste or Class 1 Waste and Primary Exporters of Hazardous Waste) and §335.76 of this title (relating to Additional Requirements Applicable to International Shipments)."

(25) In 40 CFR §273.20(b), the reference to "subpart E of part 262 of this chapter" is changed to "§335.13 of this title and §335.76 of this title."

(26) In 40 CFR §273.30, the reference to "§273.9" is changed to "§335.261(b)(16)(C) of this title (relating to Universal Waste Rule)."

(27) 40 CFR §273.31(b) is changed to read as follows: "Prohibited from diluting or treating universal waste, except when responding to releases as provided in 40 CFR §273.37; managing specific wastes as provided in 40 CFR §273.33; or crushing lamps under the control conditions of §335.261(e) of this title (relating to Universal Waste Rule)."

(28) In 40 CFR §273.33(a)(3)(i), the reference to "40 CFR parts 260 through 272" and the reference to "40 CFR part 262" are changed to "Chapter 335 of this title (relating to Industrial Solid Waste and Municipal Hazardous Waste)."

(29) In 40 CFR §273.33(c)(2)(iii) and (iv), the references to "40 CFR 262.34" are changed to "§335.69 of this title (relating to Accumulation Time)."

(30) In 40 CFR §273.33(c)(3)(ii), the reference to "40 CFR parts 260 through 272" and the reference to "40 CFR part 262" are changed to "Chapter 335 of this title (relating to Industrial Solid Waste and Municipal Hazardous Waste)."

(31) In 40 CFR §273.33(d)(1), the phrase “adequate to prevent breakage” is changed to “adequate to prevent breakage, except as specified in §335.261(e) of this title (relating to Universal Waste Rule).”

(32) In 40 CFR §273.37(b), the reference to "40 CFR parts 260 through 272" and the reference to "40 CFR part 262" are changed to "Chapter 335 of this title (relating to Industrial Solid Waste and Municipal Hazardous Waste)."

(33) In 40 CFR §273.40(a), the reference to "40 CFR 262.53, 262.56(a)(1) through (4), (6), and (b) and 262.57" is changed to "§335.13 of this title (relating to Recordkeeping and Reporting Procedures Applicable to Generators Shipping Hazardous Waste or Class 1 Waste and Primary Exporters of Hazardous Waste) and §335.76 of this title (relating to Additional Requirements Applicable to International Shipments)."

(34) In 40 CFR §273.40(b), the reference to "subpart E of part 262 of this chapter" is changed to "§335.13 of this title and §335.76 of this title."

(35) In 40 CFR §273.52(a), the reference to "40 CFR part 262" is changed to "Chapter 335 of this title (relating to Industrial Solid Waste and Municipal Hazardous Waste)."

(36) In 40 CFR §273.52(b), the reference to "40 CFR part 262" is changed to "Chapter 335 of this title (relating to Industrial Solid Waste and Municipal Hazardous Waste)."

(37) In 40 CFR §273.54(b), the reference to "40 CFR parts 260 through 272" and the reference to "40 CFR part 262" are changed to "Chapter 335 of this title (relating to Industrial Solid Waste and Municipal Hazardous Waste)."

(38) In 40 CFR §273.60(a), the reference to "§273.9" is changed to "§335.261(b)(16)(A) of this title (relating to Universal Waste Rule)" and the reference to "parts 264, 265, 266, 268, 270, and 124 of this chapter" is changed to "Title 30 Texas Administrative Code (relating to Environmental Quality)."

(39) In 40 CFR §273.60(b), the reference to "40 CFR 261.6(c)(2)" is changed to "§335.24 of this title (relating to Requirements for Recyclable Materials and Nonhazardous Recyclable Materials)."

(40) In 40 CFR §273.80(a), the reference to "40 CFR 260.20 and 260.23" is changed to "§20.15 of this title (relating to Petition for Adoption of Rules) and §335.261(c) of this title (relating to Universal Waste Rule)."

(41) In 40 CFR §273.80(b), the reference to "40 CFR 260.20(b)" is changed to "§20.15 of this title."

(42) In 40 CFR §273.81(a), the reference to "40 CFR 260.10" is changed to "§335.1 of this title (relating to Definitions) and the reference to "§273.9" is changed to "§335.261(b)(16)(F) of this title (relating to Universal Waste Rule)."

(c) Any person seeking to add a hazardous waste or a category of hazardous waste to the universal waste rule may file a petition for rulemaking under this section, §20.15 of this title, and subpart G of 40 CFR part 273 as adopted by reference in this section.

(1) To be successful, the petitioner must demonstrate to the satisfaction of the commission that regulation under the universal waste rule: is appropriate for the waste or category of waste; will improve management practices for the waste or category of waste; and will improve implementation of the hazardous waste program. The petition must include the information required by §20.15 of this title. The petition should also address as many of the factors listed in 40 CFR §273.81 as are appropriate for the waste or category of waste addressed in the petition.

(2) The commission will grant or deny a petition using the factors listed in 40 CFR §273.81. The decision will be based on the commission's determinations that regulation under the universal waste rule is appropriate for the waste or category of waste, will improve management practices for the waste or category of waste, and will improve implementation of the hazardous waste program.

(3) The commission may request additional information needed to evaluate the merits of the petition.

(d) Any waste not qualifying for management under this section must be managed in accordance with applicable state regulations.

(e) Crushing lamps is permissible only in a crushing system for which the following control conditions are met:

(1) An exposure limit of no more than 0.05 milligrams of mercury per cubic meter is demonstrated through sampling and analysis using Occupational Safety and Health Administration (OSHA) Method ID-140 or National Institute for Occupational Safety and Health Method No. 6009, based on an eight-hour time-weighted average of samples taken at the breathing zone height near the crushing system operating at the maximum expected level of activity;

(2) Compliance with the notification requirements of §106.262 of this title (relating to Facilities (Emission and Distance Limitations) (Previously SE 118)) is demonstrated;

(3) Documentation of the demonstrations under paragraphs (1) and (2) of this subsection is provided in a written report to the executive director; and

(4) The executive director approves the crushing system in writing.

SUBCHAPTER O: LAND DISPOSAL RESTRICTIONS

§335.431

STATUTORY AUTHORITY

The amendment is adopted under Texas Water Code, §5.103 and §5.105, which provide the commission with the authority to adopt any rules necessary to carry out its powers and duties under the provisions of the Texas Water Code or other laws of this state; and under Texas Health and Safety Code, Solid Waste Disposal Act, §361.017 and §361.024, which authorize the commission to regulate industrial solid waste and municipal hazardous waste and to adopt rules consistent with the general intent and purposes of the Act.

§335.431. Purpose, Scope, and Applicability.

(a) Purpose. The purpose of this subchapter is to identify hazardous wastes that are restricted from land disposal and define those limited circumstances under which an otherwise prohibited waste may continue to be land disposed.

(b) Scope and Applicability.

(1) Except as provided in paragraph (2) of this subsection, the requirements of this subchapter apply to persons who generate or transport hazardous waste and owners and operators of hazardous waste treatment, storage, and disposal facilities.

(2) The requirements of this subchapter do not apply to any entity that is either specifically excluded from coverage by this subchapter or would be excluded from the coverage of 40 Code of Federal Regulations (CFR), Part 268 by 40 CFR, Part 261, if those parts applied.

(3) Universal waste handlers and universal waste transporters, as defined in and subject to regulation under Subchapter H, Division 5 of this chapter (relating to Universal Waste Rule) are exempt from 40 Code of Federal Regulations §268.7 and §268.50.

(c) Adoption by Reference.

(1) except as provided in paragraph (2) of this subsection, and subject to the changes indicated in subsection (d) of this section, the regulations contained in 40 CFR, Part 268, as amended through August 31, 1998, in 63 FedReg 46332 are adopted by reference.

(2) The following sections of 40 CFR, Part 268 are excluded from the sections adopted in paragraph (1) of this subsection: §§268.1(f), 268.5, 268.6, 268.7(a)(10), 268.13, §268.42(b), and 268.44.

(3) Appendices IV, VI-IX, and XI of 40 CFR, Part 268 are adopted by reference as amended through May 12, 1997, in 62 FedReg 25998.

(d) Changes to adopted parts. The parts of the CFR that are adopted by reference in subsection (c) of this section are changed as follows:

(1) The words "Administrator" or "Regional Administrator" are changed to "Executive Director;"

(2) The word "treatment" is changed to "processing;"

(3) The words "Federal Register," when they appear in the text of the regulation, are changed to "Texas Register;"

(4) In §§268.7 (a)(6) and (a)(7), the applicable definition of hazardous waste and solid waste is the one that is set out in this chapter rather than the definition of hazardous waste and solid waste that is set out in 40 CFR Part 261.

(5) In §268.50(a)(1), the citation to "§262.34" is changed to "§335.69."