

FEDERAL OPERATING PERMIT

A FEDERAL OPERATING PERMIT IS HEREBY ISSUED TO

DCP Midstream, LP

AUTHORIZING THE OPERATION OF

Fullerton Gas Plant
Natural Gas Liquids

LOCATED AT

Andrews County, Texas

Latitude 32° 25' 43" Longitude 102° 48' 23"

Regulated Entity Number: RN100218684

This permit is issued in accordance with and subject to the Texas Clean Air Act (TCAA), Chapter 382 of the Texas Health and Safety Code and Title 30 Texas Administrative Code Chapter 122 (30 TAC Chapter 122), Federal Operating Permits. Under 30 TAC Chapter 122, this permit constitutes the permit holder's authority to operate the site and emission units listed in this permit. Operations of the site and emission units listed in this permit are subject to all additional rules or amended rules and orders of the Commission pursuant to the TCAA.

This permit does not relieve the permit holder from the responsibility of obtaining New Source Review authorization for new, modified, or existing facilities in accordance with 30 TAC Chapter 116, Control of Air Pollution by Permits for New Construction or Modification.

The site and emission units authorized by this permit shall be operated in accordance with 30 TAC Chapter 122, the general terms and conditions, special terms and conditions, and attachments contained herein.

This permit shall expire five years from the date of issuance. The renewal requirements specified in 30 TAC § 122.241 must be satisfied in order to renew the authorization to operate the site and emission units.

Permit No: O2566 Issuance Date: May 4, 2010

For the Commission

Table of Contents

Section	Page
General Terms and Conditions	1
Special Terms and Conditions	1
Emission Limitations and Standards, Monitoring and Testing, and Recordkeeping and Reporting	1
Additional Monitoring Requirements	8
New Source Review Authorization Requirements	9
Compliance Requirements	10
Risk Management Plan	11
Protection of Stratospheric Ozone	11
Permit Location	11
Permit Shield (30 TAC § 122.148)	11
Attachments	13
Applicable Requirements Summary	14
Additional Monitoring Requirements	42
Permit Shield	51
New Source Review Authorization References	58
Appendix A	65
Acronym List	66

General Terms and Conditions

The permit holder shall comply with all terms and conditions contained in 30 TAC § 122.143 (General Terms and Conditions), 30 TAC § 122.144 (Recordkeeping Terms and Conditions), 30 TAC § 122.145 (Reporting Terms and Conditions), and 30 TAC § 122.146 (Compliance Certification Terms and Conditions).

In accordance with 30 TAC § 122.144(1), records of required monitoring data and support information required by this permit, or any applicable requirement codified in this permit, are required to be maintained for a period of five years from the date of the monitoring report, sample, or application unless a longer data retention period is specified in an applicable requirement. The five year record retention period supersedes any less stringent retention requirement that may be specified in a condition of a permit identified in the New Source Review Authorization attachment.

If the permit holder chooses to demonstrate that this permit is no longer required, a written request to void this permit shall be submitted to the Texas Commission on Environmental Quality (TCEQ) by the Responsible Official in accordance with 30 TAC § 122.161(e). The permit holder shall comply with the permit's requirements, including compliance certification and deviation reporting, until notified by the TCEQ that this permit is voided.

The permit holder shall comply with 30 TAC Chapter 116 by obtaining a New Source Review authorization prior to new construction or modification of emission units located in the area covered by this permit.

All reports required by this permit must include in the submittal a cover letter which identifies the following information: company name, TCEQ regulated entity number, air account number (if assigned), site name, area name (if applicable), and Air Permits Division permit number(s).

Special Terms and Conditions: Emission Limitations and Standards, Monitoring and Testing, and Recordkeeping and Reporting

1. Permit holder shall comply with the following requirements:
 - A. Emission units (including groups and processes) in the Applicable Requirements Summary attachment shall meet the limitations, standards, equipment specifications, monitoring, recordkeeping, reporting, testing, and other requirements listed in the Applicable Requirements Summary attachment to assure compliance with the permit.
 - B. The textual description in the column titled "Textual Description" in the Applicable Requirements Summary attachment is not enforceable and is not deemed as a substitute for the actual regulatory language. The Textual Description is provided for information purposes only.

- C. A citation listed on the Applicable Requirements Summary attachment, which has a notation [G] listed before it, shall include the referenced section and subsection for all commission rules, or paragraphs for all federal and state regulations and all subordinate paragraphs, subparagraphs and clauses, subclauses, and items contained within the referenced citation as applicable requirements.
 - D. Emission units subject to 40 CFR Part 63, Subpart ZZZZ as identified in the attached Applicable Requirements Summary table are subject to 30 TAC Chapter 113, Subchapter C, § 113.1090 which incorporates the 40 CFR Part 63 Subpart by reference.
2. The permit holder shall comply with the following sections of 30 TAC Chapter 101 (General Air Quality Rules):
- A. Title 30 TAC § 101.1 (relating to Definitions), insofar as the terms defined in this section are used to define the terms used in other applicable requirements
 - B. Title 30 TAC § 101.3 (relating to Circumvention)
 - C. Title 30 TAC § 101.8 (relating to Sampling), if such action has been requested by the TCEQ
 - D. Title 30 TAC § 101.9 (relating to Sampling Ports), if such action has been requested by the TCEQ
 - E. Title 30 TAC § 101.10 (relating to Emissions Inventory Requirements)
 - F. Title 30 TAC § 101.201 (relating to Emission Event Reporting and Recordkeeping Requirements)
 - G. Title 30 TAC § 101.211 (relating to Scheduled Maintenance, Start-up, and Shutdown Reporting and Recordkeeping Requirements)
 - H. Title 30 TAC § 101.221 (relating to Operational Requirements)
 - I. Title 30 TAC § 101.222 (relating to Demonstrations)
 - J. Title 30 TAC § 101.223 (relating to Actions to Reduce Excessive Emissions)
3. Permit holder shall comply with the following requirements of 30 TAC Chapter 111:
- A. Visible emissions from stationary vents with a flow rate of less than 100,000 actual cubic feet per minute and constructed after January 31, 1972 that are not listed in the Applicable Requirements Summary attachment for 30 TAC Chapter 111, Subchapter A, Division 1, shall not

exceed 20% opacity averaged over a six-minute period. The permit holder shall comply with the following requirements for stationary vents at the site subject to this standard:

- (i) Title 30 TAC § 111.111(a)(1)(B) (relating to Requirements for Specified Sources)
- (ii) Title 30 TAC § 111.111(a)(1)(E)
- (iii) Title 30 TAC § 111.111(a)(1)(F)(i), (ii), (iii), or (iv)
- (iv) For emission units with vent emissions subject to 30 TAC § 111.111(a)(1)(B), complying with 30 TAC § 111.111(a)(1)(F)(ii), (iii), or (iv), and capable of producing visible emissions from, but not limited to, particulate matter, acid gases and NO_x, the permit holder shall also comply with the following periodic monitoring requirements for the purpose of annual compliance certification under 30 TAC § 122.146. These periodic monitoring requirements do not apply to vents that are not capable of producing visible emissions such as vents that emit only colorless VOCs; vents from non-fuming liquids; vents that provide passive ventilation, such as plumbing vents; or vent emissions from any other source that does not obstruct the transmission of light. Vents, as specified in the “Applicable Requirements Summary” attachment, that are subject to the emission limitation of 30 TAC § 111.111(a)(1)(B) and Compliance Assurance Monitoring (CAM), are not subject to the following periodic monitoring requirements and shall comply with the CAM requirements in the “Additional Monitoring Requirements” attachment:
 - (1) An observation of stationary vents from emission units in operation shall be conducted at least once during each calendar quarter unless the emission unit is not operating for the entire quarter.
 - (2) For stationary vents from a combustion source, if an alternative to the normally fired fuel is fired for a period greater than or equal to 24 consecutive hours, the permit holder shall conduct an observation of the stationary vent for each such period to determine if visible emissions are present. If such period is greater than 3 months, observations shall be conducted once during each quarter. Supplementing the normally fired fuel with natural gas or fuel gas to increase the net heating value to the minimum required value does not constitute creation of an alternative fuel.
 - (3) Records of all observations shall be maintained.

(4) Visible emissions observations of emission units operated during daylight hours shall be conducted no earlier than one hour after sunrise and no later than one hour before sunset. Visible emissions observations of emission units operated only at night must be made with additional lighting and the temporary installation of contrasting backgrounds. Visible emissions observations shall be made during times when the activities described in 30 TAC § 111.111(a)(1)(E) are not taking place. Visible emissions shall be determined with each stationary vent in clear view of the observer. The observer shall be at least 15 feet, but not more than 0.25 mile, away from each stationary vent during the observation. For outdoor locations, the observer shall select a position where the sun is not directly in the observer's eyes. When condensed water vapor is present within the plume, as it emerges from the emissions outlet, observations must be made beyond the point in the plume at which condensed water vapor is no longer visible. When water vapor within the plume condenses and becomes visible at a distance from the emissions outlet, the observation shall be evaluated at the outlet prior to condensation of water vapor. A certified opacity reader is not required for visible emissions observations.

(5) Compliance Certification:

- (a) If visible emissions are not present during the observation, the RO may certify that the source is in compliance with the applicable opacity requirement in 30 TAC § 111.111(a)(1) and (a)(1)(B).
- (b) However, if visible emissions are present during the observation, the permit holder shall either list this occurrence as a deviation on the next deviation report as required under 30 TAC § 122.145(2) or conduct the appropriate opacity test specified in 30 TAC § 111.111(a)(1)(F) to determine if the source is in compliance with the opacity requirements. If an opacity test is performed and the source is determined to be in compliance, the RO may certify that the source is in compliance with the applicable opacity requirement. However, if an opacity test is performed and the source is determined to be out of compliance, the permit holder shall list this occurrence as a deviation on the next deviation report as required under 30 TAC § 122.145(2). The opacity test must be performed by a certified opacity reader.

- (c) Some vents may be subject to multiple visible emission or monitoring requirements. All credible data must be considered when certifying compliance with this requirement even if the observation or monitoring was performed to demonstrate compliance with a different requirement.
- B. For visible emissions from a building, enclosed facility, or other structure; the permit holder shall comply with the following requirements:
 - (i) Title 30 TAC § 111.111(a)(7)(A) (relating to Requirements for Specified Sources)
 - (ii) Title 30 TAC § 111.111(a)(7)(B)(i) or (ii)
 - (iii) For a building containing an air emission source, enclosed facility, or other structure containing or associated with an air emission source subject to 30 TAC § 111.111(a)(7)(A), complying with 30 TAC § 111.111(a)(7)(B)(i) or (ii), and capable of producing visible emissions from, but not limited to, particulate matter, acid gases and NO_x, the permit holder shall also comply with the following periodic monitoring requirements for the purpose of annual compliance certification under 30 TAC § 122.146:
 - (1) An observation of visible emissions from a building containing an air emission source, enclosed facility, or other structure containing or associated with an air emission source which is required to comply with 30 TAC § 111.111(a)(7)(A) shall be conducted at least once during each calendar quarter unless the air emission source or enclosed facility is not operating for the entire quarter.
 - (2) Records of all observations shall be maintained.
 - (3) Visible emissions observations of air emission sources or enclosed facilities operated during daylight hours shall be conducted no earlier than one hour after sunrise and no later than one hour before sunset. Visible emissions observations of air emission sources or enclosed facilities operated only at night must be made with additional lighting and the temporary installation of contrasting backgrounds. Visible emissions shall be determined with each emissions outlet in clear view of the observer. The observer shall be at least 15 feet, but not more than 0.25 mile, away from each emissions outlet during the observation. For outdoor locations, the observer shall select a position where the sun is not directly in the observer's eyes. When condensed water vapor is present within the plume, as it emerges from the emissions

outlet, observations must be made beyond the point in the plume at which condensed water vapor is no longer visible. When water vapor within the plume condenses and becomes visible at a distance from the emissions outlet, the observation shall be evaluated at the outlet prior to condensation of water vapor. A certified opacity reader is not required for visible emissions observations.

(4) Compliance Certification:

- (a) If visible emissions are not present during the observation, the RO may certify that the source is in compliance with the applicable opacity requirement in 30 TAC § 111.111(a)(7) and (a)(7)(A)
- (b) However, if visible emissions are present during the observation, the permit holder shall either list this occurrence as a deviation on the next deviation report as required under 30 TAC § 122.145(2) or conduct the appropriate opacity test specified in 30 TAC § 111.111(a)(7)(B) to determine if the source is in compliance with the opacity requirements. If an opacity test is performed and the source is determined to be in compliance, the RO may certify that the source is in compliance with the applicable opacity requirement. However, if an opacity test is performed and the source is determined to be out of compliance, the permit holder shall list this occurrence as a deviation on the next deviation report as required under 30 TAC § 122.145(2). The opacity test must be performed by a certified opacity reader.

- C. Certification of opacity readers determining opacities under Method 9 (as outlined in 40 CFR Part 60, Appendix A) to comply with opacity monitoring requirements shall be accomplished by completing the Visible Emissions Evaluators Course, or approved agency equivalent, no more than 180 days before the opacity reading.
- D. Emission limits on nonagricultural processes, except for the steam generators specified in 30 TAC § 111.153, shall comply with the following requirements:
 - (i) Emissions of PM from any source may not exceed the allowable rates as required in 30 TAC § 111.151(a) (relating to Allowable Emissions Limits)

- (ii) Sources with an effective stack height (h_e) less than the standard effective stack height (H_e), must reduce the allowable emission level by multiplying it by $[h_e/H_e]^2$ as required in 30 TAC § 111.151(b)
 - (iii) Effective stack height shall be calculated by the equation specified in 30 TAC § 111.151(c)
 - E. Outdoor burning, as stated in 30 TAC § 111.201, shall not be authorized unless the following requirements are satisfied:
 - (i) Title 30 TAC § 111.205 (relating to Exception for Fire Training)
 - (ii) Title 30 TAC § 111.207 (relating to Exception for Recreation, Ceremony, Cooking, and Warmth)
 - (iii) Title 30 TAC § 111.209 (relating to Exception for Disposal Fires)
 - (iv) Title 30 TAC § 111.219 (relating to General Requirements for Allowable Outdoor Burning)
 - (v) Title 30 TAC § 111.221 (relating to Responsibility for Consequences of Outdoor Burning)
- 4. The permit holder shall comply with the following requirements for units subject to any subpart of 40 CFR Part 60, unless otherwise stated in the applicable subpart:
 - A. Title 40 CFR § 60.7 (relating to Notification and Recordkeeping)
 - B. Title 40 CFR § 60.8 (relating to Performance Tests)
 - C. Title 40 CFR § 60.11 (relating to Compliance with Standards and Maintenance Requirements)
 - D. Title 40 CFR § 60.12 (relating to Circumvention)
 - E. Title 40 CFR § 60.13 (relating to Monitoring Requirements)
 - F. Title 40 CFR § 60.14 (relating to Modification)
 - G. Title 40 CFR § 60.15 (relating to Reconstruction)
 - H. Title 40 CFR § 60.19 (relating to General Notification and Reporting Requirements)
- 5. The permit holder shall comply with the requirements of 30 TAC Chapter 113, Subchapter C, § 113.100 for units subject to any subpart of 40 CFR Part 63, unless otherwise stated in the applicable subpart.

6. The permit holder shall comply with certified registrations submitted to the TCEQ for purposes of establishing federally enforceable emission limits. A copy of the certified registration shall be maintained with the permit. Records sufficient to demonstrate compliance with the established limits shall be maintained. The certified registration and records demonstrating compliance shall be provided, on request, to representatives of the appropriate TCEQ regional office and any local air pollution control agency having jurisdiction over the site. The permit holder shall submit updated certified registrations when changes at the site require establishment of new emission limits. If changes result in emissions that do not remain below major source thresholds, the permit holder shall submit a revision application to codify the appropriate requirements in the permit.

Additional Monitoring Requirements

7. Unless otherwise specified, the permit holder shall comply with the compliance assurance monitoring requirements as specified in the attached “CAM Summary” upon issuance of the permit. In addition, the permit holder shall comply with the following:
 - A. The permit holder shall comply with the terms and conditions contained in 30 TAC § 122.147 (General Terms and Conditions for Compliance Assurance Monitoring).
 - B. The permit holder shall report, consistent with the averaging time identified in the “CAM Summary,” deviations as defined by the deviation limit in the “CAM Summary.” Any monitoring data below a minimum limit or above a maximum limit, that is collected in accordance with the requirements specified in 40 CFR § 64.7(c), shall be reported as a deviation. Deviations shall be reported according to 30 TAC § 122.145 (Reporting Terms and Conditions).
 - C. The permit holder may elect to collect monitoring data on a more frequent basis and average the data, consistent with the averaging time specified in the “CAM Summary,” for purposes of determining whether a deviation has occurred. However, the additional data points must be collected on a regular basis. In no event shall data be collected and used in particular instances in order to avoid reporting deviations. All monitoring data shall be collected in accordance with the requirements specified in 40 CFR § 64.7(c).
 - D. The permit holder shall operate the monitoring, identified in the attached “CAM Summary,” in accordance with the provisions of 40 CFR § 64.7.
8. The permit holder shall comply with the periodic monitoring requirements as specified in the attached “Periodic Monitoring Summary” upon issuance of the permit. Except for, as applicable, monitoring malfunctions, associated repairs, and required quality assurance or control activities (including, as applicable,

calibration checks and required zero and span adjustments), the permit holder shall conduct all monitoring in continuous operation (or shall collect data at all required intervals) at all times that the pollutant-specific emissions unit is operating. The permit holder may elect to collect monitoring data on a more frequent basis and average the data, consistent with the averaging time specified in the “Periodic Monitoring Summary,” for purposes of determining whether a deviation has occurred. However, the additional data points must be collected on a regular basis. In no event shall data be collected and used in particular instances to avoid reporting deviations. Deviations shall be reported according to 30 TAC § 122.145 (Reporting Terms and Conditions).

New Source Review Authorization Requirements

9. Permit holder shall comply with the requirements of New Source Review authorizations issued or claimed by the permit holder for the permitted area, including permits, permits by rule, standard permits, flexible permits, special permits, permits for existing facilities including Voluntary Emissions Reduction Permits and Electric Generating Facility Permits issued under 30 TAC Chapter 116, Subchapter I, or special exemptions referenced in the New Source Review Authorization References attachment. These requirements:
 - A. Are incorporated by reference into this permit as applicable requirements
 - B. Shall be located with this operating permit
 - C. Are not eligible for a permit shield
10. The permit holder shall comply with the general requirements of 30 TAC Chapter 106, Subchapter A or the general requirements, if any, in effect at the time of the claim of any PBR.
11. The permit holder shall maintain records to demonstrate compliance with any emission limitation or standard that is specified in a permit by rule (PBR) or Standard Permit listed in the New Source Review Authorizations attachment. The records shall yield reliable data from the relevant time period that are representative of the emission unit’s compliance with the PBR or Standard Permit. These records may include, but are not limited to, production capacity and throughput, hours of operation, material safety data sheets (MSDS), chemical composition of raw materials, speciation of air contaminant data, engineering calculations, maintenance records, fugitive data, performance tests, capture/control device efficiencies, direct pollutant monitoring (CEMS, COMS, or PEMS), or control device parametric monitoring. These records shall be made readily accessible and available as required by 30 TAC § 122.144.
 - A. If applicable, monitoring of control device performance or general work practice standards shall be made in accordance with the TCEQ Periodic Monitoring Guidance document.

- B. Any monitoring or recordkeeping data indicating noncompliance with the PBR or Standard Permit shall be considered and reported as a deviation according to 30 TAC § 122.145 (Reporting Terms and Conditions).
12. The permit holder shall comply with the following requirements for Air Quality Standard Permits:
- A. Registration requirements listed in 30 TAC § 116.611, unless otherwise provided for in an Air Quality Standard Permit
 - B. General Conditions listed in 30 TAC § 116.615, unless otherwise provided for in an Air Quality Standard Permit
 - C. Applicable requirements of 30 TAC § 116.620 for Installation and/or Modification of Oil and Gas Facilities based on the information contained in the registration application.

Compliance Requirements

13. The permit holder shall certify compliance in accordance with 30 TAC § 122.146. The permit holder shall comply with 30 TAC § 122.146 using at a minimum, but not limited to, the continuous or intermittent compliance method data from monitoring, recordkeeping, reporting, or testing required by the permit and any other credible evidence or information. The certification period may not exceed 12 months and the certification must be submitted within 30 days after the end of the period being certified.
14. Use of Discrete Emission Credits to comply with the applicable requirements:
- A. Unless otherwise prohibited, the permit holder may use discrete emission credits to comply with the following applicable requirements listed elsewhere in this permit:
 - (i) Title 30 TAC Chapter 115
 - (ii) Title 30 TAC Chapter 117
 - (iii) If applicable, offsets for Title 30 TAC Chapter 116
 - (iv) Temporarily exceed state NSR permit allowables
 - B. The permit holder shall comply with the following requirements in order to use the credit to comply with the applicable requirements:
 - (i) The permit holder must notify the TCEQ according to 30 TAC § 101.376(d)
 - (ii) The discrete emission credits to be used must meet all the geographic, timeliness, applicable pollutant type, and availability

requirements listed in 30 TAC Chapter 101, Subchapter H, Division 4

- (iii) The executive director has approved the use of the discrete emission credits according to 30 TAC § 101.376(d)(1)(A)
- (iv) The permit holder keeps records of the use of credits towards compliance with the applicable requirements in accordance with 30 TAC § 101.372(h) and 30 TAC Chapter 122

Risk Management Plan

- 15. For processes subject to 40 CFR Part 68 and specified in 40 CFR § 68.10, the permit holder shall comply with the requirements of the Accidental Release Prevention Provisions in 40 CFR Part 68. The permit holder shall submit to the appropriate agency either a compliance schedule for meeting the requirements of 40 CFR Part 68 by the date provided in 40 CFR § 68.10(a), or as part of the compliance certification submitted under this permit, a certification statement that the source is in compliance with all requirements of 40 CFR Part 68, including the registration and submission of a risk management plan.

Protection of Stratospheric Ozone

- 16. Permit holders at a site subject to Title VI of the FCAA Amendments shall meet the following requirements for protection of stratospheric ozone.
 - A. Any on site servicing, maintenance, and repair on refrigeration and nonmotor vehicle air-conditioning appliances using ozone-depleting refrigerants or non-exempt substitutes shall be conducted in accordance with 40 CFR Part 82, Subpart F. Permit holders shall ensure that repairs on or refrigerant removal from refrigeration and nonmotor vehicle air-conditioning appliances using ozone-depleting refrigerants are performed only by properly certified technicians using certified equipment. Records shall be maintained as required by 40 CFR Part 82, Subpart F.

Permit Location

- 17. The permit holder shall maintain a copy of this permit and records related to requirements listed in this permit at DCP Midstream LP, 370 17th Street, Suite 2500, Denver, Colorado 80202.

Permit Shield (30 TAC § 122.148)

- 18. A permit shield is granted for the emission units, groups, or processes specified in the attached "Permit Shield." Compliance with the conditions of the permit shall be deemed compliance with the specified potentially applicable requirements or specified potentially applicable state-only requirements listed in

the attachment "Permit Shield." Permit shield provisions shall not be modified by the executive director until notification is provided to the permit holder. No later than 90 days after notification of a change in a determination made by the executive director, the permit holder shall apply for the appropriate permit revision to reflect the new determination. Provisional terms are not eligible for this permit shield. Any term or condition, under a permit shield, shall not be protected by the permit shield if it is replaced by a provisional term or condition or the basis of the term and condition changes.

Attachments

Applicable Requirements Summary

Additional Monitoring Requirements

Permit Shield

New Source Review Authorization References

Applicable Requirements Summary

Unit Summary15

Applicable Requirements Summary 18

Note: A “none” entry may be noted for some emission sources in this permit’s “Applicable Requirements Summary” under the heading of “Monitoring and Testing Requirements” and/or “Recordkeeping Requirements” and/or “Reporting Requirements.” Such a notation indicates that there are no requirements for the indicated emission source as identified under the respective column heading(s) for the stated portion of the regulation when the emission source is operating under the conditions of the specified SOP Index Number. However, other relevant requirements pursuant to 30 TAC Chapter 122 including Recordkeeping Terms and Conditions (30 TAC § 122.144), Reporting Terms and Conditions (30 TAC § 122.145), and Compliance Certification Terms and Conditions (30 TAC § 122.146) continue to apply.

Unit Summary

Unit/Group/ Process ID No.	Unit Type	Group/Inclusive Units	SOP Index No.	Regulation	Requirement Driver
H-45A	BOILERS/STEAM GENERATORS/STEAM GENERATING UNITS	N/A	60Dc-0008	40 CFR Part 60, Subpart Dc	No changing attributes.
HEATER-A	BOILERS/STEAM GENERATORS/STEAM GENERATING UNITS	N/A	60Dc-0006	40 CFR Part 60, Subpart Dc	No changing attributes.
HEATER-B	BOILERS/STEAM GENERATORS/STEAM GENERATING UNITS	N/A	60DC-0007	40 CFR Part 60, Subpart Dc	No changing attributes.
AGFLR- 1P/AMTR-	FLARES	N/A	60A-0001	40 CFR Part 60, Subpart A	No changing attributes.
FUG-48	FUGITIVE EMISSION UNITS	N/A	60KKKALL	40 CFR Part 60, Subpart KKK	No changing attributes.
GRP-FUG1	FUGITIVE EMISSION UNITS	FUG-4, TURB- FUG	60KKKALL	40 CFR Part 60, Subpart KKK	No changing attributes.
PRO-AMINE	GAS SWEETENING/SULFU R RECOVERY UNITS	N/A	REG2-0001	30 TAC Chapter 112, Sulfur Compounds	No changing attributes.
COM-17B	SRIC ENGINES	N/A	63ZZZZ	40 CFR Part 63, Subpart ZZZZ	No changing attributes.
COM-18A	SRIC ENGINES	N/A	63ZZZZ	40 CFR Part 63, Subpart ZZZZ	No changing attributes.
COM-19A	SRIC ENGINES	N/A	63ZZZZ	40 CFR Part 63, Subpart ZZZZ	No changing attributes.
COM-34A	SRIC ENGINES	N/A	63ZZZZ	40 CFR Part 63, Subpart	No changing attributes.

Unit Summary

Unit/Group/ Process ID No.	Unit Type	Group/Inclusive Units	SOP Index No.	Regulation	Requirement Driver
				<i>ZZZZ</i>	
COM-35	SRIC ENGINES	N/A	63ZZZZ	40 CFR Part 63, Subpart <i>ZZZZ</i>	No changing attributes.
COM-36	SRIC ENGINES	N/A	63ZZZZ	40 CFR Part 63, Subpart <i>ZZZZ</i>	No changing attributes.
COM-37A	SRIC ENGINES	N/A	63ZZZZ	40 CFR Part 63, Subpart <i>ZZZZ</i>	No changing attributes.
COM-38A	SRIC ENGINES	N/A	63ZZZZ	40 CFR Part 63, Subpart <i>ZZZZ</i>	No changing attributes.
COM-39	SRIC ENGINES	N/A	63ZZZZ	40 CFR Part 63, Subpart <i>ZZZZ</i>	No changing attributes.
COM-46A	SRIC ENGINES	N/A	63ZZZZ	40 CFR Part 63, Subpart <i>ZZZZ</i>	No changing attributes.
COM-47	SRIC ENGINES	N/A	63ZZZZ	40 CFR Part 63, Subpart <i>ZZZZ</i>	No changing attributes.
COM-48	SRIC ENGINES	N/A	60JJJJ-001	40 CFR Part 60, Subpart JJJJ	No changing attributes.
COM-48	SRIC ENGINES	N/A	63ZZZZ	40 CFR Part 63, Subpart <i>ZZZZ</i>	No changing attributes.
TUR-A-4	STATIONARY TURBINES	N/A	60GG-0001	40 CFR Part 60, Subpart GG	No changing attributes.
TUR-B-3	STATIONARY TURBINES	N/A	60GG-0002	40 CFR Part 60, Subpart GG	No changing attributes.
T-A	STORAGE	N/A	60KB-0001	40 CFR Part 60, Subpart	No changing attributes.

Unit Summary

Unit/Group/ Process ID No.	Unit Type	Group/Inclusive Units	SOP Index No.	Regulation	Requirement Driver
	TANKS/VESSELS			Kb	
T-B	STORAGE TANKS/VESSELS	N/A	60KB-0001	40 CFR Part 60, Subpart Kb	No changing attributes.
T-REJECT	STORAGE TANKS/VESSELS	N/A	60KB-0003	40 CFR Part 60, Subpart Kb	No changing attributes.

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
H-45A	EU	60Dc-0008	SO ₂	40 CFR Part 60, Subpart Dc	§ 60.40c(a)	This subpart applies to each steam generating unit constructed, reconstructed, or modified after 6/9/89 and that has a maximum design heat input capacity of 2.9-29 megawatts (MW).	None	§ 60.48c(g)(1) § 60.48c(g)(2) § 60.48c(g)(3) § 60.48c(i)	[G]§ 60.48c(a) § 60.48c(j)
H-45A	EU	60Dc-0008	PM	40 CFR Part 60, Subpart Dc	§ 60.40c(a)	This subpart applies to each steam generating unit constructed, reconstructed, or modified after 6/9/89 and that has a maximum design heat input capacity of 2.9-29 megawatts (MW).	None	§ 60.48c(g)(1) § 60.48c(g)(2) § 60.48c(g)(3) § 60.48c(i)	[G]§ 60.48c(a) § 60.48c(j)
H-45A	EU	60Dc-0008	PM (OPACITY)	40 CFR Part 60, Subpart Dc	§ 60.40c(a)	This subpart applies to each steam generating unit constructed, reconstructed, or modified after 6/9/89 and that has a maximum design heat input capacity of 2.9-29 megawatts (MW).	None	§ 60.48c(g)(1) § 60.48c(g)(2) § 60.48c(g)(3) § 60.48c(i)	[G]§ 60.48c(a) § 60.48c(j)
HEATER-A	EU	60Dc-0006	SO ₂	40 CFR Part 60, Subpart Dc	§ 60.40c(a)	This subpart applies to each steam generating unit constructed, reconstructed, or modified after 6/9/89 and that has a maximum design heat input capacity of 2.9-29 megawatts (MW).	None	§ 60.48c(g) § 60.48c(i)	§ 60.48c(a) § 60.48c(a)(1) § 60.48c(a)(3)
HEATER-A	EU	60Dc-0006	PM	40 CFR Part 60, Subpart Dc	§ 60.40c(a)	This subpart applies to each steam generating unit constructed, reconstructed, or modified after 6/9/89 and that has a maximum design heat input capacity of 2.9-29 megawatts (MW).	None	§ 60.48c(g) § 60.48c(i)	§ 60.48c(a) § 60.48c(a)(1) § 60.48c(a)(3)

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
HEATER-A	EU	60Dc-0006	PM (OPACITY)	40 CFR Part 60, Subpart Dc	§ 60.40c(a)	This subpart applies to each steam generating unit constructed, reconstructed, or modified after 6/9/89 and that has a maximum design heat input capacity of 2.9-29 megawatts (MW).	None	§ 60.48c(g) § 60.48c(i)	§ 60.48c(a) § 60.48c(a)(1) § 60.48c(a)(3)
HEATER-B	EU	60DC-0007	SO ₂	40 CFR Part 60, Subpart Dc	§ 60.40c(a)	This subpart applies to each steam generating unit constructed, reconstructed, or modified after 6/9/89 and that has a maximum design heat input capacity of 2.9-29 megawatts (MW).	None	§ 60.48c(g) § 60.48c(i)	§ 60.48c(a) § 60.48c(a)(1) § 60.48c(a)(3)
HEATER-B	EU	60DC-0007	PM	40 CFR Part 60, Subpart Dc	§ 60.40c(a)	This subpart applies to each steam generating unit constructed, reconstructed, or modified after 6/9/89 and that has a maximum design heat input capacity of 2.9-29 megawatts (MW).	None	§ 60.48c(g) § 60.48c(i)	§ 60.48c(a) § 60.48c(a)(1) § 60.48c(a)(3)
HEATER-B	EU	60DC-0007	PM (OPACITY)	40 CFR Part 60, Subpart Dc	§ 60.40c(a)	This subpart applies to each steam generating unit constructed, reconstructed, or modified after 6/9/89 and that has a maximum design heat input capacity of 2.9-29 megawatts (MW).	None	§ 60.48c(g) § 60.48c(i)	§ 60.48c(a) § 60.48c(a)(1) § 60.48c(a)(3)
AGFLR-1P/AMTR-	CD	60A-0001	OPACITY	40 CFR Part 60, Subpart A	§ 60.18(b) § 60.18(c)(1) § 60.18(c)(2) § 60.18(c)(3)(ii) § 60.18(c)(4)(i) § 60.18(c)(6) § 60.18(e)	Flares shall comply with paragraphs (c)-(f) of § 60.18.	§ 60.18(d) § 60.18(f)(1) § 60.18(f)(2) § 60.18(f)(3) § 60.18(f)(4)	None	None

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
FUG-48	EU	6oKKKAL L	VOC	40 CFR Part 60, Subpart KKK	§ 60.632(f)	An owner or operator shall use this provision instead of §60.485(d)(1). Each piece of equipment is presumed to be in wet gas service unless it is demonstrated that the piece of equipment is not.	§ 60.632(f)	§ 60.632(f)	None
FUG-48	EU	6oKKKAL L	VOC	40 CFR Part 60, Subpart KKK	§ 60.632(a) § 60.482-1(d)	Equipment in vacuum service to comply with §60.482-1(a), (b), and (d) and §60.482-2 to §60.482-10, except as provided in §60.633 or §60.482-1(d).	None	§ 60.486(e) § 60.486(e)(1) § 60.486(e)(5)	None
FUG-48	EU	6oKKKAL L	VOC	40 CFR Part 60, Subpart KKK	§ 60.632(a) § 60.482-1(a) § 60.482-1(b) [G]§ 60.482-3 [G]§ 60.482-9	Comply with the requirements for compressors as stated in §60.482-3 and §60.482-1(a), (b) and (d), except as provided in §60.633.	[G]§ 60.482-3 § 60.485(a) [G]§ 60.485(b) [G]§ 60.485(c) § 60.485(d) § 60.485(d)(2) § 60.485(d)(3) § 60.485(f) § 60.632(d) [G]§ 60.633(h)	[G]§ 60.486(a) [G]§ 60.486(b) [G]§ 60.486(c) § 60.486(e) § 60.486(e)(1) [G]§ 60.486(e)(2) [G]§ 60.486(e)(4) [G]§ 60.486(h) § 60.486(j) § 60.632(e) § 60.635(a)	§ 60.487(a) [G]§ 60.487(b) [G]§ 60.487(c) § 60.487(e) § 60.632(e) [G]§ 60.636
FUG-48	EU	6oKKKAL L	VOC	40 CFR Part 60, Subpart KKK	§ 60.632(a) § 60.482-1(a) § 60.482-1(b) [G]§ 60.482-2 [G]§ 60.482-9 § 60.633(d)	Comply with the requirements for pumps in light liquid service as stated in §60.482-2 and §60.482-1(a), (b) and (d), except as provided in §60.633.	[G]§ 60.482-2 § 60.485(a) [G]§ 60.485(b) [G]§ 60.485(c) § 60.485(d) § 60.485(d)(2) § 60.485(d)(3) [G]§ 60.485(e) § 60.485(f) § 60.632(d) [G]§ 60.633(h)	[G]§ 60.486(a) [G]§ 60.486(b) [G]§ 60.486(c) § 60.486(e) § 60.486(e)(1) [G]§ 60.486(e)(2) [G]§ 60.486(e)(4) [G]§ 60.486(h) § 60.486(j) § 60.632(e) § 60.635(a)	§ 60.487(a) [G]§ 60.487(b) [G]§ 60.487(c) § 60.487(e) § 60.632(e) [G]§ 60.636

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
FUG-48	EU	6oKKKAL L	VOC	40 CFR Part 60, Subpart KKK	§ 60.632(a) § 60.482-1(a) § 60.482-1(b) [G]§ 60.482-4 [G]§ 60.482-9 § 60.633(b)(1) § 60.633(b)(2) [G]§ 60.633(b)(3) [G]§ 60.633(b)(4) § 60.633(d)	Comply with the requirements for pressure relief devices in gas/vapor service as stated in §60.482-4 and 60.482-1(a), (b) and (d), except as provided in §60.633.	[G]§ 60.482-4 § 60.485(a) [G]§ 60.485(b) [G]§ 60.485(c) § 60.485(d) § 60.485(d)(2) § 60.485(d)(3) § 60.485(f) § 60.632(d) [G]§ 60.633(h)	[G]§ 60.486(a) § 60.486(e) § 60.486(e)(1) § 60.486(e)(3) [G]§ 60.486(e)(4) § 60.486(j) § 60.632(e) § 60.635(a) [G]§ 60.635(b)	§ 60.487(a) [G]§ 60.487(b) [G]§ 60.487(c) § 60.487(e) § 60.632(e) [G]§ 60.636
FUG-48	EU	6oKKKAL L	VOC	40 CFR Part 60, Subpart KKK	§ 60.632(a) § 60.482-1(a) § 60.482-1(b) [G]§ 60.482-6 [G]§ 60.482-9	Comply with the requirements for open-ended valves or lines as stated in §60.482-6 and §60.482-1(a), (b) and (d), except as provided in §60.633.	§ 60.485(a) [G]§ 60.485(b) § 60.485(d) § 60.485(d)(2) § 60.485(d)(3) § 60.485(f) § 60.632(d) [G]§ 60.633(h)	[G]§ 60.486(a) § 60.486(e) § 60.486(e)(1) § 60.486(j) § 60.632(e) § 60.635(a)	§ 60.487(a) [G]§ 60.487(b) [G]§ 60.487(c) § 60.487(e) § 60.632(e) [G]§ 60.636
FUG-48	EU	6oKKKAL L	VOC	40 CFR Part 60, Subpart KKK	§ 60.632(a) § 60.482-1(a) § 60.482-1(b) [G]§ 60.482-7 [G]§ 60.482-9 [G]§ 60.483-1 [G]§ 60.483-2 § 60.632(b) § 60.633(d)	Comply with the requirements for valves in gas/vapor service as stated in §60.482-7 and §60.482-1(a), (b) and (d), except as provided in §60.633.	[G]§ 60.482-7 [G]§ 60.483-1 [G]§ 60.483-2 § 60.485(a) [G]§ 60.485(b) [G]§ 60.485(c) § 60.485(d) § 60.485(d)(2) § 60.485(d)(3) [G]§ 60.485(e) § 60.485(f) § 60.632(d) [G]§ 60.633(h)	[G]§ 60.486(a) [G]§ 60.486(b) [G]§ 60.486(c) § 60.486(e) § 60.486(e)(1) [G]§ 60.486(e)(2) [G]§ 60.486(e)(4) [G]§ 60.486(f) [G]§ 60.486(g) § 60.486(j) § 60.632(e) § 60.635(a)	§ 60.487(a) [G]§ 60.487(b) [G]§ 60.487(c) § 60.487(d) § 60.487(e) § 60.632(e) [G]§ 60.636
FUG-48	EU	6oKKKAL L	VOC	40 CFR Part 60, Subpart KKK	§ 60.632(a) § 60.482-1(a) § 60.482-1(b) [G]§ 60.482-8 [G]§ 60.482-9	Comply with the requirements for pumps in heavy liquid service as stated in §60.482-8, except as provided in §60.633.	[G]§ 60.482-8 § 60.485(a) [G]§ 60.485(b) § 60.485(d) § 60.485(d)(2) § 60.485(d)(3)	[G]§ 60.486(a) [G]§ 60.486(b) [G]§ 60.486(c) § 60.486(e) § 60.486(e)(1) § 60.486(j)	§ 60.487(a) [G]§ 60.487(b) [G]§ 60.487(c) § 60.487(e) § 60.632(e) [G]§ 60.636

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
							[G]§ 60.485(e) § 60.485(f) § 60.632(d) [G]§ 60.633(h)	§ 60.632(e) § 60.635(a)	
FUG-48	EU	6oKKKAL L	VOC	40 CFR Part 60, Subpart KKK	§ 60.632(a) § 60.482-1(a) § 60.482-1(b) [G]§ 60.482-7 [G]§ 60.482-9 [G]§ 60.483-1 [G]§ 60.483-2 § 60.632(b) § 60.633(d)	Comply with the requirements for valves in light-liquid service as stated in §60.482-7 and §60.482-1(a), (b) and (d), except as provided in §60.633.	[G]§ 60.482-7 [G]§ 60.483-1 [G]§ 60.483-2 § 60.485(a) [G]§ 60.485(b) [G]§ 60.485(c) § 60.485(d) § 60.485(d)(2) § 60.485(d)(3) [G]§ 60.485(e) § 60.485(f) § 60.632(d) [G]§ 60.633(h)	[G]§ 60.486(a) [G]§ 60.486(b) [G]§ 60.486(c) § 60.486(e) § 60.486(e)(1) [G]§ 60.486(e)(2) [G]§ 60.486(e)(4) [G]§ 60.486(f) [G]§ 60.486(g) § 60.486(j) § 60.632(e) § 60.635(a)	§ 60.487(a) [G]§ 60.487(b) [G]§ 60.487(c) § 60.487(d) § 60.487(e) § 60.632(e) [G]§ 60.636
FUG-48	EU	6oKKKAL L	VOC	40 CFR Part 60, Subpart KKK	§ 60.632(a) § 60.482-1(a) § 60.482-1(b) [G]§ 60.482-8 [G]§ 60.482-9	Comply with the requirements for valves in heavy liquid service as stated in §60.482-8, except as provided in §60.633.	[G]§ 60.482-8 § 60.485(a) [G]§ 60.485(b) § 60.485(d) § 60.485(d)(2) § 60.485(d)(3) [G]§ 60.485(e) § 60.485(f) § 60.632(d) [G]§ 60.633(h)	[G]§ 60.486(a) [G]§ 60.486(b) [G]§ 60.486(c) § 60.486(e) § 60.486(e)(1) § 60.486(j) § 60.632(e) § 60.635(a)	§ 60.487(a) [G]§ 60.487(b) [G]§ 60.487(c) § 60.487(e) § 60.632(e) [G]§ 60.636
FUG-48	EU	6oKKKAL L	VOC	40 CFR Part 60, Subpart KKK	§ 60.632(a) § 60.482-1(a) § 60.482-1(b) [G]§ 60.482-8 [G]§ 60.482-9	Comply with the requirements for flanges and other connectors as stated in §60.482-8, except as provided in §60.633.	[G]§ 60.482-8 § 60.485(a) [G]§ 60.485(b) § 60.485(d) § 60.485(d)(2) § 60.485(d)(3) [G]§ 60.485(e) § 60.485(f) § 60.632(d) [G]§ 60.633(h)	[G]§ 60.486(a) [G]§ 60.486(b) [G]§ 60.486(c) § 60.486(e) § 60.486(e)(1) § 60.486(j) § 60.632(e) § 60.635(a)	§ 60.487(a) [G]§ 60.487(b) [G]§ 60.487(c) § 60.487(e) § 60.632(e) [G]§ 60.636

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
FUG-48	EU	6oKKKAL L	VOC	40 CFR Part 60, Subpart KKK	§ 60.633(f)	Reciprocating compressors in wet gas service are exempt from the compressor control requirements of §60.482-3.	None	§ 60.486(j) § 60.635(a) § 60.635(c)	None
FUG-48	EU	6oKKKAL L	VOC	40 CFR Part 60, Subpart KKK	§ 60.632(a) § 60.482-1(a) § 60.482-1(b) [G]§ 60.482-8 [G]§ 60.482-9	Comply with the requirements for pressure relief devices in light-liquid service as stated in §60.482-8, except as provided in §60.633.	[G]§ 60.482-8 § 60.485(a) [G]§ 60.485(b) § 60.485(d) § 60.485(d)(2) § 60.485(d)(3) [G]§ 60.485(e) § 60.485(f) § 60.632(d) [G]§ 60.633(h)	[G]§ 60.486(a) [G]§ 60.486(b) [G]§ 60.486(c) § 60.486(e) § 60.486(e)(1) § 60.486(j) § 60.632(e) § 60.635(a)	§ 60.487(a) [G]§ 60.487(b) [G]§ 60.487(c) § 60.487(e) § 60.632(e) [G]§ 60.636
FUG-48	EU	6oKKKAL L	VOC	40 CFR Part 60, Subpart KKK	§ 60.632(a) § 60.482-1(a) § 60.482-1(b) [G]§ 60.482-8 [G]§ 60.482-9	Comply with the requirements for pressure relief devices in heavy-liquid service as stated in §60.482-8, except as provided in §60.633.	[G]§ 60.482-8 § 60.485(a) [G]§ 60.485(b) § 60.485(d) § 60.485(d)(2) § 60.485(d)(3) [G]§ 60.485(e) § 60.485(f) § 60.632(d) [G]§ 60.633(h)	[G]§ 60.486(a) [G]§ 60.486(b) [G]§ 60.486(c) § 60.486(e) § 60.486(e)(1) § 60.486(j) § 60.632(e) § 60.635(a)	§ 60.487(a) [G]§ 60.487(b) [G]§ 60.487(c) § 60.487(e) § 60.632(e) [G]§ 60.636
GRP-FUG1	EU	6oKKKAL L	VOC	40 CFR Part 60, Subpart KKK	§ 60.632(f)	An owner or operator shall use this provision instead of §60.485(d)(1). Each piece of equipment is presumed to be in wet gas service unless it is demonstrated that the piece of equipment is not.	§ 60.632(f)	§ 60.632(f)	None
GRP-FUG1	EU	6oKKKAL L	VOC	40 CFR Part 60, Subpart KKK	§ 60.632(a) § 60.482-1(d)	Equipment in vacuum service to comply with §60.482-1(a), (b), and (d)	None	§ 60.486(e) § 60.486(e)(1) § 60.486(e)(5)	None

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
						and §60.482-2 to §60.482-10, except as provided in §60.633 or §60.482-1(d).			
GRP-FUG1	EU	6oKKKAL L	VOC	40 CFR Part 60, Subpart KKK	§ 60.632(a) § 60.482-1(a) § 60.482-1(b) [G]§ 60.482-3 [G]§ 60.482-9	Comply with the requirements for compressors as stated in §60.482-3 and §60.482-1(a), (b) and (d), except as provided in §60.633.	[G]§ 60.482-3 § 60.485(a) [G]§ 60.485(b) [G]§ 60.485(c) § 60.485(d) § 60.485(d)(2) § 60.485(d)(3) § 60.485(f) § 60.632(d) [G]§ 60.633(h)	[G]§ 60.486(a) [G]§ 60.486(b) [G]§ 60.486(c) § 60.486(e) § 60.486(e)(1) [G]§ 60.486(e)(2) [G]§ 60.486(e)(4) [G]§ 60.486(h) § 60.486(j) § 60.632(e) § 60.635(a)	§ 60.487(a) [G]§ 60.487(b) [G]§ 60.487(c) § 60.487(e) § 60.632(e) [G]§ 60.636
GRP-FUG1	EU	6oKKKAL L	VOC	40 CFR Part 60, Subpart KKK	§ 60.632(a) § 60.482-1(a) § 60.482-1(b) [G]§ 60.482-2 [G]§ 60.482-9 § 60.633(d)	Comply with the requirements for pumps in light liquid service as stated in §60.482-2 and §60.482-1(a), (b) and (d), except as provided in §60.633.	[G]§ 60.482-2 § 60.485(a) [G]§ 60.485(b) [G]§ 60.485(c) § 60.485(d) § 60.485(d)(2) § 60.485(d)(3) [G]§ 60.485(e) § 60.485(f) § 60.632(d) [G]§ 60.633(h)	[G]§ 60.486(a) [G]§ 60.486(b) [G]§ 60.486(c) § 60.486(e) § 60.486(e)(1) [G]§ 60.486(e)(2) [G]§ 60.486(e)(4) [G]§ 60.486(h) § 60.486(j) § 60.632(e) § 60.635(a)	§ 60.487(a) [G]§ 60.487(b) [G]§ 60.487(c) § 60.487(e) § 60.632(e) [G]§ 60.636
GRP-FUG1	EU	6oKKKAL L	VOC	40 CFR Part 60, Subpart KKK	§ 60.632(a) § 60.482-1(a) § 60.482-1(b) [G]§ 60.482-4 [G]§ 60.482-9 § 60.633(b)(1) § 60.633(b)(2) [G]§ 60.633(b)(3) [G]§ 60.633(b)(4) § 60.633(d)	Comply with the requirements for pressure relief devices in gas/vapor service as stated in §60.482-4 and 60.482-1(a), (b) and (d), except as provided in §60.633.	[G]§ 60.482-4 § 60.485(a) [G]§ 60.485(b) [G]§ 60.485(c) § 60.485(d) § 60.485(d)(2) § 60.485(d)(3) § 60.485(f) § 60.632(d) [G]§ 60.633(h)	[G]§ 60.486(a) § 60.486(e) § 60.486(e)(1) § 60.486(e)(3) [G]§ 60.486(e)(4) § 60.486(j) § 60.632(e) § 60.635(a) [G]§ 60.635(b)	§ 60.487(a) [G]§ 60.487(b) [G]§ 60.487(c) § 60.487(e) § 60.632(e) [G]§ 60.636
GRP-FUG1	EU	6oKKKAL	VOC	40 CFR Part 60,	§ 60.632(a)	Comply with the	§ 60.485(a)	[G]§ 60.486(a)	§ 60.487(a)

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
		L		Subpart KKK	§ 60.482-1(a) § 60.482-1(b) [G]§ 60.482-6 [G]§ 60.482-9	requirements for open-ended valves or lines as stated in §60.482-6 and §60.482-1(a), (b) and (d), except as provided in §60.633.	[G]§ 60.485(b) § 60.485(d) § 60.485(d)(2) § 60.485(d)(3) § 60.485(f) § 60.632(d) [G]§ 60.633(h)	§ 60.486(e) § 60.486(e)(1) § 60.486(j) § 60.632(e) § 60.635(a)	[G]§ 60.487(b) [G]§ 60.487(c) § 60.487(e) § 60.632(e) [G]§ 60.636
GRP-FUG1	EU	60KKKAL L	VOC	40 CFR Part 60, Subpart KKK	§ 60.632(a) § 60.482-1(a) § 60.482-1(b) [G]§ 60.482-7 [G]§ 60.482-9 [G]§ 60.483-1 [G]§ 60.483-2 § 60.632(b) § 60.633(d)	Comply with the requirements for valves in gas/vapor service as stated in §60.482-7 and §60.482-1(a), (b) and (d), except as provided in §60.633.	[G]§ 60.482-7 [G]§ 60.483-1 [G]§ 60.483-2 § 60.485(a) [G]§ 60.485(b) [G]§ 60.485(c) § 60.485(d) § 60.485(d)(2) § 60.485(d)(3) [G]§ 60.485(e) § 60.485(f) § 60.632(d) [G]§ 60.633(h)	[G]§ 60.486(a) [G]§ 60.486(b) [G]§ 60.486(c) § 60.486(e) § 60.486(e)(1) [G]§ 60.486(e)(2) [G]§ 60.486(e)(4) [G]§ 60.486(f) [G]§ 60.486(g) § 60.486(j) § 60.632(e) § 60.635(a)	§ 60.487(a) [G]§ 60.487(b) [G]§ 60.487(c) § 60.487(d) § 60.487(e) § 60.632(e) [G]§ 60.636
GRP-FUG1	EU	60KKKAL L	VOC	40 CFR Part 60, Subpart KKK	§ 60.632(a) § 60.482-1(a) § 60.482-1(b) [G]§ 60.482-8 [G]§ 60.482-9	Comply with the requirements for pumps in heavy liquid service as stated in §60.482-8, except as provided in §60.633.	[G]§ 60.482-8 § 60.485(a) [G]§ 60.485(b) § 60.485(d) § 60.485(d)(2) § 60.485(d)(3) [G]§ 60.485(e) § 60.485(f) § 60.632(d) [G]§ 60.633(h)	[G]§ 60.486(a) [G]§ 60.486(b) [G]§ 60.486(c) § 60.486(e) § 60.486(e)(1) § 60.486(j) § 60.632(e) § 60.635(a)	§ 60.487(a) [G]§ 60.487(b) [G]§ 60.487(c) § 60.487(e) § 60.632(e) [G]§ 60.636
GRP-FUG1	EU	60KKKAL L	VOC	40 CFR Part 60, Subpart KKK	§ 60.632(a) § 60.482-1(a) § 60.482-1(b) [G]§ 60.482-7 [G]§ 60.482-9 [G]§ 60.483-1 [G]§ 60.483-2	Comply with the requirements for valves in light-liquid service as stated in §60.482-7 and §60.482-1(a), (b) and (d), except as provided in §60.633.	[G]§ 60.482-7 [G]§ 60.483-1 [G]§ 60.483-2 § 60.485(a) [G]§ 60.485(b) [G]§ 60.485(c) § 60.485(d)	[G]§ 60.486(a) [G]§ 60.486(b) [G]§ 60.486(c) § 60.486(e) § 60.486(e)(1) [G]§ 60.486(e)(2) [G]§ 60.486(e)(4)	§ 60.487(a) [G]§ 60.487(b) [G]§ 60.487(c) § 60.487(d) § 60.487(e) § 60.632(e) [G]§ 60.636

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
					§ 60.632(b) § 60.633(d)		§ 60.485(d)(2) § 60.485(d)(3) [G]§ 60.485(e) § 60.485(f) § 60.632(d) [G]§ 60.633(h)	[G]§ 60.486(f) [G]§ 60.486(g) § 60.486(j) § 60.632(e) § 60.635(a)	
GRP-FUG1	EU	60KKKAL L	VOC	40 CFR Part 60, Subpart KKK	§ 60.632(a) § 60.482-1(a) § 60.482-1(b) [G]§ 60.482-8 [G]§ 60.482-9	Comply with the requirements for valves in heavy liquid service as stated in §60.482-8, except as provided in §60.633.	[G]§ 60.482-8 § 60.485(a) [G]§ 60.485(b) § 60.485(d) § 60.485(d)(2) § 60.485(d)(3) [G]§ 60.485(e) § 60.485(f) § 60.632(d) [G]§ 60.633(h)	[G]§ 60.486(a) [G]§ 60.486(b) [G]§ 60.486(c) § 60.486(e) § 60.486(e)(1) § 60.486(j) § 60.632(e) § 60.635(a)	§ 60.487(a) [G]§ 60.487(b) [G]§ 60.487(c) § 60.487(e) § 60.632(e) [G]§ 60.636
GRP-FUG1	EU	60KKKAL L	VOC	40 CFR Part 60, Subpart KKK	§ 60.632(a) § 60.482-1(a) § 60.482-1(b) [G]§ 60.482-8 [G]§ 60.482-9	Comply with the requirements for flanges and other connectors as stated in §60.482-8, except as provided in §60.633.	[G]§ 60.482-8 § 60.485(a) [G]§ 60.485(b) § 60.485(d) § 60.485(d)(2) § 60.485(d)(3) [G]§ 60.485(e) § 60.485(f) § 60.632(d) [G]§ 60.633(h)	[G]§ 60.486(a) [G]§ 60.486(b) [G]§ 60.486(c) § 60.486(e) § 60.486(e)(1) § 60.486(j) § 60.632(e) § 60.635(a)	§ 60.487(a) [G]§ 60.487(b) [G]§ 60.487(c) § 60.487(e) § 60.632(e) [G]§ 60.636
GRP-FUG1	EU	60KKKAL L	VOC	40 CFR Part 60, Subpart KKK	§ 60.633(f)	Reciprocating compressors in wet gas service are exempt from the compressor control requirements of §60.482-3.	None	§ 60.486(j) § 60.635(a) § 60.635(c)	None
GRP-FUG1	EU	60KKKAL L	VOC	40 CFR Part 60, Subpart KKK	§ 60.632(a) § 60.482-1(a) § 60.482-1(b) [G]§ 60.482-8 [G]§ 60.482-9	Comply with the requirements for pressure relief devices in light-liquid service as stated in §60.482-8, except as provided in	[G]§ 60.482-8 § 60.485(a) [G]§ 60.485(b) § 60.485(d) § 60.485(d)(2)	[G]§ 60.486(a) [G]§ 60.486(b) [G]§ 60.486(c) § 60.486(e) § 60.486(e)(1)	§ 60.487(a) [G]§ 60.487(b) [G]§ 60.487(c) § 60.487(e) § 60.632(e)

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
						§60.633.	§ 60.485(d)(3) [G]§ 60.485(e) § 60.485(f) § 60.632(d) [G]§ 60.633(h)	§ 60.486(j) § 60.632(e) § 60.635(a)	[G]§ 60.636
GRP-FUG1	EU	6oKKKAL L	VOC	40 CFR Part 60, Subpart KKK	§ 60.632(a) § 60.482-1(a) § 60.482-1(b) [G]§ 60.482-8 [G]§ 60.482-9	Comply with the requirements for pressure relief devices in heavy-liquid service as stated in §60.482-8, except as provided in §60.633.	[G]§ 60.482-8 § 60.485(a) [G]§ 60.485(b) § 60.485(d) § 60.485(d)(2) § 60.485(d)(3) [G]§ 60.485(e) § 60.485(f) § 60.632(d) [G]§ 60.633(h)	[G]§ 60.486(a) [G]§ 60.486(b) [G]§ 60.486(c) § 60.486(e) § 60.486(e)(1) § 60.486(j) § 60.632(e) § 60.635(a)	§ 60.487(a) [G]§ 60.487(b) [G]§ 60.487(c) § 60.487(e) § 60.632(e) [G]§ 60.636
PRO-AMINE	EU	REG2-0001	SO ₂	30 TAC Chapter 112, Sulfur Compounds	§ 112.7(a)	No person may cause, suffer, allow, or permit emissions of SO ₂ to exceed the emission limits specified for stack effluent flow rates < 4,000 scfm as determined by the specified equation.	§ 112.2(a) ** See CAM Summary	§ 112.2(c)	§ 112.2(b)
COM-17B	EU	63ZZZZ	FORMALD EHYDE	40 CFR Part 63, Subpart ZZZZ	§ 63.6600(a)-Table1a.1.a § 63.6595(c) § 63.6600(a)-Table1b.1.a § 63.6605(a) § 63.6605(b) § 63.6630(a) § 63.6640(b) § 63.6640(d) § 63.6665	For each 4SRB stationary RICE you must reduce formaldehyde emissions by 76% or more. If you commenced construction or reconstruction between December 19, 2002 and June 15, 2004, you may reduce formaldehyde emissions by 75% or more until June 15, 2007.	§ 63.6610(a) § 63.6610(b) § 63.6610(c) [G]§ 63.6610(d) § 63.6615 § 63.6620(a) § 63.6620(a)-Table4.2.a.i § 63.6620(a)-Table4.2.a.ii § 63.6620(a)-Table4.2.a.iii § 63.6620(a)-Table4.2.a.iv § 63.6620(b)	§ 63.6635(a) § 63.6635(c) [G]§ 63.6655(a) [G]§ 63.6655(b) § 63.6655(d) § 63.6660(a) § 63.6660(b) § 63.6660(c)	§ 63.6630(c) § 63.6640(b) § 63.6640(e) § 63.6645(a) § 63.6645(b) § 63.6645(c) § 63.6645(g) § 63.6645(h) § 63.6645(h)(1) § 63.6645(h)(2) § 63.6650(a) § 63.6650(a)-Table7.1.a § 63.6650(a)-Table7.1.b § 63.6650(a)-Table7.1.c § 63.6650(a)-Table7.2.a

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
							§ 63.6620(c) § 63.6620(d) § 63.6620(e)(1) [G]§ 63.6620(e)(2) § 63.6625(b) § 63.6625(b)-Table5.4.a.i § 63.6625(b)-Table5.4.a.ii § 63.6625(b)-Table5.4.a.iii § 63.6635(a) § 63.6635(b) § 63.6640(a) § 63.6640(a)-Table6.4.a.i § 63.6640(a)-Table6.4.a.ii § 63.6640(a)-Table6.4.a.iii § 63.6640(a)-Table6.4.a.iv § 63.6640(b)		§ 63.6650(a)-Table7.2.b § 63.6650(b) § 63.6650(b)(1) § 63.6650(b)(2) § 63.6650(b)(3) § 63.6650(b)(4) [G]§ 63.6650(c) [G]§ 63.6650(e) § 63.6650(f)
COM-18A	EU	63ZZZZ	FORMALD EHYDE	40 CFR Part 63, Subpart ZZZZ	§ 63.6600(a)-Table1a.1.a § 63.6595(c) § 63.6600(a)-Table1b.1.a § 63.6605(a) § 63.6605(b) § 63.6630(a) § 63.6640(b) § 63.6640(d) § 63.6665	For each 4SRB stationary RICE you must reduce formaldehyde emissions by 76% or more. If you commenced construction or reconstruction between December 19, 2002 and June 15, 2004, you may reduce formaldehyde emissions by 75% or more until June 15, 2007.	§ 63.6610(a) § 63.6610(b) § 63.6610(c) [G]§ 63.6610(d) § 63.6615 § 63.6620(a) § 63.6620(a)-Table4.2.a.i § 63.6620(a)-Table4.2.a.ii § 63.6620(a)-Table4.2.a.iii § 63.6620(a)-Table4.2.a.iv § 63.6620(b) § 63.6620(c)	§ 63.6635(a) § 63.6635(c) [G]§ 63.6655(a) [G]§ 63.6655(b) § 63.6655(d) § 63.6660(a) § 63.6660(b) § 63.6660(c)	§ 63.6630(c) § 63.6640(b) § 63.6640(e) § 63.6645(a) § 63.6645(b) § 63.6645(c) § 63.6645(g) § 63.6645(h) § 63.6645(h)(1) § 63.6645(h)(2) § 63.6650(a) § 63.6650(a)-Table7.1.a § 63.6650(a)-Table7.1.b § 63.6650(a)-Table7.1.c § 63.6650(a)-Table7.2.a § 63.6650(a)-Table7.2.b

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
							§ 63.6620(d) § 63.6620(e)(1) [G]§ 63.6620(e)(2) § 63.6625(b) § 63.6625(b)-Table5.4.a.i § 63.6625(b)-Table5.4.a.ii § 63.6625(b)-Table5.4.a.iii § 63.6635(a) § 63.6635(b) § 63.6640(a) § 63.6640(a)-Table6.4.a.i § 63.6640(a)-Table6.4.a.ii § 63.6640(a)-Table6.4.a.iii § 63.6640(a)-Table6.4.a.iv § 63.6640(b)		§ 63.6650(b) § 63.6650(b)(1) § 63.6650(b)(2) § 63.6650(b)(3) § 63.6650(b)(4) [G]§ 63.6650(c) [G]§ 63.6650(e) § 63.6650(f)
COM-19A	EU	63ZZZZ	FORMALD EHYDE	40 CFR Part 63, Subpart ZZZZ	§ 63.6600(a)-Table1a.1.a § 63.6595(c) § 63.6600(a)-Table1b.1.a § 63.6605(a) § 63.6605(b) § 63.6630(a) § 63.6630(b) § 63.6640(b) § 63.6640(d) § 63.6665	For each 4SRB stationary RICE you must reduce formaldehyde emissions by 76% or more. If you commenced construction or reconstruction between December 19, 2002 and June 15, 2004, you may reduce formaldehyde emissions by 75% or more until June 15, 2007.	§ 63.6610(a) § 63.6610(b) § 63.6610(c) § 63.6615 § 63.6620(a) § 63.6620(a)-Table4.2.a.i § 63.6620(a)-Table4.2.a.ii § 63.6620(a)-Table4.2.a.iii § 63.6620(a)-Table4.2.a.iv § 63.6620(b) § 63.6620(c) § 63.6620(d) § 63.6620(e)(1)	§ 63.6635(a) § 63.6635(c) [G]§ 63.6655(a) [G]§ 63.6655(b) § 63.6655(d) § 63.6660(a) § 63.6660(b) § 63.6660(c)	§ 63.6630(c) § 63.6640(b) § 63.6640(e) § 63.6645(a) § 63.6645(b) § 63.6645(c) § 63.6645(g) § 63.6645(h) § 63.6645(h)(1) § 63.6645(h)(2) § 63.6650(a) § 63.6650(a)-Table7.1.a § 63.6650(a)-Table7.1.b § 63.6650(a)-Table7.1.c § 63.6650(a)-Table7.2.a § 63.6650(a)-Table7.2.b § 63.6650(b)

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
							[G]§ 63.6620(e)(2) § 63.6625(b) § 63.6625(b)-Table5.4.a.i § 63.6625(b)-Table5.4.a.ii § 63.6625(b)-Table5.4.a.iii § 63.6635(a) § 63.6635(b) § 63.6640(a) § 63.6640(a)-Table6.4.a.i § 63.6640(a)-Table6.4.a.ii § 63.6640(a)-Table6.4.a.iii § 63.6640(a)-Table6.4.a.iv § 63.6640(b)		§ 63.6650(b)(1) § 63.6650(b)(2) § 63.6650(b)(3) § 63.6650(b)(4) [G]§ 63.6650(c) [G]§ 63.6650(e) § 63.6650(f)
COM-34A	EU	63ZZZZ	FORMALD EHYDE	40 CFR Part 63, Subpart ZZZZ	§ 63.6600(a)-Table1a.1.a § 63.6595(c) § 63.6600(a)-Table1b.1.a § 63.6605(a) § 63.6605(b) § 63.6630(a) § 63.6630(b) § 63.6640(b) § 63.6640(d) § 63.6665	For each 4SRB stationary RICE you must reduce formaldehyde emissions by 76% or more. If you commenced construction or reconstruction between December 19, 2002 and June 15, 2004, you may reduce formaldehyde emissions by 75% or more until June 15, 2007.	§ 63.6610(a) § 63.6610(b) § 63.6610(c) § 63.6615 § 63.6620(a) § 63.6620(a)-Table4.2.a.i § 63.6620(a)-Table4.2.a.ii § 63.6620(a)-Table4.2.a.iii § 63.6620(a)-Table4.2.a.iv § 63.6620(b) § 63.6620(c) § 63.6620(d) § 63.6620(e)(1) [G]§ 63.6620(e)(2) § 63.6625(b)	§ 63.6635(a) § 63.6635(c) [G]§ 63.6655(a) [G]§ 63.6655(b) § 63.6655(d) § 63.6660(a) § 63.6660(b) § 63.6660(c)	§ 63.6630(c) § 63.6640(b) § 63.6640(e) § 63.6645(a) § 63.6645(b) § 63.6645(c) § 63.6645(g) § 63.6645(h) § 63.6645(h)(1) § 63.6645(h)(2) § 63.6650(a) § 63.6650(a)-Table7.1.a § 63.6650(a)-Table7.1.b § 63.6650(a)-Table7.1.c § 63.6650(a)-Table7.2.a § 63.6650(a)-Table7.2.b § 63.6650(b) § 63.6650(b)(1) § 63.6650(b)(2)

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
							§ 63.6625(b)-Table5.4.a.i § 63.6625(b)-Table5.4.a.ii § 63.6625(b)-Table5.4.a.iii § 63.6635(a) § 63.6635(b) § 63.6640(a) § 63.6640(a)-Table6.4.a.i § 63.6640(a)-Table6.4.a.ii § 63.6640(a)-Table6.4.a.iii § 63.6640(a)-Table6.4.a.iv § 63.6640(b)		§ 63.6650(b)(3) § 63.6650(b)(4) [G]§ 63.6650(c) [G]§ 63.6650(e) § 63.6650(f)
COM-35	EU	63ZZZZ	FORMALD EHYDE	40 CFR Part 63, Subpart ZZZZ	§ 63.6600(a)-Table1a.1.a § 63.6595(c) § 63.6600(a)-Table1b.1.a § 63.6605(a) § 63.6605(b) § 63.6630(a) § 63.6630(b) § 63.6640(b) § 63.6640(d) § 63.6665	For each 4SRB stationary RICE you must reduce formaldehyde emissions by 76% or more. If you commenced construction or reconstruction between December 19, 2002 and June 15, 2004, you may reduce formaldehyde emissions by 75% or more until June 15, 2007.	§ 63.6610(a) § 63.6610(b) § 63.6610(c) § 63.6615 § 63.6620(a) § 63.6620(a)-Table4.2.a.i § 63.6620(a)-Table4.2.a.ii § 63.6620(a)-Table4.2.a.iii § 63.6620(a)-Table4.2.a.iv § 63.6620(b) § 63.6620(c) § 63.6620(d) § 63.6620(e)(1) [G]§ 63.6620(e)(2) § 63.6625(b) § 63.6625(b)-Table5.4.a.i	§ 63.6635(a) § 63.6635(c) [G]§ 63.6655(a) [G]§ 63.6655(b) § 63.6655(d) § 63.6660(a) § 63.6660(b) § 63.6660(c)	§ 63.6630(c) § 63.6640(b) § 63.6640(e) § 63.6645(a) § 63.6645(b) § 63.6645(c) § 63.6645(g) § 63.6645(h) § 63.6645(h)(1) § 63.6645(h)(2) § 63.6650(a) § 63.6650(a)-Table7.1.a § 63.6650(a)-Table7.1.b § 63.6650(a)-Table7.1.c § 63.6650(a)-Table7.2.a § 63.6650(a)-Table7.2.b § 63.6650(b) § 63.6650(b)(1) § 63.6650(b)(2) § 63.6650(b)(3) § 63.6650(b)(4)

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
							§ 63.6625(b)-Table5.4.a.ii § 63.6625(b)-Table5.4.a.iii § 63.6635(a) § 63.6635(b) § 63.6640(a) § 63.6640(a)-Table6.4.a.i § 63.6640(a)-Table6.4.a.ii § 63.6640(a)-Table6.4.a.iii § 63.6640(a)-Table6.4.a.iv § 63.6640(b)		[G]§ 63.6650(c) [G]§ 63.6650(e) § 63.6650(f)
COM-36	EU	63ZZZZ	FORMALD EHYDE	40 CFR Part 63, Subpart ZZZZ	§ 63.6600(a)-Table1a.1.a § 63.6595(c) § 63.6600(a)-Table1b.1.a § 63.6605(a) § 63.6605(b) § 63.6630(a) § 63.6630(b) § 63.6640(b) § 63.6640(d) § 63.6665	For each 4SRB stationary RICE you must reduce formaldehyde emissions by 76% or more. If you commenced construction or reconstruction between December 19, 2002 and June 15, 2004, you may reduce formaldehyde emissions by 75% or more until June 15, 2007.	§ 63.6610(a) § 63.6610(b) § 63.6610(c) § 63.6615 § 63.6620(a) § 63.6620(a)-Table4.2.a.i § 63.6620(a)-Table4.2.a.ii § 63.6620(a)-Table4.2.a.iii § 63.6620(a)-Table4.2.a.iv § 63.6620(b) § 63.6620(c) § 63.6620(d) § 63.6620(e)(1) [G]§ 63.6620(e)(2) § 63.6625(b) § 63.6625(b)-Table5.4.a.i § 63.6625(b)-Table5.4.a.ii	§ 63.6635(a) § 63.6635(c) [G]§ 63.6655(a) [G]§ 63.6655(b) § 63.6655(d) § 63.6660(a) § 63.6660(b) § 63.6660(c)	§ 63.6630(c) § 63.6640(b) § 63.6640(e) § 63.6645(a) § 63.6645(b) § 63.6645(c) § 63.6645(f) § 63.6645(h) § 63.6645(h)(1) § 63.6645(h)(2) § 63.6650(a) § 63.6650(a)-Table7.1.a § 63.6650(a)-Table7.1.b § 63.6650(a)-Table7.1.c § 63.6650(a)-Table7.2.a § 63.6650(a)-Table7.2.b § 63.6650(b) § 63.6650(b)(1) § 63.6650(b)(2) § 63.6650(b)(3) § 63.6650(b)(4) [G]§ 63.6650(c) [G]§ 63.6650(e)

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
							§ 63.6625(b)-Table5.4.a.iii § 63.6635(a) § 63.6635(b) § 63.6640(a) § 63.6640(a)-Table6.4.a.i § 63.6640(a)-Table6.4.a.ii § 63.6640(a)-Table6.4.a.iii § 63.6640(a)-Table6.4.a.iv § 63.6640(b)		§ 63.6650(f)
COM-37A	EU	63ZZZZ	FORMALD EHYDE	40 CFR Part 63, Subpart ZZZZ	§ 63.6600(a)-Table1a.1.a § 63.6595(c) § 63.6600(a)-Table1b.1.a § 63.6605(a) § 63.6605(b) § 63.6630(a) § 63.6640(b) § 63.6640(d) § 63.6665	For each 4SRB stationary RICE you must reduce formaldehyde emissions by 76% or more. If you commenced construction or reconstruction between December 19, 2002 and June 15, 2004, you may reduce formaldehyde emissions by 75% or more until June 15, 2007.	§ 63.6610(a) § 63.6610(b) § 63.6610(c) [G]§ 63.6610(d) § 63.6615 § 63.6620(a) § 63.6620(a)-Table4.2.a.i § 63.6620(a)-Table4.2.a.ii § 63.6620(a)-Table4.2.a.iii § 63.6620(a)-Table4.2.a.iv § 63.6620(b) § 63.6620(c) § 63.6620(d) § 63.6620(e)(1) [G]§ 63.6620(e)(2) § 63.6625(b) § 63.6625(b)-Table5.4.a.i § 63.6625(b)-Table5.4.a.ii § 63.6625(b)-	§ 63.6635(a) § 63.6635(c) [G]§ 63.6655(a) [G]§ 63.6655(b) § 63.6655(d) § 63.6660(a) § 63.6660(b) § 63.6660(c)	§ 63.6630(c) § 63.6640(b) § 63.6640(e) § 63.6645(a) § 63.6645(b) § 63.6645(c) § 63.6645(g) § 63.6645(h) § 63.6645(h)(1) § 63.6645(h)(2) § 63.6650(a) § 63.6650(a)-Table7.1.a § 63.6650(a)-Table7.1.b § 63.6650(a)-Table7.1.c § 63.6650(a)-Table7.2.a § 63.6650(a)-Table7.2.b § 63.6650(b) § 63.6650(b)(1) § 63.6650(b)(2) § 63.6650(b)(3) § 63.6650(b)(4) [G]§ 63.6650(c) [G]§ 63.6650(e) § 63.6650(f)

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
							Table5.4.a.iii § 63.6635(a) § 63.6635(b) § 63.6640(a) § 63.6640(a)-Table6.4.a.i § 63.6640(a)-Table6.4.a.ii § 63.6640(a)-Table6.4.a.iii § 63.6640(a)-Table6.4.a.iv § 63.6640(b)		
COM-38A	EU	63ZZZZ	FORMALD EHYDE	40 CFR Part 63, Subpart ZZZZ	§ 63.6600(a)-Table1a.1.a § 63.6595(c) § 63.6600(a)-Table1b.1.a § 63.6605(a) § 63.6605(b) § 63.6630(a) § 63.6630(b) § 63.6640(b) § 63.6640(d) § 63.6665	For each 4SRB stationary RICE you must reduce formaldehyde emissions by 76% or more. If you commenced construction or reconstruction between December 19, 2002 and June 15, 2004, you may reduce formaldehyde emissions by 75% or more until June 15, 2007.	§ 63.6610(a) § 63.6610(b) § 63.6610(c) § 63.6615 § 63.6620(a) § 63.6620(a)-Table4.2.a.i § 63.6620(a)-Table4.2.a.ii § 63.6620(a)-Table4.2.a.iii § 63.6620(a)-Table4.2.a.iv § 63.6620(b) § 63.6620(c) § 63.6620(d) § 63.6620(e)(1) [G]§ 63.6620(e)(2) § 63.6625(b) § 63.6625(b)-Table5.4.a.i § 63.6625(b)-Table5.4.a.ii § 63.6625(b)-Table5.4.a.iii § 63.6635(a)	§ 63.6635(a) § 63.6635(c) [G]§ 63.6655(a) [G]§ 63.6655(b) § 63.6655(d) § 63.6660(a) § 63.6660(b) § 63.6660(c)	§ 63.6630(c) § 63.6640(b) § 63.6640(e) § 63.6645(a) § 63.6645(b) § 63.6645(c) § 63.6645(g) § 63.6645(h) § 63.6645(h)(1) § 63.6645(h)(2) § 63.6650(a) § 63.6650(a)-Table7.1.a § 63.6650(a)-Table7.1.b § 63.6650(a)-Table7.1.c § 63.6650(a)-Table7.2.a § 63.6650(a)-Table7.2.b § 63.6650(b) § 63.6650(b)(1) § 63.6650(b)(2) § 63.6650(b)(3) § 63.6650(b)(4) [G]§ 63.6650(c) [G]§ 63.6650(e) § 63.6650(f)

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
							§ 63.6635(b) § 63.6640(a) § 63.6640(a)-Table6.4.a.i § 63.6640(a)-Table6.4.a.ii § 63.6640(a)-Table6.4.a.iii § 63.6640(a)-Table6.4.a.iv § 63.6640(b)		
COM-39	EU	63ZZZZ	FORMALD EHYDE	40 CFR Part 63, Subpart ZZZZ	§ 63.6600(a)-Table1a.1.a § 63.6595(c) § 63.6600(a)-Table1b.1.a § 63.6605(a) § 63.6605(b) § 63.6630(a) § 63.6630(b) § 63.6640(b) § 63.6640(d) § 63.6665	For each 4SRB stationary RICE you must reduce formaldehyde emissions by 76% or more. If you commenced construction or reconstruction between December 19, 2002 and June 15, 2004, you may reduce formaldehyde emissions by 75% or more until June 15, 2007.	§ 63.6610(a) § 63.6610(b) § 63.6610(c) § 63.6615 § 63.6620(a) § 63.6620(a)-Table4.2.a.i § 63.6620(a)-Table4.2.a.ii § 63.6620(a)-Table4.2.a.iii § 63.6620(a)-Table4.2.a.iv § 63.6620(b) § 63.6620(c) § 63.6620(d) § 63.6620(e)(1) [G]§ 63.6620(e)(2) § 63.6625(b) § 63.6625(b)-Table5.4.a.i § 63.6625(b)-Table5.4.a.ii § 63.6625(b)-Table5.4.a.iii § 63.6635(a) § 63.6635(b) § 63.6640(a)	§ 63.6635(a) § 63.6635(c) [G]§ 63.6655(a) [G]§ 63.6655(b) § 63.6655(d) § 63.6660(a) § 63.6660(b) § 63.6660(c)	§ 63.6630(c) § 63.6640(b) § 63.6640(e) § 63.6645(a) § 63.6645(b) § 63.6645(c) § 63.6645(g) § 63.6645(h) § 63.6645(h)(1) § 63.6645(h)(2) § 63.6650(a) § 63.6650(a)-Table7.1.a § 63.6650(a)-Table7.1.b § 63.6650(a)-Table7.1.c § 63.6650(a)-Table7.2.a § 63.6650(a)-Table7.2.b § 63.6650(b) § 63.6650(b)(1) § 63.6650(b)(2) § 63.6650(b)(3) § 63.6650(b)(4) [G]§ 63.6650(c) [G]§ 63.6650(e) § 63.6650(f)

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
							§ 63.6640(a)-Table6.4.a.i § 63.6640(a)-Table6.4.a.ii § 63.6640(a)-Table6.4.a.iii § 63.6640(a)-Table6.4.a.iv § 63.6640(b)		
COM-46A	EU	63ZZZZ	FORMALD EHYDE	40 CFR Part 63, Subpart ZZZZ	§ 63.6600(a)-Table1a.1.a § 63.6595(c) § 63.6600(a)-Table1b.1.a § 63.6605(a) § 63.6605(b) § 63.6630(a) § 63.6640(b) § 63.6640(d) § 63.6665	For each 4SRB stationary RICE you must reduce formaldehyde emissions by 76% or more. If you commenced construction or reconstruction between December 19, 2002 and June 15, 2004, you may reduce formaldehyde emissions by 75% or more until June 15, 2007.	§ 63.6610(a) § 63.6610(b) § 63.6610(c) [G]§ 63.6610(d) § 63.6615 § 63.6620(a) § 63.6620(a)-Table4.2.a.i § 63.6620(a)-Table4.2.a.ii § 63.6620(a)-Table4.2.a.iii § 63.6620(a)-Table4.2.a.iv § 63.6620(b) § 63.6620(c) § 63.6620(d) § 63.6620(e)(1) [G]§ 63.6620(e)(2) § 63.6625(b) § 63.6625(b)-Table5.4.a.i § 63.6625(b)-Table5.4.a.ii § 63.6625(b)-Table5.4.a.iii § 63.6635(a) § 63.6635(b) § 63.6640(a) § 63.6640(a)-	§ 63.6635(a) § 63.6635(c) [G]§ 63.6655(a) [G]§ 63.6655(b) § 63.6655(d) § 63.6660(a) § 63.6660(b) § 63.6660(c)	§ 63.6630(c) § 63.6640(b) § 63.6640(e) § 63.6645(a) § 63.6645(b) § 63.6645(c) § 63.6645(g) § 63.6645(h) § 63.6645(h)(1) § 63.6645(h)(2) § 63.6650(a) § 63.6650(a)-Table7.1.a § 63.6650(a)-Table7.1.b § 63.6650(a)-Table7.1.c § 63.6650(a)-Table7.2.a § 63.6650(a)-Table7.2.b § 63.6650(b) § 63.6650(b)(1) § 63.6650(b)(2) § 63.6650(b)(3) § 63.6650(b)(4) [G]§ 63.6650(c) [G]§ 63.6650(e) § 63.6650(f)

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
							Table6.4.a.i § 63.6640(a)- Table6.4.a.ii § 63.6640(a)- Table6.4.a.iii § 63.6640(a)- Table6.4.a.iv § 63.6640(b)		
COM-47	EU	63ZZZZ	CO	40 CFR Part 63, Subpart ZZZZ	§ 63.6600(b)- Table2a.2.a § 63.6595(c) § 63.6600(b)- Table2b.1.a § 63.6600(b)- Table2b.1.b § 63.6605(a) § 63.6605(b) § 63.6630(a) § 63.6630(b) § 63.6640(b) § 63.6640(d) § 63.6665	For each 4SLB stationary RICE, you must reduce CO emission by 93% or more.	§ 63.6610(a) § 63.6610(b) § 63.6610(c) § 63.6615 § 63.6620(a) § 63.6620(a)- Table3.1 § 63.6620(a)- Table4.1.a.i § 63.6620(a)- Table4.1.a.ii § 63.6620(b) § 63.6620(c) § 63.6620(d) § 63.6620(e)(1) [G]§ 63.6620(e)(2) § 63.6625(b) § 63.6625(b)- Table5.1.a.i § 63.6625(b)- Table5.1.a.ii § 63.6625(b)- Table5.1.a.iii § 63.6635(a) § 63.6635(b) § 63.6640(a) § 63.6640(a)- Table6.1.a.i § 63.6640(a)- Table6.1.a.ii § 63.6640(a)-	§ 63.6635(a) § 63.6635(c) [G]§ 63.6655(a) [G]§ 63.6655(b) § 63.6655(d) § 63.6660(a) § 63.6660(b) § 63.6660(c)	§ 63.6630(c) § 63.6640(b) § 63.6640(e) § 63.6645(a) § 63.6645(b) § 63.6645(c) § 63.6645(g) § 63.6645(h) § 63.6645(h)(1) § 63.6645(h)(2) § 63.6650(a) § 63.6650(a)-Table7.1.a § 63.6650(a)-Table7.1.b § 63.6650(a)-Table7.1.c § 63.6650(a)-Table7.2.a § 63.6650(a)-Table7.2.b § 63.6650(b) § 63.6650(b)(1) § 63.6650(b)(2) § 63.6650(b)(3) § 63.6650(b)(4) [G]§ 63.6650(c) [G]§ 63.6650(e) § 63.6650(f)

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
							Table6.1.a.iii § 63.6640(a)- Table6.1.a.iv § 63.6640(a)- Table6.1.a.v § 63.6640(b)		
COM-47	EU	63ZZZZ	CO	40 CFR Part 63, Subpart ZZZZ	§ 63.6600(b)- Table2a.2.a § 63.6595(c) § 63.6600(b)- Table2b.1.a § 63.6600(b)- Table2b.1.b § 63.6605(a) § 63.6605(b) § 63.6630(a) § 63.6630(b) § 63.6640(b) § 63.6640(d) § 63.6665	For each 4SLB stationary RICE, you must reduce CO emission by 93% or more.	§ 63.6610(a) § 63.6610(b) § 63.6610(c) § 63.6615 § 63.6620(a) § 63.6620(a)- Table3.1 § 63.6620(a)- Table4.1.a.i § 63.6620(a)- Table4.1.a.ii § 63.6620(b) § 63.6620(c) § 63.6620(d) § 63.6620(e)(1) [G]§ 63.6620(e)(2) § 63.6625(b) § 63.6625(b)- Table5.1.a.i § 63.6625(b)- Table5.1.a.ii § 63.6625(b)- Table5.1.a.iii § 63.6635(a) § 63.6635(b) § 63.6640(a) § 63.6640(a)- Table6.1.a.i § 63.6640(a)- Table6.1.a.ii § 63.6640(a)- Table6.1.a.iii § 63.6640(a)-	§ 63.6635(a) § 63.6635(c) [G]§ 63.6655(a) [G]§ 63.6655(b) § 63.6655(d) § 63.6660(a) § 63.6660(b) § 63.6660(c)	§ 63.6630(c) § 63.6640(b) § 63.6640(e) § 63.6645(a) § 63.6645(b) § 63.6645(c) § 63.6645(g) § 63.6645(h) § 63.6645(h)(1) § 63.6645(h)(2) § 63.6650(a) § 63.6650(a)-Table7.1.a § 63.6650(a)-Table7.1.b § 63.6650(a)-Table7.1.c § 63.6650(a)-Table7.2.a § 63.6650(a)-Table7.2.b § 63.6650(b) § 63.6650(b)(1) § 63.6650(b)(2) § 63.6650(b)(3) § 63.6650(b)(4) [G]§ 63.6650(c) [G]§ 63.6650(e) § 63.6650(f)

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
							Table6.1.a.iv § 63.6640(a)- Table6.1.a.v § 63.6640(b)		
COM-48	EU	60JJJJ-001	NOx, CO	40 CFR Part 60, Subpart JJJJ	§ 60.4230(a) The permit holder shall comply with the applicable limitation, standard and/or equipment specification requirements of 40 CFR Part 60, Subpart JJJJ	The permit holder shall comply with the applicable requirements of 40 CFR Part 60, Subpart JJJJ	The permit holder shall comply with the applicable monitoring and testing requirements of 40 CFR Part 60, Subpart JJJJ	The permit holder shall comply with the applicable recordkeeping requirements of 40 CFR Part 60, Subpart JJJJ	The permit holder shall comply with the applicable reporting requirements of 40 CFR Part 60, Subpart JJJJ
COM-48	EU	63ZZZZ	FORMALD EHYDE	40 CFR Part 63, Subpart ZZZZ	§ 63.6600(a)- Table1a.1.a § 63.6595(c) § 63.6600(a)- Table1b.1.a § 63.6605(a) § 63.6605(b) § 63.6630(a) § 63.6630(b) § 63.6640(b) § 63.6640(d) § 63.6665	For each 4SRB stationary RICE you must reduce formaldehyde emissions by 76% or more. If you commenced construction or reconstruction between December 19, 2002 and June 15, 2004, you may reduce formaldehyde emissions by 75% or more until June 15, 2007.	§ 63.6610(a) § 63.6610(b) § 63.6610(c) § 63.6615 § 63.6620(a) § 63.6620(a)- Table4.2.a.i § 63.6620(a)- Table4.2.a.ii § 63.6620(a)- Table4.2.a.iii § 63.6620(a)- Table4.2.a.iv § 63.6620(b) § 63.6620(c) § 63.6620(d) § 63.6620(e)(1) [G]§ 63.6620(e)(2) § 63.6625(b) § 63.6625(b)- Table5.4.a.i § 63.6625(b)- Table5.4.a.ii § 63.6625(b)-	§ 63.6635(a) § 63.6635(c) [G]§ 63.6655(a) [G]§ 63.6655(b) § 63.6655(d) § 63.6660(a) § 63.6660(b) § 63.6660(c)	§ 63.6630(c) § 63.6640(b) § 63.6640(e) § 63.6645(a) § 63.6645(b) § 63.6645(c) § 63.6645(g) § 63.6645(h) § 63.6645(h)(1) § 63.6645(h)(2) § 63.6650(a) § 63.6650(a)-Table7.1.a § 63.6650(a)-Table7.1.b § 63.6650(a)-Table7.1.c § 63.6650(a)-Table7.2.a § 63.6650(a)-Table7.2.b § 63.6650(b) § 63.6650(b)(1) § 63.6650(b)(2) § 63.6650(b)(3) § 63.6650(b)(4) [G]§ 63.6650(c) [G]§ 63.6650(e) § 63.6650(f)

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
							Table 5.4.a.iii § 63.6635(a) § 63.6635(b) § 63.6640(a) § 63.6640(a)-Table 6.4.a.i § 63.6640(a)-Table 6.4.a.ii § 63.6640(a)-Table 6.4.a.iii § 63.6640(a)-Table 6.4.a.iv § 63.6640(b)		
TUR-A-4	EU	60GG-0001	SO ₂	40 CFR Part 60, Subpart GG	§ 60.333(b)	No stationary gas turbine shall burn any fuel which contains sulfur in excess of 0.8% by weight.	§ 60.334(h) [G]§ 60.334(h)(3)	None	None
TUR-A-4	EU	60GG-0001	NO _x	40 CFR Part 60, Subpart GG	§ 60.332(a)(2) § 60.332(a)(3) § 60.332(k)	No owner or operator shall discharge into the atmosphere from any stationary gas turbine, any gases which contain nitrogen oxides in excess of the amount as determined from the specified equation.	[G]§ 60.335(a) § 60.335(b)(2) § 60.335(b)(3)	None	§ 60.334(j) § 60.334(j)(4) § 60.334(j)(5)
TUR-B-3	EU	60GG-0002	SO ₂	40 CFR Part 60, Subpart GG	§ 60.333(b)	No stationary gas turbine shall burn any fuel which contains sulfur in excess of 0.8% by weight.	§ 60.334(h) [G]§ 60.334(h)(3)	None	None
TUR-B-3	EU	60GG-0002	NO _x	40 CFR Part 60, Subpart GG	§ 60.332(a)(2) § 60.332(a)(3) § 60.332(k)	No owner or operator shall discharge into the atmosphere from any stationary gas turbine, any gases which contain nitrogen oxides in excess of the amount as determined	[G]§ 60.335(a) § 60.335(b)(2) § 60.335(b)(3)	None	§ 60.334(j) § 60.334(j)(4) § 60.334(j)(5)

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
						from the specified equation.			
T-A	EU	60KB-0001	VOC	40 CFR Part 60, Subpart Kb	[G]§ 60.112b(a)(3)	Storage vessels specified in §60.112b(a) and equipped with a closed vent system/control device are to meet the specifications of §60.112b(a)(3)(i)-(ii).	[G]§ 60.113b(c)(1) § 60.113b(c)(2) § 60.116b(a) § 60.116b(b) § 60.116b(e) § 60.116b(e)(1) [G]§ 60.116b(e)(3) [G]§ 60.485(b) ** See Periodic Monitoring Summary	§ 60.115b [G]§ 60.115b(c) § 60.116b(a) § 60.116b(b)	[G]§ 60.113b(c)(1) § 60.115b
T-B	EU	60KB-0001	VOC	40 CFR Part 60, Subpart Kb	[G]§ 60.112b(a)(3)	Storage vessels specified in §60.112b(a) and equipped with a closed vent system/control device are to meet the specifications of §60.112b(a)(3)(i)-(ii).	[G]§ 60.113b(c)(1) § 60.113b(c)(2) § 60.116b(a) § 60.116b(b) § 60.116b(e) § 60.116b(e)(1) [G]§ 60.116b(e)(3) [G]§ 60.485(b) ** See Periodic Monitoring Summary	§ 60.115b [G]§ 60.115b(c) § 60.116b(a) § 60.116b(b)	[G]§ 60.113b(c)(1) § 60.115b
T-REJECT	EU	60KB-0003	VOC	40 CFR Part 60, Subpart Kb	[G]§ 60.112b(a)(3)	Storage vessels specified in §60.112b(a) and equipped with a closed vent system/control device are to meet the specifications of §60.112b(a)(3)(i)-(ii).	[G]§ 60.113b(c)(1) § 60.113b(c)(2) § 60.116b(a) § 60.116b(b) § 60.116b(e) § 60.116b(e)(1) [G]§ 60.116b(e)(3) [G]§ 60.485(b) ** See Periodic Monitoring Summary	§ 60.115b [G]§ 60.115b(c) § 60.116b(a) § 60.116b(b)	[G]§ 60.113b(c)(1) § 60.115b

Additional Monitoring Requirements

Compliance Assurance Monitoring Summary 43

Periodic Monitoring Summary..... 45

CAM Summary

Unit/Group/Process Information	
ID No.: PRO-AMINE	
Control Device ID No.: INC-1	Control Device Type: Sulfur Recovery Unit with Incinerator
Applicable Regulatory Requirement	
Name: 30 TAC Chapter 112, Sulfur Compounds	SOP Index No.: REG2-0001
Pollutant: SO ₂	Main Standard: § 112.7(a)
Monitoring Information	
Indicator: Combustion Temperature / Exhaust Gas Temperature	
Minimum Frequency: four times per hour	
Averaging Period: one hour	
Deviation Limit: The minimum combustion temperature is 1175 °F (635 °C).	
<p>CAM Text: The monitoring device should be installed in the combustion chamber or immediately downstream of the combustion chamber. Each monitoring device shall be calibrated at a frequency in accordance with the manufacturer's specifications, other written procedures that provide an adequate assurance that the device is calibrated accurately, or at least annually, whichever is more frequent, and shall be accurate to within one of the following:</p> <ul style="list-style-type: none"> ± 2% of reading; or ± 2.5 degrees Celsius. 	

CAM Summary

Unit/Group/Process Information	
ID No.: PRO-AMINE	
Control Device ID No.: INC-1	Control Device Type: Sulfur Recovery Unit with Incinerator
Applicable Regulatory Requirement	
Name: 30 TAC Chapter 112, Sulfur Compounds	SOP Index No.: REG2-0001
Pollutant: SO ₂	Main Standard: § 112.7(a)
Monitoring Information	
Indicator: SO ₂ Mass Emissions in Pounds per Hour	
Minimum Frequency: four times per hour	
Averaging Period: one hour	
Deviation Limit: Maximum SO ₂ mass emission rate = 589.04 lb/hr	
CAM Text: Use a continuous emission monitoring system (CEMS) to measure and record the mass emissions rate of sulfur dioxide expressed in pounds per hour in the exhaust stream of the control device. The CEMS shall be operated in accordance with the monitoring requirements of 40 CFR § 60.13 and the Performance Specifications of 40 CFR Part 60, Appendix B.	

Periodic Monitoring Summary

Unit/Group/Process Information	
ID No.: T-A	
Control Device ID No.: N/A	Control Device Type: N/A
Applicable Regulatory Requirement	
Name: 40 CFR Part 60, Subpart Kb	SOP Index No.: 60KB-0001
Pollutant: VOC	Main Standard: [G]§ 60.112b(a)(3)
Monitoring Information	
Indicator: VOC Concentration	
Minimum Frequency: Once per year	
Averaging Period: n/a	
Deviation Limit: Failure to measure and record fugitive emissions from the vapor collection system in accordance with 40 CFR Part 60, Appendix A, Method 21.	
Periodic Monitoring Text: Measure and record fugitive emissions from the vapor collection system in accordance with part 60, appendix A, method 21.	

Periodic Monitoring Summary

Unit/Group/Process Information	
ID No.: T-A	
Control Device ID No.: N/A	Control Device Type: N/A
Applicable Regulatory Requirement	
Name: 40 CFR Part 60, Subpart Kb	SOP Index No.: 60KB-0001
Pollutant: VOC	Main Standard: [G]§ 60.112b(a)(3)
Monitoring Information	
Indicator: Visual Inspection	
Minimum Frequency: Once per year	
Averaging Period: n/a	
Deviation Limit: Defects, such as cracks, holes, gaps, loose connections, or broken or missing covers or other closure devices, that could result in air emissions.	
Periodic Monitoring Text: Visually inspect all components of the vapor collection system for defects, such as cracks, holes, gaps, loose connections, or broken or missing covers or other closure devices, that could result in air emissions.	

Periodic Monitoring Summary

Unit/Group/Process Information	
ID No.: T-B	
Control Device ID No.: N/A	Control Device Type: N/A
Applicable Regulatory Requirement	
Name: 40 CFR Part 60, Subpart Kb	SOP Index No.: 60KB-0001
Pollutant: VOC	Main Standard: [G]§ 60.112b(a)(3)
Monitoring Information	
Indicator: VOC Concentration	
Minimum Frequency: Once per year	
Averaging Period: n/a	
Deviation Limit: Failure to measure and record fugitive emissions from the vapor collection system in accordance with 40 CFR Part 60, Appendix A, Method 21.	
Periodic Monitoring Text: Measure and record fugitive emissions from the vapor collection system in accordance with part 60, appendix A, method 21.	

Periodic Monitoring Summary

Unit/Group/Process Information	
ID No.: T-B	
Control Device ID No.: N/A	Control Device Type: N/A
Applicable Regulatory Requirement	
Name: 40 CFR Part 60, Subpart Kb	SOP Index No.: 60KB-0001
Pollutant: VOC	Main Standard: [G]§ 60.112b(a)(3)
Monitoring Information	
Indicator: Visual Inspection	
Minimum Frequency: Once per year	
Averaging Period: n/a	
Deviation Limit: Defects, such as cracks, holes, gaps, loose connections, or broken or missing covers or other closure devices, that could result in air emissions.	
Periodic Monitoring Text: Visually inspect all components of the vapor collection system for defects, such as cracks, holes, gaps, loose connections, or broken or missing covers or other closure devices, that could result in air emissions.	

Periodic Monitoring Summary

Unit/Group/Process Information	
ID No.: T-REJECT	
Control Device ID No.: N/A	Control Device Type: N/A
Applicable Regulatory Requirement	
Name: 40 CFR Part 60, Subpart Kb	SOP Index No.: 60KB-0003
Pollutant: VOC	Main Standard: [G]§ 60.112b(a)(3)
Monitoring Information	
Indicator: VOC Concentration	
Minimum Frequency: Once per year	
Averaging Period: n/a	
Deviation Limit: Failure to measure and record fugitive emissions from the vapor collection system in accordance with 40 CFR Part 60, Appendix A, Method 21.	
Periodic Monitoring Text: Measure and record fugitive emissions from the vapor collection system in accordance with part 60, appendix A, method 21.	

Periodic Monitoring Summary

Unit/Group/Process Information	
ID No.: T-REJECT	
Control Device ID No.: N/A	Control Device Type: N/A
Applicable Regulatory Requirement	
Name: 40 CFR Part 60, Subpart Kb	SOP Index No.: 60KB-0003
Pollutant: VOC	Main Standard: [G]§ 60.112b(a)(3)
Monitoring Information	
Indicator: Visual Inspection	
Minimum Frequency: Once per year	
Averaging Period: n/a	
Deviation Limit: Defects, such as cracks, holes, gaps, loose connections, or broken or missing covers or other closure devices, that could result in air emissions.	
Periodic Monitoring Text: Visually inspect all components of the vapor collection system for defects, such as cracks, holes, gaps, loose connections, or broken or missing covers or other closure devices, that could result in air emissions.	

Permit Shield

Permit Shield 52

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

Unit/Group/Process		Regulation	Basis of Determination
ID No.	Group/Inclusive Units		
B41	N/A	40 CFR Part 60, Subpart Dc	Unit construction, reconstruction, or modification commenced prior to June 9, 1989.
H-42	N/A	40 CFR Part 60, Subpart Dc	Unit construction, reconstruction, or modification commenced prior to June 9, 1989.
H-44	N/A	40 CFR Part 60, Subpart Dc	Unit construction, reconstruction, or modification commenced prior to June 9, 1989.
FLR-2P/PRO-1	N/A	30 TAC Chapter 111, Visible Emissions	Flare is used only during emergency or upset conditions.
FLR-2P/PRO-1	N/A	40 CFR Part 60, Subpart A	This control device is not used to comply with any applicable subparts of 40 CFR Parts 60 or 61.
GRP-FUG2	FUG-1, FUG-2	40 CFR Part 60, Subpart KKK	Unit was built prior to rule commencement date.
PRO-AMINE	N/A	40 CFR Part 60, Subpart LLL	Unit was built prior to rule commencement date.
CT-1	N/A	40 CFR Part 63, Subpart Q	Unit does not operate utilizing chromium-based water treatment chemicals
CT-2	N/A	40 CFR Part 63, Subpart Q	Unit does not operate utilizing chromium-based water treatment chemicals

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

Unit/Group/Process		Regulation	Basis of Determination
ID No.	Group/Inclusive Units		
CAU-1	N/A	40 CFR Part 60, Subpart Kb	Tank volume <420K gallons used for petroleum or condensate stored, processed, or treated prior to custody transfer.
COM-1	N/A	30 TAC Chapter 112, Sulfur Compounds	Unit does not combust liquid or solid fuel.
COM-1	N/A	30 TAC Chapter 117, Commercial	Unit is not located in an ozone non-attainment county.
COM-10	N/A	30 TAC Chapter 112, Sulfur Compounds	Unit does not combust liquid or solid fuel.
COM-10	N/A	30 TAC Chapter 117, Commercial	Unit is not located in an ozone non-attainment county.
COM-11	N/A	30 TAC Chapter 112, Sulfur Compounds	Unit does not combust liquid or solid fuel.
COM-11	N/A	30 TAC Chapter 117, Commercial	Unit is not located in an ozone non-attainment county.
COM-2	N/A	30 TAC Chapter 112, Sulfur Compounds	Unit does not combust liquid or solid fuel.
COM-2	N/A	30 TAC Chapter 117, Commercial	Unit is not located in an ozone non-attainment county.
COM-3	N/A	30 TAC Chapter 112, Sulfur Compounds	Unit does not combust liquid or solid fuel.
COM-3	N/A	30 TAC Chapter 117, Commercial	Unit is not located in an ozone non-attainment county.
COM-4	N/A	30 TAC Chapter 112, Sulfur Compounds	Unit does not combust liquid or solid fuel.

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

Unit/Group/Process		Regulation	Basis of Determination
ID No.	Group/Inclusive Units		
COM-4	N/A	30 TAC Chapter 117, Commercial	Unit is not located in an ozone non-attainment county.
COM-6	N/A	30 TAC Chapter 112, Sulfur Compounds	Unit does not combust liquid or solid fuel.
COM-6	N/A	30 TAC Chapter 117, Commercial	Unit is not located in an ozone non-attainment county.
COM-7	N/A	30 TAC Chapter 112, Sulfur Compounds	Unit does not combust liquid or solid fuel.
COM-7	N/A	30 TAC Chapter 117, Commercial	Unit is not located in an ozone non-attainment county.
COM-8	N/A	30 TAC Chapter 112, Sulfur Compounds	Unit does not combust liquid or solid fuel.
COM-8	N/A	30 TAC Chapter 117, Commercial	Unit is not located in an ozone non-attainment county.
COM-9	N/A	30 TAC Chapter 112, Sulfur Compounds	Unit does not combust liquid or solid fuel.
COM-9	N/A	30 TAC Chapter 117, Commercial	Unit is not located in an ozone non-attainment county.
CWT-2	N/A	40 CFR Part 60, Subpart Kb	Tank volume <420K gallons used for petroleum or condensate stored, processed, or treated prior to custody transfer.
GLYVNT	N/A	40 CFR Part 63, Subpart HH	Benzene emissions are less than 1 ton per year.

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

Unit/Group/Process		Regulation	Basis of Determination
ID No.	Group/Inclusive Units		
TRUCK-1	N/A	30 TAC Chapter 115, Loading and Unloading of VOC	The emission unit is not located in an ozone non-attainment or covered attainment county.
TRUCK-2	N/A	30 TAC Chapter 115, Storage of VOCs	Unit is not located in an ozone non-attainment county.
COM-17B	N/A	30 TAC Chapter 112, Sulfur Compounds	Unit does not combust liquid or solid fuel.
COM-17B	N/A	30 TAC Chapter 117, Commercial	Unit is not located in an ozone non-attainment county.
COM-18A	N/A	30 TAC Chapter 112, Sulfur Compounds	Unit does not combust liquid or solid fuel.
COM-18A	N/A	30 TAC Chapter 117, Commercial	Unit is not located in an ozone non-attainment county.
COM-19A	N/A	30 TAC Chapter 112, Sulfur Compounds	Unit does not combust liquid or solid fuel
COM-19A	N/A	30 TAC Chapter 117, Commercial	Unit is not located in an ozone non-attainment county
COM-34A	N/A	30 TAC Chapter 112, Sulfur Compounds	Unit does not combust liquid or solid fuel.
COM-34A	N/A	30 TAC Chapter 117, Commercial	Unit is not located in an ozone non-attainment county.
COM-35	N/A	30 TAC Chapter 112, Sulfur Compounds	Unit does not combust liquid or solid fuel.
COM-35	N/A	30 TAC Chapter 117, Commercial	Unit is not located in an ozone non-attainment county.

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

Unit/Group/Process		Regulation	Basis of Determination
ID No.	Group/Inclusive Units		
COM-36	N/A	30 TAC Chapter 112, Sulfur Compounds	Unit does not combust liquid or solid fuel.
COM-36	N/A	30 TAC Chapter 117, Commercial	Unit is not located in an ozone non-attainment county.
COM-37A	N/A	30 TAC Chapter 112, Sulfur Compounds	Unit does not combust liquid or solid fuel.
COM-37A	N/A	30 TAC Chapter 117, Commercial	Unit is not located in an ozone non-attainment county.
COM-38A	N/A	30 TAC Chapter 112, Sulfur Compounds	Unit does not combust liquid or solid fuel
COM-38A	N/A	30 TAC Chapter 117, Commercial	Unit is not located in an ozone non-attainment county
COM-39	N/A	30 TAC Chapter 112, Sulfur Compounds	Unit does not combust liquid or solid fuel.
COM-39	N/A	30 TAC Chapter 117, Commercial	Unit is not located in an ozone non-attainment county.
COM-48	N/A	30 TAC Chapter 112, Sulfur Compounds	Unit does not combust liquid or solid fuel
COM-48	N/A	30 TAC Chapter 117, Commercial	Unit is not located in an ozone non-attainment county
TUR-A-4	N/A	40 CFR Part 60, Subpart KKKK	Unit was not constructed, modified or reconstructed after 02/18/2005.
TUR-A-4	N/A	40 CFR Part 63, Subpart YYYY	Existing stationary combustion turbine.
TUR-B-3	N/A	40 CFR Part 60, Subpart KKKK	Unit was not constructed, modified or

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

Unit/Group/Process		Regulation	Basis of Determination
ID No.	Group/Inclusive Units		
			reconstructed after 02/18/2005.
TUR-B-3	N/A	40 CFR Part 63, Subpart YYYY	Existing stationary combustion turbine.
AMINE STOR	N/A	40 CFR Part 60, Subpart Kb	Capacity greater than or equal to 75 m3 but less than 151 m3 storing a liquid with a maximum true vapor pressure less than 15.0 kPa.
CWT-4	N/A	40 CFR Part 60, Subpart Kb	Tank volume <420K gallons used for petroleum or condensate stored, processed, or treated prior to custody transfer.
GRP-TNK1	T-11, T-12, T-13, T-14, T-16, T-17, T-19, T-22	40 CFR Part 60, Subpart K	Tank volume is less than 40,000 gallons.
T-1	N/A	40 CFR Part 60, Subpart K	Tank volume is less than 40,000 gallons.

New Source Review Authorization References

New Source Review Authorization References 59

New Source Review Authorization References by Emission Unit..... 61

New Source Review Authorization References

The New Source Review authorizations listed in the table below are applicable requirements under 30 TAC Chapter 122 and enforceable under this operating permit.

Title 30 TAC Chapter 116 Permits, Special Permits, and Other Authorizations (Other Than Permits By Rule, PSD Permits, or NA Permits) for the Application Area.	
Authorization No.: 15979	
Authorization No.: 2211A	
Authorization No.: 39456	
Authorization No.: 73395	
Permits By Rule (30 TAC Chapter 106) for the Application Area	
Number: 106.183	Version No./Date: 06/18/1997
Number: 106.183	Version No./Date: 09/04/2000
Number: 106.352	Version No./Date: 03/14/1997
Number: 106.352	Version No./Date: 09/04/2000
Number: 106.352	Version No./Date: 02/27/2011
Number: 106.371	Version No./Date: 09/04/2000
Number: 106.512	Version No./Date: 03/14/1997
Number: 106.512	Version No./Date: 09/04/2000
Number: 106.512	Version No./Date: 06/13/2001
Number: 6	Version No./Date: 04/04/1975
Number: 6	Version No./Date: 05/05/1976
Number: 6	Version No./Date: 11/05/1986
Number: 6	Version No./Date: 05/04/1994
Number: 7	Version No./Date: 09/23/1982
Number: 7	Version No./Date: 11/05/1986
Number: 8	Version No./Date: 05/08/1972
Number: 9	Version No./Date: 05/08/1972
Number: 58	Version No./Date: 05/08/1972
Number: 63	Version No./Date: 12/01/1972
Number: 66	Version No./Date: 11/05/1986
Number: 70	Version No./Date: 05/08/1972

New Source Review Authorization References

The New Source Review authorizations listed in the table below are applicable requirements under 30 TAC Chapter 122 and enforceable under this operating permit.

Number: 72	Version No./Date: 05/08/1972
Number: 85	Version No./Date: 09/17/1973
Number: 85	Version No./Date: 04/04/1975
Number: 96	Version No./Date: 01/08/1980
Number: 97	Version No./Date: 01/08/1980

New Source Review Authorization References by Emissions Unit

The following is a list of New Source Review (NSR) authorizations for emission units listed elsewhere in this operating permit. The NSR authorizations are applicable requirements under 30 TAC Chapter 122 and enforceable under this operating permit.

Unit/Group/Process ID No.	Emission Unit Name/Description	New Source Review Authorization
AGFLR-1P/AMTR-	ACID GAS FLARE	2211A
AMINE STOR	210-BBL AMINE STORAGE TANK	106.352/09/04/2000
B41	SRU/PLANT BOILER	007/09/23/1982
CAU-1	CUASTIC STORAGE TANK	106.352/09/04/2000
COM-10	CLARK	73395
COM-11	CLARK RA6	73395
COM-17B	WAUKESHA L7042G	106.512/09/04/2000
COM-18A	WAUKESHA L7042G	106.512/06/13/2001
COM-19A	WAUKESHA L7042GU	106.512/09/04/2000
COM-1	CLARK	73395
COM-2	CLARK	73395
COM-34A	WAUKESHA L7042G	106.512/06/13/2001
COM-35	WAUKESHA L7042G	006/04/04/1975
COM-36	WAUKESHA L7042G	006/04/04/1975
COM-37A	WAUKESHA L7042G	006/04/04/1975
COM-38A	WAUKESHA L7042G	006/04/04/1975
COM-39	WAUKESHA L7042G	006/04/04/1975
COM-3	CLARK	73395

New Source Review Authorization References by Emissions Unit

The following is a list of New Source Review (NSR) authorizations for emission units listed elsewhere in this operating permit. The NSR authorizations are applicable requirements under 30 TAC Chapter 122 and enforceable under this operating permit.

Unit/Group/Process ID No.	Emission Unit Name/Description	New Source Review Authorization
COM-46A	SUPERIOR 12G825	106.512/06/13/2001
COM-47	CATERPILLAR 3516LE	106.512/06/13/2001
COM-48	WAUKESHA L7042GSI	106.352/09/04/2000, 106.512/06/13/2001
COM-4	CLARK	73395
COM-6	CLARK	73395
COM-7	CLARK	73395
COM-8	CLARK	73395
COM-9	CLARK	73395
CT-1	NO. 3 COOLING TOWER	009/05/08/1972
CT-2	HUDSON COOLING TOWER	009/05/08/1972
CWT-2	210-BBL WASTE WATER TANK	106.352/09/04/2000
CWT-4	1000-BBL WASTE WATER TANK	106.352/02/27/2011
FLR-2P/PRO-1	EMERGENCY FLARE	096/01/08/1980
FUG-1	SRU GAS PLANT FUGITIVES	2211A
FUG-2	NO. 2 FUGITIVES	066/11/05/1986
FUG-48	COM-48 AND INLET SEPARATOR FUGITIVES	106.352/03/14/1997
FUG-4	STABILIZED CRUDE FUGITIVES	39456
GLYVNT	GAS DEHYDRATION UNIT	085/04/04/1975

New Source Review Authorization References by Emissions Unit

The following is a list of New Source Review (NSR) authorizations for emission units listed elsewhere in this operating permit. The NSR authorizations are applicable requirements under 30 TAC Chapter 122 and enforceable under this operating permit.

Unit/Group/Process ID No.	Emission Unit Name/Description	New Source Review Authorization
H-42	GLYCOL REGEN HEATER	008/05/08/1972
H-44	REGEN GAS HEATER	2211A
H-45A	HOT OIL HEATER #5	106.183/09/04/2000
HEATER-A	SUPPLEMENTAL HEATERS	106.183/06/18/1997
HEATER-B	SUPPLEMENTAL HEATERS	106.183/06/18/1997
PRO-AMINE	AMINE PROCESS	2211A
T-11	DIESEL TANK	006/11/05/1986
T-12	GASOLINE TANK	063/12/01/1972
T-13	HIGH-SULFUR DIESEL TANK	066/11/05/1986
T-14	TURBINE LUBE OIL TANK	066/11/05/1986
T-16	CLARK ENGINE OIL TANK	006/11/05/1986
T-17	ENGINE LUBE OIL TANK	066/11/05/1986
T-19	PWR ENGINE LUBE OIL TANK	066/11/05/1986
T-1	SLOP OIL TANK	106.352/02/27/2011
T-22	SKIMMER TANK	066/11/05/1986
T-A	STABILIZED CRUDE OIL TANK	39456
T-B	STABILIZED CRUDE OIL TANK	39456
T-REJECT	REJECT STABILIZED CRUDE OIL TANK	39456

New Source Review Authorization References by Emissions Unit

The following is a list of New Source Review (NSR) authorizations for emission units listed elsewhere in this operating permit. The NSR authorizations are applicable requirements under 30 TAC Chapter 122 and enforceable under this operating permit.

Unit/Group/Process ID No.	Emission Unit Name/Description	New Source Review Authorization
TRUCK-1	CONDENSATE LOADOUT	39456
TRUCK-2	CONDENSATE LOADOUT	106.352/02/27/2011
TUR-A-4	4365-HP SOLAR CENTAUR T4700	106.352/09/04/2000
TUR-B-3	SOLAR CENTAUR T-4700	106.512/09/04/2000
TURB-FUG	TURBINE PROJECT FUGITIVES	106.352/03/14/1997

Appendix A

Acronym List 66

Acronym List

The following abbreviations or acronyms may be used in this permit:

ACFM	actual cubic feet per minute
AMOC	alternate means of control
ARP	Acid Rain Program
ASTM	American Society of Testing and Materials
B/PA	Beaumont/Port Arthur (nonattainment area)
CAM	Compliance Assurance Monitoring
CD	control device
COMS	continuous opacity monitoring system
CVS	closed-vent system
D/FW	Dallas/Fort Worth (nonattainment area)
DR	Designated Representative
ELP	El Paso (nonattainment area)
EP	emission point
EPA	U.S. Environmental Protection Agency
EU	emission unit
FCAA Amendments	Federal Clean Air Act Amendments
FOP	federal operating permit
GF	grandfathered
gr/100 scf	grains per 100 standard cubic feet
HAP	hazardous air pollutant
H/G/B	Houston/Galveston/Brazoria (nonattainment area)
H ₂ S	hydrogen sulfide
ID No.	identification number
lb/hr	pound(s) per hour
MMBtu/hr	Million British thermal units per hour
MRRT	monitoring, recordkeeping, reporting, and testing
NA	nonattainment
N/A	not applicable
NADB	National Allowance Data Base
NO _x	nitrogen oxides
NSPS	New Source Performance Standard (40 CFR Part 60)
NSR	New Source Review
ORIS	Office of Regulatory Information Systems
Pb	lead
PBR	Permit By Rule
PM	particulate matter
ppmv	parts per million by volume
PSD	prevention of significant deterioration
RO	Responsible Official
SO ₂	sulfur dioxide
TCEQ	Texas Commission on Environmental Quality
TSP	total suspended particulate
TVP	true vapor pressure
U.S.C.	United States Code
VOC	volatile organic compound