

FEDERAL OPERATING PERMIT

A FEDERAL OPERATING PERMIT IS HEREBY ISSUED TO

INEOS Chocolate Bayou Pipeline LLC
AUTHORIZING THE OPERATION OF
Stratton Ridge Pumping Station
Petroleum Bulk Stations and Terminals
LOCATED AT

Brazoria County, Texas

Latitude 29° 3' 47" Longitude 95° 20' 58"

Regulated Entity Number: RN102326972

This permit is issued in accordance with and subject to the Texas Clean Air Act (TCAA), Chapter 382 of the Texas Health and Safety Code and Title 30 Texas Administrative Code Chapter 122 (30 TAC Chapter 122), Federal Operating Permits. Under 30 TAC Chapter 122, this permit constitutes the permit holder's authority to operate the site and emission units listed in this permit. Operations of the site and emission units listed in this permit are subject to all additional rules or amended rules and orders of the Commission pursuant to the TCAA.

This permit does not relieve the permit holder from the responsibility of obtaining New Source Review authorization for new, modified, or existing facilities in accordance with 30 TAC Chapter 116, Control of Air Pollution by Permits for New Construction or Modification.

The site and emission units authorized by this permit shall be operated in accordance with 30 TAC Chapter 122, the general terms and conditions, special terms and conditions, and attachments contained herein.

This permit shall expire five years from the date of issuance. The renewal requirements specified in 30 TAC § 122.241 must be satisfied in order to renew the authorization to operate the site and emission units.

Permit No: O3302 Issuance Date: _____

For the Commission

Table of Contents

| Section | Page |
|--|-------------|
| General Terms and Conditions | 1 |
| Special Terms and Conditions | 1 |
| Emission Limitations and Standards, Monitoring and Testing, and Recordkeeping and Reporting | 1 |
| Additional Monitoring Requirements | 5 |
| New Source Review Authorization Requirements | 6 |
| Compliance Requirements..... | 7 |
| Permit Location..... | 8 |
| Permit Shield (30 TAC § 122.148) | 9 |
| Attachments | 10 |
| Applicable Requirements Summary | 11 |
| Additional Monitoring Requirements | 22 |
| Permit Shield..... | 26 |
| New Source Review Authorization References..... | 29 |
| Appendix A | 32 |
| Acronym List | 33 |

General Terms and Conditions

The permit holder shall comply with all terms and conditions contained in 30 TAC § 122.143 (General Terms and Conditions), 30 TAC § 122.144 (Recordkeeping Terms and Conditions), 30 TAC § 122.145 (Reporting Terms and Conditions), and 30 TAC § 122.146 (Compliance Certification Terms and Conditions).

In accordance with 30 TAC § 122.144(1), records of required monitoring data and support information required by this permit, or any applicable requirement codified in this permit, are required to be maintained for a period of five years from the date of the monitoring report, sample, or application unless a longer data retention period is specified in an applicable requirement. The five year record retention period supersedes any less stringent retention requirement that may be specified in a condition of a permit identified in the New Source Review Authorization attachment.

If the permit holder chooses to demonstrate that this permit is no longer required, a written request to void this permit shall be submitted to the Texas Commission on Environmental Quality (TCEQ) by the Responsible Official in accordance with 30 TAC § 122.161(e). The permit holder shall comply with the permit's requirements, including compliance certification and deviation reporting, until notified by the TCEQ that this permit is voided.

The permit holder shall comply with 30 TAC Chapter 116 by obtaining a New Source Review authorization prior to new construction or modification of emission units located in the area covered by this permit.

All reports required by this permit must include in the submittal a cover letter which identifies the following information: company name, TCEQ regulated entity number, air account number (if assigned), site name, area name (if applicable), and Air Permits Division permit number(s).

Special Terms and Conditions: Emission Limitations and Standards, Monitoring and Testing, and Recordkeeping and Reporting

1. Permit holder shall comply with the following requirements:
 - A. Emission units (including groups and processes) in the Applicable Requirements Summary attachment shall meet the limitations, standards, equipment specifications, monitoring, recordkeeping, reporting, testing, and other requirements listed in the Applicable Requirements Summary attachment to assure compliance with the permit.
 - B. The textual description in the column titled "Textual Description" in the Applicable Requirements Summary attachment is not enforceable and is not deemed as a substitute for the actual regulatory language. The Textual Description is provided for information purposes only.

- C. A citation listed on the Applicable Requirements Summary attachment, which has a notation [G] listed before it, shall include the referenced section and subsection for all commission rules, or paragraphs for all federal and state regulations and all subordinate paragraphs, subparagraphs and clauses, subclauses, and items contained within the referenced citation as applicable requirements.
- D. When a grouped citation, notated with a [G] in the Applicable Requirements Summary, contains multiple compliance options, the permit holder must keep records of when each compliance option was used.
- E. Emission units subject to 40 CFR Part 63, Subpart ZZZZ as identified in the attached Applicable Requirements Summary table are subject to 30 TAC Chapter 113, Subchapter C, § 113.1090 which incorporates the 40 CFR Part 63 Subpart by reference.
- F. For the purpose of generating emission reduction credits through 30 TAC Chapter 101, Subchapter H, Division 1 (Emission Credit Banking and Trading), the permit holder shall comply with the following requirements:
- (i) Title 30 TAC § 101.302 (relating to General Provisions)
 - (ii) Title 30 TAC § 101.303 (relating to Emission Reduction Credit Generation Certification)
 - (iii) Title 30 TAC § 101.304 (relating to Mobile Emission Reduction Credit Generation and Certification)
 - (iv) Title 30 TAC § 101.309 (relating to Emission Credit Banking and Trading)
 - (v) The terms and conditions by which the emission limits are established to generate the reduction credit are applicable requirements of this permit
- G. The permit holder shall comply with the following 30 TAC Chapter 101, Subchapter H, Division 3 (Mass Emission Cap and Trade Program) Requirements:
- (i) Title 30 TAC § 101.352 (relating to General Provisions)
 - (ii) Title 30 TAC § 101.353 (relating to Allocation of Allowances)
 - (iii) Title 30 TAC § 101.354 (relating to Allowance Deductions)
 - (iv) Title 30 TAC § 101.356 (relating to Allowance Banking and Trading)

- (v) Title 30 TAC § 101.358 (relating to Emission Monitoring and Compliance Demonstration)
 - (vi) Title 30 TAC § 101.359 (relating to Reporting)
 - (vii) Title 30 TAC § 101.360 (relating to Level of Activity Certification)
 - (viii) The terms and conditions by which the emission limits are established to meet or exceed the cap are applicable requirements of this permit
- H. For the purpose of generating discrete emission reduction credits through 30 TAC Chapter 101, Subchapter H, Division 4 (Discrete Emission Credit Banking and Trading), the permit holder shall comply with the following requirements:
- (i) Title 30 TAC § 101.372 (relating to General Provisions)
 - (ii) Title 30 TAC § 101.373 (relating to Discrete Emission Reduction Credit Generation and Certification)
 - (iii) Title 30 TAC § 101.374 (relating to Mobile Discrete Emission Reduction Credit Generation and Certification)
 - (iv) Title 30 TAC § 101.378 (relating to Discrete Emission Credit Banking and Trading)
 - (v) The terms and conditions by which the emission limits are established to generate the discrete reduction credit are applicable requirements of this permit
2. The permit holder shall comply with the following sections of 30 TAC Chapter 101 (General Air Quality Rules):
- A. Title 30 TAC § 101.1 (relating to Definitions), insofar as the terms defined in this section are used to define the terms used in other applicable requirements
 - B. Title 30 TAC § 101.3 (relating to Circumvention)
 - C. Title 30 TAC § 101.8 (relating to Sampling), if such action has been requested by the TCEQ
 - D. Title 30 TAC § 101.9 (relating to Sampling Ports), if such action has been requested by the TCEQ
 - E. Title 30 TAC § 101.10 (relating to Emissions Inventory Requirements)

- F. Title 30 TAC § 101.201 (relating to Emission Event Reporting and Recordkeeping Requirements)
 - G. Title 30 TAC § 101.211 (relating to Scheduled Maintenance, Start-up, and Shutdown Reporting and Recordkeeping Requirements)
 - H. Title 30 TAC § 101.221 (relating to Operational Requirements)
 - I. Title 30 TAC § 101.222 (relating to Demonstrations)
 - J. Title 30 TAC § 101.223 (relating to Actions to Reduce Excessive Emissions)
3. Permit holder shall comply with the following requirements of 30 TAC Chapter 111:
- A. For emission units with contributions from uncombined water, the permit holder shall comply with the requirements of 30 TAC § 111.111(b).
 - B. Emission limits on nonagricultural processes, except for the steam generators specified in 30 TAC § 111.153, shall comply with the following requirements:
 - (i) Emissions of PM from any source may not exceed the allowable rates as required in 30 TAC § 111.151(a) (relating to Allowable Emissions Limits)
 - (ii) Sources with an effective stack height (h_e) less than the standard effective stack height (H_e), must reduce the allowable emission level by multiplying it by $[h_e/H_e]^2$ as required in 30 TAC § 111.151(b)
 - (iii) Effective stack height shall be calculated by the equation specified in 30 TAC § 111.151(c)
4. For storage vessels maintaining working pressure as specified in 30 TAC Chapter 115, Subchapter B, Division 1: Storage of Volatile Organic Compounds, the permit holder shall comply with the requirements of 30 TAC § 115.112(e)(1).
5. The permit holder shall comply with the following requirements for units subject to any subpart of 40 CFR Part 60, unless otherwise stated in the applicable subpart:
- A. Title 40 CFR § 60.7 (relating to Notification and Recordkeeping)
 - B. Title 40 CFR § 60.8 (relating to Performance Tests)
 - C. Title 40 CFR § 60.11 (relating to Compliance with Standards and Maintenance Requirements)

- D. Title 40 CFR § 60.12 (relating to Circumvention)
 - E. Title 40 CFR § 60.13 (relating to Monitoring Requirements)
 - F. Title 40 CFR § 60.14 (relating to Modification)
 - G. Title 40 CFR § 60.15 (relating to Reconstruction)
 - H. Title 40 CFR § 60.19 (relating to General Notification and Reporting Requirements)
6. The permit holder shall comply with the requirements of 30 TAC Chapter 113, Subchapter C, § 113.100 for units subject to any subpart of 40 CFR Part 63, unless otherwise stated in the applicable subpart.
7. The permit holder shall comply with certified registrations submitted to the TCEQ for purposes of establishing federally enforceable emission limits. A copy of the certified registration shall be maintained with the permit. Records sufficient to demonstrate compliance with the established limits shall be maintained. The certified registration and records demonstrating compliance shall be provided, on request, to representatives of the appropriate TCEQ regional office and any local air pollution control agency having jurisdiction over the site. The permit holder shall submit updated certified registrations when changes at the site require establishment of new emission limits. If changes result in emissions that do not remain below major source thresholds, the permit holder shall submit a revision application to codify the appropriate requirements in the permit.

Additional Monitoring Requirements

8. The permit holder shall comply with the periodic monitoring requirements as specified in the attached “Periodic Monitoring Summary” upon issuance of the permit. Except for, as applicable, monitoring malfunctions, associated repairs, and required quality assurance or control activities (including, as applicable, calibration checks and required zero and span adjustments), the permit holder shall conduct all monitoring in continuous operation (or shall collect data at all required intervals) at all times that the pollutant-specific emissions unit is operating. The permit holder may elect to collect monitoring data on a more frequent basis and average the data, consistent with the averaging time specified in the “Periodic Monitoring Summary,” for purposes of determining whether a deviation has occurred. However, the additional data points must be collected on a regular basis. In no event shall data be collected and used in particular instances to avoid reporting deviations. Deviations shall be reported according to 30 TAC § 122.145 (Reporting Terms and Conditions).

New Source Review Authorization Requirements

9. Permit holder shall comply with the requirements of New Source Review authorizations issued or claimed by the permit holder for the permitted area, including permits, permits by rule, standard permits, flexible permits, special permits, permits for existing facilities including Voluntary Emissions Reduction Permits and Electric Generating Facility Permits issued under 30 TAC Chapter 116, Subchapter I, or special exemptions referenced in the New Source Review Authorization References attachment. These requirements:
 - A. Are incorporated by reference into this permit as applicable requirements
 - B. Shall be located with this operating permit
 - C. Are not eligible for a permit shield
10. The permit holder shall comply with the general requirements of 30 TAC Chapter 106, Subchapter A or the general requirements, if any, in effect at the time of the claim of any PBR.
11. The permit holder shall maintain records to demonstrate compliance with any emission limitation or standard that is specified in a permit by rule (PBR) or Standard Permit listed in the New Source Review Authorizations attachment. The records shall yield reliable data from the relevant time period that are representative of the emission unit's compliance with the PBR or Standard Permit. These records may include, but are not limited to, production capacity and throughput, hours of operation, material safety data sheets (MSDS), chemical composition of raw materials, speciation of air contaminant data, engineering calculations, maintenance records, fugitive data, performance tests, capture/control device efficiencies, direct pollutant monitoring (CEMS, COMS, or PEMS), or control device parametric monitoring. These records shall be made readily accessible and available as required by 30 TAC § 122.144. Any monitoring or recordkeeping data indicating noncompliance with the PBR or Standard Permit shall be considered and reported as a deviation according to 30 TAC § 122.145 (Reporting Terms and Conditions).
12. The permit holder shall comply with the following requirements for Air Quality Standard Permits:
 - A. Registration requirements listed in 30 TAC § 116.611, unless otherwise provided for in an Air Quality Standard Permit
 - B. General Conditions listed in 30 TAC § 116.615, unless otherwise provided for in an Air Quality Standard Permit
 - C. Applicable requirements of 30 TAC § 116.617 for Pollution Control Projects based on the information contained in the registration application.

Compliance Requirements

13. The permit holder shall certify compliance in accordance with 30 TAC § 122.146. The permit holder shall comply with 30 TAC § 122.146 using at a minimum, but not limited to, the continuous or intermittent compliance method data from monitoring, recordkeeping, reporting, or testing required by the permit and any other credible evidence or information. The certification period may not exceed 12 months and the certification must be submitted within 30 days after the end of the period being certified.
14. Permit holder shall comply with the following 30 TAC Chapter 117 requirements:
 - A. The permit holder shall comply with the compliance schedules and submit written notification to the TCEQ Executive Director as required in 30 TAC Chapter 117, Subchapter H, Division 1:
 - (i) For sources in the Houston-Galveston-Brazoria Nonattainment area, 30 TAC § 117.9020:
 - (1) Title 30 TAC § 117.9020(2)(A), (C), and (D)
 - B. The permit holder shall comply with the Initial Control Plan unit listing requirement in 30 TAC § 117.350(c) and (c)(1).
 - C. The permit holder shall comply with the requirements of 30 TAC § 117.354 for Final Control Plan Procedures for Attainment Demonstration Emission Specifications and 30 TAC § 117.356 for Revision of Final Control Plan.
15. Use of Emission Credits to comply with applicable requirements:
 - A. Unless otherwise prohibited, the permit holder may use emission credits to comply with the following applicable requirements listed elsewhere in this permit:
 - (i) Title 30 TAC Chapter 115
 - (ii) Title 30 TAC Chapter 117
 - (iii) Offsets for Title 30 TAC Chapter 116
 - B. The permit holder shall comply with the following requirements in order to use the emission credits to comply with the applicable requirements:
 - (i) The permit holder must notify the TCEQ according to 30 TAC § 101.306(c)(2)
 - (ii) The emission credits to be used must meet all the geographic, timeliness, applicable pollutant type, and availability requirements listed in 30 TAC Chapter 101, Subchapter H, Division 1

- (iii) The executive director has approved the use of the credit according to 30 TAC § 101.306(c)(2)
- (iv) The permit holder keeps records of the use of credits towards compliance with the applicable requirements in accordance with 30 TAC § 101.302(g) and 30 TAC Chapter 122
- (v) Title 30 TAC § 101.305 (relating to Emission Reductions Achieved Outside the United States)

16. Use of Discrete Emission Credits to comply with the applicable requirements:

A. Unless otherwise prohibited, the permit holder may use discrete emission credits to comply with the following applicable requirements listed elsewhere in this permit:

- (i) Title 30 TAC Chapter 115
- (ii) Title 30 TAC Chapter 117
- (iii) If applicable, offsets for Title 30 TAC Chapter 116
- (iv) Temporarily exceed state NSR permit allowables

B. The permit holder shall comply with the following requirements in order to use the credit to comply with the applicable requirements:

- (i) The permit holder must notify the TCEQ according to 30 TAC § 101.376(d)
- (ii) The discrete emission credits to be used must meet all the geographic, timeliness, applicable pollutant type, and availability requirements listed in 30 TAC Chapter 101, Subchapter H, Division 4
- (iii) The executive director has approved the use of the discrete emission credits according to 30 TAC § 101.376(d)(1)(A)
- (iv) The permit holder keeps records of the use of credits towards compliance with the applicable requirements in accordance with 30 TAC § 101.372(h) and 30 TAC Chapter 122
- (v) Title 30 TAC § 101.375 (relating to Emission Reductions Achieved Outside the United States)

Permit Location

17. The permit holder shall maintain a copy of this permit and records related to requirements listed in this permit at the INEOS USA LLC - Chocolate Bayou

Plant located two miles south of the intersection of FM 2917 and FM 2004 in Alvin, Texas.

Permit Shield (30 TAC § 122.148)

18. A permit shield is granted for the emission units, groups, or processes specified in the attached “Permit Shield.” Compliance with the conditions of the permit shall be deemed compliance with the specified potentially applicable requirements or specified potentially applicable state-only requirements listed in the attachment “Permit Shield.” Permit shield provisions shall not be modified by the executive director until notification is provided to the permit holder. No later than 90 days after notification of a change in a determination made by the executive director, the permit holder shall apply for the appropriate permit revision to reflect the new determination. Provisional terms are not eligible for this permit shield. Any term or condition, under a permit shield, shall not be protected by the permit shield if it is replaced by a provisional term or condition or the basis of the term and condition changes.

Attachments

Applicable Requirements Summary

Additional Monitoring Requirements

Permit Shield

New Source Review Authorization References

Applicable Requirements Summary

Unit Summary 12

Applicable Requirements Summary 14

Note: A “none” entry may be noted for some emission sources in this permit’s “Applicable Requirements Summary” under the heading of “Monitoring and Testing Requirements” and/or “Recordkeeping Requirements” and/or “Reporting Requirements.” Such a notation indicates that there are no requirements for the indicated emission source as identified under the respective column heading(s) for the stated portion of the regulation when the emission source is operating under the conditions of the specified SOP Index Number. However, other relevant requirements pursuant to 30 TAC Chapter 122 including Recordkeeping Terms and Conditions (30 TAC § 122.144), Reporting Terms and Conditions (30 TAC § 122.145), and Compliance Certification Terms and Conditions (30 TAC § 122.146) continue to apply.

Unit Summary

| Unit/Group/ Process ID No. | Unit Type | Group/Inclusive Units | SOP Index No. | Regulation | Requirement Driver |
|-------------------------------|---|--------------------------|---------------|--|-------------------------|
| EMERGEN | SRIC ENGINES | N/A | R7300 | 30 TAC Chapter 117, Subchapter B | No changing attributes. |
| EMERGEN | SRIC ENGINES | N/A | 63ZZZZ | 40 CFR Part 63, Subpart ZZZZ | No changing attributes. |
| FIREPUMP | SRIC ENGINES | N/A | R7300 | 30 TAC Chapter 117, Subchapter B | No changing attributes. |
| FIREPUMP | SRIC ENGINES | N/A | 60III | 40 CFR Part 60, Subpart III | No changing attributes. |
| FIREPUMP | SRIC ENGINES | N/A | 63ZZZZ | 40 CFR Part 63, Subpart ZZZZ | No changing attributes. |
| FIREPUMPS | EMISSION POINTS/STATIONARY VENTS/PROCESS VENTS | N/A | R111 | 30 TAC Chapter 111, Visible Emissions | No changing attributes. |
| FLARE4 | FLARES | N/A | R1111 | 30 TAC Chapter 111, Visible Emissions | No changing attributes. |
| FLAREPROC | FLARES | N/A | R111 | 30 TAC Chapter 111, Visible Emissions | No changing attributes. |
| LOAD1 | LOADING/UNLOADING OPERATIONS | N/A | R115 | 30 TAC Chapter 115, Loading and Unloading of VOC | No changing attributes. |
| TURBINE1 | STATIONARY TURBINES | N/A | R7300 | 30 TAC Chapter 117, Subchapter B | No changing attributes. |
| TURBINE1 | STATIONARY TURBINES | N/A | 60GG-1 | 40 CFR Part 60, Subpart GG | No changing attributes. |

Unit Summary

| Unit/Group/ Process ID No. | Unit Type | Group/Inclusive Units | SOP Index No. | Regulation | Requirement Driver |
|-------------------------------|---|--------------------------|---------------|--|-------------------------|
| TURBINE1S | EMISSION POINTS/STATIONARY VENTS/PROCESS VENTS | N/A | R111 | 30 TAC Chapter 111, Visible Emissions | No changing attributes. |
| TURBINE3 | STATIONARY TURBINES | N/A | R7300 | 30 TAC Chapter 117, Subchapter B | No changing attributes. |
| TURBINE3 | STATIONARY TURBINES | N/A | 60GG-1 | 40 CFR Part 60, Subpart GG | No changing attributes. |
| TURBINE3S | EMISSION POINTS/STATIONARY VENTS/PROCESS VENTS | N/A | R111 | 30 TAC Chapter 111, Visible Emissions | No changing attributes. |
| WATER1 | EMISSION POINTS/STATIONARY VENTS/PROCESS VENTS | N/A | R115 | 30 TAC Chapter 115, Vent Gas Controls | No changing attributes. |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|---------------|----------------|---------------------------------------|---|--|---|---|--|
| EMERGEN | EU | R7300 | EXEMPT | 30 TAC Chapter 117, Subchapter B | § 117.303(a)(6)(D) | Units exempted from the provisions of this division, except as specified in §§117.310(f), 117.340(j), 117.345(f)(6) and (10), 117.350(c)(1), and 117.354(a)(5), include stationary gas turbines and stationary internal combustion engines that are used exclusively in emergency situations, except that operation for testing or maintenance purposes is allowed for up to 52 hours per year, based on a rolling 12-month average. | None | § 117.340(j) [G]§ 117.345(f)(6) | None |
| EMERGEN | EU | 63ZZZZ | 112(B) HAPS | 40 CFR Part 63, Subpart ZZZZ | § 63.6603(a)-Table2d.6 § 63.6595(a)(1) § 63.6605(a) § 63.6605(b) § 63.6625(e) § 63.6625(h) § 63.6625(j) § 63.6640(b) | For each existing non-emergency, non-black start 2SLB stationary RICE, located at an area source, you must comply with the requirements as specified in Table 2d.6.a-c. | § 63.6625(j) § 63.6640(a) § 63.6640(a)-Table6.9.a.i § 63.6640(a)-Table6.9.a.ii § 63.6640(b) | § 63.6625(j) § 63.6655(a) § 63.6655(a)(1) § 63.6655(d) § 63.6655(e) § 63.6660(a) § 63.6660(b) § 63.6660(c) | § 63.6640(b) § 63.6640(e) § 63.6650(f) |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|---------------|-----------|---------------------------------------|--|---|-------------------------------------|---|--|
| FIREPUMP | EU | R7300 | EXEMPT | 30 TAC Chapter 117, Subchapter B | [G]§ 117.303(a)(11) [G]§ 117.310(f) | Units exempted from the provisions of this division except as specified in §§117.310(f), 117.340(j), 117.345(f)(6) and (10), 117.350(c)(1) and 117.354(a)(5) include new, modified, reconstructed, or relocated stationary diesel engine placed into service on or after October 1, 2001, that operates less than 100 hours per year, based on a rolling 12-month average, in other than emergency situations; and meets the requirements for non-road engines as specified. §117.303(a)(11)(A)-(B) | None | § 117.340(j) [G]§ 117.345(f)(10) [G]§ 117.345(f)(6) | None |
| FIREPUMP | EU | 60III | CO | 40 CFR Part 60, Subpart III | § 60.4205(c)-Table 4 § 60.4206 § 60.4207(b) § 60.4211(b) § 60.4211(b)(1) [G]§ 60.4211(f) § 60.4218 | Owners and operators of emergency stationary fire pump CI ICE with a maximum engine power greater than or equal to 75 KW and less than 130 KW and a displacement of less than 30 liters per cylinder and is a 2009 model year or earlier must comply with a CO emission limit of 5.0 g/KW-hr, as listed in Table 4 to this subpart. | None | None | [G]§ 60.4214(d) |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|---------------|--------------------------|---------------------------------------|--|---|-------------------------------------|--|--|
| FIREPUMP | EU | 60III | NMHC and NO _x | 40 CFR Part 60, Subpart III | § 60.4205(c)-Table 4 § 60.4206 § 60.4207(b) § 60.4211(b) § 60.4211(b)(1) [G]§ 60.4211(f) § 60.4218 | Owners and operators of emergency stationary fire pump CI ICE with a maximum engine power greater than or equal to 75 KW and less than 130 KW and a displacement of less than 30 liters per cylinder and is a 2009 model year or earlier must comply with an NMHC+NO _x emission limit of 10.5 g/KW-hr, as listed in Table 4 to this subpart. | None | None | [G]§ 60.4214(d) |
| FIREPUMP | EU | 60III | PM | 40 CFR Part 60, Subpart III | § 60.4205(c)-Table 4 § 60.4206 § 60.4207(b) § 60.4211(b) § 60.4211(b)(1) [G]§ 60.4211(f) § 60.4218 | Owners and operators of emergency stationary fire pump CI ICE with a maximum engine power greater than or equal to 75 KW and less than 130 KW and a displacement of less than 30 liters per cylinder and is a 2009 model year or earlier must comply with a PM emission limit of 0.80 g/KW-hr, as listed in Table 4 to this subpart. | None | None | [G]§ 60.4214(d) |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|---------------|-------------|---------------------------------------|---|--|---|---|---|
| FIREPUMP | EU | 63ZZZZ | 112(B) HAPS | 40 CFR Part 63, Subpart ZZZZ | § 63.6590(c) | Stationary RICE subject to Regulations under 40 CFR Part 60. An affected source that meets any of the criteria in paragraphs (c)(1) through (7) of this section must meet the requirements of this part by meeting the requirements of 40 CFR part 60 subpart IIII, for compression ignition engines or 40 CFR part 60 subpart JJJJ, for spark ignition engines as applicable. No further requirements apply for such engines under this part. | None | None | None |
| FIREPUMPS | EP | R111 | OPACITY | 30 TAC Chapter 111, Visible Emissions | § 111.111(a)(1)(B) § 111.111(a)(1)(E) | Visible emissions from any stationary vent shall not exceed an opacity of 20% averaged over a six minute period for any source on which construction was begun after January 31, 1972. | [G]§ 111.111(a)(1)(F) ** See Periodic Monitoring Summary | None | None |
| FLARE4 | EU | R1111 | OPACITY | 30 TAC Chapter 111, Visible Emissions | § 111.111(a)(4)(A) | Visible emissions from a process gas flare shall not be permitted for more than five minutes in any two-hour period, except for emission event emissions as provided in §101.222(b). | § 111.111(a)(4)(A)(i) § 111.111(a)(4)(A)(ii) | § 111.111(a)(4)(A)(ii) | None |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|---------------|-----------------|--|---|---|--|--|---|
| FLAREPROC | EU | R111 | OPACITY | 30 TAC Chapter 111, Visible Emissions | § 111.111(a)(4)(A) | Visible emissions from a process gas flare shall not be permitted for more than five minutes in any two-hour period, except for emission event emissions as provided in §101.222(b). | § 111.111(a)(4)(A)(i) § 111.111(a)(4)(A)(ii) | § 111.111(a)(4)(A)(ii) | None |
| LOAD1 | EU | R115 | VOC | 30 TAC Chapter 115, Loading and Unloading of VOC | § 115.217(a)(1) § 115.212(a)(2) § 115.214(a)(1)(B) § 115.214(a)(1)(D) § 115.214(a)(1)(D)(i) | Vapor pressure (at land-based operations). All land-based loading and unloading of VOC with a true vapor pressure less than 0.5 psia is exempt from the requirements of this division, except as specified. | § 115.214(a)(1)(A) § 115.214(a)(1)(A)(i) § 115.215 § 115.215(4) | § 115.216 § 115.216(2) § 115.216(3)(B) | None |
| TURBINE1 | EU | R7300 | NO _x | 30 TAC Chapter 117, Subchapter B | § 117.310(d)(3) § 117.310(a) § 117.310(a)(10)(C) § 117.310(b) [G]§ 117.310(e)(1) § 117.310(e)(2) [G]§ 117.310(e)(3) § 117.310(e)(4) § 117.340(l)(2) § 117.340(p)(1) § 117.340(p)(2)(C) § 117.340(p)(3) | An owner or operator may not use the alternative methods specified in §§ 117.315, 117.323 and 117.9800 to comply with the NO _x emission specifications but shall use the mass emissions cap and trade program in Chapter 101, Subchapter H, Division 3, except that electric generating facilities must also comply with the daily and 30-day system cap emission limitations of § 117.320. An owner or operator may use the alternative methods specified in § 117.9800 to comply with § 117.320. | [G]§ 117.335(a)(1) § 117.335(a)(4) § 117.335(b) § 117.335(d) § 117.335(e) § 117.335(g) § 117.340(a) § 117.340(l)(2) § 117.340(o)(1) § 117.340(p)(1) § 117.340(p)(2)(A) § 117.340(p)(2)(B) § 117.340(p)(2)(C) § 117.8000(b) § 117.8000(c) § 117.8000(c)(1) § 117.8000(c)(3) § 117.8000(c)(5) § 117.8000(c)(6) [G]§ 117.8000(d) | § 117.345(a) § 117.345(f) § 117.345(f)(1) § 117.345(f)(9) | § 117.335(b) § 117.335(g) § 117.340(p)(2)(D) [G]§ 117.345(b) [G]§ 117.345(c) § 117.8010 [G]§ 117.8010(1) § 117.8010(2) § 117.8010(2)(A) § 117.8010(2)(B) § 117.8010(2)(C) § 117.8010(2)(D) [G]§ 117.8010(3) § 117.8010(4) [G]§ 117.8010(5) § 117.8010(6) [G]§ 117.8010(7) [G]§ 117.8010(8) |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|---------------|-----------------|---------------------------------------|---|--|---|--|---|
| TURBINE1 | EU | R7300 | CO | 30 TAC Chapter 117, Subchapter B | § 117.310(c)(1) § 117.310(c)(1)(B) | CO emissions must not exceed 400 ppmv at 3.0% O ₂ , dry basis. | [G]§ 117.335(a)(1) § 117.335(a)(4) § 117.335(b) § 117.335(d) § 117.335(e) § 117.335(g) § 117.340(a) § 117.8000(b) § 117.8000(c) § 117.8000(c)(2) § 117.8000(c)(3) § 117.8000(c)(5) § 117.8000(c)(6) [G]§ 117.8000(d) § 117.8120 § 117.8120(2) [G]§ 117.8120(2)(A) § 117.8120(2)(B) | § 117.345(a) § 117.345(f) § 117.345(f)(1) § 117.345(f)(9) | § 117.335(b) § 117.335(g) [G]§ 117.345(b) [G]§ 117.345(c) § 117.8010 [G]§ 117.8010(1) § 117.8010(2) § 117.8010(2)(A) § 117.8010(2)(B) [G]§ 117.8010(3) § 117.8010(4) [G]§ 117.8010(5) § 117.8010(6) [G]§ 117.8010(7) [G]§ 117.8010(8) |
| TURBINE1 | EU | 60GG-1 | SO ₂ | 40 CFR Part 60, Subpart GG | § 60.333(b) | No stationary gas turbine shall burn any fuel which contains sulfur in excess of 0.8% by weight. | § 60.334(h) [G]§ 60.334(h)(3) | None | None |
| TURBINE1S | EP | R111 | OPACITY | 30 TAC Chapter 111, Visible Emissions | § 111.111(a)(1)(B) § 111.111(a)(1)(E) | Visible emissions from any stationary vent shall not exceed an opacity of 20% averaged over a six minute period for any source on which construction was begun after January 31, 1972. | [G]§ 111.111(a)(1)(F) ** See Periodic Monitoring Summary | None | None |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|---------------|-----------------|---------------------------------------|---|---|--|--|---|
| TURBINE3 | EU | R7300 | NO _x | 30 TAC Chapter 117, Subchapter B | § 117.310(d)(3) § 117.310(a) § 117.310(a)(10)(C) § 117.310(b) [G]§ 117.310(e)(1) § 117.310(e)(2) [G]§ 117.310(e)(3) § 117.310(e)(4) § 117.340(l)(2) § 117.340(p)(1) § 117.340(p)(2)(C) § 117.340(p)(3) | An owner or operator may not use the alternative methods specified in §§ 117.315, 117.323 and 117.9800 to comply with the NO _x emission specifications but shall use the mass emissions cap and trade program in Chapter 101, Subchapter H, Division 3, except that electric generating facilities must also comply with the daily and 30-day system cap emission limitations of § 117.320. An owner or operator may use the alternative methods specified in § 117.9800 to comply with § 117.320. | [G]§ 117.335(a)(1) § 117.335(a)(4) § 117.335(b) § 117.335(d) § 117.335(e) § 117.335(g) § 117.340(a) § 117.340(l)(2) § 117.340(o)(1) § 117.340(p)(1) § 117.340(p)(2)(A) § 117.340(p)(2)(B) § 117.340(p)(2)(C) § 117.8000(b) § 117.8000(c) § 117.8000(c)(1) § 117.8000(c)(3) § 117.8000(c)(5) § 117.8000(c)(6) [G]§ 117.8000(d) | § 117.345(a) § 117.345(f) § 117.345(f)(1) § 117.345(f)(9) | § 117.335(b) § 117.335(g) § 117.340(p)(2)(D) [G]§ 117.345(b) [G]§ 117.345(c) § 117.8010 [G]§ 117.8010(1) § 117.8010(2) § 117.8010(2)(A) § 117.8010(2)(B) § 117.8010(2)(C) § 117.8010(2)(D) [G]§ 117.8010(3) § 117.8010(4) [G]§ 117.8010(5) § 117.8010(6) [G]§ 117.8010(7) [G]§ 117.8010(8) |
| TURBINE3 | EU | R7300 | CO | 30 TAC Chapter 117, Subchapter B | § 117.310(c)(1) § 117.310(c)(1)(B) | CO emissions must not exceed 400 ppmv at 3.0% O ₂ , dry basis. | [G]§ 117.335(a)(1) § 117.335(a)(4) § 117.335(b) § 117.335(d) § 117.335(e) § 117.335(g) § 117.340(a) § 117.8000(b) § 117.8000(c) § 117.8000(c)(2) § 117.8000(c)(3) § 117.8000(c)(5) § 117.8000(c)(6) [G]§ 117.8000(d) § 117.8120 § 117.8120(2) [G]§ 117.8120(2)(A) § 117.8120(2)(B) | § 117.345(a) § 117.345(f) § 117.345(f)(1) § 117.345(f)(9) | § 117.335(b) § 117.335(g) [G]§ 117.345(b) [G]§ 117.345(c) § 117.8010 [G]§ 117.8010(1) § 117.8010(2) § 117.8010(2)(A) § 117.8010(2)(B) [G]§ 117.8010(3) § 117.8010(4) [G]§ 117.8010(5) § 117.8010(6) [G]§ 117.8010(7) [G]§ 117.8010(8) |

Applicable Requirements Summary

| Unit Group Process ID No. | Unit Group Process Type | SOP Index No. | Pollutant | State Rule or Federal Regulation Name | Emission Limitation, Standard or Equipment Specification Citation | Textual Description (See Special Term and Condition 1.B.) | Monitoring And Testing Requirements | Recordkeeping Requirements (30 TAC § 122.144) | Reporting Requirements (30 TAC § 122.145) |
|---------------------------|-------------------------|---------------|-----------------|---------------------------------------|---|---|---|--|--|
| TURBINE3 | EU | 6oGG-1 | SO ₂ | 40 CFR Part 60, Subpart GG | § 60.333(b) | No stationary gas turbine shall burn any fuel which contains sulfur in excess of 0.8% by weight. | § 60.334(h) [G]§ 60.334(h)(3) | None | None |
| TURBINE3S | EP | R111 | OPACITY | 30 TAC Chapter 111, Visible Emissions | § 111.111(a)(1)(B) § 111.111(a)(1)(E) | Visible emissions from any stationary vent shall not exceed an opacity of 20% averaged over a six minute period for any source on which construction was begun after January 31, 1972. | [G]§ 111.111(a)(1)(F) ** See Periodic Monitoring Summary | None | None |
| WATER1 | EP | R115 | VOC | 30 TAC Chapter 115, Vent Gas Controls | § 115.127(a)(2)(A) [G]§ 115.122(a)(4) § 115.127(a)(2) | A vent gas stream having a combined weight of volatile organic compounds (VOC) < 100 lbs (45.4 kg) in any continuous 24-hour period is exempt from the requirements of § 115.121(a)(1). | [G]§ 115.125 § 115.126(2) | § 115.126 § 115.126(2) § 115.126(4) | None |

Additional Monitoring Requirements

Periodic Monitoring Summary..... 23

Periodic Monitoring Summary

| Unit/Group/Process Information | |
|--|-----------------------------------|
| ID No.: FIREPUMPS | |
| Control Device ID No.: N/A | Control Device Type: N/A |
| Applicable Regulatory Requirement | |
| Name: 30 TAC Chapter 111, Visible Emissions | SOP Index No.: R111 |
| Pollutant: OPACITY | Main Standard: § 111.111(a)(1)(B) |
| Monitoring Information | |
| Indicator: Fuel Type | |
| Minimum Frequency: Annually or at any time an alternate fuel is used | |
| Averaging Period: n/a | |
| <p>Deviation Limit: If alternative fuel is fired for > 24 consecutive hours, report as a deviation, or conduct observation using Test Method 22. Report as a deviation if visible emissions are observed using Test Method 22 and opacity > 20% using Test Method 9.</p> | |
| <p>Periodic Monitoring Text: Record the type of fuel used by the unit. If an alternate fuel is fired, either alone or in combination with the specified gas, for a period greater than or equal to 24 consecutive hours it shall be considered and reported as a deviation or the permit holder shall conduct an observation of the stationary vent for each such period to determine if visible emissions are observed. Any time an alternate fuel is fired for a period of greater than 7 consecutive days then visible emissions observations will be conducted no less than once per week. Documentation of all observations shall be maintained. If visible emissions are present during the firing of an alternate fuel, the permit holder shall either list this occurrence as a deviation or the permit holder may determine the opacity consistent with Test Method 9. Any opacity readings that are above the opacity limit from the underlying applicable requirement shall be reported as a deviation.</p> | |

Periodic Monitoring Summary

| Unit/Group/Process Information | |
|--|-----------------------------------|
| ID No.: TURBINE1S | |
| Control Device ID No.: N/A | Control Device Type: N/A |
| Applicable Regulatory Requirement | |
| Name: 30 TAC Chapter 111, Visible Emissions | SOP Index No.: R111 |
| Pollutant: OPACITY | Main Standard: § 111.111(a)(1)(B) |
| Monitoring Information | |
| Indicator: Fuel Type | |
| Minimum Frequency: Annually or at any time an alternate fuel is used | |
| Averaging Period: n/a | |
| <p>Deviation Limit: If alternative fuel is fired for > 24 consecutive hours, report as a deviation, or conduct observation using Test Method 22. Report as a deviation if visible emissions are observed using Test Method 22 and opacity > 20% using Test Method 9.</p> | |
| <p>Periodic Monitoring Text: Record the type of fuel used by the unit. If an alternate fuel is fired, either alone or in combination with the specified gas, for a period greater than or equal to 24 consecutive hours it shall be considered and reported as a deviation or the permit holder shall conduct an observation of the stationary vent for each such period to determine if visible emissions are observed. Any time an alternate fuel is fired for a period of greater than 7 consecutive days then visible emissions observations will be conducted no less than once per week. Documentation of all observations shall be maintained. If visible emissions are present during the firing of an alternate fuel, the permit holder shall either list this occurrence as a deviation or the permit holder may determine the opacity consistent with Test Method 9. Any opacity readings that are above the opacity limit from the underlying applicable requirement shall be reported as a deviation.</p> | |

Periodic Monitoring Summary

| Unit/Group/Process Information | |
|--|-----------------------------------|
| ID No.: TURBINE3S | |
| Control Device ID No.: N/A | Control Device Type: N/A |
| Applicable Regulatory Requirement | |
| Name: 30 TAC Chapter 111, Visible Emissions | SOP Index No.: R111 |
| Pollutant: OPACITY | Main Standard: § 111.111(a)(1)(B) |
| Monitoring Information | |
| Indicator: Fuel Type | |
| Minimum Frequency: Annually or at any time an alternate fuel is used | |
| Averaging Period: n/a | |
| <p>Deviation Limit: If alternative fuel is fired for > 24 consecutive hours, report as a deviation, or conduct observation using Test Method 22. Report as a deviation if visible emissions are observed using Test Method 22 and opacity > 20% using Test Method 9.</p> | |
| <p>Periodic Monitoring Text: Record the type of fuel used by the unit. If an alternate fuel is fired, either alone or in combination with the specified gas, for a period greater than or equal to 24 consecutive hours it shall be considered and reported as a deviation or the permit holder shall conduct an observation of the stationary vent for each such period to determine if visible emissions are observed. Any time an alternate fuel is fired for a period of greater than 7 consecutive days then visible emissions observations will be conducted no less than once per week. Documentation of all observations shall be maintained. If visible emissions are present during the firing of an alternate fuel, the permit holder shall either list this occurrence as a deviation or the permit holder may determine the opacity consistent with Test Method 9. Any opacity readings that are above the opacity limit from the underlying applicable requirement shall be reported as a deviation.</p> | |

Permit Shield

Permit Shield 27

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

| Unit/Group/Process | | Regulation | Basis of Determination |
|--------------------|-----------------------|--|--|
| ID No. | Group/Inclusive Units | | |
| FIREPUMPS | N/A | 30 TAC Chapter 115, Vent Gas Controls | Combustion unit exhaust stream not being used as a control device for any vent gas stream. |
| FLARE4 | N/A | 30 TAC Chapter 115, HRVOC Vent Gas | Flare does not emit or have the potential to emit HRVOC. |
| FLARE4 | N/A | 40 CFR Part 60, Subpart A | Flare is not used to comply with any applicable subparts of 40 CFR Parts 60 and 61. |
| FLARE4 | N/A | 40 CFR Part 63, Subpart A | Flare is not used to comply with any applicable subparts of 40 CFR Part 63. |
| FLAREPROC | N/A | 30 TAC Chapter 115, HRVOC Vent Gas | Flare does not emit or have the potential to emit HRVOC. |
| FLAREPROC | N/A | 40 CFR Part 60, Subpart A | Flare is not used to comply with any applicable subparts of 40 CFR Parts 60 & 61. |
| FLAREPROC | N/A | 40 CFR Part 63, Subpart A | Flare is not used to comply with any applicable subparts of 40 CFR Part 63. |
| FUG1 | N/A | 30 TAC Chapter 115, HRVOC Fugitive Emissions | The facility is not a Natural Gas/Gasoline processing operation. |
| FUG1 | N/A | 30 TAC Chapter 115, Pet. Refinery & Petrochemicals | The facility is not a Natural Gas/Gasoline processing operation. |

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

| Unit/Group/Process | | Regulation | Basis of Determination |
|--------------------|-----------------------|---------------------------------------|--|
| ID No. | Group/Inclusive Units | | |
| LUBETK | N/A | 30 TAC Chapter 115, Storage of VOCs | Storage tank has a storage capacity of less than 1,000 gallons. |
| LUBETK | N/A | 40 CFR Part 60, Subpart K | Storage vessel was constructed after May 19, 1978. |
| LUBETK | N/A | 40 CFR Part 60, Subpart Ka | Storage vessel has a storage capacity of less than 40,000 gallons. |
| LUBETK | N/A | 40 CFR Part 60, Subpart Kb | Constructed before July 23, 1984. |
| TURBINE1 | N/A | 40 CFR Part 60, Subpart KKKK | Construction, modification or reconstruction prior to February 18, 2005. |
| TURBINE1 | N/A | 40 CFR Part 63, Subpart YYYY | Facility is not a major source of HAP emissions. |
| TURBINE1S | N/A | 30 TAC Chapter 115, Vent Gas Controls | Combustion unit exhaust stream not being used as a control device for any vent gas stream. |
| TURBINE3 | N/A | 40 CFR Part 60, Subpart KKKK | Construction, modification or reconstruction prior to February 18, 2005. |
| TURBINE3 | N/A | 40 CFR Part 63, Subpart YYYY | Facility is not a major source of HAP emissions. |
| TURBINE3S | N/A | 30 TAC Chapter 115, Vent Gas Controls | Combustion unit exhaust stream not being used as a control device for any vent gas stream. |

New Source Review Authorization References

New Source Review Authorization References 30

New Source Review Authorization References by Emission Unit.....31

New Source Review Authorization References

The New Source Review authorizations listed in the table below are applicable requirements under 30 TAC Chapter 122 and enforceable under this operating permit.

| Title 30 TAC Chapter 116 Permits, Special Permits, and Other Authorizations (Other Than Permits By Rule, PSD Permits, or NA Permits) for the Application Area. | |
|---|------------------------------|
| Authorization No.: 27788 | Issuance Date: 03/21/2013 |
| Permits By Rule (30 TAC Chapter 106) for the Application Area | |
| Number: 106.263 | Version No./Date: 11/01/2001 |
| Number: 106.433 | Version No./Date: 09/04/2000 |
| Number: 106.452 | Version No./Date: 09/04/2000 |
| Number: 106.472 | Version No./Date: 09/04/2000 |
| Number: 106.476 | Version No./Date: 09/04/2000 |
| Number: 106.492 | Version No./Date: 09/04/2000 |
| Number: 106.511 | Version No./Date: 09/04/2000 |
| Number: 106.512 | Version No./Date: 06/13/2001 |
| Number: 6 | Version No./Date: 07/20/1992 |
| Number: 72 | Version No./Date: 01/08/1980 |
| Number: 118 | Version No./Date: 05/12/1981 |
| Number: 124 | Version No./Date: 05/12/1981 |

New Source Review Authorization References by Emissions Unit

The following is a list of New Source Review (NSR) authorizations for emission units listed elsewhere in this operating permit. The NSR authorizations are applicable requirements under 30 TAC Chapter 122 and enforceable under this operating permit.

| Unit/Group/Process ID No. | Emission Unit Name/Description | New Source Review Authorization |
|------------------------------|--------------------------------|---------------------------------|
| EMERGEN | EMERGENCY GENERATOR | 106.511/09/04/2000 |
| FIREPUMP | FIRE PUMP ENGINE | 106.511/09/04/2000 |
| FIREPUMPS | FIRE PUMP ENGINE STACK | 106.511/09/04/2000 |
| FLARE4 | FLARE STACK 4 | 27788 |
| FLAREPROC | PROCESS TO FLARE | 106.492/09/04/2000 |
| FUG1 | FUGITIVE 1 | 72/01/08/1980 |
| LOAD1 | LOADING OPERATIONS LOW VP | 72/01/08/1980 |
| LUBETK | USED LUBE OIL TANK | 72/01/08/1980 |
| TURBINE1S | TURBINE NO. 1 STACK | 6/07/20/1992 |
| TURBINE1 | TURBINE NO. 1 | 6/07/20/1992 |
| TURBINE3S | TURBINE NO. 3 STACK | 106.512/06/13/2001 |
| TURBINE3 | TURBINE NO. 3 | 106.512/06/13/2001 |
| WATER1 | BRINE TRANSFER PIPE | 27788 |

Appendix A

Acronym List 33

Acronym List

The following abbreviations or acronyms may be used in this permit:

| | | |
|------------------|-------|---|
| ACFM | | actual cubic feet per minute |
| AMOC | | alternate means of control |
| ARP | | Acid Rain Program |
| ASTM | | American Society of Testing and Materials |
| B/PA | | Beaumont/Port Arthur (nonattainment area) |
| CAM | | Compliance Assurance Monitoring |
| CD | | control device |
| COMS | | continuous opacity monitoring system |
| CVS | | closed-vent system |
| D/FW | | Dallas/Fort Worth (nonattainment area) |
| DR | | Designated Representative |
| EIP | | El Paso (nonattainment area) |
| EP | | emission point |
| EPA | | U.S. Environmental Protection Agency |
| EU | | emission unit |
| FCAA Amendments | | Federal Clean Air Act Amendments |
| FOP | | federal operating permit |
| GF | | grandfathered |
| gr/100 scf | | grains per 100 standard cubic feet |
| HAP | | hazardous air pollutant |
| H/G/B | | Houston/Galveston/Brazoria (nonattainment area) |
| H ₂ S | | hydrogen sulfide |
| ID No. | | identification number |
| lb/hr | | pound(s) per hour |
| MMBtu/hr | | Million British thermal units per hour |
| MRRT | | monitoring, recordkeeping, reporting, and testing |
| NA | | nonattainment |
| N/A | | not applicable |
| NADB | | National Allowance Data Base |
| NO _x | | nitrogen oxides |
| NSPS | | New Source Performance Standard (40 CFR Part 60) |
| NSR | | New Source Review |
| ORIS | | Office of Regulatory Information Systems |
| Pb | | lead |
| PBR | | Permit By Rule |
| PM | | particulate matter |
| ppmv | | parts per million by volume |
| PSD | | prevention of significant deterioration |
| RO | | Responsible Official |
| SO ₂ | | sulfur dioxide |
| TCEQ | | Texas Commission on Environmental Quality |
| TSP | | total suspended particulate |
| TVP | | true vapor pressure |
| U.S.C. | | United States Code |
| VOC | | volatile organic compound |