

TEXAS COMMISSION ON ENVIRONMENTAL QUALITY



DOCKET NO. 2010-0120-IWD
General Permit No. TXG670000

IN THE MATTER OF THE	§	BEFORE THE TEXAS
GENERAL PERMIT TO AUTHORIZE	§	COMMISSION ON
DISCHARGES OF HYDROSTATIC	§	ENVIRONMENTAL
TEST WATER FROM CERTAIN	§	QUALITY
TYPES OF VESSELS	§	

COMMISSIONERS' RESOLUTION ISSUING THE GENERAL PERMIT

WHEREAS, under Section (§) 26.121 of the Texas Water Code, no person may discharge waste or pollutants into or adjacent to any water in the state except as authorized by a rule, permit, or order issued by the Texas Commission on Environmental Quality (TCEQ or Commission);

WHEREAS, under § 26.027 of the Texas Water Code, the TCEQ has the authority to issue permits and amendments to permits for the discharge of waste or pollutants into or adjacent to waters in the state;

WHEREAS, under § 26.040 of the Texas Water Code, the TCEQ has the authority to issue a general permit to authorize the discharge of waste into or adjacent to waters in the state;

WHEREAS, a General Permit (TXG670000) to authorize discharges of hydrostatic test water from certain types of vessels (pipelines, tanks, and other containers) was drafted and proposed by the Executive Director and is attached as Exhibit A;

WHEREAS, the Executive Director did not make changes to the general permit in response to public comments since no public comments were received;

WHEREAS, the Executive Director prepared notice that the general permit was being revised and reissued for publication in the Texas Register and is attached as Exhibit B;

WHEREAS, the Commission has reviewed in accordance with Texas Natural Resources Code § 33.205 and 30 TAC § 205.5(f) the General Permit for consistency with the Texas Coastal Management Program (CMP) and has found that the General Permit is

consistent with applicable CMP goals and policies and that the General Permit will not adversely affect any applicable coastal natural resource areas as identified in the CMP;

WHEREAS, the Commission has determined in accordance with § 26.040(a)(1)-(4) of the Texas Water Code that the General Permit would authorize dischargers who engage in the same or substantially similar types of operations, discharge the same types of waste, are subject to the same requirements regarding effluent limitations or operating conditions, and are subject to the same or similar monitoring requirements;

WHEREAS, the Commission finds in accordance with § 26.040(a)(5) of the Texas Water Code that the General Permit would apply to dischargers who are more appropriately regulated under a general permit than under individual permits and that:

(A) The General Permit was drafted to assure that it can be readily enforced and that the Commission can adequately monitor compliance with the terms of the general permit; and

(B) The category of discharges covered by the General Permit does not include a discharge of pollutants that will cause significant adverse effects to water quality;

THEREFORE, the Commission, by this resolution, issues the General Permit as recommended by the Executive Director. Furthermore, the Commission directs staff to make any non-substantive changes to the permit to satisfy Texas Register format requirements and requests that the General Permit be made available to the public in accordance with the requirements of § 26.040(d) of the Texas Water Code of 30 TAC § 205.3(e).

It is so **RESOLVED**.

Date of Adoption: **APR 01 2010**

TEXAS COMMISSION ON
ENVIRONMENTAL QUALITY



Bryan W. Shaw, Ph.D., Chairman

Exhibit A



TCEQ Docket No. 2010-0120-IWD
TPDES GENERAL PERMIT
NO. TXG670000

This is a renewal of TPDES General
Permit No. TXG670000 issued on
April 5, 2005.

TEXAS COMMISSION ON ENVIRONMENTAL QUALITY
P.O. BOX 13087
AUSTIN, TEXAS 78711-3087

GENERAL PERMIT TO DISCHARGE WASTES
under provisions of
Section 402 of the Clean Water Act
and Chapter 26 of the Texas Water Code

Hydrostatic test water from industrial and other facilities, located in the State of Texas,

may be discharged into or adjacent to water in the state, including exceptional, high, intermediate, limited or no significant aquatic life use receiving waters as designated in the Texas Surface Water Quality Standards

only according to effluent limitations, monitoring requirements and other conditions set forth in this general permit, as well as the rules of the Texas Commission on Environmental Quality (TCEQ), the laws of the State of Texas, and other orders of the Commission of the TCEQ (Commission). The issuance of this general permit does not grant to the permittee the right to use private or public property for the conveyance of wastewater along the discharge route. This includes property belonging to, but not limited to, any individual, partnership, corporation or other entity. Neither does this general permit authorize any invasion of personal rights nor any violation of federal, state, or local laws or regulations. It is the responsibility of the permittee to acquire property rights as may be necessary to use the discharge route.

This general permit and the authorization contained herein shall expire at midnight on April 5, 2015.

EFFECTIVE DATE: April 5, 2010

ISSUED DATE: APR 01 2010

A handwritten signature in black ink that reads "Bryan L. Shaw".

For the Commission

TPDES GENERAL PERMIT NUMBER TXG670000 RELATING TO DISCHARGES
OF HYDROSTATIC TEST WATER

Part I. Definitions..... 3

Part II. Permit Applicability and Coverage..... 6

 Section A. Discharges Covered 6

 Section B. Limitations on Coverage 6

 Section C. Application for Coverage 7

 Section D. Termination of Coverage 9

 Section E. Authorization Under a TPDES Individual Permit..... 9

 Section F. Permit Expiration..... 10

Part III. Permit Requirements..... 11

 Section A. Effluent Limitations 11

 Section B. General Requirements 12

Part IV. Standard Permit Conditions 13

Part V. Fees 16

Part VI. Discharge Monitoring Report (DMR) 16

Part I. Definitions

The following words and terms, for the purposes of this general permit, shall have the following meanings.

Daily average limitations - The arithmetic average of results of analyses for a parameter from a minimum of four samples of the discharges that occur in a single calendar month. When results of analyses of four samples are not available in a single calendar month, the arithmetic average of the most recent results, not to exceed four, must be reported as the daily average concentration.

Daily maximum limitations -The maximum concentration measured on a single day within a single calendar month.

Discharge - Deposit, conduct, drain, emit, throw, run, allow to seep, or otherwise release or dispose of, or to allow, permit, or suffer any of these acts or omissions.

Existing vessel - A vessel that has been used to store, transport, or otherwise contain a liquid or gaseous material or product.

Facility - Any NPDES "point source" (as defined in 40 CFR § 122.2) or any other facility or activity that is subject to regulation under the TPDES program.

General permit - A permit issued under the provisions of 30 Texas Administrative Code (TAC), Chapter 205, authorizing the discharge of waste into or adjacent to water in the state for one or more categories of waste discharge within a geographical area of the state or the entire state as provided by Texas Water Code (TWC) §26.040.

Grab sample - An individual sample collected in less than 15 minutes.

Hydrostatic test - A method of determining the structural integrity of a vessel by either introducing water into the vessel or submerging the empty vessel in water.

Hyperchlorinated -The treatment of potable water lines or other vessels with chlorine for disinfection purposes, typically following repair or partial replacement of the waterline or vessel, and subsequently flushing the contents.

Land application – The spraying or spreading of wastewater onto the land surface or the incorporation of wastewater into the soil in a way that no nuisance conditions occur and so that the wastewater can either condition the soil or fertilize crops of vegetation grown in the soil.

Municipal separate storm sewer system (MS4) - A conveyance or system of conveyances (including roads with drainage systems, municipal streets, catch basins, curbs, gutters, ditches, man-made channels, or storm drains): (i) Owned or operated by the United States, a state, city, town, borough, county, district, association, or other public body (created by or pursuant to State law) having jurisdiction over disposal of sewage, industrial wastes, storm water, or other wastes, including special districts under State law such as a sewer district, flood control district or drainage district, or similar entity, or an Indian tribe or an authorized Indian tribal organization, or a designated and approved management agency under § 208 of the Clean Water Act (CWA); (ii) Designed or used for collecting or conveying storm water; (iii) Which is not a combined sewer; and (iv) Which is not part of a publicly owned treatment works (POTW) as defined at 40 CFR §

122.2; (v) Which does not include very discrete systems such as those serving individual buildings. See also 40 CFR 122.26(b)(4), (7), and (16).

New vessel - A vessel that has not been previously used to store, transport, or otherwise contain a liquid or gaseous material or product.

Notice of change (NOC) - A written submission to the Executive Director from a permittee authorized under a general permit, providing information on changes to information previously provided to the commission, or any changes with respect to the nature or operations of the regulated entity or the characteristics of the discharge.

Notice of intent (NOI) - A written submission to the Executive Director from an applicant requesting coverage under the terms of a general permit.

Notice of termination (NOT) - A written submission to the Executive Director from a permittee authorized under a general permit requesting termination of coverage.

Operator – The person responsible for the overall operation of a facility.

Owner – The person who owns a facility or part of a facility.

Permittee – Any person issued an individual permit, order, or is authorized by a general permit.

Petroleum product - Crude oil or any refined or unrefined fraction or derivative of crude oil. Petroleum substance is limited to one or a combination of the substances or mixtures in the following list (except for any substance regulated as a hazardous waste under 30 TAC § 335.1 (relating to Definitions)).

- (a) Basic petroleum substances - Crude oils, crude oil fractions, petroleum feedstocks, and petroleum fractions.
- (b) Motor fuels - A petroleum substance which is typically used to operate internal combustion engines (including stationary engines and engines used in transportation vehicles and marine vessels), and which is one of the following types of fuels: leaded or unleaded gasoline, aviation gasoline, No. 1 diesel fuel, No. 2 diesel fuel, and any grades of gasohol.
- (c) Aviation gasolines - Grade 80, Grade 100, and Grade 100-LL.
- (d) Aviation jet fuels - Jet A, Jet A-1, Jet B, JP-4, JP-5, and JP-8.
- (e) Distillate fuel oils - No. 1-D, No. 1, No. 2-D, and No. 2.
- (f) Residual fuel oils - No. 4-D, No. 4-light, No. 4, No. 5-light, No. 5-heavy, and No. 6.
- (g) Gas-turbine fuel oils - Grade O-GT, Grade 1-GT, Grade 2-GT, Grade 3-GT, and Grade 4-GT.
- (h) Illuminating oils - Kerosene, mineral seal oil, long-time burning oils, 300 oil, and mineral colza oil.
- (i) Solvents - Stoddard solvent, petroleum spirits, mineral spirits, petroleum ether, varnish makers' and painters' naphthas, petroleum extender oils, and commercial hexane.

- (j) Lubricants - Automotive and industrial lubricants.
- (k) Building materials - Liquid asphalt and dust-laying oils.
- (l) Insulating and waterproofing materials - Transformer oils and cable oils.
- (m) Used oils - Any oil or similar petroleum substance that has been refined from crude oil, used for its designed or intended purposes, and contaminated by physical or chemical impurities; including spent motor vehicle and aircraft lubricating oils (e.g. car and truck engine oil, transmission fluid, and brake fluid), spent industrial oils (e.g., compressor, turbine, bearing, hydraulic, metalworking, gear, electrical, and refrigerator oils), and spent industrial process oils.
- (n) Any other petroleum-based material that has physical and chemical properties similar to the above materials and receiving approval by the Executive Director for designation as a petroleum substance.
- (o) Examples of materials that are not petroleum substances include: aldehydes and ketones (e.g., acetone, methyl ethyl ketone); halogenated solvents (e.g., carbon tetrachloride, trichloroethylene), alcohols (e.g., methanol), phenols, nitrogen-containing compounds and oils containing polychlorinated biphenyl compounds.

Site - The land or water area where any facility or activity is physically located or conducted, including adjacent land used in connection with the facility or activity.

Texas Land Application Permit (TLAP) - A permit issued by the TCEQ for the land application and disposal of wastewater that does not result in a discharge to surface water in the state.

Texas Pollutant Discharge Elimination System (TPDES) Permit – The state program for issuing, amending, terminating, monitoring, and enforcing permits, and imposing and enforcing pretreatment requirements, under the Clean Water Act §§ 307, 402, 318, and 405, the Texas Water Code, and the Texas Administrative Code regulations.

Vessel - Pipelines, tanks, and other similar containers used to store, transport, or otherwise contain a liquid or gaseous material or product.

Water in the State - Groundwater, percolating or otherwise, lakes, bays, ponds, impounding reservoirs, springs, rivers, streams, creeks, estuaries, wetlands, marshes, inlets, canals, the Gulf of Mexico inside the territorial limits of the state, and all other bodies of surface water, natural or artificial, inland or coastal, fresh or salt, navigable or nonnavigable, and including the beds and banks of all watercourses and bodies of surface water, that are wholly or partially inside or bordering the state or inside the jurisdiction of the state.

Part II. Permit Applicability and Coverage

Section A. Discharges Covered

This general permit regulates the discharge of water resulting from a hydrostatic test of a vessel into or adjacent to water in the state from:

1. New vessels;
2. Existing vessels that contain or previously contained or transferred raw or portable water, where the water used for hydrostatic tests does not contain corrosion inhibitors, antifreeze compounds, biocides, or other chemical additives (except chlorine or tracer dyes);
3. Existing vessels that previously contained only elemental gases (hydrogen, oxygen, nitrogen, etc.); and
4. Existing vessels that previously contained product or waste related to petroleum products.

Section B. Limitations on Coverage

1. Additional authorization may be required for discharges into or adjacent to water in the state, located on or within ten stream miles upstream of the Edwards Aquifer recharge zone, as defined in 30 Texas Administrative Code (TAC) Chapter 213 (relating to Edwards Aquifer). Applicants must also submit a copy of the NOI to the appropriate TCEQ regional office.

Counties:
Comal, Bexar, Medina,
and Kinney

Contact:
TCEQ
Water Program Manager
San Antonio Regional Office
14250 Judson Rd.
San Antonio, Texas 78233
(210) 490-3096

Counties:
Williamson, Travis, Hays

Contact:
TCEQ
Water Program Manager
Austin Regional Office
2800 S IH 35, Suite 100
Austin, TX 78704-5712
(512) 339-2929

2. Discharges shall not be authorized by this general permit where prohibited by:
 - a. 30 TAC Chapter 311 (relating to Watershed Protection);
 - b. 30 TAC Chapter 213 (relating to the Edwards Aquifer); or
 - c. Any other applicable rules or laws.

3. This general permit does not authorize discharges into or adjacent to water in the state from activities that are regulated by the Railroad Commission of Texas, including crude oil facilities.
4. The Executive Director shall deny an application for authorization under this general permit, and may require that the applicant apply for a Texas Pollutant Discharge Elimination System (TPDES) individual permit, if the Executive Director determines that the discharge will not maintain existing uses of receiving waters. Additionally, the Executive Director may cancel, revoke, or suspend authorization to discharge under this general permit based on a finding of historical and significant noncompliance with the provisions of this general permit. Denial of authorization to discharge under this general permit or suspension of a permittee's authorization under this general permit shall be done according to commission rules in 30 TAC Chapter 205 (relating to General Permits for Waste Discharges).
5. This general permit does not limit the authority of a home-rule municipality provided by § 401.002 of the Texas Local Government Code.
6. New sources or new discharges of the constituent(s) of concern to impaired waters are not authorized by this permit unless otherwise allowable under 30 TAC Chapter 305 and applicable state law. Impaired waters are those that do not meet applicable water quality standard(s) and are listed on the Clean Water Act (CWA) § 303(d) list. Constituents of concern are those for which the water body is listed as impaired.
7. Discharges of the constituent(s) to impaired water bodies for which there is a total maximum daily load (TMDL) implementation plan are not eligible for this permit unless they are consistent with the approved TMDL and the implementation plan. The Executive Director may amend this general permit or develop a separate general permit for discharges to these water bodies. For discharges not eligible for coverage under this permit, the discharger must apply for and receive an individual or other applicable general TPDES permit prior to discharging.
8. Discharges that would adversely affect a listed endangered or threatened species or its critical habitat are not authorized by this permit. Federal requirements related to endangered species apply to all TPDES permitted activities, and site-specific controls may be required to ensure that protection of endangered or threatened species is achieved

Section C. Application for Coverage

1. Unless specifically exempted from the notification requirements under Part II, Section C.4., applicants seeking authorization to discharge under this general permit must submit a completed Notice of Intent (NOI) on a form approved by the Executive Director. The NOI shall, at a minimum, include: the legal name and address of the owner and operator, the facility name and address, specific description of its location, type of facility or discharges, and the receiving waters. Discharges authorized under the previous general permit are required to submit a new NOI within 90 days of issuance of this general permit to continue authorization.
2. Submission of an NOI is an acknowledgment that the conditions of this general permit are applicable to the proposed discharge, and that the applicant agrees to comply with the conditions of this general permit. Provisional authorization to discharge under the terms

and conditions of this general permit begins 48 hours after a completed NOI is postmarked for delivery to the TCEQ. Following review of the NOI, the Executive Director shall either confirm coverage by providing a notification and an authorization number to the applicant or notify the applicant that coverage under this general permit is denied. If the TCEQ provides for electronic submittal of NOIs during the term of this general permit, unless otherwise notified by the Executive Director, authorization begins immediately following confirmation of receipt of the NOI by the TCEQ. Authorization is non-provisional when the Executive Director finds the NOI is administratively complete and an authorization number is issued for the activity. For activities located in areas regulated by 30 TAC Chapter 213, related to the Edwards Aquifer, this authorization to discharge is separate from the requirements of the applicant's responsibilities under that rule. Discharge may not commence for sites regulated under 30 TAC Chapter 213 until all applicable requirements of that rule are met. Applicants seeking authorization to discharge to a municipal separate storm sewer system must provide a copy of the NOI to the operator of the system at the same time an NOI is submitted to the TCEQ.

3. For discharges located on or within ten stream miles upstream of the Edwards Aquifer recharge zone, applicants must also submit a copy of the NOI to the appropriate TCEQ regional offices shown below. The applicant may not discharge until authorization is received from the regional office.

Counties:
Comal, Bexar, Medina,
and Kinney

Contact:
TCEQ
Water Program Manager
San Antonio Regional Office
14250 Judson Rd.
San Antonio, Texas 78233-4480
(210) 490-3096

Counties:
Williamson, Travis, Hays

Contact:
TCEQ
Water Program Manager
Austin Regional Office
2800 S IH 35, Suite 100
Austin, TX 78704-5712
(512) 339-2929

4. An NOI is not required if the discharger complies with all applicable permit conditions and:
 - a. The discharge is from a vessel listed in Part II.A.1-3; or
 - b. The discharge is from a vessel listed in Part II.A.1-4 and is land applied at the site with no resulting runoff to water in the state.
5. Authorization under this general permit is not transferable. If either the owner or operator of the regulated entity changes, then both the present owner and operator must submit a Notice of Termination (NOT) and the new owner and operator must submit an NOI. The NOT and NOI must be submitted no later than 10 days before the change. Permittees

discharging to an MS4 must submit a copy of the NOT to the operator of the system at the same time the NOT is submitted to the TCEQ.

6. If the owner or operator becomes aware that it failed to submit any relevant facts, or submitted incorrect information, or if relevant information provided in the NOI changes (for example, phone number or P.O. Box number), the correct information must be provided to the Executive Director in a Notice of Change (NOC) within 14 days after discovery. Permittees discharging to an MS4 must submit a copy of any NOC to the operator of the system at the same time the NOC is submitted to the TCEQ.

Section D. Termination of Coverage

A permittee shall terminate coverage under this general permit through the submittal of a NOT, on a form approved by the Executive Director, when the owner or operation of facility changes; the discharge becomes authorized under an individual permit; the use of the property changes and is no longer subject to regulation under this general permit; or the discharge becomes unnecessary, is delayed, or is completed. Authorization terminates at midnight on the day that an NOT is postmarked for delivery to the TCEQ. If electronic submission of the NOT is provided, authorization to discharge under this permit terminates immediately following confirmation of the receipt of the NOT by the TCEQ. Compliance with the conditions and requirements of this permit is required until an NOT is submitted. Permittees discharging to an MS4 must submit a copy of the NOT to the operator of the system at the same time the NOT is submitted to the TCEQ.

Section E. Authorization Under a TPDES Individual Permit

1. Discharges eligible for authorization by this general permit may alternatively be authorized by an individual permit according to 30 TAC Chapter 305 (relating to Consolidated Permits).
2. When an individual permit is issued for a discharge that is currently authorized under this general permit, the permittee shall submit an NOT to the Executive Director. The authorization under this general permit will be terminated when the Executive Director receives the NOT.
3. Discharges from facilities currently authorized by an individual permit, and discharges from facilities currently authorized under another general permit, may only be authorized under this TPDES general permit if the following conditions are met:
 - a. The discharges meet the applicability and eligibility requirements for coverage under this general permit;
 - b. The current individual permit does not contain numeric water quality-based effluent limitations for the discharge (unless the discharges that resulted in the limitations have ceased and any contamination that resulted in these limitations is removed or remediated);
 - c. The Executive Director has not determined that continued coverage under an individual permit is required based on consideration of a total maximum daily loading (TMDL) model, anti-backsliding policy, history of substantive noncompliance, or other site-specific considerations;

- d. A previous application or permit for the discharge has not been denied, terminated, or revoked by the Executive Director as a result of enforcement or water quality related concerns. The Executive Director may provide a waiver to this provision based on new circumstances at the facility, or if there is a new facility owner or operator; and
 - e. The applicant requests cancellation of the existing individual permit within 30 days after notice that authorization under this general permit is effective.
4. Discharges of hydrostatic test water from new outfalls at facilities authorized under an individual permit, or under a different general permit, may be authorized under this general permit if the following conditions are met:
- a. The proposed discharges meet the applicability and eligibility requirements for coverage under this general permit;
 - b. The current individual permit does not contain numeric water quality-based effluent limitations for discharges that are similar in nature to the proposed discharge (unless the discharges that resulted in the limitations have ceased and any contamination that resulted in these limitations is removed or remediated);
 - c. The Executive Director has not determined that coverage under an individual permit is required based on consideration of a total maximum daily loading (TMDL) model, history of substantive non-compliance, or other site-specific considerations; and
 - d. A previous application or permit for the proposed discharge has not been denied, terminated, or revoked by the Executive Director as a result of enforcement or water quality related concerns. The Executive Director may provide a waiver to this provision based on new circumstances at the facility, or if there is a new facility owner or operator.

Section F. Permit Expiration

- 1. This general permit is effective for five years from the date of issuance. Authorizations for discharge under the provisions of this general permit may be issued until the expiration date of the general permit. This general permit may be amended, revoked, cancelled, or renewed by the commission after notice and comment as provided by 30 TAC §§ 205.3 and 205.5.
- 2. If the commission proposes to reissue this general permit before the expiration date, the general permit shall remain in effect after the expiration date for those existing discharges covered by the general permit in accordance with 30 TAC Chapter 205. The general permit shall remain in effect for these discharges until the date on which the commission takes final action on the proposal to reissue this general permit. No new NOIs will be accepted or new authorizations honored for authorization under the general permit after the expiration date.
- 3. Upon issuance of a renewed or amended general permit, all facilities, including those covered under the expired general permit, shall submit an NOI according to the

requirements of the new general permit, obtain a TPDES individual permit, or obtain a Texas Land Application Permit (TLAP) for those discharges.

4. If the commission does not propose to reissue this general permit within 90 days before the expiration date, permittees must apply for authorization under an individual or alternative general permit. If the application for an individual or alternative general permit is submitted before the general permit expiration date, authorization under this expiring general permit remains in effect until the issuance or denial of an individual permit or alternative general permit.

Part III. Permit Requirements

Section A. Effluent Limitations

1. Discharges of hydrostatic test waster from vessels described in Part II.A.1-3 are subject to the following effluent limitation if the water has been hyperchlorinated:

Parameter	Daily Maximum Limitations	Daily Average Limitations	Sample Type	Monitoring Frequency
Total Residual Chlorine	0.10 mg/L	Report	Grab	Two/Discharge ¹

¹Samples shall be taken during the first hour of discharge. Samples must be collected at a point immediately following discharge from the vessel and prior to commingling with storm water, wastewater, or other flows. For discharges that extend beyond an hour in duration, a second sample shall be taken of the last 10% of the effluent.

2. Discharges of hydrostatic test water from existing vessels that previously contained product or waste related to petroleum products are subject to the following effluent limitations:

Parameter	Daily Maximum Limitations	Daily Average Limitations	Sample Type	Monitoring Frequency
Total Petroleum Hydrocarbons ¹	15 mg/L	Report	Grab	Two/discharge ²
Benzene	0.05 mg/L	Report	Grab	Two/discharge ²
Total BTEX ³	0.50 mg/L	Report	Grab	Two/discharge ²
Total Lead ⁴	0.10 mg/L ⁵	Report	Grab	Two/discharge ²
Total Lead ⁴	0.02 mg/L ⁵	Report	Grab	Two/discharge ²
pH	Between 6.0 - 9.0 Standard Units		Grab	Two/discharge ²

¹Total petroleum hydrocarbons must be analyzed using TCEQ Method 1005.

²Samples shall be taken during the first hour of discharge. Samples must be collected at a point immediately following discharge from the vessel and prior to commingling with storm water, wastewater, or any other flows. For discharges that extend beyond an hour in duration, a second sample shall be taken of the 10% of the effluent.

³Total BTEX shall be measured as the sum of benzene, toluene, ethylbenzene, and total xylenes.

⁴If the vessel containing the discharged has never contained lead or lead additives, there is no requirement to sample and analyze for total lead.

⁵The daily maximum limitation for total lead is 0.02 mg/L for discharges located in the following counties: Anderson, Angelina, Camp, Cass, Cherokee, Collin, Franklin, Gregg, Hardin, Harrison, Henderson, Hopkins, Houston, Hunt, Jasper, Jefferson, Kaufman, Liberty, Marion, Morris, Nacogdoches, Newton, Orange, Panola, Polk, Rains, Rockwall, Rusk, Sabine, San Augustine, Shelby, Smith, Titus, Trinity, Tyler, Upshur, Van Zandt, or Wood. For all other counties in the state, the daily maximum limitation is 0.10 mg/L.

3. If an authorized vessel fails the hydrostatic test due to leaks and an additional hydrostatic test is required, no additional analyses are required if:
 - a. The retest is within 30 days of the initial test;
 - b. No exceedances of permit limitations occurred during the initial discharge; and
 - c. No additional pollutants were added to the vessel.

Section B. General Requirements

1. The discharge shall be to a splash pad or to a paved area to prevent erosion. The rate of discharge shall be controlled through best management practices to prevent flooding and erosion.
2. Mixing zones shall not encompass an intake for a domestic drinking water supply, and the discharge may not be located within 300 feet of the intake for a domestic drinking water supply.
3. The discharge must be a minimum distance of 500 feet from any water well and shall be conducted to minimize the potential of contamination to all public and private wells.
4. There shall not be any free product present in the vessel during a hydrostatic test.
5. There shall be no discharge of floating solids or visible foam other than in trace amounts, and no discharge of visible oil.
6. The discharge shall not contain a concentration of taste or odor producing substances that interfere with the production of potable water by reasonable water treatment methods, impart unpalatable flavor to food fish including shellfish, result in offensive odors arising from the receiving waters, or otherwise interfere with reasonable uses of water in the state.
7. Facilities which generate industrial solid wastes, as defined in 30 TAC § 335.1, shall comply with the provisions of 30 TAC Chapter 335 (relating to Industrial Solid Waste and Municipal Hazardous Waste). If the requirements of 30 TAC Chapter 335 do not apply, the solid wastes shall be disposed of in accordance with the Texas Health and Safety Code, Chapter 361.

8. The permittee shall take necessary steps to prevent adverse effects to human health, safety, or to the environment. The permittee shall immediately cease discharging whenever it is determined that the discharge may endanger human health, safety, or the environment.
9. Disposal of waste and wastewater shall be done in such a manner as to prevent nuisance conditions.
10. The permittee shall provide the following noncompliance notifications:
 - a. Any noncompliance which may endanger human health or safety, or the environment shall be reported by the permittee to the TCEQ. Report of such information shall be provided orally, facsimile (FAX), or by email to the appropriate regional office within 24 hours of becoming aware of the noncompliance. A written submission of such information shall also be provided by the permittee to the regional office and the TCEQ's Enforcement Division (MC-224) within five working days of becoming aware of the noncompliance. The written submission shall contain a description of the noncompliance and its cause; the potential danger to human health or safety, or the environment, the period of noncompliance, including exact dates and times; if the noncompliance has not been corrected, the anticipated time it is expected to continue, and steps taken or planned to reduce, eliminate, and prevent recurrence of the noncompliance and to mitigate its adverse effects.
 - b. In addition, any effluent violation which deviates from the permitted effluent limitation by more than 40% shall be reported by the permittee in writing to the Regional Office and the Enforcement Division (MC-224) within 5 working days of becoming aware of the noncompliance.
 - c. Any noncompliance other than that specified in paragraphs (a) and (b) above, or any required information not submitted or submitted incorrectly, shall be reported to the Enforcement Division (MC-224) as promptly as possible. For effluent limitation violations, noncompliances shall be reported on the attached DMR form.
11. The permittee shall notify the appropriate regional office in writing at least 48 hours prior to initiating the discharge.

Part IV. Standard Permit Conditions

1. The permittee has a duty to comply with all conditions in this general permit. Failure to comply with any condition is a violation of the general permit and the statutes under which the general permit was issued. Any violation may be grounds for enforcement action, for terminating coverage under this general permit, or for requiring a permittee to apply for and obtain either a TPDES individual permit or a TLAP.
2. It is not a defense for a permittee in an enforcement action that it would have been necessary to halt or reduce the permitted discharge to maintain compliance with conditions of the general permit.

3. The permittee shall at all times properly operate and maintain all facilities and systems of treatment and control (and related appurtenances) installed or used by the permittee to achieve compliance with conditions of the general permit. Proper operation and maintenance also includes adequate laboratory and process controls, and appropriate quality assurance procedures. This provision requires the operation of back-up or auxiliary facilities or similar systems only when necessary to achieve compliance with conditions of the general permit.
4. The permittee shall furnish any information, at the request of the Executive Director, that is necessary to determine whether cause exists for revoking, suspending, or terminating authorization under this general permit. The requested information must be provided within a reasonable time frame and in no case later than 30 days from the date of the request.
5. The permittee shall give notice to the Executive Director before physical alterations or additions to the permitted facility if such alterations would result in a violation of the general permit requirements.
6. Inspection and entry shall be allowed under Chapters 26 of the TWC; Health and Safety Code §§ 361.032-361.033 and 361.037; and Title 40 of the Code of Federal Regulations (CFR) § 122.41(i). The statement in TWC § 26.014 that commission entry of a regulated entity shall occur in accordance with an establishment's rules and regulations concerning safety, internal security, and fire protection is not grounds for denial or restriction of entry to any part of the regulated entity, but merely describes the commission's duty to observe appropriate rules and regulations during an inspection.
7. Standard monitoring and reporting requirements are as follows:
 - a. Samples shall be collected and measurements shall be taken at times and in a manner so as to be representative of the monitored discharge;
 - b. All samples must be collected according to the latest edition of "Standard Methods for the Examination of Water and Wastewater" (prepared and published jointly by the American Public Health Association, the American Waterworks Association, and the Water Pollution Control Federation), or the Environmental Protection Agency's, "Methods for Chemical Analysis of Water and Wastes" (1979), or the Environmental Protection Agency's, "Biological Field and Laboratory Methods for Measuring the Quality of Surface Waters and Effluents" (1973);
 - c. Sample containers, holding times, preservation methods, and analytical methods, shall either follow the requirements in 40 CFR Part 136 (as amended), or the latest edition of "Standard Methods for the Examination of Water and Wastewater";
 - d. The permittee shall ensure that properly trained and authorized personnel monitor and sample the discharge;
 - e. The sampling point must be downstream of any treatment unit or treatment technique that is used to improve or otherwise alter the quality of the discharge;

- f. Monitoring results shall be provided at the intervals specified in the permit on an approved DMR (EPA Form 3320-1) provided in Part VI of this permit, that is signed and certified as required by Part IV.8 of this permit. If noncompliance with a discharge limitation occurs, the permittee shall provide notification according to Part III.B.10. If the analytical results indicate a violation of one or more of the permitted effluent limitations, the permittee shall submit the original DMR to the TCEQ's Enforcement Division (MC-224) by the 20th day of the month following the discharge. The permittee shall maintain the DMR record as required by Part IV.9 of this permit.
- g. All laboratory tests submitted to demonstrate compliance with this permit must meet the requirements of 30 TAC Chapter 25, Environmental Testing Laboratory Accreditation and Certification.
- h. Records of monitoring activities shall include:
 - (1) date, time, and place of sample or measurement;
 - (2) identity of individual who collected the sample or made the measurement;
 - (3) date and time of laboratory analysis;
 - (4) identity of the individual and laboratory that performed the analysis;
 - (5) the technique or method of analysis;
 - (6) the results of the analysis or measurement; and
 - (7) quality assurance/quality control records.
- i. If the permittee monitors any pollutant in a discharge more frequently than required by the permit using approved analytical methods as specified in Part IV.7 of this permit, all results of such monitoring shall be included in the calculation and recording of the values on the DMR. Increased frequency of sampling shall be indicated on the DMR.
- 8. All reports, NOIs, NOTs, NOCs, or other information requested by the Executive Director shall meet the requirements of 30 TAC § 305.44 (relating to Signatories to Applications).
- 9. The permittee shall retain copies of all records required by this permit, including monitoring records and records related to the application or any certification requirements, for a period of three years from the date of the record. This period may be extended at the request of the Executive Director. The records shall be retained at the facility or be readily available for review by TCEQ personnel upon request.
- 10. Authorization under this general permit may be suspended or revoked for the reasons stated in 30 TAC § 205.4. Notifying the TCEQ of planned changes or an anticipated noncompliance does not stay any general permit condition.
- 11. This general permit does not convey any property rights of any sort, or any exclusive privilege.
- 12. If the permittee becomes aware that it failed to submit any relevant facts in an NOI, or submitted incorrect information in an NOI or in any report to the Executive Director, it shall promptly submit such facts or information.

13. The permittee is subject to administrative, civil, and criminal penalties, as applicable, under TWC Chapter 7 for violations including, but not limited to, the following:
 - a. Violating CWA §§ 301, 302, 306, 307, 308, 318, or 405, or any condition or limitation implementing any sections in a general permit issued under CWA § 402, or any requirement imposed in a pretreatment program approved under CWA §§ 402(a)(3) or 402(b)(8);
 - b. Intentionally or knowingly tampering with, modifying, disabling, or failing to use pollution control or monitoring devices, systems, methods, or practices required under this permit; and
 - c. Intentionally or knowingly makes or causes to be made a false material statement, representation, or certification in, or omits or causes to be omitted material information from, an application, notice, record, report, plan, or other document, including monitoring device data, filed or required to be maintained by this permit.

Part V. Fees

1. An NOI must include a \$100 application fee. A fee is not required for submission of a NOT or NOC.
2. Annual Water Quality Fee - Facilities having an active authorization on September 1 of each year (have not submitted a NOT prior to this date) will be billed \$100 for the following fiscal year.

Part VI. Discharge Monitoring Report (DMR)

Facilities authorized under this general permit must sample and analyze discharges for specific pollutants to determine compliance with effluent limitations. Results must be submitted to the TCEQ on a frequency and under conditions described in Part III, Section A of this general permit. Results may be submitted using the DMR, included with this permit as Attachment A, or online using the NetDMR reporting system available through the TCEQ website.

Instructions for Completing the DMR

1. Permittee Name/Address - Enter the permittee name, and the facility name if it is different than the permittee name, and the address of the facility. Enter a description of the physical location including the county in the space labeled "Facility Location" (e.g. on Main Street, approximately 1/4 mile east of the intersection of Main Road and Lost Pines Avenue).
2. Permit Number - Enter the authorization number. The number must start with the TXG67 prefix and be followed by 4 digits that were assigned by the TCEQ to specifically identify your authorization under the general permit.
3. Monitoring Period - Enter the day, month, and year in which the monitoring period begins and ends.

4. Concentration - The parameters and permitted values are pre-coded. Enter the average and maximum value for each parameter. Results should be entered in mg/L.
5. NO. EX - Indicate the number of measurements that did not comply with the daily maximum permit limit for each of the listed parameters. If none, enter 0.
6. Frequency of Analysis - Enter the actual frequency of analysis that you performed. If you sampled twice per discharge as required by the permit, put 2/discharge. If you sampled more frequently, enter that information.
7. Sample Type - Enter the actual sample type that you used to collect samples for each parameter (e.g. grab or composite).
8. Each form must include the name, title, telephone number, and signature of the Principal Executive Officer. A principal executive officer is an official that has overall management responsibility for the facility. The DMR must also include the date signed.
9. Attach a brief explanation to describe cause and corrective action for each violation. Include the date for each violation.

Exhibit B

Issuance of TPDES General Permit No. TXG670000

No public comments were received by the executive director during the public comment period that ended on February 8, 2010.

BACKGROUND

Introduction

The TCEQ reissues and amends TPDES General Permit No. TXG670000 for the discharge of hydrostatic test water to replace the existing general permit that expires on April 5, 2010. Consistent with 30 TAC §205.2, issuance of this permit is allowable, since qualifying hydrostatic tests engage in substantially similar operations and would discharge the same type of waste. The general permit establishes the same operating conditions and similar monitoring requirements for these facilities. These types of discharges are more appropriately regulated under a general permit based upon the requirements of 30 TAC §205.2(a)(5), because the TCEQ can readily enforce the general permit and can monitor compliance with the terms of the permit. The permit establishes monitoring, record keeping, and reporting requirements for authorized dischargers of hydrostatic test waters.

Procedural Background

The Office of the Chief Clerk received the permit file on December 21, 2009. In accordance with 30 TAC §205.3(a)(2), the Notice of Proposed Amendment of a General Permit Authorizing the Discharge of Hydrostatic Test Water was published in the *Texas Register* on January 8, 2010 (35 TexReg 277); *Dallas Morning News*, January 5, 2010; *Houston Chronicle*, January 5, 2010; and *Corpus Christi Call-Times*, January 5, 2010. Mailed notice was also provided in accordance with 30 TAC §205.3(b). The comment period ended on February 8, 2010. No comments were received.