Client: Shaw Environmental & Project: Williams Trailer Park ATTN: Mr. John Sullivan

Job Number: 680-25972-1
SDG Number: Williams Trailer Park

Client Sample ID: GW-08

Lab Sample ID: 680-25972-11
Client Matrix: Water

Date Sampled: 04/17/2007 11:20
Date Received: 04/18/2007 9:15

TEST METHOD	CAS #	RESULT	Q	FLAG	MDL	MQL	SQL	UNITS	Analysis Date/Time	Batch	D.F.	Analyst
Bis(2-ethylhexyl) phthalate	117-81-7	1.9	U		0.60	2.0	0.57	ug/L	04/23/2007 23:34	73236	1	ES
Bromacil	314-40-9	0.48	U		0.20	0.50	0.19	ug/L	04/23/2007 23:34	73236	1	ES
Butachlor	23184-66-9	0.48	U		0.082	0.50	0.078	ug/L	04/23/2007 23:34	73236	1	ES
Butyl benzyl phthalate	85-68-7	0.48	U		0.042	0.50	0.040	ug/L	04/23/2007 23:34	73236	1	ES
Butylate	2008-41-5	0.19	U		0.026	0.20	0.025	ug/L	04/23/2007 23:34	73236	1	ES
Chloroneb	2675-77-6	0.48	U		2.5	0.50	2.4	ug/L	04/23/2007 23:34	73236	1	ES
Chlorpropham	101-21-3	0.19	U		0.14	0.20	0.13	ug/L	04/23/2007 23:34	73236	1	ES
Chlorpyrifos	2921-88-2	0.48	U		0.10	0.50	0.096	ug/L	04/23/2007 23:34	73236	1	ES
Chrysene	218-01-9	0.19	U		0.032	0.20	0.031	ug/L	04/23/2007 23:34	73236	1	ES
cis-Permethrin	54774-45-7	0.48	U		0.032	0.50	0.031	ug/L	04/23/2007 23:34	73236	1	ES
Cycloate	1134-23-2	0.19	U		0.042	0.20	0.040	ug/L	04/23/2007 23:34	73236	1	ES
delta-BHC	319-86-8	0.19	U		0.12	0.20	0.11	ug/L	04/23/2007 23:34	73236	1	ES
Di(2-ethylhexyl)adipate	103-23-1	0.48	U		0.25	0.50	0.24	ug/L	04/23/2007 23:34	73236	1	ES
Di-n-butyl phthalate	84-74-2	0.96	U		0.98	1.0	0.94	ug/L	04/23/2007 23:34	73236	1	ES
Dibenz(a,h)anthracene	53-70-3	0.19	U		0.075	0.20	0.072	ug/L	04/23/2007 23:34	73236	1	ES
Dichlorvos	62-73-7	0.19	U		0.038	0.20	0.036	ug/L	04/23/2007 23:34	73236	1	ES
Dieldrin	60-57-1	0.48	U		0.090	0.50	0.086	ug/L	04/23/2007 23:34	73236	1	ES
Diethyl phthalate	84-66-2	0.48	U		0.16	0.50	0.15	ug/L	04/23/2007 23:34	73236	1	ES
Dimethyl phthalate	131-11-3	0.48	U		0.032	0.50	0.031	ug/L	04/23/2007 23:34	73236	1	ES
Diphenamid	957-51-7	0.19	U		0.039	0.20	0.037	ug/L	04/23/2007 23:34	73236	1	ES
Endosulfan I UJ, SD-L	959-98-8	0.48	U		0.13	0.50	0.12	ug/L	04/23/2007 23:34	73236	1	ES
Endosulfan II	33213-65-9	0.48	U		0.13	0.50	0.12	ug/L	04/23/2007 23:34	73236	1	ES
Endosulfan sulfate	1031-07-8	0.48	U		0.078	0.50	0.075	ug/L	04/23/2007 23:34	73236	1	ES
Endrin UJ, SD-L	72-20-8	0.48	U		0.088	0.50	0.084	ug/L	04/23/2007 23:34	73236	1	ES
Endrin aldehyde	7421-93-4	0.96	U		0.12	1.0	0.11	ug/L	04/23/2007 23:34	73236	1	ES
EPTC	759-94-4	0.19	U		0.030	0.20	0.029	ug/L	04/23/2007 23:34	73236	1	ES
Ethyl 4,4'-Dichlorobenzilate	510-15-6	4.8	U		0.064	5.0	0.061	ug/L	04/23/2007 23:34	73236	1	ES

SP 5/23/07

Client: Shaw Environmental & Project: Williams Trailer Park ATTN: Mr. John Sullivan

Job Number: 680-25972-1
SDG Number: Williams Trailer Park

Client Sample ID: GW-08

Lab Sample ID: 680-25972-11
Client Matrix: Water

Date Sampled: 04/17/2007 11:20
Date Received: 04/18/2007 9:15

TEST METHOD	CAS #	RESULT	Q	FLAG	MDL	MQL	SQL	UNITS	Analysis Date/Time	Batch	D.F.	Analyst
Etridiazole	2593-15-9	0.19	U		0.053	0.20	0.051	ug/L	04/23/2007 23:34	73236	1	ES
Fenarimol VS, SD-L	60168-88-9	0.96	U		0.12	1.0	0.11	ug/L	04/23/2007 23:34	73236	1	ES
Fluorene	86-73-7	0.19	U		0.041	0.20	0.039	ug/L	04/23/2007 23:34	73236	1	ES
Fluridone VS, MS/SD-L	59756-60-4	0.48	U	*	0.11	0.50	0.11	ug/L	04/23/2007 23:34	73236	1	ES
gamma-BHC (Lindane)	58-89-9	0.19	U		0.12	0.20	0.11	ug/L	04/23/2007 23:34	73236	1	ES
gamma-Chlordane	5103-74-2	0.19	U		0.044	0.20	0.042	ug/L	04/23/2007 23:34	73236	1	ES
Heptachlor	76-44-8	0.19	U		0.091	0.20	0.087	ug/L	04/23/2007 23:34	73236	1	ES
Heptachlor epoxide	1024-57-3	0.19	U		0.10	0.20	0.096	ug/L	04/23/2007 23:34	73236	1	ES
Hexachlorobenzene	118-74-1	0.19	U		0.041	0.20	0.039	ug/L	04/23/2007 23:34	73236	1	ES
Hexachlorocyclopentadiene	77-47-4	1.9	U		0.031	2.0	0.030	ug/L	04/23/2007 23:34	73236	1	ES
Hexazinone	51235-04-2	0.48	U	*	0.16	0.50	0.15	ug/L	04/23/2007 23:34	73236	1	ES
Indeno[1,2,3-cd]pyrene	193-39-5	0.19	U		0.055	0.20	0.053	ug/L	04/23/2007 23:34	73236	1	ES
Isophorone	78-59-1	0.19	U		0.030	0.20	0.029	ug/L	04/23/2007 23:34	73236	1	ES
Methoxychlor	72-43-5	0.48	U		0.053	0.50	0.051	ug/L	04/23/2007 23:34	73236	1	ES
Methyl paraoxon	950-35-6	0.48	U		0.10	0.50	0.096	ug/L	04/23/2007 23:34	73236	1	ES
Metolachlor	51218-45-2	0.19	U		0.053	0.20	0.051	ug/L	04/23/2007 23:34	73236	1	ES
Metribuzin	21087-64-9	0.19	U		0.073	0.20	0.070	ug/L	04/23/2007 23:34	73236	1	ES
Mevinphos	7786-34-7	0.48	U		0.042	0.50	0.040	ug/L	04/23/2007 23:34	73236	1	ES
MGK 264 - isomer a	113-48-4	0.19	U		0.039	0.20	0.037	ug/L	04/23/2007 23:34	73236	1	ES
MGK 264 - isomer b	113-48-4	0.19	U		0.030	0.20	0.029	ug/L	04/23/2007 23:34	73236	1	ES
Mocap	13194-48-4	0.48	U		0.15	0.50	0.14	ug/L	04/23/2007 23:34	73236	1	ES
Molinate	2212-67-1	0.19	U		0.11	0.20	0.11	ug/L	04/23/2007 23:34	73236	1	ES
Napropamide	15299-99-7	0.48	U		0.32	0.50	0.31	ug/L	04/23/2007 23:34	73236	1	ES
Norflurazon	27314-13-2	0.48	U		0.077	0.50	0.074	ug/L	04/23/2007 23:34	73236	1	ES
PCB 1	2051-60-7	0.48	U		0.031	0.50	0.030	ug/L	04/23/2007 23:34	73236	1	ES
PCB 29	15862-07-4	0.19	U		0.038	0.20	0.036	ug/L	04/23/2007 23:34	73236	1	ES
PCB 47	2437-79-8	0.48	U		0.061	0.50	0.058	ug/L	04/23/2007 23:34	73236	1	ES

SP
5/23/07

Client: Shaw Environmental & Project: Williams Trailer Park ATTN: Mr. John Sullivan

Job Number: 680-25972-1
SDG Number: Williams Trailer Park

Client Sample ID: GW-08

Lab Sample ID: 680-25972-11
Client Matrix: Water

Date Sampled: 04/17/2007 11:20
Date Received: 04/18/2007 9:15

TEST METHOD	CAS #	RESULT	Q	FLAG	MDL	MQL	SQL	UNITS	Analysis Date/Time	Batch	D.F.	Analyst
PCB 5	16605-91-7	0.19	U		0.036	0.20	0.034	ug/L	04/23/2007 23:34	73236	1	ES
PCB 98	60233-25-2	0.19	U		0.042	0.20	0.040	ug/L	04/23/2007 23:34	73236	1	ES
Pebulate	1114-71-2	0.19	U		0.11	0.20	0.11	ug/L	04/23/2007 23:34	73236	1	ES
Phenanthrene	85-01-8	0.19	U		0.027	0.20	0.026	ug/L	04/23/2007 23:34	73236	1	ES
Prometryn US, MS/SD-L	7287-19-6	0.96	U		0.060	1.0	0.057	ug/L	04/23/2007 23:34	73236	1	ES
Pronamide R, MS/SD	23950-58-5	0.19	U		0.072	0.20	0.069	ug/L	04/23/2007 23:34	73236	1	ES
Propachlor	1918-16-7	0.19	U		0.14	0.20	0.13	ug/L	04/23/2007 23:34	73236	1	ES
Propazine	139-40-2	0.19	U		0.045	0.20	0.043	ug/L	04/23/2007 23:34	73236	1	ES
Pyrene	129-00-0	0.19	U		0.034	0.20	0.033	ug/L	04/23/2007 23:34	73236	1	ES
Simazine US, ICAL-L	122-34-9	0.48	U		0.048	0.50	0.046	ug/L	04/23/2007 23:34	73236	1	ES
Simetryn US, MS/SD-L	1014-70-6	0.96	U	*	0.038	1.0	0.036	ug/L	04/23/2007 23:34	73236	1	ES
Tebuthiuron US, LCS, SD-L	34014-18-1	1.9	U	*	0.10	2.0	0.096	ug/L	04/23/2007 23:34	73236	1	ES
Terbacil	5902-51-2	0.48	U		0.064	0.50	0.061	ug/L	04/23/2007 23:34	73236	1	ES
Terbutryn US, MS/SD-L	886-50-0	0.96	U		0.053	1.0	0.051	ug/L	04/23/2007 23:34	73236	1	ES
Tetrachlorvinphos (Stirophos)	961-11-5	0.48	U		0.067	0.50	0.064	ug/L	04/23/2007 23:34	73236	1	ES
Tetraphthalic acid, tetrachloro-, dimethyl ester	1861-32-1	0.19	U		0.031	0.20	0.030	ug/L	04/23/2007 23:34	73236	1	ES
trans-Nonachlor	39765-80-5	0.48	U		0.069	0.50	0.066	ug/L	04/23/2007 23:34	73236	1	ES
trans-Permethrin	51877-74-8	0.48	U		0.025	0.50	0.024	ug/L	04/23/2007 23:34	73236	1	ES
Triadimefon	43121-43-3	0.96	U		0.11	1.0	0.11	ug/L	04/23/2007 23:34	73236	1	ES
Tricyclazole US, MS/SD-L	41814-78-2	0.48	U		0.068	0.50	0.065	ug/L	04/23/2007 23:34	73236	1	ES
Trifluralin	1582-09-8	0.19	U		0.052	0.20	0.050	ug/L	04/23/2007 23:34	73236	1	ES
Vernolate	1929-77-7	0.19	U		0.036	0.20	0.034	ug/L	04/23/2007 23:34	73236	1	ES

Surrogates

Test Method	CAS Number	QC	Dilution	Result	True Value	% Rec.	QC Limits	QC Flag	Prep Batch	Instrument	Analysis Date/Time	Analyst

SP
5/23/07

Surrogates

Test Method	CAS Number	QC	Dilution	Result	True Value	% Rec.	QC Limits	QC Flag	Prep Batch	Instrument	Analysis Date/Time	Analyst
2-Nitro-m-xylene	81-20-9		1	4.4	4.78	93	70-130		73045	MSR	4/23/2007 11:34:00PM	ES
Perylene-d12	1520-96-3		1	4.7	4.78	98	70-130		73045	MSR	4/23/2007 11:34:00PM	ES
Triphenylphosphate	115-86-6		1	5.0	4.78	105	70-130		73045	MSR	4/23/2007 11:34:00PM	ES

SP
5/23/07

Analytical Data

Client: Shaw Environmental & Project: Williams Trailer Park ATTN: Mr. John Sullivan

Job Number: 680-25972-1
SDG Number: Williams Trailer Park

Client Sample ID: GW-08

Lab Sample ID: 680-25972-11 DIL
Client Matrix: Water

Date Sampled: 04/17/2007 11:20
Date Received: 04/18/2007 9:15

TEST METHOD	CAS #	RESULT	Q	FLAG	MDL	MQL	SQL	UNITS	Analysis Date/Time	Batch	D.F.	Analyst
Method: EPA 200,Water												
200 Series Drinking Water Prep Determination Step	NA	Complete						NA	04/20/2007 11:03	73382	20	RA
Method: EPA 200.7 Rev 4.4,Water												
Sodium	7440-23-5	800000			320	1000	6400	ug/L	04/25/2007 0:32	73382	20	BB

SP
5/23/07

Form I

Analytical Data

Client: Shaw Environmental & Project: Williams Trailer Park ATTN: Mr. John Sullivan

Job Number: 680-25972-1
SDG Number: Williams Trailer Park

Client Sample ID: GW-08

Lab Sample ID: 680-25972-11 RA
Client Matrix: Water

Date Sampled: 04/17/2007 11:20
Date Received: 04/18/2007 9:15

TEST METHOD	CAS #	RESULT	Q	FLAG	MDL	MQL	SQL	UNITS	Analysis Date/Time	Batch	D.F.	Analyst
Method: EPA 200,Water												
200 Series Drinking Water Prep Determination Step	NA	Complete						NA	04/19/2007 10:37	73558	10	RA
Method: EPA 200.8,Water												
Beryllium	7440-41-7	1.0	U		0.015	0.10	0.15	ug/L	04/26/2007 13:30	73558	10	CE

SP
5/23/07

Form I

Client: Shaw Environmental & Project: Williams Trailer Park ATTN: Mr. John Sullivan

Job Number: 680-25972-1
SDG Number: Williams Trailer Park

Client Sample ID: GW-10

Lab Sample ID: 680-25972-12
Client Matrix: Water

Date Sampled: 04/17/2007 13:03
Date Received: 04/18/2007 9:15

TEST METHOD	CAS #	RESULT	Q	FLAG	MDL	MQL	SQL	UNITS	Analysis Date/Time	Batch	D.F.	Analyst
Method: EPA 200,Water												
200 Series Drinking Water Prep Determination Step	NA	Complete						NA	04/20/2007 11:03	73303	1	RA
200 Series Drinking Water Prep Determination Step	NA	Complete						NA	04/19/2007 10:37	73558	10	RA
Method: EPA 525.2,Water												
Determination of Semivolatile Organic Compounds in Drinking Water by GCMS/Prep	NA	Complete						NA	04/21/2007 10:14	73236	1	GJ
Method: EPA 200.7 Rev 4.4,Water												
Iron J, FD	7439-89-6	53			15	50	15	ug/L	04/24/2007 2:22	73303	1	BB
Method: EPA 200.8,Water												
Aluminum	7429-90-5	100	U		3.1	10	31	ug/L	04/24/2007 19:32	73558	10	CE
Antimony	7440-36-0	5.0	U		0.060	0.50	0.60	ug/L	04/24/2007 19:32	73558	10	CE
Arsenic J, FD	7440-38-2	7.9			0.12	0.20	1.2	ug/L	04/24/2007 19:32	73558	10	CE
Barium	7440-39-3	35		B	0.18	1.0	1.8	ug/L	04/24/2007 19:32	73558	10	CE
Cadmium US, FD	7440-43-9	1.0	U		0.029	0.10	0.29	ug/L	04/24/2007 19:32	73558	10	CE
Chromium J, FD, ICS-H	7440-47-3	10			0.051	1.0	0.51	ug/L	04/24/2007 19:32	73558	10	CE
Copper J, FD	7440-50-8	27		B	0.23	1.0	2.3	ug/L	04/24/2007 19:32	73558	10	CE
Lead J, FD	7439-92-1	6.8			0.027	0.30	0.27	ug/L	04/24/2007 19:32	73558	10	CE
Manganese US, FD	7439-96-5	10	U		0.17	1.0	1.7	ug/L	04/24/2007 19:32	73558	10	CE
Mercury	7439-97-6	1.0	U		0.056	0.10	0.56	ug/L	04/24/2007 19:32	73558	10	CE
Nickel J, FD	7440-02-0	1.0	J		0.057	0.20	0.57	ug/L	04/24/2007 19:32	73558	10	CE
Selenium	7782-49-2	13			0.080	0.50	0.80	ug/L	04/24/2007 19:32	73558	10	CE
Silver	7440-22-4	2.0	U		0.018	0.20	0.18	ug/L	04/24/2007 19:32	73558	10	CE
Thallium	7440-28-0	2.0	U		0.10	0.20	1.0	ug/L	04/24/2007 19:32	73558	10	CE
Zinc US, FD	7440-66-6	40	U		2.6	4.0	26	ug/L	04/24/2007 19:32	73558	10	CE

Form I

SP 5/23/07

Client: Shaw Environmental & Project: Williams Trailer Park ATTN: Mr. John Sullivan

Job Number: 680-25972-1
SDG Number: Williams Trailer Park

Client Sample ID: GW-10

Lab Sample ID: 680-25972-12
Client Matrix: Water

Date Sampled: 04/17/2007 13:03
Date Received: 04/18/2007 9:15

TEST METHOD	CAS #	RESULT	Q	FLAG	MDL	MQL	SQL	UNITS	Analysis Date/Time	Batch	D.F.	Analyst
Method: EPA 524.2,Water												
1,1,1,2-Tetrachloroethane	630-20-6	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 19:06	72945	1	EH
1,1,1-Trichloroethane	71-55-6	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 19:06	72945	1	EH
1,1,2,2-Tetrachloroethane	79-34-5	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 19:06	72945	1	EH
1,1,2-Trichloroethane	79-00-5	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 19:06	72945	1	EH
1,1-Dichloroethane	75-34-3	0.40	J		0.20	0.50	0.20	ug/L	04/19/2007 19:06	72945	1	EH
1,1-Dichloroethene	75-35-4	0.50	U		0.22	0.50	0.22	ug/L	04/19/2007 19:06	72945	1	EH
1,1-Dichloropropene	563-58-6	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 19:06	72945	1	EH
1,2,3-Trichlorobenzene	87-61-6	0.50	U		0.26	0.50	0.26	ug/L	04/19/2007 19:06	72945	1	EH
1,2,3-Trichloropropane	96-18-4	0.50	U		0.25	0.50	0.25	ug/L	04/19/2007 19:06	72945	1	EH
1,2,4-Trichlorobenzene	120-82-1	0.50	U		0.33	0.50	0.33	ug/L	04/19/2007 19:06	72945	1	EH
1,2,4-Trimethylbenzene	95-63-6	0.50	U		0.22	0.50	0.22	ug/L	04/19/2007 19:06	72945	1	EH
1,2-Dibromo-3-Chloropro pane	96-12-8	0.50	U		0.35	0.50	0.35	ug/L	04/19/2007 19:06	72945	1	EH
1,2-Dichlorobenzene	95-50-1	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 19:06	72945	1	EH
1,2-Dichloroethane	107-06-2	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 19:06	72945	1	EH
1,2-Dichloropropane	78-87-5	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 19:06	72945	1	EH
1,3,5-Trimethylbenzene	108-67-8	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 19:06	72945	1	EH
1,3-Dichlorobenzene	541-73-1	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 19:06	72945	1	EH
1,3-Dichloropropane	142-28-9	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 19:06	72945	1	EH
1,4-Dichlorobenzene	106-46-7	0.50	U		0.21	0.50	0.21	ug/L	04/19/2007 19:06	72945	1	EH
2,2-Dichloropropane	594-20-7	0.50	U		0.36	0.50	0.36	ug/L	04/19/2007 19:06	72945	1	EH
2-Chlorotoluene	95-49-8	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 19:06	72945	1	EH
4-Chlorotoluene	106-43-4	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 19:06	72945	1	EH
4-Isopropyltoluene	99-87-6	0.50	U		0.22	0.50	0.22	ug/L	04/19/2007 19:06	72945	1	EH
Benzene	71-43-2	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 19:06	72945	1	EH
Bromobenzene	108-86-1	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 19:06	72945	1	EH
Bromoform	75-25-2	0.50	U		0.26	0.50	0.26	ug/L	04/19/2007 19:06	72945	1	EH

SP 5/23/07

Client: Shaw Environmental & Project: Williams Trailer Park ATTN: Mr. John Sullivan

Job Number: 680-25972-1
SDG Number: Williams Trailer Park

Client Sample ID: GW-10

Lab Sample ID: 680-25972-12
Client Matrix: Water

Date Sampled: 04/17/2007 13:03
Date Received: 04/18/2007 9:15

TEST METHOD	CAS #	RESULT	Q	FLAG	MDL	MQL	SQL	UNITS	Analysis Date/Time	Batch	D.F.	Analyst
Bromomethane	74-83-9	1.0	U		0.50	1.0	0.50	ug/L	04/19/2007 19:06	72945	1	EH
Carbon tetrachloride	56-23-5	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 19:06	72945	1	EH
Chlorobenzene	108-90-7	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 19:06	72945	1	EH
Chlorobromomethane	74-97-5	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 19:06	72945	1	EH
Chlorodibromomethane	124-48-1	0.50	U		0.23	0.50	0.23	ug/L	04/19/2007 19:06	72945	1	EH
Chloroethane	75-00-3	1.0	U		0.50	1.0	0.50	ug/L	04/19/2007 19:06	72945	1	EH
Chloroform	67-66-3	0.50	U		0.19	0.50	0.19	ug/L	04/19/2007 19:06	72945	1	EH
Chloromethane	74-87-3	0.50	U		0.40	0.50	0.40	ug/L	04/19/2007 19:06	72945	1	EH
cis-1,2-Dichloroethene	156-59-2	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 19:06	72945	1	EH
cis-1,3-Dichloropropene	10061-01-5	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 19:06	72945	1	EH
Dibromomethane	74-95-3	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 19:06	72945	1	EH
Dichlorobromomethane	75-27-4	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 19:06	72945	1	EH
Dichlorodifluoromethane	75-71-8	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 19:06	72945	1	EH
Ethylbenzene	100-41-4	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 19:06	72945	1	EH
Ethylene Dibromide	106-93-4	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 19:06	72945	1	EH
Hexachlorobutadiene	87-68-3	0.50	U		0.36	0.50	0.36	ug/L	04/19/2007 19:06	72945	1	EH
Isopropylbenzene	98-82-8	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 19:06	72945	1	EH
m-Xylene & p-Xylene	136777-61-2	0.50	U		0.31	0.50	0.31	ug/L	04/19/2007 19:06	72945	1	EH
Methyl tert-butyl ether	1634-04-4	0.50	U		0.30	0.50	0.30	ug/L	04/19/2007 19:06	72945	1	EH
Methylene Chloride	75-09-2	0.50	U		0.30	0.50	0.30	ug/L	04/19/2007 19:06	72945	1	EH
n-Butylbenzene	104-51-8	0.50	U		0.24	0.50	0.24	ug/L	04/19/2007 19:06	72945	1	EH
N-Propylbenzene	103-65-1	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 19:06	72945	1	EH
Naphthalene	91-20-3	1.0	U		0.24	1.0	0.24	ug/L	04/19/2007 19:06	72945	1	EH
o-Xylene	95-47-6	0.50	U		0.21	0.50	0.21	ug/L	04/19/2007 19:06	72945	1	EH
sec-Butylbenzene	135-98-8	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 19:06	72945	1	EH
Styrene	100-42-5	0.50	U		0.21	0.50	0.21	ug/L	04/19/2007 19:06	72945	1	EH
tert-Butylbenzene	98-06-6	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 19:06	72945	1	EH
Tetrachloroethene	127-18-4	0.50	U		0.27	0.50	0.27	ug/L	04/19/2007 19:06	72945	1	EH

SP 5/23/07

Client: Shaw Environmental & Project: Williams Trailer Park ATTN: Mr. John Sullivan

Job Number: 680-25972-1
SDG Number: Williams Trailer Park

Client Sample ID: GW-10

Lab Sample ID: 680-25972-12
Client Matrix: Water

Date Sampled: 04/17/2007 13:03
Date Received: 04/18/2007 9:15

TEST METHOD	CAS #	RESULT	Q	FLAG	MDL	MQL	SQL	UNITS	Analysis Date/Time	Batch	D.F.	Analyst
Toluene	108-88-3	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 19:06	72945	1	EH
trans-1,2-Dichloroethene	156-60-5	0.50	U		0.26	0.50	0.26	ug/L	04/19/2007 19:06	72945	1	EH
trans-1,3-Dichloropropene	10061-02-6	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 19:06	72945	1	EH
Trichloroethene	79-01-6	0.50	U		0.26	0.50	0.26	ug/L	04/19/2007 19:06	72945	1	EH
Trichlorofluoromethane	75-69-4	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 19:06	72945	1	EH
Vinyl chloride	75-01-4	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 19:06	72945	1	EH
Xylenes, Total	1330-20-7	0.50	U		0.31	0.50	0.31	ug/L	04/19/2007 19:06	72945	1	EH

Surrogates

Test Method	CAS Number	QC	Dilution	Result	True Value	% Rec.	QC Limits	QC Flag	Prep Batch	Instrument	Analysis Date/Time	Analyst
1,2-Dichlorobenzene-d4	2199-69-1		1	8.8	10.0	88	70-130			MSU	4/19/2007 7:06:00PM	EH
4-Bromofluorobenzene	460-00-4		1	8.6	10.0	86	70-130			MSU	4/19/2007 7:06:00PM	EH

SP
5/23/07

Client: Shaw Environmental & Project: Williams Trailer Park ATTN: Mr. John Sullivan

Job Number: 680-25972-1
SDG Number: Williams Trailer Park

Client Sample ID: GW-10

Lab Sample ID: 680-25972-12
Client Matrix: Water

Date Sampled: 04/17/2007 13:03
Date Received: 04/18/2007 9:15

TEST METHOD	CAS #	RESULT	Q	FLAG	MDL	MQL	SQL	UNITS	Analysis Date/Time	Batch	D.F.	Analyst
Method: EPA 525.2,Water												
1,3-Benzenedicarbonitrile, 2,4,5,6-tetrachloro-	1897-45-6	0.19	U		0.056	0.20	0.054	ug/L	04/24/2007 2:30	73236	1	ES
2,2',3,3',4,4',6-Heptachlorobiphenyl	52663-71-5	0.19	U		0.045	0.20	0.043	ug/L	04/24/2007 2:30	73236	1	ES
2,2',3,3',4,5',6,6'-Octachlorobiphenyl	40186-71-8	0.19	U		0.044	0.20	0.042	ug/L	04/24/2007 2:30	73236	1	ES
2,2',4,4',5,6'-Hexachlorobiphenyl	60145-22-4	0.19	U		0.059	0.20	0.057	ug/L	04/24/2007 2:30	73236	1	ES
2,4-Dinitrotoluene	121-14-2	0.19	U		0.053	0.20	0.051	ug/L	04/24/2007 2:30	73236	1	ES
2,6-Dinitrotoluene	606-20-2	0.19	U		0.12	0.20	0.12	ug/L	04/24/2007 2:30	73236	1	ES
4,4'-DDD	72-54-8	0.48	U		0.042	0.50	0.040	ug/L	04/24/2007 2:30	73236	1	ES
4,4'-DDE	72-55-9	0.19	U		0.042	0.20	0.040	ug/L	04/24/2007 2:30	73236	1	ES
4,4'-DDT	50-29-3	0.48	U		0.042	0.50	0.040	ug/L	04/24/2007 2:30	73236	1	ES
Acenaphthylene US, MS/SD-L	208-96-8	0.19	U		0.043	0.20	0.041	ug/L	04/24/2007 2:30	73236	1	ES
Acetochlor	34256-82-1	0.48	U		0.19	0.50	0.18	ug/L	04/24/2007 2:30	73236	1	ES
Alachlor	15972-60-8	0.19	U		0.066	0.20	0.063	ug/L	04/24/2007 2:30	73236	1	ES
Aldrin	309-00-2	0.19	U		0.085	0.20	0.082	ug/L	04/24/2007 2:30	73236	1	ES
alpha-BHC	319-84-6	0.19	U		0.11	0.20	0.11	ug/L	04/24/2007 2:30	73236	1	ES
alpha-Chlordane	5103-71-9	0.48	U		0.073	0.50	0.070	ug/L	04/24/2007 2:30	73236	1	ES
Ametryn US, MS/SD-L	834-12-8	0.48	U		0.067	0.50	0.064	ug/L	04/24/2007 2:30	73236	1	ES
Anthracene US, LCS-L	120-12-7	0.19	U	*	0.032	0.20	0.031	ug/L	04/24/2007 2:30	73236	1	ES
Atrazine	1912-24-9	0.19	U		0.071	0.20	0.068	ug/L	04/24/2007 2:30	73236	1	ES
Benzo[a]anthracene	56-55-3	0.19	U		0.037	0.20	0.036	ug/L	04/24/2007 2:30	73236	1	ES
Benzo[a]pyrene	50-32-8	0.19	U		0.039	0.20	0.038	ug/L	04/24/2007 2:30	73236	1	ES
Benzo[b]fluoranthene	205-99-2	0.19	U		0.050	0.20	0.048	ug/L	04/24/2007 2:30	73236	1	ES
Benzo[g,h,i]perylene	191-24-2	0.19	U		0.062	0.20	0.060	ug/L	04/24/2007 2:30	73236	1	ES
Benzo[k]fluoranthene	207-08-9	0.19	U		0.048	0.20	0.046	ug/L	04/24/2007 2:30	73236	1	ES
beta-BHC	319-85-7	0.19	U		0.15	0.20	0.14	ug/L	04/24/2007 2:30	73236	1	ES

SP 5/23/07

Client: Shaw Environmental & Project: Williams Trailer Park ATTN: Mr. John Sullivan

Job Number: 680-25972-1
SDG Number: Williams Trailer Park

Client Sample ID: GW-10

Lab Sample ID: 680-25972-12
Client Matrix: Water

Date Sampled: 04/17/2007 13:03
Date Received: 04/18/2007 9:15

TEST METHOD	CAS #	RESULT	Q	FLAG	MDL	MQL	SQL	UNITS	Analysis Date/Time	Batch	D.F.	Analyst
Bis(2-ethylhexyl) phthalate	117-81-7	1.9	U		0.60	2.0	0.58	ug/L	04/24/2007 2:30	73236	1	ES
Bromacil	314-40-9	0.48	U		0.20	0.50	0.19	ug/L	04/24/2007 2:30	73236	1	ES
Butachlor	23184-66-9	0.48	U		0.082	0.50	0.079	ug/L	04/24/2007 2:30	73236	1	ES
Butyl benzyl phthalate	85-68-7	0.48	U		0.042	0.50	0.040	ug/L	04/24/2007 2:30	73236	1	ES
Butylate	2008-41-5	0.19	U		0.026	0.20	0.025	ug/L	04/24/2007 2:30	73236	1	ES
Chloroneb	2675-77-6	0.48	U		2.5	0.50	2.4	ug/L	04/24/2007 2:30	73236	1	ES
Chlorpropham	101-21-3	0.19	U		0.14	0.20	0.13	ug/L	04/24/2007 2:30	73236	1	ES
Chlorpyrifos	2921-88-2	0.48	U		0.10	0.50	0.096	ug/L	04/24/2007 2:30	73236	1	ES
Chrysene	218-01-9	0.19	U		0.032	0.20	0.031	ug/L	04/24/2007 2:30	73236	1	ES
cis-Permethrin	54774-45-7	0.48	U		0.032	0.50	0.031	ug/L	04/24/2007 2:30	73236	1	ES
Cycloate	1134-23-2	0.19	U		0.042	0.20	0.040	ug/L	04/24/2007 2:30	73236	1	ES
delta-BHC	319-86-8	0.19	U		0.12	0.20	0.12	ug/L	04/24/2007 2:30	73236	1	ES
Di(2-ethylhexyl)adipate	103-23-1	0.48	U		0.25	0.50	0.24	ug/L	04/24/2007 2:30	73236	1	ES
Di-n-butyl phthalate	84-74-2	0.96	U		0.98	1.0	0.94	ug/L	04/24/2007 2:30	73236	1	ES
Dibenz(a,h)anthracene	53-70-3	0.19	U		0.075	0.20	0.072	ug/L	04/24/2007 2:30	73236	1	ES
Dichlorvos	62-73-7	0.19	U		0.038	0.20	0.037	ug/L	04/24/2007 2:30	73236	1	ES
Dieldrin	60-57-1	0.48	U		0.090	0.50	0.087	ug/L	04/24/2007 2:30	73236	1	ES
Diethyl phthalate	84-66-2	0.48	U		0.16	0.50	0.15	ug/L	04/24/2007 2:30	73236	1	ES
Dimethyl phthalate	131-11-3	0.48	U		0.032	0.50	0.031	ug/L	04/24/2007 2:30	73236	1	ES
Diphenamid	957-51-7	0.19	U		0.039	0.20	0.038	ug/L	04/24/2007 2:30	73236	1	ES
Endosulfan I US, SD-L	959-98-8	0.48	U		0.13	0.50	0.13	ug/L	04/24/2007 2:30	73236	1	ES
Endosulfan II	33213-65-9	0.48	U		0.13	0.50	0.13	ug/L	04/24/2007 2:30	73236	1	ES
Endosulfan sulfate	1031-07-8	0.48	U		0.078	0.50	0.075	ug/L	04/24/2007 2:30	73236	1	ES
Endrin US, SD-L	72-20-8	0.48	U		0.088	0.50	0.085	ug/L	04/24/2007 2:30	73236	1	ES
Endrin aldehyde	7421-93-4	0.96	U	*	0.12	1.0	0.12	ug/L	04/24/2007 2:30	73236	1	ES
EPTC	759-94-4	0.19	U		0.030	0.20	0.029	ug/L	04/24/2007 2:30	73236	1	ES
Ethyl 4,4'-Dichlorobenzilate	510-15-6	4.8	U		0.064	5.0	0.062	ug/L	04/24/2007 2:30	73236	1	ES

SP 5/23/07

Client: Shaw Environmental & Project: Williams Trailer Park ATTN: Mr. John Sullivan

Job Number: 680-25972-1
SDG Number: Williams Trailer Park

Client Sample ID: GW-10

Lab Sample ID: 680-25972-12
Client Matrix: Water

Date Sampled: 04/17/2007 13:03
Date Received: 04/18/2007 9:15

TEST METHOD	CAS #	RESULT	Q	FLAG	MDL	MQL	SQL	UNITS	Analysis Date/Time	Batch	D.F.	Analyst
Etridiazole	2593-15-9	0.19	U		0.053	0.20	0.051	ug/L	04/24/2007 2:30	73236	1	ES
Fenarimol VS, SD-L	60168-88-9	0.96	U		0.12	1.0	0.12	ug/L	04/24/2007 2:30	73236	1	ES
Fluorene	86-73-7	0.19	U		0.041	0.20	0.039	ug/L	04/24/2007 2:30	73236	1	ES
Fluridone VS, MS/SD-L	59756-60-4	0.48	U	*	0.11	0.50	0.11	ug/L	04/24/2007 2:30	73236	1	ES
gamma-BHC (Lindane)	58-89-9	0.19	U		0.12	0.20	0.12	ug/L	04/24/2007 2:30	73236	1	ES
gamma-Chlordane	5103-74-2	0.19	U		0.044	0.20	0.042	ug/L	04/24/2007 2:30	73236	1	ES
Heptachlor	76-44-8	0.19	U		0.091	0.20	0.088	ug/L	04/24/2007 2:30	73236	1	ES
Heptachlor epoxide	1024-57-3	0.19	U		0.10	0.20	0.096	ug/L	04/24/2007 2:30	73236	1	ES
Hexachlorobenzene	118-74-1	0.19	U		0.041	0.20	0.039	ug/L	04/24/2007 2:30	73236	1	ES
Hexachlorocyclopentadiene	77-47-4	1.9	U		0.031	2.0	0.030	ug/L	04/24/2007 2:30	73236	1	ES
Hexazinone	51235-04-2	0.48	U	*	0.16	0.50	0.15	ug/L	04/24/2007 2:30	73236	1	ES
Indeno[1,2,3-cd]pyrene	193-39-5	0.19	U		0.055	0.20	0.053	ug/L	04/24/2007 2:30	73236	1	ES
Isophorone	78-59-1	0.19	U		0.030	0.20	0.029	ug/L	04/24/2007 2:30	73236	1	ES
Methoxychlor	72-43-5	0.48	U		0.053	0.50	0.051	ug/L	04/24/2007 2:30	73236	1	ES
Methyl paraoxon	950-35-6	0.48	U		0.10	0.50	0.096	ug/L	04/24/2007 2:30	73236	1	ES
Metolachlor	51218-45-2	0.19	U		0.053	0.20	0.051	ug/L	04/24/2007 2:30	73236	1	ES
Metribuzin	21087-64-9	0.19	U		0.073	0.20	0.070	ug/L	04/24/2007 2:30	73236	1	ES
Mevinphos	7786-34-7	0.48	U		0.042	0.50	0.040	ug/L	04/24/2007 2:30	73236	1	ES
MGK 264 - isomer a	113-48-4	0.19	U		0.039	0.20	0.038	ug/L	04/24/2007 2:30	73236	1	ES
MGK 264 - isomer b	113-48-4	0.19	U		0.030	0.20	0.029	ug/L	04/24/2007 2:30	73236	1	ES
Mocap	13194-48-4	0.48	U		0.15	0.50	0.14	ug/L	04/24/2007 2:30	73236	1	ES
Molinate	2212-67-1	0.19	U		0.11	0.20	0.11	ug/L	04/24/2007 2:30	73236	1	ES
Napropamide	15299-99-7	0.48	U		0.32	0.50	0.31	ug/L	04/24/2007 2:30	73236	1	ES
Norflurazon	27314-13-2	0.48	U		0.077	0.50	0.074	ug/L	04/24/2007 2:30	73236	1	ES
PCB 1	2051-60-7	0.48	U		0.031	0.50	0.030	ug/L	04/24/2007 2:30	73236	1	ES
PCB 29	15862-07-4	0.19	U		0.038	0.20	0.037	ug/L	04/24/2007 2:30	73236	1	ES
PCB 47	2437-79-8	0.48	U		0.061	0.50	0.059	ug/L	04/24/2007 2:30	73236	1	ES

SP 5/23/07

Client: Shaw Environmental & Project: Williams Trailer Park ATTN: Mr. John Sullivan

Job Number: 680-25972-1
SDG Number: Williams Trailer Park

Client Sample ID: GW-10

Lab Sample ID: 680-25972-12
Client Matrix: Water

Date Sampled: 04/17/2007 13:03
Date Received: 04/18/2007 9:15

TEST METHOD	CAS #	RESULT	Q	FLAG	MDL	MQL	SQL	UNITS	Analysis Date/Time	Batch	D.F.	Analyst
PCB 5	16605-91-7	0.19	U		0.036	0.20	0.035	ug/L	04/24/2007 2:30	73236	1	ES
PCB 98	60233-25-2	0.19	U		0.042	0.20	0.040	ug/L	04/24/2007 2:30	73236	1	ES
Pebulate	1114-71-2	0.19	U		0.11	0.20	0.11	ug/L	04/24/2007 2:30	73236	1	ES
Phenanthrene	85-01-8	0.19	U		0.027	0.20	0.026	ug/L	04/24/2007 2:30	73236	1	ES
Prometryn US, MS/SD-L	7287-19-6	0.96	U		0.060	1.0	0.058	ug/L	04/24/2007 2:30	73236	1	ES
Pronamide R, MS/SD	23950-58-5	0.19	U		0.072	0.20	0.069	ug/L	04/24/2007 2:30	73236	1	ES
Propachlor	1918-16-7	0.19	U		0.14	0.20	0.13	ug/L	04/24/2007 2:30	73236	1	ES
Propazine	139-40-2	0.19	U		0.045	0.20	0.043	ug/L	04/24/2007 2:30	73236	1	ES
Pyrene	129-00-0	0.19	U		0.034	0.20	0.033	ug/L	04/24/2007 2:30	73236	1	ES
Simazine US, ICAL-L	122-34-9	0.48	U		0.048	0.50	0.046	ug/L	04/24/2007 2:30	73236	1	ES
Simetryn US, MS/SD-L	1014-70-6	0.96	U	*	0.038	1.0	0.037	ug/L	04/24/2007 2:30	73236	1	ES
Tebuthiuron US, LCS, SD-L	34014-18-1	1.9	U	*	0.10	2.0	0.096	ug/L	04/24/2007 2:30	73236	1	ES
Terbacil	5902-51-2	0.48	U		0.064	0.50	0.062	ug/L	04/24/2007 2:30	73236	1	ES
Terbutryn US, MS/SD-L	886-50-0	0.96	U		0.053	1.0	0.051	ug/L	04/24/2007 2:30	73236	1	ES
Tetrachlorvinphos (Stirophos)	961-11-5	0.48	U		0.067	0.50	0.064	ug/L	04/24/2007 2:30	73236	1	ES
Tetraphthalic acid, tetrachloro-, dimethyl ester	1861-32-1	0.19	U		0.031	0.20	0.030	ug/L	04/24/2007 2:30	73236	1	ES
trans-Nonachlor	39765-80-5	0.48	U		0.069	0.50	0.066	ug/L	04/24/2007 2:30	73236	1	ES
trans-Permethrin	51877-74-8	0.48	U		0.025	0.50	0.024	ug/L	04/24/2007 2:30	73236	1	ES
Triadimefon	43121-43-3	0.96	U		0.11	1.0	0.11	ug/L	04/24/2007 2:30	73236	1	ES
Tricyclazole US, MS/SD-L	41814-78-2	0.48	U		0.068	0.50	0.065	ug/L	04/24/2007 2:30	73236	1	ES
Trifluralin	1582-09-8	0.19	U		0.052	0.20	0.050	ug/L	04/24/2007 2:30	73236	1	ES
Vernolate	1929-77-7	0.19	U		0.036	0.20	0.035	ug/L	04/24/2007 2:30	73236	1	ES

Surrogates

Test Method	CAS Number	QC	Dilution	Result	True Value	% Rec.	QC Limits	QC Flag	Prep Batch	Instrument	Analysis Date/Time	Analyst

SP
5/23/07

Surrogates

Test Method	CAS Number	QC	Dilution	Result	True Value	% Rec.	QC Limits	QC Flag	Prep Batch	Instrument	Analysis Date/Time	Analyst
2-Nitro-m-xylene	81-20-9		1	4.3	4.81	90	70-130		73045	MSR	4/24/2007 2:30:00AM	ES
Perylene-d12	1520-96-3		1	4.0	4.81	84	70-130		73045	MSR	4/24/2007 2:30:00AM	ES
Triphenylphosphate	115-86-6		1	4.1	4.81	85	70-130		73045	MSR	4/24/2007 2:30:00AM	ES

SP
5/23/07

Client: Shaw Environmental & Project: Williams Trailer Park ATTN: Mr. John Sullivan

Job Number: 680-25972-1
SDG Number: Williams Trailer Park

Client Sample ID: GW-10

Lab Sample ID: 680-25972-12 DIL
Client Matrix: Water

Date Sampled: 04/17/2007 13:03
Date Received: 04/18/2007 9:15

TEST METHOD	CAS #	RESULT	Q	FLAG	MDL	MQL	SQL	UNITS	Analysis Date/Time	Batch	D.F.	Analyst
Method: EPA 200,Water												
200 Series Drinking Water Prep Determination Step	NA	Complete						NA	04/20/2007 11:03	73382	20	RA
Method: EPA 200.7 Rev 4.4,Water												
Sodium J, F D	7440-23-5	370000			320	1000	6400	ug/L	04/25/2007 0:37	73382	20	BB

SP
5/23/07

Client: Shaw Environmental & Project: Williams Trailer Park ATTN: Mr. John Sullivan

Job Number: 680-25972-1
SDG Number: Williams Trailer Park

Client Sample ID: GW-10

Lab Sample ID: 680-25972-12 RA
Client Matrix: Water

Date Sampled: 04/17/2007 13:03
Date Received: 04/18/2007 9:15

TEST METHOD	CAS #	RESULT	Q	FLAG	MDL	MQL	SQL	UNITS	Analysis Date/Time	Batch	D.F.	Analyst
Method: EPA 200,Water												
200 Series Drinking Water Prep Determination Step	NA	Complete						NA	04/19/2007 10:37	73558	10	RA
Method: EPA 200.8,Water												
Beryllium	7440-41-7	1.0	U		0.015	0.10	0.15	ug/L	04/26/2007 13:39	73558	10	CE

SP
5/23/07

Client: Shaw Environmental & Project: Williams Trailer Park ATTN: Mr. John Sullivan

Job Number: 680-25972-1
SDG Number: Williams Trailer Park

Client Sample ID: GW-31

Lab Sample ID: 680-25972-13
Client Matrix: Water

Date Sampled: 04/17/2007 13:27
Date Received: 04/18/2007 9:15

TEST METHOD	CAS #	RESULT	Q	FLAG	MDL	MQL	SQL	UNITS	Analysis Date/Time	Batch	D.F.	Analyst
Method: EPA 200,Water												
200 Series Drinking Water Prep Determination Step	NA	Complete						NA	04/20/2007 11:03	73303	1	RA
200 Series Drinking Water Prep Determination Step	NA	Complete						NA	04/19/2007 10:37	73558	10	RA
Method: EPA 525.2,Water												
Determination of Semivolatile Organic Compounds in Drinking Water by GCMS/Prep	NA	Complete						NA	04/21/2007 10:14	73236	1	GJ
Method: EPA 200.7 Rev 4.4,Water												
Iron J, FD	7439-89-6	110			15	50	15	ug/L	04/24/2007 2:37	73303	1	BB
Method: EPA 200.8,Water												
Aluminum	7429-90-5	100	U		3.1	10	31	ug/L	04/24/2007 19:39	73558	10	CE
Antimony	7440-36-0	5.0	U		0.060	0.50	0.60	ug/L	04/24/2007 19:39	73558	10	CE
Arsenic J, FD	7440-38-2	3.5			0.12	0.20	1.2	ug/L	04/24/2007 19:39	73558	10	CE
Barium	7440-39-3	44		B	0.18	1.0	1.8	ug/L	04/24/2007 19:39	73558	10	CE
Cadmium J, FD	7440-43-9	0.38	J		0.029	0.10	0.29	ug/L	04/24/2007 19:39	73558	10	CE
Chromium J, FD, ICS-H	7440-47-3	2.1	J		0.051	1.0	0.51	ug/L	04/24/2007 19:39	73558	10	CE
Copper US, MB, FD	7440-50-8	2.8	J	B	0.23	1.0	2.3	ug/L	04/24/2007 19:39	73558	10	CE
Lead J, FD	7439-92-1	0.43	J		0.027	0.30	0.27	ug/L	04/24/2007 19:39	73558	10	CE
Manganese J, FD, ICS-H	7439-96-5	3.9	J		0.17	1.0	1.7	ug/L	04/24/2007 19:39	73558	10	CE
Mercury	7439-97-6	1.0	U		0.056	0.10	0.56	ug/L	04/24/2007 19:39	73558	10	CE
Nickel J, FD	7440-02-0	3.0			0.057	0.20	0.57	ug/L	04/24/2007 19:39	73558	10	CE
Selenium	7782-49-2	15			0.080	0.50	0.80	ug/L	04/24/2007 19:39	73558	10	CE
Silver	7440-22-4	2.0	U		0.018	0.20	0.18	ug/L	04/24/2007 19:39	73558	10	CE
Thallium	7440-28-0	2.0	U		0.10	0.20	1.0	ug/L	04/24/2007 19:39	73558	10	CE
Zinc J, MS, FD, -H ICS,	7440-66-6	220		B	2.6	4.0	26	ug/L	04/24/2007 19:39	73558	10	CE

SP 5/23/07

Client: Shaw Environmental & Project: Williams Trailer Park ATTN: Mr. John Sullivan

Job Number: 680-25972-1
SDG Number: Williams Trailer Park

Client Sample ID: GW-31

Lab Sample ID: 680-25972-13
Client Matrix: Water

Date Sampled: 04/17/2007 13:27
Date Received: 04/18/2007 9:15

TEST METHOD	CAS #	RESULT	Q	FLAG	MDL	MQL	SQL	UNITS	Analysis Date/Time	Batch	D.F.	Analyst
Method: EPA 524.2,Water												
1,1,1,2-Tetrachloroethane	630-20-6	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 19:27	72945	1	EH
1,1,1-Trichloroethane	71-55-6	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 19:27	72945	1	EH
1,1,2,2-Tetrachloroethane	79-34-5	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 19:27	72945	1	EH
1,1,2-Trichloroethane	79-00-5	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 19:27	72945	1	EH
1,1-Dichloroethane	75-34-3	0.41	J		0.20	0.50	0.20	ug/L	04/19/2007 19:27	72945	1	EH
1,1-Dichloroethene	75-35-4	0.50	U		0.22	0.50	0.22	ug/L	04/19/2007 19:27	72945	1	EH
1,1-Dichloropropene	563-58-6	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 19:27	72945	1	EH
1,2,3-Trichlorobenzene	87-61-6	0.50	U		0.26	0.50	0.26	ug/L	04/19/2007 19:27	72945	1	EH
1,2,3-Trichloropropane	96-18-4	0.50	U		0.25	0.50	0.25	ug/L	04/19/2007 19:27	72945	1	EH
1,2,4-Trichlorobenzene	120-82-1	0.50	U		0.33	0.50	0.33	ug/L	04/19/2007 19:27	72945	1	EH
1,2,4-Trimethylbenzene	95-63-6	0.50	U		0.22	0.50	0.22	ug/L	04/19/2007 19:27	72945	1	EH
1,2-Dibromo-3-Chloropro pane	96-12-8	0.50	U		0.35	0.50	0.35	ug/L	04/19/2007 19:27	72945	1	EH
1,2-Dichlorobenzene	95-50-1	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 19:27	72945	1	EH
1,2-Dichloroethane	107-06-2	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 19:27	72945	1	EH
1,2-Dichloropropane	78-87-5	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 19:27	72945	1	EH
1,3,5-Trimethylbenzene	108-67-8	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 19:27	72945	1	EH
1,3-Dichlorobenzene	541-73-1	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 19:27	72945	1	EH
1,3-Dichloropropane	142-28-9	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 19:27	72945	1	EH
1,4-Dichlorobenzene	106-46-7	0.50	U		0.21	0.50	0.21	ug/L	04/19/2007 19:27	72945	1	EH
2,2-Dichloropropane	594-20-7	0.50	U		0.36	0.50	0.36	ug/L	04/19/2007 19:27	72945	1	EH
2-Chlorotoluene	95-49-8	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 19:27	72945	1	EH
4-Chlorotoluene	106-43-4	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 19:27	72945	1	EH
4-Isopropyltoluene	99-87-6	0.50	U		0.22	0.50	0.22	ug/L	04/19/2007 19:27	72945	1	EH
Benzene	71-43-2	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 19:27	72945	1	EH
Bromobenzene	108-86-1	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 19:27	72945	1	EH
Bromoform	75-25-2	0.50	U		0.26	0.50	0.26	ug/L	04/19/2007 19:27	72945	1	EH

SP 5/23/07

Client: Shaw Environmental & Project: Williams Trailer Park ATTN: Mr. John Sullivan

Job Number: 680-25972-1
SDG Number: Williams Trailer Park

Client Sample ID: GW-31

Lab Sample ID: 680-25972-13
Client Matrix: Water

Date Sampled: 04/17/2007 13:27
Date Received: 04/18/2007 9:15

TEST METHOD	CAS #	RESULT	Q	FLAG	MDL	MQL	SQL	UNITS	Analysis Date/Time	Batch	D.F.	Analyst
Bromomethane	74-83-9	1.0	U		0.50	1.0	0.50	ug/L	04/19/2007 19:27	72945	1	EH
Carbon tetrachloride	56-23-5	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 19:27	72945	1	EH
Chlorobenzene	108-90-7	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 19:27	72945	1	EH
Chlorobromomethane	74-97-5	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 19:27	72945	1	EH
Chlorodibromomethane	124-48-1	0.50	U		0.23	0.50	0.23	ug/L	04/19/2007 19:27	72945	1	EH
Chloroethane	75-00-3	1.0	U		0.50	1.0	0.50	ug/L	04/19/2007 19:27	72945	1	EH
Chloroform	67-66-3	0.50	U		0.19	0.50	0.19	ug/L	04/19/2007 19:27	72945	1	EH
Chloromethane	74-87-3	0.50	U		0.40	0.50	0.40	ug/L	04/19/2007 19:27	72945	1	EH
cis-1,2-Dichloroethene	156-59-2	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 19:27	72945	1	EH
cis-1,3-Dichloropropene	10061-01-5	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 19:27	72945	1	EH
Dibromomethane	74-95-3	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 19:27	72945	1	EH
Dichlorobromomethane	75-27-4	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 19:27	72945	1	EH
Dichlorodifluoromethane	75-71-8	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 19:27	72945	1	EH
Ethylbenzene	100-41-4	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 19:27	72945	1	EH
Ethylene Dibromide	106-93-4	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 19:27	72945	1	EH
Hexachlorobutadiene	87-68-3	0.50	U		0.36	0.50	0.36	ug/L	04/19/2007 19:27	72945	1	EH
Isopropylbenzene	98-82-8	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 19:27	72945	1	EH
m-Xylene & p-Xylene	136777-61-2	0.50	U		0.31	0.50	0.31	ug/L	04/19/2007 19:27	72945	1	EH
Methyl tert-butyl ether	1634-04-4	0.50	U		0.30	0.50	0.30	ug/L	04/19/2007 19:27	72945	1	EH
Methylene Chloride	75-09-2	0.50	U		0.30	0.50	0.30	ug/L	04/19/2007 19:27	72945	1	EH
n-Butylbenzene	104-51-8	0.50	U		0.24	0.50	0.24	ug/L	04/19/2007 19:27	72945	1	EH
N-Propylbenzene	103-65-1	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 19:27	72945	1	EH
Naphthalene	91-20-3	1.0	U		0.24	1.0	0.24	ug/L	04/19/2007 19:27	72945	1	EH
o-Xylene	95-47-6	0.50	U		0.21	0.50	0.21	ug/L	04/19/2007 19:27	72945	1	EH
sec-Butylbenzene	135-98-8	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 19:27	72945	1	EH
Styrene	100-42-5	0.50	U		0.21	0.50	0.21	ug/L	04/19/2007 19:27	72945	1	EH
tert-Butylbenzene	98-06-6	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 19:27	72945	1	EH
Tetrachloroethene	127-18-4	0.50	U		0.27	0.50	0.27	ug/L	04/19/2007 19:27	72945	1	EH

SP
5/23/07

Client: Shaw Environmental & Project: Williams Trailer Park ATTN: Mr. John Sullivan

Job Number: 680-25972-1
SDG Number: Williams Trailer Park

Client Sample ID: GW-31

Lab Sample ID: 680-25972-13
Client Matrix: Water

Date Sampled: 04/17/2007 13:27
Date Received: 04/18/2007 9:15

TEST METHOD	CAS #	RESULT	Q	FLAG	MDL	MQL	SQL	UNITS	Analysis Date/Time	Batch	D.F.	Analyst
Toluene	108-88-3	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 19:27	72945	1	EH
trans-1,2-Dichloroethene	156-60-5	0.50	U		0.26	0.50	0.26	ug/L	04/19/2007 19:27	72945	1	EH
trans-1,3-Dichloropropene	10061-02-6	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 19:27	72945	1	EH
Trichloroethene	79-01-6	0.50	U		0.26	0.50	0.26	ug/L	04/19/2007 19:27	72945	1	EH
Trichlorofluoromethane	75-69-4	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 19:27	72945	1	EH
Vinyl chloride	75-01-4	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 19:27	72945	1	EH
Xylenes, Total	1330-20-7	0.50	U		0.31	0.50	0.31	ug/L	04/19/2007 19:27	72945	1	EH

Surrogates

Test Method	CAS Number	QC	Dilution	Result	True Value	% Rec.	QC Limits	QC Flag	Prep Batch	Instrument	Analysis Date/Time	Analyst
1,2-Dichlorobenzene-d4	2199-69-1		1	9.0	10.0	90	70-130			MSU	4/19/2007 7:27:00PM	EH
4-Bromofluorobenzene	460-00-4		1	8.8	10.0	88	70-130			MSU	4/19/2007 7:27:00PM	EH

SP 5/23/07

Client: Shaw Environmental & Project: Williams Trailer Park ATTN: Mr. John Sullivan

Job Number: 680-25972-1
SDG Number: Williams Trailer Park

Client Sample ID: GW-31

Lab Sample ID: 680-25972-13
Client Matrix: Water

Date Sampled: 04/17/2007 13:27
Date Received: 04/18/2007 9:15

TEST METHOD	CAS #	RESULT	Q	FLAG	MDL	MQL	SQL	UNITS	Analysis Date/Time	Batch	D.F.	Analyst
Method: EPA 525.2,Water												
1,3-Benzenedicarbonitrile, 2,4,5,6-tetrachloro-	1897-45-6	0.19	U		0.056	0.20	0.053	ug/L	04/24/2007 0:33	73236	1	ES
2,2',3,3',4,4',6-Heptachlorobiphenyl	52663-71-5	0.19	U		0.045	0.20	0.043	ug/L	04/24/2007 0:33	73236	1	ES
2,2',3,3',4,5',6,6'-Octachlorobiphenyl	40186-71-8	0.19	U		0.044	0.20	0.042	ug/L	04/24/2007 0:33	73236	1	ES
2,2',4,4',5,6'-Hexachlorobiphenyl	60145-22-4	0.19	U		0.059	0.20	0.056	ug/L	04/24/2007 0:33	73236	1	ES
2,4-Dinitrotoluene	121-14-2	0.19	U		0.053	0.20	0.050	ug/L	04/24/2007 0:33	73236	1	ES
2,6-Dinitrotoluene	606-20-2	0.19	U		0.12	0.20	0.11	ug/L	04/24/2007 0:33	73236	1	ES
4,4'-DDD	72-54-8	0.48	U		0.042	0.50	0.040	ug/L	04/24/2007 0:33	73236	1	ES
4,4'-DDE	72-55-9	0.19	U		0.042	0.20	0.040	ug/L	04/24/2007 0:33	73236	1	ES
4,4'-DDT	50-29-3	0.48	U		0.042	0.50	0.040	ug/L	04/24/2007 0:33	73236	1	ES
Acenaphthylene US, MS/SD-L	208-96-8	0.19	U		0.043	0.20	0.041	ug/L	04/24/2007 0:33	73236	1	ES
Acetochlor	34256-82-1	0.48	U		0.19	0.50	0.18	ug/L	04/24/2007 0:33	73236	1	ES
Alachlor	15972-60-8	0.19	U		0.066	0.20	0.063	ug/L	04/24/2007 0:33	73236	1	ES
Aldrin	309-00-2	0.19	U		0.085	0.20	0.081	ug/L	04/24/2007 0:33	73236	1	ES
alpha-BHC	319-84-6	0.19	U		0.11	0.20	0.10	ug/L	04/24/2007 0:33	73236	1	ES
alpha-Chlordane	5103-71-9	0.48	U		0.073	0.50	0.070	ug/L	04/24/2007 0:33	73236	1	ES
Ametryn US, MS/SD-L	834-12-8	0.48	U		0.067	0.50	0.064	ug/L	04/24/2007 0:33	73236	1	ES
Anthracene ~~US~~ US, LCS-L	120-12-7	0.19	U	*	0.032	0.20	0.030	ug/L	04/24/2007 0:33	73236	1	ES
Atrazine	1912-24-9	0.19	U		0.071	0.20	0.068	ug/L	04/24/2007 0:33	73236	1	ES
Benzo[a]anthracene	56-55-3	0.19	U		0.037	0.20	0.035	ug/L	04/24/2007 0:33	73236	1	ES
Benzo[a]pyrene	50-32-8	0.19	U		0.039	0.20	0.037	ug/L	04/24/2007 0:33	73236	1	ES
Benzo[b]fluoranthene	205-99-2	0.19	U		0.050	0.20	0.048	ug/L	04/24/2007 0:33	73236	1	ES
Benzo[g,h,i]perylene	191-24-2	0.19	U		0.062	0.20	0.059	ug/L	04/24/2007 0:33	73236	1	ES
Benzo[k]fluoranthene	207-08-9	0.19	U		0.048	0.20	0.046	ug/L	04/24/2007 0:33	73236	1	ES
beta-BHC	319-85-7	0.19	U		0.15	0.20	0.14	ug/L	04/24/2007 0:33	73236	1	ES

SP

SP 5/23/07

Client: Shaw Environmental & Project: Williams Trailer Park ATTN: Mr. John Sullivan

Job Number: 680-25972-1
SDG Number: Williams Trailer Park

Client Sample ID: GW-31

Lab Sample ID: 680-25972-13
Client Matrix: Water

Date Sampled: 04/17/2007 13:27
Date Received: 04/18/2007 9:15

TEST METHOD	CAS #	RESULT	Q	FLAG	MDL	MQL	SQL	UNITS	Analysis Date/Time	Batch	D.F.	Analyst
Bis(2-ethylhexyl) phthalate	117-81-7	1.9	U		0.60	2.0	0.57	ug/L	04/24/2007 0:33	73236	1	ES
Bromacil	314-40-9	0.48	U		0.20	0.50	0.19	ug/L	04/24/2007 0:33	73236	1	ES
Butachlor	23184-66-9	0.48	U		0.082	0.50	0.078	ug/L	04/24/2007 0:33	73236	1	ES
Butyl benzyl phthalate	85-68-7	0.48	U		0.042	0.50	0.040	ug/L	04/24/2007 0:33	73236	1	ES
Butylate	2008-41-5	0.19	U		0.026	0.20	0.025	ug/L	04/24/2007 0:33	73236	1	ES
Chloroneb	2675-77-6	0.48	U		2.5	0.50	2.4	ug/L	04/24/2007 0:33	73236	1	ES
Chlorpropham	101-21-3	0.19	U		0.14	0.20	0.13	ug/L	04/24/2007 0:33	73236	1	ES
Chlorpyrifos	2921-88-2	0.48	U		0.10	0.50	0.095	ug/L	04/24/2007 0:33	73236	1	ES
Chrysene	218-01-9	0.19	U		0.032	0.20	0.030	ug/L	04/24/2007 0:33	73236	1	ES
cis-Permethrin	54774-45-7	0.48	U		0.032	0.50	0.030	ug/L	04/24/2007 0:33	73236	1	ES
Cycloate	1134-23-2	0.19	U		0.042	0.20	0.040	ug/L	04/24/2007 0:33	73236	1	ES
delta-BHC	319-86-8	0.19	U		0.12	0.20	0.11	ug/L	04/24/2007 0:33	73236	1	ES
Di(2-ethylhexyl)adipate	103-23-1	0.48	U		0.25	0.50	0.24	ug/L	04/24/2007 0:33	73236	1	ES
Di-n-butyl phthalate	84-74-2	0.95	U		0.98	1.0	0.93	ug/L	04/24/2007 0:33	73236	1	ES
Dibenz(a,h)anthracene	53-70-3	0.19	U		0.075	0.20	0.071	ug/L	04/24/2007 0:33	73236	1	ES
Dichlorvos	62-73-7	0.19	U		0.038	0.20	0.036	ug/L	04/24/2007 0:33	73236	1	ES
Dieldrin	60-57-1	0.48	U		0.090	0.50	0.086	ug/L	04/24/2007 0:33	73236	1	ES
Diethyl phthalate	84-66-2	0.48	U		0.16	0.50	0.15	ug/L	04/24/2007 0:33	73236	1	ES
Dimethyl phthalate	131-11-3	0.48	U		0.032	0.50	0.030	ug/L	04/24/2007 0:33	73236	1	ES
Diphenamid	957-51-7	0.19	U		0.039	0.20	0.037	ug/L	04/24/2007 0:33	73236	1	ES
Endosulfan I US, SD - L	959-98-8	0.48	U		0.13	0.50	0.12	ug/L	04/24/2007 0:33	73236	1	ES
Endosulfan II	33213-65-9	0.48	U		0.13	0.50	0.12	ug/L	04/24/2007 0:33	73236	1	ES
Endosulfan sulfate	1031-07-8	0.48	U		0.078	0.50	0.074	ug/L	04/24/2007 0:33	73236	1	ES
Endrin US, SD-L	72-20-8	0.48	U		0.088	0.50	0.084	ug/L	04/24/2007 0:33	73236	1	ES
Endrin aldehyde	7421-93-4	0.95	U	*	0.12	1.0	0.11	ug/L	04/24/2007 0:33	73236	1	ES
EPTC	759-94-4	0.19	U		0.030	0.20	0.029	ug/L	04/24/2007 0:33	73236	1	ES
Ethyl 4,4'-Dichlorobenzilate	510-15-6	4.8	U		0.064	5.0	0.061	ug/L	04/24/2007 0:33	73236	1	ES

SP
5/23/07

Client: Shaw Environmental & Project: Williams Trailer Park ATTN: Mr. John Sullivan

Job Number: 680-25972-1
SDG Number: Williams Trailer Park

Client Sample ID: GW-31

Lab Sample ID: 680-25972-13
Client Matrix: Water

Date Sampled: 04/17/2007 13:27
Date Received: 04/18/2007 9:15

TEST METHOD	CAS #	RESULT	Q	FLAG	MDL	MQL	SQL	UNITS	Analysis Date/Time	Batch	D.F.	Analyst
Etridiazole	2593-15-9	0.19	U		0.053	0.20	0.050	ug/L	04/24/2007 0:33	73236	1	ES
Fenarimol VS,SD-L	60168-88-9	0.95	U		0.12	1.0	0.11	ug/L	04/24/2007 0:33	73236	1	ES
Fluorene	86-73-7	0.19	U		0.041	0.20	0.039	ug/L	04/24/2007 0:33	73236	1	ES
Fluridone VS,MS/SD-L	59756-60-4	0.48	U	*	0.11	0.50	0.10	ug/L	04/24/2007 0:33	73236	1	ES
gamma-BHC (Lindane)	58-89-9	0.19	U		0.12	0.20	0.11	ug/L	04/24/2007 0:33	73236	1	ES
gamma-Chlordane	5103-74-2	0.19	U		0.044	0.20	0.042	ug/L	04/24/2007 0:33	73236	1	ES
Heptachlor	76-44-8	0.19	U		0.091	0.20	0.087	ug/L	04/24/2007 0:33	73236	1	ES
Heptachlor epoxide	1024-57-3	0.19	U		0.10	0.20	0.095	ug/L	04/24/2007 0:33	73236	1	ES
Hexachlorobenzene	118-74-1	0.19	U		0.041	0.20	0.039	ug/L	04/24/2007 0:33	73236	1	ES
Hexachlorocyclopentadiene	77-47-4	1.9	U		0.031	2.0	0.030	ug/L	04/24/2007 0:33	73236	1	ES
Hexazinone	51235-04-2	0.48	U	*	0.16	0.50	0.15	ug/L	04/24/2007 0:33	73236	1	ES
Indeno[1,2,3-cd]pyrene	193-39-5	0.19	U		0.055	0.20	0.052	ug/L	04/24/2007 0:33	73236	1	ES
Isophorone	78-59-1	0.19	U		0.030	0.20	0.029	ug/L	04/24/2007 0:33	73236	1	ES
Methoxychlor	72-43-5	0.48	U		0.053	0.50	0.050	ug/L	04/24/2007 0:33	73236	1	ES
Methyl paraoxon	950-35-6	0.48	U		0.10	0.50	0.095	ug/L	04/24/2007 0:33	73236	1	ES
Metolachlor	51218-45-2	0.19	U		0.053	0.20	0.050	ug/L	04/24/2007 0:33	73236	1	ES
Metribuzin	21087-64-9	0.19	U		0.073	0.20	0.070	ug/L	04/24/2007 0:33	73236	1	ES
Mevinphos	7786-34-7	0.48	U		0.042	0.50	0.040	ug/L	04/24/2007 0:33	73236	1	ES
MGK 264 - isomer a	113-48-4	0.19	U		0.039	0.20	0.037	ug/L	04/24/2007 0:33	73236	1	ES
MGK 264 - isomer b	113-48-4	0.19	U		0.030	0.20	0.029	ug/L	04/24/2007 0:33	73236	1	ES
Mocap	13194-48-4	0.48	U		0.15	0.50	0.14	ug/L	04/24/2007 0:33	73236	1	ES
Molinate	2212-67-1	0.19	U		0.11	0.20	0.10	ug/L	04/24/2007 0:33	73236	1	ES
Napropamide	15299-99-7	0.48	U		0.32	0.50	0.30	ug/L	04/24/2007 0:33	73236	1	ES
Norflurazon	27314-13-2	0.48	U		0.077	0.50	0.073	ug/L	04/24/2007 0:33	73236	1	ES
PCB 1	2051-60-7	0.48	U		0.031	0.50	0.030	ug/L	04/24/2007 0:33	73236	1	ES
PCB 29	15862-07-4	0.19	U		0.038	0.20	0.036	ug/L	04/24/2007 0:33	73236	1	ES
PCB 47	2437-79-8	0.48	U		0.061	0.50	0.058	ug/L	04/24/2007 0:33	73236	1	ES

SP 5/23/07

Client: Shaw Environmental & Project: Williams Trailer Park ATTN: Mr. John Sullivan

Job Number: 680-25972-1
SDG Number: Williams Trailer Park

Client Sample ID: GW-31

Lab Sample ID: 680-25972-13
Client Matrix: Water

Date Sampled: 04/17/2007 13:27
Date Received: 04/18/2007 9:15

TEST METHOD	CAS #	RESULT	Q	FLAG	MDL	MQL	SQL	UNITS	Analysis Date/Time	Batch	D.F.	Analyst
PCB 5	16605-91-7	0.19	U		0.036	0.20	0.034	ug/L	04/24/2007 0:33	73236	1	ES
PCB 98	60233-25-2	0.19	U		0.042	0.20	0.040	ug/L	04/24/2007 0:33	73236	1	ES
Pebulate	1114-71-2	0.19	U		0.11	0.20	0.10	ug/L	04/24/2007 0:33	73236	1	ES
Phenanthrene	85-01-8	0.19	U		0.027	0.20	0.026	ug/L	04/24/2007 0:33	73236	1	ES
Prometryn UJ, MS/SD-L	7287-19-6	0.95	U		0.060	1.0	0.057	ug/L	04/24/2007 0:33	73236	1	ES
Pronamide R, MS/SD	23950-58-5	0.19	U		0.072	0.20	0.069	ug/L	04/24/2007 0:33	73236	1	ES
Propachlor	1918-16-7	0.19	U		0.14	0.20	0.13	ug/L	04/24/2007 0:33	73236	1	ES
Propazine	139-40-2	0.19	U		0.045	0.20	0.043	ug/L	04/24/2007 0:33	73236	1	ES
Pyrene	129-00-0	0.19	U		0.034	0.20	0.032	ug/L	04/24/2007 0:33	73236	1	ES
Simazine UJ, ICAL-L	122-34-9	0.48	U		0.048	0.50	0.046	ug/L	04/24/2007 0:33	73236	1	ES
Simetryn UJ, MS/SD-L	1014-70-6	0.95	U	*	0.038	1.0	0.036	ug/L	04/24/2007 0:33	73236	1	ES
Tebuthiuron UJ, LCS, SD-L	34014-18-1	1.9	U	*	0.10	2.0	0.095	ug/L	04/24/2007 0:33	73236	1	ES
Terbacil	5902-51-2	0.48	U		0.064	0.50	0.061	ug/L	04/24/2007 0:33	73236	1	ES
Terbutryn UJ, MS/SD-L	886-50-0	0.95	U		0.053	1.0	0.050	ug/L	04/24/2007 0:33	73236	1	ES
Tetrachlorvinphos (Stirophos)	961-11-5	0.48	U		0.067	0.50	0.064	ug/L	04/24/2007 0:33	73236	1	ES
Tetraphthalic acid, tetrachloro-, dimethyl ester	1861-32-1	0.19	U		0.031	0.20	0.030	ug/L	04/24/2007 0:33	73236	1	ES
trans-Nonachlor	39765-80-5	0.48	U		0.069	0.50	0.066	ug/L	04/24/2007 0:33	73236	1	ES
trans-Permethrin	51877-74-8	0.48	U		0.025	0.50	0.024	ug/L	04/24/2007 0:33	73236	1	ES
Triadimefon	43121-43-3	0.95	U		0.11	1.0	0.10	ug/L	04/24/2007 0:33	73236	1	ES
Tricyclazole UJ, MS/SD-L	41814-78-2	0.48	U		0.068	0.50	0.065	ug/L	04/24/2007 0:33	73236	1	ES
Trifluralin	1582-09-8	0.19	U		0.052	0.20	0.050	ug/L	04/24/2007 0:33	73236	1	ES
Vernolate	1929-77-7	0.19	U		0.036	0.20	0.034	ug/L	04/24/2007 0:33	73236	1	ES

Surrogates

Test Method	CAS Number	QC	Dilution	Result	True Value	% Rec.	QC Limits	QC Flag	Prep Batch	Instrument	Analysis Date/Time	Analyst

SP
5/23/07

Surrogates

Test Method	CAS Number	QC	Dilution	Result	True Value	% Rec.	QC Limits	QC Flag	Prep Batch	Instrument	Analysis Date/Time	Analyst
2-Nitro-m-xylene	81-20-9		1	4.3	4.76	90	70-130		73045	MSR	4/24/2007 12:33:00AM	ES
Perylene-d12	1520-96-3		1	4.9	4.76	104	70-130		73045	MSR	4/24/2007 12:33:00AM	ES
Triphenylphosphate	115-86-6		1	4.7	4.76	99	70-130		73045	MSR	4/24/2007 12:33:00AM	ES

SP
5/23/07

Client: Shaw Environmental & Project: Williams Trailer Park ATTN: Mr. John Sullivan

Job Number: 680-25972-1
SDG Number: Williams Trailer Park

Client Sample ID: GW-31

Lab Sample ID: 680-25972-13 DIL
Client Matrix: Water

Date Sampled: 04/17/2007 13:27
Date Received: 04/18/2007 9:15

TEST METHOD	CAS #	RESULT	Q	FLAG	MDL	MQL	SQL	UNITS	Analysis Date/Time	Batch	D.F.	Analyst
Method: EPA 200,Water												
200 Series Drinking Water Prep Determination Step	NA	Complete						NA	04/20/2007 11:03	73382	20	RA
Method: EPA 200.7 Rev 4.4,Water												
Sodium J, FD	7440-23-5	610000			320	1000	6400	ug/L	04/25/2007 0:41	73382	20	BB

SP 5/23/07

Client: Shaw Environmental & Project: Williams Trailer Park ATTN: Mr. John Sullivan

Job Number: 680-25972-1
SDG Number: Williams Trailer Park

Client Sample ID: GW-31

Lab Sample ID: 680-25972-13 RA
Client Matrix: Water

Date Sampled: 04/17/2007 13:27
Date Received: 04/18/2007 9:15

TEST METHOD	CAS #	RESULT	Q	FLAG	MDL	MQL	SQL	UNITS	Analysis Date/Time	Batch	D.F.	Analyst
Method: EPA 200,Water												
200 Series Drinking Water Prep Determination Step	NA	Complete						NA	04/19/2007 10:37	73558	10	RA
Method: EPA 200.8,Water												
Beryllium	7440-41-7	1.0	U		0.015	0.10	0.15	ug/L	04/26/2007 13:47	73558	10	CE

SP
5/23/07

Client: Shaw Environmental & Project: Williams Trailer Park ATTN: Mr. John Sullivan

Job Number: 680-25972-1
SDG Number: Williams Trailer Park

Client Sample ID: GW-22

Lab Sample ID: 680-25972-14
Client Matrix: Water

Date Sampled: 04/17/2007 14:20
Date Received: 04/18/2007 9:15

TEST METHOD	CAS #	RESULT	Q	FLAG	MDL	MQL	SQL	UNITS	Analysis Date/Time	Batch	D.F.	Analyst
Method: EPA 200,Water												
200 Series Drinking Water Prep Determination Step	NA	Complete						NA	04/20/2007 11:03	73303	1	RA
200 Series Drinking Water Prep Determination Step	NA	Complete						NA	04/19/2007 10:37	73558	10	RA
Method: EPA 525.2,Water												
Determination of Semivolatile Organic Compounds in Drinking Water by GCMS/Prep	NA	Complete						NA	04/21/2007 10:14	73472	1	GJ
Method: EPA 200.7 Rev 4.4,Water												
Iron J-FD	7439-89-6	130			15	50	15	ug/L	04/24/2007 2:41	73303	1	BB
Method: EPA 200.8,Water												
Aluminum	7429-90-5	100	U		3.1	10	31	ug/L	04/24/2007 20:00	73558	10	CE
Antimony	7440-36-0	5.0	U		0.060	0.50	0.60	ug/L	04/24/2007 20:00	73558	10	CE
Arsenic J,FD	7440-38-2	3.2			0.12	0.20	1.2	ug/L	04/24/2007 20:00	73558	10	CE
Barium	7440-39-3	47		B	0.18	1.0	1.8	ug/L	04/24/2007 20:00	73558	10	CE
Cadmium J,FD	7440-43-9	0.30	J		0.029	0.10	0.29	ug/L	04/24/2007 20:00	73558	10	CE
Chromium J,FD,ICS-H	7440-47-3	2.3	J		0.051	1.0	0.51	ug/L	04/24/2007 20:00	73558	10	CE
Copper J,FD	7440-50-8	6.0	J	B	0.23	1.0	2.3	ug/L	04/24/2007 20:00	73558	10	CE
Lead J,FD	7439-92-1	1.0	J		0.027	0.30	0.27	ug/L	04/24/2007 20:00	73558	10	CE
Manganese J,FD,ICS-H	7439-96-5	4.0	J		0.17	1.0	1.7	ug/L	04/24/2007 20:00	73558	10	CE
Mercury	7439-97-6	1.0	U		0.056	0.10	0.56	ug/L	04/24/2007 20:00	73558	10	CE
Nickel J,FD	7440-02-0	3.1			0.057	0.20	0.57	ug/L	04/24/2007 20:00	73558	10	CE
Selenium	7782-49-2	16			0.080	0.50	0.80	ug/L	04/24/2007 20:00	73558	10	CE
Silver	7440-22-4	2.0	U		0.018	0.20	0.18	ug/L	04/24/2007 20:00	73558	10	CE
Thallium	7440-28-0	2.0	U		0.10	0.20	1.0	ug/L	04/24/2007 20:00	73558	10	CE
Zinc J,ms,FD,ICS-H	7440-66-6	220		B	2.6	4.0	26	ug/L	04/24/2007 20:00	73558	10	CE

SP 5/23/07

Client: Shaw Environmental & Project: Williams Trailer Park ATTN: Mr. John Sullivan

Job Number: 680-25972-1
SDG Number: Williams Trailer Park

Client Sample ID: GW-22

Lab Sample ID: 680-25972-14
Client Matrix: Water

Date Sampled: 04/17/2007 14:20
Date Received: 04/18/2007 9:15

TEST METHOD	CAS #	RESULT	Q	FLAG	MDL	MQL	SQL	UNITS	Analysis Date/Time	Batch	D.F.	Analyst
Method: EPA 524.2,Water												
1,1,1,2-Tetrachloroethane	630-20-6	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 19:48	72945	1	EH
1,1,1-Trichloroethane	71-55-6	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 19:48	72945	1	EH
1,1,2,2-Tetrachloroethane	79-34-5	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 19:48	72945	1	EH
1,1,2-Trichloroethane	79-00-5	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 19:48	72945	1	EH
1,1-Dichloroethane	75-34-3	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 19:48	72945	1	EH
1,1-Dichloroethene	75-35-4	0.50	U		0.22	0.50	0.22	ug/L	04/19/2007 19:48	72945	1	EH
1,1-Dichloropropene	563-58-6	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 19:48	72945	1	EH
1,2,3-Trichlorobenzene	87-61-6	0.50	U		0.26	0.50	0.26	ug/L	04/19/2007 19:48	72945	1	EH
1,2,3-Trichloropropane	96-18-4	0.50	U		0.25	0.50	0.25	ug/L	04/19/2007 19:48	72945	1	EH
1,2,4-Trichlorobenzene	120-82-1	0.50	U		0.33	0.50	0.33	ug/L	04/19/2007 19:48	72945	1	EH
1,2,4-Trimethylbenzene	95-63-6	0.50	U		0.22	0.50	0.22	ug/L	04/19/2007 19:48	72945	1	EH
1,2-Dibromo-3-Chloropro pane	96-12-8	0.50	U		0.35	0.50	0.35	ug/L	04/19/2007 19:48	72945	1	EH
1,2-Dichlorobenzene	95-50-1	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 19:48	72945	1	EH
1,2-Dichloroethane	107-06-2	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 19:48	72945	1	EH
1,2-Dichloropropane	78-87-5	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 19:48	72945	1	EH
1,3,5-Trimethylbenzene	108-67-8	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 19:48	72945	1	EH
1,3-Dichlorobenzene	541-73-1	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 19:48	72945	1	EH
1,3-Dichloropropane	142-28-9	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 19:48	72945	1	EH
1,4-Dichlorobenzene	106-46-7	0.50	U		0.21	0.50	0.21	ug/L	04/19/2007 19:48	72945	1	EH
2,2-Dichloropropane	594-20-7	0.50	U		0.36	0.50	0.36	ug/L	04/19/2007 19:48	72945	1	EH
2-Chlorotoluene	95-49-8	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 19:48	72945	1	EH
4-Chlorotoluene	106-43-4	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 19:48	72945	1	EH
4-Isopropyltoluene	99-87-6	0.50	U		0.22	0.50	0.22	ug/L	04/19/2007 19:48	72945	1	EH
Benzene	71-43-2	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 19:48	72945	1	EH
Bromobenzene	108-86-1	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 19:48	72945	1	EH
Bromoform	75-25-2	0.50	U		0.26	0.50	0.26	ug/L	04/19/2007 19:48	72945	1	EH

SP 5/23/07

Client: Shaw Environmental & Project: Williams Trailer Park ATTN: Mr. John Sullivan

Job Number: 680-25972-1
SDG Number: Williams Trailer Park

Client Sample ID: GW-22

Lab Sample ID: 680-25972-14
Client Matrix: Water

Date Sampled: 04/17/2007 14:20
Date Received: 04/18/2007 9:15

TEST METHOD	CAS #	RESULT	Q	FLAG	MDL	MQL	SQL	UNITS	Analysis Date/Time	Batch	D.F.	Analyst
Bromomethane	74-83-9	1.0	U		0.50	1.0	0.50	ug/L	04/19/2007 19:48	72945	1	EH
Carbon tetrachloride	56-23-5	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 19:48	72945	1	EH
Chlorobenzene	108-90-7	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 19:48	72945	1	EH
Chlorobromomethane	74-97-5	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 19:48	72945	1	EH
Chlorodibromomethane	124-48-1	0.50	U		0.23	0.50	0.23	ug/L	04/19/2007 19:48	72945	1	EH
Chloroethane	75-00-3	1.0	U		0.50	1.0	0.50	ug/L	04/19/2007 19:48	72945	1	EH
Chloroform	67-66-3	0.50	U		0.19	0.50	0.19	ug/L	04/19/2007 19:48	72945	1	EH
Chloromethane	74-87-3	0.50	U		0.40	0.50	0.40	ug/L	04/19/2007 19:48	72945	1	EH
cis-1,2-Dichloroethene	156-59-2	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 19:48	72945	1	EH
cis-1,3-Dichloropropene	10061-01-5	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 19:48	72945	1	EH
Dibromomethane	74-95-3	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 19:48	72945	1	EH
Dichlorobromomethane	75-27-4	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 19:48	72945	1	EH
Dichlorodifluoromethane	75-71-8	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 19:48	72945	1	EH
Ethylbenzene	100-41-4	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 19:48	72945	1	EH
Ethylene Dibromide	106-93-4	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 19:48	72945	1	EH
Hexachlorobutadiene	87-68-3	0.50	U		0.36	0.50	0.36	ug/L	04/19/2007 19:48	72945	1	EH
Isopropylbenzene	98-82-8	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 19:48	72945	1	EH
m-Xylene & p-Xylene	136777-61-2	0.50	U		0.31	0.50	0.31	ug/L	04/19/2007 19:48	72945	1	EH
Methyl tert-butyl ether	1634-04-4	0.50	U		0.30	0.50	0.30	ug/L	04/19/2007 19:48	72945	1	EH
Methylene Chloride	75-09-2	0.50	U		0.30	0.50	0.30	ug/L	04/19/2007 19:48	72945	1	EH
n-Butylbenzene	104-51-8	0.50	U		0.24	0.50	0.24	ug/L	04/19/2007 19:48	72945	1	EH
N-Propylbenzene	103-65-1	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 19:48	72945	1	EH
Naphthalene	91-20-3	1.0	U		0.24	1.0	0.24	ug/L	04/19/2007 19:48	72945	1	EH
o-Xylene	95-47-6	0.50	U		0.21	0.50	0.21	ug/L	04/19/2007 19:48	72945	1	EH
sec-Butylbenzene	135-98-8	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 19:48	72945	1	EH
Styrene	100-42-5	0.50	U		0.21	0.50	0.21	ug/L	04/19/2007 19:48	72945	1	EH
tert-Butylbenzene	98-06-6	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 19:48	72945	1	EH
Tetrachloroethene	127-18-4	0.50	U		0.27	0.50	0.27	ug/L	04/19/2007 19:48	72945	1	EH

SP 5/23/07

Client: Shaw Environmental & Project: Williams Trailer Park ATTN: Mr. John Sullivan

Job Number: 680-25972-1
SDG Number: Williams Trailer Park

Client Sample ID: GW-22

Lab Sample ID: 680-25972-14
Client Matrix: Water

Date Sampled: 04/17/2007 14:20
Date Received: 04/18/2007 9:15

TEST METHOD	CAS #	RESULT	Q	FLAG	MDL	MQL	SQL	UNITS	Analysis Date/Time	Batch	D.F.	Analyst
Toluene	108-88-3	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 19:48	72945	1	EH
trans-1,2-Dichloroethene	156-60-5	0.50	U		0.26	0.50	0.26	ug/L	04/19/2007 19:48	72945	1	EH
trans-1,3-Dichloropropene	10061-02-6	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 19:48	72945	1	EH
Trichloroethene	79-01-6	0.50	U		0.26	0.50	0.26	ug/L	04/19/2007 19:48	72945	1	EH
Trichlorofluoromethane	75-69-4	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 19:48	72945	1	EH
Vinyl chloride	75-01-4	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 19:48	72945	1	EH
Xylenes, Total	1330-20-7	0.50	U		0.31	0.50	0.31	ug/L	04/19/2007 19:48	72945	1	EH

Surrogates

Test Method	CAS Number	QC	Dilution	Result	True Value	% Rec.	QC Limits	QC Flag	Prep Batch	Instrument	Analysis Date/Time	Analyst
1,2-Dichlorobenzene-d4	2199-69-1		1	8.7	10.0	87	70-130			MSU	4/19/2007 7:48:00PM	EH
4-Bromofluorobenzene	460-00-4		1	8.7	10.0	87	70-130			MSU	4/19/2007 7:48:00PM	EH

SP 5/23/07

Client: Shaw Environmental & Project: Williams Trailer Park ATTN: Mr. John Sullivan

Job Number: 680-25972-1
SDG Number: Williams Trailer Park

Client Sample ID: GW-22

Lab Sample ID: 680-25972-14
Client Matrix: Water

Date Sampled: 04/17/2007 14:20
Date Received: 04/18/2007 9:15

TEST METHOD	CAS #	RESULT	Q	FLAG	MDL	MQL	SQL	UNITS	Analysis Date/Time	Batch	D.F.	Analyst
Method: EPA 525.2,Water												
1,3-Benzenedicarbonitrile, 2,4,5,6-tetrachloro-	1897-45-6	0.19	U		0.056	0.20	0.054	ug/L	04/25/2007 17:02	73472	1	ES
2,2',3,3',4,4',6-Heptachlor obiphenyl	52663-71-5	0.19	U		0.045	0.20	0.043	ug/L	04/25/2007 17:02	73472	1	ES
2,2',3,3',4,5',6,6'-Octachlo robiphenyl	40186-71-8	0.19	U		0.044	0.20	0.042	ug/L	04/25/2007 17:02	73472	1	ES
2,2',4,4',5,6'-Hexachlorobi phenyl	60145-22-4	0.19	U		0.059	0.20	0.057	ug/L	04/25/2007 17:02	73472	1	ES
2,4-Dinitrotoluene	121-14-2	0.19	U		0.053	0.20	0.051	ug/L	04/25/2007 17:02	73472	1	ES
2,6-Dinitrotoluene	606-20-2	0.19	U		0.12	0.20	0.12	ug/L	04/25/2007 17:02	73472	1	ES
4,4'-DDD	72-54-8	0.48	U		0.042	0.50	0.040	ug/L	04/25/2007 17:02	73472	1	ES
4,4'-DDE	72-55-9	0.19	U		0.042	0.20	0.040	ug/L	04/25/2007 17:02	73472	1	ES
4,4'-DDT	50-29-3	0.48	U		0.042	0.50	0.040	ug/L	04/25/2007 17:02	73472	1	ES
Acenaphthylene US, MS/SD-L	208-96-8	0.19	U		0.043	0.20	0.041	ug/L	04/25/2007 17:02	73472	1	ES
Acetochlor	34256-82-1	0.48	U		0.19	0.50	0.18	ug/L	04/25/2007 17:02	73472	1	ES
Alachlor	15972-60-8	0.19	U		0.066	0.20	0.063	ug/L	04/25/2007 17:02	73472	1	ES
Aldrin	309-00-2	0.19	U		0.085	0.20	0.082	ug/L	04/25/2007 17:02	73472	1	ES
alpha-BHC	319-84-6	0.19	U		0.11	0.20	0.11	ug/L	04/25/2007 17:02	73472	1	ES
alpha-Chlordane	5103-71-9	0.48	U		0.073	0.50	0.070	ug/L	04/25/2007 17:02	73472	1	ES
Ametryn US, MS/SD-L	834-12-8	0.48	U		0.067	0.50	0.064	ug/L	04/25/2007 17:02	73472	1	ES
Anthracene US, LCS-L	120-12-7	0.19	U		0.032	0.20	0.031	ug/L	04/25/2007 17:02	73472	1	ES
Atrazine	1912-24-9	0.19	U		0.071	0.20	0.068	ug/L	04/25/2007 17:02	73472	1	ES
Benzo[a]anthracene	56-55-3	0.19	U		0.037	0.20	0.036	ug/L	04/25/2007 17:02	73472	1	ES
Benzo[a]pyrene	50-32-8	0.19	U		0.039	0.20	0.038	ug/L	04/25/2007 17:02	73472	1	ES
Benzo[b]fluoranthene	205-99-2	0.19	U		0.050	0.20	0.048	ug/L	04/25/2007 17:02	73472	1	ES
Benzo[g,h,i]perylene	191-24-2	0.19	U		0.062	0.20	0.060	ug/L	04/25/2007 17:02	73472	1	ES
Benzo[k]fluoranthene	207-08-9	0.19	U		0.048	0.20	0.046	ug/L	04/25/2007 17:02	73472	1	ES
beta-BHC	319-85-7	0.19	U		0.15	0.20	0.14	ug/L	04/25/2007 17:02	73472	1	ES

SP 5/23/07

Client: Shaw Environmental & Project: Williams Trailer Park ATTN: Mr. John Sullivan

Job Number: 680-25972-1
SDG Number: Williams Trailer Park

Client Sample ID: GW-22

Lab Sample ID: 680-25972-14
Client Matrix: Water

Date Sampled: 04/17/2007 14:20
Date Received: 04/18/2007 9:15

TEST METHOD	CAS #	RESULT	Q	FLAG	MDL	MQL	SQL	UNITS	Analysis Date/Time	Batch	D.F.	Analyst
Bis(2-ethylhexyl) phthalate	117-81-7	2.7			0.60	2.0	0.58	ug/L	04/25/2007 17:02	73472	1	ES
Bromacil	314-40-9	0.48	U		0.20	0.50	0.19	ug/L	04/25/2007 17:02	73472	1	ES
Butachlor	23184-66-9	0.48	U		0.082	0.50	0.079	ug/L	04/25/2007 17:02	73472	1	ES
Butyl benzyl phthalate	85-68-7	0.48	U		0.042	0.50	0.040	ug/L	04/25/2007 17:02	73472	1	ES
Butylate	2008-41-5	0.19	U		0.026	0.20	0.025	ug/L	04/25/2007 17:02	73472	1	ES
Chloroneb	2675-77-6	0.48	U		2.5	0.50	2.4	ug/L	04/25/2007 17:02	73472	1	ES
Chlorpropham	101-21-3	0.19	U		0.14	0.20	0.13	ug/L	04/25/2007 17:02	73472	1	ES
Chlorpyrifos	2921-88-2	0.48	U		0.10	0.50	0.096	ug/L	04/25/2007 17:02	73472	1	ES
Chrysene	218-01-9	0.19	U		0.032	0.20	0.031	ug/L	04/25/2007 17:02	73472	1	ES
cis-Permethrin	54774-45-7	0.48	U		0.032	0.50	0.031	ug/L	04/25/2007 17:02	73472	1	ES
Cycloate	1134-23-2	0.19	U		0.042	0.20	0.040	ug/L	04/25/2007 17:02	73472	1	ES
delta-BHC	319-86-8	0.19	U		0.12	0.20	0.12	ug/L	04/25/2007 17:02	73472	1	ES
Di(2-ethylhexyl)adipate	103-23-1	0.48	U		0.25	0.50	0.24	ug/L	04/25/2007 17:02	73472	1	ES
Di-n-butyl phthalate	84-74-2	0.96	U		0.98	1.0	0.94	ug/L	04/25/2007 17:02	73472	1	ES
Dibenz(a,h)anthracene	53-70-3	0.19	U		0.075	0.20	0.072	ug/L	04/25/2007 17:02	73472	1	ES
Dichlorvos	62-73-7	0.19	U		0.038	0.20	0.037	ug/L	04/25/2007 17:02	73472	1	ES
Dieldrin	60-57-1	0.48	U		0.090	0.50	0.087	ug/L	04/25/2007 17:02	73472	1	ES
Diethyl phthalate	84-66-2	0.48	U		0.16	0.50	0.15	ug/L	04/25/2007 17:02	73472	1	ES
Dimethyl phthalate	131-11-3	0.48	U		0.032	0.50	0.031	ug/L	04/25/2007 17:02	73472	1	ES
Diphenamid	957-51-7	0.19	U		0.039	0.20	0.038	ug/L	04/25/2007 17:02	73472	1	ES
Endosulfan I UJ, SD-L	959-98-8	0.48	U		0.13	0.50	0.13	ug/L	04/25/2007 17:02	73472	1	ES
Endosulfan II	33213-65-9	0.48	U		0.13	0.50	0.13	ug/L	04/25/2007 17:02	73472	1	ES
Endosulfan sulfate	1031-07-8	0.48	U		0.078	0.50	0.075	ug/L	04/25/2007 17:02	73472	1	ES
Endrin UJ, SD-L	72-20-8	0.48	U		0.088	0.50	0.085	ug/L	04/25/2007 17:02	73472	1	ES
Endrin aldehyde	7421-93-4	0.96	U	*	0.12	1.0	0.12	ug/L	04/25/2007 17:02	73472	1	ES
EPTC	759-94-4	0.19	U		0.030	0.20	0.029	ug/L	04/25/2007 17:02	73472	1	ES
Ethyl 4,4'-Dichlorobenzilate	510-15-6	4.8	U		0.064	5.0	0.062	ug/L	04/25/2007 17:02	73472	1	ES

SP
5/23/07

Client: Shaw Environmental & Project: Williams Trailer Park ATTN: Mr. John Sullivan

Job Number: 680-25972-1
SDG Number: Williams Trailer Park

Client Sample ID: GW-22

Lab Sample ID: 680-25972-14
Client Matrix: Water

Date Sampled: 04/17/2007 14:20
Date Received: 04/18/2007 9:15

TEST METHOD	CAS #	RESULT	Q	FLAG	MDL	MQL	SQL	UNITS	Analysis Date/Time	Batch	D.F.	Analyst
Etridiazole	2593-15-9	0.19	U		0.053	0.20	0.051	ug/L	04/25/2007 17:02	73472	1	ES
Fenarimol VS, SD-L	60168-88-9	0.96	U		0.12	1.0	0.12	ug/L	04/25/2007 17:02	73472	1	ES
Fluorene	86-73-7	0.19	U		0.041	0.20	0.039	ug/L	04/25/2007 17:02	73472	1	ES
Fluridone VS, MS/SD-L	59756-60-4	0.48	U	*	0.11	0.50	0.11	ug/L	04/25/2007 17:02	73472	1	ES
gamma-BHC (Lindane)	58-89-9	0.19	U		0.12	0.20	0.12	ug/L	04/25/2007 17:02	73472	1	ES
gamma-Chlordane	5103-74-2	0.19	U		0.044	0.20	0.042	ug/L	04/25/2007 17:02	73472	1	ES
Heptachlor	76-44-8	0.19	U		0.091	0.20	0.088	ug/L	04/25/2007 17:02	73472	1	ES
Heptachlor epoxide	1024-57-3	0.19	U		0.10	0.20	0.096	ug/L	04/25/2007 17:02	73472	1	ES
Hexachlorobenzene	118-74-1	0.19	U		0.041	0.20	0.039	ug/L	04/25/2007 17:02	73472	1	ES
Hexachlorocyclopentadiene	77-47-4	1.9	U		0.031	2.0	0.030	ug/L	04/25/2007 17:02	73472	1	ES
Hexazinone	51235-04-2	0.48	U	*	0.16	0.50	0.15	ug/L	04/25/2007 17:02	73472	1	ES
Indeno[1,2,3-cd]pyrene	193-39-5	0.19	U		0.055	0.20	0.053	ug/L	04/25/2007 17:02	73472	1	ES
Isophorone	78-59-1	0.19	U		0.030	0.20	0.029	ug/L	04/25/2007 17:02	73472	1	ES
Methoxychlor	72-43-5	0.48	U		0.053	0.50	0.051	ug/L	04/25/2007 17:02	73472	1	ES
Methyl paraoxon	950-35-6	0.48	U		0.10	0.50	0.096	ug/L	04/25/2007 17:02	73472	1	ES
Metolachlor	51218-45-2	0.19	U		0.053	0.20	0.051	ug/L	04/25/2007 17:02	73472	1	ES
Metribuzin	21087-64-9	0.19	U		0.073	0.20	0.070	ug/L	04/25/2007 17:02	73472	1	ES
Mevinphos	7786-34-7	0.48	U		0.042	0.50	0.040	ug/L	04/25/2007 17:02	73472	1	ES
MGK 264 - isomer a	113-48-4	0.19	U		0.039	0.20	0.038	ug/L	04/25/2007 17:02	73472	1	ES
MGK 264 - isomer b	113-48-4	0.19	U		0.030	0.20	0.029	ug/L	04/25/2007 17:02	73472	1	ES
Mocap	13194-48-4	0.48	U		0.15	0.50	0.14	ug/L	04/25/2007 17:02	73472	1	ES
Molinate	2212-67-1	0.19	U		0.11	0.20	0.11	ug/L	04/25/2007 17:02	73472	1	ES
Napropamide	15299-99-7	0.48	U		0.32	0.50	0.31	ug/L	04/25/2007 17:02	73472	1	ES
Norflurazon	27314-13-2	0.48	U		0.077	0.50	0.074	ug/L	04/25/2007 17:02	73472	1	ES
PCB 1	2051-60-7	0.48	U		0.031	0.50	0.030	ug/L	04/25/2007 17:02	73472	1	ES
PCB 29	15862-07-4	0.19	U		0.038	0.20	0.037	ug/L	04/25/2007 17:02	73472	1	ES
PCB 47	2437-79-8	0.48	U		0.061	0.50	0.059	ug/L	04/25/2007 17:02	73472	1	ES

SP 5/23/07

Client: Shaw Environmental & Project: Williams Trailer Park ATTN: Mr. John Sullivan

Job Number: 680-25972-1
SDG Number: Williams Trailer Park

Client Sample ID: GW-22

Lab Sample ID: 680-25972-14
Client Matrix: Water

Date Sampled: 04/17/2007 14:20
Date Received: 04/18/2007 9:15

TEST METHOD	CAS #	RESULT	Q	FLAG	MDL	MQL	SQL	UNITS	Analysis Date/Time	Batch	D.F.	Analyst
PCB 5	16605-91-7	0.19	U		0.036	0.20	0.035	ug/L	04/25/2007 17:02	73472	1	ES
PCB 98	60233-25-2	0.19	U		0.042	0.20	0.040	ug/L	04/25/2007 17:02	73472	1	ES
Pebulate	1114-71-2	0.19	U		0.11	0.20	0.11	ug/L	04/25/2007 17:02	73472	1	ES
Phenanthrene	85-01-8	0.19	U		0.027	0.20	0.026	ug/L	04/25/2007 17:02	73472	1	ES
Prometryn UJ, MS/SD-L	7287-19-6	0.96	U		0.060	1.0	0.058	ug/L	04/25/2007 17:02	73472	1	ES
Pronamide R; MS/SD	23950-58-5	0.19	U		0.072	0.20	0.069	ug/L	04/25/2007 17:02	73472	1	ES
Propachlor	1918-16-7	0.19	U		0.14	0.20	0.13	ug/L	04/25/2007 17:02	73472	1	ES
Propazine	139-40-2	0.19	U		0.045	0.20	0.043	ug/L	04/25/2007 17:02	73472	1	ES
Pyrene	129-00-0	0.19	U		0.034	0.20	0.033	ug/L	04/25/2007 17:02	73472	1	ES
Simazine UJ, ICAL-L	122-34-9	0.48	U		0.048	0.50	0.046	ug/L	04/25/2007 17:02	73472	1	ES
Simetryn UJ, MS/SD-L	1014-70-6	0.96	U	*	0.038	1.0	0.037	ug/L	04/25/2007 17:02	73472	1	ES
Tebuthiuron UJ, LCS, SD-L	34014-18-1	1.9	U	*	0.10	2.0	0.096	ug/L	04/25/2007 17:02	73472	1	ES
Terbacil	5902-51-2	0.48	U		0.064	0.50	0.062	ug/L	04/25/2007 17:02	73472	1	ES
SP Terbutryn UJ ~~UJ~~, MS/SD-L	886-50-0	0.96	U		0.053	1.0	0.051	ug/L	04/25/2007 17:02	73472	1	ES
Tetrachlorvinphos (Stirophos)	961-11-5	0.48	U		0.067	0.50	0.064	ug/L	04/25/2007 17:02	73472	1	ES
Tetraphthalic acid, tetrachloro-, dimethyl ester	1861-32-1	0.19	U		0.031	0.20	0.030	ug/L	04/25/2007 17:02	73472	1	ES
trans-Nonachlor	39765-80-5	0.48	U		0.069	0.50	0.066	ug/L	04/25/2007 17:02	73472	1	ES
trans-Permethrin	51877-74-8	0.48	U		0.025	0.50	0.024	ug/L	04/25/2007 17:02	73472	1	ES
Triadimefon	43121-43-3	0.96	U		0.11	1.0	0.11	ug/L	04/25/2007 17:02	73472	1	ES
Tricyclazole UJ, MS/SD-L	41814-78-2	0.48	U		0.068	0.50	0.065	ug/L	04/25/2007 17:02	73472	1	ES
Trifluralin	1582-09-8	0.19	U		0.052	0.20	0.050	ug/L	04/25/2007 17:02	73472	1	ES
Vernolate	1929-77-7	0.19	U		0.036	0.20	0.035	ug/L	04/25/2007 17:02	73472	1	ES

Surrogates

Test Method	CAS Number	QC	Dilution	Result	True Value	% Rec.	QC Limits	QC Flag	Prep Batch	Instrument	Analysis Date/Time	Analyst

SP
5/23/07

Surrogates

Test Method	CAS Number	QC	Dilution	Result	True Value	% Rec.	QC Limits	QC Flag	Prep Batch	Instrument	Analysis Date/Time	Analyst
2-Nitro-m-xylene	81-20-9		1	4.5	4.81	93	70-130		73045	MSR	4/25/2007 5:02:00PM	ES
Perylene-d12	1520-96-3		1	4.5	4.81	93	70-130		73045	MSR	4/25/2007 5:02:00PM	ES
Triphenylphosphate	115-86-6		1	4.9	4.81	103	70-130		73045	MSR	4/25/2007 5:02:00PM	ES

SP
5/23/07

Client: Shaw Environmental & Project: Williams Trailer Park ATTN: Mr. John Sullivan

Job Number: 680-25972-1
SDG Number: Williams Trailer Park

Client Sample ID: GW-22

Lab Sample ID: 680-25972-14 DIL
Client Matrix: Water

Date Sampled: 04/17/2007 14:20
Date Received: 04/18/2007 9:15

TEST METHOD	CAS #	RESULT	Q	FLAG	MDL	MQL	SQL	UNITS	Analysis Date/Time	Batch	D.F.	Analyst
Method: EPA 200,Water												
200 Series Drinking Water Prep Determination Step	NA	Complete						NA	04/20/2007 11:03	73382	20	RA
Method: EPA 200.7 Rev 4.4,Water												
Sodium J, FD	7440-23-5	610000			320	1000	6400	ug/L	04/25/2007 0:46	73382	20	BB

SP 5/23/07

Analytical Data

Client: Shaw Environmental & Project: Williams Trailer Park ATTN: Mr. John Sullivan

Job Number: 680-25972-1
SDG Number: Williams Trailer Park

Client Sample ID: GW-22

Lab Sample ID: 680-25972-14 RA
Client Matrix: Water

Date Sampled: 04/17/2007 14:20
Date Received: 04/18/2007 9:15

TEST METHOD	CAS #	RESULT	Q	FLAG	MDL	MQL	SQL	UNITS	Analysis Date/Time	Batch	D.F.	Analyst
Method: EPA 200,Water												
200 Series Drinking Water Prep Determination Step	NA	Complete						NA	04/19/2007 10:37	73558	10	RA
Method: EPA 200.8,Water												
Beryllium	7440-41-7	1.0	U		0.015	0.10	0.15	ug/L	04/26/2007 13:56	73558	10	CE

SP
5/23/07

Client: Shaw Environmental & Project: Williams Trailer Park ATTN: Mr. John Sullivan

Job Number: 680-25972-1
SDG Number: Williams Trailer Park

Client Sample ID: GW-24

Lab Sample ID: 680-25972-15
Client Matrix: Water

Date Sampled: 04/17/2007 14:50
Date Received: 04/18/2007 9:15

TEST METHOD	CAS #	RESULT	Q	FLAG	MDL	MQL	SQL	UNITS	Analysis Date/Time	Batch	D.F.	Analyst
Method: EPA 200,Water												
200 Series Drinking Water Prep Determination Step	NA	Complete						NA	04/20/2007 11:03	73303	1	RA
200 Series Drinking Water Prep Determination Step	NA	Complete						NA	04/19/2007 10:37	73558	10	RA
Method: EPA 525.2,Water												
Determination of Semivolatile Organic Compounds in Drinking Water by GCMS/Prep	NA	Complete						NA	04/21/2007 10:14	73236	1	GJ
Method: EPA 200.7 Rev 4.4,Water												
Iron J, FD	7439-89-6	36	J		15	50	15	ug/L	04/24/2007 2:46	73303	1	BB
Method: EPA 200.8,Water												
Aluminum	7429-90-5	100	U		3.1	10	31	ug/L	04/24/2007 20:07	73558	10	CE
Antimony	7440-36-0	5.0	U		0.060	0.50	0.60	ug/L	04/24/2007 20:07	73558	10	CE
Arsenic J, FD	7440-38-2	5.8			0.12	0.20	1.2	ug/L	04/24/2007 20:07	73558	10	CE
Barium	7440-39-3	45		B	0.18	1.0	1.8	ug/L	04/24/2007 20:07	73558	10	CE
Cadmium US, FD	7440-43-9	1.0	U		0.029	0.10	0.29	ug/L	04/24/2007 20:07	73558	10	CE
Chromium J, FD, ICS - H	7440-47-3	1.4	J		0.051	1.0	0.51	ug/L	04/24/2007 20:07	73558	10	CE
Copper J, FD	7440-50-8	58		B	0.23	1.0	2.3	ug/L	04/24/2007 20:07	73558	10	CE
Lead J, FD	7439-92-1	2.6	J		0.027	0.30	0.27	ug/L	04/24/2007 20:07	73558	10	CE
Manganese J, FD, ICS-H	7439-96-5	12			0.17	1.0	1.7	ug/L	04/24/2007 20:07	73558	10	CE
Mercury	7439-97-6	1.0	U		0.056	0.10	0.56	ug/L	04/24/2007 20:07	73558	10	CE
Nickel J, FD	7440-02-0	1.6	J		0.057	0.20	0.57	ug/L	04/24/2007 20:07	73558	10	CE
Selenium	7782-49-2	11			0.080	0.50	0.80	ug/L	04/24/2007 20:07	73558	10	CE
Silver	7440-22-4	2.0	U		0.018	0.20	0.18	ug/L	04/24/2007 20:07	73558	10	CE
Thallium	7440-28-0	2.0	U		0.10	0.20	1.0	ug/L	04/24/2007 20:07	73558	10	CE
Zinc US, FD	7440-66-6	40	U		2.6	4.0	26	ug/L	04/24/2007 20:07	73558	10	CE

SP 5/23/07

Client: Shaw Environmental & Project: Williams Trailer Park ATTN: Mr. John Sullivan

Job Number: 680-25972-1
SDG Number: Williams Trailer Park

Client Sample ID: GW-24

Lab Sample ID: 680-25972-15
Client Matrix: Water

Date Sampled: 04/17/2007 14:50
Date Received: 04/18/2007 9:15

TEST METHOD	CAS #	RESULT	Q	FLAG	MDL	MQL	SQL	UNITS	Analysis Date/Time	Batch	D.F.	Analyst
Method: EPA 524.2,Water												
1,1,1,2-Tetrachloroethane	630-20-6	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 20:09	72945	1	EH
1,1,1-Trichloroethane	71-55-6	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 20:09	72945	1	EH
1,1,2,2-Tetrachloroethane	79-34-5	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 20:09	72945	1	EH
1,1,2-Trichloroethane	79-00-5	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 20:09	72945	1	EH
1,1-Dichloroethane	75-34-3	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 20:09	72945	1	EH
1,1-Dichloroethene	75-35-4	0.50	U		0.22	0.50	0.22	ug/L	04/19/2007 20:09	72945	1	EH
1,1-Dichloropropene	563-58-6	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 20:09	72945	1	EH
1,2,3-Trichlorobenzene	87-61-6	0.50	U		0.26	0.50	0.26	ug/L	04/19/2007 20:09	72945	1	EH
1,2,3-Trichloropropane	96-18-4	0.50	U		0.25	0.50	0.25	ug/L	04/19/2007 20:09	72945	1	EH
1,2,4-Trichlorobenzene	120-82-1	0.50	U		0.33	0.50	0.33	ug/L	04/19/2007 20:09	72945	1	EH
1,2,4-Trimethylbenzene	95-63-6	0.50	U		0.22	0.50	0.22	ug/L	04/19/2007 20:09	72945	1	EH
1,2-Dibromo-3-Chloropro pane	96-12-8	0.50	U		0.35	0.50	0.35	ug/L	04/19/2007 20:09	72945	1	EH
1,2-Dichlorobenzene	95-50-1	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 20:09	72945	1	EH
1,2-Dichloroethane	107-06-2	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 20:09	72945	1	EH
1,2-Dichloropropane	78-87-5	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 20:09	72945	1	EH
1,3,5-Trimethylbenzene	108-67-8	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 20:09	72945	1	EH
1,3-Dichlorobenzene	541-73-1	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 20:09	72945	1	EH
1,3-Dichloropropane	142-28-9	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 20:09	72945	1	EH
1,4-Dichlorobenzene	106-46-7	0.50	U		0.21	0.50	0.21	ug/L	04/19/2007 20:09	72945	1	EH
2,2-Dichloropropane	594-20-7	0.50	U		0.36	0.50	0.36	ug/L	04/19/2007 20:09	72945	1	EH
2-Chlorotoluene	95-49-8	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 20:09	72945	1	EH
4-Chlorotoluene	106-43-4	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 20:09	72945	1	EH
4-Isopropyltoluene	99-87-6	0.50	U		0.22	0.50	0.22	ug/L	04/19/2007 20:09	72945	1	EH
Benzene	71-43-2	0.26	J		0.20	0.50	0.20	ug/L	04/19/2007 20:09	72945	1	EH
Bromobenzene	108-86-1	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 20:09	72945	1	EH
Bromoform	75-25-2	0.50	U		0.26	0.50	0.26	ug/L	04/19/2007 20:09	72945	1	EH

SP 5/23/07

Client: Shaw Environmental & Project: Williams Trailer Park ATTN: Mr. John Sullivan

Job Number: 680-25972-1
SDG Number: Williams Trailer Park

Client Sample ID: GW-24

Lab Sample ID: 680-25972-15
Client Matrix: Water

Date Sampled: 04/17/2007 14:50
Date Received: 04/18/2007 9:15

TEST METHOD	CAS #	RESULT	Q	FLAG	MDL	MQL	SQL	UNITS	Analysis Date/Time	Batch	D.F.	Analyst
Bromomethane	74-83-9	1.0	U		0.50	1.0	0.50	ug/L	04/19/2007 20:09	72945	1	EH
Carbon tetrachloride	56-23-5	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 20:09	72945	1	EH
Chlorobenzene	108-90-7	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 20:09	72945	1	EH
Chlorobromomethane	74-97-5	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 20:09	72945	1	EH
Chlorodibromomethane	124-48-1	0.50	U		0.23	0.50	0.23	ug/L	04/19/2007 20:09	72945	1	EH
Chloroethane	75-00-3	1.0	U		0.50	1.0	0.50	ug/L	04/19/2007 20:09	72945	1	EH
Chloroform	67-66-3	0.50	U		0.19	0.50	0.19	ug/L	04/19/2007 20:09	72945	1	EH
Chloromethane	74-87-3	0.50	U		0.40	0.50	0.40	ug/L	04/19/2007 20:09	72945	1	EH
cis-1,2-Dichloroethene	156-59-2	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 20:09	72945	1	EH
cis-1,3-Dichloropropene	10061-01-5	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 20:09	72945	1	EH
Dibromomethane	74-95-3	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 20:09	72945	1	EH
Dichlorobromomethane	75-27-4	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 20:09	72945	1	EH
Dichlorodifluoromethane	75-71-8	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 20:09	72945	1	EH
Ethylbenzene	100-41-4	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 20:09	72945	1	EH
Ethylene Dibromide	106-93-4	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 20:09	72945	1	EH
Hexachlorobutadiene	87-68-3	0.50	U		0.36	0.50	0.36	ug/L	04/19/2007 20:09	72945	1	EH
Isopropylbenzene	98-82-8	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 20:09	72945	1	EH
m-Xylene & p-Xylene	136777-61-2	0.50	U		0.31	0.50	0.31	ug/L	04/19/2007 20:09	72945	1	EH
Methyl tert-butyl ether	1634-04-4	1.5			0.30	0.50	0.30	ug/L	04/19/2007 20:09	72945	1	EH
Methylene Chloride	75-09-2	0.50	U		0.30	0.50	0.30	ug/L	04/19/2007 20:09	72945	1	EH
n-Butylbenzene	104-51-8	0.50	U		0.24	0.50	0.24	ug/L	04/19/2007 20:09	72945	1	EH
N-Propylbenzene	103-65-1	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 20:09	72945	1	EH
Naphthalene	91-20-3	1.0	U		0.24	1.0	0.24	ug/L	04/19/2007 20:09	72945	1	EH
o-Xylene	95-47-6	0.50	U		0.21	0.50	0.21	ug/L	04/19/2007 20:09	72945	1	EH
sec-Butylbenzene	135-98-8	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 20:09	72945	1	EH
Styrene	100-42-5	0.50	U		0.21	0.50	0.21	ug/L	04/19/2007 20:09	72945	1	EH
tert-Butylbenzene	98-06-6	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 20:09	72945	1	EH
Tetrachloroethene	127-18-4	0.50	U		0.27	0.50	0.27	ug/L	04/19/2007 20:09	72945	1	EH

SP 5/23/07

Analytical Data

Client: Shaw Environmental & Project: Williams Trailer Park ATTN: Mr. John Sullivan

Job Number: 680-25972-1
SDG Number: Williams Trailer Park

Client Sample ID: GW-24

Lab Sample ID: 680-25972-15
Client Matrix: Water

Date Sampled: 04/17/2007 14:50
Date Received: 04/18/2007 9:15

TEST METHOD	CAS #	RESULT	Q	FLAG	MDL	MQL	SQL	UNITS	Analysis Date/Time	Batch	D.F.	Analyst
Toluene	108-88-3	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 20:09	72945	1	EH
trans-1,2-Dichloroethene	156-60-5	0.50	U		0.26	0.50	0.26	ug/L	04/19/2007 20:09	72945	1	EH
trans-1,3-Dichloropropene	10061-02-6	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 20:09	72945	1	EH
Trichloroethene	79-01-6	0.50	U		0.26	0.50	0.26	ug/L	04/19/2007 20:09	72945	1	EH
Trichlorofluoromethane	75-69-4	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 20:09	72945	1	EH
Vinyl chloride	75-01-4	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 20:09	72945	1	EH
Xylenes, Total	1330-20-7	0.50	U		0.31	0.50	0.31	ug/L	04/19/2007 20:09	72945	1	EH

Surrogates

Test Method	CAS Number	QC	Dilution	Result	True Value	% Rec.	QC Limits	QC Flag	Prep Batch	Instrument	Analysis Date/Time	Analyst
1,2-Dichlorobenzene-d4	2199-69-1		1	8.7	10.0	87	70-130			MSU	4/19/2007 8:09:00PM	EH
4-Bromofluorobenzene	460-00-4		1	8.5	10.0	85	70-130			MSU	4/19/2007 8:09:00PM	EH

SP 5/23/07

Client: Shaw Environmental & Project: Williams Trailer Park ATTN: Mr. John Sullivan

Job Number: 680-25972-1
SDG Number: Williams Trailer Park

Client Sample ID: GW-24

Lab Sample ID: 680-25972-15
Client Matrix: Water

Date Sampled: 04/17/2007 14:50
Date Received: 04/18/2007 9:15

TEST METHOD	CAS #	RESULT	Q	FLAG	MDL	MQL	SQL	UNITS	Analysis Date/Time	Batch	D.F.	Analyst
Method: EPA 525.2,Water												
1,3-Benzenedicarbonitrile, 2,4,5,6-tetrachloro-	1897-45-6	0.19	U		0.056	0.20	0.054	ug/L	04/24/2007 2:59	73236	1	ES
2,2',3,3',4,4',6-Heptachlor obiphenyl	52663-71-5	0.19	U		0.045	0.20	0.043	ug/L	04/24/2007 2:59	73236	1	ES
2,2',3,3',4,5',6,6'-Octachlo robiphenyl	40186-71-8	0.19	U		0.044	0.20	0.042	ug/L	04/24/2007 2:59	73236	1	ES
2,2',4,4',5,6'-Hexachlorobi phenyl	60145-22-4	0.19	U		0.059	0.20	0.056	ug/L	04/24/2007 2:59	73236	1	ES
2,4-Dinitrotoluene	121-14-2	0.19	U		0.053	0.20	0.051	ug/L	04/24/2007 2:59	73236	1	ES
2,6-Dinitrotoluene	606-20-2	0.19	U		0.12	0.20	0.11	ug/L	04/24/2007 2:59	73236	1	ES
4,4'-DDD	72-54-8	0.48	U		0.042	0.50	0.040	ug/L	04/24/2007 2:59	73236	1	ES
4,4'-DDE	72-55-9	0.19	U		0.042	0.20	0.040	ug/L	04/24/2007 2:59	73236	1	ES
4,4'-DDT	50-29-3	0.48	U		0.042	0.50	0.040	ug/L	04/24/2007 2:59	73236	1	ES
Acenaphthylene US, MS/SD-L	208-96-8	0.19	U		0.043	0.20	0.041	ug/L	04/24/2007 2:59	73236	1	ES
Acetochlor	34256-82-1	0.48	U		0.19	0.50	0.18	ug/L	04/24/2007 2:59	73236	1	ES
Alachlor	15972-60-8	0.19	U		0.066	0.20	0.063	ug/L	04/24/2007 2:59	73236	1	ES
Aldrin	309-00-2	0.19	U		0.085	0.20	0.081	ug/L	04/24/2007 2:59	73236	1	ES
alpha-BHC	319-84-6	0.19	U		0.11	0.20	0.11	ug/L	04/24/2007 2:59	73236	1	ES
alpha-Chlordane	5103-71-9	0.48	U		0.073	0.50	0.070	ug/L	04/24/2007 2:59	73236	1	ES
Ametryn US, MS/SD-L	834-12-8	0.48	U		0.067	0.50	0.064	ug/L	04/24/2007 2:59	73236	1	ES
Anthracene US, LCS-L	120-12-7	0.19	U	*	0.032	0.20	0.031	ug/L	04/24/2007 2:59	73236	1	ES
Atrazine	1912-24-9	0.19	U		0.071	0.20	0.068	ug/L	04/24/2007 2:59	73236	1	ES
Benzo[a]anthracene	56-55-3	0.19	U		0.037	0.20	0.035	ug/L	04/24/2007 2:59	73236	1	ES
Benzo[a]pyrene	50-32-8	0.19	U		0.039	0.20	0.037	ug/L	04/24/2007 2:59	73236	1	ES
Benzo[b]fluoranthene	205-99-2	0.19	U		0.050	0.20	0.048	ug/L	04/24/2007 2:59	73236	1	ES
Benzo[g,h,i]perylene	191-24-2	0.19	U		0.062	0.20	0.059	ug/L	04/24/2007 2:59	73236	1	ES
Benzo[k]fluoranthene	207-08-9	0.19	U		0.048	0.20	0.046	ug/L	04/24/2007 2:59	73236	1	ES
beta-BHC	319-85-7	0.19	U		0.15	0.20	0.14	ug/L	04/24/2007 2:59	73236	1	ES

SP 5/23/07

Client: Shaw Environmental & Project: Williams Trailer Park ATTN: Mr. John Sullivan

Job Number: 680-25972-1
SDG Number: Williams Trailer Park

Client Sample ID: GW-24

Lab Sample ID: 680-25972-15
Client Matrix: Water

Date Sampled: 04/17/2007 14:50
Date Received: 04/18/2007 9:15

TEST METHOD	CAS #	RESULT	Q	FLAG	MDL	MQL	SQL	UNITS	Analysis Date/Time	Batch	D.F.	Analyst
Bis(2-ethylhexyl) phthalate	117-81-7	1.9	U		0.60	2.0	0.57	ug/L	04/24/2007 2:59	73236	1	ES
Bromacil	314-40-9	0.48	U		0.20	0.50	0.19	ug/L	04/24/2007 2:59	73236	1	ES
Butachlor	23184-66-9	0.48	U		0.082	0.50	0.078	ug/L	04/24/2007 2:59	73236	1	ES
Butyl benzyl phthalate	85-68-7	0.48	U		0.042	0.50	0.040	ug/L	04/24/2007 2:59	73236	1	ES
Butylate	2008-41-5	0.19	U		0.026	0.20	0.025	ug/L	04/24/2007 2:59	73236	1	ES
Chloroneb	2675-77-6	0.48	U		2.5	0.50	2.4	ug/L	04/24/2007 2:59	73236	1	ES
Chlorpropham	101-21-3	0.19	U		0.14	0.20	0.13	ug/L	04/24/2007 2:59	73236	1	ES
Chlorpyrifos	2921-88-2	0.48	U		0.10	0.50	0.096	ug/L	04/24/2007 2:59	73236	1	ES
Chrysene	218-01-9	0.19	U		0.032	0.20	0.031	ug/L	04/24/2007 2:59	73236	1	ES
cis-Permethrin	54774-45-7	0.48	U		0.032	0.50	0.031	ug/L	04/24/2007 2:59	73236	1	ES
Cycloate	1134-23-2	0.19	U		0.042	0.20	0.040	ug/L	04/24/2007 2:59	73236	1	ES
delta-BHC	319-86-8	0.19	U		0.12	0.20	0.11	ug/L	04/24/2007 2:59	73236	1	ES
Di(2-ethylhexyl)adipate	103-23-1	0.48	U		0.25	0.50	0.24	ug/L	04/24/2007 2:59	73236	1	ES
Di-n-butyl phthalate	84-74-2	0.96	U		0.98	1.0	0.94	ug/L	04/24/2007 2:59	73236	1	ES
Dibenz(a,h)anthracene	53-70-3	0.19	U		0.075	0.20	0.072	ug/L	04/24/2007 2:59	73236	1	ES
Dichlorvos	62-73-7	0.19	U		0.038	0.20	0.036	ug/L	04/24/2007 2:59	73236	1	ES
Dieldrin	60-57-1	0.48	U		0.090	0.50	0.086	ug/L	04/24/2007 2:59	73236	1	ES
Diethyl phthalate	84-66-2	0.48	U		0.16	0.50	0.15	ug/L	04/24/2007 2:59	73236	1	ES
Dimethyl phthalate	131-11-3	0.48	U		0.032	0.50	0.031	ug/L	04/24/2007 2:59	73236	1	ES
Diphenamid	957-51-7	0.19	U		0.039	0.20	0.037	ug/L	04/24/2007 2:59	73236	1	ES
Endosulfan I US, SD - L	959-98-8	0.48	U		0.13	0.50	0.12	ug/L	04/24/2007 2:59	73236	1	ES
Endosulfan II	33213-65-9	0.48	U		0.13	0.50	0.12	ug/L	04/24/2007 2:59	73236	1	ES
Endosulfan sulfate	1031-07-8	0.48	U		0.078	0.50	0.075	ug/L	04/24/2007 2:59	73236	1	ES
Endrin US, SD - L	72-20-8	0.48	U		0.088	0.50	0.084	ug/L	04/24/2007 2:59	73236	1	ES
Endrin aldehyde	7421-93-4	0.96	U	*	0.12	1.0	0.11	ug/L	04/24/2007 2:59	73236	1	ES
EPTC	759-94-4	0.19	U		0.030	0.20	0.029	ug/L	04/24/2007 2:59	73236	1	ES
Ethyl 4,4'-Dichlorobenzilate	510-15-6	4.8	U		0.064	5.0	0.061	ug/L	04/24/2007 2:59	73236	1	ES

SP 5/23/07

Client: Shaw Environmental & Project: Williams Trailer Park ATTN: Mr. John Sullivan

Job Number: 680-25972-1
SDG Number: Williams Trailer Park

Client Sample ID: GW-24

Lab Sample ID: 680-25972-15
Client Matrix: Water

Date Sampled: 04/17/2007 14:50
Date Received: 04/18/2007 9:15

TEST METHOD	CAS #	RESULT	Q	FLAG	MDL	MQL	SQL	UNITS	Analysis Date/Time	Batch	D.F.	Analyst
Etridiazole	2593-15-9	0.19	U		0.053	0.20	0.051	ug/L	04/24/2007 2:59	73236	1	ES
Fenarimol ws, SD-L	60168-88-9	0.96	U		0.12	1.0	0.11	ug/L	04/24/2007 2:59	73236	1	ES
Fluorene	86-73-7	0.19	U		0.041	0.20	0.039	ug/L	04/24/2007 2:59	73236	1	ES
Fluridone ws, ms/SD-L	59756-60-4	0.48	U	*	0.11	0.50	0.11	ug/L	04/24/2007 2:59	73236	1	ES
gamma-BHC (Lindane)	58-89-9	0.19	U		0.12	0.20	0.11	ug/L	04/24/2007 2:59	73236	1	ES
gamma-Chlordane	5103-74-2	0.19	U		0.044	0.20	0.042	ug/L	04/24/2007 2:59	73236	1	ES
Heptachlor	76-44-8	0.19	U		0.091	0.20	0.087	ug/L	04/24/2007 2:59	73236	1	ES
Heptachlor epoxide	1024-57-3	0.19	U		0.10	0.20	0.096	ug/L	04/24/2007 2:59	73236	1	ES
Hexachlorobenzene	118-74-1	0.19	U		0.041	0.20	0.039	ug/L	04/24/2007 2:59	73236	1	ES
Hexachlorocyclopentadiene	77-47-4	1.9	U		0.031	2.0	0.030	ug/L	04/24/2007 2:59	73236	1	ES
Hexazinone	51235-04-2	0.48	U	*	0.16	0.50	0.15	ug/L	04/24/2007 2:59	73236	1	ES
Indeno[1,2,3-cd]pyrene	193-39-5	0.19	U		0.055	0.20	0.053	ug/L	04/24/2007 2:59	73236	1	ES
Isophorone	78-59-1	0.19	U		0.030	0.20	0.029	ug/L	04/24/2007 2:59	73236	1	ES
Methoxychlor	72-43-5	0.48	U		0.053	0.50	0.051	ug/L	04/24/2007 2:59	73236	1	ES
Methyl paraoxon	950-35-6	0.48	U		0.10	0.50	0.096	ug/L	04/24/2007 2:59	73236	1	ES
Metolachlor	51218-45-2	0.19	U		0.053	0.20	0.051	ug/L	04/24/2007 2:59	73236	1	ES
Metribuzin	21087-64-9	0.19	U		0.073	0.20	0.070	ug/L	04/24/2007 2:59	73236	1	ES
Mevinphos	7786-34-7	0.48	U		0.042	0.50	0.040	ug/L	04/24/2007 2:59	73236	1	ES
MGK 264 - isomer a	113-48-4	0.19	U		0.039	0.20	0.037	ug/L	04/24/2007 2:59	73236	1	ES
MGK 264 - isomer b	113-48-4	0.19	U		0.030	0.20	0.029	ug/L	04/24/2007 2:59	73236	1	ES
Mocap	13194-48-4	0.48	U		0.15	0.50	0.14	ug/L	04/24/2007 2:59	73236	1	ES
Molinate	2212-67-1	0.19	U		0.11	0.20	0.11	ug/L	04/24/2007 2:59	73236	1	ES
Napropamide	15299-99-7	0.48	U		0.32	0.50	0.31	ug/L	04/24/2007 2:59	73236	1	ES
Norflurazon	27314-13-2	0.48	U		0.077	0.50	0.074	ug/L	04/24/2007 2:59	73236	1	ES
PCB 1	2051-60-7	0.48	U		0.031	0.50	0.030	ug/L	04/24/2007 2:59	73236	1	ES
PCB 29	15862-07-4	0.19	U		0.038	0.20	0.036	ug/L	04/24/2007 2:59	73236	1	ES
PCB 47	2437-79-8	0.48	U		0.061	0.50	0.058	ug/L	04/24/2007 2:59	73236	1	ES

SP 5/23/07

Client: Shaw Environmental & Project: Williams Trailer Park ATTN: Mr. John Sullivan

Job Number: 680-25972-1
SDG Number: Williams Trailer Park

Client Sample ID: GW-24

Lab Sample ID: 680-25972-15
Client Matrix: Water

Date Sampled: 04/17/2007 14:50
Date Received: 04/18/2007 9:15

TEST METHOD	CAS #	RESULT	Q	FLAG	MDL	MQL	SQL	UNITS	Analysis Date/Time	Batch	D.F.	Analyst
PCB 5	16605-91-7	0.19	U		0.036	0.20	0.034	ug/L	04/24/2007 2:59	73236	1	ES
PCB 98	60233-25-2	0.19	U		0.042	0.20	0.040	ug/L	04/24/2007 2:59	73236	1	ES
Pebulate	1114-71-2	0.19	U		0.11	0.20	0.11	ug/L	04/24/2007 2:59	73236	1	ES
Phenanthrene	85-01-8	0.19	U		0.027	0.20	0.026	ug/L	04/24/2007 2:59	73236	1	ES
Prometryn VJ, ms/sd-L	7287-19-6	0.96	U		0.060	1.0	0.057	ug/L	04/24/2007 2:59	73236	1	ES
Pronamide n, ms/sd	23950-58-5	0.19	U		0.072	0.20	0.069	ug/L	04/24/2007 2:59	73236	1	ES
Propachlor	1918-16-7	0.19	U		0.14	0.20	0.13	ug/L	04/24/2007 2:59	73236	1	ES
Propazine	139-40-2	0.19	U		0.045	0.20	0.043	ug/L	04/24/2007 2:59	73236	1	ES
Pyrene	129-00-0	0.19	U		0.034	0.20	0.033	ug/L	04/24/2007 2:59	73236	1	ES
Simazine VJ, ccal-L	122-34-9	0.48	U		0.048	0.50	0.046	ug/L	04/24/2007 2:59	73236	1	ES
Simetryn VJ, ms/sd-L	1014-70-6	0.96	U	*	0.038	1.0	0.036	ug/L	04/24/2007 2:59	73236	1	ES
Tebuthiuron VJ, LCS, SD-L	34014-18-1	1.9	U	*	0.10	2.0	0.096	ug/L	04/24/2007 2:59	73236	1	ES
Terbacil	5902-51-2	0.48	U		0.064	0.50	0.061	ug/L	04/24/2007 2:59	73236	1	ES
Terbutryn VJ, ms/sd-L	886-50-0	0.96	U		0.053	1.0	0.051	ug/L	04/24/2007 2:59	73236	1	ES
Tetrachlorvinphos (Stirophos)	961-11-5	0.48	U		0.067	0.50	0.064	ug/L	04/24/2007 2:59	73236	1	ES
Tetraphthalic acid, tetrachloro-, dimethyl ester	1861-32-1	0.19	U		0.031	0.20	0.030	ug/L	04/24/2007 2:59	73236	1	ES
trans-Nonachlor	39765-80-5	0.48	U		0.069	0.50	0.066	ug/L	04/24/2007 2:59	73236	1	ES
trans-Permethrin	51877-74-8	0.48	U		0.025	0.50	0.024	ug/L	04/24/2007 2:59	73236	1	ES
Triadimefon	43121-43-3	0.96	U		0.11	1.0	0.11	ug/L	04/24/2007 2:59	73236	1	ES
Tricyclazole VJ, ms/sd-L	41814-78-2	0.48	U		0.068	0.50	0.065	ug/L	04/24/2007 2:59	73236	1	ES
Trifluralin	1582-09-8	0.19	U		0.052	0.20	0.050	ug/L	04/24/2007 2:59	73236	1	ES
Vernolate	1929-77-7	0.19	U		0.036	0.20	0.034	ug/L	04/24/2007 2:59	73236	1	ES

Surrogates

Test Method	CAS Number	QC	Dilution	Result	True Value	% Rec.	QC Limits	QC Flag	Prep Batch	Instrument	Analysis Date/Time	Analyst

SP 5/23/07

Surrogates

Test Method	CAS Number	QC	Dilution	Result	True Value	% Rec.	QC Limits	QC Flag	Prep Batch	Instrument	Analysis Date/Time	Analyst
2-Nitro-m-xylene	81-20-9		1	4.4	4.78	91	70-130		73045	MSR	4/24/2007 2:59:00AM	ES
Perylene-d12	1520-96-3		1	4.5	4.78	95	70-130		73045	MSR	4/24/2007 2:59:00AM	ES
Triphenylphosphate	115-86-6		1	5.0	4.78	104	70-130		73045	MSR	4/24/2007 2:59:00AM	ES

SP
5/23/07

Analytical Data

Client: Shaw Environmental & Project: Williams Trailer Park ATTN: Mr. John Sullivan

Job Number: 680-25972-1
SDG Number: Williams Trailer Park

Client Sample ID: GW-24

Lab Sample ID: 680-25972-15 DIL
Client Matrix: Water

Date Sampled: 04/17/2007 14:50
Date Received: 04/18/2007 9:15

TEST METHOD	CAS #	RESULT	Q	FLAG	MDL	MQL	SQL	UNITS	Analysis Date/Time	Batch	D.F.	Analyst
Method: EPA 200,Water												
200 Series Drinking Water Prep Determination Step	NA	Complete						NA	04/20/2007 11:03	73382	20	RA
Method: EPA 200.7 Rev 4.4,Water												
Sodium J, F D	7440-23-5	1000000			320	1000	6400	ug/L	04/25/2007 0:50	73382	20	BB

SP 5/23/07

Analytical Data

Client: Shaw Environmental & Project: Williams Trailer Park ATTN: Mr. John Sullivan

Job Number: 680-25972-1
SDG Number: Williams Trailer Park

Client Sample ID: GW-24

Lab Sample ID: 680-25972-15 RA
Client Matrix: Water

Date Sampled: 04/17/2007 14:50
Date Received: 04/18/2007 9:15

TEST METHOD	CAS #	RESULT	Q	FLAG	MDL	MQL	SQL	UNITS	Analysis Date/Time	Batch	D.F.	Analyst
Method: EPA 200,Water												
200 Series Drinking Water Prep Determination Step	NA	Complete						NA	04/19/2007 10:37	73558	10	RA
Method: EPA 200.8,Water												
Beryllium	7440-41-7	1.0	U		0.015	0.10	0.15	ug/L	04/26/2007 14:04	73558	10	CE

SP 5/23/07

Client: Shaw Environmental & Project: Williams Trailer Park ATTN: Mr. John Sullivan

Job Number: 680-25972-1
SDG Number: Williams Trailer Park

Client Sample ID: TRIP BLANK

Lab Sample ID: 680-25972-16 TB
Client Matrix: Water

Date Sampled: 04/17/2007 0:00
Date Received: 04/18/2007 9:15

TEST METHOD	CAS #	RESULT	Q	FLAG	MDL	MQL	SQL	UNITS	Analysis Date/Time	Batch	D.F.	Analyst
Method: EPA-DW 524.2,Water												
1,1,1,2-Tetrachloroethane	630-20-6	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 14:46	72945	1	EH
1,1,1-Trichloroethane	71-55-6	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 14:46	72945	1	EH
1,1,2,2-Tetrachloroethane	79-34-5	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 14:46	72945	1	EH
1,1,2-Trichloroethane	79-00-5	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 14:46	72945	1	EH
1,1-Dichloroethane	75-34-3	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 14:46	72945	1	EH
1,1-Dichloroethene	75-35-4	0.50	U		0.22	0.50	0.22	ug/L	04/19/2007 14:46	72945	1	EH
1,1-Dichloropropene	563-58-6	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 14:46	72945	1	EH
1,2,3-Trichlorobenzene	87-61-6	0.50	U		0.26	0.50	0.26	ug/L	04/19/2007 14:46	72945	1	EH
1,2,3-Trichloropropane	96-18-4	0.50	U		0.25	0.50	0.25	ug/L	04/19/2007 14:46	72945	1	EH
1,2,4-Trichlorobenzene	120-82-1	0.50	U		0.33	0.50	0.33	ug/L	04/19/2007 14:46	72945	1	EH
1,2,4-Trimethylbenzene	95-63-6	0.50	U		0.22	0.50	0.22	ug/L	04/19/2007 14:46	72945	1	EH
1,2-Dibromo-3-Chloropro pane	96-12-8	0.50	U		0.35	0.50	0.35	ug/L	04/19/2007 14:46	72945	1	EH
1,2-Dichlorobenzene	95-50-1	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 14:46	72945	1	EH
1,2-Dichloroethane	107-06-2	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 14:46	72945	1	EH
1,2-Dichloropropane	78-87-5	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 14:46	72945	1	EH
1,3,5-Trimethylbenzene	108-67-8	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 14:46	72945	1	EH
1,3-Dichlorobenzene	541-73-1	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 14:46	72945	1	EH
1,3-Dichloropropane	142-28-9	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 14:46	72945	1	EH
1,4-Dichlorobenzene	106-46-7	0.50	U		0.21	0.50	0.21	ug/L	04/19/2007 14:46	72945	1	EH
2,2-Dichloropropane	594-20-7	0.50	U		0.36	0.50	0.36	ug/L	04/19/2007 14:46	72945	1	EH
2-Chlorotoluene	95-49-8	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 14:46	72945	1	EH
4-Chlorotoluene	106-43-4	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 14:46	72945	1	EH
4-Isopropyltoluene	99-87-6	0.50	U		0.22	0.50	0.22	ug/L	04/19/2007 14:46	72945	1	EH
Benzene	71-43-2	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 14:46	72945	1	EH
Bromobenzene	108-86-1	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 14:46	72945	1	EH
Bromoform	75-25-2	0.50	U		0.26	0.50	0.26	ug/L	04/19/2007 14:46	72945	1	EH

SP 5/23/07

Client: Shaw Environmental & Project: Williams Trailer Park ATTN: Mr. John Sullivan

Job Number: 680-25972-1
SDG Number: Williams Trailer Park

Client Sample ID: TRIP BLANK

Lab Sample ID: 680-25972-16 TB
Client Matrix: Water

Date Sampled: 04/17/2007 0:00
Date Received: 04/18/2007 9:15

TEST METHOD	CAS #	RESULT	Q	FLAG	MDL	MQL	SQL	UNITS	Analysis Date/Time	Batch	D.F.	Analyst
Bromomethane	74-83-9	1.0	U		0.50	1.0	0.50	ug/L	04/19/2007 14:46	72945	1	EH
Carbon tetrachloride	56-23-5	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 14:46	72945	1	EH
Chlorobenzene	108-90-7	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 14:46	72945	1	EH
Chlorobromomethane	74-97-5	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 14:46	72945	1	EH
Chlorodibromomethane	124-48-1	0.50	U		0.23	0.50	0.23	ug/L	04/19/2007 14:46	72945	1	EH
Chloroethane	75-00-3	1.0	U		0.50	1.0	0.50	ug/L	04/19/2007 14:46	72945	1	EH
Chloroform	67-66-3	0.50	U		0.19	0.50	0.19	ug/L	04/19/2007 14:46	72945	1	EH
Chloromethane	74-87-3	0.50	U		0.40	0.50	0.40	ug/L	04/19/2007 14:46	72945	1	EH
cis-1,2-Dichloroethene	156-59-2	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 14:46	72945	1	EH
cis-1,3-Dichloropropene	10061-01-5	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 14:46	72945	1	EH
Dibromomethane	74-95-3	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 14:46	72945	1	EH
Dichlorobromomethane	75-27-4	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 14:46	72945	1	EH
Dichlorodifluoromethane	75-71-8	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 14:46	72945	1	EH
Ethylbenzene	100-41-4	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 14:46	72945	1	EH
Ethylene Dibromide	106-93-4	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 14:46	72945	1	EH
Hexachlorobutadiene	87-68-3	0.50	U		0.36	0.50	0.36	ug/L	04/19/2007 14:46	72945	1	EH
Isopropylbenzene	98-82-8	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 14:46	72945	1	EH
m-Xylene & p-Xylene	136777-61-2	0.50	U		0.31	0.50	0.31	ug/L	04/19/2007 14:46	72945	1	EH
Methylene Chloride	75-09-2	0.50	U		0.30	0.50	0.30	ug/L	04/19/2007 14:46	72945	1	EH
n-Butylbenzene	104-51-8	0.50	U		0.24	0.50	0.24	ug/L	04/19/2007 14:46	72945	1	EH
N-Propylbenzene	103-65-1	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 14:46	72945	1	EH
Naphthalene	91-20-3	1.0	U		0.24	1.0	0.24	ug/L	04/19/2007 14:46	72945	1	EH
o-Xylene	95-47-6	0.50	U		0.21	0.50	0.21	ug/L	04/19/2007 14:46	72945	1	EH
sec-Butylbenzene	135-98-8	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 14:46	72945	1	EH
Styrene	100-42-5	0.50	U		0.21	0.50	0.21	ug/L	04/19/2007 14:46	72945	1	EH
tert-Butylbenzene	98-06-6	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 14:46	72945	1	EH
Tetrachloroethene	127-18-4	0.50	U		0.27	0.50	0.27	ug/L	04/19/2007 14:46	72945	1	EH
Toluene	108-88-3	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 14:46	72945	1	EH

SP
5/23/07

Analytical Data

Client: Shaw Environmental & Project: Williams Trailer Park ATTN: Mr. John Sullivan

Job Number: 680-25972-1
SDG Number: Williams Trailer Park

Client Sample ID: TRIP BLANK

Lab Sample ID: 680-25972-16 TB
Client Matrix: Water

Date Sampled: 04/17/2007 0:00
Date Received: 04/18/2007 9:15

TEST METHOD	CAS #	RESULT	Q	FLAG	MDL	MQL	SQL	UNITS	Analysis Date/Time	Batch	D.F.	Analyst
trans-1,2-Dichloroethene	156-60-5	0.50	U		0.26	0.50	0.26	ug/L	04/19/2007 14:46	72945	1	EH
trans-1,3-Dichloropropene	10061-02-6	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 14:46	72945	1	EH
Trichloroethene	79-01-6	0.50	U		0.26	0.50	0.26	ug/L	04/19/2007 14:46	72945	1	EH
Trichlorofluoromethane	75-69-4	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 14:46	72945	1	EH
Vinyl chloride	75-01-4	0.50	U		0.20	0.50	0.20	ug/L	04/19/2007 14:46	72945	1	EH

Surrogates

Test Method	CAS Number	QC	Dilution	Result	True Value	% Rec.	QC Limits	QC Flag	Prep Batch	Instrument	Analysis Date/Time	Analyst
1,2-Dichlorobenzene-d4	2199-69-1	TB	1	8.8	10.0	88	70-130			MSU	4/19/2007 2:46:00PM	EH
4-Bromofluorobenzene	460-00-4	TB	1	8.8	10.0	88	70-130			MSU	4/19/2007 2:46:00PM	EH

SP
5/23/07

DATA REPORTING QUALIFIERS

Client: Shaw Environmental & Infrastructure, Inc

Job Number: 680-25972-1
Sdg Number: 68025972

Lab Section	Qualifier	Description
GC/MS VOA		
	U	Indicates the analyte was analyzed for but not detected.
	J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
GC/MS Semi VOA		
	U	Indicates the analyte was analyzed for but not detected.
	*	LCS or LCSD exceeds the control limits
	F	MS or MSD exceeds the control limits
	J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
	F	RPD of the MS and MSD exceeds the control limits
Metals		
	B	Compound was found in the blank and sample.
	U	Indicates the analyte was analyzed for but not detected.
	F	MS or MSD exceeds the control limits
	4	MS, MSD: The analyte present in the original sample is 4 times greater than the matrix spike concentration; therefore, control limits are not applicable.
	J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
	F	RPD of the MS and MSD exceeds the control limits

Client: Shaw Environmental & Infrastructure, Inc

Job Number: 680-25972-1
Sdg Number: 68025972

Method Blank - Batch: 680-72945

Method: 524.2
Preparation: N/A

Lab Sample ID: MB 680-72945/26
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 04/19/2007 1403
Date Prepared: N/A

Analysis Batch: 680-72945
Prep Batch: N/A
Units: ug/L

Instrument ID: GC/MS Volatiles - U
Lab File ID: uq1689.d
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result	Qual	MDL	RL
Benzene	0.50	U	0.20	0.50
Bromobenzene	0.50	U	0.20	0.50
Bromoform	0.50	U	0.26	0.50
Bromomethane	1.0	U	0.50	1.0
Carbon tetrachloride	0.50	U	0.20	0.50
Chlorobenzene	0.50	U	0.20	0.50
Chlorobromomethane	0.50	U	0.20	0.50
Chlorodibromomethane	0.50	U	0.23	0.50
Chloroethane	1.0	U	0.50	1.0
Chloroform	0.50	U	0.19	0.50
Chloromethane	0.50	U	0.40	0.50
4-Chlorotoluene	0.50	U	0.20	0.50
2-Chlorotoluene	0.50	U	0.20	0.50
cis-1,2-Dichloroethene	0.50	U	0.20	0.50
cis-1,3-Dichloropropene	0.50	U	0.20	0.50
1,2-Dibromo-3-Chloropropane	0.50	U	0.35	0.50
Dibromomethane	0.50	U	0.20	0.50
1,4-Dichlorobenzene	0.50	U	0.21	0.50
1,3-Dichlorobenzene	0.50	U	0.20	0.50
1,2-Dichlorobenzene	0.50	U	0.20	0.50
Dichlorobromomethane	0.50	U	0.20	0.50
Dichlorodifluoromethane	0.50	U	0.20	0.50
1,2-Dichloroethane	0.50	U	0.20	0.50
1,1-Dichloroethane	0.50	U	0.20	0.50
1,1-Dichloroethene	0.50	U	0.22	0.50
1,3-Dichloropropane	0.50	U	0.20	0.50
2,2-Dichloropropane	0.50	U	0.36	0.50
1,2-Dichloropropane	0.50	U	0.20	0.50
1,1-Dichloropropene	0.50	U	0.20	0.50
Ethylbenzene	0.50	U	0.20	0.50
Ethylene Dibromide	0.50	U	0.20	0.50
Hexachlorobutadiene	0.50	U	0.36	0.50
Isopropylbenzene	0.50	U	0.20	0.50
4-Isopropyltoluene	0.50	U	0.22	0.50
Methylene Chloride	0.50	U	0.30	0.50
Methyl tert-butyl ether	0.50	U	0.30	0.50
m-Xylene & p-Xylene	0.50	U	0.31	0.50
Naphthalene	1.0	U	0.24	1.0
n-Butylbenzene	0.50	U	0.24	0.50
N-Propylbenzene	0.50	U	0.20	0.50
o-Xylene	0.50	U	0.21	0.50

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: Shaw Environmental & Infrastructure, Inc

Job Number: 680-25972-1
Sdg Number: 68025972

Method Blank - Batch: 680-72945

Method: 524.2
Preparation: N/A

Lab Sample ID: MB 680-72945/26
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 04/19/2007 1403
Date Prepared: N/A

Analysis Batch: 680-72945
Prep Batch: N/A
Units: ug/L

Instrument ID: GC/MS Volatiles - U
Lab File ID: uq1689.d
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Result	Qual	MDL	RL
sec-Butylbenzene	0.50	U	0.20	0.50
Styrene	0.50	U	0.21	0.50
tert-Butylbenzene	0.50	U	0.20	0.50
1,1,1,2-Tetrachloroethane	0.50	U	0.20	0.50
1,1,2,2-Tetrachloroethane	0.50	U	0.20	0.50
Tetrachloroethene	0.50	U	0.27	0.50
Toluene	0.50	U	0.20	0.50
trans-1,2-Dichloroethene	0.50	U	0.26	0.50
trans-1,3-Dichloropropene	0.50	U	0.20	0.50
1,2,4-Trichlorobenzene	0.50	U	0.33	0.50
1,2,3-Trichlorobenzene	0.50	U	0.26	0.50
1,1,1-Trichloroethane	0.50	U	0.20	0.50
1,1,2-Trichloroethane	0.50	U	0.20	0.50
Trichloroethene	0.50	U	0.26	0.50
Trichlorofluoromethane	0.50	U	0.20	0.50
1,2,3-Trichloropropane	0.50	U	0.25	0.50
1,3,5-Trimethylbenzene	0.50	U	0.20	0.50
1,2,4-Trimethylbenzene	0.50	U	0.22	0.50
Vinyl chloride	0.50	U	0.20	0.50
Xylenes, Total	0.50	U	0.31	0.50

Surrogate	% Rec	Acceptance Limits
4-Bromofluorobenzene	89	70 - 130
1,2-Dichlorobenzene-d4	88	70 - 130

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: Shaw Environmental & Infrastructure, Inc

Job Number: 680-25972-1
Sdg Number: 68025972

Lab Control Spike - Batch: 680-72945

Method: 524.2
Preparation: N/A

Lab Sample ID: LCS 680-72945/25
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 04/19/2007 1321
Date Prepared: N/A

Analysis Batch: 680-72945
Prep Batch: N/A
Units: ug/L

Instrument ID: GC/MS Volatiles - U
Lab File ID: uq1688.d
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Spike Amount	Result	% Rec.	Limit	Qual
Benzene	20.0	19.4	97	70 - 130	
Bromobenzene	20.0	20.0	100	70 - 130	
Bromoform	20.0	18.3	91	70 - 130	
Bromomethane	20.0	17.9	90	70 - 130	
Carbon tetrachloride	20.0	18.2	91	70 - 130	
Chlorobenzene	20.0	19.4	97	70 - 130	
Chlorobromomethane	20.0	21.3	107	70 - 130	
Chlorodibromomethane	20.0	20.1	101	70 - 130	
Chloroethane	20.0	17.6	88	70 - 130	
Chloroform	20.0	19.7	99	70 - 130	
Chloromethane	20.0	18.2	91	70 - 130	
2-Chlorotoluene	20.0	20.3	101	70 - 130	
4-Chlorotoluene	20.0	20.1	101	70 - 130	
cis-1,2-Dichloroethene	20.0	19.2	96	70 - 130	
cis-1,3-Dichloropropene	20.0	20.4	102	70 - 130	
1,2-Dibromo-3-Chloropropane	20.0	23.5	117	70 - 130	
Dibromomethane	20.0	19.5	97	70 - 130	
1,2-Dichlorobenzene	20.0	19.8	99	70 - 130	
1,3-Dichlorobenzene	20.0	20.0	100	70 - 130	
1,4-Dichlorobenzene	20.0	20.4	102	70 - 130	
Dichlorobromomethane	20.0	19.7	99	70 - 130	
Dichlorodifluoromethane	20.0	16.8	84	70 - 130	
1,1-Dichloroethane	20.0	19.1	95	70 - 130	
1,2-Dichloroethane	20.0	19.2	96	70 - 130	
1,1-Dichloroethene	20.0	19.6	98	70 - 130	
1,2-Dichloropropane	20.0	19.5	97	70 - 130	
1,3-Dichloropropane	20.0	19.5	97	70 - 130	
2,2-Dichloropropane	20.0	18.8	94	70 - 130	
1,1-Dichloropropene	20.0	18.6	93	70 - 130	
Ethylbenzene	20.0	20.2	101	70 - 130	
Ethylene Dibromide	20.0	19.9	100	70 - 130	
Hexachlorobutadiene	20.0	20.1	100	70 - 130	
Isopropylbenzene	20.0	20.5	103	70 - 130	
4-Isopropyltoluene	20.0	21.1	105	70 - 130	
Methylene Chloride	20.0	18.9	94	70 - 130	
Methyl tert-butyl ether	16.0	16.7	104	70 - 130	
m-Xylene & p-Xylene	40.0	41.0	102	70 - 130	
Naphthalene	20.0	22.1	111	70 - 130	
n-Butylbenzene	20.0	20.9	104	70 - 130	
N-Propylbenzene	20.0	20.4	102	70 - 130	
o-Xylene	20.0	20.4	102	70 - 130	

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: Shaw Environmental & Infrastructure, Inc

Job Number: 680-25972-1
Sdg Number: 68025972

Lab Control Spike - Batch: 680-72945

Method: 524.2
Preparation: N/A

Lab Sample ID: LCS 680-72945/25
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 04/19/2007 1321
Date Prepared: N/A

Analysis Batch: 680-72945
Prep Batch: N/A
Units: ug/L

Instrument ID: GC/MS Volatiles - U
Lab File ID: uq1688.d
Initial Weight/Volume: 5 mL
Final Weight/Volume: 5 mL

Analyte	Spike Amount	Result	% Rec.	Limit	Qual
sec-Butylbenzene	20.0	20.9	104	70 - 130	
Styrene	20.0	19.8	99	70 - 130	
tert-Butylbenzene	20.0	20.4	102	70 - 130	
1,1,1,2-Tetrachloroethane	20.0	21.0	105	70 - 130	
1,1,2,2-Tetrachloroethane	20.0	20.7	104	70 - 130	
Tetrachloroethene	20.0	18.9	95	70 - 130	
Toluene	20.0	19.1	95	70 - 130	
trans-1,2-Dichloroethene	20.0	18.9	95	70 - 130	
trans-1,3-Dichloropropene	20.0	21.7	109	70 - 130	
1,2,3-Trichlorobenzene	20.0	20.5	103	70 - 130	
1,2,4-Trichlorobenzene	20.0	20.4	102	70 - 130	
1,1,1-Trichloroethane	20.0	19.2	96	70 - 130	
1,1,2-Trichloroethane	20.0	19.7	98	70 - 130	
Trichloroethene	20.0	18.5	93	70 - 130	
Trichlorofluoromethane	20.0	19.1	96	70 - 130	
1,2,3-Trichloropropane	20.0	20.9	104	70 - 130	
1,2,4-Trimethylbenzene	20.0	20.9	105	70 - 130	
1,3,5-Trimethylbenzene	20.0	20.8	104	70 - 130	
Vinyl chloride	20.0	18.3	91	70 - 130	
Xylenes, Total	60.0	61.4	102	70 - 130	

Surrogate	% Rec	Acceptance Limits
4-Bromofluorobenzene	104	70 - 130
1,2-Dichlorobenzene-d4	105	70 - 130

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: Shaw Environmental & Infrastructure, Inc

Job Number: 680-25972-1
Sdg Number: 68025972

Matrix Spike/
Matrix Spike Duplicate Recovery Report - Batch: 680-72945

Method: 524.2
Preparation: N/A

MS Lab Sample ID:	680-25972-2	Analysis Batch:	680-72945	Instrument ID:	GC/MS Volatiles - U
Client Matrix:	Water	Prep Batch:	N/A	Lab File ID:	u4459.d
Dilution:	1.0			Initial Weight/Volume:	5 mL
Date Analyzed:	04/19/2007 2216			Final Weight/Volume:	5 mL
Date Prepared:	N/A				

MSD Lab Sample ID:	680-25972-2	Analysis Batch:	680-72945	Instrument ID:	GC/MS Volatiles - U
Client Matrix:	Water	Prep Batch:	N/A	Lab File ID:	u4460.d
Dilution:	1.0			Initial Weight/Volume:	5 mL
Date Analyzed:	04/19/2007 2237			Final Weight/Volume:	5 mL
Date Prepared:	N/A				

	% Rec.						
Analyte	MS	MSD	Limit	RPD	RPD Limit	MS Qual	MSD Qual
Benzene	98	100	70 - 130	2	30		
Bromobenzene	97	101	70 - 130	4	30		
Bromoform	79	88	70 - 130	11	30		
Bromomethane	88	75	70 - 130	17	30		
Carbon tetrachloride	100	104	70 - 130	4	30		
Chlorobenzene	98	99	70 - 130	1	30		
Chlorobromomethane	97	100	70 - 130	3	30		
Chlorodibromomethane	94	100	70 - 130	5	30		
Chloroethane	95	83	70 - 130	13	30		
Chloroform	93	96	70 - 130	2	30		
Chloromethane	86	87	70 - 130	0	30		
2-Chlorotoluene	98	99	70 - 130	1	30		
4-Chlorotoluene	94	96	70 - 130	3	30		
cis-1,2-Dichloroethene	98	95	70 - 130	3	30		
cis-1,3-Dichloropropene	93	98	70 - 130	4	30		
1,2-Dibromo-3-Chloropropane	94	106	70 - 130	12	30		
Dibromomethane	91	94	70 - 130	4	30		
1,2-Dichlorobenzene	94	96	70 - 130	2	30		
1,3-Dichlorobenzene	95	97	70 - 130	2	30		
1,4-Dichlorobenzene	95	98	70 - 130	3	30		
Dichlorobromomethane	91	93	70 - 130	2	30		
Dichlorodifluoromethane	83	83	70 - 130	0	30		
1,1-Dichloroethane	86	88	70 - 130	2	30		
1,2-Dichloroethane	85	90	70 - 130	5	30		
1,1-Dichloroethene	89	90	70 - 130	1	30		
1,2-Dichloropropane	90	91	70 - 130	1	30		
1,3-Dichloropropane	92	96	70 - 130	4	30		
2,2-Dichloropropane	71	70	70 - 130	1	30		
1,1-Dichloropropene	96	97	70 - 130	2	30		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: Shaw Environmental & Infrastructure, Inc

Job Number: 680-25972-1
Sdg Number: 68025972

Matrix Spike/
Matrix Spike Duplicate Recovery Report - Batch: 680-72945

Method: 524.2
Preparation: N/A

MS Lab Sample ID:	680-25972-2	Analysis Batch:	680-72945	Instrument ID:	GC/MS Volatiles - U
Client Matrix:	Water	Prep Batch:	N/A	Lab File ID:	u4459.d
Dilution:	1.0			Initial Weight/Volume:	5 mL
Date Analyzed:	04/19/2007 2216			Final Weight/Volume:	5 mL
Date Prepared:	N/A				

MSD Lab Sample ID:	680-25972-2	Analysis Batch:	680-72945	Instrument ID:	GC/MS Volatiles - U
Client Matrix:	Water	Prep Batch:	N/A	Lab File ID:	u4460.d
Dilution:	1.0			Initial Weight/Volume:	5 mL
Date Analyzed:	04/19/2007 2237			Final Weight/Volume:	5 mL
Date Prepared:	N/A				

	% Rec.						
Analyte	MS	MSD	Limit	RPD	RPD Limit	MS Qual	MSD Qual
Ethylbenzene	99	101	70 - 130	2	30		
Ethylene Dibromide	94	101	70 - 130	8	30		
Hexachlorobutadiene	96	100	70 - 130	4	30		
Isopropylbenzene	100	104	70 - 130	4	30		
4-Isopropyltoluene	101	103	70 - 130	2	30		
Methylene Chloride	90	93	70 - 130	3	30		
Methyl tert-butyl ether	90	95	70 - 130	3	30		
m-Xylene & p-Xylene	100	102	70 - 130	2	30		
Naphthalene	100	110	70 - 130	9	30		
n-Butylbenzene	97	99	70 - 130	2	30		
N-Propylbenzene	98	100	70 - 130	3	30		
o-Xylene	102	103	70 - 130	2	30		
sec-Butylbenzene	101	103	70 - 130	2	30		
Styrene	102	103	70 - 130	2	30		
tert-Butylbenzene	100	103	70 - 130	3	30		
1,1,1,2-Tetrachloroethane	101	102	70 - 130	0	30		
1,1,2,2-Tetrachloroethane	91	99	70 - 130	9	30		
Tetrachloroethene	98	98	70 - 130	0	30		
Toluene	94	98	70 - 130	4	30		
trans-1,2-Dichloroethene	93	95	70 - 130	2	30		
trans-1,3-Dichloropropene	95	99	70 - 130	4	30		
1,2,3-Trichlorobenzene	96	101	70 - 130	5	30		
1,2,4-Trichlorobenzene	97	99	70 - 130	2	30		
1,1,1-Trichloroethane	95	96	70 - 130	1	30		
1,1,2-Trichloroethane	92	94	70 - 130	3	30		
Trichloroethene	91	93	70 - 130	2	30		
Trichlorofluoromethane	88	90	70 - 130	2	30		
1,2,3-Trichloropropane	97	104	70 - 130	7	30		
1,2,4-Trimethylbenzene	99	102	70 - 130	3	30		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: Shaw Environmental & Infrastructure, Inc

Job Number: 680-25972-1
Sdg Number: 68025972

Matrix Spike/
Matrix Spike Duplicate Recovery Report - Batch: 680-72945

Method: 524.2
Preparation: N/A

MS Lab Sample ID:	680-25972-2	Analysis Batch:	680-72945	Instrument ID:	GC/MS Volatiles - U
Client Matrix:	Water	Prep Batch:	N/A	Lab File ID:	u4459.d
Dilution:	1.0			Initial Weight/Volume:	5 mL
Date Analyzed:	04/19/2007 2216			Final Weight/Volume:	5 mL
Date Prepared:	N/A				

MSD Lab Sample ID:	680-25972-2	Analysis Batch:	680-72945	Instrument ID:	GC/MS Volatiles - U
Client Matrix:	Water	Prep Batch:	N/A	Lab File ID:	u4460.d
Dilution:	1.0			Initial Weight/Volume:	5 mL
Date Analyzed:	04/19/2007 2237			Final Weight/Volume:	5 mL
Date Prepared:	N/A				

	% Rec.						
Analyte	MS	MSD	Limit	RPD	RPD Limit	MS Qual	MSD Qual
1,3,5-Trimethylbenzene	101	103	70 - 130	1	30		
Vinyl chloride	93	94	70 - 130	2	30		
Xylenes, Total	101	102	70 - 130	2	30		

Surrogate	MS % Rec	MSD % Rec	Acceptance Limits
4-Bromofluorobenzene	100	97	70 - 130
1,2-Dichlorobenzene-d4	100	100	70 - 130

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: Shaw Environmental & Infrastructure, Inc

Job Number: 680-25972-1
Sdg Number: 68025972

Method Blank - Batch: 680-73045

Method: 525.2
Preparation: 525.2

Lab Sample ID: MB 680-73045/16-AA
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 04/23/2007 2236
Date Prepared: 04/21/2007 1014

Analysis Batch: 680-73236
Prep Batch: 680-73045
Units: ug/L

Instrument ID: Mass Spec LC - R
Lab File ID: R1814.D
Initial Weight/Volume: 1000 mL
Final Weight/Volume: 1 mL
Injection Volume:

Analyte	Result	Qual	MDL	RL
Acenaphthylene	0.20	U	0.043	0.20
Acetochlor	0.50	U	0.19	0.50
Alachlor	0.20	U	0.066	0.20
Aldrin	0.20	U	0.085	0.20
alpha-BHC	0.20	U	0.11	0.20
alpha-Chlordane	0.50	U	0.073	0.50
Ametryn	0.50	U	0.067	0.50
Anthracene	0.20	U	0.032	0.20
Atrazine	0.20	U	0.071	0.20
1,3-Benzenedicarbonitrile, 2,4,5,6-tetrachloro-	0.20	U	0.056	0.20
Benzo[a]anthracene	0.20	U	0.037	0.20
Benzo[a]pyrene	0.20	U	0.039	0.20
Benzo[b]fluoranthene	0.20	U	0.050	0.20
Benzo[g,h,i]perylene	0.20	U	0.062	0.20
Benzo[k]fluoranthene	0.20	U	0.048	0.20
beta-BHC	0.20	U	0.15	0.20
Bis(2-ethylhexyl) phthalate	2.0	U	0.60	2.0
Bromacil	0.50	U	0.20	0.50
Butachlor	0.50	U	0.082	0.50
Butylate	0.20	U	0.026	0.20
Butyl benzyl phthalate	0.50	U	0.042	0.50
PCB 1	0.50	U	0.031	0.50
Chloroneb	0.50	U	2.5	0.50
Chlorpropham	0.20	U	0.14	0.20
Chlorpyrifos	0.50	U	0.10	0.50
Chrysene	0.20	U	0.032	0.20
cis-Permethrin	0.50	U	0.032	0.50
Cycloate	0.20	U	0.042	0.20
4,4'-DDD	0.50	U	0.042	0.50
4,4'-DDE	0.20	U	0.042	0.20
4,4'-DDT	0.50	U	0.042	0.50
delta-BHC	0.20	U	0.12	0.20
Dibenz(a,h)anthracene	0.20	U	0.075	0.20
PCB 5	0.20	U	0.036	0.20
Dichlorvos	0.20	U	0.038	0.20
Dieldrin	0.50	U	0.090	0.50
Di(2-ethylhexyl)adipate	0.50	U	0.25	0.50
Diethyl phthalate	0.50	U	0.16	0.50
Dimethyl phthalate	0.50	U	0.032	0.50
Di-n-butyl phthalate	1.0	U	0.98	1.0
2,4-Dinitrotoluene	0.20	U	0.053	0.20

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: Shaw Environmental & Infrastructure, Inc

Job Number: 680-25972-1
Sdg Number: 68025972

Method Blank - Batch: 680-73045

Method: 525.2
Preparation: 525.2

Lab Sample ID: MB 680-73045/16-AA
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 04/23/2007 2236
Date Prepared: 04/21/2007 1014

Analysis Batch: 680-73236
Prep Batch: 680-73045
Units: ug/L

Instrument ID: Mass Spec LC - R
Lab File ID: R1814.D
Initial Weight/Volume: 1000 mL
Final Weight/Volume: 1 mL
Injection Volume:

Analyte	Result	Qual	MDL	RL
2,6-Dinitrotoluene	0.20	U	0.12	0.20
Diphenamid	0.20	U	0.039	0.20
Endosulfan I	0.50	U	0.13	0.50
Endosulfan II	0.50	U	0.13	0.50
Endosulfan sulfate	0.50	U	0.078	0.50
Endrin	0.50	U	0.088	0.50
Endrin aldehyde	1.0	U	0.12	1.0
EPTC	0.20	U	0.030	0.20
Ethyl 4,4'-Dichlorobenzilate	5.0	U	0.064	5.0
Etridiazole	0.20	U	0.053	0.20
Fenarimol	1.0	U	0.12	1.0
Fluorene	0.20	U	0.041	0.20
Fluridone	0.50	U	0.11	0.50
gamma-BHC (Lindane)	0.20	U	0.12	0.20
gamma-Chlordane	0.20	U	0.044	0.20
Heptachlor	0.20	U	0.091	0.20
Heptachlor epoxide	0.20	U	0.10	0.20
2,2',3,3',4,4',6-Heptachlorobiphenyl	0.20	U	0.045	0.20
Hexachlorobenzene	0.20	U	0.041	0.20
2,2',4,4',5,6'-Hexachlorobiphenyl	0.20	U	0.059	0.20
Hexachlorocyclopentadiene	2.0	U	0.031	2.0
Hexazinone	0.50	U	0.16	0.50
Indeno[1,2,3-cd]pyrene	0.20	U	0.055	0.20
Isophorone	0.20	U	0.030	0.20
Methoxychlor	0.50	U	0.053	0.50
Methyl paraoxon	0.50	U	0.10	0.50
Metolachlor	0.20	U	0.053	0.20
Metribuzin	0.20	U	0.073	0.20
Mevinphos	0.50	U	0.042	0.50
MGK 264 - isomer a	0.20	U	0.039	0.20
MGK 264 - isomer b	0.20	U	0.030	0.20
Mocap	0.50	U	0.15	0.50
Molinate	0.20	U	0.11	0.20
Napropamide	0.50	U	0.32	0.50
Norflurazon	0.50	U	0.077	0.50
2,2',3,3',4,5',6,6'-Octachlorobiphenyl	0.20	U	0.044	0.20
Pebulate	0.20	U	0.11	0.20
PCB 98	0.20	U	0.042	0.20
Phenanthrene	0.20	U	0.027	0.20
Prometryn	1.0	U	0.060	1.0
Pronamide	0.20	U	0.072	0.20

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: Shaw Environmental & Infrastructure, Inc

Job Number: 680-25972-1
Sdg Number: 68025972

Method Blank - Batch: 680-73045

Method: 525.2
Preparation: 525.2

Lab Sample ID: MB 680-73045/16-AA
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 04/23/2007 2236
Date Prepared: 04/21/2007 1014

Analysis Batch: 680-73236
Prep Batch: 680-73045
Units: ug/L

Instrument ID: Mass Spec LC - R
Lab File ID: R1814.D
Initial Weight/Volume: 1000 mL
Final Weight/Volume: 1 mL
Injection Volume:

Analyte	Result	Qual	MDL	RL
Propachlor	0.20	U	0.14	0.20
Propazine	0.20	U	0.045	0.20
Pyrene	0.20	U	0.034	0.20
Simazine	0.50	U	0.048	0.50
Simetryn	1.0	U	0.038	1.0
Tebuthiuron	2.0	U	0.10	2.0
Terbacil	0.50	U	0.064	0.50
Terbutryn	1.0	U	0.053	1.0
PCB 47	0.50	U	0.061	0.50
Tetrachlorvinphos (Stirophos)	0.50	U	0.067	0.50
Tetraphthalic acid, tetrachloro-, dimethyl ester	0.20	U	0.031	0.20
trans-Nonachlor	0.50	U	0.069	0.50
trans-Permethrin	0.50	U	0.025	0.50
Triadimefon	1.0	U	0.11	1.0
PCB 29	0.20	U	0.038	0.20
Tricyclazole	0.50	U	0.068	0.50
Trifluralin	0.20	U	0.052	0.20
Vernolate	0.20	U	0.036	0.20

Surrogate	% Rec	Acceptance Limits
2-Nitro-m-xylene	100	70 - 130
Perylene-d12	98	70 - 130
Triphenylphosphate	107	70 - 130

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: Shaw Environmental & Infrastructure, Inc

Job Number: 680-25972-1
Sdg Number: 68025972

Lab Control Spike - Batch: 680-73045

Method: 525.2
Preparation: 525.2

Lab Sample ID: LCS 680-73045/17-AA
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 04/23/2007 2305
Date Prepared: 04/21/2007 1014

Analysis Batch: 680-73236
Prep Batch: 680-73045
Units: ug/L

Instrument ID: Mass Spec LC - R
Lab File ID: R1815.D
Initial Weight/Volume: 1000 mL
Final Weight/Volume: 1 mL
Injection Volume:

Analyte	Spike Amount	Result	% Rec.	Limit	Qual
Acenaphthylene	5.00	4.07	81	70 - 130	
Acetochlor	5.00	4.51	90	70 - 130	
Alachlor	5.00	4.76	95	70 - 130	
Aldrin	5.00	4.07	81	70 - 130	
alpha-BHC	5.00	4.50	90	70 - 130	
alpha-Chlordane	5.00	4.23	85	70 - 130	
Ametryn	5.00	3.91	78	70 - 130	
Anthracene	5.00	2.94	59	70 - 130	*
Atrazine	5.00	4.50	90	70 - 130	
1,3-Benzenedicarbonitrile,	5.00	4.30	86	70 - 130	
Benzo[a]anthracene	5.00	4.28	86	70 - 130	
Benzo[a]pyrene	5.00	4.58	92	70 - 130	
Benzo[b]fluoranthene	5.00	4.33	87	70 - 130	
Benzo[g,h,i]perylene	5.00	5.30	106	70 - 130	
Benzo[k]fluoranthene	5.00	4.49	90	70 - 130	
beta-BHC	5.00	4.30	86	70 - 130	
Bis(2-ethylhexyl) phthalate	5.00	4.98	100	70 - 130	
Bromacil	5.00	4.70	94	70 - 130	
Butachlor	5.00	4.89	98	70 - 130	
Butylate	5.00	4.20	84	70 - 130	
Butyl benzyl phthalate	5.00	5.01	100	70 - 130	
PCB 1	5.00	4.14	83	70 - 130	
Chloroneb	5.00	4.53	91	70 - 130	
Chlorpropham	5.00	4.58	92	70 - 130	
Chlorpyrifos	5.00	4.65	93	70 - 130	
Chrysene	5.00	4.24	85	70 - 130	
cis-Permethrin	2.50	2.58	103	70 - 130	
Cycloate	5.00	4.58	92	70 - 130	
4,4'-DDD	5.00	4.44	89	70 - 130	
4,4'-DDE	5.00	4.16	83	70 - 130	
4,4'-DDT	5.00	4.86	97	70 - 130	
delta-BHC	5.00	4.56	91	70 - 130	
Dibenz(a,h)anthracene	5.00	5.09	102	70 - 130	
PCB 5	5.00	4.07	81	70 - 130	
Dichlorvos	5.00	4.41	88	70 - 130	
Dieldrin	5.00	4.28	86	70 - 130	
Di(2-ethylhexyl)adipate	5.00	5.30	106	70 - 130	
Diethyl phthalate	5.00	3.56	71	70 - 130	
Dimethyl phthalate	5.00	4.50	90	70 - 130	
Di-n-butyl phthalate	5.00	4.25	85	70 - 130	
2,4-Dinitrotoluene	5.00	3.58	72	70 - 130	

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: Shaw Environmental & Infrastructure, Inc

Job Number: 680-25972-1
Sdg Number: 68025972

Lab Control Spike - Batch: 680-73045

Method: 525.2
Preparation: 525.2

Lab Sample ID: LCS 680-73045/17-AA
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 04/23/2007 2305
Date Prepared: 04/21/2007 1014

Analysis Batch: 680-73236
Prep Batch: 680-73045
Units: ug/L

Instrument ID: Mass Spec LC - R
Lab File ID: R1815.D
Initial Weight/Volume: 1000 mL
Final Weight/Volume: 1 mL
Injection Volume:

Analyte	Spike Amount	Result	% Rec.	Limit	Qual
2,6-Dinitrotoluene	5.00	3.56	71	70 - 130	
Diphenamid	5.00	4.68	94	70 - 130	
Endosulfan I	5.00	4.55	91	70 - 130	
Endosulfan II	5.00	4.43	89	70 - 130	
Endosulfan sulfate	5.00	4.91	98	70 - 130	
Endrin	5.00	4.04	81	70 - 130	
Endrin aldehyde	5.00	3.16	63	70 - 130	*
EPTC	5.00	4.52	90	70 - 130	
Ethyl 4,4'-Dichlorobenzilate	5.00	4.31	86	70 - 130	J
Etridiazole	5.00	4.95	99	70 - 130	
Fenarimol	5.00	4.43	89	70 - 130	
Fluorene	5.00	4.53	91	70 - 130	
Fluridone	5.00	3.23	65	70 - 130	*
gamma-BHC (Lindane)	5.00	4.70	94	70 - 130	
gamma-Chlordane	5.00	3.82	76	70 - 130	
Heptachlor	5.00	4.15	83	70 - 130	
Heptachlor epoxide	5.00	4.88	98	70 - 130	
2,2',3,3',4,4',6-Heptachlorobiphenyl	5.00	4.27	85	70 - 130	
Hexachlorobenzene	5.00	4.16	83	70 - 130	
2,2',4,4',5,6'-Hexachlorobiphenyl	5.00	4.00	80	70 - 130	
Hexachlorocyclopentadiene	5.00	4.73	95	70 - 130	
Hexazinone	5.00	6.69	134	70 - 130	*
Indeno[1,2,3-cd]pyrene	5.00	5.17	103	70 - 130	
Isophorone	5.00	4.26	85	70 - 130	
Methoxychlor	5.00	4.80	96	70 - 130	
Methyl paraoxon	5.00	6.47	129	70 - 130	
Metolachlor	5.00	4.69	94	70 - 130	
Metribuzin	5.00	4.49	90	70 - 130	
Mevinphos	5.00	4.89	98	70 - 130	
MGK 264 - isomer a	5.00	4.33	87	70 - 130	
MGK 264 - isomer b	5.00	4.21	84	70 - 130	
Mocap	5.00	4.98	100	70 - 130	
Molinate	5.00	4.39	88	70 - 130	
Napropamide	5.00	4.89	98	70 - 130	
Norflurazon	5.00	5.30	106	70 - 130	
2,2',3,3',4,5',6,6'-Octachlorobiphenyl	5.00	4.26	85	70 - 130	
Pebulate	5.00	4.15	83	70 - 130	
PCB 98	5.00	4.13	83	70 - 130	
Phenanthrene	5.00	4.26	85	70 - 130	
Prometryn	5.00	3.88	78	70 - 130	
Pronamide	5.00	4.60	92	70 - 130	

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: Shaw Environmental & Infrastructure, Inc

Job Number: 680-25972-1
Sdg Number: 68025972

Lab Control Spike - Batch: 680-73045

Method: 525.2
Preparation: 525.2

Lab Sample ID: LCS 680-73045/17-AA
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 04/23/2007 2305
Date Prepared: 04/21/2007 1014

Analysis Batch: 680-73236
Prep Batch: 680-73045
Units: ug/L

Instrument ID: Mass Spec LC - R
Lab File ID: R1815.D
Initial Weight/Volume: 1000 mL
Final Weight/Volume: 1 mL
Injection Volume:

Analyte	Spike Amount	Result	% Rec.	Limit	Qual
Propachlor	5.00	4.78	96	70 - 130	
Propazine	5.00	5.01	100	70 - 130	
Pyrene	5.00	4.11	82	70 - 130	
Simazine	5.00	4.62	92	70 - 130	
Simetryn	5.00	3.39	68	70 - 130	*
Tebuthiuron	5.00	0.758	15	70 - 130	J *
Terbacil	5.00	4.71	94	70 - 130	
Terbutryn	5.00	3.84	77	70 - 130	
PCB 47	5.00	4.14	83	70 - 130	
Tetrachlorvinphos (Stirophos)	5.00	5.66	113	70 - 130	
Tetraphthalic acid, tetrachloro-, dimethyl	5.00	4.11	82	70 - 130	
trans-Nonachlor	5.00	4.06	81	70 - 130	
trans-Permethrin	7.00	7.12	102	70 - 130	
Triadimefon	5.00	4.94	99	70 - 130	
PCB 29	5.00	4.09	82	70 - 130	
Tricyclazole	5.00	3.95	79	70 - 130	
Trifluralin	5.00	4.70	94	70 - 130	
Vernolate	5.00	4.51	90	70 - 130	

Surrogate	% Rec	Acceptance Limits
2-Nitro-m-xylene	91	70 - 130
Perylene-d12	97	70 - 130
Triphenylphosphate	106	70 - 130

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: Shaw Environmental & Infrastructure, Inc

Job Number: 680-25972-1
Sdg Number: 68025972

Matrix Spike/
Matrix Spike Duplicate Recovery Report - Batch: 680-73045

Method: 525.2
Preparation: 525.2

MS Lab Sample ID:	680-25972-2	Analysis Batch: 680-73472	Instrument ID: Mass Spec LC - R
Client Matrix:	Water	Prep Batch: 680-73045	Lab File ID: R1868.D
Dilution:	1.0		Initial Weight/Volume: 1045 mL
Date Analyzed:	04/25/2007 1928		Final Weight/Volume: 1 mL
Date Prepared:	04/21/2007 1014		Injection Volume:

MSD Lab Sample ID:	680-25972-2	Analysis Batch: 680-73472	Instrument ID: Mass Spec LC - R
Client Matrix:	Water	Prep Batch: 680-73045	Lab File ID: R1869.D
Dilution:	1.0		Initial Weight/Volume: 1045 mL
Date Analyzed:	04/25/2007 1957		Final Weight/Volume: 1 mL
Date Prepared:	04/21/2007 1014		Injection Volume:

	% Rec.						
Analyte	MS	MSD	Limit	RPD	RPD Limit	MS Qual	MSD Qual
Acenaphthylene	43	80	70 - 130	60	30	F	F
Acetochlor	84	78	70 - 130	8	30		
Alachlor	85	82	70 - 130	4	30		
Aldrin	73	72	70 - 130	1	30		
alpha-BHC	89	86	70 - 130	4	30		
alpha-Chlordane	79	71	70 - 130	11	30		
Ametryn	52	30	70 - 130	54	30	F	F
Anthracene	74	78	70 - 130	6	30		
Atrazine	71	72	70 - 130	2	30		
1,3-Benzenedicarbonitrile,	89	90	70 - 130	1	30		
Benzo[a]anthracene	87	87	70 - 130	0	30		
Benzo[a]pyrene	88	91	70 - 130	4	30		
Benzo[b]fluoranthene	93	95	70 - 130	2	30		
Benzo[g,h,i]perylene	99	94	70 - 130	6	30		
Benzo[k]fluoranthene	88	88	70 - 130	1	30		
beta-BHC	87	84	70 - 130	5	30		
Bis(2-ethylhexyl) phthalate	105	109	70 - 130	4	30		
Bromacil	104	108	70 - 130	5	30		
Butachlor	85	83	70 - 130	3	30		
Butylate	88	90	70 - 130	2	30		
Butyl benzyl phthalate	98	99	70 - 130	1	30		
PCB 1	86	82	70 - 130	5	30		
Chloroneb	88	92	70 - 130	4	30		
Chlorpropham	107	106	70 - 130	1	30		
Chlorpyrifos	106	95	70 - 130	12	30		
Chrysene	87	86	70 - 130	1	30		
cis-Permethrin	109	115	70 - 130	5	30		
Cycloate	94	95	70 - 130	1	30		
4,4'-DDD	87	84	70 - 130	3	30		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: Shaw Environmental & Infrastructure, Inc

Job Number: 680-25972-1
Sdg Number: 68025972

Matrix Spike/
Matrix Spike Duplicate Recovery Report - Batch: 680-73045

Method: 525.2
Preparation: 525.2

MS Lab Sample ID:	680-25972-2	Analysis Batch: 680-73472	Instrument ID: Mass Spec LC - R
Client Matrix:	Water	Prep Batch: 680-73045	Lab File ID: R1868.D
Dilution:	1.0		Initial Weight/Volume: 1045 mL
Date Analyzed:	04/25/2007 1928		Final Weight/Volume: 1 mL
Date Prepared:	04/21/2007 1014		Injection Volume:

MSD Lab Sample ID:	680-25972-2	Analysis Batch: 680-73472	Instrument ID: Mass Spec LC - R
Client Matrix:	Water	Prep Batch: 680-73045	Lab File ID: R1869.D
Dilution:	1.0		Initial Weight/Volume: 1045 mL
Date Analyzed:	04/25/2007 1957		Final Weight/Volume: 1 mL
Date Prepared:	04/21/2007 1014		Injection Volume:

	% Rec.						
Analyte	MS	MSD	Limit	RPD	RPD Limit	MS Qual	MSD Qual
4,4'-DDE	79	74	70 - 130	6	30		
4,4'-DDT	96	96	70 - 130	1	30		
delta-BHC	87	92	70 - 130	6	30		
Dibenz(a,h)anthracene	100	100	70 - 130	0	30		
PCB 5	79	75	70 - 130	5	30		
Dichlorvos	88	91	70 - 130	3	30		
Dieldrin	72	72	70 - 130	1	30		
Di(2-ethylhexyl)adipate	112	110	70 - 130	2	30		
Diethyl phthalate	75	77	70 - 130	2	30		
Dimethyl phthalate	92	91	70 - 130	1	30		
Di-n-butyl phthalate	88	87	70 - 130	0	30		
2,4-Dinitrotoluene	80	88	70 - 130	9	30		
2,6-Dinitrotoluene	79	81	70 - 130	2	30		
Diphenamid	94	92	70 - 130	2	30		
Endosulfan I	72	59	70 - 130	19	30		F
Endosulfan II	82	80	70 - 130	3	30		
Endosulfan sulfate	82	81	70 - 130	2	30		
Endrin	60	47	70 - 130	24	30	F	F
Endrin aldehyde	83	78	70 - 130	6	30		
EPTC	87	87	70 - 130	0	30		
Ethyl 4,4'-Dichlorobenzilate	109	98	70 - 130	10	30		J
Etridiazole	107	108	70 - 130	1	30		
Fenarimol	75	54	70 - 130	33	30		F
Fluorene	93	94	70 - 130	1	30		
Fluridone	14	3	70 - 130	138	30	F	J F
gamma-BHC (Lindane)	89	83	70 - 130	6	30		
gamma-Chlordane	75	75	70 - 130	1	30		
Heptachlor	80	78	70 - 130	2	30		
Heptachlor epoxide	97	91	70 - 130	7	30		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: Shaw Environmental & Infrastructure, Inc

Job Number: 680-25972-1
Sdg Number: 68025972

Matrix Spike/
Matrix Spike Duplicate Recovery Report - Batch: 680-73045

Method: 525.2
Preparation: 525.2

MS Lab Sample ID:	680-25972-2	Analysis Batch: 680-73472	Instrument ID: Mass Spec LC - R
Client Matrix:	Water	Prep Batch: 680-73045	Lab File ID: R1868.D
Dilution:	1.0		Initial Weight/Volume: 1045 mL
Date Analyzed:	04/25/2007 1928		Final Weight/Volume: 1 mL
Date Prepared:	04/21/2007 1014		Injection Volume:

MSD Lab Sample ID:	680-25972-2	Analysis Batch: 680-73472	Instrument ID: Mass Spec LC - R
Client Matrix:	Water	Prep Batch: 680-73045	Lab File ID: R1869.D
Dilution:	1.0		Initial Weight/Volume: 1045 mL
Date Analyzed:	04/25/2007 1957		Final Weight/Volume: 1 mL
Date Prepared:	04/21/2007 1014		Injection Volume:

	% Rec.						
Analyte	MS	MSD	Limit	RPD	RPD Limit	MS Qual	MSD Qual
2,2',3,3',4,4',6-Heptachlorobiphenyl	83	82	70 - 130	1	30		
Hexachlorobenzene	84	81	70 - 130	4	30		
2,2',4,4',5,6'-Hexachlorobiphenyl	73	71	70 - 130	2	30		
Hexachlorocyclopentadiene	105	102	70 - 130	3	30		
Hexazinone	83	60	70 - 130	32	30		F
Indeno[1,2,3-cd]pyrene	108	101	70 - 130	7	30		
Isophorone	87	82	70 - 130	6	30		
Methoxychlor	104	102	70 - 130	1	30		
Methyl paraoxon	138	149	70 - 130	7	30	F	F
Metolachlor	92	91	70 - 130	0	30		
Metribuzin	89	100	70 - 130	12	30		
Mevinphos	107	115	70 - 130	7	30		
MGK 264 - isomer a	89	89	70 - 130	0	30		
MGK 264 - isomer b	86	84	70 - 130	2	30		
Mocap	116	116	70 - 130	0	30		
Molinate	93	93	70 - 130	0	30		
Napropamide	94	96	70 - 130	3	30		
Norflurazon	102	108	70 - 130	6	30		
2,2',3,3',4,5',6,6'-Octachlorobiphenyl	81	76	70 - 130	5	30		
Pebulate	82	88	70 - 130	6	30		
PCB 98	83	78	70 - 130	6	30		
Phenanthrene	85	83	70 - 130	2	30		
Prometryn	50	31	70 - 130	46	30	F	F
Pronamide	5	8	70 - 130	46	30	F	F
Propachlor	95	96	70 - 130	1	30		
Propazine	78	78	70 - 130	1	30		
Pyrene	85	85	70 - 130	0	30		
Simazine	73	79	70 - 130	7	30		
Simetryn	46	29	70 - 130	44	30	F	F

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: Shaw Environmental & Infrastructure, Inc

Job Number: 680-25972-1
Sdg Number: 68025972

Matrix Spike/
Matrix Spike Duplicate Recovery Report - Batch: 680-73045

Method: 525.2
Preparation: 525.2

MS Lab Sample ID:	680-25972-2	Analysis Batch: 680-73472	Instrument ID: Mass Spec LC - R
Client Matrix:	Water	Prep Batch: 680-73045	Lab File ID: R1868.D
Dilution:	1.0		Initial Weight/Volume: 1045 mL
Date Analyzed:	04/25/2007 1928		Final Weight/Volume: 1 mL
Date Prepared:	04/21/2007 1014		Injection Volume:

MSD Lab Sample ID:	680-25972-2	Analysis Batch: 680-73472	Instrument ID: Mass Spec LC - R
Client Matrix:	Water	Prep Batch: 680-73045	Lab File ID: R1869.D
Dilution:	1.0		Initial Weight/Volume: 1045 mL
Date Analyzed:	04/25/2007 1957		Final Weight/Volume: 1 mL
Date Prepared:	04/21/2007 1014		Injection Volume:

	% Rec.						
Analyte	MS	MSD	Limit	RPD	RPD Limit	MS Qual	MSD Qual
Tebuthiuron	76	55	70 - 130	32	30		F
Terbacil	95	92	70 - 130	3	30		
Terbutryn	51	30	70 - 130	51	30	F	F
PCB 47	88	84	70 - 130	5	30		
Tetrachlorvinphos (Stirophos)	103	109	70 - 130	6	30		
Tetraphthalic acid, tetrachloro-, dimethyl	81	81	70 - 130	1	30		
trans-Nonachlor	73	69	70 - 130	6	30		F
trans-Permethrin	108	108	70 - 130	0	30		
Triadimefon	105	99	70 - 130	5	30		
PCB 29	82	78	70 - 130	6	30		
Tricyclazole	52	37	70 - 130	34	30	F	F
Trifluralin	91	90	70 - 130	1	30		
Vernolate	91	93	70 - 130	2	30		

Surrogate	MS % Rec	MSD % Rec	Acceptance Limits
2-Nitro-m-xylene	90	94	70 - 130
Perylene-d12	92	97	70 - 130
Triphenylphosphate	97	104	70 - 130

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: Shaw Environmental & Infrastructure, Inc

Job Number: 680-25972-1
Sdg Number: 68025972

Method Blank - Batch: 680-72979

Method: 200.7 Rev 4.4
Preparation: 200

Lab Sample ID:	MB 680-72979/15-AA	Analysis Batch:	680-73303	Instrument ID:	ICP/AES
Client Matrix:	Water	Prep Batch:	680-72979	Lab File ID:	N/A
Dilution:	1.0	Units:	ug/L	Initial Weight/Volume:	50 mL
Date Analyzed:	04/24/2007 0057			Final Weight/Volume:	50 mL
Date Prepared:	04/20/2007 1103				

Analyte	Result	Qual	MDL	RL
Iron	50	U	15	50

Method Blank - Batch: 680-72979

Method: 200.7 Rev 4.4
Preparation: 200

Lab Sample ID:	MB 680-72979/15-AA	Analysis Batch:	680-73382	Instrument ID:	ICP/AES
Client Matrix:	Water	Prep Batch:	680-72979	Lab File ID:	N/A
Dilution:	1.0	Units:	ug/L	Initial Weight/Volume:	50 mL
Date Analyzed:	04/24/2007 2316			Final Weight/Volume:	50 mL
Date Prepared:	04/20/2007 1103				

Analyte	Result	Qual	MDL	RL
Sodium	1000	U	320	1000

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: Shaw Environmental & Infrastructure, Inc

Job Number: 680-25972-1
Sdg Number: 68025972

Lab Control Spike - Batch: 680-72979

Method: 200.7 Rev 4.4
Preparation: 200

Lab Sample ID: LCS 680-72979/16-AA
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 04/24/2007 0102
Date Prepared: 04/20/2007 1103

Analysis Batch: 680-73303
Prep Batch: 680-72979
Units: ug/L

Instrument ID: ICP/AES
Lab File ID: N/A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	Spike Amount	Result	% Rec.	Limit	Qual
Iron	1000	1000	100	85 - 115	

Lab Control Spike - Batch: 680-72979

Method: 200.7 Rev 4.4
Preparation: 200

Lab Sample ID: LCS 680-72979/16-AA
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 04/24/2007 2320
Date Prepared: 04/20/2007 1103

Analysis Batch: 680-73382
Prep Batch: 680-72979
Units: ug/L

Instrument ID: ICP/AES
Lab File ID: N/A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	Spike Amount	Result	% Rec.	Limit	Qual
Sodium	5000	4880	98	85 - 115	

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: Shaw Environmental & Infrastructure, Inc

Job Number: 680-25972-1
Sdg Number: 68025972

Matrix Spike/
Matrix Spike Duplicate Recovery Report - Batch: 680-72979

Method: 200.7 Rev 4.4
Preparation: 200

MS Lab Sample ID:	680-25972-2	Analysis Batch: 680-73303	Instrument ID: ICP/AES
Client Matrix:	Water	Prep Batch: 680-72979	Lab File ID: N/A
Dilution:	1.0		Initial Weight/Volume: 50 mL
Date Analyzed:	04/24/2007 0126		Final Weight/Volume: 50 mL
Date Prepared:	04/20/2007 1103		

MSD Lab Sample ID:	680-25972-2	Analysis Batch: 680-73303	Instrument ID: ICP/AES
Client Matrix:	Water	Prep Batch: 680-72979	Lab File ID: N/A
Dilution:	1.0		Initial Weight/Volume: 50 mL
Date Analyzed:	04/24/2007 0140		Final Weight/Volume: 50 mL
Date Prepared:	04/20/2007 1103		

Analyte	% Rec. MS	% Rec. MSD	Limit	RPD	RPD Limit	MS Qual	MSD Qual
Iron	99	98	75 - 125	0	20		

Matrix Spike/
Matrix Spike Duplicate Recovery Report - Batch: 680-72979

Method: 200.7 Rev 4.4
Preparation: 200

MS Lab Sample ID:	680-25972-2	Analysis Batch: 680-73382	Instrument ID: ICP/AES
Client Matrix:	Water	Prep Batch: 680-72979	Lab File ID: N/A
Dilution:	20		Initial Weight/Volume: 50 mL
Date Analyzed:	04/24/2007 2342		Final Weight/Volume: 50 mL
Date Prepared:	04/20/2007 1103		

MSD Lab Sample ID:	680-25972-2	Analysis Batch: 680-73382	Instrument ID: ICP/AES
Client Matrix:	Water	Prep Batch: 680-72979	Lab File ID: N/A
Dilution:	20		Initial Weight/Volume: 50 mL
Date Analyzed:	04/24/2007 2347		Final Weight/Volume: 50 mL
Date Prepared:	04/20/2007 1103		

Analyte	% Rec. MS	% Rec. MSD	Limit	RPD	RPD Limit	MS Qual	MSD Qual
Sodium	406	441	75 - 125	0	20	4	4

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: Shaw Environmental & Infrastructure, Inc

Job Number: 680-25972-1
Sdg Number: 68025972

Method Blank - Batch: 680-72845

Method: 200.8
Preparation: 200

Lab Sample ID:	MB 680-72845/16-AA	Analysis Batch:	680-73558	Instrument ID:	ICP MS
Client Matrix:	Water	Prep Batch:	680-72845	Lab File ID:	N/A
Dilution:	1.0	Units:	ug/L	Initial Weight/Volume:	50 mL
Date Analyzed:	04/24/2007 1713			Final Weight/Volume:	50 mL
Date Prepared:	04/19/2007 1037				

Analyte	Result	Qual	MDL	RL
Silver	0.20	U	0.018	0.20
Arsenic	0.20	U	0.12	0.20
Aluminum	10	U	3.1	10
Barium	0.98	J	0.18	1.0
Beryllium	0.10	U	0.015	0.10
Cadmium	0.10	U	0.029	0.10
Chromium	1.0	U	0.051	1.0
Copper	0.59	J	0.23	1.0
Manganese	1.0	U	0.17	1.0
Nickel	0.20	U	0.057	0.20
Lead	0.30	U	0.027	0.30
Antimony	0.50	U	0.060	0.50
Selenium	0.50	U	0.080	0.50
Thallium	0.20	U	0.10	0.20
Zinc	2.8	J	2.6	4.0
Mercury	0.10	U	0.056	0.10

Calculations are performed before rounding to avoid round-off errors in calculated results.

Quality Control Results

Client: Shaw Environmental & Infrastructure, Inc

Job Number: 680-25972-1
Sdg Number: 68025972

Lab Control Spike - Batch: 680-72845

Method: 200.8
Preparation: 200

Lab Sample ID: LCS 680-72845/17-AA
Client Matrix: Water
Dilution: 1.0
Date Analyzed: 04/24/2007 1720
Date Prepared: 04/19/2007 1037

Analysis Batch: 680-73558
Prep Batch: 680-72845
Units: ug/L

Instrument ID: ICP MS
Lab File ID: N/A
Initial Weight/Volume: 50 mL
Final Weight/Volume: 50 mL

Analyte	Spike Amount	Result	% Rec.	Limit	Qual
Arsenic	20.0	20.3	102	85 - 115	
Silver	10.0	9.96	100	85 - 115	
Aluminum	1000	943	94	85 - 115	
Barium	20.0	20.9	105	85 - 115	
Beryllium	10.0	10.7	107	85 - 115	
Cadmium	10.0	10.1	101	85 - 115	
Chromium	20.0	19.8	99	85 - 115	
Copper	20.0	21.3	106	85 - 115	
Manganese	100	104	104	85 - 115	
Nickel	20.0	21.0	105	85 - 115	
Lead	10.0	10.1	101	85 - 115	
Antimony	10.0	9.48	95	85 - 115	
Selenium	20.0	19.7	99	85 - 115	
Thallium	8.00	8.39	105	85 - 115	
Zinc	20.0	22.5	112	85 - 115	
Mercury	1.00	0.941	94	85 - 115	

Calculations are performed before rounding to avoid round-off errors in calculated results.

Client: Shaw Environmental & Infrastructure, Inc

Job Number: 680-25972-1
Sdg Number: 68025972

Matrix Spike/
Matrix Spike Duplicate Recovery Report - Batch: 680-72845

Method: 200.8
Preparation: 200

MS Lab Sample ID:	680-25972-2	Analysis Batch:	680-73558	Instrument ID:	ICP MS
Client Matrix:	Water	Prep Batch:	680-72845	Lab File ID:	N/A
Dilution:	10			Initial Weight/Volume:	50 mL
Date Analyzed:	04/24/2007 1755			Final Weight/Volume:	50 mL
Date Prepared:	04/19/2007 1037				

MSD Lab Sample ID:	680-25972-2	Analysis Batch:	680-73558	Instrument ID:	ICP MS
Client Matrix:	Water	Prep Batch:	680-72845	Lab File ID:	N/A
Dilution:	10			Initial Weight/Volume:	50 mL
Date Analyzed:	04/24/2007 1802			Final Weight/Volume:	50 mL
Date Prepared:	04/19/2007 1037				

	% Rec.						
Analyte	MS	MSD	Limit	RPD	RPD Limit	MS Qual	MSD Qual
Arsenic	112	110	70 - 130	1	20		
Silver	97	98	70 - 130	0	20		
Aluminum	98	101	70 - 130	3	20		
Barium	105	111	70 - 130	2	20	B	B
Beryllium	110	114	70 - 130	4	20		
Cadmium	103	105	70 - 130	1	20		
Chromium	99	101	70 - 130	2	20		
Copper	107	303	70 - 130	95	20	B	B F
Manganese	112	140	70 - 130	1	20	4	4
Nickel	101	105	70 - 130	3	20		
Lead	92	94	70 - 130	2	20		
Antimony	106	105	70 - 130	1	20		
Selenium	116	114	70 - 130	2	20		
Thallium	99	97	70 - 130	2	20		
Zinc	133	138	70 - 130	3	20	J B F	J B F
Mercury	111	112	70 - 130	1	20		

Calculations are performed before rounding to avoid round-off errors in calculated results.

Serial Number 82528

ANALYSIS REQUEST AND CHAIN OF CUSTODY RECORD

SEVERN TRENT **STL**

EDD W/TRRP REPORTING + RAW DATA TO SUSHAMA, SARA.JAPE@SHAWGRP.COM

STL Savannah
5102 LaRoche Avenue
Savannah, GA 31404

Website: www.stl-inc.com
Phone: (912) 354-7858
Fax: (912) 352-0165

Alternate Laboratory Name/Location
Phone:
Fax:

PROJECT REFERENCE: TCEQ-WTP	PROJECT NO.: 121258	PROJECT LOCATION (STATE): TX
STL (LAB) PROJECT MANAGER: BERNARD KIRKLAND	P.O. NUMBER:	CONTRACT NO.:
CLIENT (SITE) PM: JOHN SULLIVAN	CLIENT PHONE: 432-681-2800	CLIENT FAX: 432-699-6717
CLIENT NAME: SHAW E&I	CLIENT E-MAIL: JOHN.S.SULLIVAN@SHAWGRP.COM	
CLIENT ADDRESS: 5801 W. INDUSTRIAL #2 MIDLAND, TX 79706		
COMPANY CONTRACTING THIS WORK (if applicable):		

PAGE 1 OF 2

STANDARD REPORT DELIVERY ● DATE DUE 5/1/07

EXPEDITED REPORT DELIVERY (SURCHARGE) ○ DATE DUE _____

NUMBER OF COOLERS SUBMITTED PER SHIPMENT: 5

SAMPLE DATE	SAMPLE TIME	SAMPLE IDENTIFICATION	COMPOSITE (C) OR GRAB (G) INDICATE	AQUEOUS (WATER)	SOLID OR SEMISOLID	AIR	NONAQUEOUS LIQUID (OIL, SOLVENT,...)	VOC'S EPA 524.2	SVOC'S EPA 525.2	METALS 200.8								REMARKS
								NONE	NONE	HNO3								
								NUMBER OF CONTAINERS SUBMITTED										
4/17/07	8:53	GW-27	G	X				3	2	1								
4/17/07	9:45	GW-07	G	X				3	2	1								
4/17/07	10:35	GW-06	G	X				3	2	1								
4/17/07	11:20	GW-08	G	X				3	2	1								
4/17/07	13:03	GW-10	G	X				3	2	1								
4/17/07	13:27	GW-31	G	X				3	2	1								
4/17/07	14:20	GW-22	G	X				3	2	1								
4/17/07	14:50	GW-24	G	X				3	2	1								
4/17/07	—	TRIP BLANK	G	X				3										1.3/1.1/1.6
																		TEMP. 0.4/1.1

RELINQUISHED BY: (SIGNATURE)	DATE	TIME	RELINQUISHED BY: (SIGNATURE)	DATE	TIME	RELINQUISHED BY: (SIGNATURE)	DATE	TIME
[signature]	4/17/07	1700						
RECEIVED BY: (SIGNATURE)	**DATE**	**TIME**	**RECEIVED BY: (SIGNATURE)**	**DATE**	**TIME**	**RECEIVED BY: (SIGNATURE)**	**DATE**	**TIME**

LABORATORY USE ONLY

RECEIVED FOR LABORATORY BY: (SIGNATURE)	DATE	TIME	CUSTODY INTACT	CUSTODY SEAL NO.	STL SAVANNAH LOG NO.	LABORATORY REMARKS
[signature]	04/17/07	1000	YES ○ NO ○		680-25972	

STL8240-680 (12/02)

Serial Number 86768

ANALYSIS REQUEST AND CHAIN OF CUSTODY RECORD

SEVERN TRENT **STL**

TRRP Reporting with EDD & RAW Data.
email sushama.paranjape@shawgrp.com

STL Savannah
5102 LaRoche Avenue
Savannah, GA 31404

Website: www.stl-inc.com
Phone: (912) 354-7858
Fax: (912) 352-0165

Alternate Laboratory Name/Location
Phone:
Fax:

PROJECT REFERENCE TCEQ-121258 Williams Trailer Park	PROJECT NO. 121258	PROJECT LOCATION (STATE) TX	PAGE 1 OF 2
STL (LAB) PROJECT MANAGER Bernard Kirkland	P.O. NUMBER	CONTRACT NO.	STANDARD REPORT DELIVERY 14-day DATE DUE 5-1-07
CLIENT (SITE) PM John Sullivan	CLIENT PHONE 432-681-2600	CLIENT FAX 432-699-6717	
CLIENT NAME Shaw Environmental	CLIENT E-MAIL John.Sullivan@shawgrp.com		EXPEDITED REPORT DELIVERY (SURCHARGE) DATE DUE
CLIENT ADDRESS 5801 W. Industrial, Midland, TX 79706			
COMPANY CONTRACTING THIS WORK (if applicable)			NUMBER OF COOLERS SUBMITTED PER SHIPMENT: 5

REQUIRED ANALYSIS: None 524.2 VOCs; None 525.2 SVOCs; HNO_3 200.8 Metals

SAMPLE DATE	SAMPLE TIME	SAMPLE IDENTIFICATION	COMPOSITE (C) OR GRAB (G) INDICATE	AQUEOUS (WATER)	SOLID OR SEMISOLID	AIR	NONAQUEOUS LIQUID (OIL, SOLVENT,...)	524.2 VOCs	525.2 SVOCs	200.8 Metals	REMARKS
4-17-07	8:45	GW-03	G	W				3	2	1	
4-17-07	9:25	GW-04	G	W				3	2	1	
4-17-07	9:45	GW-04 MSMSD	G	W				6	4	2	MSMSD Sample
4-17-07	10:55	GW-25	G	W				3	2	1	
4-17-07	13:20	GW-37	G	W				3	2	1	
4-17-07	14:10	GW-28	G	W				3	2	1	
4-17-07	14:55	GW-38	G	W				3	2	1	
4-17-07	15:00	FB-02	G	W				3			

TEF 4-17-07

RELINQUISHED BY: (SIGNATURE)	DATE	TIME	RELINQUISHED BY: (SIGNATURE)	DATE	TIME	RELINQUISHED BY: (SIGNATURE)	DATE	TIME
	4-17-07	17:00	UPS					
RECEIVED BY: (SIGNATURE)	**DATE**	**TIME**	**RECEIVED BY: (SIGNATURE)**	**DATE**	**TIME**	**RECEIVED BY: (SIGNATURE)**	**DATE**	**TIME**

LABORATORY USE ONLY

RECEIVED FOR LABORATORY BY: (SIGNATURE)	DATE	TIME	CUSTODY INTACT	CUSTODY SEAL NO.	STL SAVANNAH LOG NO.	LABORATORY REMARKS
	04/18/07	10:00	YES ○ NO ○		6080-25972	

STL8240-680 (12/02)

Reference 16

Reference 17

Reference 18

FIELD NOTES 07/23/07

WILLIAMS TRAILER PARK

ODESSA, TX

- arrived @ site 8:45 AM w/ John Flores
- drove around the site and the vicinity to identify area of concern
- met Shaw Environmental team (Micah Beard and Valeri Magnini) @ 9:00AM
- safety meeting conducted by Shaw
- two teams arranged for sampling
  1. SUS and Valeri Magnini
  2. John Flores and Micah Beard
- started sampling from GW-39

(see tabled field notes)

180001

DAY 2

FIELD NOTES 07/24/07

- arrived @ site @ 8:15 AM
- met with Shaw Env. team
- conducted safety meeting
- continued sampling

(See table field notes for GW info)

- John Flores left Odessa - went to the airport (5:00 PM) to drop him.

180002

FIELD NOTES 07/25/07

- arrived @ site @ 8:10 AM
- conducted safety meeting
- continued sampling
  (see tabled field notes for GW info)
- drove betn the sites to inform ~~our~~ well owners of the sampling.
- left site @ 3:00 PM completing sampling
- left for Austin in southwest flight

180003

DAY 1

Williams Trailer Park, Odessa, Texas
July 23-25, 2007 Groundwater Monitoring Event

Date: 07/23/07

Well ID/Well Info		GW-39		GW-09		GW-12		GW-13	
Address		4313 Guernsey		4400 Guernsey		4404 Guernsey		4414 Guernsey	
Well Location		south-west corner of the house		north-east corner of property		south-east corner of property		south-east corner of property	
Purge Start / Water Quality / Sample Time	Purge Start Time	9:55 AM		10:55 AM		11:45		2:00 PM	
	Temperature	10:10	22.4	11:10	22.1	12:00PM	22.4	2:15	22.1
		10:15	22.3	11:15	22.1	12:05	22.2	2:20	21.9
		10:20	22.4	11:20	22.0	~~12:10~~	~~22.4~~	~~2:25~~	~~22.0~~
				~~11:25~~	~~22.1~~	~~12:15~~	~~22.3~~	~~2:30~~	~~21.9~~
	pH	10:10	8.27	11:10	8.28	12:00 PM	8.3	2:15	8.32
		10:15	8.27	11:15	8.31	12:05	8.31	2:20	8.32
		10:20	8.27	11:20	8.30	~~12:10~~	~~8.31~~	~~2:25~~	~~8.32~~
				~~11:25~~	~~8.28~~	~~12:15~~	~~8.31~~	~~2:30~~	~~8.32~~
	Conductivity ms/cm	10:10	4.56 ms/cm	11:10	4.92	12:00 PM	5.14	2:15	5.02 ms/cm
		10:15	4.57 ms/cm	11:15	4.92	12:05	5.15	2:20	5.10
		10:20	4.57 ms/cm	11:20	4.91	~~12:10~~	~~5.15~~	~~2:25~~	~~5.16~~
				~~11:25~~	~~4.91~~	~~12:15~~	~~5.15~~	~~2:30~~	~~5.22~~
	Sample Time	10:30		~~11:30~~		12:20			
Weather		sunny, low winds		sunny, low winds		sunny, low winds		sunny, low winds	
Sample Matrix (preserved/unpreserved)	VOA	unpreserved		unpreserved		unpreserved		unpreserved	
	SVOA	unpreserved		unpreserved		unpreserved		unpreserved	
	Metal	preserved w/HNO3		preserved w/HNO3		preserved w/HNO3		preserved w/HNO3	
Sampled By		- Sampled by Valeri Magnini		- Valeri Magnini (Shaw Env)		- Valeri Magnini (Shaw Env)		Valeri Magnini (Shaw Env)	
Remarks		- sampled from faucet @ the front of the house - resident not in.		- resident signed access agreement - water hooked to the house but not used for drinking/cooking - used only for ~~shaving~~ washing		- resident said TCEQ would install water softner ?? - water not used for drinking		- resident not in - sampled from faucet on south side of the house	

180004

DAY 1

Williams Trailer Park, Odessa, Texas
July 23-25, 2007 Groundwater Monitoring Event

Date: 07/23/07

Well ID/Well Info		GW—33		GW—14		GW		GW	
Address		4414 Guernsey		4418 Guernsey					
Well Location				south-east corner of property					
Purge Start / Water Quality / Sample Time	Purge Start Time			3:05 PM					
	Temperature			3:20	23.7				
				3:25	23.6				
				~~3:30~~	~~23.8~~				
				~~3:35~~	~~23.3~~				
	pH			3:20	8.29				
				8:25	8.30				
				~~3:30~~	~~8.30~~				
				~~3:35~~	~~8.31~~				
	Conductivity			3:20	4.95				
				3:25	4.96				
				~~3:30~~	~~4.94~~				
				~~3:35~~	~~4.94~~				
	Sample Time			3:40					
Weather				sunny, low winds					
Sample Matrix (preserved/unpreserved)	VOA			unpreserved					
	SVOA			unpreserved					
	Metal			preserved w/HNO3					
Sampled By				Valeri Magnini (Shaw Env)					
Remarks		duplicate of GW-13							

180005

DAY 2

Williams Trailer Park, Odessa, Texas
July 23-25, 2007 Groundwater Monitoring Event

Date: 07/24/07

Well ID/Well Info		GW-27		GW-25		GW-28		GW-22	
Address		4600 Guernsey		2825 West 46th		4320 Johnson Road		2417 West 44th St.	
Well Location		west side of property		south-west of property		well inside the building		south-west corner of property/building	
Purge Start / Water Quality / Sample Time	Purge Start Time	8:40 AM		9:35		10:30		11:25	
	Temperature	8:55	22.4	9:50	26.4	10:45	25.5	11:40	22.3
		9:00	22.2	9:55	26.4	10:50	25.3	11:45	22.3
		~~9:05~~	~~22.2~~	~~10:00~~	~~26.5~~	~~10:55~~	~~25.1~~	~~11:50~~	~~22.3~~
		~~9:10~~	~~22.0~~	~~10:05~~	~~26.7~~	~~11:00~~		~~11:55~~	
	pH	8:55	8.43	9:50	8.38	10:45	8.36	11:40	8.36
		9:00	8.42	9:55	8.38	10:50	8.36	11:45	8.36
		~~9:05~~	~~8.42~~	~~10:00~~	~~8.39~~	~~10:55~~	~~8.36~~	~~11:50~~	~~8.35~~
		~~9:10~~	~~8.42~~	~~10:05~~	~~8.37~~	~~11:00~~		~~11:55~~	
	Conductivity ms/cm	8:55	3.82	9:50	1897 µS/cm	10:45	4.15	11:40	3.69
		9:00	3.77	9:55	1899	10:50	4.15	11:45	3.66
		~~9:05~~	~~3.71~~	~~10:00~~	~~1952~~	~~10:55~~	~~4.15~~	~~11:50~~	~~3.66~~
		~~9:10~~	~~3.59~~	~~10:05~~	~~1679~~	~~11:00~~	~~4.15~~	~~11:55~~	
	Sample Time	9:15		10:10		11:05			
Weather		cloudy, windy		sunny, windy		cloudy, low winds		cloudy, low winds	
Sample Matrix (preserved/unpreserved)	VOA	unpreserved		unpreserved		unpreserved		unpreserved	
	SVOA	unpreserved		unpreserved		unpreserved		unpreserved	
	Metal	preserved w/ HNO_3		preserved w/ HNO_3		preserved w/ HNO_3		preserved w/ HNO_3	
Sampled By		Valeri Magnini (Shaw Env)		Valeri Magnini (Shaw Env)		Valeri Magnini (Shaw Env)		Valeri Magnini (Shaw Env)	
Remarks				- could not sample from faucet closest to the well - sampled from faucet south of well (east side of workshop)		- doesn't use gw for other purpose than restrooms 180006		- doesn't use gw for other purpose than washing hands/AC unit - took a FB-2 @ 11:33	

DAY-2

Williams Trailer Park, Odessa, Texas
July 23-25, 2007 Groundwater Monitoring Event

Date: 07/24/07

Well ID/Well Info		GW-16		GW-18		GW		GW	
Address		2600 West 43rd L&W Diesel Services		2600 West 42nd Anvil International					
Well Location		east side of the building		~~North~~ ~~east~~ of the building					
Purge Start / Water Quality / Sample Time	Purge Start Time	1:50PM		3:15PM					
	Temperature	2:05/23.7	2:10/23.7	3:30/25.2	3:35/24.7				
		2:15/23.4	2:20/23.0	3:40/24.8	3:45/24.9				
	pH	2:05/8.3	2:10/8.3	3:30/8.3	3:35/8.3				
		2:15/8.3	2:20/8.3	3:40/8.29	3:45/8.29				
	Conductivity ms/cm	2:05/2.54	2:10/2.54	3:30/2.87	3:35/2.86				
		2:15/2.54	2:20/2.65	3:40/2.86	3:45/2.86				
	Sample Time	2:25		3:50					
Weather		cloudy, low winds		cloudy, low wind					
Sample Matrix (preserved/unpreserved)	VOA	unpreserved		unpreserved					
	SVOA	unpreserved		unpreserved					
	Metal	preserved w/ HNO_3		preserved w/ HNO_3					
Sampled By		Valeri Magnini (Shaw Env)		Valeri Magnini (Shaw Env)					
Remarks		- use gw only in the rest rooms - MS/MSD + dup GW taken @ GW-16 @ 2:45		- left a copy of access agreement					

18000

DAY 3

Williams Trailer Park, Odessa, Texas
July 23-25, 2007 Groundwater Monitoring Event

Date: 07/25/07

Well ID/Well Info		GW-19		GW-23		GW-17		GW-21	
Address		2500 W 42nd St. (Basin Block & Supply)		2714 West 40th St. (Pam Wireline Services) 432-362-0233		2700 W 43rd St.		2426 West 40th	
Well Location				north-west corner of property		north-west side of property		north-east corner of property	
Purge Start / Water Quality / Sample Time	Purge Start Time	8:25		8:35		9:25		9:25	
	Temperature °C	8:40/22.1	8:55/22.1	8:50/22.7	8:55/22.5	9:40/26.8	9:55/26.7	9:40/22.1	9:45/21.7
		8:45/22.2	9:00/22.1	9:00/22.6	9:05/22.7	9:45/26.7		9:50/21.0	9:55/22.2
		8:50/22.1				9:50/26.8			
	pH	8:40/6.99	8:55/6.99	8:50/8.37	8:55/8.37	9:40/6.99	9:55/6.99	9:40/8.34	9:45/8.34
		8:45/7.01	9:00/7.00	9:00/8.37	9:05/8.38	9:45/6.98		9:50/8.33	9:55/8.32
		8:50/6.99				9:50/6.99			
	Conductivity (ms/cm)	8:40/1641	8:55/1598	8:50/2.41	8:55/2.41	9:40/4.08	9:55/4.08	9:40/1420	9:45/1408
		8:45/1641	9:00/1599	9:00/2.41	9:05/2.41	9:45/4.07	(mS/cm)	9:50/1402	9:55/1430
		8:50/1598				9:50/4.09			
	Sample Time	9:05/1598		9:10				10:00	
Weather		Sunny, cool		sunny, cool, low winds		sunny, cool		sunny, cool, low winds	
Sample Matrix (preserved/unpreserved)	VOA	unpreserved		unpreserved		unpreserved		unpreserved	
	SVOA	unpreserved		unpreserved		unpreserved		unpreserved	
	Metal	preserved w/HNO3		preserved w/HNO3		preserved w/HNO3		preserved w/HNO3	
Sampled By		Micah Beard (Shaw Env)		Valeri Magnini (Shaw Env)		Micah Beard (Shaw Env)		Valeri Magnini (Shaw Env)	
Remarks		-doesn't use water for drinking/cooking		-business doesn't use water for drinking -uses gw for washing vehicles				-business doesn't use gw for drinking	

180008

DAY 3

Williams Trailer Park, Odessa, Texas
July 23-25, 2007 Groundwater Monitoring Event

Date: 07/25/07

Well ID/Well Info		GW-37		GW-29		GW-41		GW-42	
Address		2800 W 42nd St. (HB Co, Inc.)		4309 Bryan Road WWL Industries		4411 Hereford		4411 Hereford	
Well Location						north-westside of property		south side of property	
Purge Start / Water Quality / Sample Time	Purge Start Time	10:30		11:45		1:45		2:05	
	Temperature	10:45/22.4	11:00/22.4	12:00/23.6	12:15/23.6	2:00/22.5	2:15/22.7	2:20/22.4	2:35/22.8
		10:50/22.3		12:05/23.8		2:05/22.5		2:25/22.9	
		10:55/22.2		12:10/23.6		2:10/22.6		2:30/22.9	
	pH	10:45/7.09	11:00/7.08	12:00/6.97	12:15/6.98	2:00/6.88	2:15/6.88	2:20/6.87	2:35/6.88
		10:50/7.07		12:05/6.97		2:05/6.88		2:25/6.86	
		10:55/7.08		12:10/6.98		2:10/6.89		2:30/6.86	
	Conductivity	10:45/2.04	11:00/2.01	12:00/2.09	12:15/2.09	2:00/6.45	2:15/6.46	2:20/7.49	2:35/7.50
		10:50/2.04	(ms/cm)	12:05/2.09	(ms/cm)	2:05/6.45		2:25/7.49	
		10:55/2.01		12:10/2.09		2:10/6.45		2:30/7.49	
	Sample Time	11:05		12:18		2:22		2:40	
Weather									
Sample Matrix (preserved/unpreserved)	VOA	unpreserved		unpreserved		unpreserved		unpreserved	
	SVOA	unpreserved		unpreserved		unpreserved		unpreserved	
	Metal	preserved w/HNO3		preserved w/HNO3		preserved w/HNO3		preserved w/HNO3	
Sampled By		Micah Beard (Shaw)		Micah Beard (Shaw)		Micah Beard (Shaw Env)		Micah Beard (Shaw Env)	
Remarks		- gw not used for drinking/cooking		- water used for cleaning but not drinking/cooking		- two wells (GW 41 and 42) - not used for drinking		180009	

Williams Trailer Park, Odessa, Texas
July 23-25, 2007 Groundwater Monitoring Event

Date:

Well ID/Well Info		GW 01/02		GW 04		GW 03			GW	
Address		4307 Angus Williams Trailer Court		4320 Angus Grey Trailer		4301 Angus White Metal Building				
Well Location		Pump House Backyard Sample from faucet 5 feet from well		Back Yard Blue Trunk faucet 70 feet from well		Unknown possibly within the Aire Filter				
Purge Start / Water Quality / Sample Time	Purge Start Time	9:50 AM		11:17 AM		1:40 pm 1340				
	Temperature	10:06/21.6	10:21 / 21.6	11:32/23.0	11:47 / 23.0	13:55/23.2	14:10/ 22.6	14:25 22.5	14:40 / 22.2	
		10:11 / 21.8		11:37/23.0		14:00/ 22.9	14:15/ 22.5	14:30 22.2		
		10:16/21.6		11:42/23.1		14:05 22.9	14:20/22.3	14:35 22.4		
	pH	10:06/6.92	10:21 / 6.93	11:32/7.04	11:47/ 7.05	13:55/6.90	14:10 / 6.88	14:25 6.89	1440 / 6.89	
		10:11/6.92		11:37/7.05		14.00/6.88	14:15 / 6.88	14:30 6.89		
		10:16/6.93		11:42/7.05		14:05 6.88	14:20/ 6.88	14:35 ~~6.89~~ 6.89		
	Conductivity	10:06/4.92	10:21 / 4.91	11:32/4.49	11:47 / 4.50	1355 6.48	14:10/ 6.43	14:25 6.34	1440 / 6.20	
		10:11 / 4.92		11:37/4.49		14.00/6.50	14:15/6.44	14:30 6.21		
		10:16/4.29		11:42/4.50		14:05 6.50	14:20/6.34	14:35 6.24		
	Sample Time	10:35 finish taking Samples		11:52 finishing taking Samples		14:42 finished taking Samples				
Weather		Sunny/Windy/Cool/Clear Tree to work under		Sunny/Windy/Cool Clear Tree to work under		Very Sunny Mild breeze Clear WARM Trees to work under				
Sample Matrix (preserved/unpreserved)	VOA	18 will use only 9 collected 3 to many		3		3				
	SVOA	6		2		2				
	Metal	3		1		1				
Sampled By		Mika MS/MSD		Mika		Mika				
Remarks		Photo 1,2,3 ↑ sample being collected 23 July 07		Photo 4,5,6,7,8 ↑ sample being collected 23 July 07		Using faucet south side of building. Photo 10, 11, 12 sample being collected 23 July 07				180010

Williams Trailer Park, Odessa, Texas
July 23-25, 2007 Groundwater Monitoring Event

Date:

Well ID/Well Info		GW 40		GW 20		GW 07		GW 06	
Address		4361 Church ill		2606 W 42nd Street		4405 Angus - Green Color Home.		4403 Angus White Home	
Well Location		Near Corner of yard Gray tank.		Recycling Center Back Left side of property.		Pump House Back left Yard Peach Color -		Pump House Back Right	
Purge Start / Water Quality / Sample Time	Purge Start Time	305 1505		8:40		9:33		11:12	
	Temperature	1520 / 25.6	1535 / 25.7	855 / 22.0	9:10 / 22.0	9:48 23.3	10:03 / 23.2	10:50 23.6	1105 23.5
		1525 / 25.7		9:00 22.0		9:53 23.3	10:08 / 23.0	10:55 23.5	
		1530 / 25.7		9:05 21.9		9:58 23.1		11:00 23.6	
	pH	1520 / 6.77	1535 / 6.76	855 / 7.30	9:10 / 7.30	9:48 6.87	10:03 / 6.87	10:50 6.83	1105 6.83
		1525 / 6.77		9:00 7.30		9:53 6.88	10:08 / 6.87	10:55 6.83	
		1530 / 6.77		9:05 7.30		9:58 6.87		11:00 6.83	
	Conductivity	1520 / 7.79	1535 / 7.75	855 / 2.11	9:10 / 2.11	9:48 6.73	10:03 / 6.84	10:50 8.18	1105 8.18
		1525 / 7.80		9:00 2.11		9:53 6.72	10:08 / 6.87	10:55 8.18	
		1530 / 7.76		9:05 2.11		9:58 6.84		11:00 8.18	
	Sample Time			9:15		10:15		11:15	
Weather		Hot, windy No shade		Cool Wind & No shade!		Windy - Sun gaining strength - Tree to work under		Windy Sunny No shade	
Sample Matrix (preserved/unpreserved)	VOA	3		3		3		3	
	SVOA	2		2		2		2 used one bottle to fill the other Sewer very low to ground!	
	Metal	1		1		1		1	
Sampled By		Mika		Mika		Mika		Mika	
Remarks		Per Man in trailer (AV) resupplies water to 2711 Angus and Photos 13,14 (15,16) 23 July 07 Sampling Photos		water not used for drinking Photos 17,18 / sampling photo 24 July 07		Note to left of well house old well plugged. 19,20 sampling Photo. 24 July 07		21 & 22 sampling Photo 24 July 07	1E0011

Williams Trailer Park, Odessa, Texas
July 23-25, 2007 Groundwater Monitoring Event

Date:

Well ID/Well Info		GW 36		GW 8		GW 10		GW	
Address		2708 w 44 street		4410 Angos.		4411 Angus House Sacen 46th Street			
Well Location		Back Right side only working water specific on Rt of House		Back Yard Possibly in gray tool shed		Back Yard Past Iron fence vs faucet near old house foundation			
Purge Start / Water Quality / Sample Time	Purge Start Time	11:40		13:40		14:28			
	Temperature	11:55/24.4	12:10 /23.3	13:55/23.4	14:10 23.1	14:43 25.0	14:58 25.0		
		12:00/23.5		14:00 23.7		14:48 24.7			
		1205/ 23.3		14:05 23.7		14:53 25.0			
	pH	11:55/6.96	12:10 /6.97	13:55/6.85	14:10 6.84	14:43 6.98	14:58 6.98		
		12:00/6.97		14:00 6.85		14:48 6.97			
		1205 /6.97		14:05 6.84		14:53 6.98			
	Conductivity	11:55/ 5.20	12:10 / 5.19	13:55/ 6.79	14:10 6.77	14:43 5.02	14:58 5.02		
		12:00 /5.20		14:00 6.79		14:49 5.02			
		12:05/ 5.20		14:05 6.78		14:53 5.02			
	Sample Time	≈ 12:15		14:15		15:05 5.02			
Weather		Cool Sunny. one tree to work under		Cool Overcast - Trees to work under.		Sun starting to come out Getting Hot			
Sample Matrix (preserved/un preserved)	VOA	3		3		6 Duplicate			
	SVOA	2		2		4 Taken			
	Metal	1		1		2 this location			
Sampled By		Mika & Valerie		Mika.		Mika			
Remarks		Photos 23 & 24 & 25 26 & 27 ← sample collection. 24 July 07		Photos 28 & 29 Sampling Collection 24 July 07		30 & 31			180012

Reference 19

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING

ANALYTICAL REPORT

Job Number: 680-28629-1

SDG Number: 68028629

Job Description: Williams Trailer Park

For:
Shaw Environmental & Infrastructure, Inc
5801 W. Industrial #2
Midland, TX 79706

Attention: Mr. Tom Elliott

Bernard Kirkland
Project Manager I
bernard.kirkland@testamericainc.com
08/15/2007

cc: Sushama Paranjape

The test results in this report meet all NELAP requirements for parameters for which accreditation is required or available. Any exceptions to NELAP requirements are noted in this report. Pursuant to NELAP, this report may not be reproduced, except in full, without the written approval of the laboratory. All questions regarding this report should be directed to the STL Project Manager who signed this report.

TCEQ Certificate #: T104704185-05-TX