



ARK\_HPCSD\_0000220



# Arkema Harvey Response

Analytical Sampling Results | Solid Bulk / Product & Waste Characterization Samples  
Data received as of 9/13/2017 12:23

Lab Analysis	Analyte	Cas No	Result Units	9/3			9/5			9/6						
				Resident Collected	Resident Collected	Resident Collected	Resident Collected	18425 Ramsey	19179 Ramsey Road	11466_PRR003	11468_PRR001	11468_PRR002	Building 21	Building 2 / pad	Controlled burn site across from Isobutylene tank	Field across from NE evacuation point
<b>Conventional</b>	Corrosivity as pH		su													
	Cyanide Reactivity		mg/kg													
	Ignitability (Flashpoint)		Deg. F													
	pH		su													
		1/9601-23-1														
<b>Metals</b>	Sulfide Reactivity		mg/kg													
	Arsenic	7440-38-2	mg/kg													
	Barium	7440-39-3	mg/kg													
	Cadmium	7440-43-9	mg/kg													
	Chromium	7440-47-3	mg/kg													
	Lead	7439-92-1	mg/kg													
	Mercury	7439-97-6	mg/kg													
	Selenium	7782-49-2	mg/kg													
	Silver	7440-22-4	mg/kg													
<b>Semivolatiles</b>	1-Methylnaphthalene	90-12-0	ug/kg													
	1,2-Dichlorobenzene	95-50-1	ug/kg													
	1,2-Diphenylhydrazine	122-66-7	ug/kg													
	1,2,4-Trichlorobenzene	120-82-1	ug/kg													
	1,3-Dichlorobenzene	541-73-1	ug/kg													
	1,4-Dichlorobenzene	106-46-7	ug/kg													
	2-Chloronaphthalene	91-58-1	ug/kg													
	2-Chlorophenol	95-57-8	ug/kg													
	2-Methylnaphthalene	91-57-6	ug/kg													
	2-Methylphenol	95-48-7	ug/kg													
	2-Nitroaniline	88-74-4	ug/kg													
	2-Nitrophenol	88-75-5	ug/kg													
	2,4-Dichlorophenol	120-83-2	ug/kg													
	2,4-Dimethylphenol	105-67-9	ug/kg													
	2,4-Dinitrophenol	51-28-5	ug/kg													
	2,4-Dinitrotoluene	121-14-2	ug/kg													
	2,4,5-Trichlorophenol	95-95-4	ug/kg													
	2,4,6-Trichlorophenol	88-06-2	ug/kg													
	2,6-Dinitrotoluene	606-20-2	ug/kg													
	3-Nitroaniline	99-09-2	ug/kg													

Results are reported as received from the laboratory and are subject to additional QA/QC measures  
Non-detections are displayed as the Reporting Limit (RL) preceded by "<"  
Sample results with the J qualifier indicate a detection estimated by the laboratory above the Method Detection Limit (MDL) and below the RL

■ Detection  
■ Detection (Lab Estimated)  
■ Non-Detection

# Arkema Harvey Response

Analytical Sampling Results | Solid Bulk / Product & Waste Characterization Samples  
 Data received as of 9/13/2017 12:23

Lab Analysis Semivolatiles	Analyte	Cas No	Result Units	9/3			9/5			9/6							
				Resident Collected	Resident Collected	Resident Collected	Resident Collected	Resident Collected	Pond	Terrain	Terrain	Terrain	Building 21	Building 2 / pad	Control led burn site across from Isobutylene tank	Field across from NE evacuation point	
	3,3'-Dichlorobenzidine	91-94-1	ug/kg	< 4,200	< 5,100	< 85,000	< 1,700	< 4,900	< 4,900								
	3,8,4-Methylphenol	384-Methylphenol	ug/kg	< 770	< 940	< 16,000	< 5,300	< 910	< 910								
	4-Bromophenyl phenyl ether	101-55-3	ug/kg	< 490	< 590	< 10,000	< 3,300	< 200	< 580								
	4-Chloro-3-methyl phenol	59-50-7	ug/kg	< 690	< 840	< 14,000	< 4,700	< 280	< 810								
	4-Chloroaniline	106-47-8	ug/kg	< 770	< 940	< 16,000	< 5,300	< 310	< 910								
	4-Chlorophenyl phenyl ether	7005-72-3	ug/kg	< 670	< 810	< 14,000	< 4,600	< 270	< 790								
	4-Nitroaniline	100-01-6	ug/kg	< 3,800	< 4,600	< 26,000	< 77,000	< 1,500	< 4,400								
	4-Nitrophenol	100-02-7	ug/kg	< 3,000	< 3,600	< 61,000	< 20,000	< 1,200	< 3,400								
	4,6-Dinitro-o-cresol	534-52-1	ug/kg	< 3,100	< 3,800	< 21,000	< 21,000	< 1,300	< 3,700								
	Acenaphthene	83-32-9	ug/kg	< 560	< 680	< 11,000	< 3,800	< 230	< 660								
	Acenaphthylene	208-96-8	ug/kg	< 540	< 660	< 11,000	< 3,700	< 220	< 640								
	Aniline	62-53-3	ug/kg	< 730	< 890	< 15,000	< 5,000	< 300	< 860								
	Anthracene	120-12-7	ug/kg	< 650	< 790	< 13,000	< 4,400	< 260	< 760								
	Benzidine	92-87-5	ug/kg	< 10,000	< 12,000	< 210,000	< 69,000	< 4,200	< 12,000								
	Benzo(a)anthracene	56-55-3	ug/kg	< 3,100	< 3,800	< 65,000	< 22,000	< 1,300	< 3,700								
	Benzo(a)pyrene	50-32-8	ug/kg	< 590	< 710	< 12,000	< 4,000	< 240	< 690								
	Benzo(b)fluoranthene	205-99-2	ug/kg	< 670	< 810	< 14,000	< 4,600	< 270	< 790								
	Benzo(g,h,i)perylene	191-24-2	ug/kg	< 860	< 1,000	< 5,900	< 5,900	< 350	< 1,000								
	Benzo(k)fluoranthene	207-06-9	ug/kg	< 3,500	< 4,200	< 24,000	< 24,000	< 1,400	< 4,100								
	Benzoic acid	65-95-0	ug/kg	< 2,000	< 2,400	< 41,000	< 14,000	< 810	< 2,300								
	Benzyl Alcohol	100-51-6	ug/kg	< 640	< 780	< 13,000	< 4,400	< 260	< 760								
	bis(2-Chloroethoxy)methane	111-91-1	ug/kg	< 780	< 950	< 15,000	< 5,300	< 320	< 920								
	bis(2-Chloroethoxy)ether	111-44-4	ug/kg	< 960	< 1,200	< 6,600	< 6,600	< 390	< 1,100								
	bis(2-Chloroisopropyl)ether	108-60-1	ug/kg	< 560	< 680	< 12,000	< 3,800	< 230	< 660								
	bis(2-Ethylhexyl)phthalate	117-81-7	ug/kg	< 3,300	< 4,000	< 68,000	< 23,000	< 1,400	< 3,900								
	Butyl benzyl phthalate	85-68-7	ug/kg	< 3,100	< 3,800	< 64,000	< 21,000	< 1,300	< 3,700								
	Carbazole	86-74-8	ug/kg	< 570	< 690	< 12,000	< 3,900	< 230	< 670								
	Chrysene	218-01-9	ug/kg	< 3,100	< 3,700	< 63,000	< 21,000	< 1,200	< 3,600								
	Di-n-butyl phthalate	84-74-2	ug/kg	< 3,300	< 4,000	< 68,000	< 23,000	< 1,400	< 3,900								
	Di-n-octyl phthalate	117-84-0	ug/kg	< 3,200	< 3,900	< 66,000	< 22,000	< 1,300	< 3,800								
	Dibenz(o,h)anthracene	53-70-3	ug/kg	< 3,000	< 3,600	< 61,000	< 20,000	< 1,200	< 3,500								
	Dibenzofuran	132-64-9	ug/kg	< 620	< 750	< 13,000	< 4,200	< 250	< 730								
	Diethyl phthalate	84-66-2	ug/kg	< 3,300	< 4,000	< 67,000	< 22,000	< 1,300	< 3,900								
	Dimethyl phthalate	131-11-3	ug/kg	< 640	< 770	< 13,000	< 4,300	< 260	< 750								

Results are reported as received from the laboratory and are subject to additional QA/QC measures  
 Non-detections are displayed as the Reporting Limit (RL) preceded by "<"  
 Sample results with the J qualifier indicate a detection estimated by the laboratory above the Method Detection Limit (MDL) and below the RL

Detection  
 Detection (Lab Estimated)  
 Non-Detection

# Arkema Harvey Response

Analytical Sampling Results | Solid Bulk / Product & Waste Characterization Samples  
Data received as of 9/13/2017 12:23

Lab Analysis Semivolatiles	Analyte	Cas No	Result Units	9/3				9/5		9/6					
				14825 Ramsey Road	18821 Miller Wilson Road	1883/ Sunset Trail	19179 Ramsey Road	18425 Ramsey	Building 21	Building 2/ pad	Controlled burn site across from Isobutylene tank	Field across from NE evacuation point			
				Resident Collected	Resident Collected	Resident Collected	Resident Collected	Pond	Terrain	Terrain	Terrain	Terrain	Terrain	Terrain	Terrain
	Fluoranthene	206-44-0	ug/kg	< 3,000	< 3,600	< 20,000	< 61,000	< 1,200	< 3,500						
	Fluorene	86-73-7	ug/kg	< 660	< 800	< 4,500	< 14,000	< 270	< 780						
	Hexachlorobenzene	118-74-1	ug/kg	< 560	< 680	< 3,800	< 11,000	< 230	< 660						
	Hexachlorobutadiene	87-68-3	ug/kg	< 530	< 650	< 3,600	< 11,000	< 220	< 630						
	Hexachlorocyclopentadiene	77-47-4	ug/kg	< 3,500	< 4,300	< 24,000	< 73,000	< 1,400	< 4,200						
	Hexachloroethane	6772-1	ug/kg	< 740	< 900	< 5,000	< 15,000	< 300	< 870						
	Indeno(1,2,3-cd)pyrene	193-39-5	ug/kg	< 1,000	< 1,200	< 6,900	< 21,000	< 410	< 1,200						
	Isophorone	78-59-1	ug/kg	< 540	< 670	< 3,700	< 11,000	< 220	< 650						
	N-Nitroso-di-n-propylamine	621-64-7	ug/kg	< 800	< 970	< 5,500	< 16,000	< 330	< 950						
	n-Nitrosodimethylamine	6275-9	ug/kg	< 720	< 870	< 4,900	< 15,000	< 290	< 850						
	N-Nitrosodiphenylamine	86-30-6	ug/kg	< 3,800	< 4,600	< 26,000	< 78,000	< 1,600	< 4,500						
	Naphthalene	91-20-3	ug/kg	< 530	< 640	< 3,600	< 11,000	< 220	< 620						
	Nitrobenzene	98-95-3	ug/kg	< 500	< 610	< 3,400	< 10,000	< 210	< 590						
	Pentachloropheno	87-96-5	ug/kg	< 3,000	< 3,700	< 21,000	< 62,000	< 1,200	< 3,600						
	Phenanthrene	85-01-8	ug/kg	< 530	< 650	< 3,600	< 11,000	< 220	< 630						
	Phenol	108-95-2	ug/kg	< 680	< 830	< 4,700	< 14,000	< 280	< 810						
	Pyrene	129-00-0	ug/kg	< 3,300	< 4,000	< 23,000	< 68,000	< 1,300	< 3,900						
	Pyridine	110-86-1	ug/kg	< 980	< 1,200	< 6,700	< 20,000	< 400	< 1,200						
Volatiles	1,1-Dichloroethane	75-34-3	ug/kg	< 1,400	< 1,400	< 1,500	< 1,400	< 140	< 710						
	1,1-Dichloroethylene	75-35-4	ug/kg	< 1,200	< 1,200	< 1,200	< 1,200	< 120	< 590						
	1,1-Dichloropropene	563-58-6	ug/kg	< 1,300	< 1,300	< 1,300	< 1,300	< 130	< 640						
	1,1,1-Trichloroethane	71-55-6	ug/kg	< 1,300	< 1,300	< 1,300	< 1,300	< 130	< 640						
	1,1,1,2-Tetrachloroethane	630-20-6	ug/kg	< 1,800	< 1,800	< 1,800	< 1,800	< 180	< 900						
	1,1,2-Trichloroethane	79-00-5	ug/kg	< 1,900	< 1,900	< 2,000	< 1,900	< 190	< 970						
	1,1,2,2-Tetrachloroethane	79-34-5	ug/kg	< 2,000	< 2,000	< 2,000	< 2,000	< 200	< 990						
	1,2-Dibromo-3-chloropropane	96-12-8	ug/kg	< 2,300	< 2,300	< 2,300	< 2,300	< 230	< 1,100						
	1,2-Dibromoethane	106-93-4	ug/kg	< 1,800	< 1,800	< 1,900	< 1,800	< 180	< 920						
	1,2-Dichloroethane	107-06-2	ug/kg	< 1,700	< 1,700	< 1,800	< 1,700	< 170	< 870						
	1,2-Dichloropropane	78-87-5	ug/kg	< 1,700	< 1,700	< 1,700	< 1,700	< 170	< 850						
	1,2,3-Trichlorobenzene	87-61-6	ug/kg	< 1,800	< 1,800	< 1,800	< 1,800	< 180	< 920						
	1,2,3-Trichloropropane	96-18-4	ug/kg	< 2,400	< 2,400	< 2,500	< 2,400	< 240	< 1,200						
	1,2,4-Trichlorobenzene	120-82-1	ug/kg	< 1,500	< 1,500	< 1,500	< 1,500	< 150	< 770						
	1,2,4-Trimethylbenzene	95-63-6	ug/kg	< 1,500	< 1,500	< 1,600	< 1,500	< 150	< 760						
	1,3-Dichloropropane	142-28-9	ug/kg	< 1,700	< 1,700	< 1,800	< 1,700	< 170	< 870						

Results are reported as received from the laboratory and are subject to additional QA/QC measures. Non-detections are displayed as the Reporting Limit (RL) preceded by "<"

Sample results with the J qualifier indicate a detection estimated by the laboratory above the Method Detection Limit (MDL) and below the RL.

■ Detection  
■ Detection (Lab Estimated)  
■ Non-Detection

# Arkema Harvey Response

Analytical Sampling Results | Solid Bulk / Product & Waste Characterization Samples  
Data received as of 9/13/2017 12:23

Lab Analysis	Analyte	Cas No	Result Units	9/3				9/5				9/6				
				Resident Collected	Resident Collected	Resident Collected	Resident Collected	Resident Collected	Pond	Terrain	Building 21	Building 2 / pad	Controlled burn site across from Isobutylene tank	Field across from NE evacuation point		
Volatiles	1,3,5-Trimethylbenzene	108-67-8	ug/kg	<1,700	<1,700	<1,700	<1,700	<1,700	<1,700	<1,700	<1,700	<1,700	<1,700	<1,700	<1,700	<1,700
	2-Hexanone	581-78-6	ug/kg	<9,700	<9,700	<9,700	<9,900	<9,700	<9,700	<9,700	<9,700	<9,700	<9,700	<9,700	<9,700	<9,700
	2,2-Dichloropropane	594-20-7	ug/kg	<1,200	<1,200	<1,200	<1,200	<1,200	<1,200	<1,200	<1,200	<1,200	<1,200	<1,200	<1,200	<1,200
	4-Methyl-2-pentanone	108-10-1	ug/kg	<11,000	<11,000	<11,000	<11,000	<11,000	<11,000	<11,000	<11,000	<11,000	<11,000	<11,000	<11,000	<11,000
	Acetone	67-64-1	ug/kg	<13,000	<13,000	<13,000	<13,000	<13,000	<13,000	<13,000	<13,000	<13,000	<13,000	<13,000	<13,000	<13,000
	Benzene	71-43-2	ug/kg	<b>8,630</b>	<1,300	<1,300	<b>2,230.J</b>	<b>1,400.J</b>	<1,300	<1,300	<1,300	<1,300	<1,300	<1,300	<1,300	<1,300
	Bromobenzene	108-96-1	ug/kg	<1,900	<1,900	<1,900	<1,900	<1,900	<1,900	<1,900	<1,900	<1,900	<1,900	<1,900	<1,900	<1,900
	Bromochloromethane	74-97-5	ug/kg	<1,900	<1,900	<1,900	<1,900	<1,900	<1,900	<1,900	<1,900	<1,900	<1,900	<1,900	<1,900	<1,900
	Bromodichloromethane	75-27-4	ug/kg	<1,800	<1,800	<1,800	<1,800	<1,800	<1,800	<1,800	<1,800	<1,800	<1,800	<1,800	<1,800	<1,800
	Bromoform	75-25-2	ug/kg	<2,000	<2,000	<2,000	<2,000	<2,000	<2,000	<2,000	<2,000	<2,000	<2,000	<2,000	<2,000	<2,000
	Carbon disulfide	75-15-0	ug/kg	<1,500	<1,500	<1,500	<1,500	<1,500	<1,500	<1,500	<1,500	<1,500	<1,500	<1,500	<1,500	<1,500
	Carbon tetrachloride	56-23-5	ug/kg	<1,200	<1,200	<1,200	<1,200	<1,200	<1,200	<1,200	<1,200	<1,200	<1,200	<1,200	<1,200	<1,200
	Chlorobenzene	108-90-7	ug/kg	<1,500	<1,500	<1,500	<1,600	<1,500	<1,500	<1,500	<1,500	<1,500	<1,500	<1,500	<1,500	<1,500
	Chloroethane	75-00-3	ug/kg	<2,000	<2,000	<2,000	<2,100	<2,000	<2,000	<2,000	<2,100	<2,000	<2,000	<2,000	<2,000	<2,000
	Chloroform	67-66-3	ug/kg	<1,300	<1,300	<1,300	<1,300	<1,300	<1,300	<1,300	<1,300	<1,300	<1,300	<1,300	<1,300	<1,300
	cis-1,2-Dichloroethylene	156-59-2	ug/kg	<1,500	<1,500	<1,500	<1,500	<1,500	<1,500	<1,500	<1,500	<1,500	<1,500	<1,500	<1,500	<1,500
	cis-1,3-Dichloropropene	10061-01-5	ug/kg	<1,600	<1,600	<1,600	<1,700	<1,600	<1,600	<1,700	<1,600	<1,700	<1,600	<1,700	<1,600	<1,600
	Dibromochloromethane	124-48-1	ug/kg	<2,000	<2,000	<2,000	<2,000	<2,000	<2,000	<2,000	<2,000	<2,000	<2,000	<2,000	<2,000	<2,000
	Dichlorodifluoromethane	75-71-8	ug/kg	<2,300	<2,300	<2,300	<2,400	<2,300	<2,300	<2,400	<2,300	<2,400	<2,300	<2,400	<2,300	<2,300
	Ethylbenzene	100-41-4	ug/kg	<1,600	<1,600	<1,600	<1,600	<1,600	<1,600	<1,600	<1,600	<1,600	<1,600	<1,600	<1,600	<1,600
	Hexachlorobutadiene	87-68-3	ug/kg	<1,600	<1,600	<1,600	<1,700	<1,600	<1,600	<1,700	<1,600	<1,700	<1,600	<1,700	<1,600	<1,600
	Isopropylbenzene	98-82-8	ug/kg	<1,500	<1,500	<1,500	<1,500	<1,500	<1,500	<1,500	<1,500	<1,500	<1,500	<1,500	<1,500	<1,500
	m-Dichlorobenzene	541-73-1	ug/kg	<2,000	<2,000	<2,000	<2,000	<2,000	<2,000	<2,000	<2,000	<2,000	<2,000	<2,000	<2,000	<2,000
	m,p-Xylene	179601-23-1	ug/kg	<3,200	<3,200	<3,200	<3,300	<3,200	<3,200	<3,300	<3,200	<3,300	<3,200	<3,300	<3,200	<3,200
	Methyl bromide	74-83-9	ug/kg	<1,500	<1,500	<1,500	<1,500	<1,500	<1,500	<1,500	<1,500	<1,500	<1,500	<1,500	<1,500	<1,500
	Methyl chloride	74-87-3	ug/kg	<9/0	<9/0	<9/0	<9/0	<9/0	<9/0	<9/0	<9/0	<9/0	<9/0	<9/0	<9/0	<9/0
	Methyl ethyl ketone	78-93-3	ug/kg	<9,800	<9,800	<9,800	<10,000	<9,800	<9,800	<10,000	<9,800	<9,800	<10,000	<9,800	<9,800	<9,800
	Methyl Tert-Butyl Ether	1634-04-4	ug/kg	<1,500	<1,500	<1,500	<1,600	<1,500	<1,500	<1,600	<1,500	<1,600	<1,500	<1,600	<1,500	<1,500
	Methylene bromide	74-95-3	ug/kg	<1,700	<1,700	<1,700	<1,700	<1,700	<1,700	<1,700	<1,700	<1,700	<1,700	<1,700	<1,700	<1,700
	Methylene chloride	75-09-2	ug/kg	<b>32,500</b>	<b>21,500</b>	<b>21,500</b>	<2,500	<2,500	<2,500	<2,500	<2,500	<2,500	<2,500	<2,500	<2,500	<2,500
	n-Butylbenzene	104-51-8	ug/kg	<1,600	<1,600	<1,600	<1,700	<1,600	<1,600	<1,700	<1,600	<1,600	<1,700	<1,600	<1,600	<1,600
	n-Propylbenzene	103-65-1	ug/kg	<1,600	<1,600	<1,600	<1,600	<1,600	<1,600	<1,600	<1,600	<1,600	<1,600	<1,600	<1,600	<1,600
	Naphthalene	91-20-3	ug/kg	<1,700	<1,700	<1,700	<1,800	<1,700	<1,700	<1,800	<1,700	<1,800	<1,700	<1,800	<1,700	<1,700
	o-Chlorotoluene	95-49-8	ug/kg	<1,700	<1,700	<1,700	<1,800	<1,700	<1,700	<1,800	<1,700	<1,800	<1,700	<1,800	<1,700	<1,700

Results are reported as received from the laboratory and are subject to additional QA/QC measures.  
Non-detections are displayed as the Reporting Limit (RL) preceded by "<"  
Sample results with the J qualifier indicate a detection estimated by the laboratory above the Method Detection Limit (MDL) and below the RL

■ Detection  
■ Detection (Lab Estimated)  
■ Non-Detection



# Arkema Harvey Response

Analytical Sampling Results | Solid Bulk / Product & Waste Characterization Samples  
 Data received as of 9/13/2017 12:23

Lab Analysis	Analyte	Cas No	Result Units	9/3			9/5			9/6		
				Resident Collected	Resident Collected	Resident Collected	Resident Collected	Pond	Terrain	Terrain	Building 21	Building 2 / pad
Volatiles	o-Dichlorobenzene	95-50-1	ug/kg	<1,900	<1,900	<1,900	<1,900	<190	<950	<1,900	<1,900	<1,900
	m-Xylene	95-47-6	ug/kg	<1,800	<1,800	<1,800	<1,800	<180	<880	<1,800	<1,800	<1,700
	p-Chlorotoluene	106-43-4	ug/kg	<1,700	<1,700	<1,800	<1,700	<170	<860	<1,700	<1,700	<1,700
	p-Dichlorobenzene	106-46-7	ug/kg	<1,900	<1,900	<1,900	<1,900	<190	<930	<1,900	<1,900	<1,900
	p-Isopropyltoluene	99-87-6	ug/kg	<1,200	<1,200	24,400	1,880, J	<120	<610	<1,200	<1,200	<1,200
	sec-Butylbenzene	135-98-8	ug/kg	<1,400	<1,400	<1,400	<1,400	<140	<700	<1,400	<1,400	<1,300
	Styrene	100-42-5	ug/kg	<1,800	<1,800	<1,900	<1,800	<180	<920	<1,800	<1,800	<1,800
	tert-Butylbenzene	98-06-6	ug/kg	<1,500	<1,500	<1,500	<1,500	<150	<750	<1,500	<1,500	<1,500
	Tetrachloroethylene	127-18-4	ug/kg	<1,300	<1,300	<1,400	<1,300	<130	<660	<1,300	<1,300	<1,300
	Toluene	108-88-3	ug/kg	<1,500	<1,500	<1,500	<1,500	<150	<740	<1,500	<1,500	<1,400
	trans-1,2-Dichloroethylene	156-60-5	ug/kg	<1,400	<1,400	<1,400	<1,400	<140	<680	<1,400	<1,400	<1,300
	trans-1,3-Dichloropropene	10061-02-6	ug/kg	<1,700	<1,700	<1,700	<1,700	<170	<830	<1,700	<1,700	<1,600
	Trichloroethylene	79-01-6	ug/kg	<1,300	<1,300	<1,300	<1,300	<130	<660	<1,300	<1,300	<1,300
	Trichlorofluoromethane	75-69-4	ug/kg	<2,700	<2,700	<2,800	<2,700	<270	<1,400	<2,700	<2,700	<2,600
Vinyl chloride	75-01-4	ug/kg	<1,800	<1,800	<1,800	<1,800	<180	<890	<1,800	<1,800	<1,700	
Xylenes (total)	1330-20-7	ug/kg	<1,800	<1,800	<1,800	<1,800	<180	<880	<1,800	<1,800	<1,700	

Results are reported as received from the laboratory and are subject to additional OACG measures  
 Non-detections are displayed as the Reporting Limit (RL) preceded by "<"  
 Sample results with the J qualifier indicate a detection estimated by the laboratory above the Method Detection Limit (MDL) and below the RL

- Detection
- Detection (Lab Estimated)
- Non-Detection