Freshy	water Stream	San Anton	io River Basin Total siz	e:	32	Miles	
Assessment Year	Assessment Method	Status of Use Support or Concern	Location	Location size	# of samples	# of exceedances	Mean
Aquatic Life U	Use						
2002	Dissolved Oxygen grab average	Use Concern	From 2 miles upstream of Hwy 353 to Hwy 90	7	12	3	
2002	Dissolved Oxygen grab average	Not Assessed	From 3 miles upstream lower end of segment to confluence with Indian Creek	3	8	0	
2002	Dissolved Oxygen grab average	No Concern	From Hwy 353 to two miles upstream	2	15	0	
2002	Dissolved Oxygen grab average	Not Assessed	From confluence with Indian Creek to Hwy 353	6	9	1	
2002	Dissolved Oxygen grab average	No Concern	Lower 3 miles of segment	3	15	0	
2002	Dissolved Oxygen grab average	No Concern	Remainder of segment	11	13	1	
2002	Dissolved Oxygen grab minimum	Fully Supporting	From 2 miles upstream of Hwy 353 to Hwy 90	7	12	1	
2002	Dissolved Oxygen grab minimum	No Concern-Limited Data	From 3 miles upstream lower end of segment to confluence with Indian Creek	3	8	0	
2002	Dissolved Oxygen grab minimum	Fully Supporting	From Hwy 353 to two miles upstream	2	15	0	
2002	Dissolved Oxygen grab minimum	No Concern-Limited Data	From confluence with Indian Creek to Hwy 353	6	9	0	
2002	Dissolved Oxygen grab minimum	Fully Supporting	Lower 3 miles of segment	3	15	0	
2002	Dissolved Oxygen grab minimum	Fully Supporting	Remainder of segment	11	13	0	
2002	Dissolved Oxygen 24hr average	Not Assessed	From 2 miles upstream of Hwy 353 to Hwy 90	7	0		
2002	Dissolved Oxygen 24hr average	Not Assessed	From 3 miles upstream lower end of segment to confluence with Indian Creek	3	0		
2002	Dissolved Oxygen 24hr average	Not Assessed	From Hwy 353 to two miles upstream	2	0		
2002	Dissolved Oxygen 24hr average	Not Assessed	From confluence with Indian Creek to Hwy 353	6	0		
2002	Dissolved Oxygen 24hr average	Not Assessed	Lower 3 miles of segment	3	0		
2002	Dissolved Oxygen 24hr average	Not Assessed	Remainder of segment	11	0		
2002	Dissolved Oxygen 24hr minimum	Not Assessed	From 2 miles upstream of Hwy 353 to Hwy 90	7	0		
2002	Dissolved Oxygen 24hr minimum	Not Assessed	From 3 miles upstream lower end of segment to confluence with Indian Creek	3	0		
2002	Dissolved Oxygen 24hr minimum	Not Assessed	From Hwy 353 to two miles upstream	2	0		1

Freshv	water Stream	San Anton	io River Basin Total size	e:	32	Miles	
Assessment Year	Assessment Method	Status of Use Support or Concern	Location	Location size	# of samples	# of exceedances	Mean
Aquatic Life U	Use (continued)						
2002	Dissolved Oxygen 24hr minimum	Not Assessed	From confluence with Indian Creek to Hwy 353	6	0		
2002	Dissolved Oxygen 24hr minimum	Not Assessed	Lower 3 miles of segment	3	0		
2002	Dissolved Oxygen 24hr minimum	Not Assessed	Remainder of segment	11	0		
2002	Acute Metals in water	Fully Supporting	From 2 miles upstream of Hwy 353 to Hwy 90	7	12	0	
2002	Acute Metals in water	Not Assessed	From 3 miles upstream lower end of segment to confluence with Indian Creek	3	2		
2002	Acute Metals in water	Not Assessed	From Hwy 353 to two miles upstream	2	2		
2002	Acute Metals in water	Fully Supporting	From confluence with Indian Creek to Hwy 353	6	14	0	
2002	Acute Metals in water	Not Assessed	Lower 3 miles of segment	3	1		
2002	Acute Metals in water	Not Assessed	Remainder of segment	11	1		
2002	Chronic Metals in water	Fully Supporting	From 2 miles upstream of Hwy 353 to Hwy 90	7	12		
2002	Chronic Metals in water	Not Assessed	From 3 miles upstream lower end of segment to confluence with Indian Creek	3	2		
2002	Chronic Metals in water	Not Assessed	From Hwy 353 to two miles upstream	2	2		
2002	Chronic Metals in water	Fully Supporting	From confluence with Indian Creek to Hwy 353	6	14		
2002	Chronic Metals in water	Not Assessed	Lower 3 miles of segment	3	1		
2002	Chronic Metals in water	Not Assessed	Remainder of segment	11	1		
2002	Acute Organics in water	Not Assessed	From 2 miles upstream of Hwy 353 to Hwy 90	7	2		
2002	Chronic Organics in water	Not Assessed	From 2 miles upstream of Hwy 353 to Hwy 90	7	2		
2002	Chronic Toxicity tests in water	No Concern-Limited Data	From 2 miles upstream of Hwy 353 to Hwy 90	7	8	0	
2002	Chronic Toxicity tests in water	Not Assessed	From confluence with Indian Creek to Hwy 353	6	2	0	
2002	Chronic Toxicity tests in sediment	No Concern-Limited Data	From 2 miles upstream of Hwy 353 to Hwy 90	7	6	0	

Freshy	water Stream	San Anton	io River Basin	Total size:		32	Miles	
Assessment Year	Assessment Method	Status of Use Support or Concern	Location		Location size	# of samples	# of exceedances	Mea
quatic Life U	Use (continued)							
2002	Chronic Toxicity tests in sediment	Not Assessed	From confluence with Indian Creek to Hv	vy 353	6	2	0	
2002	Overall Aquatic Life Use	Fully Supporting	From 2 miles upstream of Hwy 353 to Hw	ry 90	7			
2002	Overall Aquatic Life Use	Not Assessed	From 3 miles upstream lower end of segn confluence with Indian Creek	nent to	3			
2002	Overall Aquatic Life Use	Fully Supporting	From Hwy 353 to two miles upstream		2			
2002	Overall Aquatic Life Use	Fully Supporting	From confluence with Indian Creek to Hy	vy 353	6			
2002	Overall Aquatic Life Use	Fully Supporting	Lower 3 miles of segment		3			
2002	Overall Aquatic Life Use	Fully Supporting	Remainder of segment		11			
ntact Recro	eation Use							
2002	E. coli single sample	Not Assessed	From 2 miles upstream of Hwy 353 to Hw	y 90	7	1		
2002	E. coli single sample	Not Assessed	From 3 miles upstream lower end of segn confluence with Indian Creek	nent to	3	3	0	
2002	E. coli single sample	No Concern-Limited Data	From Hwy 353 to two miles upstream		2	4	0	
2002	E. coli single sample	Not Assessed	From confluence with Indian Creek to Hy	vy 353	6	0		
2002	E. coli single sample	Fully Supporting	Lower 3 miles of segment		3	10	1	
2002	E. coli single sample	Not Assessed	Remainder of segment		11	1		
2002	E. coli geometric mean	Not Assessed	From 2 miles upstream of Hwy 353 to Hw	y 90	7	1		
2002	E. coli geometric mean	Not Assessed	From 3 miles upstream lower end of segn confluence with Indian Creek	nent to	3	3		
2002	E. coli geometric mean	No Concern-Limited Data	From Hwy 353 to two miles upstream		2	4		86
2002	E. coli geometric mean	Not Assessed	From confluence with Indian Creek to Hy	vy 353	6	0		
2002	E. coli geometric mean	Fully Supporting	Lower 3 miles of segment		3	10		90
2002	E. coli geometric mean	Not Assessed	Remainder of segment		11	1		

Freshv	vater Stream	San Anton	io River Basin Total si	ze:	32	Miles	
Assessment Year	Assessment Method	Status of Use Support or Concern	Location	Location size	# of samples	# of exceedances	Mea
ontact Recre	eation Use (continued)						
2002	Fecal coliform single sample	Not Supporting	From 2 miles upstream of Hwy 353 to Hwy 90	7	13	6	
2002	Fecal coliform single sample	No Concern-Limited Data	From 3 miles upstream lower end of segment to confluence with Indian Creek	3	8	1	
2002	Fecal coliform single sample	Fully Supporting	From Hwy 353 to two miles upstream	2	13	0	
2002	Fecal coliform single sample	No Concern-Limited Data	From confluence with Indian Creek to Hwy 353	6	8	1	
2002	Fecal coliform single sample	Fully Supporting	Lower 3 miles of segment	3	12	3	
2002	Fecal coliform single sample	Not Assessed	Remainder of segment	11	1		
2002	Fecal coliform geometric mean	Not Supporting	From 2 miles upstream of Hwy 353 to Hwy 90	7	13		21
2002	Fecal coliform geometric mean	Use Concern-Limited Data	From 3 miles upstream lower end of segment to confluence with Indian Creek	3	8		20
2002	Fecal coliform geometric mean	Fully Supporting	From Hwy 353 to two miles upstream	2	13		12
2002	Fecal coliform geometric mean	Use Concern-Limited Data	From confluence with Indian Creek to Hwy 353	6	8		24
2002	Fecal coliform geometric mean	Fully Supporting	Lower 3 miles of segment	3	12		16
2002	Fecal coliform geometric mean	Not Assessed	Remainder of segment	11	1		
2002	Overall Recreation Use	Not Supporting	From 2 miles upstream of Hwy 353 to Hwy 90	7			
2002	Overall Recreation Use	Not Assessed	From 3 miles upstream lower end of segment to confluence with Indian Creek	3			
2002	Overall Recreation Use	Fully Supporting	From Hwy 353 to two miles upstream	2			
2002	Overall Recreation Use	Not Assessed	From confluence with Indian Creek to Hwy 353	6			
2002	Overall Recreation Use	Fully Supporting	Lower 3 miles of segment	3			
2002	Overall Recreation Use	Not Assessed	Remainder of segment	11			
eneral Use							
2002	Water Temperature	Fully Supporting	From 2 miles upstream of Hwy 353 to Hwy 90	7	16	0	

Freshy	vater Stream	San Anton	io River Basin Total s	ize:	32	Miles	
Assessment Year	Assessment Method	Status of Use Support or Concern	Location	Location size	# of samples	# of exceedances	Mean
General Use	(continued)						
2002	Water Temperature	Fully Supporting	From 3 miles upstream lower end of segment to confluence with Indian Creek	3	16	0	
2002	Water Temperature	Fully Supporting	From Hwy 353 to two miles upstream	2	16	0	
2002	Water Temperature	No Concern-Limited Data	From confluence with Indian Creek to Hwy 353	6	9	0	
2002	Water Temperature	Fully Supporting	Lower 3 miles of segment	3	16	0	
2002	Water Temperature	Fully Supporting	Remainder of segment	11	13	0	
2002	рН	Fully Supporting	From 2 miles upstream of Hwy 353 to Hwy 90	7	16	0	
2002	pH	Fully Supporting	From 3 miles upstream lower end of segment to confluence with Indian Creek	3	11	0	
2002	pH	Fully Supporting	From Hwy 353 to two miles upstream	2	10	0	
2002	pH	Fully Supporting	From confluence with Indian Creek to Hwy 353	6	10	0	
2002	pH	Fully Supporting	Lower 3 miles of segment	3	13	0	
2002	рН	No Concern-Limited Data	Remainder of segment	11	9	0	
2002	Chloride	Fully Supporting	From 2 miles upstream of Hwy 353 to Hwy 90	7	88		61
2002	Chloride	Fully Supporting	From 3 miles upstream lower end of segment to confluence with Indian Creek	3	88		61
2002	Chloride	Fully Supporting	From Hwy 353 to two miles upstream	2	88		61
2002	Chloride	Fully Supporting	From confluence with Indian Creek to Hwy 353	6	88		61
2002	Chloride	Fully Supporting	Lower 3 miles of segment	3	88		61
2002	Chloride	Fully Supporting	Remainder of segment	11	88		61
2002	Sulfate	Fully Supporting	From 2 miles upstream of Hwy 353 to Hwy 90	7	88		75.7
2002	Sulfate	Fully Supporting	From 3 miles upstream lower end of segment to confluence with Indian Creek	3	88		75.7
2002	Sulfate	Fully Supporting	From Hwy 353 to two miles upstream	2	88		75.7

Freshy	vater Stream	San Anton	io River Basin Total si	ze:	32	Miles	
Assessment Year	Assessment Method	Status of Use Support or Concern	Location	Location size	# of samples	# of exceedances	Mean
General Use	(continued)						
2002	Sulfate	Fully Supporting	From confluence with Indian Creek to Hwy 353	6	88		75.7
2002	Sulfate	Fully Supporting	Lower 3 miles of segment	3	88		75.7
2002	Sulfate	Fully Supporting	Remainder of segment	11	88		75.7
2002	Total Dissolved Solids	Fully Supporting	From 2 miles upstream of Hwy 353 to Hwy 90	7	98		504.3
2002	Total Dissolved Solids	Fully Supporting	From 3 miles upstream lower end of segment to confluence with Indian Creek	3	98		504.3
2002	Total Dissolved Solids	Fully Supporting	From Hwy 353 to two miles upstream	2	98		504.3
2002	Total Dissolved Solids	Fully Supporting	From confluence with Indian Creek to Hwy 353	6	98		504.3
2002	Total Dissolved Solids	Fully Supporting	Lower 3 miles of segment	3	98		504.3
2002	Total Dissolved Solids	Fully Supporting	Remainder of segment	11	98		504.3
2002	Overall General Use	Fully Supporting	From 2 miles upstream of Hwy 353 to Hwy 90	7			
2002	Overall General Use	Fully Supporting	From 3 miles upstream lower end of segment to confluence with Indian Creek	3			
2002	Overall General Use	Fully Supporting	From Hwy 353 to two miles upstream	2			
2002	Overall General Use	Fully Supporting	From confluence with Indian Creek to Hwy 353	6			
2002	Overall General Use	Fully Supporting	Lower 3 miles of segment	3			
2002	Overall General Use	Fully Supporting	Remainder of segment	11			
Fish Consump	tion Use						
2002	Human Health Criteria	Not Assessed	From Hwy 353 to two miles upstream	2	2		
2002	Human Health Criteria Metals	Fully Supporting	From 2 miles upstream of Hwy 353 to Hwy 90	7	12		
2002	Human Health Criteria Metals	Not Assessed	From 3 miles upstream lower end of segment to confluence with Indian Creek	3	2		
2002	Human Health Criteria Metals	Fully Supporting	From confluence with Indian Creek to Hwy 353	6	13		
2002	Human Health Criteria Metals	Not Assessed	Lower 3 miles of segment	3	1		
2002	Human Health Criteria Metals	Not Assessed	Remainder of segment	11	1		

Freshv	vater Stream	San Anton	io River Basin Total si	ze:	32	Miles	
Assessment Year	Assessment Method	Status of Use Support or Concern	Location	Location size	# of samples	# of exceedances	Mean
Fish Consump	tion Use (continued)						
2002	Human Health Criteria Organics	Not Assessed	From 2 miles upstream of Hwy 353 to Hwy 90	7	2		
2002	Overall Fish Consumption Use	Fully Supporting	From 2 miles upstream of Hwy 353 to Hwy 90	7			
2002	Overall Fish Consumption Use	Not Assessed	From 3 miles upstream lower end of segment to confluence with Indian Creek	3			
2002	Overall Fish Consumption Use	Not Assessed	From Hwy 353 to two miles upstream	2			
2002	Overall Fish Consumption Use	Fully Supporting	From confluence with Indian Creek to Hwy 353	6			
2002	Overall Fish Consumption Use	Not Assessed	Lower 3 miles of segment	3			
2002	Overall Fish Consumption Use	Not Assessed	Remainder of segment	11			
Public Water S	Supply Use						
2002	Finished Water: Running Avg	Fully Supporting	From 2 miles upstream of Hwy 353 to Hwy 90	7			
2002	Finished Water: Running Avg	Fully Supporting	From 3 miles upstream lower end of segment to confluence with Indian Creek	3			
2002	Finished Water: Running Avg	Fully Supporting	From Hwy 353 to two miles upstream	2			
2002	Finished Water: Running Avg	Fully Supporting	From confluence with Indian Creek to Hwy 353	6			
2002	Finished Water: Running Avg	Fully Supporting	Lower 3 miles of segment	3			
2002	Finished Water: Running Avg	Fully Supporting	Remainder of segment	11			
2002	Surface Water: Long-term average Metals	Fully Supporting	From confluence with Indian Creek to Hwy 353	6	13		
2002	Surface Water: Long-term average Metals	Not Assessed	Lower 3 miles of segment	3	1		
2002	Surface Water: Long-term average Metals	Not Assessed	Remainder of segment	11	1		
2002	Surface Water: Long-term average Nitrate+Nitrite Nitrogen	Fully Supporting	From 2 miles upstream of Hwy 353 to Hwy 90	7	19		1.3
2002	Surface Water: Long-term average Nitrate+Nitrite Nitrogen	Fully Supporting	From 3 miles upstream lower end of segment to confluence with Indian Creek	3	11		1.1

Freshy	water Stream	San Anton	io River Basin Total	size:	32	Miles	
Assessment Year	Assessment Method	Status of Use Support or Concern	Location	Location size	# of samples	# of exceedances	Mean
Public Water	Supply Use (continued)						
2002	Surface Water: Long-term average Nitrate+Nitrite Nitrogen	Fully Supporting	From Hwy 353 to two miles upstream	2	12		0.79
2002	Surface Water: Long-term average Nitrate+Nitrite Nitrogen	Fully Supporting	From confluence with Indian Creek to Hwy 353	6	17		0.91
2002	Surface Water: Long-term average Nitrate+Nitrite Nitrogen	Fully Supporting	Lower 3 miles of segment	3	13		2.1
2002	Surface Water: Long-term average Nitrate+Nitrite Nitrogen	Fully Supporting	Remainder of segment	11	11		0.65
2002	Surface Water: Running average Metals	Fully Supporting	From confluence with Indian Creek to Hwy 353	6	13	0	
2002	Surface Water: Running average Nitrate+Nitrite Nitrogen	Fully Supporting	From 2 miles upstream of Hwy 353 to Hwy 90	7	19	0	
2002	Surface Water: Running average Nitrate+Nitrite Nitrogen	Fully Supporting	From 3 miles upstream lower end of segment to confluence with Indian Creek	3	11	0	
2002	Surface Water: Running average Nitrate+Nitrite Nitrogen	Fully Supporting	From Hwy 353 to two miles upstream	2	12	0	
2002	Surface Water: Running average Nitrate+Nitrite Nitrogen	Fully Supporting	From confluence with Indian Creek to Hwy 353	6	17	0	
2002	Surface Water: Running average Nitrate+Nitrite Nitrogen	Fully Supporting	Lower 3 miles of segment	3	13	0	
2002	Surface Water: Running average Nitrate+Nitrite Nitrogen	Fully Supporting	Remainder of segment	11	11	0	
2002	Overall Public Water Supply Use	Fully Supporting	From 2 miles upstream of Hwy 353 to Hwy 90	7			
2002	Overall Public Water Supply Use	Fully Supporting	From 3 miles upstream lower end of segment to confluence with Indian Creek	3			
2002	Overall Public Water Supply Use	Fully Supporting	From Hwy 353 to two miles upstream	2			
2002	Overall Public Water Supply Use	Fully Supporting	From confluence with Indian Creek to Hwy 353	6			
2002	Overall Public Water Supply Use	Fully Supporting	Lower 3 miles of segment	3			
2002	Overall Public Water Supply Use	Fully Supporting	Remainder of segment	11			

Freshv	vater Stream	San Anton	io River Basin Total siz	e:	32	Miles	
Assessment Year	Assessment Method	Status of Use Support or Concern	Location	Location size	# of samples	# of exceedances	Mean
Overall Use Su	ipport						
2002		Not Supporting	From 2 miles upstream of Hwy 353 to Hwy 90	7			
2002		Fully Supporting	From 3 miles upstream lower end of segment to confluence with Indian Creek	3			
2002		Fully Supporting	From Hwy 353 to two miles upstream	2			
2002		Fully Supporting	From confluence with Indian Creek to Hwy 353	6			
2002		Fully Supporting	Lower 3 miles of segment	3			
2002		Fully Supporting	Remainder of segment	11			
Nutrient Enric	hment Concern			•			
2002	Ammonia Nitrogen	No Concern	From 2 miles upstream of Hwy 353 to Hwy 90	7	18	2	
2002	Ammonia Nitrogen	No Concern	From 3 miles upstream lower end of segment to confluence with Indian Creek	3	12	0	
2002	Ammonia Nitrogen	No Concern	From Hwy 353 to two miles upstream	2	13	0	
2002	Ammonia Nitrogen	No Concern	From confluence with Indian Creek to Hwy 353	6	16	0	
2002	Ammonia Nitrogen	No Concern	Lower 3 miles of segment	3	11	0	
2002	Ammonia Nitrogen	No Concern	Remainder of segment	11	12	0	
2002	Nitrite + Nitrate Nitrogen	No Concern	From 2 miles upstream of Hwy 353 to Hwy 90	7	19	2	
2002	Nitrite + Nitrate Nitrogen	No Concern	From 3 miles upstream lower end of segment to confluence with Indian Creek	3	11	0	
2002	Nitrite + Nitrate Nitrogen	No Concern	From Hwy 353 to two miles upstream	2	12	0	
2002	Nitrite + Nitrate Nitrogen	No Concern	From confluence with Indian Creek to Hwy 353	6	17	0	
2002	Nitrite + Nitrate Nitrogen	No Concern	Lower 3 miles of segment	3	13	2	
2002	Nitrite + Nitrate Nitrogen	No Concern	Remainder of segment	11	11	0	
2002	Orthophosphorus	No Concern	From 2 miles upstream of Hwy 353 to Hwy 90	7	18	0	
2002	Orthophosphorus	No Concern	From 3 miles upstream lower end of segment to confluence with Indian Creek	3	11	0	

Freshwater Stream		San Anton	io River Basin Total siz	ze:	32	Miles	
Assessment Year	Assessment Method	Status of Use Support or Concern	Location	Location size	# of samples	# of exceedances	Mear
Nutrient Enric	chment Concern (continued)						
2002	Orthophosphorus	No Concern	From Hwy 353 to two miles upstream	2	10	0	
2002	Orthophosphorus	No Concern	From confluence with Indian Creek to Hwy 353	6	14	0	
2002	Orthophosphorus	No Concern	Lower 3 miles of segment	3	10	0	
2002	Orthophosphorus	No Concern	Remainder of segment	11	10	0	
2002	Total Phosphorus	No Concern	From 2 miles upstream of Hwy 353 to Hwy 90	7	19	0	
2002	Total Phosphorus	No Concern	From 3 miles upstream lower end of segment to confluence with Indian Creek	3	12	0	
2002	Total Phosphorus	No Concern	From Hwy 353 to two miles upstream	2	13	0	
2002	Total Phosphorus	No Concern	From confluence with Indian Creek to Hwy 353	6	17	1	
2002	Total Phosphorus	No Concern	Lower 3 miles of segment	3	13	0	
2002	Total Phosphorus	No Concern	Remainder of segment	11	12	0	
2002	Overall Nutrient Enrichment Concerns	No Concern	From 2 miles upstream of Hwy 353 to Hwy 90	7			
2002	Overall Nutrient Enrichment Concerns	No Concern	From 3 miles upstream lower end of segment to confluence with Indian Creek	3			
2002	Overall Nutrient Enrichment Concerns	No Concern	From Hwy 353 to two miles upstream	2			
2002	Overall Nutrient Enrichment Concerns	No Concern	From confluence with Indian Creek to Hwy 353	6			
2002	Overall Nutrient Enrichment Concerns	No Concern	Lower 3 miles of segment	3			
2002	Overall Nutrient Enrichment Concerns	No Concern	Remainder of segment	11			
lgal Growth	Concern						-
2002	Chlorophyll a	No Concern	From 2 miles upstream of Hwy 353 to Hwy 90	7	19	1	
2002	Chlorophyll a	Not Assessed	From 3 miles upstream lower end of segment to confluence with Indian Creek	3	1	0	

Freshwater Stream		San Anton	io River Basin Total siz	ze:	32	Miles	
Assessment Year	Assessment Method	Status of Use Support or Concern	Location	Location size	# of samples	# of exceedances	Mear
lgal Growth	Concern (continued)						
2002	Chlorophyll a	Not Assessed	From Hwy 353 to two miles upstream	2	1	0	
2002	Chlorophyll a	No Concern	From confluence with Indian Creek to Hwy 353	6	14	0	
2002	Chlorophyll a	Not Assessed	Lower 3 miles of segment	3	0		
2002	Chlorophyll a	Not Assessed	Remainder of segment	11	0		
ediment Con	taminants Concern				•		
2002	PEL Metals in sediment Cadmium	Concern	From 2 miles upstream of Hwy 353 to Hwy 90	7	10	7	
2002	PEL Metals in sediment Cadmium	Concern	From 3 miles upstream lower end of segment to confluence with Indian Creek	3	10	7	
2002	PEL Metals in sediment Cadmium	Concern	From Hwy 353 to two miles upstream	2	10	7	
2002	PEL Metals in sediment Cadmium	Concern	From confluence with Indian Creek to Hwy 353	6	10	7	
2002	PEL Metals in sediment Cadmium	Concern	Lower 3 miles of segment	3	10	7	
2002	PEL Metals in sediment Cadmium	Concern	Remainder of segment	11	10	7	
2002	PEL Metals in sediment Chromium	Concern	From 2 miles upstream of Hwy 353 to Hwy 90	7	10	5	
2002	PEL Metals in sediment Chromium	Concern	From 3 miles upstream lower end of segment to confluence with Indian Creek	3	10	5	
2002	PEL Metals in sediment Chromium	Concern	From Hwy 353 to two miles upstream	2	10	5	
2002	PEL Metals in sediment Chromium	Concern	From confluence with Indian Creek to Hwy 353	6	10	5	
2002	PEL Metals in sediment Chromium	Concern	Lower 3 miles of segment	3	10	5	
2002	PEL Metals in sediment Chromium	Concern	Remainder of segment	11	10	5	
2002	PEL Metals in sediment Lead	Concern	From 2 miles upstream of Hwy 353 to Hwy 90	7	10	4	
2002	PEL Metals in sediment Lead	Concern	From 3 miles upstream lower end of segment to confluence with Indian Creek	3	10	4	
2002	PEL Metals in sediment Lead	Concern	From Hwy 353 to two miles upstream	2	10	4	
2002	PEL Metals in sediment Lead	Concern	From confluence with Indian Creek to Hwy 353	6	10	4	
2002	PEL Metals in sediment Lead	Concern	Lower 3 miles of segment	3	10	4	
2002	PEL Metals in sediment Lead	Concern	Remainder of segment	11	10	4	

Freshv	vater Stream	San Anton	io River Basin Total size	2:	32	Miles	
Assessment Year	Assessment Method	Status of Use Support or Concern	Location	Location size	# of samples	# of exceedances	Mean
Sediment Con	taminants Concern (continued						
2002	PEL Metals in sediment Nickel	Concern	From 2 miles upstream of Hwy 353 to Hwy 90	7	10	5	
2002	PEL Metals in sediment Nickel	Concern	From 3 miles upstream lower end of segment to confluence with Indian Creek	3	10	5	
2002	PEL Metals in sediment Nickel	Concern	From Hwy 353 to two miles upstream	2	10	5	
2002	PEL Metals in sediment Nickel	Concern	From confluence with Indian Creek to Hwy 353	6	10	5	
2002	PEL Metals in sediment Nickel	Concern	Lower 3 miles of segment	3	10	5	
2002	PEL Metals in sediment Nickel	Concern	Remainder of segment	11	10	5	
2002	85% Metals in sediment Cadmium	Concern	From 2 miles upstream of Hwy 353 to Hwy 90	7	10	9	
2002	85% Metals in sediment Cadmium	Concern	From 3 miles upstream lower end of segment to confluence with Indian Creek	3	10	9	
2002	85% Metals in sediment Cadmium	Concern	From Hwy 353 to two miles upstream	2	10	9	
2002	85% Metals in sediment Cadmium	Concern	From confluence with Indian Creek to Hwy 353	6	10	9	
2002	85% Metals in sediment Cadmium	Concern	Lower 3 miles of segment	3	10	9	
2002	85% Metals in sediment Cadmium	Concern	Remainder of segment	11	10	9	
2002	85% Metals in sediment Chromium	Concern	From 2 miles upstream of Hwy 353 to Hwy 90	7	10	10	
2002	85% Metals in sediment Chromium	Concern	From 3 miles upstream lower end of segment to confluence with Indian Creek	3	10	10	
2002	85% Metals in sediment Chromium	Concern	From Hwy 353 to two miles upstream	2	10	10	
2002	85% Metals in sediment Chromium	Concern	From confluence with Indian Creek to Hwy 353	6	10	10	
2002	85% Metals in sediment Chromium	Concern	Lower 3 miles of segment	3	10	10	
2002	85% Metals in sediment Chromium	Concern	Remainder of segment	11	10	10	
2002	85% Metals in sediment Lead	Concern	From 2 miles upstream of Hwy 353 to Hwy 90	7	10	10	

Freshv	vater Stream	San Anton	io River Basin Total size	e:	32	Miles	
Assessment Year	Assessment Method	Status of Use Support or Concern	Location	Location size	# of samples	# of exceedances	Mear
diment Con	taminants Concern (continue	ed)					
2002	85% Metals in sediment Lead	Concern	From 3 miles upstream lower end of segment to confluence with Indian Creek	3	10	10	
2002	85% Metals in sediment Lead	Concern	From Hwy 353 to two miles upstream	2	10	10	
2002	85% Metals in sediment Lead	Concern	From confluence with Indian Creek to Hwy 353	6	10	10	
2002	85% Metals in sediment Lead	Concern	Lower 3 miles of segment	3	10	10	
2002	85% Metals in sediment Lead	Concern	Remainder of segment	11	10	10	
2002	85% Metals in sediment Nickel	Concern	From 2 miles upstream of Hwy 353 to Hwy 90	7	10	10	
2002	85% Metals in sediment Nickel	Concern	From 3 miles upstream lower end of segment to confluence with Indian Creek	3	10	10	
2002	85% Metals in sediment Nickel	Concern	From Hwy 353 to two miles upstream	2	10	10	
2002	85% Metals in sediment Nickel	Concern	From confluence with Indian Creek to Hwy 353	6	10	10	
2002	85% Metals in sediment Nickel	Concern	Lower 3 miles of segment	3	10	10	
2002	85% Metals in sediment Nickel	Concern	Remainder of segment	11	10	10	
2002	85% Metals in sediment Silver	Concern	From 2 miles upstream of Hwy 353 to Hwy 90	7	10	10	
2002	85% Metals in sediment Silver	Concern	From 3 miles upstream lower end of segment to confluence with Indian Creek	3	10	10	
2002	85% Metals in sediment Silver	Concern	From Hwy 353 to two miles upstream	2	10	10	
2002	85% Metals in sediment Silver	Concern	From confluence with Indian Creek to Hwy 353	6	10	10	
2002	85% Metals in sediment Silver	Concern	Lower 3 miles of segment	3	10	10	
2002	85% Metals in sediment Silver	Concern	Remainder of segment	11	10	10	
2002	85% Metals in sediment Zinc	Concern	From 2 miles upstream of Hwy 353 to Hwy 90	7	10	10	
2002	85% Metals in sediment Zinc	Concern	From 3 miles upstream lower end of segment to confluence with Indian Creek	3	10	10	
2002	85% Metals in sediment Zinc	Concern	From Hwy 353 to two miles upstream	2	10	10	
2002	85% Metals in sediment Zinc	Concern	From confluence with Indian Creek to Hwy 353	6	10	10	
2002	85% Metals in sediment Zinc	Concern	Lower 3 miles of segment	3	10	10	
2002	85% Metals in sediment Zinc	Concern	Remainder of segment	11	10	10	

Freshv	vater Stream	San Anton	io River Basin Total s	ize:	32	Miles	
ssessment Year	Assessment Method	Status of Use Support or Concern	Location	Location size	# of samples	# of exceedances	Me
ment Con	taminants Concern (continue	d)					
2002	Organics in sediment	Not Assessed	Lower 3 miles of segment	3	7		
2002	Overall Sediment Contaminant Concerns	Concern	From 2 miles upstream of Hwy 353 to Hwy 90	7			
2002	Overall Sediment Contaminant Concerns	Concern	From 3 miles upstream lower end of segment to confluence with Indian Creek	3			
2002	Overall Sediment Contaminant Concerns	Concern	From Hwy 353 to two miles upstream	2			
2002	Overall Sediment Contaminant Concerns	Concern	From confluence with Indian Creek to Hwy 353	6			
2002	Overall Sediment Contaminant Concerns	Concern	Lower 3 miles of segment	3			
2002	Overall Sediment Contaminant Concerns	Concern	Remainder of segment	11			
Tissue Co	ontaminants Concern						
2002	Overall Fish Tissue Contaminant Concerns	Not Assessed	From 2 miles upstream of Hwy 353 to Hwy 90	7			
2002	Overall Fish Tissue Contaminant Concerns	Not Assessed	From 3 miles upstream lower end of segment to confluence with Indian Creek	3			
2002	Overall Fish Tissue Contaminant Concerns	Not Assessed	From Hwy 353 to two miles upstream	2			
2002	Overall Fish Tissue Contaminant Concerns	Not Assessed	From confluence with Indian Creek to Hwy 353	6			
2002	Overall Fish Tissue Contaminant Concerns	Not Assessed	Lower 3 miles of segment	3			
2002	Overall Fish Tissue Contaminant Concerns	Not Assessed	Remainder of segment	11			
lic Water S	Supply Concern	•	,			•	
2002	Finished Water: Chloride	No Concern	From 2 miles upstream of Hwy 353 to Hwy 90	7			

Freshv	vater Stream	San Anton	io River Basin Total siz	ze:	32	Miles	
Assessment Year	Assessment Method	Status of Use Support or Concern	Location	Location size	# of samples	# of exceedances	Mean
Public Water S	Supply Concern (continued)						
2002	Finished Water: Chloride	No Concern	From 3 miles upstream lower end of segment to confluence with Indian Creek	3			
2002	Finished Water: Chloride	No Concern	From Hwy 353 to two miles upstream	2			
2002	Finished Water: Chloride	No Concern	From confluence with Indian Creek to Hwy 353	6			
2002	Finished Water: Chloride	No Concern	Lower 3 miles of segment	3			
2002	Finished Water: Chloride	No Concern	Remainder of segment	11			
2002	Finished Water: Sulfate	No Concern	From 2 miles upstream of Hwy 353 to Hwy 90	7			
2002	Finished Water: Sulfate	No Concern	From 3 miles upstream lower end of segment to confluence with Indian Creek	3			
2002	Finished Water: Sulfate	No Concern	From Hwy 353 to two miles upstream	2			
2002	Finished Water: Sulfate	No Concern	From confluence with Indian Creek to Hwy 353	6			
2002	Finished Water: Sulfate	No Concern	Lower 3 miles of segment	3			
2002	Finished Water: Sulfate	No Concern	Remainder of segment	11			
2002	Finished Water: Total Dissolved Solids	No Concern	From 2 miles upstream of Hwy 353 to Hwy 90	7			
2002	Finished Water: Total Dissolved Solids	No Concern	From 3 miles upstream lower end of segment to confluence with Indian Creek	3			
2002	Finished Water: Total Dissolved Solids	No Concern	From Hwy 353 to two miles upstream	2			
2002	Finished Water: Total Dissolved Solids	No Concern	From confluence with Indian Creek to Hwy 353	6			
2002	Finished Water: Total Dissolved Solids	No Concern	Lower 3 miles of segment	3			
2002	Finished Water: Total Dissolved Solids	No Concern	Remainder of segment	11			
2002	Finished Water: MTBE	No Concern	From 2 miles upstream of Hwy 353 to Hwy 90	7			

Fresh	water Stream	San Anton	io River Basin Total s	ize:	32	Miles	
Assessment Year	Assessment Method	Status of Use Support or Concern	Location	Location size	# of samples	# of exceedances	Mea
ublic Water S	Supply Concern (continued)						
2002	Finished Water: MTBE	No Concern	From 3 miles upstream lower end of segment to confluence with Indian Creek	3			
2002	Finished Water: MTBE	No Concern	From Hwy 353 to two miles upstream	2			
2002	Finished Water: MTBE	No Concern	From confluence with Indian Creek to Hwy 353	6			
2002	Finished Water: MTBE	No Concern	Lower 3 miles of segment	3			
2002	Finished Water: MTBE	No Concern	Remainder of segment	11			
2002	Finished Water: Perchlorate	Not Assessed	From 2 miles upstream of Hwy 353 to Hwy 90	7			
2002	Finished Water: Perchlorate	Not Assessed	From 3 miles upstream lower end of segment to confluence with Indian Creek	3			
2002	Finished Water: Perchlorate	Not Assessed	From Hwy 353 to two miles upstream	2			
2002	Finished Water: Perchlorate	Not Assessed	From confluence with Indian Creek to Hwy 353	6			
2002	Finished Water: Perchlorate	Not Assessed	Lower 3 miles of segment	3			
2002	Finished Water: Perchlorate	Not Assessed	Remainder of segment	11			
2002	Finished Water: Overall	No Concern	From 2 miles upstream of Hwy 353 to Hwy 90	7			
2002	Finished Water: Overall	No Concern	From 3 miles upstream lower end of segment to confluence with Indian Creek	3			
2002	Finished Water: Overall	No Concern	From Hwy 353 to two miles upstream	2			
2002	Finished Water: Overall	No Concern	From confluence with Indian Creek to Hwy 353	6			
2002	Finished Water: Overall	No Concern	Lower 3 miles of segment	3			
2002	Finished Water: Overall	No Concern	Remainder of segment	11			
2002	Surface Water: Chloride	No Concern	From 2 miles upstream of Hwy 353 to Hwy 90	7	88		61
2002	Surface Water: Chloride	No Concern	From 3 miles upstream lower end of segment to confluence with Indian Creek	3	88		61
2002	Surface Water: Chloride	No Concern	From Hwy 353 to two miles upstream	2	88		61
2002	Surface Water: Chloride	No Concern	From confluence with Indian Creek to Hwy 353	6	88		61
2002	Surface Water: Chloride	No Concern	Lower 3 miles of segment	3	88		61

Fresh	water Stream	San Anton	io River Basin Total	size:	32	Miles	
Assessment Year	Assessment Method	Status of Use Support or Concern	Location	Location size	# of samples	# of exceedances	Mean
Public Water	Supply Concern (continued)						
2002	Surface Water: Chloride	No Concern	Remainder of segment	11	88		61
2002	Surface Water: Sulfate	No Concern	From 2 miles upstream of Hwy 353 to Hwy 90	7	88		75.7
2002	Surface Water: Sulfate	No Concern	From 3 miles upstream lower end of segment to confluence with Indian Creek	3	88		75.7
2002	Surface Water: Sulfate	No Concern	From Hwy 353 to two miles upstream	2	88		75.7
2002	Surface Water: Sulfate	No Concern	From confluence with Indian Creek to Hwy 353	6	88		75.7
2002	Surface Water: Sulfate	No Concern	Lower 3 miles of segment	3	88		75.7
2002	Surface Water: Sulfate	No Concern	Remainder of segment	11	88		75.7
2002	Surface Water: Total Dissolved Solids	No Concern	From 2 miles upstream of Hwy 353 to Hwy 90	7	98		504.3
2002	Surface Water: Total Dissolved Solids	No Concern	From 3 miles upstream lower end of segment to confluence with Indian Creek	3	98		504.3
2002	Surface Water: Total Dissolved Solids	No Concern	From Hwy 353 to two miles upstream	2	98		504.3
2002	Surface Water: Total Dissolved Solids	No Concern	From confluence with Indian Creek to Hwy 353	6	98		504.3
2002	Surface Water: Total Dissolved Solids	No Concern	Lower 3 miles of segment	3	98		504.3
2002	Surface Water: Total Dissolved Solids	No Concern	Remainder of segment	11	98		504.3
2002	Surface Water: Overall	No Concern	From 2 miles upstream of Hwy 353 to Hwy 90	7			
2002	Surface Water: Overall	No Concern	From 3 miles upstream lower end of segment to confluence with Indian Creek	3			
2002	Surface Water: Overall	No Concern	From Hwy 353 to two miles upstream	2			
2002	Surface Water: Overall	No Concern	From confluence with Indian Creek to Hwy 353	6			
2002	Surface Water: Overall	No Concern	Lower 3 miles of segment	3			
2002	Surface Water: Overall	No Concern	Remainder of segment	11			

Freshy	water Stream	San Anton	io River Basin Total si:	ze:	32	Miles	
Assessment Year	Assessment Method	Status of Use Support or Concern	Location	Location size	# of samples	# of exceedances	Mea
blic Water	Supply Concern (continued)						
2002	Overall Public Water Supply Concerns	No Concern	From 2 miles upstream of Hwy 353 to Hwy 90	7			
2002	Overall Public Water Supply Concerns	No Concern	From 3 miles upstream lower end of segment to confluence with Indian Creek	3			
2002	Overall Public Water Supply Concerns	No Concern	From Hwy 353 to two miles upstream	2			
2002	Overall Public Water Supply Concerns	No Concern	From confluence with Indian Creek to Hwy 353	6			
2002	Overall Public Water Supply Concerns	No Concern	Lower 3 miles of segment	3			
2002	Overall Public Water Supply Concerns	No Concern	Remainder of segment	11			
rrative Cri	teria Concern						
2002	Overall Narrative Criteria Concerns	No Concern	From 2 miles upstream of Hwy 353 to Hwy 90	7			
2002	Overall Narrative Criteria Concerns	No Concern	From 3 miles upstream lower end of segment to confluence with Indian Creek	3			
2002	Overall Narrative Criteria Concerns	No Concern	From Hwy 353 to two miles upstream	2			
2002	Overall Narrative Criteria Concerns	No Concern	From confluence with Indian Creek to Hwy 353	6			
2002	Overall Narrative Criteria Concerns	No Concern	Lower 3 miles of segment	3			
2002	Overall Narrative Criteria Concerns	No Concern	Remainder of segment	11			
verall Secon	dary Concern		<u>I</u>				
2002		Concern	From 2 miles upstream of Hwy 353 to Hwy 90	7			
2002		Concern	From 3 miles upstream lower end of segment to confluence with Indian Creek	3			

Freshwater Stream		San Anton	io River Basin Total s	Total size:		Miles	
Assessment Year	Assessment Method	Status of Use Support or Concern	Location	Location size	# of samples	# of exceedances	Mean
Overall Seconda	ary Concern (continued)						
2002		Concern	From Hwy 353 to two miles upstream	2			
2002		Concern	From confluence with Indian Creek to Hwy 353	6			
2002		Concern	Lower 3 miles of segment	3			