Freshv	vater Stream	Nueces-Ri	o Grande Coastal Basin Total size	:	63	Miles				
Assessment Year	Assessment Method	Status of Use Support or Concern	Location	Location size	# of samples	# of exceedances	Mean			
Aquatic Life U	quatic Life Use									
2002	Dissolved Oxygen grab average	No Concern	Approx 14 miles upstream to approx. 11 miles downstream of FM 1015	25	30	2				
2002	Dissolved Oxygen grab average	No Concern	Approx. 11 miles upstream to approx. 4 miles downstream of US 77	15	43	1				
2002	Dissolved Oxygen grab average	Use Concern	Lower 4 miles of segment	4	35	6				
2002	Dissolved Oxygen grab minimum	Fully Supporting	Approx 14 miles upstream to approx. 11 miles downstream of FM 1015	25	30	1				
2002	Dissolved Oxygen grab minimum	Fully Supporting	Approx. 11 miles upstream to approx. 4 miles downstream of US 77	15	43	1				
2002	Dissolved Oxygen grab minimum	Fully Supporting	Lower 4 miles of segment	4	35	1				
2002	Dissolved Oxygen 24hr average	Not Assessed	Approx 14 miles upstream to approx. 11 miles downstream of FM 1015	25	0					
2002	Dissolved Oxygen 24hr average	Not Assessed	Approx. 11 miles upstream to approx. 4 miles downstream of US 77	15	0					
2002	Dissolved Oxygen 24hr average	Not Assessed	Lower 4 miles of segment	4	0					
2002	Dissolved Oxygen 24hr minimum	Not Assessed	Approx 14 miles upstream to approx. 11 miles downstream of FM 1015	25	0					
2002	Dissolved Oxygen 24hr minimum	Not Assessed	Approx. 11 miles upstream to approx. 4 miles downstream of US 77	15	0					
2002	Dissolved Oxygen 24hr minimum	Not Assessed	Lower 4 miles of segment	4	0					
2002	Acute Metals in water	Fully Supporting	Approx. 11 miles upstream to approx. 4 miles downstream of US 77	15	24	0				
2002	Acute Metals in water	Not Assessed	Lower 4 miles of segment	4	3					
2002	Chronic Metals in water	Fully Supporting	Approx. 11 miles upstream to approx. 4 miles downstream of US 77	15	24					
2002	Chronic Metals in water	Not Assessed	Lower 4 miles of segment	4	3					

Freshwater Stream		Nueces-Ri	o Grande Coastal Basin Total s	size:	63	Miles	
Assessment Year	Assessment Method	Status of Use Support or Concern	Location	Location size	# of samples	# of exceedances	Mean
Aquatic Life U	Jse (continued)						
2002	Acute Organics in water	Not Assessed	Approx 14 miles upstream to approx. 11 miles downstream of FM 1015	25	2		
2002	Acute Organics in water	Fully Supporting	Lower 4 miles of segment	4	10	0	
2002	Chronic Organics in water	Not Assessed	Approx 14 miles upstream to approx. 11 miles downstream of FM 1015	25	2		
2002	Chronic Organics in water	Fully Supporting	Lower 4 miles of segment	4	10		
2002	Overall Aquatic Life Use	Fully Supporting	Approx 14 miles upstream to approx. 11 miles downstream of FM 1015	25			
2002	Overall Aquatic Life Use	Fully Supporting	Approx. 11 miles upstream to approx. 4 miles downstream of US 77	15			
2002	Overall Aquatic Life Use	Fully Supporting	Lower 4 miles of segment	4			
2002	Overall Aquatic Life Use	Not Assessed	Upper 19 miles of segment	19			
Contact Recre	eation Use						
2002	E. coli single sample	Not Assessed	Approx 14 miles upstream to approx. 11 miles downstream of FM 1015	25	0		
2002	E. coli single sample	Not Assessed	Approx. 11 miles upstream to approx. 4 miles downstream of US 77	15	0		
2002	E. coli single sample	Not Assessed	Lower 4 miles of segment	4	0		
2002	E. coli geometric mean	Not Assessed	Approx 14 miles upstream to approx. 11 miles downstream of FM 1015	25	0		
2002	E. coli geometric mean	Not Assessed	Approx. 11 miles upstream to approx. 4 miles downstream of US 77	15	0		
2002	E. coli geometric mean	Not Assessed	Lower 4 miles of segment	4	0		
2002	Fecal coliform single sample	Not Supporting	Approx 14 miles upstream to approx. 11 miles downstream of FM 1015	25	25	13	

Freshwater Stream		Nueces-Rio Grande Coastal Basin Total siz		size:	63	Miles	
Assessment Year	Assessment Method	Status of Use Support or Concern	Location	Location size	# of samples	# of exceedances	Mean
Contact Recr	eation Use (continued)						
2002	Fecal coliform single sample	Use Concern-Limited Data	Approx. 11 miles upstream to approx. 4 miles downstream of US 77	15	4	2	
2002	Fecal coliform single sample	Not Supporting	Lower 4 miles of segment	4	31	19	
2002	Fecal coliform geometric mean	Not Supporting	Approx 14 miles upstream to approx. 11 miles downstream of FM 1015	25	25		420
2002	Fecal coliform geometric mean	Use Concern-Limited Data	Approx. 11 miles upstream to approx. 4 miles downstream of US 77	15	4		393
2002	Fecal coliform geometric mean	Not Supporting	Lower 4 miles of segment	4	31		545
2002	Overall Recreation Use	Not Supporting	Approx 14 miles upstream to approx. 11 miles downstream of FM 1015	25			
2002	Overall Recreation Use	Not Assessed	Approx. 11 miles upstream to approx. 4 miles downstream of US 77	15			
2002	Overall Recreation Use	Not Supporting	Lower 4 miles of segment	4			
2002	Overall Recreation Use	Not Assessed	Upper 19 miles of segment	19			
eneral Use							
2002	Water Temperature	Fully Supporting	Approx 14 miles upstream to approx. 11 miles downstream of FM 1015	25	30	0	
2002	Water Temperature	Fully Supporting	Approx. 11 miles upstream to approx. 4 miles downstream of US 77	15	43	0	
2002	Water Temperature	Fully Supporting	Lower 4 miles of segment	4	36	0	
2002	рН	Fully Supporting	Approx 14 miles upstream to approx. 11 miles downstream of FM 1015	25	29	0	
2002	pH	Fully Supporting	Approx. 11 miles upstream to approx. 4 miles downstream of US 77	15	40	0	
2002	pН	Fully Supporting	Lower 4 miles of segment	4	35	0	

Freshy	water Stream	Nueces-Ri	o Grande Coastal Basin Total	size:	63	Miles	
Assessment Year	Assessment Method	Status of Use Support or Concern	Location	Location size	# of samples	# of exceedances	Mean
General Use	(continued)						
2002	Chloride	Fully Supporting	Approx 14 miles upstream to approx. 11 miles downstream of FM 1015	25	110		796.4
2002	Chloride	Fully Supporting	Approx. 11 miles upstream to approx. 4 miles downstream of US 77	15	110		796.4
2002	Chloride	Fully Supporting	Lower 4 miles of segment	4	110		796.4
2002	Chloride	Fully Supporting	Upper 19 miles of segment	19	110		796.4
2002	Sulfate	Fully Supporting	Approx 14 miles upstream to approx. 11 miles downstream of FM 1015	25	110		734.6
2002	Sulfate	Fully Supporting	Approx. 11 miles upstream to approx. 4 miles downstream of US 77	15	110		734.6
2002	Sulfate	Fully Supporting	Lower 4 miles of segment	4	110		734.6
2002	Sulfate	Fully Supporting	Upper 19 miles of segment	19	110		734.6
2002	Total Dissolved Solids	Fully Supporting	Approx 14 miles upstream to approx. 11 miles downstream of FM 1015	25	166		2,730
2002	Total Dissolved Solids	Fully Supporting	Approx. 11 miles upstream to approx. 4 miles downstream of US 77	15	166		2,730
2002	Total Dissolved Solids	Fully Supporting	Lower 4 miles of segment	4	166		2,730
2002	Total Dissolved Solids	Fully Supporting	Upper 19 miles of segment	19	166		2,730
2002	Overall General Use	Fully Supporting	Approx 14 miles upstream to approx. 11 miles downstream of FM 1015	25			
2002	Overall General Use	Fully Supporting	Approx. 11 miles upstream to approx. 4 miles downstream of US 77	15			
2002	Overall General Use	Fully Supporting	Lower 4 miles of segment	4			
2002	Overall General Use	Fully Supporting	Upper 19 miles of segment	19			

Freshv	vater Stream	Nueces-Ri	o Grande Coastal Basin To	tal size:	63	Miles	
Assessment Year	Assessment Method	Status of Use Support or Concern	Location	Location size	# of samples	# of exceedances	Mean
Fish Consump	tion Use						
2002	Advisories and Closures Restricted-Consumption	Partially Supporting	Approx 14 miles upstream to approx. 11 miles downstream of FM 1015	25			
2002	Advisories and Closures Restricted-Consumption	Partially Supporting	Approx. 11 miles upstream to approx. 4 miles downstream of US 77	15			
2002	Advisories and Closures Restricted-Consumption	Partially Supporting	Lower 4 miles of segment	4			
2002	Advisories and Closures Restricted-Consumption	Partially Supporting	Upper 19 miles of segment	19			
2002	Human Health Criteria Chromium	Fully Supporting	Approx. 11 miles upstream to approx. 4 miles downstream of US 77	15	24		2.07
2002	Human Health Criteria Lead	Fully Supporting	Approx. 11 miles upstream to approx. 4 miles downstream of US 77	15	24		1.06
2002	Human Health Criteria Metals	Not Assessed	Lower 4 miles of segment	4	2		
2002	Human Health Criteria Organics	Not Assessed	Approx 14 miles upstream to approx. 11 miles downstream of FM 1015	25	2		
2002	Human Health Criteria Organics	Fully Supporting	Lower 4 miles of segment	4	10		
2002	Overall Fish Consumption Use	Partially Supporting	Approx 14 miles upstream to approx. 11 miles downstream of FM 1015	25			
2002	Overall Fish Consumption Use	Partially Supporting	Approx. 11 miles upstream to approx. 4 miles downstream of US 77	15			
2002	Overall Fish Consumption Use	Partially Supporting	Lower 4 miles of segment	4			
2002	Overall Fish Consumption Use	Partially Supporting	Upper 19 miles of segment	19			
Overall Use Su	ıpport						
2002		Not Supporting	Approx 14 miles upstream to approx. 11 miles downstream of FM 1015	25			
2002		Partially Supporting	Approx. 11 miles upstream to approx. 4 miles downstream of US 77	15			
2002		Not Supporting	Lower 4 miles of segment	4			

Freshwater Stream		Nueces-Ri	o Grande Coastal Basin T	otal size:	63	Miles	
Assessment Year	Assessment Method	Status of Use Support or Concern	Location	Location size	# of samples	# of exceedances	Mean
Overall Use Su	upport (continued)						
2002		Partially Supporting	Upper 19 miles of segment	19			
Nutrient Enric	chment Concern						
2002	Ammonia Nitrogen	Concern	Approx 14 miles upstream to approx. 11 miles downstream of FM 1015	25	27	23	
2002	Ammonia Nitrogen	No Concern	Approx. 11 miles upstream to approx. 4 miles downstream of US 77	15	43	7	
2002	Ammonia Nitrogen	Concern	Lower 4 miles of segment	4	49	37	
2002	Nitrite + Nitrate Nitrogen	Concern	Approx 14 miles upstream to approx. 11 miles downstream of FM 1015	25	27	27	
2002	Nitrite + Nitrate Nitrogen	Concern	Approx. 11 miles upstream to approx. 4 miles downstream of US 77	15	43	39	
2002	Nitrite + Nitrate Nitrogen	Concern	Lower 4 miles of segment	4	47	16	
2002	Orthophosphorus	Concern	Approx 14 miles upstream to approx. 11 miles downstream of FM 1015	25	27	13	
2002	Orthophosphorus	No Concern	Approx. 11 miles upstream to approx. 4 miles downstream of US 77	15	43	4	
2002	Orthophosphorus	Concern	Lower 4 miles of segment	4	47	20	
2002	Total Phosphorus	Concern	Approx 14 miles upstream to approx. 11 miles downstream of FM 1015	25	24	12	
2002	Total Phosphorus	No Concern	Approx. 11 miles upstream to approx. 4 miles downstream of US 77	15	40	3	
2002	Total Phosphorus	Concern	Lower 4 miles of segment	4	45	19	
2002	Overall Nutrient Enrichment Concerns	Concern	Approx 14 miles upstream to approx. 11 miles downstream of FM 1015	25			
2002	Overall Nutrient Enrichment Concerns	Concern	Approx. 11 miles upstream to approx. 4 miles downstream of US 77	15			

Freshwater Stream		Nueces-Rio Grande Coastal Basin Total si		size:	63	Miles	
Assessment Year	Assessment Method	Status of Use Support or Concern	Location	Location size	# of samples	# of exceedances	Mean
Nutrient Enric	chment Concern (continued)						
2002	Overall Nutrient Enrichment Concerns	Concern	Lower 4 miles of segment	4			
2002	Overall Nutrient Enrichment Concerns	Not Assessed	Upper 19 miles of segment	19			
Algal Growth	Concern			•			•
2002	Chlorophyll a	Concern	Approx 14 miles upstream to approx. 11 miles downstream of FM 1015	25	27	14	
2002	Chlorophyll a	Not Assessed	Approx. 11 miles upstream to approx. 4 miles downstream of US 77	15	6		
2002	Chlorophyll a	Concern	Lower 4 miles of segment	4	49	39	
2002	Chlorophyll a	Not Assessed	Upper 19 miles of segment	19			
Sediment Con	taminants Concern			•			•
2002	Metals in sediment	Not Assessed	Approx 14 miles upstream to approx. 11 miles downstream of FM 1015	25	4		
2002	Metals in sediment	Not Assessed	Lower 4 miles of segment	4	5		
2002	Organics in sediment	Not Assessed	Approx 14 miles upstream to approx. 11 miles downstream of FM 1015	25	4		
2002	Organics in sediment	Not Assessed	Lower 4 miles of segment	4	7		
2002	Overall Sediment Contaminant Concerns	Not Assessed	Approx 14 miles upstream to approx. 11 miles downstream of FM 1015	25			
2002	Overall Sediment Contaminant Concerns	Not Assessed	Approx. 11 miles upstream to approx. 4 miles downstream of US 77	15			
2002	Overall Sediment Contaminant Concerns	Not Assessed	Lower 4 miles of segment	4			
2002	Overall Sediment Contaminant Concerns	Not Assessed	Upper 19 miles of segment	19			

Freshy	water Stream	Nueces-Ri	o Grande Coastal Basin Total s	size:	63	Miles	
Assessment Year	Assessment Method	Status of Use Support or Concern	Location	Location size	# of samples	# of exceedances	Mea
sh Tissue Co	ontaminants Concern						
2002	Metals in fish tissue	Not Assessed	Lower 4 miles of segment	4	1		
2002	Organics in fish tissue	Not Assessed	Lower 4 miles of segment	4	1		
2002	Overall Fish Tissue Contaminant Concerns	Not Assessed	Approx 14 miles upstream to approx. 11 miles downstream of FM 1015	25			
2002	Overall Fish Tissue Contaminant Concerns	Not Assessed	Approx. 11 miles upstream to approx. 4 miles downstream of US 77	15			
2002	Overall Fish Tissue Contaminant Concerns	Not Assessed	Lower 4 miles of segment	4			
2002	Overall Fish Tissue Contaminant Concerns	Not Assessed	Upper 19 miles of segment	19			
rrative Crit	teria Concern						•
2002	Overall Narrative Criteria Concerns	No Concern	Approx 14 miles upstream to approx. 11 miles downstream of FM 1015	25			
2002	Overall Narrative Criteria Concerns	No Concern	Approx. 11 miles upstream to approx. 4 miles downstream of US 77	15			
2002	Overall Narrative Criteria Concerns	No Concern	Lower 4 miles of segment	4			
2002	Overall Narrative Criteria Concerns	No Concern	Upper 19 miles of segment	19			
erall Secon	dary Concern	<u> </u>	<u> </u>	I		<u> </u>	<u>I</u>
2002		Concern	Approx 14 miles upstream to approx. 11 miles downstream of FM 1015	25			
2002		Concern	Approx. 11 miles upstream to approx. 4 miles downstream of US 77	15			
2002		Concern	Lower 4 miles of segment	4			
2002		No Concern	Upper 19 miles of segment	19			