

**Segment ID: 0822**      **Water body name: Elm Fork Trinity River Below Lewisville Lake**

Freshwater Stream      Trinity River Basin      Total size:      30 Miles

Assessment Year	Assessment Method	Status of Use Support or Concern	Location	Location size	# of samples	# of exceedances	Mean
-----------------	-------------------	----------------------------------	----------	---------------	--------------	------------------	------

**Aquatic Life Use**

2002	Dissolved Oxygen grab average	No Concern	1.0 mi upstream to 4.5 miles downstream SH 121	5.5	17	0	
2002	Dissolved Oxygen grab average	No Concern	4.5 miles upstream to 7.5 miles downstream DWU intake	12	25	0	
2002	Dissolved Oxygen grab average	No Concern	Lower 11 miles of segment	11	12	0	
2002	Dissolved Oxygen grab average	No Concern	Upper 1.5 miles of segment	1.5	38	3	
2002	Dissolved Oxygen grab minimum	Fully Supporting	1.0 mi upstream to 4.5 miles downstream SH 121	5.5	17	0	
2002	Dissolved Oxygen grab minimum	Fully Supporting	4.5 miles upstream to 7.5 miles downstream DWU intake	12	25	0	
2002	Dissolved Oxygen grab minimum	Fully Supporting	Lower 11 miles of segment	11	12	0	
2002	Dissolved Oxygen grab minimum	Fully Supporting	Upper 1.5 miles of segment	1.5	38	0	
2002	Dissolved Oxygen 24hr average	Not Assessed	1.0 mi upstream to 4.5 miles downstream SH 121	5.5	0		
2004	Dissolved Oxygen 24hr average	Not Assess-Not Represent	4.5 miles upstream to 7.5 miles downstream DWU intake	12	7		
2002	Dissolved Oxygen 24hr average	Not Assessed	Lower 11 miles of segment	11	0		
2004	Dissolved Oxygen 24hr average	Not Assess-Not Represent	Upper 1.5 miles of segment	1.5	7		
2002	Dissolved Oxygen 24hr minimum	Not Assessed	1.0 mi upstream to 4.5 miles downstream SH 121	5.5	0		
2004	Dissolved Oxygen 24hr minimum	Not Assess-Not Represent	4.5 miles upstream to 7.5 miles downstream DWU intake	12	7		
2002	Dissolved Oxygen 24hr minimum	Not Assessed	Lower 11 miles of segment	11	0		
2004	Dissolved Oxygen 24hr minimum	Not Assess-Not Represent	Upper 1.5 miles of segment	1.5	7		
2002	Acute Metals in water	No Concern-Limited Data	1.0 mi upstream to 4.5 miles downstream SH 121	5.5	7	0	
2002	Acute Metals in water	Not Assessed	4.5 miles upstream to 7.5 miles downstream DWU intake	12	1		
2002	Acute Metals in water	Fully Supporting	Lower 11 miles of segment	11	12	0	

**Segment ID: 0822**      **Water body name: Elm Fork Trinity River Below Lewisville Lake**

Freshwater Stream

Trinity River Basin

Total size:

30 Miles

Assessment Year	Assessment Method	Status of Use Support or Concern	Location	Location size	# of samples	# of exceedances	Mean
-----------------	-------------------	----------------------------------	----------	---------------	--------------	------------------	------

**Aquatic Life Use** (continued)

2002	Acute Metals in water	Fully Supporting	Upper 1.5 miles of segment	1.5	13	0	
2002	Chronic Metals in water	No Concern-Limited Data	1.0 mi upstream to 4.5 miles downstream SH 121	5.5	7		
2002	Chronic Metals in water	Not Assessed	4.5 miles upstream to 7.5 miles downstream DWU intake	12	1		
2002	Chronic Metals in water	Fully Supporting	Lower 11 miles of segment	11	12		
2002	Chronic Metals in water	Fully Supporting	Upper 1.5 miles of segment	1.5	13		
2002	Overall Aquatic Life Use	Fully Supporting	1.0 mi upstream to 4.5 miles downstream SH 121	5.5			
2004	Overall Aquatic Life Use	Fully Supporting	4.5 miles upstream to 7.5 miles downstream DWU intake	12			
2002	Overall Aquatic Life Use	Fully Supporting	Lower 11 miles of segment	11			
2004	Overall Aquatic Life Use	Fully Supporting	Upper 1.5 miles of segment	1.5			

**Contact Recreation Use**

2002	E. coli single sample	Not Assessed	1.0 mi upstream to 4.5 miles downstream SH 121	5.5	0		
2002	E. coli single sample	Not Assessed	4.5 miles upstream to 7.5 miles downstream DWU intake	12	0		
2002	E. coli single sample	Not Assessed	Upper 1.5 miles of segment	1.5	0		
2002	E. coli geometric mean	Not Assessed	1.0 mi upstream to 4.5 miles downstream SH 121	5.5	0		
2002	E. coli geometric mean	Not Assessed	4.5 miles upstream to 7.5 miles downstream DWU intake	12	0		
2002	E. coli geometric mean	Not Assessed	Upper 1.5 miles of segment	1.5	0		
2002	Fecal coliform single sample	No Concern-Limited Data	1.0 mi upstream to 4.5 miles downstream SH 121	5.5	6	1	
2002	Fecal coliform single sample	Fully Supporting	4.5 miles upstream to 7.5 miles downstream DWU intake	12	23	5	
2002	Fecal coliform single sample	Fully Supporting	Upper 1.5 miles of segment	1.5	24	0	

**Segment ID: 0822**      **Water body name: Elm Fork Trinity River Below Lewisville Lake**

Freshwater Stream

Trinity River Basin

Total size:

30 Miles

Assessment Year	Assessment Method	Status of Use Support or Concern	Location	Location size	# of samples	# of exceedances	Mean
-----------------	-------------------	----------------------------------	----------	---------------	--------------	------------------	------

**Contact Recreation Use** (continued)

2002	Fecal coliform geometric mean	No Concern-Limited Data	1.0 mi upstream to 4.5 miles downstream SH 121	5.5	6		62
2002	Fecal coliform geometric mean	Fully Supporting	4.5 miles upstream to 7.5 miles downstream DWU intake	12	23		50
2002	Fecal coliform geometric mean	Fully Supporting	Upper 1.5 miles of segment	1.5	24		8
2002	Overall Recreation Use	Not Assessed	1.0 mi upstream to 4.5 miles downstream SH 121	5.5			
2002	Overall Recreation Use	Fully Supporting	4.5 miles upstream to 7.5 miles downstream DWU intake	12			
2002	Overall Recreation Use	Not Assessed	Lower 11 miles of segment	11			
2002	Overall Recreation Use	Fully Supporting	Upper 1.5 miles of segment	1.5			

**General Use**

2002	Water Temperature	Fully Supporting	1.0 mi upstream to 4.5 miles downstream SH 121	5.5	20	0	
2002	Water Temperature	Fully Supporting	4.5 miles upstream to 7.5 miles downstream DWU intake	12	25	0	
2002	Water Temperature	Fully Supporting	Lower 11 miles of segment	11	12	1	
2002	Water Temperature	Fully Supporting	Upper 1.5 miles of segment	1.5	38	0	
2002	pH	Fully Supporting	1.0 mi upstream to 4.5 miles downstream SH 121	5.5	17	0	
2002	pH	Fully Supporting	4.5 miles upstream to 7.5 miles downstream DWU intake	12	25	0	
2002	pH	Fully Supporting	Lower 11 miles of segment	11	12	0	
2002	pH	Fully Supporting	Upper 1.5 miles of segment	1.5	38	0	
2002	Chloride	Fully Supporting	1.0 mi upstream to 4.5 miles downstream SH 121	5.5	67		32.6
2002	Chloride	Fully Supporting	4.5 miles upstream to 7.5 miles downstream DWU intake	12	67		32.6
2002	Chloride	Fully Supporting	Lower 11 miles of segment	11	67		32.6
2002	Chloride	Fully Supporting	Upper 1.5 miles of segment	1.5	67		32.6

**Segment ID: 0822**      **Water body name: Elm Fork Trinity River Below Lewisville Lake**

Freshwater Stream

Trinity River Basin

Total size:

30 Miles

Assessment Year	Assessment Method	Status of Use Support or Concern	Location	Location size	# of samples	# of exceedances	Mean
-----------------	-------------------	----------------------------------	----------	---------------	--------------	------------------	------

**General Use** (continued)

2002	Sulfate	Fully Supporting	1.0 mi upstream to 4.5 miles downstream SH 121	5.5	18		51.2
2002	Sulfate	Fully Supporting	4.5 miles upstream to 7.5 miles downstream DWU intake	12	18		51.2
2002	Sulfate	Fully Supporting	Lower 11 miles of segment	11	18		51.2
2002	Sulfate	Fully Supporting	Upper 1.5 miles of segment	1.5	18		51.2
2002	Total Dissolved Solids	Fully Supporting	1.0 mi upstream to 4.5 miles downstream SH 121	5.5	95		253.15
2002	Total Dissolved Solids	Fully Supporting	4.5 miles upstream to 7.5 miles downstream DWU intake	12	95		253.15
2002	Total Dissolved Solids	Fully Supporting	Lower 11 miles of segment	11	95		253.15
2002	Total Dissolved Solids	Fully Supporting	Upper 1.5 miles of segment	1.5	95		253.15
2002	Overall General Use	Fully Supporting	1.0 mi upstream to 4.5 miles downstream SH 121	5.5			
2002	Overall General Use	Fully Supporting	4.5 miles upstream to 7.5 miles downstream DWU intake	12			
2002	Overall General Use	Fully Supporting	Lower 11 miles of segment	11			
2002	Overall General Use	Fully Supporting	Upper 1.5 miles of segment	1.5			

**Fish Consumption Use**

2002	Human Health Criteria Chromium	No Concern-Limited Data	1.0 mi upstream to 4.5 miles downstream SH 121	5.5	7		2.21
2002	Human Health Criteria Chromium	Not Assessed	Upper 1.5 miles of segment	1.5	1		2
2002	Human Health Criteria Lead	No Concern-Limited Data	1.0 mi upstream to 4.5 miles downstream SH 121	5.5	7		2.06
2002	Human Health Criteria Lead	Fully Supporting	Lower 11 miles of segment	11	12		1
2002	Human Health Criteria Lead	Fully Supporting	Upper 1.5 miles of segment	1.5	13		1
2002	Human Health Criteria Metals	Not Assessed	4.5 miles upstream to 7.5 miles downstream DWU intake	12	1		
2002	Overall Fish Consumption Use	Not Assessed	1.0 mi upstream to 4.5 miles downstream SH 121	5.5			

**Segment ID: 0822**      **Water body name: Elm Fork Trinity River Below Lewisville Lake**

Freshwater Stream

Trinity River Basin

Total size:

30 Miles

Assessment Year	Assessment Method	Status of Use Support or Concern	Location	Location size	# of samples	# of exceedances	Mean
-----------------	-------------------	----------------------------------	----------	---------------	--------------	------------------	------

**Fish Consumption Use** (continued)

2002	Overall Fish Consumption Use	Not Assessed	4.5 miles upstream to 7.5 miles downstream DWU intake	12			
2002	Overall Fish Consumption Use	Fully Supporting	Lower 11 miles of segment	11			
2002	Overall Fish Consumption Use	Fully Supporting	Upper 1.5 miles of segment	1.5			

**Public Water Supply Use**

2002	Finished Water: Running Avg	Fully Supporting	1.0 mi upstream to 4.5 miles downstream SH 121	5.5			
2002	Finished Water: Running Avg	Fully Supporting	4.5 miles upstream to 7.5 miles downstream DWU intake	12			
2002	Finished Water: Running Avg	Fully Supporting	Lower 11 miles of segment	11			
2002	Surface Water: Long-term average Nitrate+Nitrite Nitrogen	Fully Supporting	1.0 mi upstream to 4.5 miles downstream SH 121	5.5	17		0.57
2002	Surface Water: Long-term average Nitrate+Nitrite Nitrogen	Fully Supporting	4.5 miles upstream to 7.5 miles downstream DWU intake	12	25		0.83
2002	Surface Water: Long-term average Nitrate+Nitrite Nitrogen	Fully Supporting	Lower 11 miles of segment	11	10		0.57
2002	Surface Water: Long-term average Nitrate+Nitrite Nitrogen	Fully Supporting	Upper 1.5 miles of segment	1.5	34		0.33
2002	Overall Public Water Supply Use	Fully Supporting	1.0 mi upstream to 4.5 miles downstream SH 121	5.5			
2002	Overall Public Water Supply Use	Fully Supporting	4.5 miles upstream to 7.5 miles downstream DWU intake	12			
2002	Overall Public Water Supply Use	Fully Supporting	Lower 11 miles of segment	11			
2002	Overall Public Water Supply Use	Fully Supporting	Upper 1.5 miles of segment	1.5			

**Overall Use Support**

2002		Fully Supporting	1.0 mi upstream to 4.5 miles downstream SH 121	5.5			
2004		Fully Supporting	4.5 miles upstream to 7.5 miles downstream DWU intake	12			

**Segment ID: 0822**      **Water body name: Elm Fork Trinity River Below Lewisville Lake**

Freshwater Stream

Trinity River Basin

Total size:

30 Miles

Assessment Year	Assessment Method	Status of Use Support or Concern	Location	Location size	# of samples	# of exceedances	Mean
-----------------	-------------------	----------------------------------	----------	---------------	--------------	------------------	------

**Overall Use Support** (continued)

2002		Fully Supporting	Lower 11 miles of segment	11			
2002		Fully Supporting	Upper 1.5 miles of segment	1.5			

**Nutrient Enrichment Concern**

2002	Ammonia Nitrogen	No Concern	1.0 mi upstream to 4.5 miles downstream SH 121	5.5	16	2	
2002	Ammonia Nitrogen	Concern	4.5 miles upstream to 7.5 miles downstream DWU intake	12	25	18	
2002	Ammonia Nitrogen	No Concern	Lower 11 miles of segment	11	10	1	
2002	Ammonia Nitrogen	Concern	Upper 1.5 miles of segment	1.5	35	14	
2002	Nitrite + Nitrate Nitrogen	No Concern	1.0 mi upstream to 4.5 miles downstream SH 121	5.5	17	0	
2002	Nitrite + Nitrate Nitrogen	No Concern	4.5 miles upstream to 7.5 miles downstream DWU intake	12	25	0	
2002	Nitrite + Nitrate Nitrogen	No Concern	Lower 11 miles of segment	11	10	0	
2002	Nitrite + Nitrate Nitrogen	No Concern	Upper 1.5 miles of segment	1.5	34	0	
2002	Orthophosphorus	No Concern	1.0 mi upstream to 4.5 miles downstream SH 121	5.5	17	0	
2002	Orthophosphorus	No Concern	4.5 miles upstream to 7.5 miles downstream DWU intake	12	25	1	
2002	Orthophosphorus	Not Assessed	Lower 11 miles of segment	11	8		
2002	Orthophosphorus	No Concern	Upper 1.5 miles of segment	1.5	34	0	
2002	Total Phosphorus	Not Assessed	1.0 mi upstream to 4.5 miles downstream SH 121	5.5	6		
2002	Total Phosphorus	No Concern	4.5 miles upstream to 7.5 miles downstream DWU intake	12	25	0	
2002	Total Phosphorus	No Concern	Lower 11 miles of segment	11	12	0	
2002	Total Phosphorus	No Concern	Upper 1.5 miles of segment	1.5	37	0	
2002	Overall Nutrient Enrichment Concerns	No Concern	1.0 mi upstream to 4.5 miles downstream SH 121	5.5			

**Segment ID: 0822**      **Water body name: Elm Fork Trinity River Below Lewisville Lake**

Freshwater Stream

Trinity River Basin

Total size:

30 Miles

Assessment Year	Assessment Method	Status of Use Support or Concern	Location	Location size	# of samples	# of exceedances	Mean
-----------------	-------------------	----------------------------------	----------	---------------	--------------	------------------	------

**Nutrient Enrichment Concern** (continued)

2002	Overall Nutrient Enrichment Concerns	Concern	4.5 miles upstream to 7.5 miles downstream DWU intake	12			
2002	Overall Nutrient Enrichment Concerns	No Concern	Lower 11 miles of segment	11			
2002	Overall Nutrient Enrichment Concerns	Concern	Upper 1.5 miles of segment	1.5			

**Algal Growth Concern**

2002	Chlorophyll a	Not Assessed	1.0 mi upstream to 4.5 miles downstream SH 121	5.5	8		
2002	Chlorophyll a	Concern	4.5 miles upstream to 7.5 miles downstream DWU intake	12	11	8	
2002	Chlorophyll a	Not Assessed	Lower 11 miles of segment	11	9		
2002	Chlorophyll a	Concern	Upper 1.5 miles of segment	1.5	11	5	

**Sediment Contaminants Concern**

2002	Overall Sediment Contaminant Concerns	Not Assessed	1.0 mi upstream to 4.5 miles downstream SH 121	5.5			
2002	Overall Sediment Contaminant Concerns	Not Assessed	4.5 miles upstream to 7.5 miles downstream DWU intake	12			
2002	Overall Sediment Contaminant Concerns	Not Assessed	Lower 11 miles of segment	11			
2002	Overall Sediment Contaminant Concerns	Not Assessed	Upper 1.5 miles of segment	1.5			

**Fish Tissue Contaminants Concern**

2002	Overall Fish Tissue Contaminant Concerns	Not Assessed	1.0 mi upstream to 4.5 miles downstream SH 121	5.5			
2002	Overall Fish Tissue Contaminant Concerns	Not Assessed	4.5 miles upstream to 7.5 miles downstream DWU intake	12			
2002	Overall Fish Tissue Contaminant Concerns	Not Assessed	Lower 11 miles of segment	11			

**Segment ID: 0822 Water body name: Elm Fork Trinity River Below Lewisville Lake**

Freshwater Stream

Trinity River Basin

Total size:

30 Miles

Assessment Year	Assessment Method	Status of Use Support or Concern	Location	Location size	# of samples	# of exceedances	Mean
-----------------	-------------------	----------------------------------	----------	---------------	--------------	------------------	------

**Fish Tissue Contaminants Concern** (continued)

2002	Overall Fish Tissue Contaminant Concerns	Not Assessed	Upper 1.5 miles of segment	1.5			
------	--	--------------	----------------------------	-----	--	--	--

**Public Water Supply Concern**

2002	Finished Water: Chloride	No Concern	1.0 mi upstream to 4.5 miles downstream SH 121	5.5			
2002	Finished Water: Chloride	No Concern	4.5 miles upstream to 7.5 miles downstream DWU intake	12			
2002	Finished Water: Chloride	No Concern	Lower 11 miles of segment	11			
2002	Finished Water: Chloride	No Concern	Upper 1.5 miles of segment	1.5			
2002	Finished Water: Sulfate	No Concern	1.0 mi upstream to 4.5 miles downstream SH 121	5.5			
2002	Finished Water: Sulfate	No Concern	4.5 miles upstream to 7.5 miles downstream DWU intake	12			
2002	Finished Water: Sulfate	No Concern	Lower 11 miles of segment	11			
2002	Finished Water: Sulfate	No Concern	Upper 1.5 miles of segment	1.5			
2002	Finished Water: Total Dissolved Solids	No Concern	1.0 mi upstream to 4.5 miles downstream SH 121	5.5			
2002	Finished Water: Total Dissolved Solids	No Concern	4.5 miles upstream to 7.5 miles downstream DWU intake	12			
2002	Finished Water: Total Dissolved Solids	No Concern	Lower 11 miles of segment	11			
2002	Finished Water: Total Dissolved Solids	No Concern	Upper 1.5 miles of segment	1.5			
2002	Finished Water: MTBE	No Concern	1.0 mi upstream to 4.5 miles downstream SH 121	5.5			
2002	Finished Water: MTBE	No Concern	4.5 miles upstream to 7.5 miles downstream DWU intake	12			
2002	Finished Water: MTBE	No Concern	Lower 11 miles of segment	11			
2002	Finished Water: MTBE	No Concern	Upper 1.5 miles of segment	1.5			



**Segment ID: 0822**      **Water body name: Elm Fork Trinity River Below Lewisville Lake**

Freshwater Stream

Trinity River Basin

Total size:

30 Miles

Assessment Year	Assessment Method	Status of Use Support or Concern	Location	Location size	# of samples	# of exceedances	Mean
<b>Public Water Supply Concern</b> (continued)							
2002	Finished Water: Perchlorate	Not Assessed	1.0 mi upstream to 4.5 miles downstream SH 121	5.5			
2002	Finished Water: Perchlorate	Not Assessed	4.5 miles upstream to 7.5 miles downstream DWU intake	12			
2002	Finished Water: Perchlorate	Not Assessed	Lower 11 miles of segment	11			
2002	Finished Water: Perchlorate	Not Assessed	Upper 1.5 miles of segment	1.5			
2002	Finished Water: Overall	No Concern	1.0 mi upstream to 4.5 miles downstream SH 121	5.5			
2002	Finished Water: Overall	No Concern	4.5 miles upstream to 7.5 miles downstream DWU intake	12			
2002	Finished Water: Overall	No Concern	Lower 11 miles of segment	11			
2002	Finished Water: Overall	No Concern	Upper 1.5 miles of segment	1.5			
2002	Surface Water: Chloride	No Concern	1.0 mi upstream to 4.5 miles downstream SH 121	5.5	67		32.6
2002	Surface Water: Chloride	No Concern	4.5 miles upstream to 7.5 miles downstream DWU intake	12	67		32.6
2002	Surface Water: Chloride	No Concern	Lower 11 miles of segment	11	67		32.6
2002	Surface Water: Chloride	No Concern	Upper 1.5 miles of segment	1.5	67		32.6
2002	Surface Water: Sulfate	No Concern	1.0 mi upstream to 4.5 miles downstream SH 121	5.5	18		51.2
2002	Surface Water: Sulfate	No Concern	4.5 miles upstream to 7.5 miles downstream DWU intake	12	18		51.2
2002	Surface Water: Sulfate	No Concern	Lower 11 miles of segment	11	18		51.2
2002	Surface Water: Sulfate	No Concern	Upper 1.5 miles of segment	1.5	18		51.2
2002	Surface Water: Total Dissolved Solids	No Concern	1.0 mi upstream to 4.5 miles downstream SH 121	5.5	95		253.15
2002	Surface Water: Total Dissolved Solids	No Concern	4.5 miles upstream to 7.5 miles downstream DWU intake	12	95		253.15
2002	Surface Water: Total Dissolved Solids	No Concern	Lower 11 miles of segment	11	95		253.15

**Segment ID: 0822**      **Water body name: Elm Fork Trinity River Below Lewisville Lake**

Freshwater Stream                                  Trinity River Basin                                  Total size:                                  30 Miles

Assessment Year	Assessment Method	Status of Use Support or Concern	Location	Location size	# of samples	# of exceedances	Mean
-----------------	-------------------	----------------------------------	----------	---------------	--------------	------------------	------

**Public Water Supply Concern** (continued)

2002	Surface Water: Total Dissolved Solids	No Concern	Upper 1.5 miles of segment	1.5	95		253.15
2002	Surface Water: Overall	No Concern	1.0 mi upstream to 4.5 miles downstream SH 121	5.5			
2002	Surface Water: Overall	No Concern	4.5 miles upstream to 7.5 miles downstream DWU intake	12			
2002	Surface Water: Overall	No Concern	Lower 11 miles of segment	11			
2002	Surface Water: Overall	No Concern	Upper 1.5 miles of segment	1.5			
2002	Overall Public Water Supply Concerns	No Concern	1.0 mi upstream to 4.5 miles downstream SH 121	5.5			
2002	Overall Public Water Supply Concerns	No Concern	4.5 miles upstream to 7.5 miles downstream DWU intake	12			
2002	Overall Public Water Supply Concerns	No Concern	Lower 11 miles of segment	11			
2002	Overall Public Water Supply Concerns	No Concern	Upper 1.5 miles of segment	1.5			

**Narrative Criteria Concern**

2002	Overall Narrative Criteria Concerns	No Concern	1.0 mi upstream to 4.5 miles downstream SH 121	5.5			
2002	Overall Narrative Criteria Concerns	No Concern	4.5 miles upstream to 7.5 miles downstream DWU intake	12			
2002	Overall Narrative Criteria Concerns	No Concern	Lower 11 miles of segment	11			
2002	Overall Narrative Criteria Concerns	No Concern	Upper 1.5 miles of segment	1.5			

**Overall Secondary Concern**

2002		No Concern	1.0 mi upstream to 4.5 miles downstream SH 121	5.5			
------	--	------------	--	-----	--	--	--

**Segment ID:** 0822      **Water body name:** Elm Fork Trinity River Below Lewisville Lake

Freshwater Stream

Trinity River Basin

Total size:

30 Miles

Assessment Year	Assessment Method	Status of Use Support or Concern	Location	Location size	# of samples	# of exceedances	Mean
-----------------	-------------------	----------------------------------	----------	---------------	--------------	------------------	------

**Overall Secondary Concern** (continued)

2002		Concern	4.5 miles upstream to 7.5 miles downstream DWU intake	12			
2002		No Concern	Lower 11 miles of segment	11			
2002		Concern	Upper 1.5 miles of segment	1.5			