

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

Report Abbreviations:	Description:									
SEGID:	Unique Segment identification alpha-numeric code; can be stream, reservoir, estuary, oyster waters, beach watch, etc.									
AUID:	Unique Assessment Unit code; this is a portion of the segment the AUID begins with and ends with _01, _02, etc. Some AUIDs are special units ending in "SA," or oyster water AUIDs are indicated by "OW" and beach watch AUIDs are indicated by abbreviations for name of beach in AUID.									
ASMT Start Date:	The start date of the period of record data for this method was selected; the official 2010 period of record is from 12/1/2001 to 11/30/2008. Assessors have the option of going back 10 years (12/1/1998) to select more data, according to assessment guidance.									
ASMT End Date:	The end date of the period of record data for this method was selected; the official 2010 period of record dates are 12/1/2001 to 11/30/2008. Assessors have the option of including more recently collected data than 12/01/2008, if available.									
# Assd:	Number of samples assessed; some data are averaged, as with profile data, some are eliminated because criteria do not apply during certain conditions such as low flow.									
Mean assd:	Mean of samples assessed; includes averaged methods like chronic criteria as well as geometric mean calculations for bacteria.									
# exceed:	The number of samples that exceed criteria for single sample, or binomial, methods (not averaged data).									
Mean exceed:	This is the mean of the samples that exceeded criteria for the single sample, or binomial, methods (not averaged data).									
Criteria:	Value that the data is compared against to determine level of support; Note: for acute metals in water, each value is compared to a calculated criteria and not all criteria could be reported here, only the minimum in the range of criteria calculated are included.									
DS Qual:	Dataset Qualifier - indicates sample sizes:									
	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 33%;">ID = Inadequate Data (less than 4)</td> <td style="width: 33%;">LD = Limited Data (less than 9, greater than 3)</td> <td style="width: 33%;">AD = Adequate Data (10 or more samples)</td> </tr> <tr> <td>JQ = Level of support is based on judgment of the assessor</td> <td>SR = Spatially Not Representative, used with NA</td> <td>TR = Temporally Not Representative, used with NA</td> </tr> <tr> <td>SM = This assessment method is superseded by another method</td> <td colspan="2">OE = Other information than ambient samples evaluated, generally information is provided by outside entity</td> </tr> </table>	ID = Inadequate Data (less than 4)	LD = Limited Data (less than 9, greater than 3)	AD = Adequate Data (10 or more samples)	JQ = Level of support is based on judgment of the assessor	SR = Spatially Not Representative, used with NA	TR = Temporally Not Representative, used with NA	SM = This assessment method is superseded by another method	OE = Other information than ambient samples evaluated, generally information is provided by outside entity	
	ID = Inadequate Data (less than 4)	LD = Limited Data (less than 9, greater than 3)	AD = Adequate Data (10 or more samples)							
JQ = Level of support is based on judgment of the assessor	SR = Spatially Not Representative, used with NA	TR = Temporally Not Representative, used with NA								
SM = This assessment method is superseded by another method	OE = Other information than ambient samples evaluated, generally information is provided by outside entity									
LOS:	Level of support for this use, method, assessment parameter:									
	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 33%;">FS = Fully Supporting</td> <td style="width: 33%;">NC = No Concern</td> <td style="width: 33%;">CN = Use Concern</td> </tr> <tr> <td>CS = Screening Level Concern</td> <td colspan="2">NS = Nonsupport</td> </tr> </table>	FS = Fully Supporting	NC = No Concern	CN = Use Concern	CS = Screening Level Concern	NS = Nonsupport				
FS = Fully Supporting	NC = No Concern	CN = Use Concern								
CS = Screening Level Concern	NS = Nonsupport									
CF:	Carry forward indicator check box: indicates that the Integrated level of support of CS , CN , or NS was carried forward from a previous assessment due to inadequate data for this method in this assessment.									
Int LOS:	Integrated level of support. This is the overall level of support for this use, method, parameter group, which could be different from the LOS (described above) due to carry forward information or other types of changes. New Code added in 2010: PI = Pending Issue									
TCEQ Cause:	This is the impairment description (e.g., bacteria, depressed dissolved oxygen, etc.)									
Cat:	This is the assessment category assigned to this impairment. Subcategories as follows:									
	Category 4: Standard is not supported or is threatened for one or more designated uses but does not require the development of a TMDL.									
	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 33%;">4a - TMDL has been completed and approved by EPA.Category.</td> <td style="width: 33%;">4b - Other pollution control requirements are reasonably expected to result in the attainment of the water quality standard in the near future.</td> <td style="width: 33%;">4c - Nonsupport of the water quality standard is not caused by a pollutant.</td> </tr> </table>	4a - TMDL has been completed and approved by EPA.Category.	4b - Other pollution control requirements are reasonably expected to result in the attainment of the water quality standard in the near future.	4c - Nonsupport of the water quality standard is not caused by a pollutant.						
4a - TMDL has been completed and approved by EPA.Category.	4b - Other pollution control requirements are reasonably expected to result in the attainment of the water quality standard in the near future.	4c - Nonsupport of the water quality standard is not caused by a pollutant.								
Category 5: The water body does not meet applicable water quality standards or is threatened for one or more designated uses by one or more pollutants.										
	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 33%;">5a - A TMDL is underway, scheduled, or will be scheduled.</td> <td style="width: 33%;">5b - A review of the water quality standards for this water body will be conducted before a TMDL is scheduled.</td> <td style="width: 33%;">5c - Additional data and information will be collected before a TMDL is scheduled.</td> </tr> </table>	5a - A TMDL is underway, scheduled, or will be scheduled.	5b - A review of the water quality standards for this water body will be conducted before a TMDL is scheduled.	5c - Additional data and information will be collected before a TMDL is scheduled.						
5a - A TMDL is underway, scheduled, or will be scheduled.	5b - A review of the water quality standards for this water body will be conducted before a TMDL is scheduled.	5c - Additional data and information will be collected before a TMDL is scheduled.								

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

Segment New
in 2010? **No**

SEGID 0801 Trinity River Tidal

AUID 0801_01

Lower 25 miles of segment

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	77		3	2.96	4.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	77		2	2.54	3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Single Sample	Enterococcus	12/1/2001	11/30/2008	27		1	223	89.00	AD	FS	<input type="checkbox"/>	FS		
Bacteria Geomean	Enterococcus	12/1/2001	11/30/2008	27	10.40	0		35.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2001	11/30/2008	78		0		35.00	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2001	11/30/2008	77		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2001	11/30/2008	77		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	71		0		0.46	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2001	11/30/2008	74		21	29.96	21.00	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	24		0		0.46	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	58		0		1.10	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	74		1	0.71	0.66	AD	NC	<input type="checkbox"/>	NC		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

Segment New
in 2010? **No**

SEGID 0801A Lost River (unclassified water body)

AUID

0801A_01

Entire Segment

USE

Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	36		0		4.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	36		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/1/2001	11/30/2008	35		0		4.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/1/2001	11/30/2008	35		1	2.86	3.00	AD	FS	<input type="checkbox"/>	FS		

USE

General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Chlorophyll-a	12/1/2001	11/30/2008	35		5	33	21.00	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	36		0		0.66	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	36		0		0.46	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	36		0		1.10	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	35		0		0.46	AD	NC	<input type="checkbox"/>	NC		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

Segment New
in 2010? **No**

SEGID 0801B Old River (unclassified water body)

AUID

0801B_01

Entire Segment

USE

Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	52		1	1.7	4.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	52		1	1.7	3.00	AD	FS	<input type="checkbox"/>	FS		

USE

General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	35		1	1.21	1.10	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	50		0		0.46	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	52		0		0.66	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2001	11/30/2008	49		25	41.48	21.00	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

Segment New
in 2010? **No**

SEGID 0801C Cotton Bayou (unclassified water body)

AUID 0801C_01 Entire Segment

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	37		4	3.33	4.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	37		1	2.8	3.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/1/2001	11/30/2008	11		1	3	4.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/1/2001	11/30/2008	11		2	2.25	3.00	AD	FS	<input checked="" type="checkbox"/>	NS	depressed dissolved oxygen	5b

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Single Sample	E. coli	12/1/2001	11/30/2008	11		7	3865.71	394.00	SM	NS	<input type="checkbox"/>	NS	bacteria	
Bacteria Single Sample	Enterococcus	12/1/2001	11/30/2008	21		9	7306	89.00	AD	NS	<input type="checkbox"/>	NS	bacteria	5b
Bacteria Geomean	Enterococcus	12/1/2001	11/30/2008	21	106.03			35.00	AD	NS	<input type="checkbox"/>	NS	bacteria	5b
Bacteria Geomean	E. coli	12/1/2001	11/30/2008	11	484.95			126.00	SM	NS	<input type="checkbox"/>	NS	bacteria	

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Enterococci (1006, 1007) geometric mean	Enterococcus	12/1/2001	11/30/2008	21	106.03			89.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	57		18	7.83	1.10	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	57		15	1.68	0.46	AD	CS	<input type="checkbox"/>	CS	orthophosphorus	
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	57		1	0.55	0.46	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	57		16	1.81	0.66	AD	CS	<input type="checkbox"/>	CS	total phosphorus	
Nutrient Screening Levels	Chlorophyll-a	12/1/2001	11/30/2008	53		13	58.74	21.00	AD	NC	<input type="checkbox"/>	NC		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

Segment New
in 2010? **Yes**

SEGID 0801D Lynchburg Canal (unclassified water body)

AUID 0801D_01

From confluence with Trinity River Tidal upstream to confluence with Big Caney Creek.

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	9		0		5.00	LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	9		0		3.00	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Nickel	12/1/2001	11/30/2008	8		0		118.00	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Silver (ionic)	12/1/2001	11/30/2008	7		0		2.00	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Selenium	12/1/2001	11/30/2008	9		0		564.00	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Copper	12/1/2001	11/30/2008	8		0		13.50	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	8		0		45.40	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Arsenic	12/1/2001	11/30/2008	9		0		149.00	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Zinc	12/1/2001	11/30/2008	7		1	284	92.70	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Lead	12/1/2001	11/30/2008	8		0		133.00	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Lead	12/1/2001	11/30/2008	8	0.50			5.30	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Zinc	12/1/2001	11/30/2008	7	50.14			84.20	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Nickel	12/1/2001	11/30/2008	8	7.31			13.10	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Copper	12/1/2001	11/30/2008	8	1.38			3.60	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	8	0.15			10.00	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Arsenic	12/1/2001	11/30/2008	9	2.04			78.00	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Selenium	12/1/2001	11/30/2008	9	0.83			136.00	LD	NC	<input type="checkbox"/>	NC		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Single Sample	E. coli	12/1/2001	11/30/2008	8		0		394.00	LD	NC	<input type="checkbox"/>	NC		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0801D_01 From confluence with Trinity River Tidal upstream to confluence with Big Caney Creek.

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Single Sample	Fecal coliform	12/1/2001	11/30/2008	2		1	590	400.00	SM	NA	<input type="checkbox"/>	NA		
Bacteria Geomean	E. coli	12/1/2001	11/30/2008	8	58.16			126.00	LD	NC	<input type="checkbox"/>	NC		
Bacteria Geomean	Fecal coliform	12/1/2001	11/30/2008	2	145.74			200.00	SM	NA	<input type="checkbox"/>	NA		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	9		0		0.66	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	7		0		0.46	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	8		0		0.46	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	7		0		1.10	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2001	11/30/2008	5		0		21.00	LD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Chromium	12/1/2001	11/30/2008	8	3.63			2,216.00	LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Lead	12/1/2001	11/30/2008	8	0.50			16.90	LD	NC	<input type="checkbox"/>	NC		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

Segment New
in 2010? **No**

SEGID 0802 Trinity River Below Lake Livingston

AUID 0802_01

Lower 17 miles of segment

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	33		0		5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	33		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2001	11/30/2008	3		0		6.36	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Silver (ionic)	12/1/2001	11/30/2008	5		0		0.80	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Selenium	12/1/2001	11/30/2008	4		0		20.00	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Nickel	12/1/2001	11/30/2008	4		0		78.98	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Lead	12/1/2001	11/30/2008	5		0		87.68	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Chromium	12/1/2001	11/30/2008	4		0		619.66	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	4		0		38.76	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Arsenic	12/1/2001	11/30/2008	5		0		360.00	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Aluminum	12/1/2001	11/30/2008	4		0		991.00	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Copper	12/1/2001	11/30/2008	5		0		21.19	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Lead	12/1/2001	11/30/2008	5	0.50			2.27	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Zinc	12/1/2001	11/30/2008	3	5.50			97.38	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Arsenic	12/1/2001	11/30/2008	5	1.66			190.00	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Nickel	12/1/2001	11/30/2008	4	5.88			146.49	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Copper	12/1/2001	11/30/2008	5	1.30			11.44	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Chromium	12/1/2001	11/30/2008	4	2.25			166.25	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	4	0.23			0.97	LD	NC	<input type="checkbox"/>	NC		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0802_01 Lower 17 miles of segment

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Chronic Toxic Substances in water	Selenium	12/1/2001	11/30/2008	4	0.63			5.00	LD	NC	<input type="checkbox"/>	NC		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Single Sample	E. coli	12/1/2001	11/30/2008	31		2	755	394.00	AD	FS	<input type="checkbox"/>	FS		
Bacteria Single Sample	Fecal coliform	12/1/2001	11/30/2008	7		0		400.00	SM	NC	<input type="checkbox"/>	NC		
Bacteria Single Sample	Enterococcus	12/1/2001	11/30/2008	1		0		89.00	SM	NA	<input type="checkbox"/>	NA		
Bacteria Geomean	E. coli	12/1/2001	11/30/2008	31	32.73			126.00	AD	FS	<input type="checkbox"/>	FS		
Bacteria Geomean	Fecal coliform	12/1/2001	11/30/2008	7	51.40			200.00	SM	NC	<input type="checkbox"/>	NC		
Bacteria Geomean	Enterococcus	12/1/2001	11/30/2008	1	50.00			35.00	SM	NA	<input type="checkbox"/>	NA		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2001	11/30/2008	33		0		33.90	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2001	11/30/2008	33		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2001	11/30/2008	33		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	108	229.10			600.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2001	11/30/2008	101	27.41			125.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2001	11/30/2008	86	37.38			100.00	AD	FS	<input type="checkbox"/>	FS		
Enterococci (1006, 1007) single sample	Enterococcus	12/1/2001	11/30/2008	1		0		89.00	ID	NA	<input type="checkbox"/>	NA		
Enterococci (1006, 1007) geometric mean	Enterococcus	12/1/2001	11/30/2008	1	50.00			89.00	ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Chlorophyll-a	12/1/2001	11/30/2008	27		11	34.45	14.10	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	31		0		1.95	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	32		0		0.37	AD	NC	<input type="checkbox"/>	NC		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0802_01 Lower 17 miles of segment

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	31		0		0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	31		0		0.69	AD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Lead	12/1/2001	11/30/2008	5	0.50			4.98	LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Cadmium	12/1/2001	11/30/2008	4	0.23			5.00	LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Chromium	12/1/2001	11/30/2008	4	2.25			100.00	LD	NC	<input type="checkbox"/>	NC		
Bioaccumulative Toxics in fish tissue	Lead	12/1/2001	11/30/2008	2		0		0.60	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Zinc	12/1/2001	11/30/2008	2		0		525.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Selenium	12/1/2001	11/30/2008	2		0		4.38	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Cadmium	12/1/2001	11/30/2008	2		0		0.23	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	PCBs	12/1/2001	11/30/2008	2		0		0.13	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Toxaphene	12/1/2001	11/30/2008	2		0		0.83	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Nickel	12/1/2001	11/30/2008	2		0		35.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Mirex	12/1/2001	11/30/2008	2		0		0.04	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Mercury	12/1/2001	11/30/2008	2		0		0.53	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Hexachlorobenzene (HCB)	12/1/2001	11/30/2008	2		0		0.61	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Heptachlor epoxide	12/1/2001	11/30/2008	2		0		0.25	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Heptachlor	12/1/2001	11/30/2008	2		0		0.20	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Dieldrin	12/1/2001	11/30/2008	2		0		0.06	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Chromium	12/1/2001	11/30/2008	2		0		5.25	ID	NA	<input type="checkbox"/>	NA		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0802_01 Lower 17 miles of segment

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bioaccumulative Toxics in fish tissue	Arsenic	12/1/2001	11/30/2008	2		0		0.04	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Aldrin	12/1/2001	11/30/2008	2		0		0.14	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Copper	12/1/2001	11/30/2008	2		0		250.00	ID	NA	<input type="checkbox"/>	NA		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Arsenic	12/1/2001	11/30/2008	5	1.66			50.00	LD	NC	<input type="checkbox"/>	NC		
Surface Water HH criteria for PWS average	Nitrate	12/1/2001	11/30/2008	31	0.30			10,000.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Selenium	12/1/2001	11/30/2008	4	0.63			50.00	LD	NC	<input type="checkbox"/>	NC		
Surface Water HH criteria for PWS average	Fluoride	12/1/2001	11/30/2008	27	0.29			4.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Cadmium	12/1/2001	11/30/2008	4	0.23			5.00	LD	NC	<input type="checkbox"/>	NC		
Surface Water HH criteria for PWS average	Lead	12/1/2001	11/30/2008	5	0.50			4.98	LD	NC	<input type="checkbox"/>	NC		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0802_02 Approx. 9 miles upstream to approx. 15 miles downstream of SH 105

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	6		1	1	5.00	LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	6		1	1	3.00	LD	NC	<input type="checkbox"/>	NC		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2001	11/30/2008	5		0		33.90	LD	NC	<input type="checkbox"/>	NC		
High pH	pH	12/1/2001	11/30/2008	5		2	9.65	9.00	LD	CN	<input type="checkbox"/>	CN	pH	
Low pH	pH	12/1/2001	11/30/2008	5		0		6.50	LD	NC	<input type="checkbox"/>	NC		
Dissolved Solids	Sulfate	12/1/2001	11/30/2008	86	37.38			100.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	108	229.10			600.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2001	11/30/2008	101	27.41			125.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	6		0		1.95	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	6		0		0.37	LD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bioaccumulative Toxics in fish tissue	Lead	12/1/2001	11/30/2008	2		0		0.60	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Toxaphene	12/1/2001	11/30/2008	2		0		0.83	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Zinc	12/1/2001	11/30/2008	2		0		525.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Selenium	12/1/2001	11/30/2008	2		0		4.38	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	PCBs	12/1/2001	11/30/2008	2		0		0.13	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Cadmium	12/1/2001	11/30/2008	2		0		0.23	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Nickel	12/1/2001	11/30/2008	2		0		35.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Mirex	12/1/2001	11/30/2008	2		0		0.04	ID	NA	<input type="checkbox"/>	NA		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0802_02 Approx. 9 miles upstream to approx. 15 miles downstream of SH 105

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bioaccumulative Toxics in fish tissue	Mercury	12/1/2001	11/30/2008	2		0		0.53	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Hexachlorobenzene (HCB)	12/1/2001	11/30/2008	2		0		0.61	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Heptachlor epoxide	12/1/2001	11/30/2008	2		0		0.25	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Heptachlor	12/1/2001	11/30/2008	2		0		0.20	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Dieldrin	12/1/2001	11/30/2008	2		0		0.06	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Chromium	12/1/2001	11/30/2008	2		0		5.25	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Arsenic	12/1/2001	11/30/2008	2		0		0.04	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Aldrin	12/1/2001	11/30/2008	2		0		0.14	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Copper	12/1/2001	11/30/2008	2		0		250.00	ID	NA	<input type="checkbox"/>	NA		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2001	11/30/2008	6	0.66			10,000.00	LD	NC	<input type="checkbox"/>	NC		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID

0802_03

11 miles upstream to approx. 9 miles downstream of FM 787

USE

Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	33		0		5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	33		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	12/1/2001	11/30/2008	6		0		360.00	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	5		0		29.84	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Chromium	12/1/2001	11/30/2008	5		0		512.52	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Copper	12/1/2001	11/30/2008	6		0		17.03	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Lead	12/1/2001	11/30/2008	6		0		65.27	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Nickel	12/1/2001	11/30/2008	5		0		85.02	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Selenium	12/1/2001	11/30/2008	5		0		20.00	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Zinc	12/1/2001	11/30/2008	4		0		6.84	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Silver (ionic)	12/1/2001	11/30/2008	6		0		0.80	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Aluminum	12/1/2001	11/30/2008	5		0		991.00	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Lead	12/1/2001	11/30/2008	6	0.50			2.27	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Zinc	12/1/2001	11/30/2008	4	5.13			97.38	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Nickel	12/1/2001	11/30/2008	5	8.50			146.49	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Chromium	12/1/2001	11/30/2008	5	2.10			166.25	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	5	0.36			0.97	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Arsenic	12/1/2001	11/30/2008	6	1.92			190.00	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Selenium	12/1/2001	11/30/2008	5	0.60			5.00	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Copper	12/1/2001	11/30/2008	6	1.50			11.44	LD	NC	<input type="checkbox"/>	NC		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0802_03 11 miles upstream to approx. 9 miles downstream of FM 787

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Single Sample	E. coli	12/1/2001	11/30/2008	31		3	679.33	394.00	AD	FS	<input type="checkbox"/>	FS		
Bacteria Single Sample	Fecal coliform	12/1/2001	11/30/2008	7		1	2600	400.00	SM	NC	<input type="checkbox"/>	NC		
Bacteria Single Sample	Enterococcus	12/1/2001	11/30/2008	1		0		89.00	SM	NA	<input type="checkbox"/>	NA		
Bacteria Geomean	E. coli	12/1/2001	11/30/2008	31	31.70			126.00	AD	FS	<input type="checkbox"/>	FS		
Bacteria Geomean	Fecal coliform	12/1/2001	11/30/2008	7	91.48			200.00	SM	NC	<input type="checkbox"/>	NC		
Bacteria Geomean	Enterococcus	12/1/2001	11/30/2008	1	30.00			35.00	SM	NA	<input type="checkbox"/>	NA		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2001	11/30/2008	33		0		33.90	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2001	11/30/2008	32		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2001	11/30/2008	32		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	108	229.10			600.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2001	11/30/2008	101	27.41			125.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2001	11/30/2008	86	37.38			100.00	AD	FS	<input type="checkbox"/>	FS		
Enterococci (1006, 1007) single sample	Enterococcus	12/1/2001	11/30/2008	1		0		89.00	ID	NA	<input type="checkbox"/>	NA		
Enterococci (1006, 1007) geometric mean	Enterococcus	12/1/2001	11/30/2008	1	30.00			89.00	ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	32		0		1.95	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	32		0		0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	31		0		0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	32		0		0.69	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2001	11/30/2008	28		15	28.26	14.10	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID

0802_03

11 miles upstream to approx. 9 miles downstream of FM 787

USE

Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Lead	12/1/2001	11/30/2008	6	0.50			4.98	LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Cadmium	12/1/2001	11/30/2008	5	0.36			5.00	LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Chromium	12/1/2001	11/30/2008	5	2.10			100.00	LD	NC	<input type="checkbox"/>	NC		
Bioaccumulative Toxics in fish tissue	Lead	12/1/2001	11/30/2008	2		0		0.60	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Mercury	12/1/2001	11/30/2008	2		0		0.53	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Mirex	12/1/2001	11/30/2008	2		0		0.04	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Nickel	12/1/2001	11/30/2008	2		0		35.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	PCBs	12/1/2001	11/30/2008	2		0		0.13	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Selenium	12/1/2001	11/30/2008	2		0		4.38	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Toxaphene	12/1/2001	11/30/2008	2		0		0.83	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Heptachlor	12/1/2001	11/30/2008	2		0		0.20	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Zinc	12/1/2001	11/30/2008	2		0		525.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Heptachlor epoxide	12/1/2001	11/30/2008	2		0		0.25	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Dieldrin	12/1/2001	11/30/2008	2		0		0.06	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Copper	12/1/2001	11/30/2008	2		0		250.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Chromium	12/1/2001	11/30/2008	2		0		5.25	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Cadmium	12/1/2001	11/30/2008	2		0		0.23	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Arsenic	12/1/2001	11/30/2008	2		0		0.04	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Aldrin	12/1/2001	11/30/2008	2		0		0.14	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Hexachlorobenzene (HCB)	12/1/2001	11/30/2008	2		0		0.61	ID	NA	<input type="checkbox"/>	NA		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0802_03 11 miles upstream to approx. 9 miles downstream of FM 787

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Selenium	12/1/2001	11/30/2008	5	0.60			50.00	LD	NC	<input type="checkbox"/>	NC		
Surface Water HH criteria for PWS average	Arsenic	12/1/2001	11/30/2008	6	1.92			50.00	LD	NC	<input type="checkbox"/>	NC		
Surface Water HH criteria for PWS average	Cadmium	12/1/2001	11/30/2008	5	0.36			5.00	LD	NC	<input type="checkbox"/>	NC		
Surface Water HH criteria for PWS average	Fluoride	12/1/2001	11/30/2008	20	0.30			4.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Lead	12/1/2001	11/30/2008	6	0.50			4.98	LD	NC	<input type="checkbox"/>	NC		
Surface Water HH criteria for PWS average	Nitrate	12/1/2001	11/30/2008	25	0.39			10,000.00	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0802_04 5 miles upstream to 11 miles downstream of US 59

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	18		0		5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	18		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2001	11/30/2008	15		0		102.36	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Silver (ionic)	12/1/2001	11/30/2008	16		0		0.80	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2001	11/30/2008	15		0		143.87	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/1/2001	11/30/2008	14		0		1,778.66	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2001	11/30/2008	16		0		23.76	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2001	11/30/2008	15		0		684.56	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	12		0		44.45	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	12/1/2001	11/30/2008	16		0		360.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Aluminum	12/1/2001	11/30/2008	13		0		991.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Selenium	12/1/2001	11/30/2008	16		0		20.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2001	11/30/2008	16	1.28			11.44	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Selenium	12/1/2001	11/30/2008	16	0.72			5.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2001	11/30/2008	15	8.00			97.38	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2001	11/30/2008	15	0.90			2.27	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	12	0.13			0.97	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic	12/1/2001	11/30/2008	16	2.36			190.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/1/2001	11/30/2008	14	8.36			146.49	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2001	11/30/2008	15	2.70			166.25	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0802_04 5 miles upstream to 11 miles downstream of US 59

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Single Sample	E. coli	12/1/2001	11/30/2008	19		1	460	394.00	AD	FS	<input type="checkbox"/>	FS		
Bacteria Single Sample	Fecal coliform	12/1/2001	11/30/2008	1		0		400.00	SM	NA	<input type="checkbox"/>	NA		
Bacteria Geomean	Fecal coliform	12/1/2001	11/30/2008	1	10.00			200.00	SM	NA	<input type="checkbox"/>	NA		
Bacteria Geomean	E. coli	12/1/2001	11/30/2008	19	21.36			126.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2001	11/30/2008	21		0		33.90	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2001	11/30/2008	20		1	9.2	9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2001	11/30/2008	20		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	108	229.10			600.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2001	11/30/2008	101	27.41			125.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2001	11/30/2008	86	37.38			100.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	20		0		0.69	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	18		0		0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	20		0		0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	17		0		1.95	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2001	11/30/2008	19		7	27.29	14.10	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Cadmium	12/1/2001	11/30/2008	12	0.13			5.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Chromium	12/1/2001	11/30/2008	15	2.70			100.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2001	11/30/2008	15	0.90			4.98	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0802_04 5 miles upstream to 11 miles downstream of US 59

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bioaccumulative Toxics in fish tissue	Lead	12/1/2001	11/30/2008	2		0		0.60	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Toxaphene	12/1/2001	11/30/2008	2		0		0.83	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Zinc	12/1/2001	11/30/2008	2		0		525.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Selenium	12/1/2001	11/30/2008	2		0		4.38	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	PCBs	12/1/2001	11/30/2008	2		0		0.13	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Nickel	12/1/2001	11/30/2008	2		0		35.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Mercury	12/1/2001	11/30/2008	2		0		0.53	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Hexachlorobenzene (HCB)	12/1/2001	11/30/2008	2		0		0.61	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Aldrin	12/1/2001	11/30/2008	2		0		0.14	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Heptachlor	12/1/2001	11/30/2008	2		0		0.20	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Dieldrin	12/1/2001	11/30/2008	2		0		0.06	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Copper	12/1/2001	11/30/2008	2		0		250.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Chromium	12/1/2001	11/30/2008	2		0		5.25	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Cadmium	12/1/2001	11/30/2008	2		0		0.23	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Arsenic	12/1/2001	11/30/2008	2		0		0.04	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Heptachlor epoxide	12/1/2001	11/30/2008	2		0		0.25	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Mirex	12/1/2001	11/30/2008	2		0		0.04	ID	NA	<input type="checkbox"/>	NA		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Selenium	12/1/2001	11/30/2008	16	0.72			50.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nitrate	12/1/2001	11/30/2008	17	0.35			10,000.00	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0802_04 5 miles upstream to 11 miles downstream of US 59

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Lead	12/1/2001	11/30/2008	15	0.90			4.98	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Arsenic	12/1/2001	11/30/2008	16	2.36			50.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Cadmium	12/1/2001	11/30/2008	12	0.13			5.00	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0802_05 Upper 6 miles of segment

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	52		0		5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	52		0		3.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2001	11/30/2008	53		0		33.90	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2001	11/30/2008	52		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2001	11/30/2008	52		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	108	229.10			600.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2001	11/30/2008	101	27.41			125.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2001	11/30/2008	86	37.38			100.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Chlorophyll-a	12/1/2001	11/30/2008	49		21	18.89	14.10	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	35		0		1.95	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	46		0		0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	51		0		0.69	AD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bioaccumulative Toxics in fish tissue	Mercury	12/1/2001	11/30/2008	2		0		0.53	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Mirex	12/1/2001	11/30/2008	2		0		0.04	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Nickel	12/1/2001	11/30/2008	2		0		35.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	PCBs	12/1/2001	11/30/2008	2		0		0.13	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Zinc	12/1/2001	11/30/2008	2		0		525.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Heptachlor epoxide	12/1/2001	11/30/2008	2		0		0.25	ID	NA	<input type="checkbox"/>	NA		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0802_05 Upper 6 miles of segment

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bioaccumulative Toxics in fish tissue	Toxaphene	12/1/2001	11/30/2008	2		0		0.83	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Selenium	12/1/2001	11/30/2008	2		0		4.38	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Aldrin	12/1/2001	11/30/2008	2		0		0.14	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Heptachlor	12/1/2001	11/30/2008	2		0		0.20	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Dieldrin	12/1/2001	11/30/2008	2		0		0.06	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Copper	12/1/2001	11/30/2008	2		0		250.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Chromium	12/1/2001	11/30/2008	2		0		5.25	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Cadmium	12/1/2001	11/30/2008	2		0		0.23	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Arsenic	12/1/2001	11/30/2008	2		0		0.04	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Hexachlorobenzene (HCB)	12/1/2001	11/30/2008	2		0		0.61	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Lead	12/1/2001	11/30/2008	2		0		0.60	ID	NA	<input type="checkbox"/>	NA		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2001	11/30/2008	35	0.35			10,000.00	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

Segment New
in 2010? **No**

SEGID 0802B Long King Creek (unclassified water body)

AUID 0802B_02

From just upstream of the confluence with unnamed tributary (NHD RC 12030202001817) up to the confluence with Mud Creek, in Polk County.

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	5		0		5.00	LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	5		0		3.00	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Nickel	12/1/2001	11/30/2008	3		0		51.71	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Silver (ionic)	12/1/2001	11/30/2008	3		0		0.80	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Selenium	12/1/2001	11/30/2008	3		0		20.00	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Lead	12/1/2001	11/30/2008	3		0		0.50	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Chromium	12/1/2001	11/30/2008	3		0		22.28	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Aluminum	12/1/2001	11/30/2008	3		0		991.00	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	2		0		0.40	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Zinc	12/1/2001	11/30/2008	3		1	12	4.16	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Arsenic	12/1/2001	11/30/2008	3		0		360.00	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Copper	12/1/2001	11/30/2008	3		1	1	0.46	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Copper	12/1/2001	11/30/2008	3	1.50			10.80	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Zinc	12/1/2001	11/30/2008	3	16.33			91.97	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Selenium	12/1/2001	11/30/2008	3	0.50			5.00	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Lead	12/1/2001	11/30/2008	3	0.50			2.08	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Chromium	12/1/2001	11/30/2008	3	1.17			157.32	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	2	0.05			0.92	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Arsenic	12/1/2001	11/30/2008	3	2.00			190.00	ID	NA	<input type="checkbox"/>	NA		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0802B_02 From just upstream of the confluence with unnamed tributary (NHD RC 12030202001817) up to the confluence with Mud Creek, in Polk County.

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Chronic Toxic Substances in water	Nickel	12/1/2001	11/30/2008	3	14.17			138.36	ID	NA	<input type="checkbox"/>	NA		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Single Sample	E. coli	12/1/2001	11/30/2008	5		2	1041	394.00	LD	NC	<input type="checkbox"/>	NC		
Bacteria Single Sample	Fecal coliform	12/1/2001	11/30/2008	1		0		400.00	SM	NA	<input type="checkbox"/>	NA		
Bacteria Geomean	E. coli	12/1/2001	11/30/2008	5	75.92			126.00	LD	NC	<input type="checkbox"/>	NC		
Bacteria Geomean	Fecal coliform	12/1/2001	11/30/2008	1	280.00			200.00	SM	NA	<input type="checkbox"/>	NA		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	5		0		1.95	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	5		0		0.69	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2001	11/30/2008	3		0		14.10	ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	5		0		0.37	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	4		0		0.33	LD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Chromium	12/1/2001	11/30/2008	3	1.17			3,320.00	ID	NA	<input type="checkbox"/>	NA		
HH Bioaccumulative Toxics in water	Lead	12/1/2001	11/30/2008	3	0.50			25.30	ID	NA	<input type="checkbox"/>	NA		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

Segment New
in 2010? **Yes**

SEGID 0802D Menard Creek (unclassified water body)

AUID 0802D_01

Entire water body

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Acute Toxic Substances in water	Copper	12/1/2001	11/30/2008	1		1	3	2.50	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Silver (ionic)	12/1/2001	11/30/2008	1		0		0.80	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Zinc	12/1/2001	11/30/2008	1		0		18.98	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Selenium	12/1/2001	11/30/2008	1		0		20.00	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Lead	12/1/2001	11/30/2008	1		0		4.88	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Chromium	12/1/2001	11/30/2008	1		0		96.65	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	1		0		3.00	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Arsenic	12/1/2001	11/30/2008	1		0		360.00	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Aluminum	12/1/2001	11/30/2008	1		0		991.00	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Nickel	12/1/2001	11/30/2008	1		0		235.43	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Lead	12/1/2001	11/30/2008	1	0.50			2.08	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Selenium	12/1/2001	11/30/2008	1	0.50			5.00	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Zinc	12/1/2001	11/30/2008	1	16.00			91.97	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Nickel	12/1/2001	11/30/2008	1	24.00			138.36	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Chromium	12/1/2001	11/30/2008	1	1.00			157.32	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Arsenic	12/1/2001	11/30/2008	1	0.50			190.00	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	1	0.05			0.92	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Copper	12/1/2001	11/30/2008	1	3.00			10.80	ID	NA	<input type="checkbox"/>	NA		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0802D_01 Entire water body

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Single Sample	E. coli	12/1/2001	11/30/2008	8		2	668.5	394.00	LD	NC	<input type="checkbox"/>	NC		
Bacteria Geomean	E. coli	12/1/2001	11/30/2008	8	139.89			126.00	LD	CN	<input type="checkbox"/>	CN	bacteria	

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	8		0		1.95	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	2		0		0.37	ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	7		0		0.33	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	8		0		0.69	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2001	11/30/2008	2		0		14.10	ID	NA	<input type="checkbox"/>	NA		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Chromium	12/1/2001	11/30/2008	1	1.00			3,320.00	ID	NA	<input type="checkbox"/>	NA		
HH Bioaccumulative Toxics in water	Lead	12/1/2001	11/30/2008	1	0.50			25.30	ID	NA	<input type="checkbox"/>	NA		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

Segment New
in 2010? **No**

SEGID 0803 Lake Livingston

AUID 0803_01

Lowermost portion of reservoir, adjacent to dam

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	78		0		5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	78		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/1/2001	11/30/2008	6		0		4.00	LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/1/2001	11/30/2008	6		0		3.00	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Lead	12/1/2001	11/30/2008	44		0		89.61	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Silver (ionic)	12/1/2001	11/30/2008	48		0		0.80	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2001	11/30/2008	44		0		131.68	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/1/2001	11/30/2008	47		0		1,628.15	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2001	11/30/2008	48		0		21.54	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2001	11/30/2008	45		0		628.40	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	36		0		39.51	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	12/1/2001	11/30/2008	48		0		360.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Aluminum	12/1/2001	11/30/2008	45		0		991.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Selenium	12/1/2001	11/30/2008	48		0		20.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/1/2001	11/30/2008	47	8.71			149.18	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2001	11/30/2008	44	6.78			99.17	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Selenium	12/1/2001	11/30/2008	48	0.64			5.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic	12/1/2001	11/30/2008	48	2.27			190.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2001	11/30/2008	48	1.34			11.65	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0803_01 Lowermost portion of reservoir, adjacent to dam

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Chronic Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	36	0.10			0.98	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2001	11/30/2008	45	2.21			169.21	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2001	11/30/2008	44	0.59			2.33	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Single Sample	E. coli	12/1/2001	11/30/2008	50		0		394.00	AD	FS	<input type="checkbox"/>	FS		
Bacteria Single Sample	Fecal coliform	12/1/2001	11/30/2008	4		0		400.00	SM	NC	<input type="checkbox"/>	NC		
Bacteria Geomean	Fecal coliform	12/1/2001	11/30/2008	4	10.00			200.00	SM	NC	<input type="checkbox"/>	NC		
Bacteria Geomean	E. coli	12/1/2001	11/30/2008	50	3.30			126.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2001	11/30/2008	95		0		33.90	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2001	11/30/2008	82		13	9.18	9.00	AD	NS	<input type="checkbox"/>	NS	pH	5c
Low pH	pH	12/1/2001	11/30/2008	82		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	284	263.87			500.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2001	11/30/2008	260	37.49			150.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2001	11/30/2008	247	53.41			50.00	AD	NS	<input type="checkbox"/>	NS	sulfate	5b
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	65		44	0.09	0.05	AD	CS	<input type="checkbox"/>	CS	orthophosphorus	
Nutrient Screening Levels	Chlorophyll-a	12/1/2001	11/30/2008	45		5	32.4	26.70	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	65		22	0.99	0.37	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	63		0		0.11	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	53		4	0.39	0.20	AD	NC	<input type="checkbox"/>	NC		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0803_01 Lowermost portion of reservoir, adjacent to dam

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Risk Assess.- No Advisory	12/1/2001	11/30/2008						OE	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Cadmium	12/1/2001	11/30/2008	36	0.10			5.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Chromium	12/1/2001	11/30/2008	45	2.21			100.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2001	11/30/2008	44	0.59			4.98	AD	FS	<input type="checkbox"/>	FS		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Arsenic	12/1/2001	11/30/2008	48	2.27			50.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Selenium	12/1/2001	11/30/2008	48	0.64			50.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nitrate	12/1/2001	11/30/2008	75	0.42			10,000.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Lead	12/1/2001	11/30/2008	44	0.59			4.98	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Cadmium	12/1/2001	11/30/2008	36	0.10			5.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Fluoride	12/1/2001	11/30/2008	5	0.35			4.00	LD	NC	<input type="checkbox"/>	NC		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0803_02 Lower portion of reservoir, East Wolf Creek

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	7		0		5.00	LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	7		0		3.00	LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/1/2001	11/30/2008	10		0		4.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/1/2001	11/30/2008	10		0		3.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2001	11/30/2008	13		0		33.90	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2001	11/30/2008	7		1	9.1	9.00	LD	NC	<input type="checkbox"/>	NC		
Low pH	pH	12/1/2001	11/30/2008	7		0		6.50	LD	NC	<input type="checkbox"/>	NC		
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	284	263.87			500.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2001	11/30/2008	260	37.49			150.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2001	11/30/2008	247	53.41			50.00	AD	NS	<input type="checkbox"/>	NS	sulfate	5b

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Risk Assess.- No Advisory	12/1/2001	11/30/2008						OE	NC	<input type="checkbox"/>	NC		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0803_03 Lower portion of reservoir, East Willow Springs

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	7		1	4.6	5.00	LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	7		0		3.00	LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/1/2001	11/30/2008	9		0		4.00	LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/1/2001	11/30/2008	9		0		3.00	LD	NC	<input type="checkbox"/>	NC		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2001	11/30/2008	13		0		33.90	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2001	11/30/2008	7		0		9.00	LD	NC	<input type="checkbox"/>	NC		
Low pH	pH	12/1/2001	11/30/2008	7		0		6.50	LD	NC	<input type="checkbox"/>	NC		
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	284	263.87			500.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2001	11/30/2008	247	53.41			50.00	AD	NS	<input type="checkbox"/>	NS	sulfate	5b
Dissolved Solids	Chloride	12/1/2001	11/30/2008	260	37.49			150.00	AD	FS	<input type="checkbox"/>	FS		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Risk Assess.- No Advisory	12/1/2001	11/30/2008						OE	NC	<input type="checkbox"/>	NC		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0803_04 Middle portion of reservoir, East Pointblank

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	13		3	4.68	5.00	AD	CS	<input type="checkbox"/>	CS	depressed dissolved oxygen	
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	13		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/1/2001	11/30/2008	10		0		4.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/1/2001	11/30/2008	10		0		3.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2001	11/30/2008	24		0		33.90	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2001	11/30/2008	13		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2001	11/30/2008	13		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	284	263.87			500.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2001	11/30/2008	260	37.49			150.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2001	11/30/2008	247	53.41			50.00	AD	NS	<input type="checkbox"/>	NS	sulfate	5b
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	13		0		0.11	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	13		5	0.86	0.37	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	13		11	0.09	0.05	AD	CS	<input type="checkbox"/>	CS	orthophosphorus	

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Risk Assess.- No Advisory	12/1/2001	11/30/2008						OE	NC	<input type="checkbox"/>	NC		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2001	11/30/2008	22	0.35			10,000.00	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0803_05 Middle portion of reservoir, downstream of Kickapoo Creek

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	26		0		5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	26		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/1/2001	11/30/2008	1		0		4.00	ID	NA	<input type="checkbox"/>	NA		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/1/2001	11/30/2008	1		0		3.00	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Chromium	12/1/2001	11/30/2008	21		0		619.66	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2001	11/30/2008	21		0		129.78	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Selenium	12/1/2001	11/30/2008	21		0		20.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/1/2001	11/30/2008	21		0		1,604.77	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2001	11/30/2008	21		0		21.19	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Silver (ionic)	12/1/2001	11/30/2008	21		0		0.80	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	15		0		38.76	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	12/1/2001	11/30/2008	21		0		360.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Aluminum	12/1/2001	11/30/2008	19		0		991.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2001	11/30/2008	19		0		87.68	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2001	11/30/2008	19	0.76			2.33	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2001	11/30/2008	21	8.93			99.17	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Selenium	12/1/2001	11/30/2008	21	0.71			5.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/1/2001	11/30/2008	21	9.88			149.18	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2001	11/30/2008	21	1.29			11.65	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2001	11/30/2008	21	2.81			169.21	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic	12/1/2001	11/30/2008	21	2.36			190.00	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0803_05 Middle portion of reservoir, downstream of Kickapoo Creek

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Chronic Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	15	0.16			0.98	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Single Sample	E. coli	12/1/2001	11/30/2008	19		0		394.00	AD	FS	<input type="checkbox"/>	FS		
Bacteria Single Sample	Fecal coliform	12/1/2001	11/30/2008	4		0		400.00	SM	NC	<input type="checkbox"/>	NC		
Bacteria Geomean	E. coli	12/1/2001	11/30/2008	19	12.72			126.00	AD	FS	<input type="checkbox"/>	FS		
Bacteria Geomean	Fecal coliform	12/1/2001	11/30/2008	4	30.05			200.00	SM	NC	<input type="checkbox"/>	NC		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2001	11/30/2008	34		1	34.5	33.90	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2001	11/30/2008	28		2	9.15	9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2001	11/30/2008	28		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	284	263.87			500.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2001	11/30/2008	247	53.41			50.00	AD	NS	<input type="checkbox"/>	NS	sulfate	5b
Dissolved Solids	Chloride	12/1/2001	11/30/2008	260	37.49			150.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	32		6	0.85	0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	33		16	0.1	0.05	AD	CS	<input type="checkbox"/>	CS	orthophosphorus	
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	31		0		0.11	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	20		6	0.37	0.20	AD	CS	<input type="checkbox"/>	CS	total phosphorus	
Nutrient Screening Levels	Chlorophyll-a	12/1/2001	11/30/2008	19		8	52.88	26.70	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0803_05 Middle portion of reservoir, downstream of Kickapoo Creek

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Risk Assess.- No Advisory	12/1/2001	11/30/2008						OE	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Cadmium	12/1/2001	11/30/2008	15	0.16			5.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Chromium	12/1/2001	11/30/2008	21	2.81			100.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2001	11/30/2008	19	0.76			4.98	AD	FS	<input type="checkbox"/>	FS		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2001	11/30/2008	39	0.28			10,000.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Selenium	12/1/2001	11/30/2008	21	0.71			50.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Lead	12/1/2001	11/30/2008	19	0.76			4.98	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Cadmium	12/1/2001	11/30/2008	15	0.16			5.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Arsenic	12/1/2001	11/30/2008	21	2.36			50.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Fluoride	12/1/2001	11/30/2008	1	0.30			4.00	ID	NA	<input type="checkbox"/>	NA		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0803_06 Middle portion of reservoir, centering on US 190

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	37		1	1.9	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	37		1	1.9	3.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2001	11/30/2008	21		0		428.81	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Silver (ionic)	12/1/2001	11/30/2008	21		0		0.80	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2001	11/30/2008	21		0		88.68	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Selenium	12/1/2001	11/30/2008	20		0		20.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/1/2001	11/30/2008	21		0		1,097.11	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2001	11/30/2008	21		0		13.87	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	15		0		23.34	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	12/1/2001	11/30/2008	21		0		360.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Aluminum	12/1/2001	11/30/2008	18		0		991.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2001	11/30/2008	19		0		49.47	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2001	11/30/2008	19	0.71			2.33	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/1/2001	11/30/2008	21	11.67			149.18	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2001	11/30/2008	21	9.64			99.17	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic	12/1/2001	11/30/2008	21	2.46			190.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2001	11/30/2008	21	2.81			169.21	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Selenium	12/1/2001	11/30/2008	20	0.70			5.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	15	0.11			0.98	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2001	11/30/2008	21	1.31			11.65	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0803_06 Middle portion of reservoir, centering on US 190

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Single Sample	E. coli	12/1/2001	11/30/2008	18		2	2634.5	394.00	AD	FS	<input type="checkbox"/>	FS		
Bacteria Single Sample	Fecal coliform	12/1/2001	11/30/2008	3		0		400.00	SM	NA	<input type="checkbox"/>	NA		
Bacteria Geomean	Fecal coliform	12/1/2001	11/30/2008	3	14.42			200.00	SM	NA	<input type="checkbox"/>	NA		
Bacteria Geomean	E. coli	12/1/2001	11/30/2008	18	9.53			126.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2001	11/30/2008	44		1	33.97	33.90	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2001	11/30/2008	38		7	9.3	9.00	AD	NS	<input type="checkbox"/>	NS	pH	5c
Low pH	pH	12/1/2001	11/30/2008	38		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	284	263.87			500.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2001	11/30/2008	260	37.49			150.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2001	11/30/2008	247	53.41			50.00	AD	NS	<input type="checkbox"/>	NS	sulfate	5b
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	18		7	0.72	0.37	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Chlorophyll-a	12/1/2001	11/30/2008	19		10	44.8	26.70	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	22		9	0.31	0.20	AD	CS	<input type="checkbox"/>	CS	total phosphorus	
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	19		13	0.12	0.05	AD	CS	<input type="checkbox"/>	CS	orthophosphorus	
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	18		2	0.18	0.11	AD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Risk Assess.- No Advisory	12/1/2001	11/30/2008						OE	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Cadmium	12/1/2001	11/30/2008	15	0.11			5.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Chromium	12/1/2001	11/30/2008	21	2.81			100.00	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0803_06 Middle portion of reservoir, centering on US 190

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Lead	12/1/2001	11/30/2008	19	0.71			4.98	AD	FS	<input type="checkbox"/>	FS		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Arsenic	12/1/2001	11/30/2008	21	2.46			50.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Cadmium	12/1/2001	11/30/2008	15	0.11			5.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Fluoride	12/1/2001	11/30/2008	1	0.40			4.00	ID	NA	<input type="checkbox"/>	NA		
Surface Water HH criteria for PWS average	Lead	12/1/2001	11/30/2008	19	0.71			4.98	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nitrate	12/1/2001	11/30/2008	23	0.44			10,000.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Selenium	12/1/2001	11/30/2008	20	0.70			50.00	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID	0803_07	Upper portion of reservoir, west of Carlisle
-------------	----------------	--

USE	Aquatic Life Use
------------	------------------

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	28		0		5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	28		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/1/2001	11/30/2008	1		0		4.00	ID	NA	<input type="checkbox"/>	NA		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/1/2001	11/30/2008	1		0		3.00	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Aluminum	12/1/2001	11/30/2008	20		0		991.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	12/1/2001	11/30/2008	22		0		360.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	16		0		22.63	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2001	11/30/2008	22		0		419.30	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2001	11/30/2008	22		0		13.52	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2001	11/30/2008	20		0		47.78	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/1/2001	11/30/2008	22		0		1,071.97	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Selenium	12/1/2001	11/30/2008	22		0		20.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2001	11/30/2008	22		0		86.64	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Silver (ionic)	12/1/2001	11/30/2008	22		0		0.80	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/1/2001	11/30/2008	22	12.00			149.18	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Selenium	12/1/2001	11/30/2008	22	0.70			5.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2001	11/30/2008	20	0.88			2.33	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2001	11/30/2008	22	2.75			169.21	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	16	0.17			0.98	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic	12/1/2001	11/30/2008	22	2.39			190.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2001	11/30/2008	22	10.23			99.17	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0803_07 Upper portion of reservoir, west of Carlisle

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Chronic Toxic Substances in water	Copper	12/1/2001	11/30/2008	22	1.64			11.65	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Single Sample	E. coli	12/1/2001	11/30/2008	20		3	573	394.00	AD	FS	<input type="checkbox"/>	FS		
Bacteria Single Sample	Fecal coliform	12/1/2001	11/30/2008	3		0		400.00	SM	NA	<input type="checkbox"/>	NA		
Bacteria Geomean	E. coli	12/1/2001	11/30/2008	20	11.45			126.00	AD	FS	<input type="checkbox"/>	FS		
Bacteria Geomean	Fecal coliform	12/1/2001	11/30/2008	3	20.08			200.00	SM	NA	<input type="checkbox"/>	NA		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2001	11/30/2008	35		0		33.90	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2001	11/30/2008	29		2	9.1	9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2001	11/30/2008	29		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	284	263.87			500.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2001	11/30/2008	260	37.49			150.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2001	11/30/2008	247	53.41			50.00	AD	NS	<input type="checkbox"/>	NS	sulfate	5b
Nutrient Screening Levels	Chlorophyll-a	12/1/2001	11/30/2008	17		8	70.63	26.70	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	32		28	1.24	0.37	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	33		30	0.16	0.05	AD	CS	<input type="checkbox"/>	CS	orthophosphorus	
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	31		0		0.11	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	23		18	0.37	0.20	AD	CS	<input type="checkbox"/>	CS	total phosphorus	

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0803_07 Upper portion of reservoir, west of Carlisle

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Risk Assess.- No Advisory	12/1/2001	11/30/2008						OE	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Cadmium	12/1/2001	11/30/2008	16	0.17			5.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Chromium	12/1/2001	11/30/2008	22	2.75			100.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2001	11/30/2008	20	0.88			4.98	AD	FS	<input type="checkbox"/>	FS		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2001	11/30/2008	48	1.10			10,000.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Selenium	12/1/2001	11/30/2008	22	0.70			50.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Lead	12/1/2001	11/30/2008	20	0.88			4.98	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Fluoride	12/1/2001	11/30/2008	1	0.60			4.00	ID	NA	<input type="checkbox"/>	NA		
Surface Water HH criteria for PWS average	Cadmium	12/1/2001	11/30/2008	16	0.17			5.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Arsenic	12/1/2001	11/30/2008	22	2.39			50.00	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0803_08 Cove off upper portion of reservoir, East Trinity

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	7		3	3.58	5.00	LD	CS	<input type="checkbox"/>	CS	depressed dissolved oxygen	
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	7		0		3.00	LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/1/2001	11/30/2008	6		0		4.00	LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/1/2001	11/30/2008	6		0		3.00	LD	NC	<input type="checkbox"/>	NC		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2001	11/30/2008	13		0		33.90	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2001	11/30/2008	7		0		9.00	LD	NC	<input type="checkbox"/>	NC		
Low pH	pH	12/1/2001	11/30/2008	7		0		6.50	LD	NC	<input type="checkbox"/>	NC		
Dissolved Solids	Sulfate	12/1/2001	11/30/2008	247	53.41			50.00	AD	NS	<input type="checkbox"/>	NS	sulfate	5b
Dissolved Solids	Chloride	12/1/2001	11/30/2008	260	37.49			150.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	284	263.87			500.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	13		11	1.19	0.37	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	13		10	0.16	0.05	AD	CS	<input type="checkbox"/>	CS	orthophosphorus	
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	12		0		0.11	AD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Risk Assess.- No Advisory	12/1/2001	11/30/2008						OE	NC	<input type="checkbox"/>	NC		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2001	11/30/2008	22	0.94			10,000.00	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0803_09 West Carolina Creek cove, off upper portion of reservoir

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	6		2	4.6	5.00	LD	CS	<input type="checkbox"/>	CS	depressed dissolved oxygen	
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	6		0		3.00	LD	NC	<input type="checkbox"/>	NC		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2001	11/30/2008	11		0		33.90	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2001	11/30/2008	6		0		9.00	LD	NC	<input type="checkbox"/>	NC		
Low pH	pH	12/1/2001	11/30/2008	6		0		6.50	LD	NC	<input type="checkbox"/>	NC		
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	284	263.87			500.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2001	11/30/2008	260	37.49			150.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2001	11/30/2008	247	53.41			50.00	AD	NS	<input type="checkbox"/>	NS	sulfate	5b

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Risk Assess.- No Advisory	12/1/2001	11/30/2008						OE	NC	<input type="checkbox"/>	NC		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0803_10 Upper portion of reservoir, centering on SH 19

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	86		2	4.23	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	86		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/1/2001	11/30/2008	6		0		4.00	LD	NC	<input checked="" type="checkbox"/>	CN	depressed dissolved oxygen	
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/1/2001	11/30/2008	6		0		3.00	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Copper	12/1/2001	11/30/2008	53		1	2	20.50	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Silver (ionic)	12/1/2001	11/30/2008	52		0		0.80	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2001	11/30/2008	48		0		125.98	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Selenium	12/1/2001	11/30/2008	53		0		20.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2001	11/30/2008	49		1	9	83.85	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2001	11/30/2008	50		0		602.11	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	39		0		37.25	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	12/1/2001	11/30/2008	53		0		360.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Aluminum	12/1/2001	11/30/2008	50		0		991.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/1/2001	11/30/2008	50		0		1,557.83	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2001	11/30/2008	50	2.41			169.21	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Selenium	12/1/2001	11/30/2008	53	0.66			5.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/1/2001	11/30/2008	50	9.37			149.18	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2001	11/30/2008	48	7.34			99.17	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	39	0.13			0.98	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic	12/1/2001	11/30/2008	53	2.10			190.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2001	11/30/2008	49	1.02			2.33	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0803_10 Upper portion of reservoir, centering on SH 19

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Chronic Toxic Substances in water	Copper	12/1/2001	11/30/2008	53	1.82			11.65	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Single Sample	E. coli	12/1/2001	11/30/2008	77		9	1491.78	394.00	AD	FS	<input type="checkbox"/>	FS		
Bacteria Single Sample	Fecal coliform	12/1/2001	11/30/2008	5		1	3600	400.00	SM	NC	<input type="checkbox"/>	NC		
Bacteria Geomean	Fecal coliform	12/1/2001	11/30/2008	5	145.65			200.00	SM	NC	<input type="checkbox"/>	NC		
Bacteria Geomean	E. coli	12/1/2001	11/30/2008	77	35.62			126.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2001	11/30/2008	94		2	39	33.90	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2001	11/30/2008	88		2	9.35	9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2001	11/30/2008	88		1	6.4	6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	284	263.87			500.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2001	11/30/2008	260	37.49			150.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2001	11/30/2008	247	53.41			50.00	AD	NS	<input type="checkbox"/>	NS	sulfate	5b
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	81		75	0.5	0.20	AD	CS	<input type="checkbox"/>	CS	total phosphorus	
Nutrient Screening Levels	Chlorophyll-a	12/1/2001	11/30/2008	67		12	55.25	26.70	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	83		82	0.33	0.05	AD	CS	<input type="checkbox"/>	CS	orthophosphorus	
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	75		65	2.79	0.37	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	82		2	0.13	0.11	AD	NC	<input type="checkbox"/>	NC		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0803_10 Upper portion of reservoir, centering on SH 19

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Risk Assess.- No Advisory	12/1/2001	11/30/2008						OE	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Cadmium	12/1/2001	11/30/2008	39	0.13			5.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Chromium	12/1/2001	11/30/2008	50	2.41			100.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2001	11/30/2008	49	1.02			4.98	AD	FS	<input type="checkbox"/>	FS		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Fluoride	12/1/2001	11/30/2008	2	0.65			4.00	ID	NA	<input type="checkbox"/>	NA		
Surface Water HH criteria for PWS average	Selenium	12/1/2001	11/30/2008	53	0.66			50.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Lead	12/1/2001	11/30/2008	49	1.02			4.98	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Cadmium	12/1/2001	11/30/2008	39	0.13			5.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Arsenic	12/1/2001	11/30/2008	53	2.10			50.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nitrate	12/1/2001	11/30/2008	92	2.73			10,000.00	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0803_11 Riverine portion of reservoir, centering on SH 21

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	80		1	4.6	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	80		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	12/1/2001	11/30/2008	53		0		360.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/1/2001	11/30/2008	51		0		1,881.51	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Silver (ionic)	12/1/2001	11/30/2008	52		0		0.80	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2001	11/30/2008	49		0		152.20	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Selenium	12/1/2001	11/30/2008	53		0		20.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2001	11/30/2008	49		1	9	111.39	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2001	11/30/2008	53		1	2	25.30	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	39		0		47.91	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Aluminum	12/1/2001	11/30/2008	50		0		991.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2001	11/30/2008	50		0		722.84	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic	12/1/2001	11/30/2008	53	2.06			190.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	39	0.13			0.98	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2001	11/30/2008	50	2.41			169.21	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2001	11/30/2008	53	1.89			11.65	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2001	11/30/2008	49	1.59			2.33	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/1/2001	11/30/2008	51	8.84			149.18	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Selenium	12/1/2001	11/30/2008	53	0.66			5.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2001	11/30/2008	49	10.11			99.17	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0803_11 Riverine portion of reservoir, centering on SH 21

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Single Sample	E. coli	12/1/2001	11/30/2008	79		13	2293.77	394.00	AD	FS	<input type="checkbox"/>	FS		
Bacteria Single Sample	Fecal coliform	12/1/2001	11/30/2008	5		3	1125	400.00	SM	CN	<input type="checkbox"/>	CN		
Bacteria Geomean	E. coli	12/1/2001	11/30/2008	79	73.76			126.00	AD	FS	<input type="checkbox"/>	FS		
Bacteria Geomean	Fecal coliform	12/1/2001	11/30/2008	5	468.20			200.00	SM	CN	<input type="checkbox"/>	CN		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2001	11/30/2008	83		0		33.90	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2001	11/30/2008	82		1	9.1	9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2001	11/30/2008	82		1	6.1	6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2001	11/30/2008	260	37.49			150.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2001	11/30/2008	247	53.41			50.00	AD	NS	<input type="checkbox"/>	NS	sulfate	5b
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	284	263.87			500.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	70		70	0.38	0.05	AD	CS	<input type="checkbox"/>	CS	orthophosphorus	
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	71		3	0.19	0.11	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	80		80	0.64	0.20	AD	CS	<input type="checkbox"/>	CS	total phosphorus	
Nutrient Screening Levels	Chlorophyll-a	12/1/2001	11/30/2008	68		11	54.55	26.70	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	66		63	3.2	0.37	AD	CS	<input type="checkbox"/>	CS	nitrate	

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Risk Assess.- No Advisory	12/1/2001	11/30/2008						OE	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Chromium	12/1/2001	11/30/2008	50	2.41			100.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2001	11/30/2008	49	1.59			4.98	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0803_11 Riverine portion of reservoir, centering on SH 21

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Cadmium	12/1/2001	11/30/2008	39	0.13			5.00	AD	FS	<input type="checkbox"/>	FS		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Arsenic	12/1/2001	11/30/2008	53	2.06			50.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Cadmium	12/1/2001	11/30/2008	39	0.13			5.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Fluoride	12/1/2001	11/30/2008	2	0.45			4.00	ID	NA	<input type="checkbox"/>	NA		
Surface Water HH criteria for PWS average	Lead	12/1/2001	11/30/2008	49	1.59			4.98	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nitrate	12/1/2001	11/30/2008	66	3.07			10,000.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Selenium	12/1/2001	11/30/2008	53	0.66			50.00	AD	FS	<input type="checkbox"/>	FS		

AUID 0803_12 Remainder of reservoir

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/1/2001	11/30/2008	260	37.49			150.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2001	11/30/2008	247	53.41			50.00	AD	NS	<input type="checkbox"/>	NS	sulfate	5b
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	284	263.87			500.00	AD	FS	<input type="checkbox"/>	FS		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Risk Assess.- No Advisory	12/1/2001	11/30/2008						OE	NC	<input type="checkbox"/>	NC		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

Segment New
in 2010? **No**

SEGID 0803A Harmon Creek (unclassified water body)

AUID 0803A_01

A 16 mile (25.7 KM) stretch of Harmon Creek extending from Lake Livingston (normal pool elevation of 131 feet) upstream to the confluence of East Fork Harmon Creek.

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	11		0		5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	11		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/1/2001	11/30/2008	6		0		2,370.92	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Aluminum	12/1/2001	11/30/2008	7		0		991.00	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Zinc	12/1/2001	11/30/2008	7		0		191.86	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Silver (ionic)	12/1/2001	11/30/2008	8		0		0.80	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Selenium	12/1/2001	11/30/2008	8		0		20.00	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Copper	12/1/2001	11/30/2008	8		0		29.87	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Chromium	12/1/2001	11/30/2008	7		0		835.16	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Arsenic	12/1/2001	11/30/2008	8		0		360.00	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	4		0		65.21	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Lead	12/1/2001	11/30/2008	8		0		139.43	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Arsenic	12/1/2001	11/30/2008	8	2.43			190.00	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	4	0.09			0.92	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Chromium	12/1/2001	11/30/2008	7	1.79			157.32	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Copper	12/1/2001	11/30/2008	8	3.19			10.80	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Lead	12/1/2001	11/30/2008	8	1.00			2.08	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Nickel	12/1/2001	11/30/2008	6	11.42			138.36	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Selenium	12/1/2001	11/30/2008	8	0.56			5.00	LD	NC	<input type="checkbox"/>	NC		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0803A_01

A 16 mile (25.7 KM) stretch of Harmon Creek extending from Lake Livingston (normal pool elevation of 131 feet) upstream to the confluence of East Fork Harmon Creek.

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Chronic Toxic Substances in water	Zinc	12/1/2001	11/30/2008	7	19.43			91.97	LD	NC	<input type="checkbox"/>	NC		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Single Sample	Fecal coliform	12/1/2001	11/30/2008	2		0		400.00	SM	NA	<input type="checkbox"/>	NA		
Bacteria Single Sample	E. coli	12/1/2001	11/30/2008	11		1	4800	394.00	AD	FS	<input type="checkbox"/>	FS		
Bacteria Geomean	Fecal coliform	12/1/2001	11/30/2008	2	255.15			200.00	SM	NA	<input type="checkbox"/>	NA		
Bacteria Geomean	E. coli	12/1/2001	11/30/2008	11	72.49			126.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	8		5	4.56	1.95	LD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	7		7	1.06	0.37	LD	CS	<input type="checkbox"/>	CS	orthophosphorus	
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	10		2	0.71	0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	9		9	1.18	0.69	LD	CS	<input type="checkbox"/>	CS	total phosphorus	
Nutrient Screening Levels	Chlorophyll-a	12/1/2001	11/30/2008	7		0		14.10	LD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Chromium	12/1/2001	11/30/2008	7	1.79			3,320.00	LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Lead	12/1/2001	11/30/2008	8	1.00			25.30	LD	NC	<input type="checkbox"/>	NC		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

Segment New
in 2010? **No**

SEGID 0803B White Rock Creek (unclassified water body)

AUID 0803B_01

lower 25 miles of segment

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	5		0		5.00	LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	5		0		3.00	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Copper	12/1/2001	11/30/2008	3		0		15.46	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Zinc	12/1/2001	11/30/2008	2		0		81.52	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Selenium	12/1/2001	11/30/2008	3		0		20.00	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Silver (ionic)	12/1/2001	11/30/2008	3		0		0.80	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Lead	12/1/2001	11/30/2008	3		0		57.26	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	1		0		20.87	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Arsenic	12/1/2001	11/30/2008	3		0		360.00	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Aluminum	12/1/2001	11/30/2008	2		0		991.00	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Nickel	12/1/2001	11/30/2008	2		0		1,008.65	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Chromium	12/1/2001	11/30/2008	2		0		471.08	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Arsenic	12/1/2001	11/30/2008	3	1.40			190.00	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	1	0.05			0.92	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Chromium	12/1/2001	11/30/2008	2	3.00			157.32	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Copper	12/1/2001	11/30/2008	3	1.17			10.80	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Lead	12/1/2001	11/30/2008	3	1.67			2.08	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Nickel	12/1/2001	11/30/2008	2	4.25			138.36	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Selenium	12/1/2001	11/30/2008	3	0.67			5.00	ID	NA	<input type="checkbox"/>	NA		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0803B_01 lower 25 miles of segment

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Chronic Toxic Substances in water	Zinc	12/1/2001	11/30/2008	2	5.00			91.97	ID	NA	<input type="checkbox"/>	NA		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Single Sample	Fecal coliform	12/1/2001	11/30/2008	1		0		400.00	SM	NA	<input type="checkbox"/>	NA		
Bacteria Single Sample	E. coli	12/1/2001	11/30/2008	5		1	4000	394.00	LD	NC	<input type="checkbox"/>	NC		
Bacteria Geomean	Fecal coliform	12/1/2001	11/30/2008	1	27.00			200.00	SM	NA	<input type="checkbox"/>	NA		
Bacteria Geomean	E. coli	12/1/2001	11/30/2008	5	23.28			126.00	LD	NC	<input type="checkbox"/>	NC		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	4		0		1.95	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	4		0		0.37	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	4		0		0.33	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	5		0		0.69	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2001	11/30/2008	5		3	27.67	14.10	LD	CS	<input type="checkbox"/>	CS	chlorophyll-a	

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Chromium	12/1/2001	11/30/2008	2	3.00			3,320.00	ID	NA	<input type="checkbox"/>	NA		
HH Bioaccumulative Toxics in water	Lead	12/1/2001	11/30/2008	3	1.67			25.30	ID	NA	<input type="checkbox"/>	NA		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

Segment New
in 2010? **Yes**

SEGID 0803E Nelson Creek (unclassified water body)

AUID 0803E_01

Entire water body.

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	9		0		3.00	LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	9		0		2.00	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Nickel	12/1/2001	11/30/2008	5		0		1,071.97	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Zinc	12/1/2001	11/30/2008	5		0		86.64	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Arsenic	12/1/2001	11/30/2008	6		0		360.00	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Selenium	12/1/2001	11/30/2008	5		0		20.00	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Silver (ionic)	12/1/2001	11/30/2008	5		0		0.80	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Copper	12/1/2001	11/30/2008	6		1	68	13.52	LD	CN	<input type="checkbox"/>	CN	copper in water	
Acute Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	3		0		25.49	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Aluminum	12/1/2001	11/30/2008	5		0		991.00	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Chromium	12/1/2001	11/30/2008	5		0		419.30	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Lead	12/1/2001	11/30/2008	6		0		47.78	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Chromium	12/1/2001	11/30/2008	5	2.70			157.32	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Zinc	12/1/2001	11/30/2008	5	10.40			91.97	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Selenium	12/1/2001	11/30/2008	5	0.60			5.00	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Nickel	12/1/2001	11/30/2008	5	5.50			138.36	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Copper	12/1/2001	11/30/2008	6	12.33			10.80	LD	CN	<input type="checkbox"/>	CN	copper in water	
Chronic Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	3	0.05			0.92	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Arsenic	12/1/2001	11/30/2008	6	2.23			190.00	LD	NC	<input type="checkbox"/>	NC		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0803E_01 Entire water body.

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Chronic Toxic Substances in water	Lead	12/1/2001	11/30/2008	6	2.42			2.08	LD	CN	<input type="checkbox"/>	CN	lead in water	

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Single Sample	E. coli	12/1/2001	11/30/2008	9		1	2400	394.00	LD	NC	<input type="checkbox"/>	NC		
Bacteria Geomean	E. coli	12/1/2001	11/30/2008	9	110.67			126.00	LD	NC	<input type="checkbox"/>	NC		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Chlorophyll-a	12/1/2001	11/30/2008	7		0		14.10	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	9		0		0.69	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	5		0		1.95	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	8		0		0.37	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	8		1	0.68	0.33	LD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Lead	12/1/2001	11/30/2008	6	2.42			25.30	LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Chromium	12/1/2001	11/30/2008	5	2.70			3,320.00	LD	NC	<input type="checkbox"/>	NC		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

Segment New
in 2010? **Yes**

SEGID 0803F Bedias Creek (unclassified water body)

AUID 0803F_01

From the confluence with segment 0803 Trinity River up to confluence with Poole Creek (NHD RC 12030202000572)

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	6		0		5.00	LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	6		0		3.00	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	2		0		40.27	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Zinc	12/1/2001	11/30/2008	3		0		133.57	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Selenium	12/1/2001	11/30/2008	4		0		20.00	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Nickel	12/1/2001	11/30/2008	2		0		1,651.46	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Lead	12/1/2001	11/30/2008	4		0		70.74	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Chromium	12/1/2001	11/30/2008	4		0		539.73	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Arsenic	12/1/2001	11/30/2008	4		0		360.00	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Aluminum	12/1/2001	11/30/2008	3		0		991.00	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Silver (ionic)	12/1/2001	11/30/2008	4		0		0.80	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Copper	12/1/2001	11/30/2008	4		0		18.08	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Lead	12/1/2001	11/30/2008	4	0.88			2.08	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Zinc	12/1/2001	11/30/2008	3	18.00			91.97	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Selenium	12/1/2001	11/30/2008	4	0.63			5.00	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Nickel	12/1/2001	11/30/2008	2	19.25			138.36	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Chromium	12/1/2001	11/30/2008	4	2.13			157.32	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	2	0.13			0.92	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Arsenic	12/1/2001	11/30/2008	4	1.70			190.00	LD	NC	<input type="checkbox"/>	NC		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0803F_01 From the confluence with segment 0803 Trinity River up to confluence with Poole Creek (NHD RC 12030202000572)

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Chronic Toxic Substances in water	Copper	12/1/2001	11/30/2008	4	1.25			10.80	LD	NC	<input type="checkbox"/>	NC		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Single Sample	E. coli	12/1/2001	11/30/2008	5		1	4800	394.00	LD	NC	<input type="checkbox"/>	NC		
Bacteria Single Sample	Fecal coliform	12/1/2001	11/30/2008	1		0		400.00	SM	NA	<input type="checkbox"/>	NA		
Bacteria Geomean	E. coli	12/1/2001	11/30/2008	5	213.57			126.00	LD	CN	<input type="checkbox"/>	CN	bacteria	
Bacteria Geomean	Fecal coliform	12/1/2001	11/30/2008	1	185.00			200.00	SM	NA	<input type="checkbox"/>	NA		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	4		0		1.95	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	6		0		0.37	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	5		0		0.33	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	6		0		0.69	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2001	11/30/2008	6		2	17.5	14.10	LD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Lead	12/1/2001	11/30/2008	4	0.88			25.30	LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Chromium	12/1/2001	11/30/2008	4	2.13			3,320.00	LD	NC	<input type="checkbox"/>	NC		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID **0803F_02** From the confluence with Poole Creek (NHD RC 12030202000572) to upper end of NHD RC Bedias Creek (NHD RC 12030202000350)

USE **Aquatic Life Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	5		0		5.00	LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	5		0		3.00	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Lead	12/1/2001	11/30/2008	4		0		110.38	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Silver (ionic)	12/1/2001	11/30/2008	3		0		0.80	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Zinc	12/1/2001	11/30/2008	4		1	539	151.28	LD	CN	<input type="checkbox"/>	CN	zinc in water	
Acute Toxic Substances in water	Nickel	12/1/2001	11/30/2008	4		0		1,870.13	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Copper	12/1/2001	11/30/2008	4		0		25.13	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Chromium	12/1/2001	11/30/2008	4		0		718.61	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	3		0		67.62	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Arsenic	12/1/2001	11/30/2008	4		0		360.00	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Aluminum	12/1/2001	11/30/2008	4		0		991.00	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Selenium	12/1/2001	11/30/2008	3		0		20.00	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Nickel	12/1/2001	11/30/2008	4	14.00			138.36	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Arsenic	12/1/2001	11/30/2008	4	2.03			190.00	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Zinc	12/1/2001	11/30/2008	4	147.75			91.97	LD	CN	<input type="checkbox"/>	CN	zinc in water	
Chronic Toxic Substances in water	Selenium	12/1/2001	11/30/2008	3	0.67			5.00	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Copper	12/1/2001	11/30/2008	4	1.25			10.80	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Chromium	12/1/2001	11/30/2008	4	3.13			157.32	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	3	0.08			0.92	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Lead	12/1/2001	11/30/2008	4	0.50			2.08	LD	NC	<input type="checkbox"/>	NC		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID **0803F_02** From the confluence with Poole Creek (NHD RC 12030202000572) to upper end of NHD RC Bedias Creek (NHD RC 12030202000350)

USE **Recreation Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Single Sample	E. coli	12/1/2001	11/30/2008	4		0		394.00	LD	NC	<input type="checkbox"/>	NC		
Bacteria Geomean	E. coli	12/1/2001	11/30/2008	4	76.85			126.00	LD	NC	<input type="checkbox"/>	NC		

USE **General Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	3		0		1.95	ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	4		1	0.58	0.37	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	4		0		0.33	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	4		0		0.69	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2001	11/30/2008	3		0		14.10	ID	NA	<input type="checkbox"/>	NA		

USE **Fish Consumption Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Chromium	12/1/2001	11/30/2008	4	3.13			3,320.00	LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Lead	12/1/2001	11/30/2008	4	0.50			25.30	LD	NC	<input type="checkbox"/>	NC		

Segment New in 2010? **Yes** **SEGID** **0803G** **Lake Madisonville (unclassified water body)**

AUID **0803G_01** Entire water body

USE **Fish Consumption Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2001	11/30/2008						AD	NS	<input type="checkbox"/>	NS	mercury in edible tissue	5c

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

Segment New
in 2010? **No**

SEGID 0804 Trinity River Above Lake Livingston

AUID 0804_01

From the lower end of the segment up to just above the confluence with Hurricane Bayou in Houston County.

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	106		0		5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	106		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Aluminum	12/1/2001	11/30/2008	50		0		991.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	12/1/2001	11/30/2008	53		0		360.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	39		0		54.53	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2001	11/30/2008	50		0		793.98	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2001	11/30/2008	53		1	2	28.18	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2001	11/30/2008	49		1	3	128.89	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/1/2001	11/30/2008	51		0		2,073.06	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Selenium	12/1/2001	11/30/2008	53		0		20.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2001	11/30/2008	49		0		167.72	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Silver (ionic)	12/1/2001	11/30/2008	52		0		0.80	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2001	11/30/2008	49	1.65			3.04	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Selenium	12/1/2001	11/30/2008	53	0.66			5.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/1/2001	11/30/2008	51	9.25			178.22	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2001	11/30/2008	50	2.41			201.01	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	39	0.15			1.16	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic	12/1/2001	11/30/2008	53	2.03			190.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2001	11/30/2008	49	9.74			118.51	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID **0804_01** From the lower end of the segment up to just above the confluence with Hurricane Bayou in Houston County.

USE **Aquatic Life Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Chronic Toxic Substances in water	Copper	12/1/2001	11/30/2008	53	2.25			13.94	AD	FS	<input type="checkbox"/>	FS		

USE **Recreation Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Single Sample	E. coli	12/1/2001	11/30/2008	79		19	2173.48	394.00	AD	FS	<input type="checkbox"/>	FS		
Bacteria Single Sample	Fecal coliform	12/1/2001	11/30/2008	5		2	1513.5	400.00	SM	NC	<input type="checkbox"/>	NC		
Bacteria Geomean	E. coli	12/1/2001	11/30/2008	79	93.90			126.00	AD	FS	<input type="checkbox"/>	FS		
Bacteria Geomean	Fecal coliform	12/1/2001	11/30/2008	5	452.88			200.00	SM	CN	<input type="checkbox"/>	CN		

USE **General Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2001	11/30/2008	109		0		33.90	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2001	11/30/2008	109		1	9.1	9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2001	11/30/2008	109		3	5.9	6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	234	349.61			600.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2001	11/30/2008	80	46.14			150.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2001	11/30/2008	108	69.66			150.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	103		50	0.69	0.37	AD	CS	<input type="checkbox"/>	CS	orthophosphorus	
Nutrient Screening Levels	Chlorophyll-a	12/1/2001	11/30/2008	64		20	35.95	14.10	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	95		61	4.58	1.95	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	100		2	0.42	0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	78		40	1.05	0.69	AD	CS	<input type="checkbox"/>	CS	total phosphorus	

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID

0804_01

From the lower end of the segment up to just above the confluence with Hurricane Bayou in Houston County.

USE

Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Chromium	12/1/2001	11/30/2008	49	2.44			3,320.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2001	11/30/2008	48	1.68			25.30	AD	FS	<input type="checkbox"/>	FS		
Bioaccumulative Toxics in fish tissue	Cresols	12/1/2001	11/30/2008	2		0		886.67	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Pyridine	12/1/2001	11/30/2008	2		0		17.73	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Benz(a)anthracene	12/1/2001	11/30/2008	2		0		0.32	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Hexachloroethane	12/1/2001	11/30/2008	2		0		164.67	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Toxaphene	12/1/2001	11/30/2008	2		0		0.83	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Pentachlorophenol (PCP)	12/1/2001	11/30/2008	2		0		532.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Nitrobenzene	12/1/2001	11/30/2008	2		0		8.87	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	1,2,4,5-Tetrachlorobenzene	12/1/2001	11/30/2008	2		0		5.32	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	N-Nitrosodiethylamine	12/1/2001	11/30/2008	2		0		0.01	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	N-Nitroso-di-n-butylamine	12/1/2001	11/30/2008	2		0		0.43	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Pentachlorobenzene	12/1/2001	11/30/2008	2		0		14.19	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Selenium	12/1/2001	11/30/2008	2		0		4.38	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	DDE	12/1/2001	11/30/2008	1		0		5.45	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Cadmium	12/1/2001	11/30/2008	2		0		0.23	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Mercury	12/1/2001	11/30/2008	2		0		0.53	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	PCBs	12/1/2001	11/30/2008	2		0		0.13	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Arsenic	12/1/2001	11/30/2008	2		0		0.04	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Benzo(a)pyrene	12/1/2001	11/30/2008	2		0		0.32	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Chlordane	12/1/2001	11/30/2008	2		0		0.30	ID	NA	<input type="checkbox"/>	NA		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID

0804_01

From the lower end of the segment up to just above the confluence with Hurricane Bayou in Houston County.

USE

Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bioaccumulative Toxics in fish tissue	Chromium	12/1/2001	11/30/2008	2		0		5.25	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Chrysene	12/1/2001	11/30/2008	2		0		0.32	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Copper	12/1/2001	11/30/2008	2		0		250.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Hexachlorobutadiene (HCBD)	12/1/2001	11/30/2008	2		0		11.14	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Lead	12/1/2001	11/30/2008	2		0		0.60	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Benzidine	12/1/2001	11/30/2008	2		0		0.00	ID	NA	<input type="checkbox"/>	NA		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID

0804_02

From just upstream of the confluence with Hurricane Bayou up to just above the confluence with Boons Creek.

USE **General Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	234	349.61			600.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2001	11/30/2008	80	46.14			150.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2001	11/30/2008	108	69.66			150.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008						ID	NA	<input checked="" type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Chlorophyll-a	12/1/2001	11/30/2008						ID	NA	<input checked="" type="checkbox"/>	CS	chlorophyll-a	
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008						ID	NA	<input checked="" type="checkbox"/>	CS	orthophosphorus	
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008						ID	NA	<input checked="" type="checkbox"/>	CS	total phosphorus	

USE **Fish Consumption Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bioaccumulative Toxics in fish tissue	Selenium	12/1/2001	11/30/2008	2		0		4.38	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Lead	12/1/2001	11/30/2008	2		0		0.60	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Pyridine	12/1/2001	11/30/2008	2		0		17.73	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Pentachlorobenzene	12/1/2001	11/30/2008	2		0		14.19	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	N-Nitroso-di-n-butylamine	12/1/2001	11/30/2008	2		0		0.43	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	N-Nitrosodiethylamine	12/1/2001	11/30/2008	2		0		0.01	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Cresols	12/1/2001	11/30/2008	2		0		886.67	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	1,2,4,5-Tetrachlorobenzene	12/1/2001	11/30/2008	2		0		5.32	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	DDE	12/1/2001	11/30/2008	1		0		5.45	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Nitrobenzene	12/1/2001	11/30/2008	2		0		8.87	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Pentachlorophenol (PCP)	12/1/2001	11/30/2008	2		0		532.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Toxaphene	12/1/2001	11/30/2008	2		0		0.83	ID	NA	<input type="checkbox"/>	NA		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID

0804_02

From just upstream of the confluence with Hurricane Bayou up to just above the confluence with Boons Creek.

USE

Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bioaccumulative Toxics in fish tissue	Benz(a)anthracene	12/1/2001	11/30/2008	2		0		0.32	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Mercury	12/1/2001	11/30/2008	2		0		0.53	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Arsenic	12/1/2001	11/30/2008	2		0		0.04	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Hexachloroethane	12/1/2001	11/30/2008	2		0		164.67	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Hexachlorobutadiene (HCBd)	12/1/2001	11/30/2008	2		0		11.14	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Copper	12/1/2001	11/30/2008	2		0		250.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Chrysene	12/1/2001	11/30/2008	2		0		0.32	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Chromium	12/1/2001	11/30/2008	2		0		5.25	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Chlordane	12/1/2001	11/30/2008	2		0		0.30	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Cadmium	12/1/2001	11/30/2008	2		0		0.23	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Benzo(a)pyrene	12/1/2001	11/30/2008	2		0		0.32	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Benidine	12/1/2001	11/30/2008	2		0		0.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	PCBs	12/1/2001	11/30/2008	2		0		0.13	ID	NA	<input type="checkbox"/>	NA		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID **0804_03** From just upstream of the confluence with Boons Creek up to just above the confluence with Caney Creek.

USE **General Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/1/2001	11/30/2008	80	46.14			150.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2001	11/30/2008	108	69.66			150.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	234	349.61			600.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008						ID	NA	<input checked="" type="checkbox"/>	CS	orthophosphorus	
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008						ID	NA	<input checked="" type="checkbox"/>	CS	nitrate	

USE **Fish Consumption Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bioaccumulative Toxics in fish tissue	PCBs	12/1/2001	11/30/2008	2		0		0.13	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Pentachlorobenzene	12/1/2001	11/30/2008	2		0		14.19	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	N-Nitroso-di-n-butylamine	12/1/2001	11/30/2008	2		0		0.43	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	N-Nitrosodiethylamine	12/1/2001	11/30/2008	2		0		0.01	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Cresols	12/1/2001	11/30/2008	2		0		886.67	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	1,2,4,5-Tetrachlorobenzene	12/1/2001	11/30/2008	2		0		5.32	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	DDE	12/1/2001	11/30/2008	1		0		5.45	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Nitrobenzene	12/1/2001	11/30/2008	2		0		8.87	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Pentachlorophenol (PCP)	12/1/2001	11/30/2008	2		0		532.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Selenium	12/1/2001	11/30/2008	2		0		4.38	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Benz(a)anthracene	12/1/2001	11/30/2008	2		0		0.32	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Pyridine	12/1/2001	11/30/2008	2		0		17.73	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Cadmium	12/1/2001	11/30/2008	2		0		0.23	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Mercury	12/1/2001	11/30/2008	2		0		0.53	ID	NA	<input type="checkbox"/>	NA		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0804_03

From just upstream of the confluence with Boons Creek up to just above the confluence with Caney Creek.

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bioaccumulative Toxics in fish tissue	Toxaphene	12/1/2001	11/30/2008	2		0		0.83	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Arsenic	12/1/2001	11/30/2008	2		0		0.04	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Benzo(a)pyrene	12/1/2001	11/30/2008	2		0		0.32	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Chlordane	12/1/2001	11/30/2008	2		0		0.30	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Chromium	12/1/2001	11/30/2008	2		0		5.25	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Chrysene	12/1/2001	11/30/2008	2		0		0.32	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Copper	12/1/2001	11/30/2008	2		0		250.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Hexachlorobutadiene (HCBd)	12/1/2001	11/30/2008	2		0		11.14	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Hexachloroethane	12/1/2001	11/30/2008	2		0		164.67	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Lead	12/1/2001	11/30/2008	2		0		0.60	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Benzidine	12/1/2001	11/30/2008	2		0		0.00	ID	NA	<input type="checkbox"/>	NA		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID

0804_04

From the confluence with Caney Creek up to just above the confluence with Indian Creek in Anderson County.

USE

Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	72		0		5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	72		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Aluminum	12/1/2001	11/30/2008	4		0		991.00	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Lead	12/1/2001	11/30/2008	7		0		140.49	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Zinc	12/1/2001	11/30/2008	3		0		177.63	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Nickel	12/1/2001	11/30/2008	3		0		2,195.29	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Copper	12/1/2001	11/30/2008	4		0		30.04	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Chromium	12/1/2001	11/30/2008	7		0		839.25	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Arsenic	12/1/2001	11/30/2008	6		0		360.00	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	7		0		58.85	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Arsenic	12/1/2001	11/30/2008	6	2.50			190.00	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	7	0.15			1.16	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Chromium	12/1/2001	11/30/2008	7	2.50			201.01	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Copper	12/1/2001	11/30/2008	4	2.79			13.94	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Lead	12/1/2001	11/30/2008	7	0.50			3.04	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Nickel	12/1/2001	11/30/2008	3	4.79			178.22	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Zinc	12/1/2001	11/30/2008	3	6.90			118.51	ID	NA	<input type="checkbox"/>	NA		

USE

Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Single Sample	E. coli	12/1/2001	11/30/2008	69		12	1952.5	394.00	AD	FS	<input type="checkbox"/>	FS		
Bacteria Geomean	E. coli	12/1/2001	11/30/2008	69	116.95			126.00	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID

0804_04

From the confluence with Caney Creek up to just above the confluence with Indian Creek in Anderson County.

USE **General Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2001	11/30/2008	72		0		33.90	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2001	11/30/2008	72		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2001	11/30/2008	72		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	234	349.61			600.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2001	11/30/2008	80	46.14			150.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2001	11/30/2008	108	69.66			150.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	73		53	6.75	1.95	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	74		41	1.01	0.37	AD	CS	<input type="checkbox"/>	CS	orthophosphorus	
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	74		0		0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	73		46	1.29	0.69	AD	CS	<input type="checkbox"/>	CS	total phosphorus	
Nutrient Screening Levels	Chlorophyll-a	12/1/2001	11/30/2008	67		26	25.22	14.10	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	

USE **Fish Consumption Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Chromium	12/1/2001	11/30/2008	4	2.50			3,320.00	LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Lead	12/1/2001	11/30/2008	4	0.50			25.30	LD	NC	<input type="checkbox"/>	NC		
Bioaccumulative Toxics in fish tissue	Mercury	12/1/2001	11/30/2008	2		0		0.53	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Nitrobenzene	12/1/2001	11/30/2008	2		0		8.87	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Pentachlorophenol (PCP)	12/1/2001	11/30/2008	2		0		532.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Cadmium	12/1/2001	11/30/2008	2		0		0.23	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Toxaphene	12/1/2001	11/30/2008	2		0		0.83	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	N-Nitrosodiethylamine	12/1/2001	11/30/2008	2		0		0.01	ID	NA	<input type="checkbox"/>	NA		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID

0804_04

From the confluence with Caney Creek up to just above the confluence with Indian Creek in Anderson County.

USE

Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bioaccumulative Toxics in fish tissue	Benz(a)anthracene	12/1/2001	11/30/2008	2		0		0.32	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Selenium	12/1/2001	11/30/2008	2		0		4.38	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	PCBs	12/1/2001	11/30/2008	2		0		0.13	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	DDE	12/1/2001	11/30/2008	1		0		5.45	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Lead	12/1/2001	11/30/2008	2		0		0.60	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Hexachloroethane	12/1/2001	11/30/2008	2		0		164.67	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Hexachlorobutadiene (HCBd)	12/1/2001	11/30/2008	2		0		11.14	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Copper	12/1/2001	11/30/2008	2		0		250.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Chrysene	12/1/2001	11/30/2008	2		0		0.32	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Chlordane	12/1/2001	11/30/2008	2		0		0.30	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Benzo(a)pyrene	12/1/2001	11/30/2008	2		0		0.32	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Benzidine	12/1/2001	11/30/2008	2		0		0.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Arsenic	12/1/2001	11/30/2008	2		0		0.04	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Cresols	12/1/2001	11/30/2008	2		0		886.67	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Chromium	12/1/2001	11/30/2008	2		0		5.25	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	N-Nitroso-di-n-butylamine	12/1/2001	11/30/2008	2		0		0.43	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Pentachlorobenzene	12/1/2001	11/30/2008	2		0		14.19	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Pyridine	12/1/2001	11/30/2008	2		0		17.73	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	1,2,4,5-Tetrachlorobenzene	12/1/2001	11/30/2008	2		0		5.32	ID	NA	<input type="checkbox"/>	NA		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0804_05 From just above the confluence with Indian Creek in Anderson County up to just above the confluence with Tehuacana Creek.

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	234	349.61			600.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2001	11/30/2008	80	46.14			150.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2001	11/30/2008	108	69.66			150.00	AD	FS	<input type="checkbox"/>	FS		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bioaccumulative Toxics in fish tissue	N-Nitroso-di-n-butylamine	12/1/2001	11/30/2008	2		0		0.43	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Benz(a)anthracene	12/1/2001	11/30/2008	2		0		0.32	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Toxaphene	12/1/2001	11/30/2008	2		0		0.83	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Pentachlorophenol (PCP)	12/1/2001	11/30/2008	2		0		532.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Nitrobenzene	12/1/2001	11/30/2008	2		0		8.87	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	DDE	12/1/2001	11/30/2008	1		0		5.45	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	1,2,4,5-Tetrachlorobenzene	12/1/2001	11/30/2008	2		0		5.32	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Selenium	12/1/2001	11/30/2008	2		0		4.38	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	N-Nitrosodiethylamine	12/1/2001	11/30/2008	2		0		0.01	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Hexachlorobutadiene (HCBD)	12/1/2001	11/30/2008	2		0		11.14	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Pentachlorobenzene	12/1/2001	11/30/2008	2		0		14.19	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Pyridine	12/1/2001	11/30/2008	2		0		17.73	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Cresols	12/1/2001	11/30/2008	2		0		886.67	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	PCBs	12/1/2001	11/30/2008	2		0		0.13	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Mercury	12/1/2001	11/30/2008	2		0		0.53	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Hexachloroethane	12/1/2001	11/30/2008	2		0		164.67	ID	NA	<input type="checkbox"/>	NA		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0804_05 From just above the confluence with Indian Creek in Anderson County up to just above the confluence with Tehuacana Creek.

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bioaccumulative Toxics in fish tissue	Copper	12/1/2001	11/30/2008	2		0		250.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Chrysene	12/1/2001	11/30/2008	2		0		0.32	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Chromium	12/1/2001	11/30/2008	2		0		5.25	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Chlordane	12/1/2001	11/30/2008	2		0		0.30	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Cadmium	12/1/2001	11/30/2008	2		0		0.23	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Benzo(a)pyrene	12/1/2001	11/30/2008	2		0		0.32	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Benzidine	12/1/2001	11/30/2008	2		0		0.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Arsenic	12/1/2001	11/30/2008	2		0		0.04	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Lead	12/1/2001	11/30/2008	2		0		0.60	ID	NA	<input type="checkbox"/>	NA		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0804_06

From just above the confluence with Tehuacana Creek to just above the confluence with Richland Creek.

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	234	349.61			600.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2001	11/30/2008	108	69.66			150.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2001	11/30/2008	80	46.14			150.00	AD	FS	<input type="checkbox"/>	FS		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bioaccumulative Toxics in fish tissue	Selenium	12/1/2001	11/30/2008	2		0		4.38	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Pyridine	12/1/2001	11/30/2008	2		0		17.73	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Pentachlorobenzene	12/1/2001	11/30/2008	2		0		14.19	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	N-Nitroso-di-n-butylamine	12/1/2001	11/30/2008	2		0		0.43	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	N-Nitrosodiethylamine	12/1/2001	11/30/2008	2		0		0.01	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Cresols	12/1/2001	11/30/2008	2		0		886.67	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	1,2,4,5-Tetrachlorobenzene	12/1/2001	11/30/2008	2		0		5.32	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	DDE	12/1/2001	11/30/2008	1		0		5.45	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Nitrobenzene	12/1/2001	11/30/2008	2		0		8.87	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Pentachlorophenol (PCP)	12/1/2001	11/30/2008	2		0		532.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Benz(a)anthracene	12/1/2001	11/30/2008	2		0		0.32	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	PCBs	12/1/2001	11/30/2008	2		0		0.13	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Cadmium	12/1/2001	11/30/2008	2		0		0.23	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Arsenic	12/1/2001	11/30/2008	2		0		0.04	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Toxaphene	12/1/2001	11/30/2008	2		0		0.83	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Benzo(a)pyrene	12/1/2001	11/30/2008	2		0		0.32	ID	NA	<input type="checkbox"/>	NA		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID

0804_06

From just above the confluence with Tehuacana Creek to just above the confluence with Richland Creek.

USE

Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bioaccumulative Toxics in fish tissue	Mercury	12/1/2001	11/30/2008	2		0		0.53	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Chlordane	12/1/2001	11/30/2008	2		0		0.30	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Chromium	12/1/2001	11/30/2008	2		0		5.25	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Chrysene	12/1/2001	11/30/2008	2		0		0.32	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Copper	12/1/2001	11/30/2008	2		0		250.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Hexachlorobutadiene (HCBD)	12/1/2001	11/30/2008	2		0		11.14	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Hexachloroethane	12/1/2001	11/30/2008	2		0		164.67	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Lead	12/1/2001	11/30/2008	2		0		0.60	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Benzidine	12/1/2001	11/30/2008	2		0		0.00	ID	NA	<input type="checkbox"/>	NA		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID

0804_07

From just above the confluence with Richland Creek in Henderson County, up to the upper end of the segment.

USE

Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	82		0		5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	82		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2001	11/30/2008	4		0		31.39	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Zinc	12/1/2001	11/30/2008	3		0		184.77	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Nickel	12/1/2001	11/30/2008	3		0		2,283.42	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Lead	12/1/2001	11/30/2008	7		0		149.06	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	7		0		62.02	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Arsenic	12/1/2001	11/30/2008	6		0		360.00	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Aluminum	12/1/2001	11/30/2008	3		0		991.00	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Chromium	12/1/2001	11/30/2008	7		0		871.85	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Zinc	12/1/2001	11/30/2008	3	9.00			118.51	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Arsenic	12/1/2001	11/30/2008	6	2.50			190.00	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	7	0.15			1.16	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Chromium	12/1/2001	11/30/2008	7	2.50			201.01	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Copper	12/1/2001	11/30/2008	4	3.20			13.94	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Lead	12/1/2001	11/30/2008	7	0.50			3.04	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Nickel	12/1/2001	11/30/2008	3	37.13			178.22	ID	NA	<input type="checkbox"/>	NA		

USE

Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Single Sample	E. coli	12/1/2001	11/30/2008	82		17	2162.29	394.00	AD	FS	<input type="checkbox"/>	FS		
Bacteria Geomean	E. coli	12/1/2001	11/30/2008	82	91.34			126.00	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID **0804_07** From just above the confluence with Richland Creek in Henderson County, up to the upper end of the segment.

USE **General Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2001	11/30/2008	82		1	35.72	33.90	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2001	11/30/2008	82		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2001	11/30/2008	82		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	234	349.61			600.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2001	11/30/2008	80	46.14			150.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2001	11/30/2008	108	69.66			150.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	77		63	1.35	0.69	AD	CS	<input type="checkbox"/>	CS	total phosphorus	
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	78		61	7.6	1.95	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Chlorophyll-a	12/1/2001	11/30/2008	70		28	29.78	14.10	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	79		57	1.12	0.37	AD	CS	<input type="checkbox"/>	CS	orthophosphorus	
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	79		1	0.44	0.33	AD	NC	<input type="checkbox"/>	NC		

USE **Fish Consumption Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Restricted and No-Consumption	12/1/2001	11/30/2008						OE	NS	<input type="checkbox"/>	NS	dioxin in edible tissue	5a
DSHS Advisories, Closures, and Risk Assessments	Restricted and No-Consumption	12/1/2001	11/30/2008						OE	NS	<input type="checkbox"/>	NS	PCBs in edible tissue	5a
HH Bioaccumulative Toxics in water	Chromium	12/1/2001	11/30/2008	7	2.50			3,320.00	LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Lead	12/1/2001	11/30/2008	7	0.50			25.30	LD	NC	<input type="checkbox"/>	NC		
Bioaccumulative Toxics in fish tissue	Pyridine	12/1/2001	11/30/2008	2		0		17.73	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Benz(a)anthracene	12/1/2001	11/30/2008	2		0		0.32	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Toxaphene	12/1/2001	11/30/2008	2		0		0.83	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Pentachlorophenol (PCP)	12/1/2001	11/30/2008	2		0		532.00	ID	NA	<input type="checkbox"/>	NA		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID

0804_07

From just above the confluence with Richland Creek in Henderson County, up to the upper end of the segment.

USE

Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bioaccumulative Toxics in fish tissue	Nitrobenzene	12/1/2001	11/30/2008	2		0		8.87	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	DDE	12/1/2001	11/30/2008	1		0		5.45	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	1,2,4,5-Tetrachlorobenzene	12/1/2001	11/30/2008	2		0		5.32	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Cresols	12/1/2001	11/30/2008	2		0		886.67	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	N-Nitroso-di-n-butylamine	12/1/2001	11/30/2008	2		0		0.43	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Selenium	12/1/2001	11/30/2008	2		0		4.38	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Pentachlorobenzene	12/1/2001	11/30/2008	2		0		14.19	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Arsenic	12/1/2001	11/30/2008	2		0		0.04	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	N-Nitrosodiethylamine	12/1/2001	11/30/2008	2		0		0.01	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Chlordane	12/1/2001	11/30/2008	2		0		0.30	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Benzo(a)pyrene	12/1/2001	11/30/2008	2		0		0.32	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Cadmium	12/1/2001	11/30/2008	2		0		0.23	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	PCBs	12/1/2001	11/30/2008	2		0		0.13	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Chromium	12/1/2001	11/30/2008	2		0		5.25	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Chrysene	12/1/2001	11/30/2008	2		0		0.32	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Copper	12/1/2001	11/30/2008	2		0		250.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Hexachlorobutadiene (HCBd)	12/1/2001	11/30/2008	2		0		11.14	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Hexachloroethane	12/1/2001	11/30/2008	2		0		164.67	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Lead	12/1/2001	11/30/2008	2		0		0.60	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Mercury	12/1/2001	11/30/2008	2		0		0.53	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Benzidine	12/1/2001	11/30/2008	2		0		0.00	ID	NA	<input type="checkbox"/>	NA		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

Segment New
in 2010? **No**

SEGID 0804F Tehuacana Creek (unclassified water body)

AUID 0804F_01

A 27 mile stretch of Tehuacana Creek extending from the confluence with 0804 of the Trinity River up to the confluence with Caney Creek (NHD RC 120302010000226).

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	33		0		3.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	33		0		2.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2001	11/30/2008	24		0		28.69	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2001	11/30/2008	24		0		132.03	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Silver (ionic)	12/1/2001	11/30/2008	24		0		0.80	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/1/2001	11/30/2008	24		0		2,106.53	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Aluminum	12/1/2001	11/30/2008	24		0		991.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	24		0		55.70	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2001	11/30/2008	24		0		806.38	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	12/1/2001	11/30/2008	24		0		360.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2001	11/30/2008	24		0		170.43	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2001	11/30/2008	24	0.31			157.32	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2001	11/30/2008	24	5.29			91.97	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/1/2001	11/30/2008	24	3.62			138.36	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2001	11/30/2008	24	4.30			10.80	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	24	0.04		0.92		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic	12/1/2001	11/30/2008	24	1.37		190.00		AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2001	11/30/2008	24	0.14		2.08		AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0804F_01

A 27 mile stretch of Tehuacana Creek extending from the confluence with 0804 of the Trinity River up to the confluence with Caney Creek (NHD RC 120302010000226).

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	33		0		1.95	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	33		0		0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	33		0		0.33	AD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Lead	12/1/2001	11/30/2008	23	0.14			25.30	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Chromium	12/1/2001	11/30/2008	23	0.30			3,320.00	AD	FS	<input type="checkbox"/>	FS		

AUID 0804F_02

A 28.4 mile (45.7 KM) stretch of Tehuacana Creek extending from the confluence with Caney Creek to the upper end (NHD RC 120302010000225) of Tehuacana Creek.

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	5		0		3.00	LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	5		0		2.00	LD	NC	<input type="checkbox"/>	NC		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	5		0		1.95	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	5		0		0.37	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	5		0		0.33	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	5		0		0.69	LD	NC	<input type="checkbox"/>	NC		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

Segment New
in 2010? **No**

SEGID 0804G Catfish Creek (unclassified water body)

AUID

0804G_01

Entire Segment

USE

Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	27		6	3.37	5.00	AD	CS	<input type="checkbox"/>	CS	depressed dissolved oxygen	
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	27		1	2.4	3.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/1/2001	11/30/2008	29		21	3.48	5.00	AD	NS	<input type="checkbox"/>	NS	depressed dissolved oxygen	5b
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/1/2001	11/30/2008	29		7	2.34	3.00	AD	NS	<input type="checkbox"/>	NS	depressed dissolved oxygen	5b
Habitat	Habitat	12/1/2001	11/30/2008	3	21.00	0		20.00	AD	NC	<input type="checkbox"/>	NC		
Macrobenthic Community	Macrobenthic Community	12/1/2001	11/30/2008	3	27.00	3		29.00	AD	CN	<input type="checkbox"/>	CN	impaired macrobenthic community	
Fish Community	Fish Community	12/1/2001	11/30/2008	3	48.00	0		42.00	AD	FS	<input type="checkbox"/>	FS		

USE

Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Single Sample	E. coli	12/1/2001	11/30/2008	23		4	2050	394.00	AD	FS	<input type="checkbox"/>	FS		
Bacteria Geomean	E. coli	12/1/2001	11/30/2008	23	245.56			126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	5b

USE

General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	24		0		1.95	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2001	11/30/2008	25		1	14.2	14.10	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	26		1	1.28	0.69	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	25		1	0.81	0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	24		0		0.37	AD	NC	<input type="checkbox"/>	NC		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

Segment New
in 2010? **Yes**

SEGID 0804H Upper Keechi Creek (unclassified water body)

AUID 0804H_01 From the confluence with segment 0804 Trinity River up to confluence with Twin Branch (NHD RC 12030201027099)

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	2		0		5.00	ID	NA	<input type="checkbox"/>	NA		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	2		0		3.00	ID	NA	<input type="checkbox"/>	NA		
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/1/2001	11/30/2008	12		3	2.9	5.00	AD	NS	<input type="checkbox"/>	NS	depressed dissolved oxygen	5b
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/1/2001	11/30/2008	12		3	2.27	3.00	AD	NS	<input type="checkbox"/>	NS	depressed dissolved oxygen	5b

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	1		0		1.95	ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	1		0		0.37	ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	1		0		0.33	ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	1		0		0.69	ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Chlorophyll-a	12/1/2001	11/30/2008	1		0		14.10	ID	NA	<input type="checkbox"/>	NA		

AUID 0804H_02 From the confluence with Twin Branch (NHD RC 12030201027099) to the upper end (NHD RC 12030201001075) of NHD RC stream Upper Keechi Creek.

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	1		0		5.00	ID	NA	<input type="checkbox"/>	NA		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	1		0		3.00	ID	NA	<input type="checkbox"/>	NA		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

Segment New
in 2010? **Yes**

SEGID 0804J Fairfield Lake (unclassified water body)

AUID 0804J_01

Entire segment

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	23		2	3.24	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	23		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/1/2001	11/30/2008	10		0		5.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/1/2001	11/30/2008	10		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2001	11/30/2008	13		0		159.76	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Silver (ionic)	12/1/2001	11/30/2008	12		0		0.80	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2001	11/30/2008	13		0		193.49	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/1/2001	11/30/2008	13		0		2,391.07	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2001	11/30/2008	5		0		34.42	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Chromium	12/1/2001	11/30/2008	13		0		911.61	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	13		0		65.95	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	12/1/2001	11/30/2008	13		0		360.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Aluminum	12/1/2001	11/30/2008	13		0		991.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Selenium	12/1/2001	11/30/2008	13		0		20.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2001	11/30/2008	13	2.00			157.32	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Selenium	12/1/2001	11/30/2008	13	0.13			5.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/1/2001	11/30/2008	13	2.71			138.36	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2001	11/30/2008	13	2.00			91.97	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	13	0.15			0.92	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0804J_01 Entire segment

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Chronic Toxic Substances in water	Arsenic	12/1/2001	11/30/2008	13	5.28			190.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2001	11/30/2008	13	0.09			2.08	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2001	11/30/2008	5	1.83			10.80	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Lead	12/1/2001	11/30/2008	4		0		128.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Iron	12/1/2001	11/30/2008	4		0		40,000.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Zinc	12/1/2001	11/30/2008	4		0		459.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Nickel	12/1/2001	11/30/2008	4		0		48.60	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Manganese	12/1/2001	11/30/2008	4		0		1,100.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Copper	12/1/2001	11/30/2008	4		0		149.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Chromium	12/1/2001	11/30/2008	4		0		111.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Cadmium	12/1/2001	11/30/2008	4		0		4.98	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Mercury	12/1/2001	11/30/2008	4		0		1.06	LD	NC	<input type="checkbox"/>	NC		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Single Sample	E. coli	12/1/2001	11/30/2008	12		0		394.00	AD	FS	<input type="checkbox"/>	FS		
Bacteria Geomean	E. coli	12/1/2001	11/30/2008	12	1.58			126.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Chlorophyll-a	12/1/2001	11/30/2008	12		12	68.28	26.70	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	13		2	0.32	0.20	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	13		0		0.11	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	13		0		0.37	AD	NC	<input type="checkbox"/>	NC		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0804J_01 Entire segment

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	13		5	0.12	0.05	AD	CS	<input type="checkbox"/>	CS	orthophosphorus	
Fish Kill Reports	Fish Kill Reports	12/1/2001	11/30/2008	7					OE	CN	<input type="checkbox"/>	CN	fish kill report	

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Chromium	12/1/2001	11/30/2008	13	2.00			3,320.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2001	11/30/2008	13	0.09			25.30	AD	FS	<input type="checkbox"/>	FS		
Bioaccumulative Toxics in fish tissue	Hexachlorobenzene (HCB)	12/1/2001	11/30/2008	2		0		0.61	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Zinc	12/1/2001	11/30/2008	2		0		525.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Selenium	12/1/2001	11/30/2008	2		0		4.38	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	PCBs	12/1/2001	11/30/2008	2		0		0.13	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Nickel	12/1/2001	11/30/2008	2		0		35.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Mirex	12/1/2001	11/30/2008	2		0		0.04	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Toxaphene	12/1/2001	11/30/2008	2		0		0.83	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Lead	12/1/2001	11/30/2008	2		0		0.60	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Aldrin	12/1/2001	11/30/2008	2		0		0.14	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Heptachlor epoxide	12/1/2001	11/30/2008	2		0		0.25	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Mercury	12/1/2001	11/30/2008	2		0		0.53	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Arsenic	12/1/2001	11/30/2008	2		0		0.04	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Cadmium	12/1/2001	11/30/2008	2		0		0.23	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Chromium	12/1/2001	11/30/2008	2		0		5.25	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Copper	12/1/2001	11/30/2008	2		0		250.00	ID	NA	<input type="checkbox"/>	NA		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0804J_01 Entire segment

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bioaccumulative Toxics in fish tissue	Dieldrin	12/1/2001	11/30/2008	2		0		0.06	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Heptachlor	12/1/2001	11/30/2008	2		0		0.20	ID	NA	<input type="checkbox"/>	NA		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

Segment New
in 2010? **No**

SEGID 0805 Upper Trinity River

AUID 0805_01

From confluence of the Cedar Creek Reservoir discharge canal upstream to confluence of Smith Creek.

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	4		0		5.00	LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	4		0		3.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	PCBs	12/1/2001	11/30/2008	1		0		676.00	ID	NA	<input type="checkbox"/>	NA		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Single Sample	E. coli	12/1/2001	11/30/2008	6		1	461	394.00	LD	NC	<input type="checkbox"/>	NC		
Bacteria Geomean	E. coli	12/1/2001	11/30/2008	6	52.16			126.00	LD	NC	<input type="checkbox"/>	NC		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2001	11/30/2008	4		0		35.00	LD	NC	<input type="checkbox"/>	NC		
High pH	pH	12/1/2001	11/30/2008	4		0		9.00	LD	NC	<input type="checkbox"/>	NC		
Low pH	pH	12/1/2001	11/30/2008	4		0		6.50	LD	NC	<input type="checkbox"/>	NC		
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	221	392.10			850.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2001	11/30/2008	6	38.00			175.00	LD	NC	<input type="checkbox"/>	NC		
Dissolved Solids	Sulfate	12/1/2001	11/30/2008	55	73.85			175.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	3		2	1.28	0.69	ID	NA	<input checked="" type="checkbox"/>	CS	total phosphorus	
Nutrient Screening Levels	Chlorophyll-a	12/1/2001	11/30/2008	3		1	20.6	14.10	ID	NA	<input checked="" type="checkbox"/>	CS	chlorophyll-a	
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	4		0		0.33	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	4		3	1.37	0.37	LD	CS	<input type="checkbox"/>	CS	orthophosphorus	
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	4		3	8.43	1.95	LD	CS	<input type="checkbox"/>	CS	nitrate	

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0805_01 From confluence of the Cedar Creek Reservoir discharge canal upstream to confluence of Smith Creek.

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Restricted and No-Consumption	12/1/2001	11/30/2008						OE	NS	<input type="checkbox"/>	NS	PCBs in edible tissue	5a
DSHS Advisories, Closures, and Risk Assessments	Restricted and No-Consumption	12/1/2001	11/30/2008						OE	NS	<input type="checkbox"/>	NS	dioxin in edible tissue	5a

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID

0805_02

From confluence of Smith Creek upstream to confluence of Tenmile Creek.

USE

Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	104		0		5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	104		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/1/2001	11/30/2008	8		0		4,340.00	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Lead	12/1/2001	11/30/2008	12		0		391.78	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Silver (ionic)	12/1/2001	11/30/2008	5		0		0.80	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Zinc	12/1/2001	11/30/2008	8		0		351.53	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Aluminum	12/1/2001	11/30/2008	11		0		991.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2001	11/30/2008	12		0		1,623.47	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Selenium	12/1/2001	11/30/2008	4		0		20.00	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	12		0		146.03	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	12/1/2001	11/30/2008	11		0		360.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2001	11/30/2008	9		0		64.18	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Arsenic	12/1/2001	11/30/2008	10	2.69			190.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	11	0.33			1.30	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2001	11/30/2008	11	2.32			226.22	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2001	11/30/2008	8	2.78			15.77	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Lead	12/1/2001	11/30/2008	11	0.50			3.66	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/1/2001	11/30/2008	7	7.43			201.35	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Selenium	12/1/2001	11/30/2008	3	0.41			5.00	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Zinc	12/1/2001	11/30/2008	7	10.11			133.92	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	PCBs	12/1/2001	11/30/2008	1		0		676.00	ID	NA	<input type="checkbox"/>	NA		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0805_02 From confluence of Smith Creek upstream to confluence of Tenmile Creek.

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Single Sample	Fecal coliform	12/1/2001	11/30/2008	3		2	1900	400.00	SM	NA	<input type="checkbox"/>	NA		
Bacteria Single Sample	E. coli	12/1/2001	11/30/2008	82		23	1664.83	394.00	AD	CN	<input type="checkbox"/>	CN	bacteria	
Bacteria Geomean	E. coli	12/1/2001	11/30/2008	82	105.23			126.00	AD	FS	<input type="checkbox"/>	FS		
Bacteria Geomean	Fecal coliform	12/1/2001	11/30/2008	3	476.22			200.00	SM	NA	<input type="checkbox"/>	NA		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2001	11/30/2008	105		0		35.00	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2001	11/30/2008	105		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2001	11/30/2008	105		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	221	392.10			850.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2001	11/30/2008	6	38.00			175.00	LD	NC	<input type="checkbox"/>	NC		
Dissolved Solids	Sulfate	12/1/2001	11/30/2008	55	73.85			175.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	100		82	7.61	1.95	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	95		67	1.23	0.37	AD	CS	<input type="checkbox"/>	CS	orthophosphorus	
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	102		1	0.36	0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	72		49	1.6	0.69	AD	CS	<input type="checkbox"/>	CS	total phosphorus	
Nutrient Screening Levels	Chlorophyll-a	12/1/2001	11/30/2008	71		30	23.12	14.10	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Restricted and No-Consumption	12/1/2001	11/30/2008						OE	NS	<input type="checkbox"/>	NS	dioxin in edible tissue	5a
DSHS Advisories, Closures, and Risk Assessments	Restricted and No-Consumption	12/1/2001	11/30/2008						OE	NS	<input type="checkbox"/>	NS	PCBs in edible tissue	5a
HH Bioaccumulative Toxics in water	Lead	12/1/2001	11/30/2008	8	0.50			25.30	LD	NC	<input type="checkbox"/>	NC		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0805_02 From confluence of Smith Creek upstream to confluence of Tenmile Creek.

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Chromium	12/1/2001	11/30/2008	8	2.38			3,320.00	LD	NC	<input type="checkbox"/>	NC		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID

0805_03

From the confluence of Fivemile Creek upstream to the confluence of Cedar Creek.

USE

Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	127		0		5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	127		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	7		0		51.01	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Zinc	12/1/2001	11/30/2008	3		0		159.54	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Nickel	12/1/2001	11/30/2008	3		0		1,972.07	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Lead	12/1/2001	11/30/2008	7		0		119.56	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Chromium	12/1/2001	11/30/2008	7		0		756.50	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Arsenic	12/1/2001	11/30/2008	6		0		360.00	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Aluminum	12/1/2001	11/30/2008	6		0		991.00	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Copper	12/1/2001	11/30/2008	4		0		26.66	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	7	0.15			1.30	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Nickel	12/1/2001	11/30/2008	3	2.83			201.35	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Zinc	12/1/2001	11/30/2008	3	6.89			133.92	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Lead	12/1/2001	11/30/2008	7	0.50			3.66	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Chromium	12/1/2001	11/30/2008	7	2.50			226.22	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Arsenic	12/1/2001	11/30/2008	6	2.50			190.00	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Copper	12/1/2001	11/30/2008	4	1.84			15.77	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	PCBs	12/1/2001	11/30/2008	6		0		676.00	LD	NC	<input type="checkbox"/>	NC		

USE

Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Single Sample	E. coli	12/1/2001	11/30/2008	79		35	4241	394.00	AD	NS	<input type="checkbox"/>	NS	bacteria	5a

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0805_03 From the confluence of Fivemile Creek upstream to the confluence of Cedar Creek.

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2001	11/30/2008	79	329.00			126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	5a

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2001	11/30/2008	127		0		35.00	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2001	11/30/2008	126		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2001	11/30/2008	126		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	221	392.10			850.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2001	11/30/2008	6	38.00			175.00	LD	NC	<input type="checkbox"/>	NC		
Dissolved Solids	Sulfate	12/1/2001	11/30/2008	55	73.85			175.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Chlorophyll-a	12/1/2001	11/30/2008	70		22	19.5	14.10	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	122		83	1.53	0.69	AD	CS	<input type="checkbox"/>	CS	total phosphorus	
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	124		6	0.49	0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	121		92	1.26	0.37	AD	CS	<input type="checkbox"/>	CS	orthophosphorus	
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	124		104	7.62	1.95	AD	CS	<input type="checkbox"/>	CS	nitrate	

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Restricted and No-Consumption	12/1/2001	11/30/2008						OE	NS	<input type="checkbox"/>	NS	PCBs in edible tissue	5a
DSHS Advisories, Closures, and Risk Assessments	Restricted and No-Consumption	12/1/2001	11/30/2008						OE	NS	<input type="checkbox"/>	NS	dioxin in edible tissue	5a
HH Bioaccumulative Toxics in water	Chromium	12/1/2001	11/30/2008	7	2.50			3,320.00	LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Lead	12/1/2001	11/30/2008	7	0.50			25.30	LD	NC	<input type="checkbox"/>	NC		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID

0805_04

From confluence of Cedar Creek upstream to confluence of Elm Fork Trinity River

USE

Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	75		0		5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	75		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Aluminum	12/1/2001	11/30/2008	5		0		991.00	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Nickel	12/1/2001	11/30/2008	3		0		1,972.07	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Lead	12/1/2001	11/30/2008	7		0		119.56	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Copper	12/1/2001	11/30/2008	4		0		26.66	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Chromium	12/1/2001	11/30/2008	7		0		756.50	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Arsenic	12/1/2001	11/30/2008	6		0		360.00	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Zinc	12/1/2001	11/30/2008	3		0		163.19	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	7		0		51.01	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Lead	12/1/2001	11/30/2008	7	0.50			3.66	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Zinc	12/1/2001	11/30/2008	3	13.76			133.92	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Nickel	12/1/2001	11/30/2008	3	3.40			201.35	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Copper	12/1/2001	11/30/2008	4	2.36			15.77	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Chromium	12/1/2001	11/30/2008	7	2.50			226.22	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Arsenic	12/1/2001	11/30/2008	6	2.50			190.00	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	7	0.15			1.30	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	PCBs	12/1/2001	11/30/2008	2		0		676.00	ID	NA	<input type="checkbox"/>	NA		

USE

Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Single Sample	E. coli	12/1/2001	11/30/2008	73		25	4544	394.00	AD	NS	<input type="checkbox"/>	NS	bacteria	5a

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0805_04 From confluence of Cedar Creek upstream to confluence of Elm Fork Trinity River

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2001	11/30/2008	73	214.00			126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	5a

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2001	11/30/2008	75		0		35.00	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2001	11/30/2008	74		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2001	11/30/2008	74		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2001	11/30/2008	55	73.85			175.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	221	392.10			850.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2001	11/30/2008	6	38.00			175.00	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2001	11/30/2008	68		18	19.5	14.10	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	72		48	1.58	0.69	AD	CS	<input type="checkbox"/>	CS	total phosphorus	
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	70		53	8.43	1.95	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	70		49	1.33	0.37	AD	CS	<input type="checkbox"/>	CS	orthophosphorus	
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	70		5	0.76	0.33	AD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Restricted and No-Consumption	12/1/2001	11/30/2008						OE	NS	<input type="checkbox"/>	NS	dioxin in edible tissue	5a
DSHS Advisories, Closures, and Risk Assessments	Restricted and No-Consumption	12/1/2001	11/30/2008						OE	NS	<input type="checkbox"/>	NS	PCBs in edible tissue	5a
HH Bioaccumulative Toxics in water	Chromium	12/1/2001	11/30/2008	7	2.50			3,320.00	LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Lead	12/1/2001	11/30/2008	7	0.50			25.30	LD	NC	<input type="checkbox"/>	NC		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0805_06 From confluence of Tenmile Creek upstream to confluence of Fivemile Creek

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	4		0		5.00	LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	4		0		3.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	PCBs	12/1/2001	11/30/2008	1		0		676.00	ID	NA	<input type="checkbox"/>	NA		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Single Sample	E. coli	12/1/2001	11/30/2008	68		8	857.38	394.00	AD	FS	<input type="checkbox"/>	FS		
Bacteria Geomean	E. coli	12/1/2001	11/30/2008	68	54.48			126.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2001	11/30/2008	4		0		35.00	LD	NC	<input type="checkbox"/>	NC		
High pH	pH	12/1/2001	11/30/2008	4		0		9.00	LD	NC	<input type="checkbox"/>	NC		
Low pH	pH	12/1/2001	11/30/2008	4		0		6.50	LD	NC	<input type="checkbox"/>	NC		
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	221	392.10			850.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2001	11/30/2008	55	73.85			175.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2001	11/30/2008	6	38.00			175.00	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	4		4	11.19	1.95	LD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	4		4	1.8	0.37	LD	CS	<input type="checkbox"/>	CS	orthophosphorus	
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	4		1	0.47	0.33	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	3		3	1.57	0.69	ID	NA	<input checked="" type="checkbox"/>	CS	total phosphorus	
Nutrient Screening Levels	Chlorophyll-a	12/1/2001	11/30/2008	4		1	15.6	14.10	LD	NC	<input type="checkbox"/>	NC		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0805_06 From confluence of Tenmile Creek upstream to confluence of Fivemile Creek

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSSH Advisories, Closures, and Risk Assessments	Restricted and No-Consumption	12/1/2001	11/30/2008						OE	NS	<input type="checkbox"/>	NS	dioxin in edible tissue	5a
DSSH Advisories, Closures, and Risk Assessments	Restricted and No-Consumption	12/1/2001	11/30/2008						OE	NS	<input type="checkbox"/>	NS	PCBs in edible tissue	5a

Segment New in 2010? No **SEGID** 0805A Red Oak Creek (unclassified water body)

AUID 0805A_01 Entire Segment

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	2		0		5.00	ID	NA	<input type="checkbox"/>	NA		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	2		0		3.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	PCBs	12/1/2001	11/30/2008	1		0		676.00	ID	NA	<input type="checkbox"/>	NA		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Single Sample	E. coli	12/1/2001	11/30/2008	49		2	750	394.00	AD	FS	<input type="checkbox"/>	FS		
Bacteria Geomean	E. coli	12/1/2001	11/30/2008	49	58.96			126.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	2		0		0.33	ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	2		0		0.69	ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	2		0		1.95	ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	2		0		0.37	ID	NA	<input type="checkbox"/>	NA		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

Segment New
in 2010? **No**

SEGID 0805B Parsons Slough (unclassified water body)

AUID 0805B_01 Entire Segment

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	6		0		3.00	LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	6		0		2.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	PCBs	12/1/2001	11/30/2008	1		0		676.00	ID	NA	<input type="checkbox"/>	NA		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Single Sample	E. coli	12/1/2001	11/30/2008	46		2	855	394.00	AD	FS	<input type="checkbox"/>	FS		
Bacteria Geomean	E. coli	12/1/2001	11/30/2008	46	42.02			126.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	6		0		0.37	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	6		0		0.33	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	6		0		1.95	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	6		0		0.69	LD	NC	<input type="checkbox"/>	NC		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

Segment New
in 2010? **Yes**

SEGID 0805C White Rock Creek below White Rock Lake (unclassified water body)

AUID 0805C_01

Entire water body.

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Toxic Substances in sediment	PCBs	12/1/2001	11/30/2008	1		0		676.00	ID	NA	<input type="checkbox"/>	NA		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Single Sample	E. coli	12/1/2001	11/30/2008	4		1	610	394.00	LD	NC	<input type="checkbox"/>	NC		
Bacteria Geomean	E. coli	12/1/2001	11/30/2008	4	114.86			126.00	LD	NC	<input type="checkbox"/>	NC		

Segment New
in 2010? **Yes**

SEGID 0805D Fivemile Creek (unclassified water body)

AUID 0805D_01

Entire water body.

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	6		0		5.00	LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	6		0		3.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	PCBs	12/1/2001	11/30/2008	1		0		676.00	ID	NA	<input type="checkbox"/>	NA		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	6		0		0.33	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	6		0		0.69	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	6		0		1.95	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	6		0		0.37	LD	NC	<input type="checkbox"/>	NC		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

Segment New
in 2010? **No**

SEGID 0806 West Fork Trinity River Below Lake Worth

AUID 0806_01

From confluence of Village Creek upstream to confluence of Clear Fork Trinity River

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	386		19	4.03	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	386		3	2.25	3.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Aluminum	12/1/2001	11/30/2008	6		0		991.00	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Arsenic	12/1/2001	11/30/2008	33		0		360.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	13		0		47.91	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2001	11/30/2008	34		0		722.84	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2001	11/30/2008	6		0		25.30	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Lead	12/1/2001	11/30/2008	24		0		111.39	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/1/2001	11/30/2008	4		0		1,881.50	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Zinc	12/1/2001	11/30/2008	4		0		174.04	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Nickel	12/1/2001	11/30/2008	4	1.85			208.96	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Chromium	12/1/2001	11/30/2008	34	2.04			234.48	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2001	11/30/2008	4	2.50			138.98	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Arsenic	12/1/2001	11/30/2008	33	1.84			190.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2001	11/30/2008	24	0.50			3.87	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	13	0.14			1.34	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2001	11/30/2008	6	0.83			16.38	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	PCBs	12/1/2001	11/30/2008	8		0		676.00	LD	NC	<input type="checkbox"/>	NC		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0806_01 From confluence of Village Creek upstream to confluence of Clear Fork Trinity River

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Single Sample	E. coli	12/1/2001	11/30/2008	353		72	5864	394.00	AD	FS	<input type="checkbox"/>	FS		
Bacteria Single Sample	Fecal coliform	12/1/2001	11/30/2008	11		2	1044	400.00	SM	FS	<input type="checkbox"/>	FS		
Bacteria Geomean	E. coli	12/1/2001	11/30/2008	353	66.00			126.00	AD	FS	<input type="checkbox"/>	FS		
Bacteria Geomean	Fecal coliform	12/1/2001	11/30/2008	11	53.00			200.00	SM	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2001	11/30/2008	389		0		33.90	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2001	11/30/2008	386		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2001	11/30/2008	386		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	373	218.83			500.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2001	11/30/2008	47	23.51			100.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2001	11/30/2008	17	36.76			100.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	75		2	0.96	0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2001	11/30/2008	71		43	26.82	14.10	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	76		2	7.81	1.95	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	75		1	0.4	0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	76		1	0.7	0.69	AD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Restricted and No-Consumption	12/1/2001	11/30/2008						OE	NS	<input type="checkbox"/>	NS	dioxin in edible tissue	5a
DSHS Advisories, Closures, and Risk Assessments	Restricted and No-Consumption	12/1/2001	11/30/2008						OE	NS	<input type="checkbox"/>	NS	PCBs in edible tissue	5a
HH Bioaccumulative Toxics in water	Cadmium	12/1/2001	11/30/2008	13	0.14			5.00	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0806_01 From confluence of Village Creek upstream to confluence of Clear Fork Trinity River

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Chromium	12/1/2001	11/30/2008	34	2.04			234.48	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2001	11/30/2008	24	0.50			4.98	AD	FS	<input type="checkbox"/>	FS		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Arsenic	12/1/2001	11/30/2008	33	1.84			50.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nitrate	12/1/2001	11/30/2008	76	0.55			10,000.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Cadmium	12/1/2001	11/30/2008	13	0.14			5.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Lead	12/1/2001	11/30/2008	24	0.50			4.98	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID

0806_02

From confluence of Clear Fork Trinity River upstream to Lake Worth Dam

USE

Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	3		0		5.00	ID	NA	<input type="checkbox"/>	NA		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	3		0		3.00	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Copper	12/1/2001	11/30/2008	2		0		24.62	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Nickel	12/1/2001	11/30/2008	1		0		1,835.93	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Zinc	12/1/2001	11/30/2008	1		0		148.51	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Lead	12/1/2001	11/30/2008	2		0		107.36	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	2		0		46.37	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Aluminum	12/1/2001	11/30/2008	2		0		991.00	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Chromium	12/1/2001	11/30/2008	2		0		705.88	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Arsenic	12/1/2001	11/30/2008	2		0		360.00	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Copper	12/1/2001	11/30/2008	2	0.76			16.38	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Zinc	12/1/2001	11/30/2008	1	2.50			138.98	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Lead	12/1/2001	11/30/2008	2	0.50			3.87	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Chromium	12/1/2001	11/30/2008	2	2.50			234.48	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	2	0.15			1.34	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Arsenic	12/1/2001	11/30/2008	2	2.50			190.00	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Nickel	12/1/2001	11/30/2008	1	2.01			208.96	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	PCBs	12/1/2001	11/30/2008	3		0		676.00	ID	NA	<input type="checkbox"/>	NA		

USE

Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Single Sample	E. coli	12/1/2001	11/30/2008	4	0.00			394.00	LD	NC	<input type="checkbox"/>	NC		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0806_02 From confluence of Clear Fork Trinity River upstream to Lake Worth Dam

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2001	11/30/2008	4	75.00			126.00	LD	NC	<input type="checkbox"/>	NC		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2001	11/30/2008	3		0		33.90	ID	NA	<input type="checkbox"/>	NA		
High pH	pH	12/1/2001	11/30/2008	3		0		9.00	ID	NA	<input type="checkbox"/>	NA		
Low pH	pH	12/1/2001	11/30/2008	3		0		6.50	ID	NA	<input type="checkbox"/>	NA		
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	373	218.83			500.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2001	11/30/2008	47	23.51			100.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2001	11/30/2008	17	36.76			100.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	3		0		0.69	ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Chlorophyll-a	12/1/2001	11/30/2008	3		1	41.6	14.10	ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	3		0		0.33	ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	3		0		0.37	ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	3		0		1.95	ID	NA	<input type="checkbox"/>	NA		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Restricted and No-Consumption	12/1/2001	11/30/2008						OE	NS	<input type="checkbox"/>	NS	PCBs in edible tissue	5a
DSHS Advisories, Closures, and Risk Assessments	Restricted and No-Consumption	12/1/2001	11/30/2008						OE	NS	<input type="checkbox"/>	NS	dioxin in edible tissue	5a
HH Bioaccumulative Toxics in water	Cadmium	12/1/2001	11/30/2008	2	0.15			5.00	ID	NA	<input type="checkbox"/>	NA		
HH Bioaccumulative Toxics in water	Chromium	12/1/2001	11/30/2008	2	2.50			100.00	ID	NA	<input type="checkbox"/>	NA		
HH Bioaccumulative Toxics in water	Lead	12/1/2001	11/30/2008	2	0.50			4.98	ID	NA	<input type="checkbox"/>	NA		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0806_02 From confluence of Clear Fork Trinity River upstream to Lake Worth Dam

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Arsenic	12/1/2001	11/30/2008	2	2.50			50.00	ID	NA	<input type="checkbox"/>	NA		
Surface Water HH criteria for PWS average	Nitrate	12/1/2001	11/30/2008	3	0.31			10,000.00	ID	NA	<input type="checkbox"/>	NA		
Surface Water HH criteria for PWS average	Lead	12/1/2001	11/30/2008	2	0.50			4.98	ID	NA	<input type="checkbox"/>	NA		
Surface Water HH criteria for PWS average	Cadmium	12/1/2001	11/30/2008	2	0.15			5.00	ID	NA	<input type="checkbox"/>	NA		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

Segment New
in 2010? **No**

SEGID 0806A Fosdic Lake (unclassified water body)

AUID 0806A_01

Entire lake

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2001	11/30/2008						OE	NS	<input type="checkbox"/>	NS	PCBs in edible tissue	4a
Bioaccumulative Toxics in fish tissue	PCBs	12/1/2001	11/30/2008	10		0		0.13	AD	NC	<input type="checkbox"/>	NC		
Bioaccumulative Toxics in fish tissue	BHC-gamma isomer	12/1/2001	11/30/2008	10		0		5.85	AD	NC	<input type="checkbox"/>	NC		
Bioaccumulative Toxics in fish tissue	BHC-alpha isomer	12/1/2001	11/30/2008	10		0		0.37	AD	NC	<input type="checkbox"/>	NC		
Bioaccumulative Toxics in fish tissue	Toxaphene	12/1/2001	11/30/2008	10		0		0.83	AD	NC	<input type="checkbox"/>	NC		
Bioaccumulative Toxics in fish tissue	beta-BHC	12/1/2001	11/30/2008	10		0		1.28	AD	NC	<input type="checkbox"/>	NC		
Bioaccumulative Toxics in fish tissue	Selenium	12/1/2001	11/30/2008	10		0		4.38	AD	NC	<input type="checkbox"/>	NC		
Bioaccumulative Toxics in fish tissue	Mirex	12/1/2001	11/30/2008	10		0		0.04	AD	NC	<input type="checkbox"/>	NC		
Bioaccumulative Toxics in fish tissue	Mercury	12/1/2001	11/30/2008	10		1	0.55	0.53	AD	NC	<input type="checkbox"/>	NC		
Bioaccumulative Toxics in fish tissue	Aldrin	12/1/2001	11/30/2008	10		0		0.14	AD	NC	<input type="checkbox"/>	NC		
Bioaccumulative Toxics in fish tissue	Hexachlorobenzene (HCB)	12/1/2001	11/30/2008	10		0		0.61	AD	NC	<input type="checkbox"/>	NC		
Bioaccumulative Toxics in fish tissue	Heptachlor epoxide	12/1/2001	11/30/2008	10		0		0.25	AD	NC	<input type="checkbox"/>	NC		
Bioaccumulative Toxics in fish tissue	Heptachlor	12/1/2001	11/30/2008	10		0		0.20	AD	NC	<input type="checkbox"/>	NC		
Bioaccumulative Toxics in fish tissue	Copper	12/1/2001	11/30/2008	10		0		250.00	AD	NC	<input type="checkbox"/>	NC		
Bioaccumulative Toxics in fish tissue	Chlordane	12/1/2001	11/30/2008	10		0		0.30	AD	NC	<input type="checkbox"/>	NC		
Bioaccumulative Toxics in fish tissue	Cadmium	12/1/2001	11/30/2008	10		0		0.23	AD	NC	<input type="checkbox"/>	NC		
Bioaccumulative Toxics in fish tissue	Arsenic	12/1/2001	11/30/2008	10		9	0.07	0.04	AD	CS	<input type="checkbox"/>	CS	arsenic in edible tissue	
Bioaccumulative Toxics in fish tissue	Lead	12/1/2001	11/30/2008	10		0		0.60	AD	NC	<input type="checkbox"/>	NC		
Bioaccumulative Toxics in fish tissue	Zinc	12/1/2001	11/30/2008	10		0		525.00	AD	NC	<input type="checkbox"/>	NC		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

Segment New
in 2010? **No**

SEGID 0806B Echo Lake (unclassified water body)

AUID 0806B_01

Entire lake

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Aquatic Life Closure	12/1/2001	11/30/2008						OE	NS	<input type="checkbox"/>	NS	PCBs in edible tissue	4a
Bioaccumulative Toxics in fish tissue	Toxaphene	12/1/2001	11/30/2008	10		0		0.83	AD	NC	<input type="checkbox"/>	NC		
Bioaccumulative Toxics in fish tissue	BHC-alpha isomer	12/1/2001	11/30/2008	10		0		0.37	AD	NC	<input type="checkbox"/>	NC		
Bioaccumulative Toxics in fish tissue	beta-BHC	12/1/2001	11/30/2008	10		0		1.28	AD	NC	<input type="checkbox"/>	NC		
Bioaccumulative Toxics in fish tissue	Zinc	12/1/2001	11/30/2008	10		0		525.00	AD	NC	<input type="checkbox"/>	NC		
Bioaccumulative Toxics in fish tissue	Selenium	12/1/2001	11/30/2008	10		0		4.38	AD	NC	<input type="checkbox"/>	NC		
Bioaccumulative Toxics in fish tissue	PCBs	12/1/2001	11/30/2008	10		2	0.29	0.13	AD	NC	<input type="checkbox"/>	NC		
Bioaccumulative Toxics in fish tissue	Mirex	12/1/2001	11/30/2008	10		0		0.04	AD	NC	<input type="checkbox"/>	NC		
Bioaccumulative Toxics in fish tissue	Mercury	12/1/2001	11/30/2008	10		0		0.53	AD	NC	<input type="checkbox"/>	NC		
Bioaccumulative Toxics in fish tissue	BHC-gamma isomer	12/1/2001	11/30/2008	10		0		5.85	AD	NC	<input type="checkbox"/>	NC		
Bioaccumulative Toxics in fish tissue	Lead	12/1/2001	11/30/2008	10		0		0.60	AD	NC	<input type="checkbox"/>	NC		
Bioaccumulative Toxics in fish tissue	Arsenic	12/1/2001	11/30/2008	10		10	0.06	0.04	AD	CS	<input type="checkbox"/>	CS	arsenic in edible tissue	
Bioaccumulative Toxics in fish tissue	Cadmium	12/1/2001	11/30/2008	10		0		0.23	AD	NC	<input type="checkbox"/>	NC		
Bioaccumulative Toxics in fish tissue	Chlordane	12/1/2001	11/30/2008	10		0		0.30	AD	NC	<input type="checkbox"/>	NC		
Bioaccumulative Toxics in fish tissue	Copper	12/1/2001	11/30/2008	10		0		250.00	AD	NC	<input type="checkbox"/>	NC		
Bioaccumulative Toxics in fish tissue	Heptachlor	12/1/2001	11/30/2008	10		0		0.20	AD	NC	<input type="checkbox"/>	NC		
Bioaccumulative Toxics in fish tissue	Heptachlor epoxide	12/1/2001	11/30/2008	10		0		0.25	AD	NC	<input type="checkbox"/>	NC		
Bioaccumulative Toxics in fish tissue	Hexachlorobenzene (HCB)	12/1/2001	11/30/2008	10		0		0.61	AD	NC	<input type="checkbox"/>	NC		
Bioaccumulative Toxics in fish tissue	Aldrin	12/1/2001	11/30/2008	10		0		0.14	AD	NC	<input type="checkbox"/>	NC		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

Segment New
in 2010? **No**

SEGID 0806C Big Fossil Creek (unclassified water body)

AUID 0806C_01 Entire Segment

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Toxic Substances in sediment	PCBs	12/1/2001	11/30/2008	1		0		676.00	ID	NA	<input type="checkbox"/>	NA		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Single Sample	E. coli	12/1/2001	11/30/2008	63		5	2542.2	394.00	AD	FS	<input type="checkbox"/>	FS		
Bacteria Geomean	E. coli	12/1/2001	11/30/2008	63	56.46			126.00	AD	FS	<input type="checkbox"/>	FS		

Segment New
in 2010? **No**

SEGID 0806D Marine Creek (unclassified water body)

AUID 0806D_01 Marine Creek from the confluence with W. Fork Trinity River 2 miles upstream to Tenmile Bridge Rd. in Ft. Worth

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	87		2	2.4	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	87		1	1.4	3.00	AD	FS	<input type="checkbox"/>	FS		
Toxic Substances in sediment	PCBs	12/1/2001	11/30/2008	1		0		676.00	ID	NA	<input type="checkbox"/>	NA		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Single Sample	E. coli	12/1/2001	11/30/2008	76		25	2828.66	394.00	AD	NS	<input type="checkbox"/>	NS	bacteria	5b
Bacteria Geomean	E. coli	12/1/2001	11/30/2008	76	138.98			126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	5b

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

Segment New
in 2010? **No**

SEGID 0806E Sycamore Creek (unclassified water body)

AUID 0806E_01

Five mile stretch of Sycamore Creek running upstream from confluence with the W. Fork of Trinity River to confluence with Echo Lake Tributary in Fort Worth

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	89		1	4.6	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	89		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Toxic Substances in sediment	PCBs	12/1/2001	11/30/2008	1		0		676.00	ID	NA	<input type="checkbox"/>	NA		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Single Sample	E. coli	12/1/2001	11/30/2008	77		26	5388.23	394.00	AD	NS	<input type="checkbox"/>	NS	bacteria	5b
Bacteria Geomean	E. coli	12/1/2001	11/30/2008	77	221.14			126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	5b

Segment New
in 2010? **Yes**

SEGID 0806F Little Fossil Creek (unclassified water body)

AUID 0806F_01

Entire water body.

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Single Sample	E. coli	12/1/2001	11/30/2008	6		1	620	394.00	LD	NC	<input type="checkbox"/>	NC		
Bacteria Geomean	E. coli	12/1/2001	11/30/2008	6	165.97			126.00	LD	CN	<input type="checkbox"/>	CN	bacteria	

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

Segment New
in 2010? No

SEGID 0807 Lake Worth

AUID 0807_01

Entire reservoir

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	46		1	3.53	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	46		0		3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Single Sample	Fecal coliform	12/1/2001	11/30/2008	2		0		400.00	SM	NA	<input type="checkbox"/>	NA		
Bacteria Single Sample	E. coli	12/1/2001	11/30/2008	27		0		394.00	AD	FS	<input type="checkbox"/>	FS		
Bacteria Geomean	E. coli	12/1/2001	11/30/2008	27	7.65			126.00	AD	FS	<input type="checkbox"/>	FS		
Bacteria Geomean	Fecal coliform	12/1/2001	11/30/2008	2	13.86			200.00	SM	NA	<input type="checkbox"/>	NA		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2001	11/30/2008	46		0		32.80	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2001	11/30/2008	46		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2001	11/30/2008	46		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	48	221.77			500.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2001	11/30/2008	13	25.75			100.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2001	11/30/2008	37	28.02			100.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	35		0		0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	36		0		0.05	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	37		0		0.11	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	37		0		0.20	AD	NC	<input type="checkbox"/>	NC		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0807_01 Entire reservoir

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Chlorophyll-a	12/1/2001	11/30/2008	37		9	38.63	26.70	AD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Restricted and No-Consumption	12/1/2001	11/30/2008						AD	NS	<input type="checkbox"/>	NS	PCBs in edible tissue	4a

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Fluoride	12/1/2001	11/30/2008	2	0.22			4.00	ID	NA	<input type="checkbox"/>	NA		
Surface Water HH criteria for PWS average	Nitrate	12/1/2001	11/30/2008	70	0.02			10,000.00	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

Segment New
in 2010? **No**

SEGID 0809 Eagle Mountain Reservoir

AUID 0809_01

Lowermost portion of reservoir near east end of dam

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	37		3	3.67	5.00	AD	NC	<input checked="" type="checkbox"/>	CS	depressed dissolved oxygen	
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	37		1	2.84	3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Single Sample	E. coli	12/1/2001	11/30/2008	54		0		394.00	AD	FS	<input type="checkbox"/>	FS		
Bacteria Single Sample	Fecal coliform	12/1/2001	11/30/2008	13		0		400.00	SM	FS	<input type="checkbox"/>	FS		
Bacteria Geomean	E. coli	12/1/2001	11/30/2008	54	2.72			126.00	AD	FS	<input type="checkbox"/>	FS		
Bacteria Geomean	Fecal coliform	12/1/2001	11/30/2008	13	4.19			200.00	SM	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2001	11/30/2008	38		0		34.40	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2001	11/30/2008	37		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2001	11/30/2008	37		1	4.8	6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2001	11/30/2008	184	30.49			75.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2001	11/30/2008	28	28.59			75.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	234	227.64			300.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Chlorophyll-a	12/1/2001	11/30/2008	36		10	38.01	26.70	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	35		1	1.09	0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	33		0		0.05	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	36		2	0.14	0.11	AD	NC	<input type="checkbox"/>	NC		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID	0809_01	Lowermost portion of reservoir near east end of dam
-------------	----------------	---

USE	General Use
------------	--------------------

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	36		0		0.20	AD	NC	<input type="checkbox"/>	NC		

USE	Fish Consumption Use
------------	-----------------------------

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bioaccumulative Toxics in fish tissue	Mercury	12/1/2001	11/30/2008	2		0		0.53	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Mirex	12/1/2001	11/30/2008	2		0		0.04	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Nickel	12/1/2001	11/30/2008	2		0		35.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	PCBs	12/1/2001	11/30/2008	2		0		0.13	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Selenium	12/1/2001	11/30/2008	2		0		4.38	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Zinc	12/1/2001	11/30/2008	2		0		525.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Chromium	12/1/2001	11/30/2008	2		0		5.25	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Lead	12/1/2001	11/30/2008	2		0		0.60	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Toxaphene	12/1/2001	11/30/2008	2		0		0.83	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Heptachlor epoxide	12/1/2001	11/30/2008	2		0		0.25	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Heptachlor	12/1/2001	11/30/2008	2		0		0.20	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Aldrin	12/1/2001	11/30/2008	2		0		0.14	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Copper	12/1/2001	11/30/2008	2		0		250.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Dieldrin	12/1/2001	11/30/2008	2		0		0.06	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Cadmium	12/1/2001	11/30/2008	2		0		0.23	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Arsenic	12/1/2001	11/30/2008	2		0		0.04	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Hexachlorobenzene (HCB)	12/1/2001	11/30/2008	2		0		0.61	ID	NA	<input type="checkbox"/>	NA		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0809_01 Lowermost portion of reservoir near east end of dam

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2001	11/30/2008	72	0.09			10,000.00	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0809_02 Dosier Slough cove

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	11		0		5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	11		0		3.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2001	11/30/2008	11		0		34.40	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2001	11/30/2008	11		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2001	11/30/2008	11		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	234	227.64			300.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2001	11/30/2008	184	30.49			75.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2001	11/30/2008	28	28.59			75.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	4		0		0.37	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	4		0		0.05	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	4		0		0.11	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	4		0		0.20	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2001	11/30/2008	4		0		26.70	LD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bioaccumulative Toxics in fish tissue	Heptachlor epoxide	12/1/2001	11/30/2008	2		0		0.25	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Zinc	12/1/2001	11/30/2008	2		0		525.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Selenium	12/1/2001	11/30/2008	2		0		4.38	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	PCBs	12/1/2001	11/30/2008	2		0		0.13	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Nickel	12/1/2001	11/30/2008	2		0		35.00	ID	NA	<input type="checkbox"/>	NA		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0809_02 Dosier Slough cove

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bioaccumulative Toxics in fish tissue	Mirex	12/1/2001	11/30/2008	2		0		0.04	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Mercury	12/1/2001	11/30/2008	2		0		0.53	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Toxaphene	12/1/2001	11/30/2008	2		0		0.83	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Aldrin	12/1/2001	11/30/2008	2		0		0.14	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Heptachlor	12/1/2001	11/30/2008	2		0		0.20	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Dieldrin	12/1/2001	11/30/2008	2		0		0.06	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Copper	12/1/2001	11/30/2008	2		0		250.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Chromium	12/1/2001	11/30/2008	2		0		5.25	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Cadmium	12/1/2001	11/30/2008	2		0		0.23	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Arsenic	12/1/2001	11/30/2008	2		0		0.04	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Hexachlorobenzene (HCB)	12/1/2001	11/30/2008	2		0		0.61	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Lead	12/1/2001	11/30/2008	2		0		0.60	ID	NA	<input type="checkbox"/>	NA		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2001	11/30/2008	9	0.06			10,000.00	LD	NC	<input type="checkbox"/>	NC		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0809_03 Ash Creek cove

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	11		0		5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	11		0		3.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2001	11/30/2008	11		0		34.40	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2001	11/30/2008	11		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2001	11/30/2008	11		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2001	11/30/2008	28	28.59			75.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	234	227.64			300.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2001	11/30/2008	184	30.49			75.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	4		0		0.37	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	4		0		0.05	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	4		0		0.11	LD	NC	<input checked="" type="checkbox"/>	CS	ammonia	
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	4		0		0.20	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2001	11/30/2008	4		1	30.7	26.70	LD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bioaccumulative Toxics in fish tissue	Nickel	12/1/2001	11/30/2008	2		0		35.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Hexachlorobenzene (HCB)	12/1/2001	11/30/2008	2		0		0.61	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Toxaphene	12/1/2001	11/30/2008	2		0		0.83	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Zinc	12/1/2001	11/30/2008	2		0		525.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	PCBs	12/1/2001	11/30/2008	2		0		0.13	ID	NA	<input type="checkbox"/>	NA		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0809_03 Ash Creek cove

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bioaccumulative Toxics in fish tissue	Mirex	12/1/2001	11/30/2008	2		0		0.04	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Mercury	12/1/2001	11/30/2008	2		0		0.53	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Lead	12/1/2001	11/30/2008	2		0		0.60	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Heptachlor	12/1/2001	11/30/2008	2		0		0.20	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Dieldrin	12/1/2001	11/30/2008	2		0		0.06	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Copper	12/1/2001	11/30/2008	2		0		250.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Aldrin	12/1/2001	11/30/2008	2		0		0.14	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Chromium	12/1/2001	11/30/2008	2		0		5.25	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Selenium	12/1/2001	11/30/2008	2		0		4.38	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Cadmium	12/1/2001	11/30/2008	2		0		0.23	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Arsenic	12/1/2001	11/30/2008	2		0		0.04	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Heptachlor epoxide	12/1/2001	11/30/2008	2		0		0.25	ID	NA	<input type="checkbox"/>	NA		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2001	11/30/2008	10	0.03			10,000.00	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0809_04 Lowermost portion of reservoir near west end of dam

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	234	227.64			300.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2001	11/30/2008	184	30.49			75.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2001	11/30/2008	28	28.59			75.00	AD	FS	<input type="checkbox"/>	FS		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bioaccumulative Toxics in fish tissue	Lead	12/1/2001	11/30/2008	2		0		0.60	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Toxaphene	12/1/2001	11/30/2008	2		0		0.83	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Zinc	12/1/2001	11/30/2008	2		0		525.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Selenium	12/1/2001	11/30/2008	2		0		4.38	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	PCBs	12/1/2001	11/30/2008	2		0		0.13	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Nickel	12/1/2001	11/30/2008	2		0		35.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Chromium	12/1/2001	11/30/2008	2		0		5.25	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Mirex	12/1/2001	11/30/2008	2		0		0.04	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Mercury	12/1/2001	11/30/2008	2		0		0.53	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Hexachlorobenzene (HCB)	12/1/2001	11/30/2008	2		0		0.61	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Heptachlor epoxide	12/1/2001	11/30/2008	2		0		0.25	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Heptachlor	12/1/2001	11/30/2008	2		0		0.20	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Copper	12/1/2001	11/30/2008	2		0		250.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Cadmium	12/1/2001	11/30/2008	2		0		0.23	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Arsenic	12/1/2001	11/30/2008	2		0		0.04	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Aldrin	12/1/2001	11/30/2008	2		0		0.14	ID	NA	<input type="checkbox"/>	NA		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0809_04 Lowermost portion of reservoir near west end of dam

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bioaccumulative Toxics in fish tissue	Dieldrin	12/1/2001	11/30/2008	2		0		0.06	ID	NA	<input type="checkbox"/>	NA		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0809_05 Lower portion of reservoir east of Walnut Creek cove

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	35		0		5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	35		0		3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Single Sample	E. coli	12/1/2001	11/30/2008	50		0		394.00	AD	FS	<input type="checkbox"/>	FS		
Bacteria Single Sample	Fecal coliform	12/1/2001	11/30/2008	14		0		400.00	SM	FS	<input type="checkbox"/>	FS		
Bacteria Geomean	E. coli	12/1/2001	11/30/2008	50	1.90			126.00	AD	FS	<input type="checkbox"/>	FS		
Bacteria Geomean	Fecal coliform	12/1/2001	11/30/2008	14	4.00			200.00	SM	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2001	11/30/2008	35		0		34.40	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2001	11/30/2008	35		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2001	11/30/2008	35		1	5.8	6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	234	227.64			300.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2001	11/30/2008	184	30.49			75.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2001	11/30/2008	28	28.59			75.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	36		2	0.14	0.11	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	36		0		0.20	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	32		0		0.05	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	35		1	0.88	0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2001	11/30/2008	36		10	31.79	26.70	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0809_05 Lower portion of reservoir east of Walnut Creek cove

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bioaccumulative Toxics in fish tissue	Dieldrin	12/1/2001	11/30/2008	2		0		0.06	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Lead	12/1/2001	11/30/2008	2		0		0.60	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Zinc	12/1/2001	11/30/2008	2		0		525.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Selenium	12/1/2001	11/30/2008	2		0		4.38	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	PCBs	12/1/2001	11/30/2008	2		0		0.13	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Nickel	12/1/2001	11/30/2008	2		0		35.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Mirex	12/1/2001	11/30/2008	2		0		0.04	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Mercury	12/1/2001	11/30/2008	2		0		0.53	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Toxaphene	12/1/2001	11/30/2008	2		0		0.83	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Hexachlorobenzene (HCB)	12/1/2001	11/30/2008	2		0		0.61	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Heptachlor	12/1/2001	11/30/2008	2		0		0.20	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Copper	12/1/2001	11/30/2008	2		0		250.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Chromium	12/1/2001	11/30/2008	2		0		5.25	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Cadmium	12/1/2001	11/30/2008	2		0		0.23	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Arsenic	12/1/2001	11/30/2008	2		0		0.04	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Aldrin	12/1/2001	11/30/2008	2		0		0.14	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Heptachlor epoxide	12/1/2001	11/30/2008	2		0		0.25	ID	NA	<input type="checkbox"/>	NA		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2001	11/30/2008	62	0.07			10,000.00	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0809_06 Walnut Creek cove

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	11		0		5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	11		0		3.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2001	11/30/2008	11		0		34.40	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2001	11/30/2008	11		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2001	11/30/2008	11		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	234	227.64			300.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2001	11/30/2008	184	30.49			75.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2001	11/30/2008	28	28.59			75.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	4		0		0.37	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	4		0		0.05	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	4		0		0.11	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	4		0		0.20	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2001	11/30/2008	4		1	34	26.70	LD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bioaccumulative Toxics in fish tissue	Mercury	12/1/2001	11/30/2008	2		0		0.53	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Toxaphene	12/1/2001	11/30/2008	2		0		0.83	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Zinc	12/1/2001	11/30/2008	2		0		525.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Selenium	12/1/2001	11/30/2008	2		0		4.38	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	PCBs	12/1/2001	11/30/2008	2		0		0.13	ID	NA	<input type="checkbox"/>	NA		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0809_06 Walnut Creek cove

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bioaccumulative Toxics in fish tissue	Mirex	12/1/2001	11/30/2008	2		0		0.04	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Lead	12/1/2001	11/30/2008	2		0		0.60	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Hexachlorobenzene (HCB)	12/1/2001	11/30/2008	2		0		0.61	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Heptachlor	12/1/2001	11/30/2008	2		0		0.20	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Nickel	12/1/2001	11/30/2008	2		0		35.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Dieldrin	12/1/2001	11/30/2008	2		0		0.06	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Copper	12/1/2001	11/30/2008	2		0		250.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Chromium	12/1/2001	11/30/2008	2		0		5.25	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Cadmium	12/1/2001	11/30/2008	2		0		0.23	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Arsenic	12/1/2001	11/30/2008	2		0		0.04	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Aldrin	12/1/2001	11/30/2008	2		0		0.14	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Heptachlor epoxide	12/1/2001	11/30/2008	2		0		0.25	ID	NA	<input type="checkbox"/>	NA		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2001	11/30/2008	11	0.02			10,000.00	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID	0809_07	Old Ranch cove
-------------	----------------	----------------

USE	General Use
------------	--------------------

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	234	227.64			300.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2001	11/30/2008	184	30.49			75.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2001	11/30/2008	28	28.59			75.00	AD	FS	<input type="checkbox"/>	FS		

USE	Fish Consumption Use
------------	-----------------------------

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bioaccumulative Toxics in fish tissue	Heptachlor	12/1/2001	11/30/2008	2		0		0.20	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Zinc	12/1/2001	11/30/2008	2		0		525.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Selenium	12/1/2001	11/30/2008	2		0		4.38	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	PCBs	12/1/2001	11/30/2008	2		0		0.13	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Nickel	12/1/2001	11/30/2008	2		0		35.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Mirex	12/1/2001	11/30/2008	2		0		0.04	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Mercury	12/1/2001	11/30/2008	2		0		0.53	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Toxaphene	12/1/2001	11/30/2008	2		0		0.83	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Lead	12/1/2001	11/30/2008	2		0		0.60	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Dieldrin	12/1/2001	11/30/2008	2		0		0.06	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Copper	12/1/2001	11/30/2008	2		0		250.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Chromium	12/1/2001	11/30/2008	2		0		5.25	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Cadmium	12/1/2001	11/30/2008	2		0		0.23	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Arsenic	12/1/2001	11/30/2008	2		0		0.04	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Aldrin	12/1/2001	11/30/2008	2		0		0.14	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Heptachlor epoxide	12/1/2001	11/30/2008	2		0		0.25	ID	NA	<input type="checkbox"/>	NA		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0809_07 Old Ranch cove

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bioaccumulative Toxics in fish tissue	Hexachlorobenzene (HCB)	12/1/2001	11/30/2008	2		0		0.61	ID	NA	<input type="checkbox"/>	NA		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0809_08 Middle portion of reservoir near Cole subdivision

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	35		1	4.2	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	35		0		3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Single Sample	Fecal coliform	12/1/2001	11/30/2008	10		0		400.00	SM	FS	<input type="checkbox"/>	FS		
Bacteria Single Sample	E. coli	12/1/2001	11/30/2008	37		0		394.00	AD	FS	<input type="checkbox"/>	FS		
Bacteria Geomean	E. coli	12/1/2001	11/30/2008	37	2.55			126.00	AD	FS	<input type="checkbox"/>	FS		
Bacteria Geomean	Fecal coliform	12/1/2001	11/30/2008	10	3.38			200.00	SM	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2001	11/30/2008	35		0		34.40	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2001	11/30/2008	35		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2001	11/30/2008	35		1	6.1	6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2001	11/30/2008	28	28.59			75.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	234	227.64			300.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2001	11/30/2008	184	30.49			75.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	35		1	1.06	0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	32		1	0.06	0.05	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	36		0		0.11	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	36		0		0.20	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2001	11/30/2008	36		18	35.33	26.70	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0809_08 Middle portion of reservoir near Cole subdivision

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bioaccumulative Toxics in fish tissue	Aldrin	12/1/2001	11/30/2008	2		0		0.14	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Mercury	12/1/2001	11/30/2008	2		0		0.53	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Mirex	12/1/2001	11/30/2008	2		0		0.04	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Nickel	12/1/2001	11/30/2008	2		0		35.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	PCBs	12/1/2001	11/30/2008	2		0		0.13	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Selenium	12/1/2001	11/30/2008	2		0		4.38	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Zinc	12/1/2001	11/30/2008	2		0		525.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Lead	12/1/2001	11/30/2008	2		0		0.60	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Toxaphene	12/1/2001	11/30/2008	2		0		0.83	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Heptachlor epoxide	12/1/2001	11/30/2008	2		0		0.25	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Heptachlor	12/1/2001	11/30/2008	2		0		0.20	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Dieldrin	12/1/2001	11/30/2008	2		0		0.06	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Copper	12/1/2001	11/30/2008	2		0		250.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Chromium	12/1/2001	11/30/2008	2		0		5.25	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Arsenic	12/1/2001	11/30/2008	2		0		0.04	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Cadmium	12/1/2001	11/30/2008	2		0		0.23	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Hexachlorobenzene (HCB)	12/1/2001	11/30/2008	2		0		0.61	ID	NA	<input type="checkbox"/>	NA		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2001	11/30/2008	49	0.08			10,000.00	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID	0809_09	Indian Creek cove
-------------	----------------	-------------------

USE	Aquatic Life Use
------------	-------------------------

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	11		0		5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	11		0		3.00	AD	FS	<input type="checkbox"/>	FS		

USE	General Use
------------	--------------------

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2001	11/30/2008	11		0		34.40	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2001	11/30/2008	11		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2001	11/30/2008	11		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	234	227.64			300.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2001	11/30/2008	184	30.49			75.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2001	11/30/2008	28	28.59			75.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	4		0		0.37	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	4		0		0.05	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	4		0		0.11	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	4		0		0.20	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2001	11/30/2008	4		0		26.70	LD	NC	<input checked="" type="checkbox"/>	CS	chlorophyll-a	

USE	Fish Consumption Use
------------	-----------------------------

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bioaccumulative Toxics in fish tissue	Hexachlorobenzene (HCB)	12/1/2001	11/30/2008	2		0		0.61	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Toxaphene	12/1/2001	11/30/2008	2		0		0.83	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Zinc	12/1/2001	11/30/2008	2		0		525.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Selenium	12/1/2001	11/30/2008	2		0		4.38	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	PCBs	12/1/2001	11/30/2008	2		0		0.13	ID	NA	<input type="checkbox"/>	NA		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0809_09 Indian Creek cove

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bioaccumulative Toxics in fish tissue	Mercury	12/1/2001	11/30/2008	2		0		0.53	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Mirex	12/1/2001	11/30/2008	2		0		0.04	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Lead	12/1/2001	11/30/2008	2		0		0.60	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Aldrin	12/1/2001	11/30/2008	2		0		0.14	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Heptachlor	12/1/2001	11/30/2008	2		0		0.20	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Nickel	12/1/2001	11/30/2008	2		0		35.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Dieldrin	12/1/2001	11/30/2008	2		0		0.06	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Copper	12/1/2001	11/30/2008	2		0		250.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Chromium	12/1/2001	11/30/2008	2		0		5.25	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Cadmium	12/1/2001	11/30/2008	2		0		0.23	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Arsenic	12/1/2001	11/30/2008	2		0		0.04	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Heptachlor epoxide	12/1/2001	11/30/2008	2		0		0.25	ID	NA	<input type="checkbox"/>	NA		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2001	11/30/2008	9	0.02			10,000.00	LD	NC	<input type="checkbox"/>	NC		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0809_10 Upper portion of reservoir near Indian Creek cove

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	35		1	3.89	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	35		0		3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Single Sample	E. coli	12/1/2001	11/30/2008	44		0		394.00	AD	FS	<input type="checkbox"/>	FS		
Bacteria Single Sample	Fecal coliform	12/1/2001	11/30/2008	10		0		400.00	SM	FS	<input type="checkbox"/>	FS		
Bacteria Geomean	E. coli	12/1/2001	11/30/2008	44	2.98			126.00	AD	FS	<input type="checkbox"/>	FS		
Bacteria Geomean	Fecal coliform	12/1/2001	11/30/2008	10	2.71			200.00	SM	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2001	11/30/2008	35		0		34.40	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2001	11/30/2008	35		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2001	11/30/2008	35		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2001	11/30/2008	184	30.49			75.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2001	11/30/2008	28	28.59			75.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	234	227.64			300.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Chlorophyll-a	12/1/2001	11/30/2008	35		18	37.77	26.70	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	34		1	1.06	0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	32		1	0.07	0.05	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	35		0		0.11	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	35		1	0.23	0.20	AD	NC	<input type="checkbox"/>	NC		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0809_10 Upper portion of reservoir near Indian Creek cove

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bioaccumulative Toxics in fish tissue	Lead	12/1/2001	11/30/2008	2		0		0.60	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Mercury	12/1/2001	11/30/2008	2		0		0.53	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Mirex	12/1/2001	11/30/2008	2		0		0.04	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Nickel	12/1/2001	11/30/2008	2		0		35.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	PCBs	12/1/2001	11/30/2008	2		0		0.13	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Selenium	12/1/2001	11/30/2008	2		0		4.38	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Toxaphene	12/1/2001	11/30/2008	2		0		0.83	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Heptachlor	12/1/2001	11/30/2008	2		0		0.20	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Zinc	12/1/2001	11/30/2008	2		0		525.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Hexachlorobenzene (HCB)	12/1/2001	11/30/2008	2		0		0.61	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Dieldrin	12/1/2001	11/30/2008	2		0		0.06	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Copper	12/1/2001	11/30/2008	2		0		250.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Chromium	12/1/2001	11/30/2008	2		0		5.25	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Cadmium	12/1/2001	11/30/2008	2		0		0.23	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Arsenic	12/1/2001	11/30/2008	2		0		0.04	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Aldrin	12/1/2001	11/30/2008	2		0		0.14	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Heptachlor epoxide	12/1/2001	11/30/2008	2		0		0.25	ID	NA	<input type="checkbox"/>	NA		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2001	11/30/2008	56	0.07			10,000.00	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID	0809_11	Darrett Creek cove
-------------	----------------	--------------------

USE	General Use
------------	--------------------

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	234	227.64			300.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2001	11/30/2008	184	30.49			75.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2001	11/30/2008	28	28.59			75.00	AD	FS	<input type="checkbox"/>	FS		

USE	Fish Consumption Use
------------	-----------------------------

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bioaccumulative Toxics in fish tissue	Lead	12/1/2001	11/30/2008	2		0		0.60	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Toxaphene	12/1/2001	11/30/2008	2		0		0.83	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Zinc	12/1/2001	11/30/2008	2		0		525.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Selenium	12/1/2001	11/30/2008	2		0		4.38	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	PCBs	12/1/2001	11/30/2008	2		0		0.13	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Cadmium	12/1/2001	11/30/2008	2		0		0.23	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Nickel	12/1/2001	11/30/2008	2		0		35.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Mirex	12/1/2001	11/30/2008	2		0		0.04	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Mercury	12/1/2001	11/30/2008	2		0		0.53	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Hexachlorobenzene (HCB)	12/1/2001	11/30/2008	2		0		0.61	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Heptachlor epoxide	12/1/2001	11/30/2008	2		0		0.25	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Heptachlor	12/1/2001	11/30/2008	2		0		0.20	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Dieldrin	12/1/2001	11/30/2008	2		0		0.06	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Chromium	12/1/2001	11/30/2008	2		0		5.25	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Arsenic	12/1/2001	11/30/2008	2		0		0.04	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Aldrin	12/1/2001	11/30/2008	2		0		0.14	ID	NA	<input type="checkbox"/>	NA		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0809_11 Darrett Creek cove

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bioaccumulative Toxics in fish tissue	Copper	12/1/2001	11/30/2008	2		0		250.00	ID	NA	<input type="checkbox"/>	NA		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0809_12 Upper portion of reservoir near Newark Beach

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	34		1	4.77	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	34		0		3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Single Sample	Fecal coliform	12/1/2001	11/30/2008	6		0		400.00	SM	NC	<input type="checkbox"/>	NC		
Bacteria Single Sample	E. coli	12/1/2001	11/30/2008	27		0		394.00	AD	FS	<input type="checkbox"/>	FS		
Bacteria Geomean	E. coli	12/1/2001	11/30/2008	27	5.43			126.00	AD	FS	<input type="checkbox"/>	FS		
Bacteria Geomean	Fecal coliform	12/1/2001	11/30/2008	6	11.32			200.00	SM	NC	<input type="checkbox"/>	NC		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2001	11/30/2008	34		0		34.40	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2001	11/30/2008	34		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2001	11/30/2008	34		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	234	227.64			300.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2001	11/30/2008	184	30.49			75.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2001	11/30/2008	28	28.59			75.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	15		2	0.63	0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2001	11/30/2008	15		5	39.3	26.70	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	15		4	0.28	0.20	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	14		2	0.15	0.05	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	15		1	0.22	0.11	AD	NC	<input type="checkbox"/>	NC		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0809_12 Upper portion of reservoir near Newark Beach

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bioaccumulative Toxics in fish tissue	Lead	12/1/2001	11/30/2008	2		0		0.60	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Aldrin	12/1/2001	11/30/2008	2		0		0.14	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Selenium	12/1/2001	11/30/2008	2		0		4.38	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Zinc	12/1/2001	11/30/2008	2		0		525.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	PCBs	12/1/2001	11/30/2008	2		0		0.13	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Nickel	12/1/2001	11/30/2008	2		0		35.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Mirex	12/1/2001	11/30/2008	2		0		0.04	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Mercury	12/1/2001	11/30/2008	2		0		0.53	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Hexachlorobenzene (HCB)	12/1/2001	11/30/2008	2		0		0.61	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Heptachlor epoxide	12/1/2001	11/30/2008	2		0		0.25	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Heptachlor	12/1/2001	11/30/2008	2		0		0.20	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Dieldrin	12/1/2001	11/30/2008	2		0		0.06	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Copper	12/1/2001	11/30/2008	2		0		250.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Chromium	12/1/2001	11/30/2008	2		0		5.25	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Arsenic	12/1/2001	11/30/2008	2		0		0.04	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Toxaphene	12/1/2001	11/30/2008	2		0		0.83	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Cadmium	12/1/2001	11/30/2008	2		0		0.23	ID	NA	<input type="checkbox"/>	NA		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2001	11/30/2008	34	0.11			10,000.00	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID	0809_13	Remainder of reservoir
-------------	----------------	------------------------

USE	General Use
------------	-------------

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	234	227.64			300.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2001	11/30/2008	184	30.49			75.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2001	11/30/2008	28	28.59			75.00	AD	FS	<input type="checkbox"/>	FS		

USE	Fish Consumption Use
------------	----------------------

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bioaccumulative Toxics in fish tissue	Nickel	12/1/2001	11/30/2008	2		0		35.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Toxaphene	12/1/2001	11/30/2008	2		0		0.83	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Zinc	12/1/2001	11/30/2008	2		0		525.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	PCBs	12/1/2001	11/30/2008	2		0		0.13	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Mirex	12/1/2001	11/30/2008	2		0		0.04	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Mercury	12/1/2001	11/30/2008	2		0		0.53	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Lead	12/1/2001	11/30/2008	2		0		0.60	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Hexachlorobenzene (HCB)	12/1/2001	11/30/2008	2		0		0.61	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Heptachlor	12/1/2001	11/30/2008	2		0		0.20	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Dieldrin	12/1/2001	11/30/2008	2		0		0.06	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Copper	12/1/2001	11/30/2008	2		0		250.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Selenium	12/1/2001	11/30/2008	2		0		4.38	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Chromium	12/1/2001	11/30/2008	2		0		5.25	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Cadmium	12/1/2001	11/30/2008	2		0		0.23	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Arsenic	12/1/2001	11/30/2008	2		0		0.04	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Aldrin	12/1/2001	11/30/2008	2		0		0.14	ID	NA	<input type="checkbox"/>	NA		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0809_13 Remainder of reservoir

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bioaccumulative Toxics in fish tissue	Heptachlor epoxide	12/1/2001	11/30/2008	2		0		0.25	ID	NA	<input type="checkbox"/>	NA		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0809_14 Mid-Lake, from just above Walnut Cr. Cove to Oakwood Rd. peninsula

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	11		0		5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	11		0		3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Single Sample	E. coli	12/1/2001	11/30/2008	5		0		394.00	LD	NC	<input type="checkbox"/>	NC		
Bacteria Geomean	E. coli	12/1/2001	11/30/2008	5	2.00			126.00	LD	NC	<input type="checkbox"/>	NC		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2001	11/30/2008	11		0		34.40	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2001	11/30/2008	11		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2001	11/30/2008	11		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	234	227.64			300.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2001	11/30/2008	184	30.49			75.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2001	11/30/2008	28	28.59			75.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	10		0		0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2001	11/30/2008	11		4	35.85	26.70	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	11		0		0.20	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	10		0		0.11	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	10		0		0.05	AD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bioaccumulative Toxics in fish tissue	Nickel	12/1/2001	11/30/2008	2		0		35.00	ID	NA	<input type="checkbox"/>	NA		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0809_14 Mid-Lake, from just above Walnut Cr. Cove to Oakwood Rd. peninsula

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bioaccumulative Toxics in fish tissue	Toxaphene	12/1/2001	11/30/2008	2		0		0.83	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Zinc	12/1/2001	11/30/2008	2		0		525.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	PCBs	12/1/2001	11/30/2008	2		0		0.13	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Mirex	12/1/2001	11/30/2008	2		0		0.04	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Mercury	12/1/2001	11/30/2008	2		0		0.53	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Lead	12/1/2001	11/30/2008	2		0		0.60	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Hexachlorobenzene (HCB)	12/1/2001	11/30/2008	2		0		0.61	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Heptachlor	12/1/2001	11/30/2008	2		0		0.20	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Dieldrin	12/1/2001	11/30/2008	2		0		0.06	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Copper	12/1/2001	11/30/2008	2		0		250.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Chromium	12/1/2001	11/30/2008	2		0		5.25	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Cadmium	12/1/2001	11/30/2008	2		0		0.23	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Arsenic	12/1/2001	11/30/2008	2		0		0.04	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Aldrin	12/1/2001	11/30/2008	2		0		0.14	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Selenium	12/1/2001	11/30/2008	2		0		4.38	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Heptachlor epoxide	12/1/2001	11/30/2008	2		0		0.25	ID	NA	<input type="checkbox"/>	NA		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2001	11/30/2008	13	0.01			10,000.00	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

Segment New
in 2010? **No**

SEGID 0810 West Fork Trinity River Below Bridgeport Reservoir

AUID 0810_01

Lower 25 miles of segment

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	234		15	3.87	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	234		2	2.8	3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Single Sample	E. coli	12/1/2001	11/30/2008	228		86	2375.69	394.00	AD	NS	<input type="checkbox"/>	NS	bacteria	5b
Bacteria Single Sample	Fecal coliform	12/1/2001	11/30/2008	5		2	1270	400.00	SM	NC	<input type="checkbox"/>	NC		
Bacteria Geomean	E. coli	12/1/2001	11/30/2008	228	282.81			126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	5b
Bacteria Geomean	Fecal coliform	12/1/2001	11/30/2008	5	477.73			200.00	SM	CN	<input type="checkbox"/>	CN		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2001	11/30/2008	234		0		32.20	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2001	11/30/2008	234		1	9.1	9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2001	11/30/2008	234		5	4.9	6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	279	368.84			500.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2001	11/30/2008	29	45.28			100.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2001	11/30/2008	29	62.24			100.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	27		2	3.32	1.95	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	28		2	0.66	0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	27		0		0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	28		0		0.69	AD	NC	<input type="checkbox"/>	NC		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0810_01 Lower 25 miles of segment

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Chlorophyll-a	12/1/2001	11/30/2008	29		5	17.1	14.10	AD	NC	<input type="checkbox"/>	NC		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Fluoride	12/1/2001	11/30/2008	27	0.21			4.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nitrate	12/1/2001	11/30/2008	26	0.50			10,000.00	AD	FS	<input type="checkbox"/>	FS		

AUID 0810_02 Upper 11 miles of segment

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	41		1	4	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	41		0		3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Single Sample	E. coli	12/1/2001	11/30/2008	41		7	938.71	394.00	AD	FS	<input type="checkbox"/>	FS		
Bacteria Geomean	E. coli	12/1/2001	11/30/2008	41	81.32			126.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2001	11/30/2008	41		0		32.20	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2001	11/30/2008	41		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2001	11/30/2008	41		1	4.1	6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2001	11/30/2008	29	45.28			100.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	279	368.84			500.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2001	11/30/2008	29	62.24			100.00	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

Segment New
in 2010? **No**

SEGID 0810A Big Sandy Creek (unclassified water body)

AUID 0810A_01

Fifteen mile stretch of Big Sandy Creek running from confluence with Waggoner Creek to FM 1810 West of Alvord, Wise Co.

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	36		2	3	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	36		1	2.9	3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Single Sample	E. coli	12/1/2001	11/30/2008	36		14	4896.93	394.00	AD	NS	<input type="checkbox"/>	NS	bacteria	5b
Bacteria Geomean	E. coli	12/1/2001	11/30/2008	36	320.82			126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	5b

Segment New
in 2010? **No**

SEGID 0810B Garrett Creek (unclassified water body)

AUID 0810B_01

Eighteen mile stretch of Garrett Creek running upstream from confluence with Salt Creek to Wise County Road approximately 14 miles upstream of SH114, Wise Co.

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	38		3	1.47	3.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	38		2	1.05	2.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Single Sample	E. coli	12/1/2001	11/30/2008	45		18	4089.94	394.00	AD	NS	<input type="checkbox"/>	NS	bacteria	5b
Bacteria Geomean	E. coli	12/1/2001	11/30/2008	45	323.05			126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	5b

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

Segment New
in 2010? **No**

SEGID 0810C Martin Branch (unclassified water body)

AUID 0810C_01

Eight mile stretch of Martin Branch running upstream from confluence with Center Creek to FM 730 south of Decatur, Wise County.

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	41		2	3	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	41		1	2.8	3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Single Sample	E. coli	12/1/2001	11/30/2008	48		43	2880.91	394.00	AD	NS	<input type="checkbox"/>	NS	bacteria	5b
Bacteria Geomean	E. coli	12/1/2001	11/30/2008	48	1358.37			126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	5b

Segment New
in 2010? **No**

SEGID 0810D Salt Creek (unclassified water body)

AUID 0810D_01

Eleven mile stretch of Salt Creek running upstream from confluence with Garrett Creek, Wise County.

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	38		6	1.92	3.00	AD	CS	<input type="checkbox"/>	CS	depressed dissolved oxygen	
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	38		3	1.6	2.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Single Sample	E. coli	12/1/2001	11/30/2008	37		9	4575.89	394.00	AD	FS	<input checked="" type="checkbox"/>	NS	bacteria	5b
Bacteria Geomean	E. coli	12/1/2001	11/30/2008	37	106.00			126.00	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

Segment New
in 2010? No

SEGID 0811 Bridgeport Reservoir

AUID 0811_01

Southeast portion of main body of reservoir

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	64		1	3.9	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	64		0		3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Single Sample	E. coli	12/1/2001	11/30/2008	29		0		394.00	AD	FS	<input type="checkbox"/>	FS		
Bacteria Single Sample	Fecal coliform	12/1/2001	11/30/2008	8		0		400.00	SM	NC	<input type="checkbox"/>	NC		
Bacteria Geomean	Fecal coliform	12/1/2001	11/30/2008	8	1.54			200.00	SM	NC	<input type="checkbox"/>	NC		
Bacteria Geomean	E. coli	12/1/2001	11/30/2008	29	1.15			126.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2001	11/30/2008	64		0		32.20	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2001	11/30/2008	64		1	9.29	9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2001	11/30/2008	64		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	191	182.21			300.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2001	11/30/2008	152	20.13			75.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2001	11/30/2008	24	18.65			75.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	34		0		0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2001	11/30/2008	35		0		26.70	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	35		0		0.20	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	35		1	0.06	0.05	AD	NC	<input type="checkbox"/>	NC		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID	0811_01	Southeast portion of main body of reservoir
-------------	----------------	---

USE	General Use
------------	--------------------

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	35		0		0.11	AD	NC	<input type="checkbox"/>	NC		

USE	Fish Consumption Use
------------	-----------------------------

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bioaccumulative Toxics in fish tissue	Nickel	12/1/2001	11/30/2008	2		0		35.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Aldrin	12/1/2001	11/30/2008	2		0		0.14	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Arsenic	12/1/2001	11/30/2008	2		0		0.04	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Cadmium	12/1/2001	11/30/2008	2		0		0.23	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Chromium	12/1/2001	11/30/2008	2		0		5.25	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Copper	12/1/2001	11/30/2008	2		0		250.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Dieldrin	12/1/2001	11/30/2008	2		0		0.06	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Heptachlor	12/1/2001	11/30/2008	2		0		0.20	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Heptachlor epoxide	12/1/2001	11/30/2008	2		0		0.25	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Hexachlorobenzene (HCB)	12/1/2001	11/30/2008	2		0		0.61	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Lead	12/1/2001	11/30/2008	2		0		0.60	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Mercury	12/1/2001	11/30/2008	2		0		0.53	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Mirex	12/1/2001	11/30/2008	2		0		0.04	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Selenium	12/1/2001	11/30/2008	2		0		4.38	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Zinc	12/1/2001	11/30/2008	2		0		525.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Toxaphene	12/1/2001	11/30/2008	2		0		0.83	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	PCBs	12/1/2001	11/30/2008	2		0		0.13	ID	NA	<input type="checkbox"/>	NA		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0811_01 Southeast portion of main body of reservoir

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2001	11/30/2008	61	0.03			10,000.00	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0811_02 Southwest portion of main body of reservoir

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	21		0		5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	21		0		3.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2001	11/30/2008	21		0		32.20	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2001	11/30/2008	21		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2001	11/30/2008	21		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2001	11/30/2008	24	18.65			75.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	191	182.21			300.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2001	11/30/2008	152	20.13			75.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Chlorophyll-a	12/1/2001	11/30/2008	15		0		26.70	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	15		0		0.20	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	15		0		0.11	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	15		0		0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	11		0		0.05	AD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bioaccumulative Toxics in fish tissue	Hexachlorobenzene (HCB)	12/1/2001	11/30/2008	2		0		0.61	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Mirex	12/1/2001	11/30/2008	2		0		0.04	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Toxaphene	12/1/2001	11/30/2008	2		0		0.83	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Zinc	12/1/2001	11/30/2008	2		0		525.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Selenium	12/1/2001	11/30/2008	2		0		4.38	ID	NA	<input type="checkbox"/>	NA		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0811_02 Southwest portion of main body of reservoir

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bioaccumulative Toxics in fish tissue	Nickel	12/1/2001	11/30/2008	2		0		35.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Mercury	12/1/2001	11/30/2008	2		0		0.53	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Lead	12/1/2001	11/30/2008	2		0		0.60	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Cadmium	12/1/2001	11/30/2008	2		0		0.23	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Heptachlor epoxide	12/1/2001	11/30/2008	2		0		0.25	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Arsenic	12/1/2001	11/30/2008	2		0		0.04	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Chromium	12/1/2001	11/30/2008	2		0		5.25	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	PCBs	12/1/2001	11/30/2008	2		0		0.13	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Copper	12/1/2001	11/30/2008	2		0		250.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Aldrin	12/1/2001	11/30/2008	2		0		0.14	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Dieldrin	12/1/2001	11/30/2008	2		0		0.06	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Heptachlor	12/1/2001	11/30/2008	2		0		0.20	ID	NA	<input type="checkbox"/>	NA		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2001	11/30/2008	22	0.02			10,000.00	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0811_03 Central portion of main body of reservoir

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	35		0		5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	35		0		3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Single Sample	E. coli	12/1/2001	11/30/2008	54		0		394.00	AD	FS	<input type="checkbox"/>	FS		
Bacteria Single Sample	Fecal coliform	12/1/2001	11/30/2008	11		0		400.00	SM	FS	<input type="checkbox"/>	FS		
Bacteria Geomean	E. coli	12/1/2001	11/30/2008	54	1.81			126.00	AD	FS	<input type="checkbox"/>	FS		
Bacteria Geomean	Fecal coliform	12/1/2001	11/30/2008	11	2.77			200.00	SM	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2001	11/30/2008	35		0		32.20	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2001	11/30/2008	35		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2001	11/30/2008	35		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	191	182.21			300.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2001	11/30/2008	152	20.13			75.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2001	11/30/2008	24	18.65			75.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	31		0		0.20	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2001	11/30/2008	31		0		26.70	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	31		0		0.11	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	31		0		0.05	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	30		0		0.37	AD	NC	<input type="checkbox"/>	NC		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID	0811_03	Central portion of main body of reservoir
-------------	----------------	---

USE	Fish Consumption Use
------------	-----------------------------

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bioaccumulative Toxics in fish tissue	Hexachlorobenzene (HCB)	12/1/2001	11/30/2008	2		0		0.61	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Toxaphene	12/1/2001	11/30/2008	2		0		0.83	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Zinc	12/1/2001	11/30/2008	2		0		525.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Selenium	12/1/2001	11/30/2008	2		0		4.38	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	PCBs	12/1/2001	11/30/2008	2		0		0.13	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Nickel	12/1/2001	11/30/2008	2		0		35.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Mercury	12/1/2001	11/30/2008	2		0		0.53	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Lead	12/1/2001	11/30/2008	2		0		0.60	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Arsenic	12/1/2001	11/30/2008	2		0		0.04	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Aldrin	12/1/2001	11/30/2008	2		0		0.14	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Heptachlor	12/1/2001	11/30/2008	2		0		0.20	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Mirex	12/1/2001	11/30/2008	2		0		0.04	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Dieldrin	12/1/2001	11/30/2008	2		0		0.06	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Copper	12/1/2001	11/30/2008	2		0		250.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Chromium	12/1/2001	11/30/2008	2		0		5.25	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Cadmium	12/1/2001	11/30/2008	2		0		0.23	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Heptachlor epoxide	12/1/2001	11/30/2008	2		0		0.25	ID	NA	<input type="checkbox"/>	NA		

USE	Public Water Supply Use
------------	--------------------------------

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2001	11/30/2008	66	0.05			10,000.00	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0811_04 Northern portion of main body of reservoir

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	64		3	4.23	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	64		0		3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Single Sample	E. coli	12/1/2001	11/30/2008	39		0		394.00	AD	FS	<input type="checkbox"/>	FS		
Bacteria Single Sample	Fecal coliform	12/1/2001	11/30/2008	11		0		400.00	SM	FS	<input type="checkbox"/>	FS		
Bacteria Geomean	E. coli	12/1/2001	11/30/2008	39	1.09			126.00	AD	FS	<input type="checkbox"/>	FS		
Bacteria Geomean	Fecal coliform	12/1/2001	11/30/2008	11	1.37			200.00	SM	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2001	11/30/2008	64		0		32.20	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2001	11/30/2008	64		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2001	11/30/2008	64		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2001	11/30/2008	152	20.13			75.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2001	11/30/2008	24	18.65			75.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	191	182.21			300.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Chlorophyll-a	12/1/2001	11/30/2008	43		0		26.70	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	42		0		0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	42		1	0.05	0.05	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	43		0		0.11	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	43		0		0.20	AD	NC	<input type="checkbox"/>	NC		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID	0811_04	Northern portion of main body of reservoir
-------------	----------------	--

USE	Fish Consumption Use
------------	-----------------------------

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bioaccumulative Toxics in fish tissue	Toxaphene	12/1/2001	11/30/2008	2		0		0.83	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Mercury	12/1/2001	11/30/2008	2		0		0.53	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Dieldrin	12/1/2001	11/30/2008	2		0		0.06	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Mirex	12/1/2001	11/30/2008	2		0		0.04	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Nickel	12/1/2001	11/30/2008	2		0		35.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	PCBs	12/1/2001	11/30/2008	2		0		0.13	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Zinc	12/1/2001	11/30/2008	2		0		525.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Lead	12/1/2001	11/30/2008	2		0		0.60	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Selenium	12/1/2001	11/30/2008	2		0		4.38	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Heptachlor	12/1/2001	11/30/2008	2		0		0.20	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Copper	12/1/2001	11/30/2008	2		0		250.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Chromium	12/1/2001	11/30/2008	2		0		5.25	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Cadmium	12/1/2001	11/30/2008	2		0		0.23	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Arsenic	12/1/2001	11/30/2008	2		0		0.04	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Aldrin	12/1/2001	11/30/2008	2		0		0.14	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Heptachlor epoxide	12/1/2001	11/30/2008	2		0		0.25	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Hexachlorobenzene (HCB)	12/1/2001	11/30/2008	2		0		0.61	ID	NA	<input type="checkbox"/>	NA		

USE	Public Water Supply Use
------------	--------------------------------

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2001	11/30/2008	74	0.03			10,000.00	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID	0811_05	Remainder of reservoir
-------------	----------------	------------------------

USE	Aquatic Life Use
------------	-------------------------

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	44		1	4.07	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	44		0		3.00	AD	FS	<input type="checkbox"/>	FS		

USE	General Use
------------	--------------------

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2001	11/30/2008	44		0		32.20	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2001	11/30/2008	44		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2001	11/30/2008	44		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	191	182.21			300.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2001	11/30/2008	152	20.13			75.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2001	11/30/2008	24	18.65			75.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	30		0		0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	30		1	0.08	0.05	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	30		0		0.11	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	30		4	0.44	0.20	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2001	11/30/2008	30		1	32	26.70	AD	NC	<input type="checkbox"/>	NC		

USE	Fish Consumption Use
------------	-----------------------------

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bioaccumulative Toxics in fish tissue	Hexachlorobenzene (HCB)	12/1/2001	11/30/2008	2		0		0.61	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Toxaphene	12/1/2001	11/30/2008	2		0		0.83	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	PCBs	12/1/2001	11/30/2008	2		0		0.13	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Selenium	12/1/2001	11/30/2008	2		0		4.38	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Nickel	12/1/2001	11/30/2008	2		0		35.00	ID	NA	<input type="checkbox"/>	NA		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID	0811_05	Remainder of reservoir
-------------	----------------	------------------------

USE	Fish Consumption Use
------------	-----------------------------

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bioaccumulative Toxics in fish tissue	Mirex	12/1/2001	11/30/2008	2		0		0.04	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Mercury	12/1/2001	11/30/2008	2		0		0.53	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Lead	12/1/2001	11/30/2008	2		0		0.60	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Aldrin	12/1/2001	11/30/2008	2		0		0.14	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Heptachlor	12/1/2001	11/30/2008	2		0		0.20	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Dieldrin	12/1/2001	11/30/2008	2		0		0.06	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Copper	12/1/2001	11/30/2008	2		0		250.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Chromium	12/1/2001	11/30/2008	2		0		5.25	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Heptachlor epoxide	12/1/2001	11/30/2008	2		0		0.25	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Cadmium	12/1/2001	11/30/2008	2		0		0.23	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Arsenic	12/1/2001	11/30/2008	2		0		0.04	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Zinc	12/1/2001	11/30/2008	2		0		525.00	ID	NA	<input type="checkbox"/>	NA		

USE	Public Water Supply Use
------------	--------------------------------

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2001	11/30/2008	47	0.03			10,000.00	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

Segment New
in 2010? **No**

SEGID 0812 West Fork Trinity River Above Bridgeport Reservoir

AUID 0812_01

Lower 25 miles of segment

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	5		0		5.00	LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	5		0		3.00	LD	NC	<input checked="" type="checkbox"/>	NS	depressed dissolved oxygen	5b

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Single Sample	E. coli	12/1/2001	11/30/2008	5		0		394.00	LD	NC	<input type="checkbox"/>	NC		
Bacteria Geomean	E. coli	12/1/2001	11/30/2008	5	113.12			126.00	LD	NC	<input type="checkbox"/>	NC		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2001	11/30/2008	5		0		31.10	LD	NC	<input type="checkbox"/>	NC		
High pH	pH	12/1/2001	11/30/2008	5		0		9.00	LD	NC	<input type="checkbox"/>	NC		
Low pH	pH	12/1/2001	11/30/2008	5		0		6.50	LD	NC	<input type="checkbox"/>	NC		
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	7	338.29			500.00	LD	NC	<input type="checkbox"/>	NC		
Dissolved Solids	Chloride	12/1/2001	11/30/2008	7	44.29			100.00	LD	NC	<input checked="" type="checkbox"/>	NS	chloride	5b
Dissolved Solids	Sulfate	12/1/2001	11/30/2008	7	26.71			100.00	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	15		0		1.95	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	13		0		0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	14		0		0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	14		0		0.69	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2001	11/30/2008	16		3	22.43	14.10	AD	NC	<input type="checkbox"/>	NC		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0812_01 Lower 25 miles of segment

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2001	11/30/2008	15	0.10			10,000.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Fluoride	12/1/2001	11/30/2008	16	0.18			4.00	AD	FS	<input type="checkbox"/>	FS		

AUID 0812_02 Upper 60 miles of segment

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Sulfate	12/1/2001	11/30/2008	7	26.71			100.00	LD	NC	<input type="checkbox"/>	NC		
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	7	338.29			500.00	LD	NC	<input type="checkbox"/>	NC		
Dissolved Solids	Chloride	12/1/2001	11/30/2008	7	44.29			100.00	LD	NC	<input checked="" type="checkbox"/>	NS	chloride	5b

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

Segment New
in 2010? No

SEGID 0813 Houston County Lake

AUID 0813_01

Entire reservoir

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	27		3	4.52	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	27		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	3		0		4.83	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Silver (ionic)	12/1/2001	11/30/2008	3		0		0.80	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Zinc	12/1/2001	11/30/2008	3		0		27.18	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Selenium	12/1/2001	11/30/2008	3		0		20.00	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Nickel	12/1/2001	11/30/2008	3		0		336.84	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Chromium	12/1/2001	11/30/2008	3		0		136.71	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Copper	12/1/2001	11/30/2008	3		0		3.72	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Arsenic	12/1/2001	11/30/2008	3		0		360.00	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Aluminum	12/1/2001	11/30/2008	3		0		991.00	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Lead	12/1/2001	11/30/2008	3		0		8.37	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Chromium	12/1/2001	11/30/2008	3	2.83			169.21	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Zinc	12/1/2001	11/30/2008	3	9.33			99.17	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Selenium	12/1/2001	11/30/2008	3	1.20			5.00	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Nickel	12/1/2001	11/30/2008	3	7.33			149.18	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Copper	12/1/2001	11/30/2008	3	3.67			11.65	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	3	0.49			0.98	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Arsenic	12/1/2001	11/30/2008	3	8.67			190.00	ID	NA	<input type="checkbox"/>	NA		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0813_01 Entire reservoir

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Chronic Toxic Substances in water	Lead	12/1/2001	11/30/2008	3	0.72			2.33	ID	NA	<input type="checkbox"/>	NA		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Single Sample	E. coli	12/1/2001	11/30/2008	24		0		394.00	AD	FS	<input type="checkbox"/>	FS		
Bacteria Single Sample	Fecal coliform	12/1/2001	11/30/2008	3		0		400.00	SM	NA	<input type="checkbox"/>	NA		
Bacteria Geomean	Fecal coliform	12/1/2001	11/30/2008	3	3.00			200.00	SM	NA	<input type="checkbox"/>	NA		
Bacteria Geomean	E. coli	12/1/2001	11/30/2008	24	5.74			126.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2001	11/30/2008	27		0		33.90	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2001	11/30/2008	27		1	9.3	9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2001	11/30/2008	27		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	27	71.97			300.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2001	11/30/2008	25	12.20			75.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2001	11/30/2008	26	9.38			75.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	26		0		0.05	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2001	11/30/2008	27		2	35.4	26.70	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	26		4	0.16	0.11	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	27		0		0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	27		0		0.20	AD	NC	<input type="checkbox"/>	NC		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID	0813_01	Entire reservoir
-------------	----------------	------------------

USE	Fish Consumption Use
------------	-----------------------------

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Cadmium	12/1/2001	11/30/2008	3	3.33			5.00	ID	NA	<input type="checkbox"/>	NA		
HH Bioaccumulative Toxics in water	Chromium	12/1/2001	11/30/2008	3	2.83			100.00	ID	NA	<input type="checkbox"/>	NA		
HH Bioaccumulative Toxics in water	Lead	12/1/2001	11/30/2008	3	1.16			4.98	ID	NA	<input type="checkbox"/>	NA		

USE	Public Water Supply Use
------------	--------------------------------

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Arsenic	12/1/2001	11/30/2008	3	17.00			50.00	ID	NA	<input type="checkbox"/>	NA		
Surface Water HH criteria for PWS average	Selenium	12/1/2001	11/30/2008	3	17.03			50.00	ID	NA	<input type="checkbox"/>	NA		
Surface Water HH criteria for PWS average	Nitrate	12/1/2001	11/30/2008	27	0.07			10,000.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Cadmium	12/1/2001	11/30/2008	3	3.33			5.00	ID	NA	<input type="checkbox"/>	NA		
Surface Water HH criteria for PWS average	Fluoride	12/1/2001	11/30/2008	27	0.09			4.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Lead	12/1/2001	11/30/2008	3	1.16			4.98	ID	NA	<input type="checkbox"/>	NA		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

Segment New
in 2010? **No**

SEGID 0814 Chambers Creek Above Richland-Chambers Reservoir

AUID 0814_01

From the lower end of the segment up to just above the confluence with Cummins Creek.

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	20		4	3.25	5.00	AD	CS	<input type="checkbox"/>	CS	depressed dissolved oxygen	
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	20		1	1.6	3.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/1/2001	11/30/2008	4		1	3.8	5.00	LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/1/2001	11/30/2008	4		1	2.6	3.00	LD	NC	<input type="checkbox"/>	NC		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Single Sample	E. coli	12/1/2001	11/30/2008	18		2	1160	394.00	AD	FS	<input type="checkbox"/>	FS		
Bacteria Geomean	E. coli	12/1/2001	11/30/2008	18	81.73			126.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2001	11/30/2008	20		0		32.20	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2001	11/30/2008	20		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2001	11/30/2008	20		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	21	433.81			500.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2001	11/30/2008	20	62.43			90.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2001	11/30/2008	20	103.43			160.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	20		7	1.33	0.69	AD	CS	<input type="checkbox"/>	CS	total phosphorus	
Nutrient Screening Levels	Chlorophyll-a	12/1/2001	11/30/2008	20		8	22.48	14.10	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	19		0		0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	19		2	2.58	1.95	AD	NC	<input type="checkbox"/>	NC		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0814_01 From the lower end of the segment up to just above the confluence with Cummins Creek.

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	19		9	0.95	0.37	AD	CS	<input type="checkbox"/>	CS	orthophosphorus	

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Fluoride	12/1/2001	11/30/2008	19	0.55			4.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nitrate	12/1/2001	11/30/2008	19	0.79			10,000.00	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID

0814_02

From just above the confluence with Cummins Creek up to just above the confluence with Waxahachie Creek.

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	77		3	4.73	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	77		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/1/2001	11/30/2008	1		0		5.00	ID	NA	<input type="checkbox"/>	NA		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/1/2001	11/30/2008	1		0		3.00	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Lead	12/1/2001	11/30/2008	24		0		111.39	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Silver (ionic)	12/1/2001	11/30/2008	24		0		0.80	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2001	11/30/2008	24		0		152.20	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/1/2001	11/30/2008	24		0		1,881.51	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2001	11/30/2008	24		0		722.84	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	24		0		47.91	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	12/1/2001	11/30/2008	23		0		360.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Aluminum	12/1/2001	11/30/2008	24		0		991.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2001	11/30/2008	24		0		25.30	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2001	11/30/2008	24	0.09			1.78	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic	12/1/2001	11/30/2008	23	3.22			190.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/1/2001	11/30/2008	24	3.50			124.62	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2001	11/30/2008	24	2.95			9.72	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2001	11/30/2008	24	0.30			142.17	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	24	0.04			0.83	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2001	11/30/2008	24	2.41			82.83	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0814_02 From just above the confluence with Cummins Creek up to just above the confluence with Waxahachie Creek.

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2001	11/30/2008	77		0		32.20	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2001	11/30/2008	77		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2001	11/30/2008	77		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	21	433.81			500.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2001	11/30/2008	20	62.43			90.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2001	11/30/2008	20	103.43			160.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	77		5	3.54	1.95	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	52		4	1.01	0.69	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	77		0		0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	77		1	0.79	0.37	AD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Cadmium	12/1/2001	11/30/2008	24	0.04			5.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Chromium	12/1/2001	11/30/2008	24	0.30			100.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2001	11/30/2008	24	0.09			4.98	AD	FS	<input type="checkbox"/>	FS		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Lead	12/1/2001	11/30/2008	24	0.09			4.98	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nitrate	12/1/2001	11/30/2008	75	0.76			10,000.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Cadmium	12/1/2001	11/30/2008	24	0.04			5.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Barium	12/1/2001	11/30/2008	24	59.54			2,000.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Arsenic	12/1/2001	11/30/2008	23	3.22			50.00	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID **0814_03** From just above the confluence with Waxahachie Creek up to just above the confluence with Mill Branch.

USE **Aquatic Life Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008						ID	NA	<input checked="" type="checkbox"/>	CS	depressed dissolved oxygen	

USE **General Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	21	433.81			500.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2001	11/30/2008	20	62.43			90.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2001	11/30/2008	20	103.43			160.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008						ID	NA	<input checked="" type="checkbox"/>	CS	orthophosphorus	
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008						ID	NA	<input checked="" type="checkbox"/>	CS	total phosphorus	
Nutrient Screening Levels	Chlorophyll-a	12/1/2001	11/30/2008						ID	NA	<input checked="" type="checkbox"/>	CS	chlorophyll-a	

AUID **0814_04** From just above the confluence with Mill Branch to the upper end of the segment.

USE **General Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	21	433.81			500.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2001	11/30/2008	20	103.43			160.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2001	11/30/2008	20	62.43			90.00	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

Segment New
in 2010? **No**

SEGID 0814A Mill Creek (unclassified water body)

AUID 0814A_01

Twenty-five mile stretch of Mill Creek running upstream from confluence with Chambers Creek in Navarro Co. to Union Pacific RR in Milford, Ellis Co.

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	6		1	4.2	5.00	LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	6		0		3.00	LD	NC	<input type="checkbox"/>	NC		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	6		0		0.69	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	6		0		1.95	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	6		0		0.37	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	6		0		0.33	LD	NC	<input type="checkbox"/>	NC		

Segment New
in 2010? **Yes**

SEGID 0814B South Fork Chambers Creek (unclassified water body)

AUID 0814B_01

Entire water body.

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	6		0		5.00	LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	6		0		3.00	LD	NC	<input type="checkbox"/>	NC		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	6		2	3.25	1.95	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	6		0		0.37	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	6		0		0.33	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	6		0		0.69	LD	NC	<input type="checkbox"/>	NC		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

Segment New
in 2010? **No**

SEGID 0815 Bardwell Reservoir

AUID 0815_01

Entire reservoir

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	54		2	4.8	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	54		0		3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Single Sample	E. coli	12/1/2001	11/30/2008	17		0		394.00	AD	FS	<input type="checkbox"/>	FS		
Bacteria Single Sample	Fecal coliform	12/1/2001	11/30/2008	31		0		400.00	SM	FS	<input type="checkbox"/>	FS		
Bacteria Geomean	E. coli	12/1/2001	11/30/2008	17	2.55			126.00	AD	FS	<input type="checkbox"/>	FS		
Bacteria Geomean	Fecal coliform	12/1/2001	11/30/2008	31	3.01			200.00	SM	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	22	226.02			300.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2001	11/30/2008	22	15.82			50.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2001	11/30/2008	22	45.91			50.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008						ID	NA	<input checked="" type="checkbox"/>	CS	nitrate	

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bioaccumulative Toxics in fish tissue	Hexachlorobenzene (HCB)	12/1/2001	11/30/2008	1		0		0.61	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Mirex	12/1/2001	11/30/2008	1		0		0.04	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Nickel	12/1/2001	11/30/2008	1		0		35.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	PCBs	12/1/2001	11/30/2008	1		0		0.13	ID	NA	<input type="checkbox"/>	NA		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID

0815_01

Entire reservoir

USE

Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bioaccumulative Toxics in fish tissue	Selenium	12/1/2001	11/30/2008	1		0		4.38	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Toxaphene	12/1/2001	11/30/2008	1		0		0.83	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Lead	12/1/2001	11/30/2008	1		0		0.60	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Zinc	12/1/2001	11/30/2008	1		0		525.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Heptachlor epoxide	12/1/2001	11/30/2008	1		0		0.25	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Heptachlor	12/1/2001	11/30/2008	1		0		0.20	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Dieldrin	12/1/2001	11/30/2008	1		0		0.06	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Copper	12/1/2001	11/30/2008	1		0		250.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Chromium	12/1/2001	11/30/2008	1		0		5.25	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Cadmium	12/1/2001	11/30/2008	1		0		0.23	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Arsenic	12/1/2001	11/30/2008	1		1	0.36	0.04	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Aldrin	12/1/2001	11/30/2008	1		0		0.14	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Mercury	12/1/2001	11/30/2008	1		0		0.53	ID	NA	<input type="checkbox"/>	NA		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

Segment New
in 2010? No

SEGID 0815A Waxahachie Creek (unclassified water body)

AUID 0815A_01

Entire creek

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	14		0		4.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	14		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2001	11/30/2008	14		0		111.39	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Silver (ionic)	12/1/2001	11/30/2008	14		0		0.80	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/1/2001	11/30/2008	14		0		1,881.51	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2001	11/30/2008	14		0		25.30	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	14		0		79.78	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	12/1/2001	11/30/2008	14		0		360.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Aluminum	12/1/2001	11/30/2008	14		0		991.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2001	11/30/2008	14		0		223.22	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2001	11/30/2008	14		0		722.84	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2001	11/30/2008	14	1.54			10.80	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2001	11/30/2008	14	4.59			91.97	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2001	11/30/2008	14	0.11			2.08	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2001	11/30/2008	14	0.49			157.32	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	14	0.07			0.92	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic	12/1/2001	11/30/2008	14	2.40			190.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/1/2001	11/30/2008	14	3.49			138.36	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0815A_01 Entire creek

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	14		5	2.96	1.95	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	14		0		0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	14		0		0.33	AD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Chromium	12/1/2001	11/30/2008	12	0.50			3,320.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2001	11/30/2008	12	0.10			25.30	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

Segment New
in 2010? **No**

SEGID 0816 Lake Waxahachie

AUID 0816_01

Entire reservoir

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	23		1	4.56	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	23		0		3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Single Sample	Fecal coliform	12/1/2001	11/30/2008	3		0		400.00	SM	NA	<input type="checkbox"/>	NA		
Bacteria Single Sample	E. coli	12/1/2001	11/30/2008	20		0		394.00	AD	FS	<input type="checkbox"/>	FS		
Bacteria Geomean	E. coli	12/1/2001	11/30/2008	20	2.26			126.00	AD	FS	<input type="checkbox"/>	FS		
Bacteria Geomean	Fecal coliform	12/1/2001	11/30/2008	3	4.31			200.00	SM	NA	<input type="checkbox"/>	NA		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2001	11/30/2008	23		0		32.80	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2001	11/30/2008	23		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2001	11/30/2008	23		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	23	193.31			300.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2001	11/30/2008	22	10.45			50.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2001	11/30/2008	22	22.23			50.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	23		0		0.05	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2001	11/30/2008	21		3	31.13	26.70	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	22		4	0.14	0.11	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	22		5	0.65	0.37	AD	NC	<input type="checkbox"/>	NC		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID	0816_01	Entire reservoir
-------------	----------------	------------------

USE	General Use
------------	--------------------

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	22		0		0.20	AD	NC	<input type="checkbox"/>	NC		

USE	Fish Consumption Use
------------	-----------------------------

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bioaccumulative Toxics in fish tissue	Lead	12/1/2001	11/30/2008	2		0		0.60	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Aldrin	12/1/2001	11/30/2008	2		0		0.14	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Toxaphene	12/1/2001	11/30/2008	2		0		0.83	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Zinc	12/1/2001	11/30/2008	2		0		525.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Selenium	12/1/2001	11/30/2008	2		0		4.38	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	PCBs	12/1/2001	11/30/2008	2		0		0.13	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Nickel	12/1/2001	11/30/2008	2		0		35.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Mirex	12/1/2001	11/30/2008	2		0		0.04	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Mercury	12/1/2001	11/30/2008	2		0		0.53	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Hexachlorobenzene (HCB)	12/1/2001	11/30/2008	2		0		0.61	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Heptachlor epoxide	12/1/2001	11/30/2008	2		0		0.25	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Heptachlor	12/1/2001	11/30/2008	2		0		0.20	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Dieldrin	12/1/2001	11/30/2008	2		0		0.06	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Copper	12/1/2001	11/30/2008	2		0		250.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Chromium	12/1/2001	11/30/2008	2		0		5.25	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Arsenic	12/1/2001	11/30/2008	2		0		0.04	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Cadmium	12/1/2001	11/30/2008	2		0		0.23	ID	NA	<input type="checkbox"/>	NA		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0816_01 Entire reservoir

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Fluoride	12/1/2001	11/30/2008	21	0.23			4.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nitrate	12/1/2001	11/30/2008	22	0.25			10,000.00	AD	FS	<input type="checkbox"/>	FS		

Segment New in 2010? Yes **SEGID 0816A South Prong Creek (unclassified water body)**

AUID 0816A_01 Entire water body.

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	6		0		5.00	LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	6		0		3.00	LD	NC	<input type="checkbox"/>	NC		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	6		1	3.34	1.95	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	6		0		0.37	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	6		0		0.33	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	6		0		0.69	LD	NC	<input type="checkbox"/>	NC		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

Segment New
in 2010? **No**

SEGID 0817 **Navarro Mills Lake**

AUID 0817_01

Entire reservoir

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	91		8	4.63	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	91		0		3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Single Sample	Fecal coliform	12/1/2001	11/30/2008	39		1	1700	400.00	SM	FS	<input type="checkbox"/>	FS		
Bacteria Single Sample	E. coli	12/1/2001	11/30/2008	17		0		394.00	AD	FS	<input type="checkbox"/>	FS		
Bacteria Geomean	E. coli	12/1/2001	11/30/2008	17	1.33			126.00	AD	FS	<input type="checkbox"/>	FS		
Bacteria Geomean	Fecal coliform	12/1/2001	11/30/2008	39	5.58			200.00	SM	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2001	11/30/2008	140		0		32.20	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2001	11/30/2008	91		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2001	11/30/2008	91		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2001	11/30/2008	22	27.82			75.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	23	208.55			300.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2001	11/30/2008	22	11.91			50.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	118		62	2.03	0.37	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	115		6	0.07	0.05	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	118		2	0.12	0.11	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	33		0		0.20	AD	NC	<input type="checkbox"/>	NC		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID	0817_01	Entire reservoir
-------------	----------------	------------------

USE	General Use
------------	--------------------

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Chlorophyll-a	12/1/2001	11/30/2008	35		0		26.70	AD	NC	<input type="checkbox"/>	NC		

USE	Fish Consumption Use
------------	-----------------------------

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Benzene	12/1/2001	11/30/2008	16	0.08			5.00	AD	FS	<input type="checkbox"/>	FS		
Bioaccumulative Toxics in fish tissue	Lead	12/1/2001	11/30/2008	2		0		0.60	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Toxaphene	12/1/2001	11/30/2008	2		0		0.83	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Mirex	12/1/2001	11/30/2008	2		0		0.04	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Nickel	12/1/2001	11/30/2008	2		0		35.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	PCBs	12/1/2001	11/30/2008	2		0		0.13	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Zinc	12/1/2001	11/30/2008	2		0		525.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Hexachlorobenzene (HCB)	12/1/2001	11/30/2008	2		0		0.61	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Selenium	12/1/2001	11/30/2008	2		0		4.38	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Heptachlor	12/1/2001	11/30/2008	2		0		0.20	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Dieldrin	12/1/2001	11/30/2008	2		0		0.06	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Copper	12/1/2001	11/30/2008	2		0		250.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Chromium	12/1/2001	11/30/2008	2		0		5.25	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Cadmium	12/1/2001	11/30/2008	2		0		0.23	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Arsenic	12/1/2001	11/30/2008	2		0		0.04	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Aldrin	12/1/2001	11/30/2008	2		0		0.14	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Mercury	12/1/2001	11/30/2008	2		0		0.53	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Heptachlor epoxide	12/1/2001	11/30/2008	2		0		0.25	ID	NA	<input type="checkbox"/>	NA		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0817_01 Entire reservoir

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Fluoride	12/1/2001	11/30/2008	21	0.31			4.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nitrate	12/1/2001	11/30/2008	159	1.09			10,000.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Benzene	12/1/2001	11/30/2008	16	0.08			5.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water Toxic Substances average concern	Alachlor	12/1/2001	11/30/2008	3	0.05			2.00	ID	NA	<input type="checkbox"/>	NA		
Surface Water Toxic Substances average concern	Atrazine	12/1/2001	11/30/2008	3	0.85			3.00	ID	NA	<input type="checkbox"/>	NA		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

Segment New
in 2010? **No**

SEGID 0817A Richland Creek (unclassified water body)

AUID 0817A_01

Ten mile stretch of Richland Creek running upstream from 0.5 miles downstream of FM 744 in Navarro Co., to FM 308 South of Mertens, Hill Co.

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	11		0		5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	11		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2001	11/30/2008	10		0		101.36	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Silver (ionic)	12/1/2001	11/30/2008	10		0		0.80	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2001	11/30/2008	10		0		142.94	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/1/2001	11/30/2008	10		0		1,767.17	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2001	11/30/2008	10		0		23.59	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2001	11/30/2008	10		0		680.28	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	10		0		44.07	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Aluminum	12/1/2001	11/30/2008	10		0		991.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	12/1/2001	11/30/2008	10		0		360.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic	12/1/2001	11/30/2008	10	2.40			190.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	10	0.03			0.92	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2001	11/30/2008	10	0.40			157.32	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2001	11/30/2008	10	1.37			10.80	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2001	11/30/2008	10	0.04			2.08	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/1/2001	11/30/2008	10	2.68			138.36	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2001	11/30/2008	10	1.63			91.97	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0817A_01 Ten mile stretch of Richland Creek running upstream from 0.5 miles downstream of FM 744 in Navarro Co., to FM 308 South of Mertens, Hill Co.

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	11		1	3.69	1.95	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	11		0		0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	11		0		0.37	AD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Chromium	12/1/2001	11/30/2008	10	0.40			3,320.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2001	11/30/2008	10	0.04			25.30	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

Segment New
in 2010? **No**

SEGID 0818 Cedar Creek Reservoir

AUID 0818_01

Lowermost portion of the reservoir, adjacent to the dam.

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	38		4	3.85	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	38		1	1.92	3.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/1/2001	11/30/2008	3		0		5.00	ID	NA	<input type="checkbox"/>	NA		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/1/2001	11/30/2008	3		0		3.00	ID	NA	<input type="checkbox"/>	NA		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Single Sample	E. coli	12/1/2001	11/30/2008	19		0		394.00	AD	FS	<input type="checkbox"/>	FS		
Bacteria Single Sample	Fecal coliform	12/1/2001	11/30/2008	8		0		400.00	SM	NC	<input type="checkbox"/>	NC		
Bacteria Geomean	E. coli	12/1/2001	11/30/2008	19	1.36			126.00	AD	FS	<input type="checkbox"/>	FS		
Bacteria Geomean	Fecal coliform	12/1/2001	11/30/2008	8	1.98			200.00	SM	NC	<input type="checkbox"/>	NC		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2001	11/30/2008	40		0		33.90	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2001	11/30/2008	39		9	8.92	8.50	AD	NS	<input type="checkbox"/>	NS	pH	5c
Low pH	pH	12/1/2001	11/30/2008	39		0		6.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2001	11/30/2008	135	14.31			50.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2001	11/30/2008	26	22.20			100.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	230	137.54			200.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	29		1	0.42	0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	28		0		0.05	AD	NC	<input type="checkbox"/>	NC		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0818_01 Lowermost portion of the reservoir, adjacent to the dam.

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	25		1	0.15	0.11	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	26		0		0.20	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2001	11/30/2008	29		12	33.18	26.70	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2001	11/30/2008	36	0.12			10,000.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Fluoride	12/1/2001	11/30/2008	3	0.16			4.00	ID	NA	<input type="checkbox"/>	NA		

AUID 0818_02 Caney Creek cove

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
High pH	pH	12/1/2001	11/30/2008						ID	NA	<input checked="" type="checkbox"/>	NS	pH	5c
Dissolved Solids	Chloride	12/1/2001	11/30/2008	135	14.31			50.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2001	11/30/2008	26	22.20			100.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	230	137.54			200.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008						ID	NA	<input checked="" type="checkbox"/>	CS	ammonia	

AUID 0818_03 Clear Creek cove

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
High pH	pH	12/1/2001	11/30/2008						ID	NA	<input checked="" type="checkbox"/>	NS	pH	5c
Dissolved Solids	Sulfate	12/1/2001	11/30/2008	26	22.20			100.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	230	137.54			200.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2001	11/30/2008	135	14.31			50.00	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0818_04 Lower portion of reservoir east of Key Ranch Estates

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	32		1	4.26	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	32		0		3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Single Sample	E. coli	12/1/2001	11/30/2008	19		0		394.00	AD	FS	<input type="checkbox"/>	FS		
Bacteria Single Sample	Fecal coliform	12/1/2001	11/30/2008	8		0		400.00	SM	NC	<input type="checkbox"/>	NC		
Bacteria Geomean	E. coli	12/1/2001	11/30/2008	19	1.23			126.00	AD	FS	<input type="checkbox"/>	FS		
Bacteria Geomean	Fecal coliform	12/1/2001	11/30/2008	8	2.38			200.00	SM	NC	<input type="checkbox"/>	NC		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2001	11/30/2008	33		0		33.90	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2001	11/30/2008	33		4	9.01	8.50	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2001	11/30/2008	33		0		6.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2001	11/30/2008	135	14.31			50.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2001	11/30/2008	26	22.20			100.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	230	137.54			200.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Chlorophyll-a	12/1/2001	11/30/2008	26		12	36.87	26.70	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	26		0		0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	25		0		0.05	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	27		1	0.16	0.11	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	27		0		0.20	AD	NC	<input type="checkbox"/>	NC		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0818_04 Lower portion of reservoir east of Key Ranch Estates

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2001	11/30/2008	37	0.09			10,000.00	AD	FS	<input type="checkbox"/>	FS		

AUID 0818_05 Cove off lower portion of reservoir adjacent to Clearview Estates

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
High pH	pH	12/1/2001	11/30/2008						ID	NA	<input checked="" type="checkbox"/>	NS	pH	5c
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	230	137.54			200.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2001	11/30/2008	135	14.31			50.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2001	11/30/2008	26	22.20			100.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008						ID	NA	<input checked="" type="checkbox"/>	CS	ammonia	

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0818_06 Middle portion of reservoir downstream of Twin Creeks cove

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	122		12	4.35	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	122		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/1/2001	11/30/2008	11		0		5.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/1/2001	11/30/2008	11		0		3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Single Sample	Fecal coliform	12/1/2001	11/30/2008	26		0		400.00	SM	FS	<input type="checkbox"/>	FS		
Bacteria Single Sample	E. coli	12/1/2001	11/30/2008	48		0		394.00	AD	FS	<input type="checkbox"/>	FS		
Bacteria Geomean	E. coli	12/1/2001	11/30/2008	48	1.60			126.00	AD	FS	<input type="checkbox"/>	FS		
Bacteria Geomean	Fecal coliform	12/1/2001	11/30/2008	26	2.94			200.00	SM	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2001	11/30/2008	127		0		33.90	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2001	11/30/2008	124		35	8.99	8.50	AD	NS	<input type="checkbox"/>	NS	pH	5c
Low pH	pH	12/1/2001	11/30/2008	124		0		6.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2001	11/30/2008	26	22.20			100.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2001	11/30/2008	135	14.31			50.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	230	137.54			200.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	57		1	0.44	0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	53		1	0.07	0.05	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	53		1	0.12	0.11	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	57		2	0.45	0.20	AD	NC	<input type="checkbox"/>	NC		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0818_06 Middle portion of reservoir downstream of Twin Creeks cove

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Chlorophyll-a	12/1/2001	11/30/2008	55		33	43.27	26.70	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2001	11/30/2008	142	0.08			10,000.00	AD	FS	<input type="checkbox"/>	FS		

AUID 0818_07 Twin Creeks cove

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
High pH	pH	12/1/2001	11/30/2008						ID	NA	<input checked="" type="checkbox"/>	NS	pH	5c
Dissolved Solids	Chloride	12/1/2001	11/30/2008	135	14.31			50.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2001	11/30/2008	26	22.20			100.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	230	137.54			200.00	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0818_08 Prairie Creek cove

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	19		0		5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	19		0		3.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2001	11/30/2008	19		0		33.90	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2001	11/30/2008	19		13	8.89	8.50	AD	NS	<input type="checkbox"/>	NS	pH	5c
Low pH	pH	12/1/2001	11/30/2008	19		0		6.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	230	137.54			200.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2001	11/30/2008	135	14.31			50.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2001	11/30/2008	26	22.20			100.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008						ID	NA	<input checked="" type="checkbox"/>	CS	ammonia	
Nutrient Screening Levels	Chlorophyll-a	12/1/2001	11/30/2008						ID	NA	<input checked="" type="checkbox"/>	CS	chlorophyll-a	

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2001	11/30/2008	10	0.01			10,000.00	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0818_09 Upper portion of reservoir adjacent to Lacy Fork cove

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	35		0		5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	35		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/1/2001	11/30/2008	3		0		5.00	ID	NA	<input type="checkbox"/>	NA		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/1/2001	11/30/2008	3		0		3.00	ID	NA	<input type="checkbox"/>	NA		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Single Sample	E. coli	12/1/2001	11/30/2008	21		0		394.00	AD	FS	<input type="checkbox"/>	FS		
Bacteria Single Sample	Fecal coliform	12/1/2001	11/30/2008	10		0		400.00	SM	FS	<input type="checkbox"/>	FS		
Bacteria Geomean	E. coli	12/1/2001	11/30/2008	21	2.21			126.00	AD	FS	<input type="checkbox"/>	FS		
Bacteria Geomean	Fecal coliform	12/1/2001	11/30/2008	10	8.67			200.00	SM	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2001	11/30/2008	36		0		33.90	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2001	11/30/2008	36		16	9.09	8.50	AD	NS	<input type="checkbox"/>	NS	pH	5c
Low pH	pH	12/1/2001	11/30/2008	36		0		6.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2001	11/30/2008	135	14.31			50.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2001	11/30/2008	26	22.20			100.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	230	137.54			200.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	27		4	0.3	0.20	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2001	11/30/2008	26		17	50.59	26.70	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	26		1	0.12	0.11	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	26		7	0.08	0.05	AD	NC	<input type="checkbox"/>	NC		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0818_09 Upper portion of reservoir adjacent to Lacy Fork cove

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	27		1	0.5	0.37	AD	NC	<input type="checkbox"/>	NC		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2001	11/30/2008	44	0.08			10,000.00	AD	FS	<input type="checkbox"/>	FS		

AUID 0818_10 Lacy Fork cove

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	230	137.54			200.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2001	11/30/2008	135	14.31			50.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2001	11/30/2008	26	22.20			100.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Chlorophyll-a	12/1/2001	11/30/2008						ID	NA	<input checked="" type="checkbox"/>	CS	chlorophyll-a	

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0818_11 Upper portion of reservoir east of Tolosa

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	32		0		5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	32		0		3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Single Sample	Fecal coliform	12/1/2001	11/30/2008	5		0		400.00	SM	NC	<input type="checkbox"/>	NC		
Bacteria Single Sample	E. coli	12/1/2001	11/30/2008	17		0		394.00	AD	FS	<input type="checkbox"/>	FS		
Bacteria Geomean	E. coli	12/1/2001	11/30/2008	17	1.97			126.00	AD	FS	<input type="checkbox"/>	FS		
Bacteria Geomean	Fecal coliform	12/1/2001	11/30/2008	5	7.79			200.00	SM	NC	<input type="checkbox"/>	NC		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2001	11/30/2008	33		0		33.90	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2001	11/30/2008	33		12	9.23	8.50	AD	NS	<input type="checkbox"/>	NS	pH	5c
Low pH	pH	12/1/2001	11/30/2008	33		0		6.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	230	137.54			200.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2001	11/30/2008	135	14.31			50.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2001	11/30/2008	26	22.20			100.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	9		0		0.37	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	8		2	0.12	0.05	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	9		0		0.11	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	9		2	0.25	0.20	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2001	11/30/2008	8		4	40.83	26.70	LD	CS	<input type="checkbox"/>	CS	chlorophyll-a	

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0818_11 Upper portion of reservoir east of Tolosa

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2001	11/30/2008	28	0.07			10,000.00	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0818_12 Uppermost portion of reservoir downstream of Kings Creek

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	7		0		5.00	LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	7		0		3.00	LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/1/2001	11/30/2008	8		0		5.00	LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/1/2001	11/30/2008	8		1	2.27	3.00	LD	NC	<input type="checkbox"/>	NC		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2001	11/30/2008	7		0		33.90	LD	NC	<input type="checkbox"/>	NC		
High pH	pH	12/1/2001	11/30/2008	7		6	9.46	8.50	LD	NS	<input type="checkbox"/>	NS	pH	5c
Low pH	pH	12/1/2001	11/30/2008	7		0		6.00	LD	NC	<input type="checkbox"/>	NC		
Dissolved Solids	Chloride	12/1/2001	11/30/2008	135	14.31			50.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2001	11/30/2008	26	22.20			100.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	230	137.54			200.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	2		0		0.05	ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	2		2	0.24	0.20	ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Chlorophyll-a	12/1/2001	11/30/2008	2		2	112.05	26.70	ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	2		0		0.37	ID	NA	<input type="checkbox"/>	NA		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2001	11/30/2008	2	0.01			10,000.00	ID	NA	<input type="checkbox"/>	NA		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0818_13 Cedar Creek cove

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008						ID	NA	<input checked="" type="checkbox"/>	CS	depressed dissolved oxygen	

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/1/2001	11/30/2008	135	14.31			50.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2001	11/30/2008	26	22.20			100.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	230	137.54			200.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008						ID	NA	<input checked="" type="checkbox"/>	CS	orthophosphorus	
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008						ID	NA	<input checked="" type="checkbox"/>	CS	ammonia	
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008						ID	NA	<input checked="" type="checkbox"/>	CS	total phosphorus	
Nutrient Screening Levels	Chlorophyll-a	12/1/2001	11/30/2008						ID	NA	<input checked="" type="checkbox"/>	CS	chlorophyll-a	

AUID 0818_14 Remainder of reservoir

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Sulfate	12/1/2001	11/30/2008	26	22.20			100.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	230	137.54			200.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2001	11/30/2008	135	14.31			50.00	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

Segment New
in 2010? **No**

SEGID 0819 East Fork Trinity River

AUID 0819_01

Entire segment

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	67		2	3.1	4.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	67		1	2.3	3.00	AD	FS	<input type="checkbox"/>	FS		
Toxic Substances in sediment	PCBs	12/1/2001	11/30/2008	1		0		676.00	ID	NA	<input type="checkbox"/>	NA		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Single Sample	E. coli	12/1/2001	11/30/2008	157		16	1016.81	394.00	AD	FS	<input type="checkbox"/>	FS		
Bacteria Single Sample	Fecal coliform	12/1/2001	11/30/2008	5		2	1150	400.00	SM	NC	<input type="checkbox"/>	NC		
Bacteria Geomean	E. coli	12/1/2001	11/30/2008	157	77.79			126.00	AD	FS	<input type="checkbox"/>	FS		
Bacteria Geomean	Fecal coliform	12/1/2001	11/30/2008	5	278.12			200.00	SM	CN	<input type="checkbox"/>	CN		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2001	11/30/2008	67		0		32.80	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2001	11/30/2008	67		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2001	11/30/2008	67		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	68	535.44			500.00	AD	NS	<input type="checkbox"/>	NS	total dissolved solids	5c
Dissolved Solids	Chloride	12/1/2001	11/30/2008	52	111.87			100.00	AD	NS	<input type="checkbox"/>	NS	chloride	5c
Dissolved Solids	Sulfate	12/1/2001	11/30/2008	52	128.08			100.00	AD	NS	<input type="checkbox"/>	NS	sulfate	5c
Nutrient Screening Levels	Chlorophyll-a	12/1/2001	11/30/2008	69		20	22.25	14.10	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	70		58	10.2	1.95	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	68		57	2.15	0.37	AD	CS	<input type="checkbox"/>	CS	orthophosphorus	

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0819_01 Entire segment

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	72		23	0.69	0.33	AD	CS	<input type="checkbox"/>	CS	ammonia	
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	71		56	2.49	0.69	AD	CS	<input type="checkbox"/>	CS	total phosphorus	

Segment New in 2010? No

SEGID 0819A Duck Creek (unclassified water body)

AUID 0819A_01 Entire water body.

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	2		0		4.00	ID	NA	<input type="checkbox"/>	NA		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	2		0		3.00	ID	NA	<input type="checkbox"/>	NA		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	2		2	13.45	1.95	ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	2		2	1.75	0.37	ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	2		1	0.45	0.33	ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	2		2	1.88	0.69	ID	NA	<input type="checkbox"/>	NA		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

Segment New
in 2010? **No**

SEGID 0819B Buffalo Creek (unclassified water body)

AUID 0819B_01

Entire water body.

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	8		0		3.00	LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	8		0		2.00	LD	NC	<input type="checkbox"/>	NC		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	8		4	1.4	0.69	LD	CS	<input type="checkbox"/>	CS	total phosphorus	
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	8		6	4	1.95	LD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	8		6	0.63	0.37	LD	CS	<input type="checkbox"/>	CS	orthophosphorus	
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	8		1	0.95	0.33	LD	NC	<input type="checkbox"/>	NC		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

Segment New
in 2010? **No**

SEGID 0820 Lake Ray Hubbard

AUID 0820_01

Lower portion of East Fork arm, centering on IH 30

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	71		0		5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	71		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2001	11/30/2008	14		0		521.62	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Silver (ionic)	12/1/2001	11/30/2008	10		0		0.80	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2001	11/30/2008	12		0		108.60	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/1/2001	11/30/2008	13		0		1,343.22	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2001	11/30/2008	13		0		17.38	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	14		0		30.57	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	12/1/2001	11/30/2008	14		0		360.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Aluminum	12/1/2001	11/30/2008	12		0		991.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2001	11/30/2008	14		0		67.08	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2001	11/30/2008	14	0.50			2.33	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic	12/1/2001	11/30/2008	14	2.50			190.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/1/2001	11/30/2008	13	3.43			149.18	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2001	11/30/2008	12	2.92			99.17	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	14	0.15			0.98	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2001	11/30/2008	14	2.79			169.21	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2001	11/30/2008	13	1.16			11.65	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0820_01 Lower portion of East Fork arm, centering on IH 30

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2001	11/30/2008	71		0		33.90	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2001	11/30/2008	72		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2001	11/30/2008	72		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	346	229.25			500.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2001	11/30/2008	55	22.11			100.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008						ID	NA	<input checked="" type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Chlorophyll-a	12/1/2001	11/30/2008						ID	NA	<input checked="" type="checkbox"/>	CS	chlorophyll-a	

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Cadmium	12/1/2001	11/30/2008	14	0.15			5.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Chromium	12/1/2001	11/30/2008	14	2.79			100.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2001	11/30/2008	14	0.50			4.98	AD	FS	<input type="checkbox"/>	FS		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Barium	12/1/2001	11/30/2008	14	42.98			2,000.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Cadmium	12/1/2001	11/30/2008	14	0.15			5.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Lead	12/1/2001	11/30/2008	14	0.50			4.98	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Arsenic	12/1/2001	11/30/2008	14	2.50			50.00	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0820_02 Middle portion of East Fork arm, centering on SH 66

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	72		1	4.6	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	72		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2001	11/30/2008	13		0		521.62	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Silver (ionic)	12/1/2001	11/30/2008	9		0		0.80	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Zinc	12/1/2001	11/30/2008	11		0		108.60	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/1/2001	11/30/2008	12		0		1,343.22	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2001	11/30/2008	12		0		17.38	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	13		0		30.57	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	12/1/2001	11/30/2008	13		0		360.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Aluminum	12/1/2001	11/30/2008	11		0		991.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2001	11/30/2008	13		0		67.08	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2001	11/30/2008	13	2.81			169.21	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2001	11/30/2008	11	3.22			99.17	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/1/2001	11/30/2008	12	3.06			149.18	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2001	11/30/2008	13	0.50			2.33	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	13	0.15			0.98	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic	12/1/2001	11/30/2008	13	2.50			190.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2001	11/30/2008	12	1.21			11.65	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2001	11/30/2008	72		0		33.90	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0820_02 Middle portion of East Fork arm, centering on SH 66

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
High pH	pH	12/1/2001	11/30/2008	73		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2001	11/30/2008	73		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	346	229.25			500.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2001	11/30/2008	55	22.11			100.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Chlorophyll-a	12/1/2001	11/30/2008						ID	NA	<input checked="" type="checkbox"/>	CS	chlorophyll-a	

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Cadmium	12/1/2001	11/30/2008	13	0.15			5.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Chromium	12/1/2001	11/30/2008	13	2.81			100.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2001	11/30/2008	13	0.50			4.98	AD	FS	<input type="checkbox"/>	FS		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Lead	12/1/2001	11/30/2008	13	0.50			4.98	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Arsenic	12/1/2001	11/30/2008	13	2.50			50.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Barium	12/1/2001	11/30/2008	13	41.56			2,000.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Cadmium	12/1/2001	11/30/2008	13	0.15			5.00	AD	FS	<input type="checkbox"/>	FS		

AUID 0820_03 Remainder of segment

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/1/2001	11/30/2008	55	22.11			100.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	346	229.25			500.00	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID

0820_04

Lower portion of main body of reservoir extending up from dam to Yankee Cr. Arm.

USE

Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	73		3	4.55	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	73		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2001	11/30/2008	14		0		521.62	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Silver (ionic)	12/1/2001	11/30/2008	10		0		0.80	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2001	11/30/2008	12		0		108.60	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/1/2001	11/30/2008	13		0		1,343.22	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2001	11/30/2008	13		0		17.38	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	14		0		30.57	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	12/1/2001	11/30/2008	14		0		360.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Aluminum	12/1/2001	11/30/2008	13		0		991.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2001	11/30/2008	14		0		67.08	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2001	11/30/2008	14	0.50			2.33	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	14	0.15			0.98	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2001	11/30/2008	12	4.45			99.17	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/1/2001	11/30/2008	13	3.34			149.18	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2001	11/30/2008	14	2.79			169.21	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic	12/1/2001	11/30/2008	14	2.50			190.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2001	11/30/2008	13	1.62			11.65	AD	FS	<input type="checkbox"/>	FS		

USE

General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2001	11/30/2008	74		0		33.90	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0820_04 Lower portion of main body of reservoir extending up from dam to Yankee Cr. Arm.

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
High pH	pH	12/1/2001	11/30/2008	74		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2001	11/30/2008	74		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	346	229.25			500.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2001	11/30/2008	55	22.11			100.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008						ID	NA	<input checked="" type="checkbox"/>	CS	nitrate	

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Cadmium	12/1/2001	11/30/2008	14	0.15			5.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Chromium	12/1/2001	11/30/2008	14	2.79			100.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2001	11/30/2008	14	0.50			4.98	AD	FS	<input type="checkbox"/>	FS		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Cadmium	12/1/2001	11/30/2008	14	0.15			5.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Lead	12/1/2001	11/30/2008	14	0.50			4.98	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Barium	12/1/2001	11/30/2008	14	45.80			2,000.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Arsenic	12/1/2001	11/30/2008	14	2.50			50.00	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0820_05 Mid-reservoir, I30 crossing Rowlett Cr. Arm to Yankee Cr. Arm

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	72		1	4.7	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	72		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2001	11/30/2008	14		0		521.62	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Silver (ionic)	12/1/2001	11/30/2008	10		0		0.80	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2001	11/30/2008	12		0		108.60	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/1/2001	11/30/2008	13		0		1,343.22	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2001	11/30/2008	13		0		17.38	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	14		0		30.57	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	12/1/2001	11/30/2008	14		0		360.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Aluminum	12/1/2001	11/30/2008	13		0		991.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2001	11/30/2008	14		0		67.08	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2001	11/30/2008	14	0.50			2.33	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2001	11/30/2008	12	3.40			99.17	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/1/2001	11/30/2008	13	3.19			149.18	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2001	11/30/2008	14	2.79			169.21	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	14	0.15			0.98	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic	12/1/2001	11/30/2008	14	2.50			190.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2001	11/30/2008	13	1.04			11.65	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2001	11/30/2008	72		0		33.90	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0820_05 Mid-reservoir, I30 crossing Rowlett Cr. Arm to Yankee Cr. Arm

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
High pH	pH	12/1/2001	11/30/2008	73		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2001	11/30/2008	73		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	346	229.25			500.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2001	11/30/2008	55	22.11			100.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008						ID	NA	<input checked="" type="checkbox"/>	CS	nitrate	

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Cadmium	12/1/2001	11/30/2008	14	0.15			5.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Chromium	12/1/2001	11/30/2008	14	2.79			100.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2001	11/30/2008	14	0.50			4.98	AD	FS	<input type="checkbox"/>	FS		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Lead	12/1/2001	11/30/2008	14	0.50			4.98	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Arsenic	12/1/2001	11/30/2008	14	2.50			50.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Barium	12/1/2001	11/30/2008	14	46.52			2,000.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Cadmium	12/1/2001	11/30/2008	14	0.15			5.00	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0820_06 Outfall canal from Lake Lavon Dam

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	54		2	4.45	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	54		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/1/2001	11/30/2008	10		0		1,343.22	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2001	11/30/2008	8		0		108.60	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Lead	12/1/2001	11/30/2008	10		0		67.08	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2001	11/30/2008	10		0		17.38	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2001	11/30/2008	10		0		521.62	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	10		0		30.57	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	12/1/2001	11/30/2008	10		0		360.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Aluminum	12/1/2001	11/30/2008	10		0		991.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Silver (ionic)	12/1/2001	11/30/2008	8		0		0.80	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Zinc	12/1/2001	11/30/2008	8	4.46			99.17	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Arsenic	12/1/2001	11/30/2008	10	2.50			190.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	10	0.15			0.98	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2001	11/30/2008	10	3.00			169.21	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2001	11/30/2008	10	2.13			11.65	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2001	11/30/2008	10	0.50			2.33	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/1/2001	11/30/2008	10	3.66			149.18	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2001	11/30/2008	55		1	34.8	33.90	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0820_06 Outfall canal from Lake Lavon Dam

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
High pH	pH	12/1/2001	11/30/2008	55		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2001	11/30/2008	55		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	346	229.25			500.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2001	11/30/2008	55	22.11			100.00	AD	FS	<input type="checkbox"/>	FS		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Cadmium	12/1/2001	11/30/2008	10	0.15			5.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Chromium	12/1/2001	11/30/2008	10	3.00			100.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2001	11/30/2008	10	0.50			4.98	AD	FS	<input type="checkbox"/>	FS		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Arsenic	12/1/2001	11/30/2008	10	2.50			50.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Lead	12/1/2001	11/30/2008	10	0.50			4.98	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Barium	12/1/2001	11/30/2008	10	70.03			2,000.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Cadmium	12/1/2001	11/30/2008	10	0.15			5.00	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

Segment New
in 2010? No

SEGID 0820B Rowlett Creek (unclassified water body)

AUID 0820B_01

Entire water body

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	81		1	3.5	4.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	81		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2001	11/30/2008	17		0		789.83	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2001	11/30/2008	12		0		166.82	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/1/2001	11/30/2008	14		0		2,061.89	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Silver (ionic)	12/1/2001	11/30/2008	0		0		0.80	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	17		0		54.13	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	12/1/2001	11/30/2008	17		0		360.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Aluminum	12/1/2001	11/30/2008	15		0		991.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2001	11/30/2008	17		0		127.84	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2001	11/30/2008	15		0		28.02	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2001	11/30/2008	15	2.51			10.80	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2001	11/30/2008	12	9.62			91.97	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2001	11/30/2008	17	0.50			2.08	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2001	11/30/2008	17	2.88			157.32	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	17	0.15			0.92	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic	12/1/2001	11/30/2008	17	2.50			190.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/1/2001	11/30/2008	14	4.06			138.36	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0820B_01 Entire water body

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Single Sample	E. coli	12/1/2001	11/30/2008	8		5	6860	394.00	LD	NS	<input type="checkbox"/>	PI	bacteria	
Bacteria Single Sample	Fecal coliform	12/1/2001	11/30/2008	12		4	2025	400.00	SM	FS	<input type="checkbox"/>	FS		
Bacteria Geomean	Fecal coliform	12/1/2001	11/30/2008	12	299.63			200.00	SM	NS	<input type="checkbox"/>	NA		
Bacteria Geomean	E. coli	12/1/2001	11/30/2008	8	794.43			126.00	LD	CN	<input type="checkbox"/>	CN	bacteria	

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Chlorophyll-a	12/1/2001	11/30/2008	7		0		14.10	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	8		1	1.26	0.69	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	8		6	4.67	1.95	LD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	7		0		0.37	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	8		0		0.33	LD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Chromium	12/1/2001	11/30/2008	17	2.88			3,320.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2001	11/30/2008	17	0.50			25.30	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

Segment New
in 2010? No

SEGID 0820C Muddy Creek (unclassified water body)

AUID 0820C_01 Entire creek

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	72		14	3.65	5.00	AD	CS	<input type="checkbox"/>	CS	depressed dissolved oxygen	
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	72		1	2.7	3.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	12		0		27.65	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Silver (ionic)	12/1/2001	11/30/2008	0		0		0.80	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Zinc	12/1/2001	11/30/2008	9		0		100.72	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Nickel	12/1/2001	11/30/2008	11		0		1,245.85	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2001	11/30/2008	12		0		59.90	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2001	11/30/2008	12		0		484.98	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	12/1/2001	11/30/2008	12		0		360.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Aluminum	12/1/2001	11/30/2008	10		0		991.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2001	11/30/2008	11		0		15.99	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	12	0.15			0.92	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2001	11/30/2008	9	13.01			91.97	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Nickel	12/1/2001	11/30/2008	11	7.09			138.36	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2001	11/30/2008	12	0.50			2.08	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2001	11/30/2008	11	4.40			10.80	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic	12/1/2001	11/30/2008	12	2.71			190.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2001	11/30/2008	12	2.83			157.32	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0820C_01 Entire creek

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Single Sample	E. coli	12/1/2001	11/30/2008	42		1	2400	394.00	AD	FS	<input type="checkbox"/>	FS		
Bacteria Single Sample	Fecal coliform	12/1/2001	11/30/2008	12		7	7587.14	400.00	SM	NS	<input type="checkbox"/>	NA		
Bacteria Geomean	E. coli	12/1/2001	11/30/2008	42	54.13			126.00	AD	FS	<input type="checkbox"/>	FS		
Bacteria Geomean	Fecal coliform	12/1/2001	11/30/2008	12	657.65			200.00	SM	NS	<input type="checkbox"/>	NS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008						ID	NA	<input checked="" type="checkbox"/>	CS	nitrate	

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Chromium	12/1/2001	11/30/2008	12	2.83			3,320.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2001	11/30/2008	12	0.50			25.30	AD	FS	<input type="checkbox"/>	FS		

Segment New in 2010? No

SEGID 0821 Lake Lavon

AUID 0821_01 Lowermost portion of reservoir

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008						ID	NA	<input checked="" type="checkbox"/>	CS	nitrate	

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

Segment New
in 2010? No

SEGID 0821B Sister Grove Creek (unclassified water body)

AUID 0821B_01 Entire creek

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	1		0		5.00	ID	NA	<input type="checkbox"/>	NA		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	1		0		3.00	ID	NA	<input type="checkbox"/>	NA		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Single Sample	E. coli	12/1/2001	11/30/2008	1		0		394.00	ID	NA	<input type="checkbox"/>	NA		
Bacteria Geomean	E. coli	12/1/2001	11/30/2008	1	6.20			126.00	ID	NA	<input type="checkbox"/>	NA		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

Segment New
in 2010? **Yes**

SEGID 0821C Wilson Creek (unclassified water body)

AUID 0821C_01 Entire water body

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	34		3	2.9	4.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	34		2	2.5	3.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/1/2001	11/30/2008	9		1	3.7	4.00	LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/1/2001	11/30/2008	9		1	2.5	3.00	LD	NC	<input type="checkbox"/>	NC		
Habitat	Habitat	12/1/2001	11/30/2008	2	16.00	0		14.00	AD	NC	<input type="checkbox"/>	NC		
Macrobenthic Community	Macrobenthic Community	12/1/2001	11/30/2008	2	27.00	1		22.00	AD	FS	<input type="checkbox"/>	FS		
Fish Community	Fish Community	12/1/2001	11/30/2008	2	39.00	0		35.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Single Sample	E. coli	12/1/2001	11/30/2008	18		5	730	394.00	AD	FS	<input type="checkbox"/>	FS		
Bacteria Geomean	E. coli	12/1/2001	11/30/2008	18	174.29			126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	5b

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	32		0		0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2001	11/30/2008	30		3	25.63	14.10	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	32		0		0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	33		6	2.46	1.95	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	33		0		0.69	AD	NC	<input type="checkbox"/>	NC		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

Segment New
in 2010? **Yes**

SEGID 0821D East Fork Trinity River above Lake Lavon (unclassified water body)

AUID 0821D_01 Entire water body

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	15		1	1.9	4.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	15		1	1.9	3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Single Sample	E. coli	12/1/2001	11/30/2008	13		1	400	394.00	AD	FS	<input type="checkbox"/>	FS		
Bacteria Geomean	E. coli	12/1/2001	11/30/2008	13	150.19			126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	5b

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	14		2	2.41	1.95	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2001	11/30/2008	13		1	19.8	14.10	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	14		1	2.25	0.69	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	14		0		0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	14		2	1.19	0.37	AD	NC	<input type="checkbox"/>	NC		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

Segment New
in 2010? **No**

SEGID 0822 Elm Fork Trinity River Below Lewisville Lake

AUID 0822_01

Lower 11 miles of segment

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	81		15	3.89	5.00	AD	CS	<input type="checkbox"/>	CS	depressed dissolved oxygen	
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	81		2	2.35	3.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2001	11/30/2008	78		0		705.88	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2001	11/30/2008	42		0		148.51	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/1/2001	11/30/2008	2		0		1,881.51	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Copper	12/1/2001	11/30/2008	68		0		24.62	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	78		0		46.37	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	12/1/2001	11/30/2008	4		0		360.00	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Aluminum	12/1/2001	11/30/2008	4		0		991.00	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Lead	12/1/2001	11/30/2008	74		0		107.36	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2001	11/30/2008	74	0.51			2.52	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic	12/1/2001	11/30/2008	4	2.50			190.00	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Zinc	12/1/2001	11/30/2008	42	3.42			104.51	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/1/2001	11/30/2008	2	2.26			157.19	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Copper	12/1/2001	11/30/2008	68	1.50			12.28	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	78	0.14			1.03	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2001	11/30/2008	78	3.06			178.00	AD	FS	<input type="checkbox"/>	FS		
Toxic Substances in sediment	PCBs	12/1/2001	11/30/2008	1		0		676.00	ID	NA	<input type="checkbox"/>	NA		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0822_01 Lower 11 miles of segment

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Single Sample	E. coli	12/1/2001	11/30/2008	102		18	1364.89	394.00	AD	FS	<input type="checkbox"/>	FS		
Bacteria Single Sample	Fecal coliform	12/1/2001	11/30/2008	64		25	7064.4	400.00	SM	NS	<input type="checkbox"/>	NS		
Bacteria Geomean	E. coli	12/1/2001	11/30/2008	102	73.97			126.00	AD	FS	<input type="checkbox"/>	FS		
Bacteria Geomean	Fecal coliform	12/1/2001	11/30/2008	64	218.93			200.00	SM	NS	<input type="checkbox"/>	NS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2001	11/30/2008	98		0		32.20	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2001	11/30/2008	82		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2001	11/30/2008	82		2	4.65	6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	321	247.89			500.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2001	11/30/2008	14	23.39			80.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	95		1	1.01	0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2001	11/30/2008	86		44	31	14.10	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	33		1	7.61	1.95	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	81		0		0.69	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	97		1	0.42	0.33	AD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Cadmium	12/1/2001	11/30/2008	78	0.14			5.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Chromium	12/1/2001	11/30/2008	78	3.06			100.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2001	11/30/2008	74	0.51			4.98	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0822_01 Lower 11 miles of segment

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Cadmium	12/1/2001	11/30/2008	78	0.14			5.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Lead	12/1/2001	11/30/2008	74	0.51			4.98	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Arsenic	12/1/2001	11/30/2008	4	2.50			50.00	LD	NC	<input type="checkbox"/>	NC		
Surface Water HH criteria for PWS average	Nitrate	12/1/2001	11/30/2008	33	0.86			10,000.00	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0822_02 4.5 miles upstream to 7.5 miles downstream DWU intake

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	143		11	3.9	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	143		1	2.3	3.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2001	11/30/2008	55		0		103.35	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2001	11/30/2008	52		0		23.94	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/1/2001	11/30/2008	14		0		1,415.41	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Silver (ionic)	12/1/2001	11/30/2008	10		0		0.80	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	56		0		44.84	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	12/1/2001	11/30/2008	14		0		360.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Aluminum	12/1/2001	11/30/2008	12		0		991.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2001	11/30/2008	38		0		144.80	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2001	11/30/2008	58		0		688.83	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2001	11/30/2008	58	2.98			178.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2001	11/30/2008	38	3.84			104.51	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/1/2001	11/30/2008	14	3.62			157.19	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2001	11/30/2008	52	1.55			12.28	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	56	0.15			1.03	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic	12/1/2001	11/30/2008	14	2.50			190.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2001	11/30/2008	55	0.50			2.52	AD	FS	<input type="checkbox"/>	FS		
Toxic Substances in sediment	PCBs	12/1/2001	11/30/2008	1		0		676.00	ID	NA	<input type="checkbox"/>	NA		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0822_02 4.5 miles upstream to 7.5 miles downstream DWU intake

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Single Sample	E. coli	12/1/2001	11/30/2008	45		10	1209.3	394.00	AD	FS	<input type="checkbox"/>	FS		
Bacteria Single Sample	Fecal coliform	12/1/2001	11/30/2008	46		17	3859.12	400.00	SM	NS	<input type="checkbox"/>	NS		
Bacteria Geomean	Fecal coliform	12/1/2001	11/30/2008	46	231.67			200.00	SM	NS	<input type="checkbox"/>	NS		
Bacteria Geomean	E. coli	12/1/2001	11/30/2008	45	125.37			126.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2001	11/30/2008	152		0		32.20	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2001	11/30/2008	144		1	9.1	9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2001	11/30/2008	144		1	6.1	6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	321	247.89			500.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2001	11/30/2008	14	23.39			80.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	38		0		0.69	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2001	11/30/2008	40		7	17.03	14.10	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	44		2	0.49	0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	44		0		0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	10		0		1.95	AD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	1,1-Dichloroethylene	12/1/2001	11/30/2008	30	0.02			1.63	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Cadmium	12/1/2001	11/30/2008	56	0.15			5.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Chloroform	12/1/2001	11/30/2008	30	0.14			100.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Methyl ethyl ketone	12/1/2001	11/30/2008	30	1.92			52,917.00	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0822_02 4.5 miles upstream to 7.5 miles downstream DWU intake

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Vinyl chloride	12/1/2001	11/30/2008	30	0.05			2.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	1,1,1-Trichloroethane	12/1/2001	11/30/2008	30	0.02			200.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Tetrachloroethene	12/1/2001	11/30/2008	30	0.02			5.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	1,2-Dibromoethane	12/1/2001	11/30/2008	30	0.01			0.01	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Hexachloroethane	12/1/2001	11/30/2008	30	0.08			84.20	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Chlorobenzene	12/1/2001	11/30/2008	30	0.02			776.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Acrylonitrile	12/1/2001	11/30/2008	30	0.47			1.28	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Chromium	12/1/2001	11/30/2008	58	2.98			100.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2001	11/30/2008	55	0.50			4.98	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Trichloroethene	12/1/2001	11/30/2008	30	0.02			5.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Benzene	12/1/2001	11/30/2008	30	0.02			5.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Carbon tetrachloride	12/1/2001	11/30/2008	30	0.03			3.76	AD	FS	<input type="checkbox"/>	FS		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	1,3-Dichlorobenzene	12/1/2001	11/30/2008	30	0.02			75.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Chlorobenzene	12/1/2001	11/30/2008	30	0.02			776.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	1,2-Dibromoethane	12/1/2001	11/30/2008	30	0.01			0.01	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Chloroform	12/1/2001	11/30/2008	30	0.14			100.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Vinyl chloride	12/1/2001	11/30/2008	30	0.05			2.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	1,1,1-Trichloroethane	12/1/2001	11/30/2008	30	0.02			200.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Tetrachloroethene	12/1/2001	11/30/2008	30	0.02			5.00	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0822_02 4.5 miles upstream to 7.5 miles downstream DWU intake

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	1,1-Dichloroethylene	12/1/2001	11/30/2008	30	0.02			1.63	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Methyl ethyl ketone	12/1/2001	11/30/2008	30	1.92			52,917.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Cadmium	12/1/2001	11/30/2008	56	0.15			5.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Acrylonitrile	12/1/2001	11/30/2008	30	0.47			1.28	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Carbon tetrachloride	12/1/2001	11/30/2008	30	0.03			3.76	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Barium	12/1/2001	11/30/2008	14	43.11			2,000.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Benzene	12/1/2001	11/30/2008	30	0.02			5.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Hexachloroethane	12/1/2001	11/30/2008	30	0.08			84.20	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Lead	12/1/2001	11/30/2008	55	0.50			4.98	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nitrate	12/1/2001	11/30/2008	10	0.91			10,000.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Trichloroethene	12/1/2001	11/30/2008	30	0.02			5.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Arsenic	12/1/2001	11/30/2008	14	2.50			50.00	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0822_03 1.0 mi upstream to 4.5 miles downstream SH 121

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	57		2	4.45	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	57		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	12/1/2001	11/30/2008	12		0		360.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Silver (ionic)	12/1/2001	11/30/2008	10		0		0.80	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2001	11/30/2008	10		0		114.45	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/1/2001	11/30/2008	12		0		1,415.41	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2001	11/30/2008	12		0		72.58	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	12		0		32.78	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2001	11/30/2008	12		0		548.74	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Aluminum	12/1/2001	11/30/2008	11		0		991.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2001	11/30/2008	11		0		18.43	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic	12/1/2001	11/30/2008	12	2.50			190.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	12	0.15			1.03	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2001	11/30/2008	12	2.92			178.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2001	11/30/2008	11	1.34			12.28	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2001	11/30/2008	12	0.50			2.52	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/1/2001	11/30/2008	12	3.13			157.19	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2001	11/30/2008	10	5.60			104.51	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2001	11/30/2008	58		0		32.20	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0822_03 1.0 mi upstream to 4.5 miles downstream SH 121

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
High pH	pH	12/1/2001	11/30/2008	58		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2001	11/30/2008	58		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	321	247.89			500.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2001	11/30/2008	14	23.39			80.00	AD	FS	<input type="checkbox"/>	FS		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Cadmium	12/1/2001	11/30/2008	12	0.15			5.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Chromium	12/1/2001	11/30/2008	12	2.92			100.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2001	11/30/2008	12	0.50			4.98	AD	FS	<input type="checkbox"/>	FS		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Arsenic	12/1/2001	11/30/2008	12	2.50			50.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Barium	12/1/2001	11/30/2008	12	42.54			2,000.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Cadmium	12/1/2001	11/30/2008	12	0.15			5.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Lead	12/1/2001	11/30/2008	12	0.50			4.98	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0822_04 Upper 1.5 miles of segment

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	49		1	4.7	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	49		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2001	11/30/2008	11		0		548.74	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2001	11/30/2008	9		0		114.45	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Nickel	12/1/2001	11/30/2008	11		0		1,415.41	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Silver (ionic)	12/1/2001	11/30/2008	10		0		0.80	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	11		0		32.78	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	12/1/2001	11/30/2008	11		0		360.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Aluminum	12/1/2001	11/30/2008	10		0		991.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2001	11/30/2008	11		0		72.58	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2001	11/30/2008	10		0		18.43	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2001	11/30/2008	11	2.73			178.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2001	11/30/2008	9	5.92			104.51	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Nickel	12/1/2001	11/30/2008	11	3.38			157.19	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2001	11/30/2008	10	1.27			12.28	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	11	0.15			1.03	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic	12/1/2001	11/30/2008	11	2.50			190.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2001	11/30/2008	11	0.50			2.52	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2001	11/30/2008	49		0		32.20	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0822_04 Upper 1.5 miles of segment

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
High pH	pH	12/1/2001	11/30/2008	49		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2001	11/30/2008	49		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	321	247.89			500.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2001	11/30/2008	14	23.39			80.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Chlorophyll-a	12/1/2001	11/30/2008						ID	NA	<input checked="" type="checkbox"/>	CS	chlorophyll-a	

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Cadmium	12/1/2001	11/30/2008	11	0.15			5.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Chromium	12/1/2001	11/30/2008	11	2.73			100.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2001	11/30/2008	11	0.50			4.98	AD	FS	<input type="checkbox"/>	FS		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Cadmium	12/1/2001	11/30/2008	11	0.15			5.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Lead	12/1/2001	11/30/2008	11	0.50			4.98	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Barium	12/1/2001	11/30/2008	11	45.38			2,000.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Arsenic	12/1/2001	11/30/2008	11	2.50			50.00	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

Segment New
in 2010? **No**

SEGID 0822A Cottonwood Branch (unclassified water body)

AUID 0822A_01

A 2.5 mile stretch of Cottonwood Branch running upstream from confluence with Hackberry Creek to approx. 0.5 miles downstream of N. Story Rd., Dallas Co.

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Acute Toxic Substances in water	Chromium	12/1/2001	11/30/2008	62		0		999.68	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2001	11/30/2008	56		0		36.74	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2001	11/30/2008	58		0		184.39	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2001	11/30/2008	35		0		212.86	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	62		0		74.89	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2001	11/30/2008	62	3.15			157.32	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2001	11/30/2008	35	4.89			91.97	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	62	0.14			0.92	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2001	11/30/2008	58	0.50			2.08	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2001	11/30/2008	56	1.61			10.80	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Single Sample	E. coli	12/1/2001	11/30/2008	62		8	1196.75	394.00	AD	FS	<input type="checkbox"/>	FS		
Bacteria Single Sample	Fecal coliform	12/1/2001	11/30/2008	62		19	2947.89	400.00	SM	NS	<input type="checkbox"/>	NS		
Bacteria Geomean	E. coli	12/1/2001	11/30/2008	62	45.76			126.00	AD	FS	<input type="checkbox"/>	FS		
Bacteria Geomean	Fecal coliform	12/1/2001	11/30/2008	62	144.15			200.00	SM	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	1		0		1.95	ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Chlorophyll-a	12/1/2001	11/30/2008	47		26	27.8	14.10	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0822A_01 A 2.5 mile stretch of Cottonwood Branch running upstream from confluence with Hackberry Creek to approx. 0.5 miles downstream of N. Story Rd., Dallas Co.

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	50		0		0.69	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	61		0		0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	56		3	0.43	0.33	AD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Chromium	12/1/2001	11/30/2008	62	3.15			3,320.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2001	11/30/2008	58	0.50			25.30	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0822A_02 A 3.5 mile stretch of Cottonwood Branch running upstream from approximately 0.5 miles downstream of N. Story Rd. to Valley View Rd, Dallas, Co.

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Acute Toxic Substances in water	Chromium	12/1/2001	11/30/2008	62		0		2,669.21	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2001	11/30/2008	35		0		587.98	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	60		0		289.63	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2001	11/30/2008	58		0		848.57	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2001	11/30/2008	56		0		113.71	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2001	11/30/2008	35	4.73			91.97	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	60	0.14			0.92	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2001	11/30/2008	62	3.24			157.32	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2001	11/30/2008	56	1.78			10.80	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2001	11/30/2008	58	0.50			2.08	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Single Sample	E. coli	12/1/2001	11/30/2008	62		44	1878.68	394.00	AD	NS	<input type="checkbox"/>	NS	bacteria	5b
Bacteria Single Sample	Fecal coliform	12/1/2001	11/30/2008	62		53	5577.06	400.00	SM	NS	<input type="checkbox"/>	NS		
Bacteria Geomean	E. coli	12/1/2001	11/30/2008	62	786.26			126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	5b
Bacteria Geomean	Fecal coliform	12/1/2001	11/30/2008	62	1566.57			200.00	SM	NS	<input type="checkbox"/>	NS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Chlorophyll-a	12/1/2001	11/30/2008	47		6	30.7	14.10	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	2		0		1.95	ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	61		0		0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	56		8	0.72	0.33	AD	NC	<input type="checkbox"/>	NC		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0822A_02 A 3.5 mile stretch of Cottonwood Branch running upstream from approximately 0.5 miles downstream of N. Story Rd. to Valley View Rd, Dallas, Co.

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	51		1	3.6	0.69	AD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Chromium	12/1/2001	11/30/2008	62	3.24			3,320.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2001	11/30/2008	58	0.50			25.30	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

Segment New
in 2010? **No**

SEGID 0822B Grapevine Creek (unclassified water body)

AUID 0822B_01

Entire water body

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	25		0		2.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	25		0		1.50	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2001	11/30/2008	25		0		43.03	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2001	11/30/2008	26		0		228.29	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2001	11/30/2008	25		0		1,146.94	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	25		0		90.49	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2001	11/30/2008	14		0		245.38	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	25	0.15			0.92	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2001	11/30/2008	25	3.46			157.32	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2001	11/30/2008	25	1.78			10.80	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2001	11/30/2008	26	0.50			2.08	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2001	11/30/2008	14	5.64			91.97	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Single Sample	Fecal coliform	12/1/2001	11/30/2008	27		21	7308	400.00	SM	NS	<input type="checkbox"/>	NS		
Bacteria Single Sample	E. coli	12/1/2001	11/30/2008	49		24	1635.67	394.00	AD	NS	<input type="checkbox"/>	NS	bacteria	5b
Bacteria Geomean	Fecal coliform	12/1/2001	11/30/2008	27	1409.61			200.00	SM	NS	<input type="checkbox"/>	NS		
Bacteria Geomean	E. coli	12/1/2001	11/30/2008	49	255.48			126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	5b

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0822B_01 Entire water body

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	26		0		1.95	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	51		0		0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	50		1	0.91	0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	46		0		0.69	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2001	11/30/2008	44		3	25.87	14.10	AD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Lead	12/1/2001	11/30/2008	26	0.50			25.30	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Chromium	12/1/2001	11/30/2008	25	3.46			3,320.00	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

Segment New
in 2010? **No**

SEGID 0822C Hackberry Creek (unclassified water body)

AUID 0822C_01

A 5.5 mile stretch of Hackberry Creek running upstream from confluence with S. Fork Hackberry Creek to approximately 2.4 miles upstream of SH 114 in Irving, Dallas Co.

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	36		4	4.15	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	36		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	103		0		43.31	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2001	11/30/2008	104		0		671.69	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2001	11/30/2008	95		0		23.25	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2001	11/30/2008	101		0		99.38	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2001	11/30/2008	54		0		141.07	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2001	11/30/2008	104	3.06			157.32	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2001	11/30/2008	54	3.69			91.97	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	103	0.15			0.92	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2001	11/30/2008	101	0.50			2.08	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2001	11/30/2008	95	1.99			10.80	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Single Sample	E. coli	12/1/2001	11/30/2008	132		26	1536.27	394.00	AD	FS	<input type="checkbox"/>	FS		
Bacteria Single Sample	Fecal coliform	12/1/2001	11/30/2008	96		36	4066.86	400.00	SM	NS	<input type="checkbox"/>	NS		
Bacteria Single Sample	Enterococcus	12/1/2001	11/30/2008	1		0		89.00	SM	NA	<input type="checkbox"/>	NA		
Bacteria Geomean	E. coli	12/1/2001	11/30/2008	132	89.28			126.00	AD	FS	<input type="checkbox"/>	FS		
Bacteria Geomean	Fecal coliform	12/1/2001	11/30/2008	96	172.12			200.00	SM	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0822C_01

A 5.5 mile stretch of Hackberry Creek running upstream from confluence with S. Fork Hackberry Creek to approximately 2.4 miles upstream of SH 114 in Irving, Dallas Co.

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	Enterococcus	12/1/2001	11/30/2008	1	2.00			35.00	SM	NA	<input type="checkbox"/>	NA		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

Segment New
in 2010? **No**

SEGID 0822D Ski Lake (unclassified water body)

AUID 0822D_01

Entire segment.

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	71		1	4.51	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	71		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2001	11/30/2008	14		0		59.90	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Silver (ionic)	12/1/2001	11/30/2008	0		0		0.80	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Nickel	12/1/2001	11/30/2008	14		0		1,245.85	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2001	11/30/2008	14		0		15.99	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	14		0		27.65	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	12/1/2001	11/30/2008	14		0		360.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Aluminum	12/1/2001	11/30/2008	12		0		991.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2001	11/30/2008	10		0		100.72	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2001	11/30/2008	14		0		484.98	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2001	11/30/2008	14	0.50			2.08	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/1/2001	11/30/2008	14	3.48			138.36	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2001	11/30/2008	14	2.12			10.80	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2001	11/30/2008	14	2.79			157.32	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	14	0.15			0.92	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic	12/1/2001	11/30/2008	14	2.50			190.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2001	11/30/2008	10	4.74			91.97	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0822D_01 Entire segment.

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Single Sample	Fecal coliform	12/1/2001	11/30/2008	13		1	620	400.00	AD	FS	<input type="checkbox"/>	FS		
Bacteria Geomean	Fecal coliform	12/1/2001	11/30/2008	13	25.34			200.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Chlorophyll-a	12/1/2001	11/30/2008						ID	NA	<input checked="" type="checkbox"/>	CS	chlorophyll-a	

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Chromium	12/1/2001	11/30/2008	14	2.79			3,320.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2001	11/30/2008	14	0.50			25.30	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

Segment New
in 2010? **No**

SEGID 0823 Lewisville Lake

AUID 0823_01

Lowermost portion of reservoir

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	4		1	4.78	5.00	LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	4		0		3.00	LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/1/2001	11/30/2008	3		0		5.00	ID	NA	<input type="checkbox"/>	NA		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/1/2001	11/30/2008	3		0		3.00	ID	NA	<input type="checkbox"/>	NA		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2001	11/30/2008	5		0		32.20	LD	NC	<input type="checkbox"/>	NC		
High pH	pH	12/1/2001	11/30/2008	4		0		9.00	LD	NC	<input type="checkbox"/>	NC		
Low pH	pH	12/1/2001	11/30/2008	4		0		6.50	LD	NC	<input type="checkbox"/>	NC		
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	279	269.73			500.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2001	11/30/2008	53	30.87			80.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	1		0		0.20	ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Chlorophyll-a	12/1/2001	11/30/2008	1		0		26.70	ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	1		0		0.11	ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	1		0		0.05	ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	1		0		0.37	ID	NA	<input type="checkbox"/>	NA		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bioaccumulative Toxics in fish tissue	Dieldrin	12/1/2001	11/30/2008	2		0		0.06	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Lead	12/1/2001	11/30/2008	2		0		0.60	ID	NA	<input type="checkbox"/>	NA		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0823_01 Lowermost portion of reservoir

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bioaccumulative Toxics in fish tissue	Zinc	12/1/2001	11/30/2008	2		0		525.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Selenium	12/1/2001	11/30/2008	2		0		4.38	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	PCBs	12/1/2001	11/30/2008	2		0		0.13	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Nickel	12/1/2001	11/30/2008	2		0		35.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Mirex	12/1/2001	11/30/2008	2		0		0.04	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Mercury	12/1/2001	11/30/2008	2		0		0.53	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Toxaphene	12/1/2001	11/30/2008	2		0		0.83	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Hexachlorobenzene (HCB)	12/1/2001	11/30/2008	2		0		0.61	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Heptachlor	12/1/2001	11/30/2008	2		0		0.20	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Copper	12/1/2001	11/30/2008	2		0		250.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Chromium	12/1/2001	11/30/2008	2		0		5.25	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Cadmium	12/1/2001	11/30/2008	2		0		0.23	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Arsenic	12/1/2001	11/30/2008	2		0		0.04	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Aldrin	12/1/2001	11/30/2008	2		0		0.14	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Heptachlor epoxide	12/1/2001	11/30/2008	2		0		0.25	ID	NA	<input type="checkbox"/>	NA		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2001	11/30/2008	1	0.02			10,000.00	ID	NA	<input type="checkbox"/>	NA		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0823_02 Stewart Creek arm

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	73		4	3.93	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	73		1	1.9	3.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2001	11/30/2008	14		0		521.62	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2001	11/30/2008	8		0		108.60	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Nickel	12/1/2001	11/30/2008	14		0		1,343.22	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Silver (ionic)	12/1/2001	11/30/2008	10		0		0.80	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	14		0		30.57	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	12/1/2001	11/30/2008	14		0		360.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Aluminum	12/1/2001	11/30/2008	10		0		991.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2001	11/30/2008	14		0		67.08	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2001	11/30/2008	13		0		17.38	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2001	11/30/2008	14	2.79			169.21	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2001	11/30/2008	8	24.68			99.17	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Nickel	12/1/2001	11/30/2008	14	4.44			149.18	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2001	11/30/2008	13	3.65			11.65	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	14	0.15			0.98	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic	12/1/2001	11/30/2008	14	2.50			190.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2001	11/30/2008	14	0.50			2.33	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Single Sample	Fecal coliform	12/1/2001	11/30/2008	12		2	1450	400.00	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0823_02 Stewart Creek arm

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	Fecal coliform	12/1/2001	11/30/2008	12	70.09			200.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2001	11/30/2008	75		3	33.17	32.20	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2001	11/30/2008	75		2	9.6	9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2001	11/30/2008	75		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	279	269.73			500.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2001	11/30/2008	53	30.87			80.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008						ID	NA	<input checked="" type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008						ID	NA	<input checked="" type="checkbox"/>	CS	orthophosphorus	
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008						ID	NA	<input checked="" type="checkbox"/>	CS	ammonia	
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008						ID	NA	<input checked="" type="checkbox"/>	CS	total phosphorus	

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Lead	12/1/2001	11/30/2008	14	0.50			4.98	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Cadmium	12/1/2001	11/30/2008	14	0.15			5.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Chromium	12/1/2001	11/30/2008	14	2.79			100.00	AD	FS	<input type="checkbox"/>	FS		
Bioaccumulative Toxics in fish tissue	Mercury	12/1/2001	11/30/2008	2		0		0.53	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Mirex	12/1/2001	11/30/2008	2		0		0.04	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Nickel	12/1/2001	11/30/2008	2		0		35.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	PCBs	12/1/2001	11/30/2008	2		0		0.13	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Selenium	12/1/2001	11/30/2008	2		0		4.38	ID	NA	<input type="checkbox"/>	NA		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID	0823_02	Stewart Creek arm
-------------	----------------	-------------------

USE	Fish Consumption Use
------------	-----------------------------

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bioaccumulative Toxics in fish tissue	Zinc	12/1/2001	11/30/2008	2		0		525.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Dieldrin	12/1/2001	11/30/2008	2		0		0.06	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Lead	12/1/2001	11/30/2008	2		0		0.60	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Toxaphene	12/1/2001	11/30/2008	2		0		0.83	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Aldrin	12/1/2001	11/30/2008	2		0		0.14	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Heptachlor	12/1/2001	11/30/2008	2		0		0.20	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Heptachlor epoxide	12/1/2001	11/30/2008	2		0		0.25	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Copper	12/1/2001	11/30/2008	2		0		250.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Chromium	12/1/2001	11/30/2008	2		0		5.25	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Cadmium	12/1/2001	11/30/2008	2		0		0.23	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Arsenic	12/1/2001	11/30/2008	2		0		0.04	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Hexachlorobenzene (HCB)	12/1/2001	11/30/2008	2		0		0.61	ID	NA	<input type="checkbox"/>	NA		

USE	Public Water Supply Use
------------	--------------------------------

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Barium	12/1/2001	11/30/2008	14	28.92			2,000.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Cadmium	12/1/2001	11/30/2008	14	0.15			5.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Arsenic	12/1/2001	11/30/2008	14	2.50			50.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Lead	12/1/2001	11/30/2008	14	0.50			4.98	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID

0823_03

Hickory Creek arm

USE

Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	78		1	4.5	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	78		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/1/2001	11/30/2008	10		0		5.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/1/2001	11/30/2008	10		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2001	11/30/2008	14		0		67.08	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Silver (ionic)	12/1/2001	11/30/2008	9		0		0.80	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Zinc	12/1/2001	11/30/2008	10		0		108.60	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/1/2001	11/30/2008	14		0		1,343.22	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2001	11/30/2008	13		0		17.38	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2001	11/30/2008	14		0		521.62	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	14		0		30.57	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Aluminum	12/1/2001	11/30/2008	13		0		991.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	12/1/2001	11/30/2008	14		0		360.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic	12/1/2001	11/30/2008	14	2.50			190.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	14	0.15			0.98	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2001	11/30/2008	14	3.11			169.21	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2001	11/30/2008	13	1.46			11.65	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2001	11/30/2008	14	0.50			2.33	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/1/2001	11/30/2008	14	3.33			149.18	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2001	11/30/2008	10	5.68			99.17	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID	0823_03	Hickory Creek arm
-------------	----------------	-------------------

USE	General Use
------------	--------------------

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2001	11/30/2008	79		0		32.20	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2001	11/30/2008	79		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2001	11/30/2008	79		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	279	269.73			500.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2001	11/30/2008	53	30.87			80.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	3		0		0.37	ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	3		0		0.05	ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	3		0		0.11	ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	3		1	0.2	0.20	ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Chlorophyll-a	12/1/2001	11/30/2008	3		3	70.2	26.70	ID	NA	<input type="checkbox"/>	NA		

USE	Fish Consumption Use
------------	-----------------------------

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Cadmium	12/1/2001	11/30/2008	14	0.15			5.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Chromium	12/1/2001	11/30/2008	14	3.11			100.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2001	11/30/2008	14	0.50			4.98	AD	FS	<input type="checkbox"/>	FS		
Bioaccumulative Toxics in fish tissue	Lead	12/1/2001	11/30/2008	2		0		0.60	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Zinc	12/1/2001	11/30/2008	2		0		525.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Selenium	12/1/2001	11/30/2008	2		0		4.38	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	PCBs	12/1/2001	11/30/2008	2		0		0.13	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Nickel	12/1/2001	11/30/2008	2		0		35.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Copper	12/1/2001	11/30/2008	2		0		250.00	ID	NA	<input type="checkbox"/>	NA		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID	0823_03	Hickory Creek arm
-------------	---------	-------------------

USE	Fish Consumption Use
------------	----------------------

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bioaccumulative Toxics in fish tissue	Mirex	12/1/2001	11/30/2008	2		0		0.04	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Toxaphene	12/1/2001	11/30/2008	2		0		0.83	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Mercury	12/1/2001	11/30/2008	2		0		0.53	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Hexachlorobenzene (HCB)	12/1/2001	11/30/2008	2		0		0.61	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Heptachlor epoxide	12/1/2001	11/30/2008	2		0		0.25	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Dieldrin	12/1/2001	11/30/2008	2		0		0.06	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Chromium	12/1/2001	11/30/2008	2		0		5.25	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Cadmium	12/1/2001	11/30/2008	2		0		0.23	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Arsenic	12/1/2001	11/30/2008	2		0		0.04	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Aldrin	12/1/2001	11/30/2008	2		0		0.14	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Heptachlor	12/1/2001	11/30/2008	2		0		0.20	ID	NA	<input type="checkbox"/>	NA		

USE	Public Water Supply Use
------------	-------------------------

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2001	11/30/2008	3	0.03			10,000.00	ID	NA	<input type="checkbox"/>	NA		
Surface Water HH criteria for PWS average	Arsenic	12/1/2001	11/30/2008	14	2.50			50.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Barium	12/1/2001	11/30/2008	14	41.92			2,000.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Cadmium	12/1/2001	11/30/2008	14	0.15			5.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Lead	12/1/2001	11/30/2008	14	0.50			4.98	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID

0823_04

Little Elm Creek arm

USE

Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	136		1	3.8	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	136		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/1/2001	11/30/2008	27		0		1,343.22	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2001	11/30/2008	18		0		108.60	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2001	11/30/2008	28		0		67.08	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2001	11/30/2008	25		0		17.38	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2001	11/30/2008	27		0		521.62	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	27		0		30.57	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	12/1/2001	11/30/2008	28		0		360.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Aluminum	12/1/2001	11/30/2008	26		0		991.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Silver (ionic)	12/1/2001	11/30/2008	18		0		0.80	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2001	11/30/2008	18	5.44			99.17	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic	12/1/2001	11/30/2008	28	2.50			190.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	27	0.15			0.98	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2001	11/30/2008	27	3.06			169.21	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2001	11/30/2008	25	1.39			11.65	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2001	11/30/2008	28	0.50			2.33	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/1/2001	11/30/2008	27	3.34			149.18	AD	FS	<input type="checkbox"/>	FS		

USE

General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2001	11/30/2008	138		1	37.6	32.20	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID	0823_04	Little Elm Creek arm
-------------	----------------	----------------------

USE	General Use
------------	--------------------

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
High pH	pH	12/1/2001	11/30/2008	138		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2001	11/30/2008	138		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	279	269.73			500.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2001	11/30/2008	53	30.87			80.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008						ID	NA	<input checked="" type="checkbox"/>	CS	nitrate	

USE	Fish Consumption Use
------------	-----------------------------

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Lead	12/1/2001	11/30/2008	28	0.50			4.98	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Cadmium	12/1/2001	11/30/2008	27	0.15			5.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Chromium	12/1/2001	11/30/2008	27	3.06			100.00	AD	FS	<input type="checkbox"/>	FS		
Bioaccumulative Toxics in fish tissue	Lead	12/1/2001	11/30/2008	2		0		0.60	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Toxaphene	12/1/2001	11/30/2008	2		0		0.83	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Mercury	12/1/2001	11/30/2008	2		0		0.53	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Mirex	12/1/2001	11/30/2008	2		0		0.04	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Nickel	12/1/2001	11/30/2008	2		0		35.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	PCBs	12/1/2001	11/30/2008	2		0		0.13	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Zinc	12/1/2001	11/30/2008	2		0		525.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Heptachlor	12/1/2001	11/30/2008	2		0		0.20	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Selenium	12/1/2001	11/30/2008	2		0		4.38	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Dieldrin	12/1/2001	11/30/2008	2		0		0.06	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Copper	12/1/2001	11/30/2008	2		0		250.00	ID	NA	<input type="checkbox"/>	NA		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0823_04 Little Elm Creek arm

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bioaccumulative Toxics in fish tissue	Chromium	12/1/2001	11/30/2008	2		0		5.25	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Cadmium	12/1/2001	11/30/2008	2		0		0.23	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Arsenic	12/1/2001	11/30/2008	2		0		0.04	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Aldrin	12/1/2001	11/30/2008	2		0		0.14	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Hexachlorobenzene (HCB)	12/1/2001	11/30/2008	2		0		0.61	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Heptachlor epoxide	12/1/2001	11/30/2008	2		0		0.25	ID	NA	<input type="checkbox"/>	NA		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Cadmium	12/1/2001	11/30/2008	27	0.15			5.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Lead	12/1/2001	11/30/2008	28	0.50			4.98	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Barium	12/1/2001	11/30/2008	28	42.94			2,000.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Arsenic	12/1/2001	11/30/2008	28	2.50			50.00	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0823_05 Middle portion of reservoir east of Lake Dallas

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Toxic Substances in sediment	Di-n-butyl phthalate	12/1/2001	11/30/2008	1		0		43.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Pyrene	12/1/2001	11/30/2008	1		0		1,520.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Mercury	12/1/2001	11/30/2008	1		0		1.06	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Naphthalene	12/1/2001	11/30/2008	1		0		561.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Nickel	12/1/2001	11/30/2008	1		0		48.60	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Lead	12/1/2001	11/30/2008	1		0		128.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Hexachloroethane	12/1/2001	11/30/2008	1		0		13,770.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	PCBs	12/1/2001	11/30/2008	1		0		676.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Phenanthrene	12/1/2001	11/30/2008	1		0		1,170.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Manganese	12/1/2001	11/30/2008	1		0		1,100.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Zinc	12/1/2001	11/30/2008	1		0		459.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	1,3-Dichlorobenzene	12/1/2001	11/30/2008	1		0		350.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Benz(a)anthracene	12/1/2001	11/30/2008	1		0		1,050.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	alpha-BHC	12/1/2001	11/30/2008	1		0		100.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Toxaphene	12/1/2001	11/30/2008	1		0		32.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	DDT	12/1/2001	11/30/2008	1		0		62.90	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Nitrobenzene	12/1/2001	11/30/2008	1		0		161.06	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	DDE	12/1/2001	11/30/2008	1		0		31.30	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	DDD	12/1/2001	11/30/2008	1		0		28.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	gamma-BHC (Lindane)	12/1/2001	11/30/2008	1		0		4.99	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Benzo(a)pyrene	12/1/2001	11/30/2008	1		0		1,450.00	ID	NA	<input type="checkbox"/>	NA		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0823_05 Middle portion of reservoir east of Lake Dallas

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Toxic Substances in sediment	Hexachlorobutadiene (HCBD)	12/1/2001	11/30/2008	1		0		550.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	1,4-Dichlorobenzene	12/1/2001	11/30/2008	1		0		4,650.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Acenaphthene	12/1/2001	11/30/2008	1		0		89.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Acenaphthylene	12/1/2001	11/30/2008	1		0		130.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Anthracene	12/1/2001	11/30/2008	1		0		845.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Cadmium	12/1/2001	11/30/2008	1		0		4.98	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Chlordane	12/1/2001	11/30/2008	1		0		17.60	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Chromium	12/1/2001	11/30/2008	1		0		111.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Heptachlor epoxide	12/1/2001	11/30/2008	1		0		16.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Copper	12/1/2001	11/30/2008	1		0		149.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Dieldrin	12/1/2001	11/30/2008	1		0		61.80	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Dibenz(a,h)anthracene	12/1/2001	11/30/2008	1		0		140.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Hexachlorobenzene (HCB)	12/1/2001	11/30/2008	1		0		240.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Endrin	12/1/2001	11/30/2008	1		0		207.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Aldrin	12/1/2001	11/30/2008	1		0		80.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Fluoranthene	12/1/2001	11/30/2008	1		0		2,230.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Fluorene	12/1/2001	11/30/2008	1		0		536.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Chrysene	12/1/2001	11/30/2008	1		0		1,290.00	ID	NA	<input type="checkbox"/>	NA		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	279	269.73			500.00	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID	0823_05	Middle portion of reservoir east of Lake Dallas
-------------	----------------	---

USE	General Use
------------	--------------------

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/1/2001	11/30/2008	53	30.87			80.00	AD	FS	<input type="checkbox"/>	FS		

USE	Fish Consumption Use
------------	-----------------------------

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bioaccumulative Toxics in fish tissue	Lead	12/1/2001	11/30/2008	2		0		0.60	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Hexachlorobenzene (HCB)	12/1/2001	11/30/2008	2		0		0.61	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Toxaphene	12/1/2001	11/30/2008	2		0		0.83	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Zinc	12/1/2001	11/30/2008	2		0		525.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Selenium	12/1/2001	11/30/2008	2		0		4.38	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	PCBs	12/1/2001	11/30/2008	2		0		0.13	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Nickel	12/1/2001	11/30/2008	2		0		35.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Mirex	12/1/2001	11/30/2008	2		0		0.04	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Heptachlor epoxide	12/1/2001	11/30/2008	2		0		0.25	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Aldrin	12/1/2001	11/30/2008	2		0		0.14	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Heptachlor	12/1/2001	11/30/2008	2		0		0.20	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Dieldrin	12/1/2001	11/30/2008	2		0		0.06	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Copper	12/1/2001	11/30/2008	2		0		250.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Chromium	12/1/2001	11/30/2008	2		0		5.25	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Cadmium	12/1/2001	11/30/2008	2		0		0.23	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Arsenic	12/1/2001	11/30/2008	2		0		0.04	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Mercury	12/1/2001	11/30/2008	2		0		0.53	ID	NA	<input type="checkbox"/>	NA		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0823_06 Remainder of reservoir

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	2		0		5.00	ID	NA	<input type="checkbox"/>	NA		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	2		0		3.00	ID	NA	<input type="checkbox"/>	NA		
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/1/2001	11/30/2008	2		0		5.00	ID	NA	<input type="checkbox"/>	NA		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/1/2001	11/30/2008	2		0		3.00	ID	NA	<input type="checkbox"/>	NA		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2001	11/30/2008	2		0		32.20	ID	NA	<input type="checkbox"/>	NA		
High pH	pH	12/1/2001	11/30/2008	2		1	9.01	9.00	ID	NA	<input type="checkbox"/>	NA		
Low pH	pH	12/1/2001	11/30/2008	2		0		6.50	ID	NA	<input type="checkbox"/>	NA		
Dissolved Solids	Chloride	12/1/2001	11/30/2008	53	30.87			80.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	279	269.73			500.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Chlorophyll-a	12/1/2001	11/30/2008	1		1	150.1	26.70	ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	1		0		0.37	ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	1		1	0.09	0.05	ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	1		0		0.11	ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	1		1	0.9	0.20	ID	NA	<input type="checkbox"/>	NA		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bioaccumulative Toxics in fish tissue	Lead	12/1/2001	11/30/2008	2		0		0.60	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Mercury	12/1/2001	11/30/2008	2		0		0.53	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Nickel	12/1/2001	11/30/2008	2		0		35.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Hexachlorobenzene (HCB)	12/1/2001	11/30/2008	2		0		0.61	ID	NA	<input type="checkbox"/>	NA		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0823_06 Remainder of reservoir

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bioaccumulative Toxics in fish tissue	Selenium	12/1/2001	11/30/2008	2		0		4.38	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Toxaphene	12/1/2001	11/30/2008	2		0		0.83	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Mirex	12/1/2001	11/30/2008	2		0		0.04	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Zinc	12/1/2001	11/30/2008	2		0		525.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Arsenic	12/1/2001	11/30/2008	2		0		0.04	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Heptachlor epoxide	12/1/2001	11/30/2008	2		0		0.25	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Aldrin	12/1/2001	11/30/2008	2		0		0.14	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Cadmium	12/1/2001	11/30/2008	2		0		0.23	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Chromium	12/1/2001	11/30/2008	2		0		5.25	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Copper	12/1/2001	11/30/2008	2		0		250.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	PCBs	12/1/2001	11/30/2008	2		0		0.13	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Dieldrin	12/1/2001	11/30/2008	2		0		0.06	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Heptachlor	12/1/2001	11/30/2008	2		0		0.20	ID	NA	<input type="checkbox"/>	NA		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2001	11/30/2008	1	0.01			10,000.00	ID	NA	<input type="checkbox"/>	NA		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

Segment New
in 2010? **No**

SEGID 0823A Little Elm Creek (unclassified water body)

AUID 0823A_01

From the confluence with Lake Lewisville in Denton Co., up to FM 455 in Collin Co. (Lower 12 miles of segment).

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	73		20	3.71	5.00	AD	CS	<input type="checkbox"/>	CS	depressed dissolved oxygen	
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	73		4	2.52	3.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2001	11/30/2008	13		0		15.99	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2001	11/30/2008	14		0		59.90	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Silver (ionic)	12/1/2001	11/30/2008	0		0		0.80	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Zinc	12/1/2001	11/30/2008	8		0		100.72	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Chromium	12/1/2001	11/30/2008	14		0		484.98	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	14		0		27.65	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	12/1/2001	11/30/2008	14		0		360.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Aluminum	12/1/2001	11/30/2008	11		0		991.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/1/2001	11/30/2008	14		0		1,245.85	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2001	11/30/2008	13	2.43			10.80	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2001	11/30/2008	8	4.62			91.97	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Lead	12/1/2001	11/30/2008	14	0.50			2.08	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2001	11/30/2008	14	3.11			157.32	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	14	0.15			0.92	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic	12/1/2001	11/30/2008	14	2.73			190.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/1/2001	11/30/2008	14	7.58			138.36	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0823A_01 From the confluence with Lake Lewisville in Denton Co., up to FM 455 in Collin Co. (Lower 12 miles of segment).

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Single Sample	E. coli	12/1/2001	11/30/2008	16		1	430	394.00	AD	FS	<input type="checkbox"/>	FS		
Bacteria Single Sample	Fecal coliform	12/1/2001	11/30/2008	12		1	6000	400.00	SM	FS	<input type="checkbox"/>	FS		
Bacteria Geomean	E. coli	12/1/2001	11/30/2008	16	30.16			126.00	AD	FS	<input type="checkbox"/>	FS		
Bacteria Geomean	Fecal coliform	12/1/2001	11/30/2008	12	105.16			200.00	SM	FS	<input type="checkbox"/>	FS		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Lead	12/1/2001	11/30/2008	14	0.50			25.30	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Chromium	12/1/2001	11/30/2008	14	3.11			3,320.00	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

Segment New
in 2010? No

SEGID 0823B Stewart Creek (unclassified water body)

AUID 0823B_01

Entire segment.

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	22		0		5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	22		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Aluminum	12/1/2001	11/30/2008	19		0		991.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	12/1/2001	11/30/2008	20		0		360.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	20		0		95.50	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2001	11/30/2008	19		0		1,192.70	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2001	11/30/2008	18		1	35	44.79	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2001	11/30/2008	18		0		242.60	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/1/2001	11/30/2008	19		0		3,156.18	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Selenium	12/1/2001	11/30/2008	17		0		20.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2001	11/30/2008	19		0		255.52	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Silver (ionic)	12/1/2001	11/30/2008	20		0		0.80	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2001	11/30/2008	18	0.53			2.08	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2001	11/30/2008	19	35.67			91.97	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/1/2001	11/30/2008	19	5.03			138.36	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2001	11/30/2008	19	2.00			157.32	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	20	0.12			0.92	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic	12/1/2001	11/30/2008	20	2.08			190.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Selenium	12/1/2001	11/30/2008	17	0.39			5.00	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0823B_01 Entire segment.

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Chronic Toxic Substances in water	Copper	12/1/2001	11/30/2008	18	18.78			25.90	AD	FS	<input type="checkbox"/>	FS		
Toxic Substances in sediment	Manganese	12/1/2001	11/30/2008	9		2	1455	1,100.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Iron	12/1/2001	11/30/2008	8		0		40,000.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Zinc	12/1/2001	11/30/2008	9		0		459.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Mercury	12/1/2001	11/30/2008	10		0		1.06	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Lead	12/1/2001	11/30/2008	9		0		128.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Copper	12/1/2001	11/30/2008	9		0		149.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Chromium	12/1/2001	11/30/2008	9		0		111.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Cadmium	12/1/2001	11/30/2008	10		0		4.98	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Nickel	12/1/2001	11/30/2008	9		0		48.60	LD	NC	<input type="checkbox"/>	NC		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Single Sample	E. coli	12/1/2001	11/30/2008	21		5	2063.8	394.00	AD	FS	<input type="checkbox"/>	FS		
Bacteria Single Sample	Fecal coliform	12/1/2001	11/30/2008	6		2	10300	400.00	SM	NC	<input type="checkbox"/>	NC		
Bacteria Geomean	E. coli	12/1/2001	11/30/2008	21	54.61			126.00	AD	FS	<input type="checkbox"/>	FS		
Bacteria Geomean	Fecal coliform	12/1/2001	11/30/2008	6	145.54			200.00	SM	NC	<input type="checkbox"/>	NC		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	23		23	2.19	0.37	AD	CS	<input type="checkbox"/>	CS	orthophosphorus	
Nutrient Screening Levels	Chlorophyll-a	12/1/2001	11/30/2008	23		0		14.10	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	23		23	10.98	1.95	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	23		22	2.39	0.69	AD	CS	<input type="checkbox"/>	CS	total phosphorus	

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID	0823B_01	Entire segment.
-------------	-----------------	-----------------

USE	General Use
------------	--------------------

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	23		4	0.86	0.33	AD	NC	<input type="checkbox"/>	NC		

USE	Fish Consumption Use
------------	-----------------------------

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Chromium	12/1/2001	11/30/2008	19	2.00			3,320.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2001	11/30/2008	18	0.53			25.30	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

Segment New
in 2010? **No**

SEGID 0823C Clear Creek (unclassified water body)

AUID 0823C_01

Lower 25 miles of segment

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	61		5	4.14	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	61		1	2.9	3.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2001	11/30/2008	6		0		100.72	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Silver (ionic)	12/1/2001	11/30/2008	0		0		0.80	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Nickel	12/1/2001	11/30/2008	10		0		1,245.85	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2001	11/30/2008	10		0		59.90	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2001	11/30/2008	10		0		484.98	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	10		0		27.65	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Aluminum	12/1/2001	11/30/2008	8		0		991.00	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Arsenic	12/1/2001	11/30/2008	10		0		360.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2001	11/30/2008	9		0		15.99	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Lead	12/1/2001	11/30/2008	10	0.50			2.08	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic	12/1/2001	11/30/2008	10	2.50			190.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/1/2001	11/30/2008	10	3.23			138.36	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2001	11/30/2008	9	1.24			10.80	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Chromium	12/1/2001	11/30/2008	10	3.25			157.32	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	10	0.15			0.92	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2001	11/30/2008	6	3.58			91.97	LD	NC	<input type="checkbox"/>	NC		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0823C_01 Lower 25 miles of segment

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Single Sample	Fecal coliform	12/1/2001	11/30/2008	12		1	14000	400.00	AD	FS	<input type="checkbox"/>	FS		
Bacteria Geomean	Fecal coliform	12/1/2001	11/30/2008	12	122.31			200.00	AD	FS	<input type="checkbox"/>	FS		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Chromium	12/1/2001	11/30/2008	10	3.25			3,320.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2001	11/30/2008	10	0.50			25.30	AD	FS	<input type="checkbox"/>	FS		

Segment New in 2010? Yes

SEGID 0823D Doe Branch (unclassified water body)

AUID 0823D_01 From the confluence (NHD RC 12030103023518) with Lake Lewisville/Elm Fork Trinity in Denton County to the headwaters (NHD RC 12030103005935) northeast of Celina, Collin Co., TX.

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	5		0		2.00	LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	5		0		1.50	LD	NC	<input type="checkbox"/>	NC		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	5		0		0.33	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	5		0		0.37	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	5		3	5.84	1.95	LD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	5		0		0.69	LD	NC	<input type="checkbox"/>	NC		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

Segment New
in 2010? **No**

SEGID 0824 Elm Fork Trinity River Above Ray Roberts Lake

AUID 0824_01

Lower 7.5 miles of segment

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	78		5	4.06	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	78		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2001	11/30/2008	14		0		722.84	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Silver (ionic)	12/1/2001	11/30/2008	10		0		0.80	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2001	11/30/2008	9		0		152.20	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Nickel	12/1/2001	11/30/2008	14		0		1,881.51	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2001	11/30/2008	14		0		25.30	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	14		0		47.91	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	12/1/2001	11/30/2008	14		0		360.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Aluminum	12/1/2001	11/30/2008	11		0		991.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2001	11/30/2008	14		0		111.39	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2001	11/30/2008	14	3.50			234.48	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2001	11/30/2008	9	14.38			138.98	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Nickel	12/1/2001	11/30/2008	14	4.25			208.96	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2001	11/30/2008	14	0.50			3.87	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	14	0.19			1.34	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic	12/1/2001	11/30/2008	14	2.50			190.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2001	11/30/2008	14	3.38			16.38	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0824_01 Lower 7.5 miles of segment

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Single Sample	E. coli	12/1/2001	11/30/2008	17		1	440	394.00	AD	FS	<input type="checkbox"/>	FS		
Bacteria Single Sample	Fecal coliform	12/1/2001	11/30/2008	12		5	10000	400.00	SM	NS	<input type="checkbox"/>	NS		
Bacteria Geomean	Fecal coliform	12/1/2001	11/30/2008	12	628.73			200.00	SM	NS	<input type="checkbox"/>	NS		
Bacteria Geomean	E. coli	12/1/2001	11/30/2008	17	85.86			126.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2001	11/30/2008	80		0		32.20	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2001	11/30/2008	80		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2001	11/30/2008	80		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	103	420.81			700.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2001	11/30/2008	42	34.52			110.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2001	11/30/2008	28	38.67			90.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	3		2	1.49	0.69	ID	NA	<input checked="" type="checkbox"/>	CS	total phosphorus	
Nutrient Screening Levels	Chlorophyll-a	12/1/2001	11/30/2008	4		3	35.47	14.10	LD	CS	<input type="checkbox"/>	CS	chlorophyll-a	
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	5		3	1.18	0.37	LD	CS	<input type="checkbox"/>	CS	orthophosphorus	
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	5		5	4.61	1.95	LD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	5		0		0.33	LD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Cadmium	12/1/2001	11/30/2008	14	0.19			5.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Chromium	12/1/2001	11/30/2008	14	3.50			100.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2001	11/30/2008	14	0.50			4.98	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0824_01 Lower 7.5 miles of segment

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Barium	12/1/2001	11/30/2008	14	57.10			2,000.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nitrate	12/1/2001	11/30/2008	5	4.61			10,000.00	LD	NC	<input type="checkbox"/>	NC		
Surface Water HH criteria for PWS average	Cadmium	12/1/2001	11/30/2008	14	0.19			5.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Arsenic	12/1/2001	11/30/2008	14	2.50			50.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Lead	12/1/2001	11/30/2008	14	0.50			4.98	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0824_02 2 mile reach near unmarked county road, 1.4 km downstream Gainesville WWTP

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	5		0		5.00	LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	5		0		3.00	LD	NC	<input type="checkbox"/>	NC		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2001	11/30/2008	5		0		32.20	LD	NC	<input type="checkbox"/>	NC		
High pH	pH	12/1/2001	11/30/2008	5		0		9.00	LD	NC	<input type="checkbox"/>	NC		
Low pH	pH	12/1/2001	11/30/2008	5		0		6.50	LD	NC	<input type="checkbox"/>	NC		
Dissolved Solids	Sulfate	12/1/2001	11/30/2008	28	38.67			90.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2001	11/30/2008	42	34.52			110.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	103	420.81			700.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	5		5	7.39	1.95	LD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	4		3	1.33	0.37	LD	CS	<input type="checkbox"/>	CS	orthophosphorus	
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	5		0		0.33	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	2		1	3.45	0.69	ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Chlorophyll-a	12/1/2001	11/30/2008	4		1	33.4	14.10	LD	NC	<input type="checkbox"/>	NC		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2001	11/30/2008	5	7.39			10,000.00	LD	NC	<input type="checkbox"/>	NC		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0824_03 3.5 mile reach near SH 51

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	34		6	4.12	5.00	AD	CS	<input type="checkbox"/>	CS	depressed dissolved oxygen	
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	34		1	2.6	3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Single Sample	E. coli	12/1/2001	11/30/2008	66		10	1587.2	394.00	AD	FS	<input type="checkbox"/>	FS		
Bacteria Single Sample	Fecal coliform	12/1/2001	11/30/2008	5		2	2250	400.00	SM	NC	<input type="checkbox"/>	NC		
Bacteria Geomean	E. coli	12/1/2001	11/30/2008	66	80.88			126.00	AD	FS	<input type="checkbox"/>	FS		
Bacteria Geomean	Fecal coliform	12/1/2001	11/30/2008	5	186.14			200.00	SM	NC	<input type="checkbox"/>	NC		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2001	11/30/2008	34		0		32.20	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2001	11/30/2008	34		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2001	11/30/2008	34		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	103	420.81			700.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2001	11/30/2008	42	34.52			110.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2001	11/30/2008	28	38.67			90.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	33		0		0.69	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2001	11/30/2008	33		13	29.48	14.10	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	33		2	0.62	0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	34		0		0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	33		3	2.26	1.95	AD	NC	<input type="checkbox"/>	NC		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID	0824_03	3.5 mile reach near SH 51
-------------	----------------	---------------------------

USE	Public Water Supply Use
------------	--------------------------------

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2001	11/30/2008	33	0.97			10,000.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Fluoride	12/1/2001	11/30/2008	27	0.21			4.00	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0824_04 25 mile reach near FM 3108

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	5		1	4.9	5.00	LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	5		0		3.00	LD	NC	<input type="checkbox"/>	NC		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2001	11/30/2008	5		0		32.20	LD	NC	<input type="checkbox"/>	NC		
High pH	pH	12/1/2001	11/30/2008	5		0		9.00	LD	NC	<input type="checkbox"/>	NC		
Low pH	pH	12/1/2001	11/30/2008	5		0		6.50	LD	NC	<input type="checkbox"/>	NC		
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	103	420.81			700.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2001	11/30/2008	42	34.52			110.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2001	11/30/2008	28	38.67			90.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	5		0		1.95	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	5		0		0.37	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	5		0		0.33	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	4		0		0.69	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2001	11/30/2008	4		1	32.8	14.10	LD	NC	<input type="checkbox"/>	NC		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2001	11/30/2008	5	0.70			10,000.00	LD	NC	<input type="checkbox"/>	NC		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0824_05 Upper 48 miles of segment

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Sulfate	12/1/2001	11/30/2008	28	38.67			90.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	103	420.81			700.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2001	11/30/2008	42	34.52			110.00	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

Segment New
in 2010? **No**

SEGID 0825 Denton Creek

AUID 0825_01

Entire segment

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	86		4	4.3	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	86		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2001	11/30/2008	18		0		438.28	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2001	11/30/2008	16		0		90.70	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/1/2001	11/30/2008	18		0		1,122.15	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Silver (ionic)	12/1/2001	11/30/2008	16		0		0.80	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	18		0		24.05	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	12/1/2001	11/30/2008	17		0		360.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Aluminum	12/1/2001	11/30/2008	17		0		991.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2001	11/30/2008	18		0		51.18	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2001	11/30/2008	17		0		14.23	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2001	11/30/2008	17	1.60			9.72	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2001	11/30/2008	16	5.45			82.83	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2001	11/30/2008	18	0.35			1.78	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2001	11/30/2008	18	2.36			142.17	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	18	0.11			0.83	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic	12/1/2001	11/30/2008	17	2.51			190.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/1/2001	11/30/2008	18	2.77			124.62	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0825_01 Entire segment

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Single Sample	E. coli	12/1/2001	11/30/2008	24		2	1071.5	394.00	AD	FS	<input type="checkbox"/>	FS		
Bacteria Geomean	E. coli	12/1/2001	11/30/2008	24	55.44			126.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2001	11/30/2008	86		0		32.20	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2001	11/30/2008	86		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2001	11/30/2008	86		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2001	11/30/2008	25	44.60			60.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2001	11/30/2008	25	32.28			80.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	80	261.62			500.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	31		3	2.24	1.95	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	31		2	0.62	0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	30		2	1.38	0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	25		1	0.81	0.69	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2001	11/30/2008	24		3	17.73	14.10	AD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Cadmium	12/1/2001	11/30/2008	18	0.11			5.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Chromium	12/1/2001	11/30/2008	18	2.36			100.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2001	11/30/2008	18	0.35			4.98	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0825_01 Entire segment

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2001	11/30/2008	31	0.84			10,000.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Arsenic	12/1/2001	11/30/2008	17	2.51			50.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Barium	12/1/2001	11/30/2008	18	55.54			2,000.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Cadmium	12/1/2001	11/30/2008	18	0.11			5.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Fluoride	12/1/2001	11/30/2008	25	0.28			4.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Lead	12/1/2001	11/30/2008	18	0.35			4.98	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

Segment New
in 2010? No

SEGID 0826 Grapevine Lake

AUID 0826_01

Lowermost portion of reservoir

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	81		3	3.6	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	81		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Aluminum	12/1/2001	11/30/2008	13		0		991.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	12/1/2001	11/30/2008	15		0		360.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	15		0		30.57	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2001	11/30/2008	15		0		521.62	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2001	11/30/2008	14		0		17.38	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2001	11/30/2008	15		0		67.08	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/1/2001	11/30/2008	15		0		1,343.22	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2001	11/30/2008	10		0		108.60	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Silver (ionic)	12/1/2001	11/30/2008	10		0		0.80	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/1/2001	11/30/2008	15	3.59			149.18	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2001	11/30/2008	10	3.52			99.17	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2001	11/30/2008	15	0.50			2.33	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2001	11/30/2008	15	3.10			169.21	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	15	0.15			0.98	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic	12/1/2001	11/30/2008	15	2.50			190.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2001	11/30/2008	14	1.15			11.65	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID	0826_01	Lowermost portion of reservoir
-------------	----------------	--------------------------------

USE	Recreation Use
------------	-----------------------

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Single Sample	Fecal coliform	12/1/2001	11/30/2008	7		0		400.00	LD	NC	<input type="checkbox"/>	NC		
Bacteria Geomean	Fecal coliform	12/1/2001	11/30/2008	7	1.43			200.00	LD	NC	<input type="checkbox"/>	NC		

USE	General Use
------------	--------------------

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2001	11/30/2008	95		0		33.90	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2001	11/30/2008	82		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2001	11/30/2008	82		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	207	227.23			500.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2001	11/30/2008	39	25.30			80.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	11		0		0.05	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	11		0		0.11	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	12		4	0.53	0.37	AD	NC	<input type="checkbox"/>	NC		

USE	Fish Consumption Use
------------	-----------------------------

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Cadmium	12/1/2001	11/30/2008	15	0.15			5.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Chromium	12/1/2001	11/30/2008	15	3.10			100.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2001	11/30/2008	15	0.50			4.98	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Benzene	12/1/2001	11/30/2008	10	0.12			5.00	AD	FS	<input type="checkbox"/>	FS		

USE	Public Water Supply Use
------------	--------------------------------

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Lead	12/1/2001	11/30/2008	15	0.50			4.98	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Benzene	12/1/2001	11/30/2008	10	0.12			5.00	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0826_01 Lowermost portion of reservoir

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2001	11/30/2008	22	0.29			10,000.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Arsenic	12/1/2001	11/30/2008	15	2.50			50.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Barium	12/1/2001	11/30/2008	15	54.10			2,000.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Cadmium	12/1/2001	11/30/2008	15	0.15			5.00	AD	FS	<input type="checkbox"/>	FS		

AUID 0826_02 Morehead Creek cove

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	207	227.23			500.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2001	11/30/2008	39	25.30			80.00	AD	FS	<input type="checkbox"/>	FS		

AUID 0826_03 Lower portion of reservoir north of Oak Grove Park

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	207	227.23			500.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2001	11/30/2008	39	25.30			80.00	AD	FS	<input type="checkbox"/>	FS		

AUID 0826_04 North Main Slough cove

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	207	227.23			500.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2001	11/30/2008	39	25.30			80.00	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0826_05 Middle portion of reservoir east of Meadowmere Park

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	74		2	4.66	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	74		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2001	11/30/2008	14		0		17.38	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Silver (ionic)	12/1/2001	11/30/2008	10		0		0.80	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2001	11/30/2008	10		0		108.60	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2001	11/30/2008	15		0		67.08	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2001	11/30/2008	15		0		521.62	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	15		0		30.57	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	12/1/2001	11/30/2008	15		0		360.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Aluminum	12/1/2001	11/30/2008	12		0		991.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/1/2001	11/30/2008	15		0		1,343.22	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2001	11/30/2008	15	2.97			169.21	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2001	11/30/2008	10	4.84			99.17	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/1/2001	11/30/2008	15	3.27			149.18	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2001	11/30/2008	14	1.35			11.65	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	15	0.15			0.98	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic	12/1/2001	11/30/2008	15	2.50			190.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2001	11/30/2008	15	0.50			2.33	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Single Sample	Fecal coliform	12/1/2001	11/30/2008	7		0		400.00	LD	NC	<input type="checkbox"/>	NC		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0826_05 Middle portion of reservoir east of Meadowmere Park

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	Fecal coliform	12/1/2001	11/30/2008	7	1.10			200.00	LD	NC	<input type="checkbox"/>	NC		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2001	11/30/2008	81		0		33.90	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2001	11/30/2008	75		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2001	11/30/2008	75		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2001	11/30/2008	39	25.30			80.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	207	227.23			500.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	12		4	0.48	0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	11		0		0.05	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	12		0		0.11	AD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Cadmium	12/1/2001	11/30/2008	15	0.15			5.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Chromium	12/1/2001	11/30/2008	15	2.97			100.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2001	11/30/2008	15	0.50			4.98	AD	FS	<input type="checkbox"/>	FS		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Barium	12/1/2001	11/30/2008	15	55.94			2,000.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nitrate	12/1/2001	11/30/2008	24	0.25			10,000.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Cadmium	12/1/2001	11/30/2008	15	0.15			5.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Arsenic	12/1/2001	11/30/2008	15	2.50			50.00	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0826_05 Middle portion of reservoir east of Meadowmere Park

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Lead	12/1/2001	11/30/2008	15	0.50			4.98	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0826_06 Middle portion of reservoir southeast of Walnut Grove Park

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	74		1	4.7	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	74		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2001	11/30/2008	15		0		67.08	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Aluminum	12/1/2001	11/30/2008	15		0		991.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2001	11/30/2008	10		0		108.60	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Silver (ionic)	12/1/2001	11/30/2008	10		0		0.80	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/1/2001	11/30/2008	15		0		1,343.22	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2001	11/30/2008	15		0		17.38	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2001	11/30/2008	15		0		521.62	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	12/1/2001	11/30/2008	15		0		360.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	15		0		30.57	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic	12/1/2001	11/30/2008	15	2.50			190.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	15	0.15			0.98	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2001	11/30/2008	15	2.97			169.21	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2001	11/30/2008	15	1.28			11.65	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2001	11/30/2008	15	0.50			2.33	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/1/2001	11/30/2008	15	3.07			149.18	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2001	11/30/2008	10	5.41			99.17	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2001	11/30/2008	81		0		33.90	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0826_06 Middle portion of reservoir southeast of Walnut Grove Park

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
High pH	pH	12/1/2001	11/30/2008	75		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2001	11/30/2008	75		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	207	227.23			500.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2001	11/30/2008	39	25.30			80.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	12		2	0.41	0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	12		0		0.05	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	12		0		0.11	AD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Chromium	12/1/2001	11/30/2008	15	2.97			100.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2001	11/30/2008	15	0.50			4.98	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Cadmium	12/1/2001	11/30/2008	15	0.15			5.00	AD	FS	<input type="checkbox"/>	FS		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Barium	12/1/2001	11/30/2008	15	55.80			2,000.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Cadmium	12/1/2001	11/30/2008	15	0.15			5.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Lead	12/1/2001	11/30/2008	15	0.50			4.98	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nitrate	12/1/2001	11/30/2008	24	0.22			10,000.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Arsenic	12/1/2001	11/30/2008	15	2.50			50.00	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0826_07 Upper portion of reservoir east of Marshall Creek Park

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	12		0		5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	12		0		3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Single Sample	Fecal coliform	12/1/2001	11/30/2008	7		0		400.00	LD	NC	<input type="checkbox"/>	NC		
Bacteria Geomean	Fecal coliform	12/1/2001	11/30/2008	7	2.42			200.00	LD	NC	<input type="checkbox"/>	NC		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2001	11/30/2008	24		0		33.90	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2001	11/30/2008	12		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2001	11/30/2008	12		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	207	227.23			500.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2001	11/30/2008	39	25.30			80.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	22		0		0.11	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	24		10	0.4	0.37	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	23		0		0.05	AD	NC	<input type="checkbox"/>	NC		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2001	11/30/2008	44	0.26			10,000.00	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0826_08 Remainder of reservoir

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/1/2001	11/30/2008	39	25.30			80.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	207	227.23			500.00	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

Segment New
in 2010? **No**

SEGID 0826A Denton Creek (unclassified water body)

AUID 0826A_01

Lower 7.9 miles of creek

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	73		2	4.3	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	73		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2001	11/30/2008	13		0		59.90	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Silver (ionic)	12/1/2001	11/30/2008	0		0		0.80	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Zinc	12/1/2001	11/30/2008	10		0		100.72	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Aluminum	12/1/2001	11/30/2008	11		0		991.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/1/2001	11/30/2008	13		0		1,245.85	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2001	11/30/2008	13		0		484.98	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	12/1/2001	11/30/2008	13		0		360.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	13		0		27.65	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2001	11/30/2008	12		0		15.99	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic	12/1/2001	11/30/2008	13	2.50			190.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	13	0.15			0.92	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2001	11/30/2008	13	3.62			157.32	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2001	11/30/2008	12	3.34			10.80	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2001	11/30/2008	13	0.50			2.08	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/1/2001	11/30/2008	13	4.24			138.36	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2001	11/30/2008	10	24.33			91.97	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0826A_01 Lower 7.9 miles of creek

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Single Sample	Fecal coliform	12/1/2001	11/30/2008	13		2	24370	400.00	AD	FS	<input type="checkbox"/>	FS		
Bacteria Geomean	Fecal coliform	12/1/2001	11/30/2008	13	55.04			200.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008						ID	NA	<input checked="" type="checkbox"/>	CS	nitrate	

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Chromium	12/1/2001	11/30/2008	13	3.62			3,320.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2001	11/30/2008	13	0.50			25.30	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0826A_02 15.7 miles upstream to 7.4 miles down stream of FM 156

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	63		7	4.13	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	63		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Aluminum	12/1/2001	11/30/2008	17		0		991.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	12/1/2001	11/30/2008	18		0		360.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	18		0		27.65	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2001	11/30/2008	18		0		484.98	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2001	11/30/2008	17		0		15.99	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2001	11/30/2008	18		0		59.90	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/1/2001	11/30/2008	18		0		1,245.85	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2001	11/30/2008	15		0		100.72	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Silver (ionic)	12/1/2001	11/30/2008	7		0		0.80	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Chromium	12/1/2001	11/30/2008	18	2.43			157.32	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/1/2001	11/30/2008	18	3.25			138.36	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2001	11/30/2008	15	5.61			91.97	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	18	0.10			0.92	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic	12/1/2001	11/30/2008	18	2.24			190.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2001	11/30/2008	18	0.33			2.08	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2001	11/30/2008	17	1.79			10.80	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Single Sample	Fecal coliform	12/1/2001	11/30/2008	13		2	29700	400.00	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0826A_02 15.7 miles upstream to 7.4 miles down stream of FM 156

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	Fecal coliform	12/1/2001	11/30/2008	13	123.46			200.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	7		0		0.33	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	7		0		1.95	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	7		0		0.37	LD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Chromium	12/1/2001	11/30/2008	18	2.43			3,320.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2001	11/30/2008	18	0.33			25.30	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

Segment New
in 2010? **No**

SEGID 0826C Henrietta Creek (unclassified water body)

AUID

0826C_01

Entire segment

USE

Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	7		0		5.00	LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	7		0		3.00	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	7		0		47.91	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Silver (ionic)	12/1/2001	11/30/2008	7		0		0.80	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Zinc	12/1/2001	11/30/2008	7		0		152.20	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Nickel	12/1/2001	11/30/2008	7		0		1,881.51	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Lead	12/1/2001	11/30/2008	7		0		111.39	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Chromium	12/1/2001	11/30/2008	7		0		722.84	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Arsenic	12/1/2001	11/30/2008	6		0		360.00	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Aluminum	12/1/2001	11/30/2008	7		0		991.00	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Copper	12/1/2001	11/30/2008	7		0		25.30	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Arsenic	12/1/2001	11/30/2008	6	1.29			190.00	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	7	0.02			0.92	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Chromium	12/1/2001	11/30/2008	7	0.40			157.32	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Copper	12/1/2001	11/30/2008	7	1.45			10.80	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Lead	12/1/2001	11/30/2008	7	0.15			2.08	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Nickel	12/1/2001	11/30/2008	7	2.18			138.36	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Zinc	12/1/2001	11/30/2008	7	1.50			91.97	LD	NC	<input type="checkbox"/>	NC		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID	0826C_01	Entire segment
-------------	-----------------	----------------

USE	General Use
------------	--------------------

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	7		0		1.95	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	7		0		0.37	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	7		0		0.33	LD	NC	<input type="checkbox"/>	NC		

USE	Fish Consumption Use
------------	-----------------------------

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Chromium	12/1/2001	11/30/2008	7	0.40			3,320.00	LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Lead	12/1/2001	11/30/2008	7	0.15			25.30	LD	NC	<input type="checkbox"/>	NC		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

Segment New
in 2010? **No**

SEGID 0827 White Rock Lake

AUID 0827_01

Entire segment

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	1		0		5.00	ID	NA	<input type="checkbox"/>	NA		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	1		0		3.00	ID	NA	<input type="checkbox"/>	NA		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Single Sample	E. coli	12/1/2001	11/30/2008	1		0		394.00	ID	NA	<input type="checkbox"/>	NA		
Bacteria Geomean	E. coli	12/1/2001	11/30/2008	1	2.00			126.00	ID	NA	<input type="checkbox"/>	NA		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
High pH	pH	12/1/2001	11/30/2008	1		0		9.00	ID	NA	<input type="checkbox"/>	NA		
Low pH	pH	12/1/2001	11/30/2008	1		0		6.50	ID	NA	<input type="checkbox"/>	NA		
Dissolved Solids	Chloride	12/1/2001	11/30/2008	1	19.40			100.00	ID	NA	<input type="checkbox"/>	NA		
Dissolved Solids	Sulfate	12/1/2001	11/30/2008	1	31.20			100.00	ID	NA	<input type="checkbox"/>	NA		
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	1	184.00			400.00	ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	1		0		0.20	ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Chlorophyll-a	12/1/2001	11/30/2008	1		1	32.1	26.70	ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	1		0		0.05	ID	NA	<input type="checkbox"/>	NA		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

Segment New
in 2010? **No**

SEGID 0827A White Rock Creek above White Rock Lake (unclassified water body)

AUID 0827A_01 From the headwaters of White Rock Lake upstream to the upper end of the water body at NHD RC 12030105001118.

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	70		1	3.9	4.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	70		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	12/1/2001	11/30/2008	3		0		360.00	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Nickel	12/1/2001	11/30/2008	2		0		2,017.07	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Zinc	12/1/2001	11/30/2008	2		0		163.19	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Lead	12/1/2001	11/30/2008	3		0		123.69	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Copper	12/1/2001	11/30/2008	3		0		27.34	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	3		0		52.57	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Aluminum	12/1/2001	11/30/2008	2		0		991.00	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Chromium	12/1/2001	11/30/2008	3		0		773.21	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Arsenic	12/1/2001	11/30/2008	3	2.50			190.00	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	3	0.15			0.92	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Chromium	12/1/2001	11/30/2008	3	2.50			157.32	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Copper	12/1/2001	11/30/2008	3	2.17			10.80	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Lead	12/1/2001	11/30/2008	3	0.50			2.08	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Nickel	12/1/2001	11/30/2008	2	2.22			138.36	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Zinc	12/1/2001	11/30/2008	2	2.50			91.97	ID	NA	<input type="checkbox"/>	NA		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Single Sample	E. coli	12/1/2001	11/30/2008	6		5	2780	394.00	LD	NS	<input type="checkbox"/>	PI	bacteria	

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0827A_01 From the headwaters of White Rock Lake upstream to the upper end of the water body at NHD RC 12030105001118.

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2001	11/30/2008	6	1554.27			126.00	LD	CN	<input type="checkbox"/>	CN	bacteria	

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	71		7	0.57	0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2001	11/30/2008	7		0		14.10	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	71		27	2.35	1.95	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	71		2	0.98	0.69	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	71		0		0.33	AD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	1,2-Dibromoethane	12/1/2001	11/30/2008	11	0.02			0.34	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Methyl ethyl ketone	12/1/2001	11/30/2008	11	2.50			#####	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Chloroform	12/1/2001	11/30/2008	11	0.31			1,292.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Vinyl chloride	12/1/2001	11/30/2008	11	0.05			415.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	1,1,1-Trichloroethane	12/1/2001	11/30/2008	11	0.02			12,586.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Tetrachloroethene	12/1/2001	11/30/2008	11	0.01			323.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	1,1-Dichloroethylene	12/1/2001	11/30/2008	11	0.02			5.84	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Carbon tetrachloride	12/1/2001	11/30/2008	11	0.03			8.40	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Benzene	12/1/2001	11/30/2008	11	0.02			106.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Trichloroethene	12/1/2001	11/30/2008	11	0.02			612.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2001	11/30/2008	3	0.50			25.30	ID	NA	<input type="checkbox"/>	NA		
HH Bioaccumulative Toxics in water	Hexachloroethane	12/1/2001	11/30/2008	11	0.10			278.00	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID

0827A_01

From the headwaters of White Rock Lake upstream to the upper end of the water body at NHD RC 12030105001118.

USE

Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Acrylonitrile	12/1/2001	11/30/2008	11	0.50			10.90	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Chromium	12/1/2001	11/30/2008	3	2.50			3,320.00	ID	NA	<input type="checkbox"/>	NA		
HH Bioaccumulative Toxics in water	Chlorobenzene	12/1/2001	11/30/2008	11	0.02			1,380.00	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

Segment New
in 2010? **No**

SEGID 0828 Lake Arlington

AUID 0828_01

Lowermost portion of lake along western half of dam

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	3		0		5.00	ID	NA	<input type="checkbox"/>	NA		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	3		0		3.00	ID	NA	<input type="checkbox"/>	NA		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2001	11/30/2008	4		0		33.90	LD	NC	<input type="checkbox"/>	NC		
High pH	pH	12/1/2001	11/30/2008	3		0		9.00	ID	NA	<input type="checkbox"/>	NA		
Low pH	pH	12/1/2001	11/30/2008	3		0		6.50	ID	NA	<input type="checkbox"/>	NA		
Dissolved Solids	Chloride	12/1/2001	11/30/2008	80	19.45			100.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2001	11/30/2008	26	34.26			100.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	107	200.89			300.00	AD	FS	<input type="checkbox"/>	FS		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bioaccumulative Toxics in fish tissue	Mercury	12/1/2001	11/30/2008	2		0		0.53	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Heptachlor epoxide	12/1/2001	11/30/2008	2		0		0.25	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Toxaphene	12/1/2001	11/30/2008	2		0		0.83	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Zinc	12/1/2001	11/30/2008	2		0		525.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Selenium	12/1/2001	11/30/2008	2		0		4.38	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	PCBs	12/1/2001	11/30/2008	2		0		0.13	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Nickel	12/1/2001	11/30/2008	2		0		35.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Mirex	12/1/2001	11/30/2008	2		0		0.04	ID	NA	<input type="checkbox"/>	NA		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID	0828_01	Lowermost portion of lake along western half of dam
-------------	---------	---

USE	Fish Consumption Use
------------	----------------------

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bioaccumulative Toxics in fish tissue	Cadmium	12/1/2001	11/30/2008	2		0		0.23	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Hexachlorobenzene (HCB)	12/1/2001	11/30/2008	2		0		0.61	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Arsenic	12/1/2001	11/30/2008	2		0		0.04	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Chromium	12/1/2001	11/30/2008	2		0		5.25	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Copper	12/1/2001	11/30/2008	2		0		250.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Dieldrin	12/1/2001	11/30/2008	2		0		0.06	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Heptachlor	12/1/2001	11/30/2008	2		0		0.20	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Lead	12/1/2001	11/30/2008	2		0		0.60	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Aldrin	12/1/2001	11/30/2008	2		0		0.14	ID	NA	<input type="checkbox"/>	NA		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0828_02 Lowermost portion of lake along eastern half of dam

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	29		0		5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	29		0		3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Single Sample	E. coli	12/1/2001	11/30/2008	56		0		394.00	AD	FS	<input type="checkbox"/>	FS		
Bacteria Single Sample	Fecal coliform	12/1/2001	11/30/2008	10		0		400.00	SM	FS	<input type="checkbox"/>	FS		
Bacteria Geomean	E. coli	12/1/2001	11/30/2008	56	6.25			126.00	AD	FS	<input type="checkbox"/>	FS		
Bacteria Geomean	Fecal coliform	12/1/2001	11/30/2008	10	14.44			200.00	SM	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2001	11/30/2008	30		1	34.1	33.90	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2001	11/30/2008	29		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2001	11/30/2008	29		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2001	11/30/2008	80	19.45			100.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2001	11/30/2008	26	34.26			100.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	107	200.89			300.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Chlorophyll-a	12/1/2001	11/30/2008	26		19	41.94	26.70	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	30		1	0.55	0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	30		0		0.05	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	30		0		0.11	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	26		0		0.20	AD	NC	<input type="checkbox"/>	NC		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0828_02 Lowermost portion of lake along eastern half of dam

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bioaccumulative Toxics in fish tissue	Lead	12/1/2001	11/30/2008	2		0		0.60	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Mercury	12/1/2001	11/30/2008	2		0		0.53	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Mirex	12/1/2001	11/30/2008	2		0		0.04	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Nickel	12/1/2001	11/30/2008	2		0		35.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	PCBs	12/1/2001	11/30/2008	2		0		0.13	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Selenium	12/1/2001	11/30/2008	2		0		4.38	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Toxaphene	12/1/2001	11/30/2008	2		0		0.83	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Dieldrin	12/1/2001	11/30/2008	2		0		0.06	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Zinc	12/1/2001	11/30/2008	2		0		525.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Heptachlor	12/1/2001	11/30/2008	2		0		0.20	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Heptachlor epoxide	12/1/2001	11/30/2008	2		0		0.25	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Copper	12/1/2001	11/30/2008	2		0		250.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Chromium	12/1/2001	11/30/2008	2		0		5.25	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Cadmium	12/1/2001	11/30/2008	2		0		0.23	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Arsenic	12/1/2001	11/30/2008	2		0		0.04	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Aldrin	12/1/2001	11/30/2008	2		0		0.14	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Hexachlorobenzene (HCB)	12/1/2001	11/30/2008	2		0		0.61	ID	NA	<input type="checkbox"/>	NA		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2001	11/30/2008	59	0.11			10,000.00	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID	0828_03	Western half of lower portion of lake
-------------	----------------	---------------------------------------

USE	Aquatic Life Use
------------	-------------------------

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	3		0		5.00	ID	NA	<input type="checkbox"/>	NA		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	3		0		3.00	ID	NA	<input type="checkbox"/>	NA		

USE	General Use
------------	--------------------

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2001	11/30/2008	4		0		33.90	LD	NC	<input type="checkbox"/>	NC		
High pH	pH	12/1/2001	11/30/2008	3		0		9.00	ID	NA	<input type="checkbox"/>	NA		
Low pH	pH	12/1/2001	11/30/2008	3		0		6.50	ID	NA	<input type="checkbox"/>	NA		
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	107	200.89			300.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2001	11/30/2008	80	19.45			100.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2001	11/30/2008	26	34.26			100.00	AD	FS	<input type="checkbox"/>	FS		

USE	Fish Consumption Use
------------	-----------------------------

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bioaccumulative Toxics in fish tissue	Hexachlorobenzene (HCB)	12/1/2001	11/30/2008	2		0		0.61	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Zinc	12/1/2001	11/30/2008	2		0		525.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Selenium	12/1/2001	11/30/2008	2		0		4.38	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	PCBs	12/1/2001	11/30/2008	2		0		0.13	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Nickel	12/1/2001	11/30/2008	2		0		35.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Mirex	12/1/2001	11/30/2008	2		0		0.04	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Mercury	12/1/2001	11/30/2008	2		0		0.53	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Lead	12/1/2001	11/30/2008	2		0		0.60	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Heptachlor	12/1/2001	11/30/2008	2		0		0.20	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Dieldrin	12/1/2001	11/30/2008	2		0		0.06	ID	NA	<input type="checkbox"/>	NA		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID

0828_03

Western half of lower portion of lake

USE

Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bioaccumulative Toxics in fish tissue	Copper	12/1/2001	11/30/2008	2		0		250.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Chromium	12/1/2001	11/30/2008	2		0		5.25	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Cadmium	12/1/2001	11/30/2008	2		0		0.23	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Arsenic	12/1/2001	11/30/2008	2		0		0.04	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Aldrin	12/1/2001	11/30/2008	2		0		0.14	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Toxaphene	12/1/2001	11/30/2008	2		0		0.83	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Heptachlor epoxide	12/1/2001	11/30/2008	2		0		0.25	ID	NA	<input type="checkbox"/>	NA		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID	0828_04	Eastern half of lower portion of lake
-------------	----------------	---------------------------------------

USE	Aquatic Life Use
------------	-------------------------

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	4		1	3.68	5.00	LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	4		0		3.00	LD	NC	<input type="checkbox"/>	NC		

USE	General Use
------------	--------------------

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2001	11/30/2008	6		0		33.90	LD	NC	<input type="checkbox"/>	NC		
High pH	pH	12/1/2001	11/30/2008	4		0		9.00	LD	NC	<input type="checkbox"/>	NC		
Low pH	pH	12/1/2001	11/30/2008	4		0		6.50	LD	NC	<input type="checkbox"/>	NC		
Dissolved Solids	Chloride	12/1/2001	11/30/2008	80	19.45			100.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2001	11/30/2008	26	34.26			100.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	107	200.89			300.00	AD	FS	<input type="checkbox"/>	FS		

USE	Fish Consumption Use
------------	-----------------------------

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bioaccumulative Toxics in fish tissue	Lead	12/1/2001	11/30/2008	2		0		0.60	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Zinc	12/1/2001	11/30/2008	2		0		525.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Arsenic	12/1/2001	11/30/2008	2		0		0.04	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Selenium	12/1/2001	11/30/2008	2		0		4.38	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Toxaphene	12/1/2001	11/30/2008	2		0		0.83	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	PCBs	12/1/2001	11/30/2008	2		0		0.13	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Nickel	12/1/2001	11/30/2008	2		0		35.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Mirex	12/1/2001	11/30/2008	2		0		0.04	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Mercury	12/1/2001	11/30/2008	2		0		0.53	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Hexachlorobenzene (HCB)	12/1/2001	11/30/2008	2		0		0.61	ID	NA	<input type="checkbox"/>	NA		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID	0828_04	Eastern half of lower portion of lake
-------------	----------------	---------------------------------------

USE	Fish Consumption Use
------------	-----------------------------

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bioaccumulative Toxics in fish tissue	Heptachlor epoxide	12/1/2001	11/30/2008	2		0		0.25	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Heptachlor	12/1/2001	11/30/2008	2		0		0.20	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Dieldrin	12/1/2001	11/30/2008	2		0		0.06	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Copper	12/1/2001	11/30/2008	2		0		250.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Cadmium	12/1/2001	11/30/2008	2		0		0.23	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Aldrin	12/1/2001	11/30/2008	2		0		0.14	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Chromium	12/1/2001	11/30/2008	2		0		5.25	ID	NA	<input type="checkbox"/>	NA		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID	0828_05	Western half of upper portion of lake
-------------	----------------	---------------------------------------

USE	Aquatic Life Use
------------	-------------------------

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	29		0		5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	29		0		3.00	AD	FS	<input type="checkbox"/>	FS		

USE	Recreation Use
------------	-----------------------

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Single Sample	E. coli	12/1/2001	11/30/2008	20		0		394.00	AD	FS	<input type="checkbox"/>	FS		
Bacteria Single Sample	Fecal coliform	12/1/2001	11/30/2008	1		0		400.00	SM	NA	<input type="checkbox"/>	NA		
Bacteria Geomean	E. coli	12/1/2001	11/30/2008	20	16.88			126.00	AD	FS	<input type="checkbox"/>	FS		
Bacteria Geomean	Fecal coliform	12/1/2001	11/30/2008	1	16.00			200.00	SM	NA	<input type="checkbox"/>	NA		

USE	General Use
------------	--------------------

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2001	11/30/2008	30		0		33.90	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2001	11/30/2008	29		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2001	11/30/2008	29		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	107	200.89			300.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2001	11/30/2008	80	19.45			100.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2001	11/30/2008	26	34.26			100.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	15		0		0.11	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	11		2	0.36	0.20	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	15		1	0.07	0.05	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	15		0		0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2001	11/30/2008	11		10	43.85	26.70	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID	0828_05	Western half of upper portion of lake
-------------	----------------	---------------------------------------

USE	Fish Consumption Use
------------	-----------------------------

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bioaccumulative Toxics in fish tissue	Chromium	12/1/2001	11/30/2008	2		0		5.25	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Lead	12/1/2001	11/30/2008	2		0		0.60	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Toxaphene	12/1/2001	11/30/2008	2		0		0.83	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Zinc	12/1/2001	11/30/2008	2		0		525.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Selenium	12/1/2001	11/30/2008	2		0		4.38	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	PCBs	12/1/2001	11/30/2008	2		0		0.13	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Nickel	12/1/2001	11/30/2008	2		0		35.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Mirex	12/1/2001	11/30/2008	2		0		0.04	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Mercury	12/1/2001	11/30/2008	2		0		0.53	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Hexachlorobenzene (HCB)	12/1/2001	11/30/2008	2		0		0.61	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Heptachlor epoxide	12/1/2001	11/30/2008	2		0		0.25	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Heptachlor	12/1/2001	11/30/2008	2		0		0.20	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Copper	12/1/2001	11/30/2008	2		0		250.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Cadmium	12/1/2001	11/30/2008	2		0		0.23	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Arsenic	12/1/2001	11/30/2008	2		0		0.04	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Aldrin	12/1/2001	11/30/2008	2		0		0.14	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Dieldrin	12/1/2001	11/30/2008	2		0		0.06	ID	NA	<input type="checkbox"/>	NA		

USE	Public Water Supply Use
------------	--------------------------------

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2001	11/30/2008	22	0.13			10,000.00	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID	0828_06	Eastern half of upper portion of lake
-------------	----------------	---------------------------------------

USE	Aquatic Life Use
------------	-------------------------

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	29		1	4.55	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	29		0		3.00	AD	FS	<input type="checkbox"/>	FS		

USE	Recreation Use
------------	-----------------------

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Single Sample	E. coli	12/1/2001	11/30/2008	33		0		394.00	AD	FS	<input type="checkbox"/>	FS		
Bacteria Single Sample	Fecal coliform	12/1/2001	11/30/2008	5		0		400.00	SM	NC	<input type="checkbox"/>	NC		
Bacteria Geomean	E. coli	12/1/2001	11/30/2008	33	10.23			126.00	AD	FS	<input type="checkbox"/>	FS		
Bacteria Geomean	Fecal coliform	12/1/2001	11/30/2008	5	42.24			200.00	SM	NC	<input type="checkbox"/>	NC		

USE	General Use
------------	--------------------

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2001	11/30/2008	30		0		33.90	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2001	11/30/2008	29		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2001	11/30/2008	29		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	107	200.89			300.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2001	11/30/2008	80	19.45			100.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2001	11/30/2008	26	34.26			100.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	24		0		0.05	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2001	11/30/2008	27		17	43.98	26.70	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	27		0		0.11	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	26		1	0.56	0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	27		0		0.20	AD	NC	<input type="checkbox"/>	NC		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID	0828_06	Eastern half of upper portion of lake
-------------	----------------	---------------------------------------

USE	Fish Consumption Use
------------	-----------------------------

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bioaccumulative Toxics in fish tissue	Lead	12/1/2001	11/30/2008	2		0		0.60	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Cadmium	12/1/2001	11/30/2008	2		0		0.23	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Zinc	12/1/2001	11/30/2008	2		0		525.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Selenium	12/1/2001	11/30/2008	2		0		4.38	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	PCBs	12/1/2001	11/30/2008	2		0		0.13	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Toxaphene	12/1/2001	11/30/2008	2		0		0.83	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Nickel	12/1/2001	11/30/2008	2		0		35.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Mirex	12/1/2001	11/30/2008	2		0		0.04	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Mercury	12/1/2001	11/30/2008	2		0		0.53	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Hexachlorobenzene (HCB)	12/1/2001	11/30/2008	2		0		0.61	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Heptachlor epoxide	12/1/2001	11/30/2008	2		0		0.25	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Heptachlor	12/1/2001	11/30/2008	2		0		0.20	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Dieldrin	12/1/2001	11/30/2008	2		0		0.06	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Chromium	12/1/2001	11/30/2008	2		0		5.25	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Arsenic	12/1/2001	11/30/2008	2		0		0.04	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Aldrin	12/1/2001	11/30/2008	2		0		0.14	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Copper	12/1/2001	11/30/2008	2		0		250.00	ID	NA	<input type="checkbox"/>	NA		

USE	Public Water Supply Use
------------	--------------------------------

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2001	11/30/2008	31	0.12			10,000.00	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0828_07 Uppermost portion of lake

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	27		0		5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	27		0		3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Single Sample	E. coli	12/1/2001	11/30/2008	25		0		394.00	AD	FS	<input type="checkbox"/>	FS		
Bacteria Single Sample	Fecal coliform	12/1/2001	11/30/2008	4		0		400.00	SM	NC	<input type="checkbox"/>	NC		
Bacteria Geomean	E. coli	12/1/2001	11/30/2008	25	90.51			126.00	AD	FS	<input type="checkbox"/>	FS		
Bacteria Geomean	Fecal coliform	12/1/2001	11/30/2008	4	40.67			200.00	SM	NC	<input type="checkbox"/>	NC		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2001	11/30/2008	28		0		33.90	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2001	11/30/2008	27		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2001	11/30/2008	27		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	107	200.89			300.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2001	11/30/2008	80	19.45			100.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2001	11/30/2008	26	34.26			100.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	19		3	0.11	0.05	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2001	11/30/2008	14		1	51.1	26.70	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	19		0		0.11	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	19		5	0.55	0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	15		4	0.61	0.20	AD	NC	<input type="checkbox"/>	NC		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID	0828_07	Uppermost portion of lake
-------------	----------------	---------------------------

USE	Fish Consumption Use
------------	-----------------------------

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bioaccumulative Toxics in fish tissue	Lead	12/1/2001	11/30/2008	2		0		0.60	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Arsenic	12/1/2001	11/30/2008	2		0		0.04	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Toxaphene	12/1/2001	11/30/2008	2		0		0.83	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Zinc	12/1/2001	11/30/2008	2		0		525.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Selenium	12/1/2001	11/30/2008	2		0		4.38	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	PCBs	12/1/2001	11/30/2008	2		0		0.13	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Nickel	12/1/2001	11/30/2008	2		0		35.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Mirex	12/1/2001	11/30/2008	2		0		0.04	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Mercury	12/1/2001	11/30/2008	2		0		0.53	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Hexachlorobenzene (HCB)	12/1/2001	11/30/2008	2		0		0.61	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Heptachlor epoxide	12/1/2001	11/30/2008	2		0		0.25	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Heptachlor	12/1/2001	11/30/2008	2		0		0.20	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Dieldrin	12/1/2001	11/30/2008	2		0		0.06	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Copper	12/1/2001	11/30/2008	2		0		250.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Cadmium	12/1/2001	11/30/2008	2		0		0.23	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Aldrin	12/1/2001	11/30/2008	2		0		0.14	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Chromium	12/1/2001	11/30/2008	2		0		5.25	ID	NA	<input type="checkbox"/>	NA		

USE	Public Water Supply Use
------------	--------------------------------

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2001	11/30/2008	28	0.29			10,000.00	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID	0828_08	Remainder of lake
-------------	----------------	-------------------

USE	General Use
------------	-------------

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Sulfate	12/1/2001	11/30/2008	26	34.26			100.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2001	11/30/2008	80	19.45			100.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	107	200.89			300.00	AD	FS	<input type="checkbox"/>	FS		

USE	Fish Consumption Use
------------	----------------------

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bioaccumulative Toxics in fish tissue	PCBs	12/1/2001	11/30/2008	2		0		0.13	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Toxaphene	12/1/2001	11/30/2008	2		0		0.83	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Selenium	12/1/2001	11/30/2008	2		0		4.38	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Nickel	12/1/2001	11/30/2008	2		0		35.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Mirex	12/1/2001	11/30/2008	2		0		0.04	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Mercury	12/1/2001	11/30/2008	2		0		0.53	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Lead	12/1/2001	11/30/2008	2		0		0.60	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Hexachlorobenzene (HCB)	12/1/2001	11/30/2008	2		0		0.61	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Heptachlor	12/1/2001	11/30/2008	2		0		0.20	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Dieldrin	12/1/2001	11/30/2008	2		0		0.06	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Copper	12/1/2001	11/30/2008	2		0		250.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Chromium	12/1/2001	11/30/2008	2		0		5.25	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Cadmium	12/1/2001	11/30/2008	2		0		0.23	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Arsenic	12/1/2001	11/30/2008	2		0		0.04	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Aldrin	12/1/2001	11/30/2008	2		0		0.14	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Heptachlor epoxide	12/1/2001	11/30/2008	2		0		0.25	ID	NA	<input type="checkbox"/>	NA		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0828_08 Remainder of lake

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bioaccumulative Toxics in fish tissue	Zinc	12/1/2001	11/30/2008	2		0		525.00	ID	NA	<input type="checkbox"/>	NA		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

Segment New
in 2010? **No**

SEGID 0828A Village Creek (unclassified water body)

AUID 0828A_01

From Lake Arlington to the headwaters

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	17		0		3.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	17		0		2.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Silver (ionic)	12/1/2001	11/30/2008	2		0		0.80	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Zinc	12/1/2001	11/30/2008	23		0		100.72	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/1/2001	11/30/2008	27		0		1,245.85	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2001	11/30/2008	18		0		59.90	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2001	11/30/2008	26		0		15.99	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2001	11/30/2008	26		0		484.98	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	28		0		27.65	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Aluminum	12/1/2001	11/30/2008	2		0		991.00	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Arsenic	12/1/2001	11/30/2008	2		0		360.00	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Lead	12/1/2001	11/30/2008	18	0.48			2.08	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/1/2001	11/30/2008	27	2.44			138.36	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2001	11/30/2008	23	22.07			91.97	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2001	11/30/2008	26	1.09			10.80	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2001	11/30/2008	26	0.93			157.32	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic	12/1/2001	11/30/2008	2	2.00			190.00	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	28	0.14			0.92	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0828A_01 From Lake Arlington to the headwaters

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Single Sample	E. coli	12/1/2001	11/30/2008	27		5	5625.2	394.00	AD	FS	<input type="checkbox"/>	FS		
Bacteria Geomean	E. coli	12/1/2001	11/30/2008	27	141.54			126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	5b

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	5		0		1.95	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	5		0		0.37	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	5		0		0.33	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	1		0		0.69	ID	NA	<input type="checkbox"/>	NA		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Chromium	12/1/2001	11/30/2008	26	0.93			3,320.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2001	11/30/2008	18	0.48			25.30	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

Segment New
in 2010? **No**

SEGID 0829 Clear Fork Trinity River Below Benbrook Lake

AUID 0829_01

From the confluence with West Fork Trinity River to 1 mile upstream.

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Toxic Substances in sediment	PCBs	12/1/2001	11/30/2008	1		0		676.00	ID	NA	<input type="checkbox"/>	NA		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	78	227.26			500.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2001	11/30/2008	28	22.39			100.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2001	11/30/2008	28	39.50			100.00	AD	FS	<input type="checkbox"/>	FS		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Restricted and No-Consumption	12/1/2001	11/30/2008						OE	NS	<input type="checkbox"/>	NS	dioxin in edible tissue	5a
DSHS Advisories, Closures, and Risk Assessments	Restricted and No-Consumption	12/1/2001	11/30/2008						OE	NS	<input type="checkbox"/>	NS	PCBs in edible tissue	5a

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0829_02 From 1 mile upstream of the confluence with West Fork Trinity River up to the confluence with Mary's Creek.

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	77		1	4.8	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	77		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Toxic Substances in sediment	PCBs	12/1/2001	11/30/2008	2		0		676.00	ID	NA	<input type="checkbox"/>	NA		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Single Sample	E. coli	12/1/2001	11/30/2008	67		12	1257.3	394.00	AD	FS	<input type="checkbox"/>	FS		
Bacteria Single Sample	Fecal coliform	12/1/2001	11/30/2008	5		1	420	400.00	SM	NC	<input type="checkbox"/>	NC		
Bacteria Geomean	E. coli	12/1/2001	11/30/2008	67	116.60			126.00	AD	FS	<input type="checkbox"/>	FS		
Bacteria Geomean	Fecal coliform	12/1/2001	11/30/2008	5	106.32			200.00	SM	NC	<input type="checkbox"/>	NC		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2001	11/30/2008	78		0		33.90	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2001	11/30/2008	77		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2001	11/30/2008	77		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2001	11/30/2008	28	39.50			100.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	78	227.26			500.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2001	11/30/2008	28	22.39			100.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	27		0		1.95	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	27		0		0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	27		0		0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	27		0		0.69	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2001	11/30/2008	27		5	20.72	14.10	AD	NC	<input type="checkbox"/>	NC		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0829_02 From 1 mile upstream of the confluence with West Fork Trinity River up to the confluence with Mary's Creek.

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Restricted and No-Consumption	12/1/2001	11/30/2008						OE	NS	<input type="checkbox"/>	NS	dioxin in edible tissue	5a
DSHS Advisories, Closures, and Risk Assessments	Restricted and No-Consumption	12/1/2001	11/30/2008						OE	NS	<input type="checkbox"/>	NS	PCBs in edible tissue	5a

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Fluoride	12/1/2001	11/30/2008	28	0.29			4.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nitrate	12/1/2001	11/30/2008	27	0.30			10,000.00	AD	FS	<input type="checkbox"/>	FS		

AUID 0829_03 From the confluence with Mary's Creek up to Benbrook Dam in Tarrant County, TX.

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Sulfate	12/1/2001	11/30/2008	28	39.50			100.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	78	227.26			500.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2001	11/30/2008	28	22.39			100.00	AD	FS	<input type="checkbox"/>	FS		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Restricted and No-Consumption	12/1/2001	11/30/2008						OE	NS	<input type="checkbox"/>	NS	dioxin in edible tissue	5a
DSHS Advisories, Closures, and Risk Assessments	Restricted and No-Consumption	12/1/2001	11/30/2008						OE	NS	<input type="checkbox"/>	NS	PCBs in edible tissue	5a

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

Segment New
in 2010? **No**

SEGID 0829A Lake Como (unclassified water body)

AUID 0829A_01 Entire lake

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	1		0		5.00	ID	NA	<input type="checkbox"/>	NA		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	1		0		3.00	ID	NA	<input type="checkbox"/>	NA		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Risk Assess.- No Advisory	12/1/2001	12/1/2001						OE	FS	<input type="checkbox"/>	FS		
Bioaccumulative Toxics in fish tissue	Mirex	12/1/2001	11/30/2008	10		0		0.04	AD	NC	<input type="checkbox"/>	NC		
Bioaccumulative Toxics in fish tissue	Aldrin	12/1/2001	11/30/2008	10		0		0.14	AD	NC	<input type="checkbox"/>	NC		
Bioaccumulative Toxics in fish tissue	BHC-gamma isomer	12/1/2001	11/30/2008	10		0		5.85	AD	NC	<input type="checkbox"/>	NC		
Bioaccumulative Toxics in fish tissue	BHC-alpha isomer	12/1/2001	11/30/2008	10		0		0.37	AD	NC	<input type="checkbox"/>	NC		
Bioaccumulative Toxics in fish tissue	Toxaphene	12/1/2001	11/30/2008	10		0		0.83	AD	NC	<input type="checkbox"/>	NC		
Bioaccumulative Toxics in fish tissue	beta-BHC	12/1/2001	11/30/2008	10		0		1.28	AD	NC	<input type="checkbox"/>	NC		
Bioaccumulative Toxics in fish tissue	Zinc	12/1/2001	11/30/2008	10		0		525.00	AD	NC	<input type="checkbox"/>	NC		
Bioaccumulative Toxics in fish tissue	Selenium	12/1/2001	11/30/2008	10		0		4.38	AD	NC	<input type="checkbox"/>	NC		
Bioaccumulative Toxics in fish tissue	PCBs	12/1/2001	11/30/2008	10		0		0.13	AD	NC	<input type="checkbox"/>	NC		
Bioaccumulative Toxics in fish tissue	Lead	12/1/2001	11/30/2008	10		0		0.60	AD	NC	<input type="checkbox"/>	NC		
Bioaccumulative Toxics in fish tissue	Hexachlorobenzene (HCB)	12/1/2001	11/30/2008	10		0		0.61	AD	NC	<input type="checkbox"/>	NC		
Bioaccumulative Toxics in fish tissue	Heptachlor epoxide	12/1/2001	11/30/2008	10		0		0.25	AD	NC	<input type="checkbox"/>	NC		
Bioaccumulative Toxics in fish tissue	Heptachlor	12/1/2001	11/30/2008	10		0		0.20	AD	NC	<input type="checkbox"/>	NC		
Bioaccumulative Toxics in fish tissue	Copper	12/1/2001	11/30/2008	10		0		250.00	AD	NC	<input type="checkbox"/>	NC		
Bioaccumulative Toxics in fish tissue	Chlordane	12/1/2001	11/30/2008	10		0		0.30	AD	NC	<input type="checkbox"/>	NC		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID	0829A_01	Entire lake
-------------	----------	-------------

USE	Fish Consumption Use
------------	----------------------

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bioaccumulative Toxics in fish tissue	Cadmium	12/1/2001	11/30/2008	10		0		0.23	AD	NC	<input type="checkbox"/>	NC		
Bioaccumulative Toxics in fish tissue	Arsenic	12/1/2001	11/30/2008	10		9	0.06	0.04	AD	CS	<input type="checkbox"/>	CS	arsenic in edible tissue	
Bioaccumulative Toxics in fish tissue	Mercury	12/1/2001	11/30/2008	10		0		0.53	AD	NC	<input type="checkbox"/>	NC		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

Segment New
in 2010? **No**

SEGID 0830 Benbrook Lake

AUID 0830_01

Lower portion of reservoir

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	55		6	3.22	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	55		1	1.74	3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Single Sample	Fecal coliform	12/1/2001	11/30/2008	11		0		400.00	SM	FS	<input type="checkbox"/>	FS		
Bacteria Single Sample	E. coli	12/1/2001	11/30/2008	40		0		394.00	AD	FS	<input type="checkbox"/>	FS		
Bacteria Geomean	E. coli	12/1/2001	11/30/2008	40	3.75			126.00	AD	FS	<input type="checkbox"/>	FS		
Bacteria Geomean	Fecal coliform	12/1/2001	11/30/2008	11	8.27			200.00	SM	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2001	11/30/2008	59		0		33.90	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2001	11/30/2008	55		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2001	11/30/2008	55		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2001	11/30/2008	125	21.90			75.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2001	11/30/2008	25	27.75			75.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	129	197.73			300.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	51		0		0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	56		1	0.05	0.05	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	52		13	0.19	0.11	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	57		0		0.20	AD	NC	<input type="checkbox"/>	NC		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID	0830_01	Lower portion of reservoir
-------------	----------------	----------------------------

USE	General Use
------------	--------------------

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Chlorophyll-a	12/1/2001	11/30/2008	53		23	39.07	26.70	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	

USE	Public Water Supply Use
------------	--------------------------------

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2001	11/30/2008	81	0.10			10,000.00	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0830_02 Middle portion of reservoir

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	38		1	4.48	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	38		0		3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Single Sample	E. coli	12/1/2001	11/30/2008	31		0		394.00	AD	FS	<input type="checkbox"/>	FS		
Bacteria Single Sample	Fecal coliform	12/1/2001	11/30/2008	9		0		400.00	SM	NC	<input type="checkbox"/>	NC		
Bacteria Geomean	Fecal coliform	12/1/2001	11/30/2008	9	3.89			200.00	SM	NC	<input type="checkbox"/>	NC		
Bacteria Geomean	E. coli	12/1/2001	11/30/2008	31	2.85			126.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2001	11/30/2008	41		0		33.90	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2001	11/30/2008	38		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2001	11/30/2008	38		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	129	197.73			300.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2001	11/30/2008	125	21.90			75.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2001	11/30/2008	25	27.75			75.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Chlorophyll-a	12/1/2001	11/30/2008	39		15	42.37	26.70	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	39		0		0.20	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	41		1	0.05	0.05	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	39		0		0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	41		8	0.17	0.11	AD	NC	<input type="checkbox"/>	NC		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0830_02 Middle portion of reservoir

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2001	11/30/2008	53	0.08			10,000.00	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0830_03 Upper portion of reservoir

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	35		0		5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	35		0		3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Single Sample	E. coli	12/1/2001	11/30/2008	29		0		394.00	AD	FS	<input type="checkbox"/>	FS		
Bacteria Single Sample	Fecal coliform	12/1/2001	11/30/2008	7		0		400.00	SM	NC	<input type="checkbox"/>	NC		
Bacteria Geomean	E. coli	12/1/2001	11/30/2008	29	4.89			126.00	AD	FS	<input type="checkbox"/>	FS		
Bacteria Geomean	Fecal coliform	12/1/2001	11/30/2008	7	8.34			200.00	SM	NC	<input type="checkbox"/>	NC		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2001	11/30/2008	35		0		33.90	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2001	11/30/2008	35		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2001	11/30/2008	35		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2001	11/30/2008	125	21.90			75.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2001	11/30/2008	25	27.75			75.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	129	197.73			300.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	33		0		0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	34		1	0.06	0.05	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	34		6	0.16	0.11	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	32		1	0.22	0.20	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2001	11/30/2008	34		17	43.94	26.70	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0830_03 Upper portion of reservoir

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2001	11/30/2008	41	0.08			10,000.00	AD	FS	<input type="checkbox"/>	FS		

AUID 0830_04 Remainder of reservoir

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Sulfate	12/1/2001	11/30/2008	25	27.75			75.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	129	197.73			300.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2001	11/30/2008	125	21.90			75.00	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0830_05 Rock/Mustang Creek arm of Benbrook Lake.

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	15		0		5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	15		0		3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Single Sample	E. coli	12/1/2001	11/30/2008	5		0		394.00	LD	NC	<input type="checkbox"/>	NC		
Bacteria Geomean	E. coli	12/1/2001	11/30/2008	5	1.89			126.00	LD	NC	<input type="checkbox"/>	NC		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2001	11/30/2008	15		0		33.90	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2001	11/30/2008	15		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2001	11/30/2008	15		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	129	197.73			300.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2001	11/30/2008	125	21.90			75.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2001	11/30/2008	25	27.75			75.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	15		0		0.11	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	15		0		0.20	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	15		1	0.05	0.05	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	15		0		0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2001	11/30/2008	15		10	43.14	26.70	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2001	11/30/2008	20	0.07			10,000.00	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

Segment New
in 2010? **No**

SEGID 0831 Clear Fork Trinity River Below Lake Weatherford

AUID 0831_01

Lower 12.75 miles, downstream from South Fork Trinity River confluence

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	10		1	4.3	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	10		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/1/2001	11/30/2008	9		0		5.00	LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/1/2001	11/30/2008	9		0		3.00	LD	NC	<input type="checkbox"/>	NC		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Single Sample	E. coli	12/1/2001	11/30/2008	53		6	1036.67	394.00	AD	FS	<input type="checkbox"/>	FS		
Bacteria Geomean	E. coli	12/1/2001	11/30/2008	53	87.29			126.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2001	11/30/2008	10		0		32.20	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2001	11/30/2008	10		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2001	11/30/2008	10		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	5	458.80			500.00	LD	NC	<input type="checkbox"/>	NC		
Dissolved Solids	Sulfate	12/1/2001	11/30/2008	5	50.40			100.00	LD	NC	<input type="checkbox"/>	NC		
Dissolved Solids	Chloride	12/1/2001	11/30/2008	5	52.00			100.00	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	11		2	2.88	1.95	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	12		12	0.89	0.37	AD	CS	<input type="checkbox"/>	CS	orthophosphorus	
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	12		4	1.82	0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	12		6	1.4	0.69	AD	CS	<input type="checkbox"/>	CS	total phosphorus	

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0831_01 Lower 12.75 miles, downstream from South Fork Trinity River confluence

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Chlorophyll-a	12/1/2001	11/30/2008	11		0		14.10	AD	NC	<input type="checkbox"/>	NC		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Fluoride	12/1/2001	11/30/2008	5	0.84			4.00	LD	NC	<input type="checkbox"/>	NC		
Surface Water HH criteria for PWS average	Nitrate	12/1/2001	11/30/2008	11	1.28			10,000.00	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0831_03 From the confluence with South Fork of Trinity R. to a point 2 mi upstream

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	18		0		5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	18		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/1/2001	11/30/2008	2		0		5.00	ID	NA	<input type="checkbox"/>	NA		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/1/2001	11/30/2008	2		1	2.84	3.00	ID	NA	<input type="checkbox"/>	NA		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Single Sample	E. coli	12/1/2001	11/30/2008	35		1	730	394.00	AD	FS	<input type="checkbox"/>	FS		
Bacteria Geomean	E. coli	12/1/2001	11/30/2008	35	39.43			126.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2001	11/30/2008	18		0		32.20	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2001	11/30/2008	18		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2001	11/30/2008	18		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	5	458.80			500.00	LD	NC	<input type="checkbox"/>	NC		
Dissolved Solids	Chloride	12/1/2001	11/30/2008	5	52.00			100.00	LD	NC	<input type="checkbox"/>	NC		
Dissolved Solids	Sulfate	12/1/2001	11/30/2008	5	50.40			100.00	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	8		0		0.69	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2001	11/30/2008	1		0		14.10	ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	1		0		0.37	ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	8		0		1.95	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	1		0		0.33	ID	NA	<input type="checkbox"/>	NA		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0831_03 From the confluence with South Fork of Trinity R. to a point 2 mi upstream

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2001	11/30/2008	14	0.13			10,000.00	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0831_04 2 mi upstream of South Fork Trinity River confluence to Squaw Ck. Confluence

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	1		1	3.51	5.00	ID	NA	<input type="checkbox"/>	NA		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	1		0		3.00	ID	NA	<input type="checkbox"/>	NA		
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/1/2001	11/30/2008	5		3	4.09	5.00	LD	NS	<input type="checkbox"/>	NS	depressed dissolved oxygen	5b
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/1/2001	11/30/2008	5		1	1.88	3.00	LD	NC	<input checked="" type="checkbox"/>	CN	depressed dissolved oxygen	

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Single Sample	E. coli	12/1/2001	11/30/2008	50		2	685	394.00	AD	FS	<input type="checkbox"/>	FS		
Bacteria Geomean	E. coli	12/1/2001	11/30/2008	50	52.25			126.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2001	11/30/2008	1		0		32.20	ID	NA	<input type="checkbox"/>	NA		
High pH	pH	12/1/2001	11/30/2008	1		0		9.00	ID	NA	<input type="checkbox"/>	NA		
Low pH	pH	12/1/2001	11/30/2008	1		0		6.50	ID	NA	<input type="checkbox"/>	NA		
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	5	458.80			500.00	LD	NC	<input type="checkbox"/>	NC		
Dissolved Solids	Chloride	12/1/2001	11/30/2008	5	52.00			100.00	LD	NC	<input type="checkbox"/>	NC		
Dissolved Solids	Sulfate	12/1/2001	11/30/2008	5	50.40			100.00	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	2		0		1.95	ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	2		0		0.37	ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	2		0		0.33	ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	2		0		0.69	ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Chlorophyll-a	12/1/2001	11/30/2008	2		1	38.2	14.10	ID	NA	<input type="checkbox"/>	NA		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0831_04 2 mi upstream of South Fork Trinity River confluence to Squaw Ck. Confluence

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2001	11/30/2008	2	0.24			10,000.00	ID	NA	<input type="checkbox"/>	NA		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0831_05 From the confluence of Squaw Ck. to Lake Weatherford Dam

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	5		3	3.38	5.00	LD	CS	<input type="checkbox"/>	CS	depressed dissolved oxygen	
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	5		1	2.84	3.00	LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/1/2001	11/30/2008	5		4	4.07	5.00	LD	NS	<input type="checkbox"/>	NS	depressed dissolved oxygen	5b
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/1/2001	11/30/2008	5		3	2.32	3.00	LD	NS	<input type="checkbox"/>	NS	depressed dissolved oxygen	5b

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Single Sample	E. coli	12/1/2001	11/30/2008	18		0		394.00	AD	FS	<input type="checkbox"/>	FS		
Bacteria Geomean	E. coli	12/1/2001	11/30/2008	18	24.61			126.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2001	11/30/2008	5		0		32.20	LD	NC	<input type="checkbox"/>	NC		
High pH	pH	12/1/2001	11/30/2008	5		0		9.00	LD	NC	<input type="checkbox"/>	NC		
Low pH	pH	12/1/2001	11/30/2008	5		0		6.50	LD	NC	<input type="checkbox"/>	NC		
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	5	458.80			500.00	LD	NC	<input type="checkbox"/>	NC		
Dissolved Solids	Chloride	12/1/2001	11/30/2008	5	52.00			100.00	LD	NC	<input type="checkbox"/>	NC		
Dissolved Solids	Sulfate	12/1/2001	11/30/2008	5	50.40			100.00	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	1		0		1.95	ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	1		0		0.37	ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	1		0		0.33	ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	1		0		0.69	ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Chlorophyll-a	12/1/2001	11/30/2008	1		0		14.10	ID	NA	<input type="checkbox"/>	NA		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID **0831_05** From the confluence of Squaw Ck. to Lake Weatherford Dam

USE **Public Water Supply Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2001	11/30/2008	1	0.01			10,000.00	ID	NA	<input type="checkbox"/>	NA		

Segment New in 2010? **No** **SEGID 0831A South Fork Trinity River (unclassified water body)**

AUID **0831A_01** Eleven mile stretch of S. Fork Trinity River running upstream from confluence with Clear Fork Trinity River to confluence with Willow Creek, Parker Co.

USE **Aquatic Life Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	4		0		5.00	LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	4		0		3.00	LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/1/2001	11/30/2008	5		1	4.22	5.00	LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/1/2001	11/30/2008	5		1	2.68	3.00	LD	NC	<input type="checkbox"/>	NC		

USE **Recreation Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Single Sample	E. coli	12/1/2001	11/30/2008	18		0		394.00	AD	FS	<input type="checkbox"/>	FS		
Bacteria Geomean	E. coli	12/1/2001	11/30/2008	18	102.95			126.00	AD	FS	<input type="checkbox"/>	FS		

USE **General Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	8		2	3.12	1.95	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	8		8	1.63	0.37	LD	CS	<input type="checkbox"/>	CS	orthophosphorus	
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	8		0		0.33	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	8		7	1.83	0.69	LD	CS	<input type="checkbox"/>	CS	total phosphorus	
Nutrient Screening Levels	Chlorophyll-a	12/1/2001	11/30/2008	8		0		14.10	LD	NC	<input type="checkbox"/>	NC		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

Segment New
in 2010? **Yes**

SEGID 0831B Unnamed Tributary of South Fork Trinity River (unclassified water body)

AUID 0831B_01 Entire segment.

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	4		2	4.2	5.00	LD	CS	<input type="checkbox"/>	CS	depressed dissolved oxygen	
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	4		0		3.00	LD	NC	<input type="checkbox"/>	NC		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	2		0		1.95	ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	2		0		0.37	ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	2		0		0.33	ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	2		0		0.69	ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Chlorophyll-a	12/1/2001	11/30/2008	2		0		14.10	ID	NA	<input type="checkbox"/>	NA		

Segment New
in 2010? **No**

SEGID 0832 Lake Weatherford

AUID 0832_01 Entire reservoir

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	21	242.20			500.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2001	11/30/2008	20	28.75			100.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2001	11/30/2008	20	29.05			100.00	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

Segment New
in 2010? **No**

SEGID 0833 Clear Fork Trinity River Above Lake Weatherford

AUID 0833_02

Upper 11 miles of segment

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	3		3	2.41	5.00	ID	NA	<input checked="" type="checkbox"/>	CS	depressed dissolved oxygen	
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	3		1	0.3	3.00	ID	NA	<input checked="" type="checkbox"/>	NS	depressed dissolved oxygen	5b
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/1/2001	11/30/2008	4		4	1.45	5.00	LD	NS	<input type="checkbox"/>	NS	depressed dissolved oxygen	5b
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/1/2001	11/30/2008	4		4	0.73	3.00	LD	NS	<input type="checkbox"/>	NS	depressed dissolved oxygen	5b

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2001	11/30/2008	3		0		35.00	ID	NA	<input type="checkbox"/>	NA		
High pH	pH	12/1/2001	11/30/2008	3		0		9.00	ID	NA	<input type="checkbox"/>	NA		
Low pH	pH	12/1/2001	11/30/2008	3		0		6.50	ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	2		0		1.95	ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	2		0		0.37	ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	2		0		0.33	ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	2		0		0.69	ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Chlorophyll-a	12/1/2001	11/30/2008	2		2	57.05	14.10	ID	NA	<input checked="" type="checkbox"/>	CS	chlorophyll-a	

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2001	11/30/2008	2	0.03			10,000.00	ID	NA	<input type="checkbox"/>	NA		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0833_03 From the confluence of McKnight Branch to the confluence of Cottonwood Ck.

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	2		0		5.00	ID	NA	<input checked="" type="checkbox"/>	CS	depressed dissolved oxygen	
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	2		0		3.00	ID	NA	<input type="checkbox"/>	NA		
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/1/2001	11/30/2008	2		1	2.34	5.00	ID	NA	<input checked="" type="checkbox"/>	NS	depressed dissolved oxygen	5b
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/1/2001	11/30/2008	2		1	1.72	3.00	ID	NA	<input checked="" type="checkbox"/>	NS	depressed dissolved oxygen	5b

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2001	11/30/2008	2		0		35.00	ID	NA	<input type="checkbox"/>	NA		
High pH	pH	12/1/2001	11/30/2008	2		0		9.00	ID	NA	<input type="checkbox"/>	NA		
Low pH	pH	12/1/2001	11/30/2008	2		0		6.50	ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	1		0		1.95	ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	1		0		0.37	ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	1		0		0.33	ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	1		0		0.69	ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Chlorophyll-a	12/1/2001	11/30/2008	1		0		14.10	ID	NA	<input type="checkbox"/>	NA		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2001	11/30/2008	1	0.01			10,000.00	ID	NA	<input type="checkbox"/>	NA		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0833_04 From the confluence with Dobbs Branch to confluence with McKnight Branch

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	3		0		5.00	ID	NA	<input type="checkbox"/>	NA		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	3		0		3.00	ID	NA	<input checked="" type="checkbox"/>	NS	depressed dissolved oxygen	5b
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/1/2001	11/30/2008	2		0		5.00	ID	NA	<input type="checkbox"/>	NA		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/1/2001	11/30/2008	2		1	2.87	3.00	ID	NA	<input checked="" type="checkbox"/>	CN	depressed dissolved oxygen	

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2001	11/30/2008	3		0		35.00	ID	NA	<input type="checkbox"/>	NA		
High pH	pH	12/1/2001	11/30/2008	3		0		9.00	ID	NA	<input type="checkbox"/>	NA		
Low pH	pH	12/1/2001	11/30/2008	3		0		6.50	ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	2		0		1.95	ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	2		0		0.37	ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	2		0		0.33	ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	2		0		0.69	ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Chlorophyll-a	12/1/2001	11/30/2008	2		1	18.1	14.10	ID	NA	<input type="checkbox"/>	NA		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2001	11/30/2008	2	0.10			10,000.00	ID	NA	<input type="checkbox"/>	NA		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0833_05 From the confluence of Dobbs Ck. to the lower end of segment

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	2		0		5.00	ID	NA	<input type="checkbox"/>	NA		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	2		0		3.00	ID	NA	<input type="checkbox"/>	NA		
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/1/2001	11/30/2008	2		0		5.00	ID	NA	<input type="checkbox"/>	NA		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/1/2001	11/30/2008	2		0		3.00	ID	NA	<input type="checkbox"/>	NA		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2001	11/30/2008	2		0		35.00	ID	NA	<input type="checkbox"/>	NA		
High pH	pH	12/1/2001	11/30/2008	2		0		9.00	ID	NA	<input type="checkbox"/>	NA		
Low pH	pH	12/1/2001	11/30/2008	2		0		6.50	ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	1		0		1.95	ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	1		0		0.37	ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	1		0		0.33	ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	1		0		0.69	ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Chlorophyll-a	12/1/2001	11/30/2008	1		0		14.10	ID	NA	<input type="checkbox"/>	NA		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2001	11/30/2008	1	0.06			10,000.00	ID	NA	<input type="checkbox"/>	NA		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

Segment New
in 2010? No

SEGID 0834 Lake Amon G. Carter

AUID 0834_01

Entire reservoir

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	12		0		5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	12		0		3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Single Sample	Fecal coliform	12/1/2001	11/30/2008	3		0		400.00	SM	NA	<input type="checkbox"/>	NA		
Bacteria Single Sample	E. coli	12/1/2001	11/30/2008	11		0		394.00	AD	FS	<input type="checkbox"/>	FS		
Bacteria Geomean	E. coli	12/1/2001	11/30/2008	11	2.73			126.00	AD	FS	<input type="checkbox"/>	FS		
Bacteria Geomean	Fecal coliform	12/1/2001	11/30/2008	3	1.04			200.00	SM	NA	<input type="checkbox"/>	NA		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2001	11/30/2008	12		0		33.90	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2001	11/30/2008	12		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2001	11/30/2008	12		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	12	184.00			400.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2001	11/30/2008	12	22.75			150.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2001	11/30/2008	12	14.17			150.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	12		1	0.13	0.11	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	12		0		0.20	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	12		0		0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2001	11/30/2008	12		0		26.70	AD	NC	<input type="checkbox"/>	NC		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID	0834_01	Entire reservoir
-------------	----------------	------------------

USE	General Use
------------	--------------------

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	11		0		0.05	AD	NC	<input type="checkbox"/>	NC		

USE	Public Water Supply Use
------------	--------------------------------

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Fluoride	12/1/2001	11/30/2008	12	0.24			4.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nitrate	12/1/2001	11/30/2008	12	0.07			10,000.00	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

Segment New
in 2010? **No**

SEGID 0836 Richland-Chambers Reservoir

AUID 0836_01

Lowermost portion of reservoir, adjacent to dam

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	36		5	4.16	5.00	AD	CS	<input type="checkbox"/>	CS	depressed dissolved oxygen	
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	36		0		3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Single Sample	E. coli	12/1/2001	11/30/2008	23		0		394.00	AD	FS	<input type="checkbox"/>	FS		
Bacteria Single Sample	Fecal coliform	12/1/2001	11/30/2008	13		0		400.00	SM	FS	<input type="checkbox"/>	FS		
Bacteria Geomean	E. coli	12/1/2001	11/30/2008	23	1.19			126.00	AD	FS	<input type="checkbox"/>	FS		
Bacteria Geomean	Fecal coliform	12/1/2001	11/30/2008	13	1.53			200.00	SM	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2001	11/30/2008	36		0		32.80	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2001	11/30/2008	36		1	10.9	9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2001	11/30/2008	36		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	273	174.71			400.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2001	11/30/2008	170	10.58			75.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2001	11/30/2008	28	29.93			110.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	33		3	0.41	0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	32		0		0.05	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	34		0		0.11	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	33		1	0.46	0.20	AD	NC	<input type="checkbox"/>	NC		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID	0836_01	Lowermost portion of reservoir, adjacent to dam
-------------	----------------	---

USE	General Use
------------	--------------------

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Chlorophyll-a	12/1/2001	11/30/2008	34		2	28.35	26.70	AD	NC	<input type="checkbox"/>	NC		

USE	Fish Consumption Use
------------	-----------------------------

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bioaccumulative Toxics in fish tissue	Toxaphene	12/1/2001	11/30/2008	2		0		0.83	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Mercury	12/1/2001	11/30/2008	2		0		0.53	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Mirex	12/1/2001	11/30/2008	2		0		0.04	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Nickel	12/1/2001	11/30/2008	2		0		35.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Cadmium	12/1/2001	11/30/2008	2		0		0.23	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	PCBs	12/1/2001	11/30/2008	2		0		0.13	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Zinc	12/1/2001	11/30/2008	2		0		525.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Lead	12/1/2001	11/30/2008	2		0		0.60	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Selenium	12/1/2001	11/30/2008	2		0		4.38	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Heptachlor epoxide	12/1/2001	11/30/2008	2		0		0.25	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Heptachlor	12/1/2001	11/30/2008	2		0		0.20	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Dieldrin	12/1/2001	11/30/2008	2		0		0.06	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Chromium	12/1/2001	11/30/2008	2		0		5.25	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Copper	12/1/2001	11/30/2008	2		0		250.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Arsenic	12/1/2001	11/30/2008	2		0		0.04	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Aldrin	12/1/2001	11/30/2008	2		0		0.14	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Hexachlorobenzene (HCB)	12/1/2001	11/30/2008	2		0		0.61	ID	NA	<input type="checkbox"/>	NA		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0836_01 Lowermost portion of reservoir, adjacent to dam

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2001	11/30/2008	49	0.19			10,000.00	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID	0836_02	Confluence of Richland and Chambers Creek arms
-------------	----------------	--

USE	Aquatic Life Use
------------	-------------------------

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	43		1	3.89	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	43		0		3.00	AD	FS	<input type="checkbox"/>	FS		

USE	Recreation Use
------------	-----------------------

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Single Sample	Fecal coliform	12/1/2001	11/30/2008	12		0		400.00	SM	FS	<input type="checkbox"/>	FS		
Bacteria Single Sample	E. coli	12/1/2001	11/30/2008	26		0		394.00	AD	FS	<input type="checkbox"/>	FS		
Bacteria Geomean	E. coli	12/1/2001	11/30/2008	26	1.60			126.00	AD	FS	<input type="checkbox"/>	FS		
Bacteria Geomean	Fecal coliform	12/1/2001	11/30/2008	12	3.69			200.00	SM	FS	<input type="checkbox"/>	FS		

USE	General Use
------------	--------------------

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2001	11/30/2008	43		0		32.80	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2001	11/30/2008	43		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2001	11/30/2008	43		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2001	11/30/2008	170	10.58			75.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2001	11/30/2008	28	29.93			110.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	273	174.71			400.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	37		3	0.4	0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	36		0		0.05	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	35		1	0.13	0.11	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	34		1	0.44	0.20	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2001	11/30/2008	38		4	30.25	26.70	AD	NC	<input type="checkbox"/>	NC		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0836_02 Confluence of Richland and Chambers Creek arms

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bioaccumulative Toxics in fish tissue	Dieldrin	12/1/2001	11/30/2008	2		0		0.06	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Toxaphene	12/1/2001	11/30/2008	2		0		0.83	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Zinc	12/1/2001	11/30/2008	2		0		525.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Selenium	12/1/2001	11/30/2008	2		0		4.38	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	PCBs	12/1/2001	11/30/2008	2		0		0.13	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Nickel	12/1/2001	11/30/2008	2		0		35.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Mirex	12/1/2001	11/30/2008	2		0		0.04	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Mercury	12/1/2001	11/30/2008	2		0		0.53	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Lead	12/1/2001	11/30/2008	2		0		0.60	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Hexachlorobenzene (HCB)	12/1/2001	11/30/2008	2		0		0.61	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Heptachlor	12/1/2001	11/30/2008	2		0		0.20	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Copper	12/1/2001	11/30/2008	2		0		250.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Chromium	12/1/2001	11/30/2008	2		0		5.25	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Cadmium	12/1/2001	11/30/2008	2		0		0.23	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Arsenic	12/1/2001	11/30/2008	2		0		0.04	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Aldrin	12/1/2001	11/30/2008	2		0		0.14	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Heptachlor epoxide	12/1/2001	11/30/2008	2		0		0.25	ID	NA	<input type="checkbox"/>	NA		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2001	11/30/2008	53	0.17			10,000.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Fluoride	12/1/2001	11/30/2008	3	0.27			4.00	ID	NA	<input type="checkbox"/>	NA		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0836_03 Lower portion of Chambers Creek arm

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	69		4	4.63	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	69		0		3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Single Sample	E. coli	12/1/2001	11/30/2008	42		0		394.00	AD	FS	<input type="checkbox"/>	FS		
Bacteria Single Sample	Fecal coliform	12/1/2001	11/30/2008	22		0		400.00	SM	FS	<input type="checkbox"/>	FS		
Bacteria Geomean	E. coli	12/1/2001	11/30/2008	42	1.35			126.00	AD	FS	<input type="checkbox"/>	FS		
Bacteria Geomean	Fecal coliform	12/1/2001	11/30/2008	22	2.69			200.00	SM	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2001	11/30/2008	74		0		32.80	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2001	11/30/2008	70		1	9.95	9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2001	11/30/2008	70		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	273	174.71			400.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2001	11/30/2008	170	10.58			75.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2001	11/30/2008	28	29.93			110.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	36		7	0.7	0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2001	11/30/2008	37		9	31.01	26.70	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	36		1	0.38	0.20	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	35		0		0.05	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	37		1	0.15	0.11	AD	NC	<input type="checkbox"/>	NC		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0836_03 Lower portion of Chambers Creek arm

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bioaccumulative Toxics in fish tissue	Heptachlor	12/1/2001	11/30/2008	2		0		0.20	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Toxaphene	12/1/2001	11/30/2008	2		0		0.83	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Zinc	12/1/2001	11/30/2008	2		0		525.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Selenium	12/1/2001	11/30/2008	2		0		4.38	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	PCBs	12/1/2001	11/30/2008	2		0		0.13	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Nickel	12/1/2001	11/30/2008	2		0		35.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Mirex	12/1/2001	11/30/2008	2		0		0.04	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Mercury	12/1/2001	11/30/2008	2		0		0.53	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Lead	12/1/2001	11/30/2008	2		0		0.60	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Aldrin	12/1/2001	11/30/2008	2		0		0.14	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Heptachlor epoxide	12/1/2001	11/30/2008	2		0		0.25	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Dieldrin	12/1/2001	11/30/2008	2		0		0.06	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Copper	12/1/2001	11/30/2008	2		0		250.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Chromium	12/1/2001	11/30/2008	2		0		5.25	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Cadmium	12/1/2001	11/30/2008	2		0		0.23	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Arsenic	12/1/2001	11/30/2008	2		0		0.04	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Hexachlorobenzene (HCB)	12/1/2001	11/30/2008	2		0		0.61	ID	NA	<input type="checkbox"/>	NA		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2001	11/30/2008	99	0.20			10,000.00	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0836_04 Upper portion of Chambers Creek arm

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	37		0		5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	37		0		3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Single Sample	E. coli	12/1/2001	11/30/2008	18		0		394.00	AD	FS	<input type="checkbox"/>	FS		
Bacteria Single Sample	Fecal coliform	12/1/2001	11/30/2008	5		1	1856	400.00	SM	NC	<input type="checkbox"/>	NC		
Bacteria Geomean	E. coli	12/1/2001	11/30/2008	18	2.83			126.00	AD	FS	<input type="checkbox"/>	FS		
Bacteria Geomean	Fecal coliform	12/1/2001	11/30/2008	5	13.25			200.00	SM	NC	<input type="checkbox"/>	NC		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2001	11/30/2008	37		0		32.80	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2001	11/30/2008	37		1	10.75	9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2001	11/30/2008	37		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2001	11/30/2008	170	10.58			75.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2001	11/30/2008	28	29.93			110.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	273	174.71			400.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Chlorophyll-a	12/1/2001	11/30/2008	16		9	42.51	26.70	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	16		4	1.3	0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	15		2	0.09	0.05	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	16		0		0.11	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	15		7	0.27	0.20	AD	CS	<input type="checkbox"/>	CS	total phosphorus	

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID	0836_04	Upper portion of Chambers Creek arm
-------------	----------------	-------------------------------------

USE	Fish Consumption Use
------------	-----------------------------

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bioaccumulative Toxics in fish tissue	Mercury	12/1/2001	11/30/2008	2		0		0.53	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Mirex	12/1/2001	11/30/2008	2		0		0.04	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Nickel	12/1/2001	11/30/2008	2		0		35.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	PCBs	12/1/2001	11/30/2008	2		0		0.13	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Selenium	12/1/2001	11/30/2008	2		0		4.38	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Zinc	12/1/2001	11/30/2008	2		0		525.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Heptachlor	12/1/2001	11/30/2008	2		0		0.20	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Lead	12/1/2001	11/30/2008	2		0		0.60	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Toxaphene	12/1/2001	11/30/2008	2		0		0.83	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Aldrin	12/1/2001	11/30/2008	2		0		0.14	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Heptachlor epoxide	12/1/2001	11/30/2008	2		0		0.25	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Hexachlorobenzene (HCB)	12/1/2001	11/30/2008	2		0		0.61	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Dieldrin	12/1/2001	11/30/2008	2		0		0.06	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Copper	12/1/2001	11/30/2008	2		0		250.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Chromium	12/1/2001	11/30/2008	2		0		5.25	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Cadmium	12/1/2001	11/30/2008	2		0		0.23	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Arsenic	12/1/2001	11/30/2008	2		0		0.04	ID	NA	<input type="checkbox"/>	NA		

USE	Public Water Supply Use
------------	--------------------------------

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2001	11/30/2008	28	0.38			10,000.00	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID	0836_05	Lower portion of Richland Creek arm
-------------	----------------	-------------------------------------

USE	Aquatic Life Use
------------	------------------

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	40		1	4.74	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	40		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Toxic Substances in sediment	DDT	12/1/2001	11/30/2008	1		0		62.90	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Zinc	12/1/2001	11/30/2008	1		0		459.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Manganese	12/1/2001	11/30/2008	1		0		1,100.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Mercury	12/1/2001	11/30/2008	1		0		1.06	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Naphthalene	12/1/2001	11/30/2008	1		0		561.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Nickel	12/1/2001	11/30/2008	1		0		48.60	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Lead	12/1/2001	11/30/2008	1		0		128.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	PCBs	12/1/2001	11/30/2008	1		0		676.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Phenanthrene	12/1/2001	11/30/2008	1		0		1,170.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Pyrene	12/1/2001	11/30/2008	1		0		1,520.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	1,3-Dichlorobenzene	12/1/2001	11/30/2008	1		0		350.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Benz(a)anthracene	12/1/2001	11/30/2008	1		0		1,050.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	alpha-BHC	12/1/2001	11/30/2008	1		0		100.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	gamma-BHC (Lindane)	12/1/2001	11/30/2008	1		0		4.99	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Di-n-butyl phthalate	12/1/2001	11/30/2008	1		0		43.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Hexachloroethane	12/1/2001	11/30/2008	1		0		13,770.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Nitrobenzene	12/1/2001	11/30/2008	1		0		161.06	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	DDE	12/1/2001	11/30/2008	1		0		31.30	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Acenaphthylene	12/1/2001	11/30/2008	1		0		130.00	ID	NA	<input type="checkbox"/>	NA		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID	0836_05	Lower portion of Richland Creek arm
-------------	----------------	-------------------------------------

USE	Aquatic Life Use
------------	------------------

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Toxic Substances in sediment	Toxaphene	12/1/2001	11/30/2008	1		0		32.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Benzo(a)pyrene	12/1/2001	11/30/2008	1		0		1,450.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Acenaphthene	12/1/2001	11/30/2008	1		0		89.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Anthracene	12/1/2001	11/30/2008	1		0		845.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	1,4-Dichlorobenzene	12/1/2001	11/30/2008	1		0		4,650.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Hexachlorobutadiene (HCBD)	12/1/2001	11/30/2008	1		0		550.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Aldrin	12/1/2001	11/30/2008	1		0		80.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Cadmium	12/1/2001	11/30/2008	1		0		4.98	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Chlordane	12/1/2001	11/30/2008	1		0		17.60	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Chromium	12/1/2001	11/30/2008	1		0		111.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Chrysene	12/1/2001	11/30/2008	1		0		1,290.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	DDD	12/1/2001	11/30/2008	1		0		28.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Dibenz(a,h)anthracene	12/1/2001	11/30/2008	1		0		140.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Dieldrin	12/1/2001	11/30/2008	1		0		61.80	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Endrin	12/1/2001	11/30/2008	1		0		207.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Fluoranthene	12/1/2001	11/30/2008	1		0		2,230.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Fluorene	12/1/2001	11/30/2008	1		0		536.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Heptachlor epoxide	12/1/2001	11/30/2008	1		0		16.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Hexachlorobenzene (HCB)	12/1/2001	11/30/2008	1		0		240.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Copper	12/1/2001	11/30/2008	1		0		149.00	ID	NA	<input type="checkbox"/>	NA		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0836_05 Lower portion of Richland Creek arm

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Single Sample	E. coli	12/1/2001	11/30/2008	24		0		394.00	AD	FS	<input type="checkbox"/>	FS		
Bacteria Single Sample	Fecal coliform	12/1/2001	11/30/2008	9		0		400.00	SM	NC	<input type="checkbox"/>	NC		
Bacteria Geomean	Fecal coliform	12/1/2001	11/30/2008	9	1.79			200.00	SM	NC	<input type="checkbox"/>	NC		
Bacteria Geomean	E. coli	12/1/2001	11/30/2008	24	1.30			126.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2001	11/30/2008	40		0		32.80	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2001	11/30/2008	40		2	9.25	9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2001	11/30/2008	40		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	273	174.71			400.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2001	11/30/2008	170	10.58			75.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2001	11/30/2008	28	29.93			110.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Chlorophyll-a	12/1/2001	11/30/2008	35		10	31.09	26.70	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	34		1	0.44	0.20	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	34		1	0.5	0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	33		0		0.05	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	35		2	0.15	0.11	AD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bioaccumulative Toxics in fish tissue	Hexachlorobenzene (HCB)	12/1/2001	11/30/2008	2		0		0.61	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Toxaphene	12/1/2001	11/30/2008	2		0		0.83	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Zinc	12/1/2001	11/30/2008	2		0		525.00	ID	NA	<input type="checkbox"/>	NA		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0836_05 Lower portion of Richland Creek arm

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bioaccumulative Toxics in fish tissue	Selenium	12/1/2001	11/30/2008	2		0		4.38	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	PCBs	12/1/2001	11/30/2008	2		0		0.13	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Nickel	12/1/2001	11/30/2008	2		0		35.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Mirex	12/1/2001	11/30/2008	2		0		0.04	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Lead	12/1/2001	11/30/2008	2		0		0.60	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Heptachlor epoxide	12/1/2001	11/30/2008	2		0		0.25	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Heptachlor	12/1/2001	11/30/2008	2		0		0.20	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Dieldrin	12/1/2001	11/30/2008	2		0		0.06	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Copper	12/1/2001	11/30/2008	2		0		250.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Chromium	12/1/2001	11/30/2008	2		0		5.25	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Cadmium	12/1/2001	11/30/2008	2		0		0.23	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Arsenic	12/1/2001	11/30/2008	2		0		0.04	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Aldrin	12/1/2001	11/30/2008	2		0		0.14	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Mercury	12/1/2001	11/30/2008	2		0		0.53	ID	NA	<input type="checkbox"/>	NA		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2001	11/30/2008	41	0.10			10,000.00	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0836_06 Upper portion of Richland Creek arm

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	46		1	4.7	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	46		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/1/2001	11/30/2008	7		0		5.00	LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/1/2001	11/30/2008	7		0		3.00	LD	NC	<input type="checkbox"/>	NC		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Single Sample	Fecal coliform	12/1/2001	11/30/2008	4		0		400.00	SM	NC	<input type="checkbox"/>	NC		
Bacteria Single Sample	E. coli	12/1/2001	11/30/2008	17		0		394.00	AD	FS	<input type="checkbox"/>	FS		
Bacteria Geomean	E. coli	12/1/2001	11/30/2008	17	2.84			126.00	AD	FS	<input type="checkbox"/>	FS		
Bacteria Geomean	Fecal coliform	12/1/2001	11/30/2008	4	6.42			200.00	SM	NC	<input type="checkbox"/>	NC		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2001	11/30/2008	46		0		32.80	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2001	11/30/2008	46		2	9.6	9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2001	11/30/2008	46		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	273	174.71			400.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2001	11/30/2008	170	10.58			75.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2001	11/30/2008	28	29.93			110.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	13		2	0.5	0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2001	11/30/2008	13		3	31.33	26.70	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	12		4	0.25	0.20	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	12		1	0.19	0.05	AD	NC	<input type="checkbox"/>	NC		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID	0836_06	Upper portion of Richland Creek arm
-------------	----------------	-------------------------------------

USE	General Use
------------	--------------------

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	13		2	0.14	0.11	AD	NC	<input type="checkbox"/>	NC		

USE	Fish Consumption Use
------------	-----------------------------

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bioaccumulative Toxics in fish tissue	Heptachlor epoxide	12/1/2001	11/30/2008	2		0		0.25	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Toxaphene	12/1/2001	11/30/2008	2		0		0.83	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Zinc	12/1/2001	11/30/2008	2		0		525.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Selenium	12/1/2001	11/30/2008	2		0		4.38	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	PCBs	12/1/2001	11/30/2008	2		0		0.13	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Nickel	12/1/2001	11/30/2008	2		0		35.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Mirex	12/1/2001	11/30/2008	2		0		0.04	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Mercury	12/1/2001	11/30/2008	2		0		0.53	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Hexachlorobenzene (HCB)	12/1/2001	11/30/2008	2		0		0.61	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Heptachlor	12/1/2001	11/30/2008	2		0		0.20	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Dieldrin	12/1/2001	11/30/2008	2		0		0.06	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Copper	12/1/2001	11/30/2008	2		0		250.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Chromium	12/1/2001	11/30/2008	2		0		5.25	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Cadmium	12/1/2001	11/30/2008	2		0		0.23	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Arsenic	12/1/2001	11/30/2008	2		0		0.04	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Aldrin	12/1/2001	11/30/2008	2		0		0.14	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Lead	12/1/2001	11/30/2008	2		0		0.60	ID	NA	<input type="checkbox"/>	NA		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0836_06 Upper portion of Richland Creek arm

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2001	11/30/2008	26	0.18			10,000.00	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID	0836_07	Remainder of reservoir
-------------	----------------	------------------------

USE	General Use
------------	-------------

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Sulfate	12/1/2001	11/30/2008	28	29.93			110.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	273	174.71			400.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2001	11/30/2008	170	10.58			75.00	AD	FS	<input type="checkbox"/>	FS		

USE	Fish Consumption Use
------------	----------------------

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bioaccumulative Toxics in fish tissue	Hexachlorobenzene (HCB)	12/1/2001	11/30/2008	2		0		0.61	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Zinc	12/1/2001	11/30/2008	2		0		525.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Selenium	12/1/2001	11/30/2008	2		0		4.38	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	PCBs	12/1/2001	11/30/2008	2		0		0.13	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Mercury	12/1/2001	11/30/2008	2		0		0.53	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Mirex	12/1/2001	11/30/2008	2		0		0.04	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Toxaphene	12/1/2001	11/30/2008	2		0		0.83	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Lead	12/1/2001	11/30/2008	2		0		0.60	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Heptachlor	12/1/2001	11/30/2008	2		0		0.20	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Dieldrin	12/1/2001	11/30/2008	2		0		0.06	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Copper	12/1/2001	11/30/2008	2		0		250.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Chromium	12/1/2001	11/30/2008	2		0		5.25	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Cadmium	12/1/2001	11/30/2008	2		0		0.23	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Arsenic	12/1/2001	11/30/2008	2		0		0.04	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Aldrin	12/1/2001	11/30/2008	2		0		0.14	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Nickel	12/1/2001	11/30/2008	2		0		35.00	ID	NA	<input type="checkbox"/>	NA		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0836_07 Remainder of reservoir

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bioaccumulative Toxics in fish tissue	Heptachlor epoxide	12/1/2001	11/30/2008	2		0		0.25	ID	NA	<input type="checkbox"/>	NA		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID **0836_08** Post Oak Creek Arm off of Chambers Creek Arm of Richland Chambers Reservoir.

USE **Aquatic Life Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	8		1	4.28	5.00	LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	8		0		3.00	LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/1/2001	11/30/2008	7		0		5.00	LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/1/2001	11/30/2008	7		0		3.00	LD	NC	<input type="checkbox"/>	NC		

USE **General Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2001	11/30/2008	8		0		32.80	LD	NC	<input type="checkbox"/>	NC		
High pH	pH	12/1/2001	11/30/2008	8		0		9.00	LD	NC	<input type="checkbox"/>	NC		
Low pH	pH	12/1/2001	11/30/2008	8		0		6.50	LD	NC	<input type="checkbox"/>	NC		
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	273	174.71			400.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2001	11/30/2008	170	10.58			75.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2001	11/30/2008	28	29.93			110.00	AD	FS	<input type="checkbox"/>	FS		

USE **Fish Consumption Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bioaccumulative Toxics in fish tissue	Hexachlorobenzene (HCB)	12/1/2001	11/30/2008	2		0		0.61	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	PCBs	12/1/2001	11/30/2008	2		0		0.13	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Selenium	12/1/2001	11/30/2008	2		0		4.38	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Toxaphene	12/1/2001	11/30/2008	2		0		0.83	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Nickel	12/1/2001	11/30/2008	2		0		35.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Mirex	12/1/2001	11/30/2008	2		0		0.04	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Mercury	12/1/2001	11/30/2008	2		0		0.53	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Lead	12/1/2001	11/30/2008	2		0		0.60	ID	NA	<input type="checkbox"/>	NA		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID **0836_08** Post Oak Creek Arm off of Chambers Creek Arm of Richland Chambers Reservoir.

USE **Fish Consumption Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bioaccumulative Toxics in fish tissue	Heptachlor	12/1/2001	11/30/2008	2		0		0.20	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Dieldrin	12/1/2001	11/30/2008	2		0		0.06	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Copper	12/1/2001	11/30/2008	2		0		250.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Chromium	12/1/2001	11/30/2008	2		0		5.25	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Cadmium	12/1/2001	11/30/2008	2		0		0.23	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Arsenic	12/1/2001	11/30/2008	2		0		0.04	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Aldrin	12/1/2001	11/30/2008	2		0		0.14	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Zinc	12/1/2001	11/30/2008	2		0		525.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Heptachlor epoxide	12/1/2001	11/30/2008	2		0		0.25	ID	NA	<input type="checkbox"/>	NA		

Segment New in 2010? **Yes**

SEGID 0836B Cedar Creek (unclassified water body)

AUID **0836B_01** Entire segment.

USE **Aquatic Life Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	15		12	4.25	5.00	AD	CS	<input type="checkbox"/>	CS	depressed dissolved oxygen	
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	15		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/1/2001	11/30/2008	15		5	4.68	5.00	AD	NS	<input type="checkbox"/>	NS	depressed dissolved oxygen	5b
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/1/2001	11/30/2008	15		0		3.00	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

Segment New
in 2010? **Yes**

SEGID 0836C Grape Creek (unclassified water body)

AUID 0836C_01

Entire segment.

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	7		3	2.32	3.00	LD	CS	<input type="checkbox"/>	CS	depressed dissolved oxygen	
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	7		1	1.7	2.00	LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/1/2001	11/30/2008	7		2	2.6	3.00	LD	CN	<input type="checkbox"/>	CN	depressed dissolved oxygen	
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/1/2001	11/30/2008	7		2	1.9	2.00	LD	CN	<input type="checkbox"/>	CN	depressed dissolved oxygen	

Segment New
in 2010? **Yes**

SEGID 0836D Post Oak Creek (unclassified water body)

AUID 0836D_01

Entire segment.

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	8		3	4.61	5.00	LD	CS	<input type="checkbox"/>	CS	depressed dissolved oxygen	
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	8		0		3.00	LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/1/2001	11/30/2008	7		1	4.9	5.00	LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/1/2001	11/30/2008	7		0		3.00	LD	NC	<input type="checkbox"/>	NC		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

Segment New
in 2010? No

SEGID 0837 Richland Creek Above Richland-Chambers Reservoir

AUID 0837_01

Entire segment

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	9		0		5.00	LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	9		0		3.00	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Lead	12/1/2001	11/30/2008	9		0		257.01	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Arsenic	12/1/2001	11/30/2008	9		0		360.00	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Silver (ionic)	12/1/2001	11/30/2008	9		0		0.80	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Zinc	12/1/2001	11/30/2008	9		0		265.52	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Nickel	12/1/2001	11/30/2008	9		0		3,279.55	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Aluminum	12/1/2001	11/30/2008	9		0		991.00	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	9		0		100.51	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Chromium	12/1/2001	11/30/2008	9		0		1,237.80	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Copper	12/1/2001	11/30/2008	9		0		46.97	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Zinc	12/1/2001	11/30/2008	9	1.27			82.83	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Arsenic	12/1/2001	11/30/2008	9	3.55			190.00	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	9	0.04			0.83	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Chromium	12/1/2001	11/30/2008	9	0.40			142.17	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Copper	12/1/2001	11/30/2008	9	1.87			9.72	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Lead	12/1/2001	11/30/2008	9	0.08			1.78	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Nickel	12/1/2001	11/30/2008	9	2.29			124.62	LD	NC	<input type="checkbox"/>	NC		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0837_01 Entire segment

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2001	11/30/2008	9		0		32.20	LD	NC	<input type="checkbox"/>	NC		
High pH	pH	12/1/2001	11/30/2008	9		0		9.00	LD	NC	<input type="checkbox"/>	NC		
Low pH	pH	12/1/2001	11/30/2008	9		0		6.50	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	9		2	2.81	1.95	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	9		0		0.37	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	9		0		0.33	LD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Cadmium	12/1/2001	11/30/2008	8	0.04			5.00	LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Chromium	12/1/2001	11/30/2008	8	0.40			100.00	LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Lead	12/1/2001	11/30/2008	8	0.09			4.98	LD	NC	<input type="checkbox"/>	NC		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Cadmium	12/1/2001	11/30/2008	8	0.04			5.00	LD	NC	<input type="checkbox"/>	NC		
Surface Water HH criteria for PWS average	Lead	12/1/2001	11/30/2008	8	0.09			4.98	LD	NC	<input type="checkbox"/>	NC		
Surface Water HH criteria for PWS average	Barium	12/1/2001	11/30/2008	8	66.01			2,000.00	LD	NC	<input type="checkbox"/>	NC		
Surface Water HH criteria for PWS average	Arsenic	12/1/2001	11/30/2008	8	3.37			50.00	LD	NC	<input type="checkbox"/>	NC		
Surface Water HH criteria for PWS average	Nitrate	12/1/2001	11/30/2008	8	1.24			10,000.00	LD	NC	<input type="checkbox"/>	NC		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

Segment New
in 2010? **No**

SEGID 0838 Joe Pool Lake

AUID 0838_01

Lowermost portion of reservoir adjacent to the dam

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	70		3	3.61	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	70		0		3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Single Sample	Fecal coliform	12/1/2001	11/30/2008	22		0		400.00	AD	FS	<input type="checkbox"/>	FS		
Bacteria Geomean	Fecal coliform	12/1/2001	11/30/2008	22	2.17			200.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2001	11/30/2008	119		0		32.20	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2001	11/30/2008	70		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2001	11/30/2008	70		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2001	11/30/2008	23	127.70			250.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	64	381.62			500.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2001	11/30/2008	24	26.00			100.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Chlorophyll-a	12/1/2001	11/30/2008	11		1	67.1	26.70	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	18		0		0.20	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	59		0		0.11	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	60		1	0.58	0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	60		0		0.05	AD	NC	<input type="checkbox"/>	NC		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0838_01 Lowermost portion of reservoir adjacent to the dam

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Benzene	12/1/2001	11/30/2008	23	0.09			5.00	AD	FS	<input type="checkbox"/>	FS		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2001	11/30/2008	86	0.16			10,000.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Benzene	12/1/2001	11/30/2008	23	0.09			5.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water Toxic Substances average concern	MTBE	12/1/2001	11/30/2008	4	0.85			240.00	LD	NC	<input type="checkbox"/>	NC		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0838_02 Mountain Creek arm

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	115		6	4.27	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	115		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2001	11/30/2008	7		0		968.07	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Zinc	12/1/2001	11/30/2008	6		0		205.91	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Selenium	12/1/2001	11/30/2008	3		0		20.00	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Lead	12/1/2001	11/30/2008	7		0		175.41	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	7		0		71.65	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Copper	12/1/2001	11/30/2008	5		0		35.40	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	7	0.15			1.46	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Chromium	12/1/2001	11/30/2008	7	3.64			256.21	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Copper	12/1/2001	11/30/2008	5	2.97			17.96	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Lead	12/1/2001	11/30/2008	7	0.50			4.44	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Selenium	12/1/2001	11/30/2008	3	0.92			5.00	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Zinc	12/1/2001	11/30/2008	6	3.57			152.33	LD	NC	<input type="checkbox"/>	NC		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Single Sample	E. coli	12/1/2001	11/30/2008	80		9	2257	394.00	AD	FS	<input type="checkbox"/>	FS		
Bacteria Single Sample	Fecal coliform	12/1/2001	11/30/2008	103		17	3151.18	400.00	SM	FS	<input type="checkbox"/>	FS		
Bacteria Geomean	E. coli	12/1/2001	11/30/2008	80	26.75			126.00	AD	FS	<input type="checkbox"/>	FS		
Bacteria Geomean	Fecal coliform	12/1/2001	11/30/2008	103	65.49			200.00	SM	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0838_02 Mountain Creek arm

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2001	11/30/2008	137		1	33.4	32.20	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2001	11/30/2008	116		2	9.35	9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2001	11/30/2008	116		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	64	381.62			500.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2001	11/30/2008	24	26.00			100.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2001	11/30/2008	23	127.70			250.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	83		24	0.76	0.37	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	77		0		0.05	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	82		3	0.24	0.11	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	42		2	0.31	0.20	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2001	11/30/2008	34		6	59.25	26.70	AD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Cadmium	12/1/2001	11/30/2008	7	0.15			5.00	LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Lead	12/1/2001	11/30/2008	7	0.50			4.98	LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Chromium	12/1/2001	11/30/2008	7	3.64			100.00	LD	NC	<input type="checkbox"/>	NC		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Cadmium	12/1/2001	11/30/2008	7	0.15			5.00	LD	NC	<input type="checkbox"/>	NC		
Surface Water HH criteria for PWS average	Lead	12/1/2001	11/30/2008	7	0.50			4.98	LD	NC	<input type="checkbox"/>	NC		
Surface Water HH criteria for PWS average	Nitrate	12/1/2001	11/30/2008	104	0.31			10,000.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Selenium	12/1/2001	11/30/2008	3	0.92			50.00	ID	NA	<input type="checkbox"/>	NA		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID	0838_03	Walnut Creek arm
-------------	----------------	------------------

USE	Aquatic Life Use
------------	-------------------------

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	18		1	4.73	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	18		0		3.00	AD	FS	<input type="checkbox"/>	FS		

USE	Recreation Use
------------	-----------------------

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Single Sample	Fecal coliform	12/1/2001	11/30/2008	23		0		400.00	AD	FS	<input type="checkbox"/>	FS		
Bacteria Geomean	Fecal coliform	12/1/2001	11/30/2008	23	3.25			200.00	AD	FS	<input type="checkbox"/>	FS		

USE	General Use
------------	--------------------

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2001	11/30/2008	30		0		32.20	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2001	11/30/2008	18		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2001	11/30/2008	18		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	64	381.62			500.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2001	11/30/2008	24	26.00			100.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2001	11/30/2008	23	127.70			250.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	30		1	0.51	0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	30		0		0.05	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	30		0		0.11	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	9		0		0.20	LD	NC	<input type="checkbox"/>	NC		

USE	Public Water Supply Use
------------	--------------------------------

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2001	11/30/2008	40	0.14			10,000.00	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

Segment New
in 2010? **No**

SEGID 0838A Mountain Creek (unclassified water body)

AUID 0838A_01

Entire segment.

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	17		0		3.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	17		0		2.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2001	11/30/2008	14		0		635.79	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Silver (ionic)	12/1/2001	11/30/2008	14		0		0.80	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2001	11/30/2008	14		0		485.19	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Aluminum	12/1/2001	11/30/2008	14		0		991.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/1/2001	11/30/2008	14		0		5,987.26	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2001	11/30/2008	14		0		2,216.78	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	12/1/2001	11/30/2008	14		0		360.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	14		0		224.26	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2001	11/30/2008	14		0		91.83	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/1/2001	11/30/2008	14	5.96			138.36	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2001	11/30/2008	14	3.06			91.97	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2001	11/30/2008	14	0.06			2.08	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2001	11/30/2008	14	3.67			10.80	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2001	11/30/2008	14	0.31			157.32	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	14	0.04			0.92	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic	12/1/2001	11/30/2008	14	3.13			190.00	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0838A_01 Entire segment.

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	17		0		0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	17		1	0.62	0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	6		0		0.69	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	17		3	2.82	1.95	AD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Chromium	12/1/2001	11/30/2008	10	0.34			3,320.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2001	11/30/2008	10	0.07			25.30	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

Segment New
in 2010? **No**

SEGID 0838B Sugar Creek (unclassified water body)

AUID 0838B_01

Entire segment.

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	18		0		3.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	18		0		2.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2001	11/30/2008	7		0		107.36	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Selenium	12/1/2001	11/30/2008	5		0		20.00	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Chromium	12/1/2001	11/30/2008	7		0		705.88	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	7		0		46.37	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Copper	12/1/2001	11/30/2008	5		0		21.88	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Zinc	12/1/2001	11/30/2008	6		0		148.51	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Lead	12/1/2001	11/30/2008	7	0.50			2.08	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Selenium	12/1/2001	11/30/2008	5	2.89			5.00	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Copper	12/1/2001	11/30/2008	5	1.97			10.80	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Chromium	12/1/2001	11/30/2008	7	3.21			157.32	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	7	0.15			0.92	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Zinc	12/1/2001	11/30/2008	6	3.84			91.97	LD	NC	<input type="checkbox"/>	NC		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Single Sample	E. coli	12/1/2001	11/30/2008	80		20	1273	394.00	AD	CN	<input type="checkbox"/>	CN	bacteria	
Bacteria Single Sample	Fecal coliform	12/1/2001	11/30/2008	80		27	2460.37	400.00	SM	NS	<input type="checkbox"/>	NS		
Bacteria Geomean	Fecal coliform	12/1/2001	11/30/2008	80	176.41			200.00	SM	FS	<input type="checkbox"/>	FS		
Bacteria Geomean	E. coli	12/1/2001	11/30/2008	80	88.09			126.00	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0838B_01 Entire segment.

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Chlorophyll-a	12/1/2001	11/30/2008	27		7	58.11	14.10	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	24		0		0.69	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	26		1	0.56	0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	27		2	4.01	1.95	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	22		0		0.37	AD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Chromium	12/1/2001	11/30/2008	7	3.21			3,320.00	LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Lead	12/1/2001	11/30/2008	7	0.50			25.30	LD	NC	<input type="checkbox"/>	NC		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

Segment New
in 2010? No

SEGID 0838C Walnut Creek (unclassified water body)

AUID 0838C_01

Entire segment.

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	37		0		3.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	37		0		2.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2001	11/30/2008	24		0		1,860.25	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2001	11/30/2008	23		0		404.70	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Selenium	12/1/2001	11/30/2008	3		0		20.00	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Nickel	12/1/2001	11/30/2008	17		0		2,106.53	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Silver (ionic)	12/1/2001	11/30/2008	17		0		0.80	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	24		0		176.15	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	12/1/2001	11/30/2008	17		0		360.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Aluminum	12/1/2001	11/30/2008	17		0		991.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2001	11/30/2008	24		0		484.12	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2001	11/30/2008	22		0		28.69	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2001	11/30/2008	23	4.82			91.97	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic	12/1/2001	11/30/2008	17	1.15			190.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	24	0.07			0.92	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2001	11/30/2008	24	1.48			157.32	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2001	11/30/2008	22	4.08			10.80	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2001	11/30/2008	24	0.24			2.08	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/1/2001	11/30/2008	17	4.80			138.36	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0838C_01 Entire segment.

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Chronic Toxic Substances in water	Selenium	12/1/2001	11/30/2008	3	0.92			5.00	ID	NA	<input type="checkbox"/>	NA		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Single Sample	E. coli	12/1/2001	11/30/2008	81		24	3148.71	394.00	AD	CN	<input type="checkbox"/>	PI	bacteria	
Bacteria Single Sample	Fecal coliform	12/1/2001	11/30/2008	81		38	6179.26	400.00	SM	NS	<input type="checkbox"/>	NS		
Bacteria Geomean	E. coli	12/1/2001	11/30/2008	81	256.63			126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	5b
Bacteria Geomean	Fecal coliform	12/1/2001	11/30/2008	81	450.42			200.00	SM	NS	<input type="checkbox"/>	NS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

Segment New
in 2010? **No**

SEGID 0839 Elm Fork Trinity River Below Ray Roberts Lake

AUID 0839_01

Entire segment

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	69		2	3.4	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	69		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Silver (ionic)	12/1/2001	11/30/2008	9		0		0.80	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Aluminum	12/1/2001	11/30/2008	11		0		991.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	12/1/2001	11/30/2008	13		0		360.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	13		0		24.05	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2001	11/30/2008	13		0		438.28	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2001	11/30/2008	11		0		14.23	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2001	11/30/2008	13		0		51.18	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/1/2001	11/30/2008	12		0		1,122.15	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2001	11/30/2008	10		0		90.70	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic	12/1/2001	11/30/2008	13	2.50			190.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	13	0.15			0.83	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2001	11/30/2008	13	2.81			142.17	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2001	11/30/2008	11	0.94			9.72	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2001	11/30/2008	13	0.50			1.78	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/1/2001	11/30/2008	12	2.76			124.62	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2001	11/30/2008	10	4.17			82.83	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0839_01 Entire segment

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Single Sample	Fecal coliform	12/1/2001	11/30/2008	12		0		400.00	AD	FS	<input type="checkbox"/>	FS		
Bacteria Geomean	Fecal coliform	12/1/2001	11/30/2008	12	14.85			200.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2001	11/30/2008	69		0		32.20	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2001	11/30/2008	69		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2001	11/30/2008	69		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	69	187.86			500.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2001	11/30/2008	13	19.46			80.00	AD	FS	<input type="checkbox"/>	FS		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Cadmium	12/1/2001	11/30/2008	13	0.15			5.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Chromium	12/1/2001	11/30/2008	13	2.81			100.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2001	11/30/2008	13	0.50			4.98	AD	FS	<input type="checkbox"/>	FS		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Arsenic	12/1/2001	11/30/2008	13	2.50			50.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Barium	12/1/2001	11/30/2008	13	55.52			2,000.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Cadmium	12/1/2001	11/30/2008	13	0.15			5.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Lead	12/1/2001	11/30/2008	13	0.50			4.98	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

Segment New
in 2010? **No**

SEGID 0839A Clear Creek (unclassified water body)

AUID

0839A_01

Entire segment.

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	50		0		3.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	50		0		2.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/1/2001	11/30/2008	19		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/1/2001	11/30/2008	19		0		2.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Single Sample	E. coli	12/1/2001	11/30/2008	13		2	1250	394.00	AD	FS	<input type="checkbox"/>	FS		
Bacteria Geomean	E. coli	12/1/2001	11/30/2008	13	70.36			126.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	47		0		0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	49		0		0.69	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	49		0		0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	48		0		1.95	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2001	11/30/2008	14		1	16.3	14.10	AD	NC	<input type="checkbox"/>	NC		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

Segment New
in 2010? **No**

SEGID 0840 Ray Roberts Lake

AUID 0840_01

Lowermost portion of reservoir adjacent to dam

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	68		0		5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	68		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2001	11/30/2008	13		0		67.08	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2001	11/30/2008	10		0		108.60	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Silver (ionic)	12/1/2001	11/30/2008	9		0		0.80	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Nickel	12/1/2001	11/30/2008	12		0		1,343.22	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2001	11/30/2008	12		0		17.38	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2001	11/30/2008	13		0		521.62	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	13		0		30.57	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Aluminum	12/1/2001	11/30/2008	12		0		991.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	12/1/2001	11/30/2008	13		0		360.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2001	11/30/2008	13	0.50			2.33	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/1/2001	11/30/2008	12	2.87			149.18	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2001	11/30/2008	10	5.04			99.17	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2001	11/30/2008	13	2.81			169.21	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic	12/1/2001	11/30/2008	13	2.50			190.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	13	0.15			0.98	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2001	11/30/2008	12	0.89			11.65	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0840_01 Lowermost portion of reservoir adjacent to dam

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2001	11/30/2008	69		0		32.20	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2001	11/30/2008	68		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2001	11/30/2008	68		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	349	176.53			500.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2001	11/30/2008	64	17.18			80.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008						ID	NA	<input checked="" type="checkbox"/>	CS	nitrate	

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Cadmium	12/1/2001	11/30/2008	13	0.15			5.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Chromium	12/1/2001	11/30/2008	13	2.81			100.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2001	11/30/2008	13	0.50			4.98	AD	FS	<input type="checkbox"/>	FS		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Arsenic	12/1/2001	11/30/2008	13	2.50			50.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Barium	12/1/2001	11/30/2008	13	55.10			2,000.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Cadmium	12/1/2001	11/30/2008	13	0.15			5.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Lead	12/1/2001	11/30/2008	13	0.50			4.98	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0840_02 Lower portion of Jordan Creek arm west of Pilot Point

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	66		1	2.4	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	66		1	2.4	3.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2001	11/30/2008	13		0		67.08	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Silver (ionic)	12/1/2001	11/30/2008	9		0		0.80	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Zinc	12/1/2001	11/30/2008	10		0		108.60	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/1/2001	11/30/2008	12		0		1,343.22	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2001	11/30/2008	13		0		521.62	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	13		0		30.57	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	12/1/2001	11/30/2008	13		0		360.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Aluminum	12/1/2001	11/30/2008	12		0		991.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2001	11/30/2008	12		0		17.38	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2001	11/30/2008	13	2.81			169.21	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2001	11/30/2008	10	3.45			99.17	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/1/2001	11/30/2008	12	2.78			149.18	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2001	11/30/2008	12	0.88			11.65	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	13	0.15			0.98	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic	12/1/2001	11/30/2008	13	2.50			190.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2001	11/30/2008	13	0.50			2.33	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2001	11/30/2008	67		0		32.20	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0840_02 Lower portion of Jordan Creek arm west of Pilot Point

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
High pH	pH	12/1/2001	11/30/2008	67		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2001	11/30/2008	67		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	349	176.53			500.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2001	11/30/2008	64	17.18			80.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008						ID	NA	<input checked="" type="checkbox"/>	CS	nitrate	

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Cadmium	12/1/2001	11/30/2008	13	0.15			5.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Chromium	12/1/2001	11/30/2008	13	2.81			100.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2001	11/30/2008	13	0.50			4.98	AD	FS	<input type="checkbox"/>	FS		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Cadmium	12/1/2001	11/30/2008	13	0.15			5.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Lead	12/1/2001	11/30/2008	13	0.50			4.98	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Barium	12/1/2001	11/30/2008	13	55.10			2,000.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Arsenic	12/1/2001	11/30/2008	13	2.50			50.00	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0840_03 Upper portion of Jordan Creek arm

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	73		5	4.11	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	73		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2001	11/30/2008	14		0		67.08	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Silver (ionic)	12/1/2001	11/30/2008	10		0		0.80	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2001	11/30/2008	9		0		108.60	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Nickel	12/1/2001	11/30/2008	14		0		1,343.22	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	12/1/2001	11/30/2008	14		0		360.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	14		0		30.57	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2001	11/30/2008	14		0		521.62	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Aluminum	12/1/2001	11/30/2008	10		0		991.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2001	11/30/2008	14		0		17.38	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic	12/1/2001	11/30/2008	14	2.50			190.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	14	0.15			0.98	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2001	11/30/2008	14	2.79			169.21	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2001	11/30/2008	14	1.97			11.65	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2001	11/30/2008	14	0.50			2.33	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/1/2001	11/30/2008	14	3.54			149.18	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2001	11/30/2008	9	3.06			99.17	LD	NC	<input type="checkbox"/>	NC		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Single Sample	Fecal coliform	12/1/2001	11/30/2008	14		3	9233.33	400.00	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID	0840_03	Upper portion of Jordan Creek arm
-------------	----------------	-----------------------------------

USE	Recreation Use
------------	-----------------------

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	Fecal coliform	12/1/2001	11/30/2008	14	64.39			200.00	AD	FS	<input type="checkbox"/>	FS		

USE	General Use
------------	--------------------

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2001	11/30/2008	75		0		32.20	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2001	11/30/2008	75		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2001	11/30/2008	75		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	349	176.53			500.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2001	11/30/2008	64	17.18			80.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008						ID	NA	<input checked="" type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008						ID	NA	<input checked="" type="checkbox"/>	CS	orthophosphorus	
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008						ID	NA	<input checked="" type="checkbox"/>	CS	ammonia	
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008						ID	NA	<input checked="" type="checkbox"/>	CS	total phosphorus	

USE	Fish Consumption Use
------------	-----------------------------

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Lead	12/1/2001	11/30/2008	14	0.50			4.98	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Chromium	12/1/2001	11/30/2008	14	2.79			100.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Cadmium	12/1/2001	11/30/2008	14	0.15			5.00	AD	FS	<input type="checkbox"/>	FS		

USE	Public Water Supply Use
------------	--------------------------------

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Barium	12/1/2001	11/30/2008	14	46.37			2,000.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Cadmium	12/1/2001	11/30/2008	14	0.15			5.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Lead	12/1/2001	11/30/2008	14	0.50			4.98	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0840_03 Upper portion of Jordan Creek arm

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Arsenic	12/1/2001	11/30/2008	14	2.50			50.00	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID

0840_04

Buck Creek cove

USE

Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	73		1	3.2	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	73		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2001	11/30/2008	14		0		17.38	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Silver (ionic)	12/1/2001	11/30/2008	10		0		0.80	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2001	11/30/2008	9		0		108.60	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Lead	12/1/2001	11/30/2008	14		0		67.08	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2001	11/30/2008	14		0		521.62	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	14		0		30.57	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	12/1/2001	11/30/2008	14		0		360.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Aluminum	12/1/2001	11/30/2008	12		0		991.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/1/2001	11/30/2008	14		0		1,343.22	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic	12/1/2001	11/30/2008	14	2.50			190.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	14	0.15			0.98	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2001	11/30/2008	14	2.79			169.21	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2001	11/30/2008	14	1.36			11.65	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2001	11/30/2008	14	0.50			2.33	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/1/2001	11/30/2008	14	2.83			149.18	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2001	11/30/2008	9	5.06			99.17	LD	NC	<input type="checkbox"/>	NC		

USE

Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Single Sample	Fecal coliform	12/1/2001	11/30/2008	14		2	1570	400.00	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0840_04 Buck Creek cove

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	Fecal coliform	12/1/2001	11/30/2008	14	32.72			200.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2001	11/30/2008	74		0		32.20	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2001	11/30/2008	75		1	9.1	9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2001	11/30/2008	75		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	349	176.53			500.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2001	11/30/2008	64	17.18			80.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008						ID	NA	<input checked="" type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008						ID	NA	<input checked="" type="checkbox"/>	CS	ammonia	

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Cadmium	12/1/2001	11/30/2008	14	0.15			5.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Chromium	12/1/2001	11/30/2008	14	2.79			100.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2001	11/30/2008	14	0.50			4.98	AD	FS	<input type="checkbox"/>	FS		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Barium	12/1/2001	11/30/2008	14	51.34			2,000.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Cadmium	12/1/2001	11/30/2008	14	0.15			5.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Arsenic	12/1/2001	11/30/2008	14	2.50			50.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Lead	12/1/2001	11/30/2008	14	0.50			4.98	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0840_05 Lower portion of Elm Fork arm

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	349	176.53			500.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2001	11/30/2008	64	17.18			80.00	AD	FS	<input type="checkbox"/>	FS		

AUID 0840_06 Middle portion of Elm Fork arm

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	349	176.53			500.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2001	11/30/2008	64	17.18			80.00	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0840_07 Upper portion of Elm Fork arm

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	67		0		5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	67		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	13		0		30.57	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2001	11/30/2008	10		0		108.60	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/1/2001	11/30/2008	12		0		1,343.22	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Silver (ionic)	12/1/2001	11/30/2008	9		0		0.80	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Lead	12/1/2001	11/30/2008	13		0		67.08	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	12/1/2001	11/30/2008	13		0		360.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Aluminum	12/1/2001	11/30/2008	11		0		991.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2001	11/30/2008	12		0		17.38	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2001	11/30/2008	13		0		521.62	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2001	11/30/2008	10	6.60			99.17	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic	12/1/2001	11/30/2008	13	2.50			190.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	13	0.15			0.98	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2001	11/30/2008	13	3.00			169.21	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2001	11/30/2008	12	1.35			11.65	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2001	11/30/2008	13	0.50			2.33	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/1/2001	11/30/2008	12	2.84			149.18	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2001	11/30/2008	67		0		32.20	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0840_07 Upper portion of Elm Fork arm

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
High pH	pH	12/1/2001	11/30/2008	67		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2001	11/30/2008	67		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	349	176.53			500.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2001	11/30/2008	64	17.18			80.00	AD	FS	<input type="checkbox"/>	FS		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Cadmium	12/1/2001	11/30/2008	13	0.15			5.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Chromium	12/1/2001	11/30/2008	13	3.00			100.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2001	11/30/2008	13	0.50			4.98	AD	FS	<input type="checkbox"/>	FS		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Lead	12/1/2001	11/30/2008	13	0.50			4.98	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Arsenic	12/1/2001	11/30/2008	13	2.50			50.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Barium	12/1/2001	11/30/2008	13	53.25			2,000.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Cadmium	12/1/2001	11/30/2008	13	0.15			5.00	AD	FS	<input type="checkbox"/>	FS		

AUID 0840_08 Remainder of reservoir

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/1/2001	11/30/2008	64	17.18			80.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	349	176.53			500.00	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

Segment New
in 2010? **No**

SEGID 0841 Lower West Fork Trinity River

AUID 0841_01

From confluence of the Elm Fork Trinity River to the Tarrant/Dallas county line

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	201		1	3.9	4.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	201		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Selenium	12/1/2001	11/30/2008	4		0		20.00	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Zinc	12/1/2001	11/30/2008	24		0		174.04	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/1/2001	11/30/2008	3		0		2,150.99	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Lead	12/1/2001	11/30/2008	41		0		136.25	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2001	11/30/2008	43		0		822.85	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	44		0		57.28	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	12/1/2001	11/30/2008	6		0		360.00	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Aluminum	12/1/2001	11/30/2008	6		0		991.00	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Copper	12/1/2001	11/30/2008	34		0		29.37	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2001	11/30/2008	43	3.08			234.48	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2001	11/30/2008	24	11.32			138.98	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Selenium	12/1/2001	11/30/2008	4	0.94			5.00	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Nickel	12/1/2001	11/30/2008	3	3.50			208.96	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Arsenic	12/1/2001	11/30/2008	6	2.50			190.00	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Copper	12/1/2001	11/30/2008	34	1.70			16.38	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	44	0.15			1.34	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2001	11/30/2008	41	0.50			3.87	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID **0841_01** From confluence of the Elm Fork Trinity River to the Tarrant/Dallas county line

USE **Aquatic Life Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Toxic Substances in sediment	PCBs	12/1/2001	11/30/2008	3		0		676.00	ID	NA	<input type="checkbox"/>	NA		

USE **Recreation Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Single Sample	E. coli	12/1/2001	11/30/2008	205		54	3782.52	394.00	AD	CN	<input type="checkbox"/>	PI	bacteria	
Bacteria Single Sample	Fecal coliform	12/1/2001	11/30/2008	113		52	4601.92	400.00	SM	NS	<input type="checkbox"/>	NS		
Bacteria Geomean	E. coli	12/1/2001	11/30/2008	205	171.00			126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	5a
Bacteria Geomean	Fecal coliform	12/1/2001	11/30/2008	113	399.70			200.00	SM	NS	<input type="checkbox"/>	NS		

USE **General Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2001	11/30/2008	209		0		35.00	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2001	11/30/2008	201		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2001	11/30/2008	201		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	160	444.66			850.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2001	11/30/2008	26	69.62			175.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2001	11/30/2008	45	61.73			175.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Chlorophyll-a	12/1/2001	11/30/2008	110		40	21.25	14.10	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	120		108	9.25	1.95	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	143		113	1.06	0.37	AD	CS	<input type="checkbox"/>	CS	orthophosphorus	
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	150		3	0.97	0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	113		82	1.32	0.69	AD	CS	<input type="checkbox"/>	CS	total phosphorus	

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0841_01 From confluence of the Elm Fork Trinity River to the Tarrant/Dallas county line

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Restricted and No-Consumption	12/1/2001	11/30/2008						OE	NS	<input type="checkbox"/>	NS	dioxin in edible tissue	5a
DSHS Advisories, Closures, and Risk Assessments	Restricted and No-Consumption	12/1/2001	11/30/2008						OE	NS	<input type="checkbox"/>	NS	PCBs in edible tissue	5a
HH Bioaccumulative Toxics in water	Chromium	12/1/2001	11/30/2008	42	3.10			3,320.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2001	11/30/2008	40	0.50			25.30	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0841_02 From the Tarrant/Dallas county line upstream to the confluence of Village Creek

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	12		0		4.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	12		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Toxic Substances in sediment	PCBs	12/1/2001	11/30/2008	3		0		676.00	ID	NA	<input type="checkbox"/>	NA		
TOXNET ambient toxicity tests in water - lethality	Water Toxicity - Lethal Effects	12/1/2001	11/30/2008						ID	NA	<input type="checkbox"/>	NA		
TOXNET ambient toxicity tests in water - sublethality	Water Toxicity - Sublethal Effects	12/1/2001	11/30/2008	2		0			ID	NA	<input type="checkbox"/>	NA		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Single Sample	E. coli	12/1/2001	11/30/2008	16		1	452	394.00	AD	FS	<input type="checkbox"/>	FS		
Bacteria Single Sample	Fecal coliform	12/1/2001	11/30/2008	3		0		400.00	SM	NA	<input type="checkbox"/>	NA		
Bacteria Geomean	Fecal coliform	12/1/2001	11/30/2008	3	99.52			200.00	SM	NA	<input type="checkbox"/>	NA		
Bacteria Geomean	E. coli	12/1/2001	11/30/2008	16	46.71			126.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2001	11/30/2008	12		0		35.00	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2001	11/30/2008	12		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2001	11/30/2008	12		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2001	11/30/2008	160	444.66			850.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2001	11/30/2008	26	69.62			175.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2001	11/30/2008	45	61.73			175.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	11		11	1.19	0.37	AD	CS	<input type="checkbox"/>	CS	orthophosphorus	
Nutrient Screening Levels	Chlorophyll-a	12/1/2001	11/30/2008	12		1	16.9	14.10	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	12		2	0.46	0.33	AD	NC	<input type="checkbox"/>	NC		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0841_02 From the Tarrant/Dallas county line upstream to the confluence of Village Creek

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	12		12	12.68	1.95	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	10		10	1.11	0.69	AD	CS	<input type="checkbox"/>	CS	total phosphorus	

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Restricted and No-Consumption	12/1/2001	11/30/2008						OE	NS	<input type="checkbox"/>	NS	PCBs in edible tissue	5a
DSHS Advisories, Closures, and Risk Assessments	Restricted and No-Consumption	12/1/2001	11/30/2008						OE	NS	<input type="checkbox"/>	NS	dioxin in edible tissue	5a

Segment New in 2010? No **SEGID** 0841A Mountain Creek Lake (unclassified water body)

AUID 0841A_01 Entire reservoir

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Aquatic Life Closure	12/1/2001	11/30/2008						OE	NS	<input type="checkbox"/>	NS	dieldrin in edible tissue	4a
DSHS Advisories, Closures, and Risk Assessments	Aquatic Life Closure	12/1/2001	11/30/2008						OE	NS	<input type="checkbox"/>	NS	PCBs in edible tissue	4a
DSHS Advisories, Closures, and Risk Assessments	Aquatic Life Closure	12/1/2001	11/30/2008						OE	NS	<input type="checkbox"/>	NS	heptachlor epoxide in edible tissue	4a
DSHS Advisories, Closures, and Risk Assessments	Aquatic Life Closure	12/1/2001	11/30/2008						OE	NS	<input type="checkbox"/>	NS	DDT in edible tissue	4a
DSHS Advisories, Closures, and Risk Assessments	Aquatic Life Closure	12/1/2001	11/30/2008						OE	NS	<input type="checkbox"/>	NS	DDE in edible tissue	4a
DSHS Advisories, Closures, and Risk Assessments	Aquatic Life Closure	12/1/2001	11/30/2008						OE	NS	<input type="checkbox"/>	NS	chlordane in edible tissue	4a
DSHS Advisories, Closures, and Risk Assessments	Aquatic Life Closure	12/1/2001	11/30/2008						OE	NS	<input type="checkbox"/>	NS	DDD in edible tissue	4a

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

Segment New
in 2010? **No**

SEGID 0841B Bear Creek (unclassified water body)

AUID 0841B_01

Entire segment.

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	76		3	1.67	3.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	76		2	1.5	2.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	148		0		89.66	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2001	11/30/2008	109		0		243.69	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Selenium	12/1/2001	11/30/2008	24		0		20.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Silver (ionic)	12/1/2001	11/30/2008	20		0		0.80	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/1/2001	11/30/2008	19		0		4,419.34	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2001	11/30/2008	150		0		1,139.30	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	12/1/2001	11/30/2008	20		0		360.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Aluminum	12/1/2001	11/30/2008	19		0		991.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2001	11/30/2008	127		0		42.70	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2001	11/30/2008	149		0		225.93	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/1/2001	11/30/2008	19	5.03			138.36	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Selenium	12/1/2001	11/30/2008	24	0.42			5.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2001	11/30/2008	149	0.48			2.08	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2001	11/30/2008	127	2.03			10.80	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2001	11/30/2008	150	3.13			157.32	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	148	0.14			0.92	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic	12/1/2001	11/30/2008	20	2.23			190.00	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0841B_01 Entire segment.

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Chronic Toxic Substances in water	Zinc	12/1/2001	11/30/2008	109	3.80			91.97	AD	FS	<input type="checkbox"/>	FS		
Toxic Substances in sediment	Iron	12/1/2001	11/30/2008	8		2	67300	40,000.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Cadmium	12/1/2001	11/30/2008	10		0		4.98	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Chromium	12/1/2001	11/30/2008	9		0		111.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Copper	12/1/2001	11/30/2008	9		0		149.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Lead	12/1/2001	11/30/2008	9		0		128.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Manganese	12/1/2001	11/30/2008	9		1	1120	1,100.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Mercury	12/1/2001	11/30/2008	9		0		1.06	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Nickel	12/1/2001	11/30/2008	10		0		48.60	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	PCBs	12/1/2001	11/30/2008	1		0		676.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Zinc	12/1/2001	11/30/2008	9		0		459.00	LD	NC	<input type="checkbox"/>	NC		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Single Sample	E. coli	12/1/2001	11/30/2008	316		94	2557.16	394.00	AD	NS	<input type="checkbox"/>	NS	bacteria	5b
Bacteria Single Sample	Fecal coliform	12/1/2001	11/30/2008	261		129	5183.33	400.00	SM	NS	<input type="checkbox"/>	NS		
Bacteria Geomean	E. coli	12/1/2001	11/30/2008	316	152.38			126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	5b
Bacteria Geomean	Fecal coliform	12/1/2001	11/30/2008	261	362.72			200.00	SM	NS	<input type="checkbox"/>	NS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	95		0		1.95	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	186		0		0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	185		3	0.53	0.33	AD	NC	<input type="checkbox"/>	NC		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0841B_01 Entire segment.

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	175		1	6.3	0.69	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2001	11/30/2008	165		14	31.15	14.10	AD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Carbon tetrachloride	12/1/2001	11/30/2008	1	2.50			8.40	ID	NA	<input type="checkbox"/>	NA		
HH Bioaccumulative Toxics in water	Chloroform	12/1/2001	11/30/2008	1	2.50			1,292.00	ID	NA	<input type="checkbox"/>	NA		
HH Bioaccumulative Toxics in water	Vinyl chloride	12/1/2001	11/30/2008	1	2.50			415.00	ID	NA	<input type="checkbox"/>	NA		
HH Bioaccumulative Toxics in water	Chlorobenzene	12/1/2001	11/30/2008	1	2.50			1,380.00	ID	NA	<input type="checkbox"/>	NA		
HH Bioaccumulative Toxics in water	Benzene	12/1/2001	11/30/2008	1	2.50			106.00	ID	NA	<input type="checkbox"/>	NA		
HH Bioaccumulative Toxics in water	Acrylonitrile	12/1/2001	11/30/2008	1	5.00			10.90	ID	NA	<input type="checkbox"/>	NA		
HH Bioaccumulative Toxics in water	Lead	12/1/2001	11/30/2008	149	0.48			25.30	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Chromium	12/1/2001	11/30/2008	150	3.13			3,320.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	1,2-Dichloroethane	12/1/2001	11/30/2008	1	2.50			73.90	ID	NA	<input type="checkbox"/>	NA		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

Segment New
in 2010? **No**

SEGID 0841C Arbor Creek (unclassified water body)

AUID

0841C_01

Entire segment.

USE

Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	4		0		5.00	LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	4		0		3.00	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	6		0		27.65	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Selenium	12/1/2001	11/30/2008	2		0		20.00	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Lead	12/1/2001	11/30/2008	5		0		59.90	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Chromium	12/1/2001	11/30/2008	6		0		484.98	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Zinc	12/1/2001	11/30/2008	5		0		100.72	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Copper	12/1/2001	11/30/2008	4		0		62.24	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Zinc	12/1/2001	11/30/2008	5	9.18			91.97	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Selenium	12/1/2001	11/30/2008	2	1.00			5.00	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Lead	12/1/2001	11/30/2008	5	0.50			2.08	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	6	0.15			0.92	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Chromium	12/1/2001	11/30/2008	6	2.83			157.32	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Copper	12/1/2001	11/30/2008	4	1.82			10.80	LD	NC	<input type="checkbox"/>	NC		

USE

Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Single Sample	E. coli	12/1/2001	11/30/2008	68		22	3576.18	394.00	AD	NS	<input type="checkbox"/>	NS	bacteria	5b
Bacteria Single Sample	Fecal coliform	12/1/2001	11/30/2008	66		29	5783.03	400.00	SM	NS	<input type="checkbox"/>	NS		
Bacteria Geomean	E. coli	12/1/2001	11/30/2008	68	138.82			126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	5b
Bacteria Geomean	Fecal coliform	12/1/2001	11/30/2008	66	379.46			200.00	SM	NS	<input type="checkbox"/>	NS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0841C_01 Entire segment.

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	20		0		0.69	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2001	11/30/2008	17		1	36	14.10	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	21		1	0.83	0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	21		0		0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	19		0		1.95	AD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Lead	12/1/2001	11/30/2008	5	0.50			25.30	LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Chromium	12/1/2001	11/30/2008	6	2.83			3,320.00	LD	NC	<input type="checkbox"/>	NC		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

Segment New
in 2010? **No**

SEGID 0841D Big Bear Creek (unclassified water body)

AUID 0841D_01 Entire segment.

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	28		0		3.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	28		0		2.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Single Sample	E. coli	12/1/2001	11/30/2008	25		6	1590.67	394.00	AD	FS	<input type="checkbox"/>	FS		
Bacteria Single Sample	Fecal coliform	12/1/2001	11/30/2008	5		3	2133.33	400.00	SM	NS	<input type="checkbox"/>	NS		
Bacteria Geomean	E. coli	12/1/2001	11/30/2008	25	98.36			126.00	AD	FS	<input type="checkbox"/>	FS		
Bacteria Geomean	Fecal coliform	12/1/2001	11/30/2008	5	637.87			200.00	SM	CN	<input type="checkbox"/>	CN		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	28		0		1.95	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2001	11/30/2008	27		2	25.45	14.10	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	28		0		0.69	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	27		0		0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	28		0		0.37	AD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	1,2-Dibromoethane	12/1/2001	11/30/2008	1	0.17			0.34	ID	NA	<input type="checkbox"/>	NA		
HH Bioaccumulative Toxics in water	Acrylonitrile	12/1/2001	11/30/2008	2	3.23			10.90	ID	NA	<input type="checkbox"/>	NA		
HH Bioaccumulative Toxics in water	Benzene	12/1/2001	11/30/2008	2	1.75			106.00	ID	NA	<input type="checkbox"/>	NA		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0841D_01 Entire segment.

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Carbon tetrachloride	12/1/2001	11/30/2008	2	1.75			8.40	ID	NA	<input type="checkbox"/>	NA		
HH Bioaccumulative Toxics in water	Chlorobenzene	12/1/2001	11/30/2008	2	1.75			1,380.00	ID	NA	<input type="checkbox"/>	NA		
HH Bioaccumulative Toxics in water	1,2-Dichloroethane	12/1/2001	11/30/2008	2	1.75			73.90	ID	NA	<input type="checkbox"/>	NA		
HH Bioaccumulative Toxics in water	1,1,1-Trichloroethane	12/1/2001	11/30/2008	1	1.00			12,586.00	ID	NA	<input type="checkbox"/>	NA		
HH Bioaccumulative Toxics in water	Vinyl chloride	12/1/2001	11/30/2008	2	1.75			415.00	ID	NA	<input type="checkbox"/>	NA		
HH Bioaccumulative Toxics in water	Chloroform	12/1/2001	11/30/2008	2	1.75			1,292.00	ID	NA	<input type="checkbox"/>	NA		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

Segment New
in 2010? **No**

SEGID 0841E Copart Branch Mountain Creek (unclassified water body)

AUID

0841E_01

Entire segment.

USE

Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	18		1	2.9	3.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	18		0		2.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	7		0		31.31	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Chromium	12/1/2001	11/30/2008	7		0		530.70	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Copper	12/1/2001	11/30/2008	5		0		22.57	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Lead	12/1/2001	11/30/2008	7		0		68.91	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Selenium	12/1/2001	11/30/2008	3		0		20.00	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Zinc	12/1/2001	11/30/2008	6		0		110.56	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Lead	12/1/2001	11/30/2008	7	0.50			2.08	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Zinc	12/1/2001	11/30/2008	6	6.17			91.97	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Selenium	12/1/2001	11/30/2008	3	0.92			5.00	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Chromium	12/1/2001	11/30/2008	7	2.79			157.32	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	7	0.15			0.92	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Copper	12/1/2001	11/30/2008	5	1.83			10.80	LD	NC	<input type="checkbox"/>	NC		

USE

Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Single Sample	E. coli	12/1/2001	11/30/2008	79		24	2454.17	394.00	AD	NS	<input type="checkbox"/>	NS	bacteria	5b
Bacteria Single Sample	Fecal coliform	12/1/2001	11/30/2008	77		41	12947.56	400.00	SM	NS	<input type="checkbox"/>	NS		
Bacteria Geomean	E. coli	12/1/2001	11/30/2008	79	156.38			126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	5b
Bacteria Geomean	Fecal coliform	12/1/2001	11/30/2008	77	470.07			200.00	SM	NS	<input type="checkbox"/>	NS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0841E_01 Entire segment.

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	25		0		1.95	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	20		0		0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	25		0		0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	24		0		0.69	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2001	11/30/2008	25		2	29.45	14.10	AD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Chromium	12/1/2001	11/30/2008	7	2.79			3,320.00	LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Lead	12/1/2001	11/30/2008	7	0.50			25.30	LD	NC	<input type="checkbox"/>	NC		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

Segment New
in 2010? **No**

SEGID 0841F Cottonwood Creek (unclassified water body)

AUID 0841F_01

Entire segment.

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	39		7	3.81	5.00	AD	CS	<input type="checkbox"/>	CS	depressed dissolved oxygen	
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	39		1	1.8	3.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	39		0		27.65	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2001	11/30/2008	37		0		484.98	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2001	11/30/2008	33		0		15.99	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2001	11/30/2008	30		0		107.36	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/1/2001	11/30/2008	24		0		1,245.85	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Selenium	12/1/2001	11/30/2008	7		0		20.00	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Zinc	12/1/2001	11/30/2008	32		0		100.72	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2001	11/30/2008	33	2.31			10.80	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Selenium	12/1/2001	11/30/2008	7	0.93			5.00	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Zinc	12/1/2001	11/30/2008	32	17.43			91.97	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2001	11/30/2008	37	1.72			157.32	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	39	0.15			0.92	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/1/2001	11/30/2008	24	2.50			138.36	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2001	11/30/2008	30	0.52			2.08	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Single Sample	E. coli	12/1/2001	11/30/2008	194		68	3704.88	394.00	AD	NS	<input type="checkbox"/>	NS	bacteria	5b
Bacteria Single Sample	Fecal coliform	12/1/2001	11/30/2008	159		79	5030.81	400.00	SM	NS	<input type="checkbox"/>	NS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0841F_01 Entire segment.

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2001	11/30/2008	194	268.49			126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	5b
Bacteria Geomean	Fecal coliform	12/1/2001	11/30/2008	159	470.53			200.00	SM	NS	<input type="checkbox"/>	NS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Chlorophyll-a	12/1/2001	11/30/2008	48		0		14.10	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	54		0		1.95	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	43		0		0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	54		1	0.34	0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	50		0		0.69	AD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Chromium	12/1/2001	11/30/2008	37	1.72			3,320.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2001	11/30/2008	30	0.52			25.30	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

Segment New
in 2010? **No**

SEGID 0841G Dalworth Creek (unclassified water body)

AUID

0841G_01

Entire segment.

USE

Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	4		1	1	5.00	LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	4		1	1	3.00	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	6		0		27.65	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Chromium	12/1/2001	11/30/2008	6		0		484.98	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Copper	12/1/2001	11/30/2008	4		0		128.25	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Lead	12/1/2001	11/30/2008	5		0		59.90	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Selenium	12/1/2001	11/30/2008	3		0		20.00	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Zinc	12/1/2001	11/30/2008	5		0		100.72	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Selenium	12/1/2001	11/30/2008	3	1.00			5.00	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Chromium	12/1/2001	11/30/2008	6	2.83			157.32	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Zinc	12/1/2001	11/30/2008	5	9.36			91.97	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Copper	12/1/2001	11/30/2008	4	1.86			10.80	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	6	0.15			0.92	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Lead	12/1/2001	11/30/2008	5	0.50			2.08	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	PCBs	12/1/2001	11/30/2008	1		0		676.00	ID	NA	<input type="checkbox"/>	NA		

USE

Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Single Sample	E. coli	12/1/2001	11/30/2008	52		32	3059.88	394.00	AD	NS	<input type="checkbox"/>	NS	bacteria	5b
Bacteria Single Sample	Fecal coliform	12/1/2001	11/30/2008	50		40	6104.68	400.00	SM	NS	<input type="checkbox"/>	NS		
Bacteria Geomean	E. coli	12/1/2001	11/30/2008	52	720.31			126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	5b

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0841G_01 Entire segment.

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	Fecal coliform	12/1/2001	11/30/2008	50	1565.26			200.00	SM	NS	<input type="checkbox"/>	NS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	16		1	1	0.69	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2001	11/30/2008	14		1	32.1	14.10	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	18		3	0.77	0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	17		0		0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	16		0		1.95	AD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Lead	12/1/2001	11/30/2008	5	0.50			25.30	LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Chromium	12/1/2001	11/30/2008	6	2.83			3,320.00	LD	NC	<input type="checkbox"/>	NC		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

Segment New
in 2010? **No**

SEGID 0841H Delaware Creek (unclassified water body)

AUID

0841H_01

Entire segment.

USE

Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	9		1	2.4	3.00	LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	9		0		2.00	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	167		0		34.26	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2001	11/30/2008	168		0		566.65	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2001	11/30/2008	162		1	73	19.12	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2001	11/30/2008	149		0		76.30	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2001	11/30/2008	93		0		118.31	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2001	11/30/2008	149	0.50			2.08	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2001	11/30/2008	162	2.90			10.80	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2001	11/30/2008	168	3.49			157.32	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	167	0.15			0.92	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2001	11/30/2008	93	5.13			91.97	AD	FS	<input type="checkbox"/>	FS		

USE

Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Single Sample	E. coli	12/1/2001	11/30/2008	168		91	2468.71	394.00	AD	NS	<input type="checkbox"/>	NS	bacteria	5b
Bacteria Single Sample	Fecal coliform	12/1/2001	11/30/2008	149		95	8408.35	400.00	SM	NS	<input type="checkbox"/>	NS		
Bacteria Geomean	E. coli	12/1/2001	11/30/2008	168	383.44			126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	5b
Bacteria Geomean	Fecal coliform	12/1/2001	11/30/2008	149	821.34			200.00	SM	NS	<input type="checkbox"/>	NS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0841H_01 Entire segment.

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	14		0		1.95	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	162		1	0.46	0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	156		11	0.82	0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	131		1	0.78	0.69	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2001	11/30/2008	119		27	32.88	14.10	AD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Chromium	12/1/2001	11/30/2008	168	3.49			3,320.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2001	11/30/2008	149	0.50			25.30	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

Segment New
in 2010? **No**

SEGID 0841I Dry Branch Creek (unclassified water body)

AUID 0841I_01

Entire segment.

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Acute Toxic Substances in water	Chromium	12/1/2001	11/30/2008	32		0		888.04	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2001	11/30/2008	25		0		32.06	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2001	11/30/2008	31		0		153.39	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2001	11/30/2008	18		0		188.32	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	31		0		63.62	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	31	0.14			0.92	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2001	11/30/2008	32	3.23			157.32	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2001	11/30/2008	25	1.60			10.80	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2001	11/30/2008	31	0.50			2.08	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2001	11/30/2008	18	5.64			91.97	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Single Sample	Fecal coliform	12/1/2001	11/30/2008	32		11	6762.73	400.00	SM	NS	<input type="checkbox"/>	NS		
Bacteria Single Sample	E. coli	12/1/2001	11/30/2008	32		7	4812.86	394.00	AD	FS	<input type="checkbox"/>	FS		
Bacteria Geomean	Fecal coliform	12/1/2001	11/30/2008	32	91.76			200.00	SM	FS	<input type="checkbox"/>	FS		
Bacteria Geomean	E. coli	12/1/2001	11/30/2008	32	45.72			126.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	1		0		1.95	ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	32		0		0.37	AD	NC	<input type="checkbox"/>	NC		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID	0841I_01	Entire segment.
-------------	-----------------	-----------------

USE	General Use
------------	--------------------

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	29		4	0.49	0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	27		0		0.69	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2001	11/30/2008	22		1	21.2	14.10	AD	NC	<input type="checkbox"/>	NC		

USE	Fish Consumption Use
------------	-----------------------------

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Chromium	12/1/2001	11/30/2008	32	3.23			3,320.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2001	11/30/2008	31	0.50			25.30	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

Segment New
in 2010? **No**

SEGID 0841J Estelle Creek (unclassified water body)

AUID 0841J_01

Entire segment.

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Acute Toxic Substances in water	Lead	12/1/2001	11/30/2008	30		0		177.64	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2001	11/30/2008	18		0		207.65	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2001	11/30/2008	28		1	152	35.74	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2001	11/30/2008	32		0		976.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	32		0		72.45	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2001	11/30/2008	32	3.27			157.32	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2001	11/30/2008	28	7.96			10.80	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2001	11/30/2008	30	0.50			2.08	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2001	11/30/2008	18	4.72			91.97	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	32	0.15			0.92	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Single Sample	E. coli	12/1/2001	11/30/2008	32		14	2673.14	394.00	AD	NS	<input type="checkbox"/>	NS	bacteria	5b
Bacteria Single Sample	Fecal coliform	12/1/2001	11/30/2008	32		18	4966.06	400.00	SM	NS	<input type="checkbox"/>	NS		
Bacteria Geomean	E. coli	12/1/2001	11/30/2008	32	342.33			126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	5b
Bacteria Geomean	Fecal coliform	12/1/2001	11/30/2008	32	462.05			200.00	SM	NS	<input type="checkbox"/>	NS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	1		0		1.95	ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Chlorophyll-a	12/1/2001	11/30/2008	25		5	33.2	14.10	AD	NC	<input type="checkbox"/>	NC		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID	0841J_01	Entire segment.
-------------	-----------------	-----------------

USE	General Use
------------	--------------------

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	27		0		0.69	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	29		3	0.52	0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	32		0		0.37	AD	NC	<input type="checkbox"/>	NC		

USE	Fish Consumption Use
------------	-----------------------------

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Chromium	12/1/2001	11/30/2008	32	3.27			3,320.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2001	11/30/2008	30	0.50			25.30	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

Segment New
in 2010? **No**

SEGID 0841K Fish Creek (unclassified water body)

AUID 0841K_01

Entire segment.

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	52		8	3.54	5.00	AD	CS	<input type="checkbox"/>	CS	depressed dissolved oxygen	
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	52		1	1.6	3.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/1/2001	11/30/2008	45		0		2,672.77	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Selenium	12/1/2001	11/30/2008	6		0		20.00	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Lead	12/1/2001	11/30/2008	45		0		179.88	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2001	11/30/2008	53		0		37.40	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2001	11/30/2008	57		0		1,015.39	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	61		0		76.51	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2001	11/30/2008	50		0		216.33	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	61	0.15			0.92	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2001	11/30/2008	57	1.44			157.32	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2001	11/30/2008	53	1.51			10.80	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2001	11/30/2008	45	0.52			2.08	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/1/2001	11/30/2008	45	2.64			138.36	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Selenium	12/1/2001	11/30/2008	6	0.96			5.00	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Zinc	12/1/2001	11/30/2008	50	19.44			91.97	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Single Sample	E. coli	12/1/2001	11/30/2008	218		67	2860.7	394.00	AD	NS	<input type="checkbox"/>	NS	bacteria	5b
Bacteria Single Sample	Fecal coliform	12/1/2001	11/30/2008	160		67	5363.94	400.00	SM	NS	<input type="checkbox"/>	NS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0841K_01 Entire segment.

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2001	11/30/2008	218	230.67			126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	5b
Bacteria Geomean	Fecal coliform	12/1/2001	11/30/2008	160	376.23			200.00	SM	NS	<input type="checkbox"/>	NS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	69		0		0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	51		0		0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	75		0		0.69	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2001	11/30/2008	67		8	50.59	14.10	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	77		0		1.95	AD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Chromium	12/1/2001	11/30/2008	57	1.44			3,320.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2001	11/30/2008	45	0.52			25.30	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

Segment New
in 2010? **No**

SEGID 0841L Johnson Creek (unclassified water body)

AUID

0841L_01

Entire segment.

USE

Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	47		4	3.33	5.00	AD	NC	<input checked="" type="checkbox"/>	CS	depressed dissolved oxygen	
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	47		1	2.6	3.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Aluminum	12/1/2001	11/30/2008	8		0		991.00	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Silver (ionic)	12/1/2001	11/30/2008	0		0		0.80	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Zinc	12/1/2001	11/30/2008	61		0		184.77	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Selenium	12/1/2001	11/30/2008	15		0		20.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/1/2001	11/30/2008	56		0		2,283.42	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2001	11/30/2008	50		0		225.93	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2001	11/30/2008	61		0		31.39	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2001	11/30/2008	68		0		871.85	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	12/1/2001	11/30/2008	8		0		360.00	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	71		0		62.02	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2001	11/30/2008	50	0.52			2.08	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Selenium	12/1/2001	11/30/2008	15	0.59			5.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/1/2001	11/30/2008	56	3.36			138.36	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2001	11/30/2008	68	1.47			157.32	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	71	0.16			0.92	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic	12/1/2001	11/30/2008	8	2.51			190.00	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Copper	12/1/2001	11/30/2008	61	1.68			10.80	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0841L_01 Entire segment.

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Chronic Toxic Substances in water	Zinc	12/1/2001	11/30/2008	61	17.94			91.97	AD	FS	<input type="checkbox"/>	FS		
Toxic Substances in sediment	PCBs	12/1/2001	11/30/2008	1		0		676.00	ID	NA	<input type="checkbox"/>	NA		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Single Sample	E. coli	12/1/2001	11/30/2008	222		53	2926	394.00	AD	CN	<input type="checkbox"/>	PI	bacteria	
Bacteria Single Sample	Fecal coliform	12/1/2001	11/30/2008	157		53	4829.47	400.00	SM	NS	<input type="checkbox"/>	NS		
Bacteria Geomean	E. coli	12/1/2001	11/30/2008	222	127.94			126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	5b
Bacteria Geomean	Fecal coliform	12/1/2001	11/30/2008	157	184.78			200.00	SM	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	75		0		0.69	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2001	11/30/2008	69		4	169.25	14.10	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	71		0		0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	77		0		1.95	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	52		1	11	0.33	AD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Lead	12/1/2001	11/30/2008	50	0.52			25.30	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Chromium	12/1/2001	11/30/2008	68	1.47			3,320.00	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

Segment New
in 2010? **No**

SEGID 0841M Kee Branch (unclassified water body)

AUID 0841M_01

Three mile stretch of Kee Branch running upstream from confluence with Rush Creek to approx. 300 m upstream of Polly-Webb Road in Arlington, Tarrant Co. Sta. ID 10792

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	7		0		5.00	LD	NC	<input checked="" type="checkbox"/>	CS	depressed dissolved oxygen	
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	7		0		3.00	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	25		0		27.65	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2001	11/30/2008	20		0		100.72	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/1/2001	11/30/2008	24		0		1,245.85	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2001	11/30/2008	16		0		59.90	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2001	11/30/2008	23		0		484.98	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2001	11/30/2008	23		0		15.99	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	25	0.15			0.92	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2001	11/30/2008	20	23.88			91.97	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/1/2001	11/30/2008	24	3.59			138.36	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2001	11/30/2008	23	1.00			157.32	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2001	11/30/2008	23	1.23			10.80	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2001	11/30/2008	16	0.53			2.08	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Single Sample	E. coli	12/1/2001	11/30/2008	38		9	2115.33	394.00	AD	FS	<input type="checkbox"/>	FS		
Bacteria Geomean	E. coli	12/1/2001	11/30/2008	38	195.59			126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	5b

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID

0841M_01

Three mile stretch of Kee Branch running upstream from confluence with Rush Creek to approx. 300 m upstream of Polly-Webb Road in Arlington, Tarrant Co. Sta. ID 10792

USE

Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Chromium	12/1/2001	11/30/2008	23	1.00			3,320.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2001	11/30/2008	16	0.53			25.30	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

Segment New
in 2010? **No**

SEGID 0841N Kirby Creek (unclassified water body)

AUID 0841N_01 Entire segment

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	15		3	4.2	5.00	AD	CS	<input type="checkbox"/>	CS	depressed dissolved oxygen	
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	15		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2001	11/30/2008	4		0		53.83	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Zinc	12/1/2001	11/30/2008	5		0		270.51	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Lead	12/1/2001	11/30/2008	6		0		264.31	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Chromium	12/1/2001	11/30/2008	6		0		1,260.29	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	6		0		103.03	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Selenium	12/1/2001	11/30/2008	5		0		20.00	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	6	0.15			0.92	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Chromium	12/1/2001	11/30/2008	6	4.00			157.32	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Copper	12/1/2001	11/30/2008	4	2.20			10.80	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Lead	12/1/2001	11/30/2008	6	0.50			2.08	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Selenium	12/1/2001	11/30/2008	5	2.28			5.00	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Zinc	12/1/2001	11/30/2008	5	7.40			91.97	LD	NC	<input type="checkbox"/>	NC		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Single Sample	E. coli	12/1/2001	11/30/2008	84		45	2852	394.00	AD	NS	<input type="checkbox"/>	NS	bacteria	5b
Bacteria Single Sample	Fecal coliform	12/1/2001	11/30/2008	78		51	7011.02	400.00	SM	NS	<input type="checkbox"/>	NS		
Bacteria Geomean	E. coli	12/1/2001	11/30/2008	84	557.52			126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	5b
Bacteria Geomean	Fecal coliform	12/1/2001	11/30/2008	78	888.68			200.00	SM	NS	<input type="checkbox"/>	NS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0841N_01 Entire segment

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	26		0		1.95	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	21		0		0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	25		0		0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	23		0		0.69	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2001	11/30/2008	23		4	22.58	14.10	AD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Chromium	12/1/2001	11/30/2008	6	4.00			3,320.00	LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Lead	12/1/2001	11/30/2008	6	0.50			25.30	LD	NC	<input type="checkbox"/>	NC		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

Segment New
in 2010? **No**

SEGID 08410 Mountain Creek (unclassified water body)

AUID

08410_01

Entire segment.

USE

Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	61		3	4.27	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	61		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Aluminum	12/1/2001	11/30/2008	19		0		991.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Silver (ionic)	12/1/2001	11/30/2008	21		0		0.80	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2001	11/30/2008	39		0		170.43	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Selenium	12/1/2001	11/30/2008	10		0		20.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/1/2001	11/30/2008	21		0		1,994.59	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2001	11/30/2008	39		0		132.03	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2001	11/30/2008	36		0		27.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2001	11/30/2008	42		0		806.38	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	12/1/2001	11/30/2008	16		0		360.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	39		0		55.70	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2001	11/30/2008	30	0.65			2.08	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/1/2001	11/30/2008	11	2.73			138.36	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Selenium	12/1/2001	11/30/2008	10	0.98			5.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2001	11/30/2008	32	2.04			157.32	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic	12/1/2001	11/30/2008	7	1.20			190.00	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	29	0.13			0.92	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2001	11/30/2008	29	3.53			91.97	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 08410_01 Entire segment.

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Chronic Toxic Substances in water	Copper	12/1/2001	11/30/2008	26	1.94			10.80	AD	FS	<input type="checkbox"/>	FS		
Toxic Substances in sediment	PCBs	12/1/2001	11/30/2008	2		0		676.00	ID	NA	<input type="checkbox"/>	NA		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Single Sample	E. coli	12/1/2001	11/30/2008	245		27	2185.48	394.00	AD	FS	<input type="checkbox"/>	FS		
Bacteria Single Sample	Fecal coliform	12/1/2001	11/30/2008	239		42	4681.48	400.00	SM	FS	<input type="checkbox"/>	FS		
Bacteria Geomean	E. coli	12/1/2001	11/30/2008	245	31.74			126.00	AD	FS	<input type="checkbox"/>	FS		
Bacteria Geomean	Fecal coliform	12/1/2001	11/30/2008	239	66.44			200.00	SM	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Chlorophyll-a	12/1/2001	11/30/2008	78		11	21.6	14.10	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	107		0		1.95	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	91		0		0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	104		2	0.6	0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	81		0		0.69	AD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Chromium	12/1/2001	11/30/2008	32	2.04			3,320.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2001	11/30/2008	30	0.65			25.30	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

Segment New
in 2010? **No**

SEGID 0841P North Fork Cottonwood Creek (unclassified water body)

AUID

0841P_01

Entire segment.

USE

Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	17		1	2.9	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	17		1	2.9	3.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	32		0		44.84	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2001	11/30/2008	30		0		688.83	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2001	11/30/2008	28		0		23.94	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2001	11/30/2008	22		0		91.54	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/1/2001	11/30/2008	25		0		1,790.14	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Selenium	12/1/2001	11/30/2008	2		0		20.00	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Zinc	12/1/2001	11/30/2008	27		0		144.80	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/1/2001	11/30/2008	25	2.50			138.36	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2001	11/30/2008	30	1.37			157.32	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2001	11/30/2008	27	20.09			91.97	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Selenium	12/1/2001	11/30/2008	2	1.00			5.00	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Copper	12/1/2001	11/30/2008	28	1.40			10.80	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	32	0.15			0.92	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2001	11/30/2008	22	0.52			2.08	AD	FS	<input type="checkbox"/>	FS		

USE

Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Single Sample	E. coli	12/1/2001	11/30/2008	99		25	2614.72	394.00	AD	CN	<input type="checkbox"/>	PI	bacteria	
Bacteria Single Sample	Fecal coliform	12/1/2001	11/30/2008	72		24	3898.33	400.00	SM	NS	<input type="checkbox"/>	NS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0841P_01 Entire segment.

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2001	11/30/2008	99	89.00			126.00	AD	FS	<input type="checkbox"/>	FS		
Bacteria Geomean	Fecal coliform	12/1/2001	11/30/2008	72	122.91			200.00	SM	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Chlorophyll-a	12/1/2001	11/30/2008	39		4	30.45	14.10	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	50		0		1.95	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	46		0		0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	21		2	0.44	0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	47		1	0.76	0.69	AD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Chromium	12/1/2001	11/30/2008	30	1.37			3,320.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2001	11/30/2008	22	0.52			25.30	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

Segment New
in 2010? **No**

SEGID 0841Q North Fork Fish Creek (unclassified water body)

AUID 0841Q_01 Entire segment.

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	13		1	3.8	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	13		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	7		0		76.51	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Chromium	12/1/2001	11/30/2008	7		0		1,015.39	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Copper	12/1/2001	11/30/2008	5		0		53.83	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Lead	12/1/2001	11/30/2008	7		0		188.91	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Selenium	12/1/2001	11/30/2008	4		0		20.00	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Zinc	12/1/2001	11/30/2008	6		0		216.33	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Lead	12/1/2001	11/30/2008	7	0.50			2.08	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Zinc	12/1/2001	11/30/2008	6	4.59			91.97	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Copper	12/1/2001	11/30/2008	5	1.62			10.80	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Chromium	12/1/2001	11/30/2008	7	2.79			157.32	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	7	0.15			0.92	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Selenium	12/1/2001	11/30/2008	4	0.94			5.00	LD	NC	<input type="checkbox"/>	NC		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Single Sample	E. coli	12/1/2001	11/30/2008	76		17	1619.18	394.00	AD	FS	<input type="checkbox"/>	FS		
Bacteria Single Sample	Fecal coliform	12/1/2001	11/30/2008	74		22	4608.95	400.00	SM	CN	<input type="checkbox"/>	CN		
Bacteria Geomean	E. coli	12/1/2001	11/30/2008	76	74.87			126.00	AD	FS	<input type="checkbox"/>	FS		
Bacteria Geomean	Fecal coliform	12/1/2001	11/30/2008	74	161.49			200.00	SM	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0841Q_01 Entire segment.

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Chlorophyll-a	12/1/2001	11/30/2008	25		0		14.10	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	27		0		1.95	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	22		0		0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	26		1	0.36	0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	25		0		0.69	AD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Chromium	12/1/2001	11/30/2008	7	2.79			3,320.00	LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Lead	12/1/2001	11/30/2008	7	0.50			25.30	LD	NC	<input type="checkbox"/>	NC		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

Segment New
in 2010? **No**

SEGID 0841R Rush Creek (unclassified water body)

AUID 0841R_01

Entire segment.

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	21		0		3.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	21		0		2.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	71		0		27.65	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2001	11/30/2008	65		0		484.98	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2001	11/30/2008	66		0		15.99	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2001	11/30/2008	48		0		59.90	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/1/2001	11/30/2008	68		0		1,245.85	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2001	11/30/2008	55		0		100.72	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2001	11/30/2008	48	0.53			2.08	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/1/2001	11/30/2008	68	2.50			138.36	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2001	11/30/2008	55	23.77			91.97	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	71	0.15			0.92	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2001	11/30/2008	65	1.00			157.32	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2001	11/30/2008	66	1.20			10.80	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Single Sample	E. coli	12/1/2001	11/30/2008	74		17	3305.35	394.00	AD	FS	<input type="checkbox"/>	FS		
Bacteria Geomean	E. coli	12/1/2001	11/30/2008	74	148.43			126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	5b

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0841R_01 Entire segment.

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	24		0		1.95	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	24		0		0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	24		1	0.84	0.69	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2001	11/30/2008	22		6	19.7	14.10	AD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Chromium	12/1/2001	11/30/2008	65	1.00			3,320.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2001	11/30/2008	48	0.53			25.30	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

Segment New
in 2010? **No**

SEGID 0841S Vilbig Lakes (unclassified water body)

AUID 0841S_01

A 5 acre area in NW corner of Vilbig Lakes, near confluence with unnamed creek, approx. 100 m south of intersection of Rusdell Rd./Marvel Dr. in Irving, Dallas, Co.

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Acute Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	31		0		181.53	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2001	11/30/2008	15		0		413.95	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2001	11/30/2008	28		0		500.83	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2001	11/30/2008	31		0		1,901.33	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2001	11/30/2008	27		0		76.97	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	31	0.15			0.92	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2001	11/30/2008	31	3.76			157.32	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2001	11/30/2008	27	1.52			10.80	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2001	11/30/2008	28	0.52			2.08	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2001	11/30/2008	15	4.27			91.97	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Single Sample	E. coli	12/1/2001	11/30/2008	31		25	3674.88	394.00	AD	NS	<input type="checkbox"/>	NS	bacteria	5c
Bacteria Single Sample	Fecal coliform	12/1/2001	11/30/2008	31		26	6419.19	400.00	SM	NS	<input type="checkbox"/>	NS		
Bacteria Geomean	E. coli	12/1/2001	11/30/2008	31	1548.23			126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	5c
Bacteria Geomean	Fecal coliform	12/1/2001	11/30/2008	31	2547.07			200.00	SM	NS	<input type="checkbox"/>	NS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	30		3	0.28	0.05	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	29		4	0.26	0.11	AD	NC	<input type="checkbox"/>	NC		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0841S_01

A 5 acre area in NW corner of Vilbig Lakes, near confluence with unnamed creek, approx. 100 m south of intersection of Rusdell Rd./Marvel Dr. in Irving, Dallas, Co.

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	26		1	0.78	0.20	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2001	11/30/2008	20		2	47.6	26.70	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	1		1	8.86	0.37	ID	NA	<input type="checkbox"/>	NA		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Chromium	12/1/2001	11/30/2008	31	3.76			3,320.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2001	11/30/2008	28	0.52			25.30	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

Segment New
in 2010? **No**

SEGID 0841T Village Creek (unclassified water body)

AUID 0841T_01

A 7 mile stretch of Village Creek running upstream from confluence with West Fork Trinity River to SH 303 approx. 0.75 mi. downstream of Lake Arlington.

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	7		0		3.00	LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	7		0		2.00	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Chromium	12/1/2001	11/30/2008	24		0		484.98	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2001	11/30/2008	21		0		100.72	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/1/2001	11/30/2008	25		0		1,245.85	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2001	11/30/2008	24		0		15.99	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	26		0		27.65	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2001	11/30/2008	15		0		59.90	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	26	0.15			0.92	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2001	11/30/2008	24	0.98			157.32	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2001	11/30/2008	24	1.29			10.80	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2001	11/30/2008	15	0.53			2.08	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/1/2001	11/30/2008	25	2.50			138.36	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2001	11/30/2008	21	23.93			91.97	AD	FS	<input type="checkbox"/>	FS		
Toxic Substances in sediment	PCBs	12/1/2001	11/30/2008	1		0		676.00	ID	NA	<input type="checkbox"/>	NA		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Single Sample	E. coli	12/1/2001	11/30/2008	32		7	2851.57	394.00	AD	FS	<input type="checkbox"/>	FS		
Bacteria Geomean	E. coli	12/1/2001	11/30/2008	32	137.22			126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	5b

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0841T_01 A 7 mile stretch of Village Creek running upstream from confluence with West Fork Trinity River to SH 303 approx. 0.75 mi. downstream of Lake Arlington.

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Chromium	12/1/2001	11/30/2008	24	0.98			3,320.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2001	11/30/2008	15	0.53			25.30	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

Segment New
in 2010? **No**

SEGID 0841U West Irving Creek (unclassified water body)

AUID 0841U_01

A 4 mile stretch of West Irving Branch running upstream from approx. 0.4 mi. downstream of Oakdale Rd. to just south of Sowers Road in Irving, Dallas Co.

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Acute Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	30		0		78.14	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2001	11/30/2008	31		0		1,031.06	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2001	11/30/2008	27		0		38.07	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2001	11/30/2008	29		0		193.46	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2001	11/30/2008	15		0		219.78	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2001	11/30/2008	29	0.50			2.08	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2001	11/30/2008	15	5.80			91.97	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2001	11/30/2008	27	1.69			10.80	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2001	11/30/2008	31	3.44			157.32	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	30	0.15			0.92	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Single Sample	Fecal coliform	12/1/2001	11/30/2008	30		19	11418.05	400.00	SM	NS	<input type="checkbox"/>	NS		
Bacteria Single Sample	E. coli	12/1/2001	11/30/2008	35		13	4839.54	394.00	AD	NS	<input type="checkbox"/>	NS	bacteria	5b
Bacteria Geomean	E. coli	12/1/2001	11/30/2008	35	356.74			126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	5b
Bacteria Geomean	Fecal coliform	12/1/2001	11/30/2008	30	724.96			200.00	SM	NS	<input type="checkbox"/>	NS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	1		0		1.95	ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	30		0		0.37	AD	NC	<input type="checkbox"/>	NC		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0841U_01 A 4 mile stretch of West Irving Branch running upstream from approx. 0.4 mi. downstream of Oakdale Rd. to just south of Sowers Road in Irving, Dallas Co.

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	30		3	0.58	0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	24		0		0.69	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2001	11/30/2008	25		6	41.33	14.10	AD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Lead	12/1/2001	11/30/2008	29	0.50			25.30	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Chromium	12/1/2001	11/30/2008	31	3.44			3,320.00	AD	FS	<input type="checkbox"/>	FS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

Segment New
in 2010? **Yes**

SEGID 0841V Crockett Branch (unclassified water body)

AUID 0841V_01

Entire Segment.

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2001	11/30/2008	18		3	4	5.00	AD	CS	<input type="checkbox"/>	CS	depressed dissolved oxygen	
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2001	11/30/2008	18		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	7		0		121.74	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Chromium	12/1/2001	11/30/2008	7		0		1,422.60	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Copper	12/1/2001	11/30/2008	5		0		20.50	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Lead	12/1/2001	11/30/2008	7		0		319.07	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Selenium	12/1/2001	11/30/2008	3		0		20.00	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Zinc	12/1/2001	11/30/2008	6		0		306.63	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Lead	12/1/2001	11/30/2008	7	0.50			2.08	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Selenium	12/1/2001	11/30/2008	3	1.00			5.00	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Copper	12/1/2001	11/30/2008	5	1.92			10.80	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Chromium	12/1/2001	11/30/2008	7	3.62			157.32	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Cadmium	12/1/2001	11/30/2008	7	0.15			0.92	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Zinc	12/1/2001	11/30/2008	6	7.15			91.97	LD	NC	<input type="checkbox"/>	NC		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Single Sample	E. coli	12/1/2001	11/30/2008	81		54	3120.46	394.00	AD	NS	<input type="checkbox"/>	NS	bacteria	5b
Bacteria Single Sample	Fecal coliform	12/1/2001	11/30/2008	81		62	9180.48	400.00	SM	NS	<input type="checkbox"/>	NS		
Bacteria Geomean	E. coli	12/1/2001	11/30/2008	81	883.79			126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	5b
Bacteria Geomean	Fecal coliform	12/1/2001	11/30/2008	81	1655.53			200.00	SM	NS	<input type="checkbox"/>	NS		

2010 Texas Water Quality Inventory: Assessment Results for Basin 8 - Trinity River

AUID 0841V_01 Entire Segment.

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2001	11/30/2008	27		2	2.12	1.95	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2001	11/30/2008	22		0		0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2001	11/30/2008	26		1	0.66	0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2001	11/30/2008	26		0		0.69	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2001	11/30/2008	23		2	48.55	14.10	AD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Lead	12/1/2001	11/30/2008	7	0.50			25.30	LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Chromium	12/1/2001	11/30/2008	7	3.62			3,320.00	LD	NC	<input type="checkbox"/>	NC		