

2010 Texas Integrated Report Index of Water Quality Impairments

General Information

This index identifies all water bodies with one or more impairments. The index is divided into two main categories:

- Category 4 Impairments that are not suitable for a TMDL or for which a TMDL has already been approved
- Category 5 Impairments which may be suitable for development of a TMDL (303d List)

Explanation of Column Headings

- SegID and Name:** The unique identifier (SegID), segment name, and location of the water body. The SegID may be one of two types of numbers. The first type is a classified segment number (4 digits, *e.g.*, 0218), as defined in Appendix A of the Texas Surface Water Quality Standards (TSWQS). The second type (five digits, *e.g.*, 0218A) is a partially classified water body described in Appendix D of the TSWQS, or an unclassified water body, not defined in the TSWQS, though associated with a classified water body because it is in the same watershed. The segment name and description immediately follow SegID.
- Area:** Identifies the assessment unit (AU_ID, *e.g.* 0101A_01) and describes the location of the specific area in which one or more water quality standards are not met.
- Parameter(s):** Pollutants or water quality conditions that assessment procedures indicate do not meet assigned water quality standards.
- Category:** One of two categories assigned to each impaired parameter to provide information about water quality status and management activities on that water body. Both Category 4 and Category 5 are each divided into three subcategories; when a water body has parameters in multiple subcategories, its overall category is the highest category. The category and its subcategories are defined below:
- Category 4: Standard is not supported or is threatened for one or more designated uses but does not require the development of a TMDL.
Category 4a - TMDL has been completed and approved by EPA.
Category 4b - Other pollution control requirements are reasonably expected to result in the attainment of the water quality standard in the near future.
Category 4c - Nonsupport of the water quality standard is not caused by a pollutant.
- Category 5: The water body does not meet applicable water quality standards or is threatened for one or more designated uses by one or more pollutants.
Category 5a - A TMDL is underway, scheduled, or will be scheduled.
Category 5b - A review of the water quality standards for this water body will be conducted before a TMDL is scheduled.
Category 5c - Additional data and information will be collected before a TMDL is scheduled.
- Carryforward:** Some previously listed impairments did not have adequate data to re-assess in 2010 and were carried forward from 2008 and remain impaired.
- Year Segment First Listed:** The assessment year the pollutant or water quality condition in this water body (Segment, not specifically the year for each AU_ID) initially did not meet water quality standards.

SegID: 0101A Dixon Creek (unclassified water body)
 From confluence of the Canadian River upstream to the confluence of the East, Middle, and West Forks of Dixon Creek

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
0101A_01 From the confluence with the Canadian River upstream to the confluence with the permitted outfall receiving waters tributary	5b	No	2000
depressed dissolved oxygen			
0101A_01 From the confluence with the Canadian River upstream to the confluence with the permitted outfall receiving waters tributary	5b	Yes	2000
selenium in water			
0101A_01 From the confluence with the Canadian River upstream to the confluence with the permitted outfall receiving waters tributary	5c	No	2010

SegID: 0101B Rock Creek (unclassified water body)
 Perennial stream from the confluence with the Canadian River upstream to the headwaters in Carson County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
0101B_01 Appendix D, Perennial stream from the confluence with the Canadian River up to SH 136 in the City of Borger	5c	Yes	2006

SegID: 0102**Lake Meredith**

From Sanford Dam in Hutchinson County to a point immediately upstream of the confluence of Camp Creek in Potter County, up to normal pool level of 2936.5 feet (impounds Canadian River)

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>	
chloride				
0102_01	Reservoir downstream of a line from red starboard marker 14 at Blue West Campground to green port marker 11 north of Fritch Canyon	5c	No	2006
0102_02	Reservoir upstream of a line from red starboard marker 14 at Blue West Campground to green port marker 11 north of Fritch Canyon	5c	No	2006
mercury in edible tissue				
0102_01	Reservoir downstream of a line from red starboard marker 14 at Blue West Campground to green port marker 11 north of Fritch Canyon	5c	No	2002
0102_02	Reservoir upstream of a line from red starboard marker 14 at Blue West Campground to green port marker 11 north of Fritch Canyon	5c	No	2002
sulfate				
0102_01	Reservoir downstream of a line from red starboard marker 14 at Blue West Campground to green port marker 11 north of Fritch Canyon	5c	No	2006
0102_02	Reservoir upstream of a line from red starboard marker 14 at Blue West Campground to green port marker 11 north of Fritch Canyon	5c	No	2006
total dissolved solids				
0102_01	Reservoir downstream of a line from red starboard marker 14 at Blue West Campground to green port marker 11 north of Fritch Canyon	5c	No	2006
0102_02	Reservoir upstream of a line from red starboard marker 14 at Blue West Campground to green port marker 11 north of Fritch Canyon	5c	No	2006

SegID: 0103**Canadian River Above Lake Meredith**

From a point immediately upstream of the confluence of Camp Creek in Potter County to the New Mexico State Line in Oldham County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>	
chloride				
0103_01	From the headwaters of Lake Meredith upstream to the confluence with Sand Creek	5c	No	2006
0103_02	From the confluence with Sand Creek upstream to the confluence with Punta de Agua Creek	5c	No	2006
0103_03	From the confluence with Punta de Agua Creek upstream to the New Mexico State Line	5c	No	2006

SegID: 0103C Unnamed Tributary to West Amarillo Creek (unclassified water body)
 From the confluence with West Amarillo Creek upstream to the headwaters near Amarillo Blvd. in west Amarillo

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
0103C_01 Entire water body	5b	No	2010

SegID: 0104 Wolf Creek
 From the Oklahoma State Line in Lipscomb County to a point 2.0 kilometers (1.2 miles) upstream of FM 3045 in Ochiltree County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
0104_02 From the confluence with Plum Creek upstream to Lake Fryer Dam	5b	No	2010

SegID: 0105 Rita Blanca Lake
 From Rita Blanca Dam in Hartley County up to normal pool level of 3860 feet (impounds Rita Blanca Creek)

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
pH			
0105_01 Entire water body	5b	No	2006

SegID: 0201A Mud Creek (unclassified water body)
 From the confluence of the Red River to the upstream perennial portion of the stream northwest of De Kalb in Bowie County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
0201A_01 Entire water body	5c	No	2002
depressed dissolved oxygen			
0201A_01 Entire water body	5c	No	2006

SegID: 0202A Bois D' Arc Creek (unclassified water body)
 From the confluence of the Red River upstream to the headwaters northwest of Whitewright in Grayson County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
0202A_01 From the confluence with the Red River upstream to the confluence with Sandy Creek	5b	No	2010
0202A_02 Appendix D, Perennial stream from the confluence with Sandy Creek upstream to the confluence with Pace Creek	5b	No	2010

SegID: 0202F Choctaw Creek (unclassified water body)
 From the confluence with the Red River east of Denison to the upstream perennial portion near the intersection of SH 56 and SH 289 in Grayson County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
0202F_01 From the confluence with the Red River upstream to the confluence with Post Oak Creek	5b	No	2010
0202F_02 From the confluence with Post Oak Creek upstream to the headwaters near the intersection of SH 56 and SH 289 in Grayson County	5b	No	2010

SegID: 0202G Smith Creek (unclassified water body)
 From the confluence with Pine Creek north of Paris to the upstream portion of the stream in north Paris in Lamar County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
0202G_01 Entire water body	5b	No	2006

SegID: 0202K Iron Ore Creek (unclassified water body)
 From the confluence with Choctaw Creek upstream to the headwaters near FM 120 west of Denison

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
0202K_01 Entire water body	5b	No	2010

SegID: 0206B South Groesbeck Creek (unclassified water body)
 From the confluence of Groesbeck Creek NNW of Quanah in Hardeman County to the upstream portion 7.8 miles (12.6 Km) southwest of Childress

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
0206B_01 Entire water body	5b	No	2006

SegID: 0207 Lower Prairie Dog Town Fork Red River
 From a point immediately upstream of the confluence of Buck Creek in Hardeman County to the confluence of a point 100 meters (110 yards) upstream of the confluence of Salt Fork Creek in Armstrong County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
0207_04 From the confluence with Battle Creek upstream to the confluence with Salt Fork in Armstrong County	5b	No	2006

SegID: 0211 Little Wichita River
 From the confluence with the Red River in Clay County to Lake Arrowhead Dam in Clay County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen			
0211_02 From the confluence with the East Fork Little Wichita River upstream to the Lake Arrowhead Dam	5b	No	1996
sulfate			
0211_01 From the confluence with the Red River upstream to the confluence with the East Fork Little Wichita River	5b	No	2010
0211_02 From the confluence with the East Fork Little Wichita River upstream to the Lake Arrowhead Dam	5b	No	2010
total dissolved solids			
0211_01 From the confluence with the Red River upstream to the confluence with the East Fork Little Wichita River	5b	No	2010
0211_02 From the confluence with the East Fork Little Wichita River upstream to the Lake Arrowhead Dam	5b	No	2010

SegID: 0214 Wichita River Below Diversion Lake Dam
 From the confluence with the Red River in Clay County to Diversion Dam in Archer County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
0214_02 From an un-named tributary immediately upstream of FM 2393 upstream to the River Road WWTP	5c	No	2006
0214_05 From the confluence with Beaver Creek upstream to the Diversion Lake Dam	5c	No	2006

SegID: 0214A Beaver Creek (unclassified water body)
 From the confluence of the Wichita River west of Wichita Falls in Wichita County upstream to the headwaters west of Crowell in Foard County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
0214A_02 From the confluence with Bull Creek upstream to the Santa Rosa Lake dam	5b	No	2006

SegID: 0214B Buffalo Creek (unclassified water body)
 From the confluence of the Wichita River west of Wichita Falls in Wichita County to the upstream perennial portion of the stream east of Electra in Wichita County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
0214B_01 Entire water body	5b	No	2010

SegID: 0222 **Salt Fork Red River**
From the Oklahoma State Line in Collingsworth County to Greenbelt Dam in Donley County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
0222_01 Oklahoma State Line to Lake Creek confluence	5b	No	2010

SegID: 0224A **McClellan Creek (unclassified water body)**
From the confluence with the North Fork Red River upstream to the headwaters southwest of Panhandle in Carson County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
0224A_01 From the confluence with the North Fork Red River upstream to the Lake McClellan dam	5b	No	2010

SegID: 0226 **South Fork Wichita River**
From the confluence with the North Fork Wichita River in Knox County to a point 15.0 kilometers (9.3 miles) upstream of US 82 in Dickens County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
chloride			
0226_01 Lower end of segment to SH 6	5c	Yes	2006
0226_02 From SH 6 to confluence with Willow Creek	5c	Yes	2006
0226_03 From confluence with Willow Creek to confluence with Long Canyon Creek	5c	Yes	2006
0226_04 Low-water dam to 0.5 mile upstream	5c	Yes	2006

SegID: 0229 **Upper Prairie Dog Town Fork Red River**
From a point 100 meters (110 yards) upstream of the confluence of Salt Fork Creek in Armstrong County to Lake Tanglewood Dam in Randall County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
pH			
0229_02 Palo Duro Canyon State Park upstream boundary to upper end of segment at Tanglewood Dam	5c	No	2006

SegID: 0230A **Paradise Creek (unclassified water body)**
From the confluence with the Pease River east of Vernon to the upstream perennial portion near Thalia in Foard County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
0230A_03 Lower 5 miles of water body	5b	No	2006

SegID: 0299A Sweetwater Creek (unclassified water body)
From the Oklahoma State Line in Wheeler County to the upstream perennial portion of the stream northwest of Wheeler in Wheeler County (tributary of North Fork Red River)

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
0299A_01 From Oklahoma State Line to confluence with Graham Creek	5b	No	2002

SegID: 0302 Wright Patman Lake
From Wright Patman Lake Dam in Bowie/Cass County to a point 1.5 kilometers (0.9 miles) downstream of Bassett Creek in Bowie/Cass County, up to the normal pool elevation of 225 feet (impounds the Sulphur River)

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen			
0302_02 300 acres at International Paper intake	5a	No	1996
0302_10 4000 acres in upper portion of lake	5a	No	1996
<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
pH			
0302_02 300 acres at International Paper intake	5a	No	2000
0302_04 500 acres in the northeast corner of lake	5a	No	2000
0302_05 200 acres in the northwestern tip of lake	5a	Yes	2000
0302_06 Big Creek arm	5a	No	2000
0302_07 4000 acres mid-lake	5a	Yes	2000
0302_08 1600 acres in upper mid-lake	5a	Yes	2000

SegID: 0303B White Oak Creek (unclassified water body)
From the confluence of the Sulphur River north of Naples in Morris County to the upstream perennial portion of the stream east of Sulphur Springs in Hopkins County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
0303B_01 Portion of White Oak Creek from the confluence with the South Sulphur River approximately 40 km (25 mi) upstream to the confluence with Lacy Creek.	5b	No	2006
0303B_04 Portion of White Oak Creek from the confluence with the Stouts Creek approximately 46 km (28 mi) upstream to Midget Creek.	5b	No	2006
<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen			
0303B_01 Portion of White Oak Creek from the confluence with the South Sulphur River approximately 40 km (25 mi) upstream to the confluence with Lacy Creek.	5b	No	2000
0303B_02 Portion of White Oak Creek from the confluence with the Lacy Creek approximately 42 km (26 mi) upstream to the confluence with Ripley Creek.	5b	Yes	2000
0303B_03 Portion of White Oak Creek from the confluence with the Ripley Creek approximately 42 km (26 mi) upstream to Stouts Creek.	5b	No	2000
0303B_04 Portion of White Oak Creek from the confluence with the Stouts Creek approximately 46 km (28 mi) upstream to Midget Creek.	5b	No	2000

SegID: 0304A Swampoodle Creek (unclassified water body)
 From the confluence of Days Creek in central Texarkana in Bowie County to the upstream perennial portion of the stream in northern Texarkana in Bowie County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
impaired fish community			
0304A_01 Entire water body	5b	Yes	2006
impaired macrobenthic community			
0304A_01 Entire water body	5b	Yes	2006

SegID: 0304B Cowhorn Creek (unclassified water body)
 From the confluence of Wagner Creek in southern Texarkana in Bowie County to the upstream perennial portion of the stream in northern Texarkana in Bowie County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
impaired fish community			
0304B_01 Entire water body	5b	Yes	2006
impaired macrobenthic community			
0304B_01 Entire water body	5b	No	2006

SegID: 0305 North Sulphur River
 From the confluence with the South Sulphur River in Lamar County to a point 6.7 km (4.2 miles) upstream of FM 68 in Fannin County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
impaired fish community			
0305_02 Portion of the North Sulphur River from the confluence with Morrison Creek upstream approximately 37 km (23 mi) to the headwaters.	5b	No	2006
impaired macrobenthic community			
0305_02 Portion of the North Sulphur River from the confluence with Morrison Creek upstream approximately 37 km (23 mi) to the headwaters.	5b	No	2006

SegID: 0306 Upper South Sulphur River
 From a point 1.0 km (0.6 miles) upstream of SH 71 in Delta/Hopkins County to SH 78 in Fannin County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
pH			
0306_01 Portion of the Upper South Sulphur River from a point 1 km (.6 mi) upstream of SH 71 upstream approximately 10 km (6 mi) to Dunbar Creek.	5b	No	2008
0306_02 Portion of the Upper South Sulphur River from the confluence with Dunbar Creek approximately 42 km (26 mi) to Hickory Creek..	5b	No	2008
0306_03 Portion of the Upper South Sulphur River from the confluence with Hickory Creek approximately 19 km (12 mi) to SH 71.	5b	No	2008

SegID: 0307 Cooper Lake
 from Cooper Lake dam in Delta/Hopkins County to a point 1.0 kilometers (0.6 mile) upstream of SH 71 on the South Sulphur River arm in Delta/Hopkins County and 300 meters (330 yards) below the confluence of Barnett Creek on the Middle Sulphur River arm in Delta County, up to a conservation pool elevation of 440 feet (impounds the Middle Sulphur/South Sulphur River)

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
pH			
0307_01 Lower 5000 acres near dam	5b	Yes	2000
0307_03 Middle 5000 acres	5b	Yes	2000
0307_04 Middle 2000 acre Johns Creek arm	5b	Yes	2000

SegID: 0401 Caddo Lake
 From the Louisiana State Line in Harrison/Marion County to a point 12.3 km (7.6 miles) downstream of SH 43 in Harrison/Marion County, up to pool elevation of 168.5 feet (impounds Big Cypress Creek)

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen			
0401_02 Harrison Bayou arm	5c	No	2000
0401_03 Goose Prairie arm	5c	Yes	2000
0401_05 Clinton Lake	5c	No	2000
0401_07 Mid-lake near Uncertain	5c	No	2000

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
mercury in edible tissue			
0401_01 Lower 5000 acres	5c	No	1996
0401_02 Harrison Bayou arm	5c	No	1996
0401_03 Goose Prairie arm	5c	No	1996
0401_05 Clinton Lake	5c	No	1996
0401_07 Mid-lake near Uncertain	5c	No	1996
0401_08 Remainder of segment	5c	No	1996

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
pH			
0401_03 Goose Prairie arm	5b	Yes	1996

SegID: 0401A Harrison Bayou (unclassified water body)
 From the confluence of Caddo Lake east of Karnack in Harrison County to the upstream perennial portion of the stream east of Marshall in Harrison County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen			
0401A_01 From Caddo Lake upstream 21.8 km (13.5 mi) to the confluence with NHD RC 11140306000177, an unnamed tributary approximately 2 km downstream from FM 1998	5b	No	2000

SegID: 0402 Big Cypress Creek Below Lake O' the Pines
 From a point 12.3 km (7.6 miles) downstream of SH 43 in Harrison/Marion County to Ferrell's Bridge Dam in Marion County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen			
0402_02 From the confluence with Haggerty Creek upstream 25 km (15.5 mi) to the confluence with Black Cypress Bayou.	5b	No	2010
<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
mercury in edible tissue			
0402_01 From the confluence with Caddo Lake upstream 15 km (9 mi) to Haggerty Creek	5c	No	1998
0402_02 From the confluence with Haggerty Creek upstream 25 km (15.5 mi) to the confluence with Black Cypress Bayou.	5c	No	1998
0402_03 From the confluence with Black Cypress Bayou upstream 23.8 km (14.7 mi) to French Creek.	5c	No	1998
0402_04 From the confluence with French Creek upstream 13 km (8 mi) to Lake O' the Pines	5c	No	1998
<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
pH			
0402_01 From the confluence with Caddo Lake upstream 15 km (9 mi) to Haggerty Creek	5b	No	2000

SegID: 0402A Black Cypress Bayou (unclassified water body)
 Perennial stream from the confluence with Big Cypress in Marion County up to 7.5 miles above FM 250 in Cass County.

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
0402A_04 From Pruitt Lake 26.4 km (16.4 mi) upstream to the confluence with Arbery Branch	5c	No	2006
<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
copper in water			
0402A_03 Pruitt Lake beginning near HWY 155, extending upstream 1.8 km (1.1 mi)	5c	No	2010
<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen			
0402A_01 From the confluence with Big Cypress Creek upstream 25 km (15.5 mi) to the confluence with White Oak Creek	5b	Yes	2000
0402A_02 From the confluence with White Oak Creek upstream 31.3 km (19.4 mi) to Pruitt Lake	5b	No	2000
0402A_03 Pruitt Lake beginning near HWY 155, extending upstream 1.8 km (1.1 mi)	5b	No	2000
0402A_05 From the confluence with Arbery Branch upstream 24 km (14.1 mi) to the headwaters near US 259	5b	No	2000
<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
mercury in edible tissue			
0402A_03 Pruitt Lake beginning near HWY 155, extending upstream 1.8 km (1.1 mi)	5c	No	2000

SegID: 0403 Lake O' the Pines
 From Ferrell's Bridge Dam in Marion County to a point 1.0 km (0.6 miles) downstream of US 259 in Morris/Upshur County, up to normal pool elevation of 228.5 feet (impounds Big Cypress Creek)

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen			
0403_04 Upper 3700 acres	4a	Yes	2000

SegID: 0404 Big Cypress Creek Below Lake Bob Sandlin
 From a point 1.0 km (0.6 miles) downstream of US 259 in Morris/Upshur Counties to Fort Sherman Dam in Camp/Titus Counties

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
0404_02 From the confluence with an unnamed tributary NHD RC 11140305002717 upstream 37.2 km (23 mi) to Lake Bob Sandlin	5c	No	2002

SegID: 0404A Ellison Creek Reservoir (unclassified water body)
 From the Morris County Dam up to normal pool elevation near Lone Star in Morris County (impounds Ellison Creek)

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
copper in water			
0404A_01 Entire water body	5c	No	2010
PCBs in edible tissue			
0404A_01 Entire water body	5a	No	2006
toxicity in sediment			
0404A_01 Entire water body	5c	No	2006

SegID: 0404B Tankersley Creek (unclassified water body)
 Perennial stream from the confluence with Big Cypress Creek upstream to the confluence with an unnamed tributary 250 meters upstream of IH 30

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
0404B_01 From the confluence with Big Cypress Creek upstream 16.1 km (10 mi) to Tankersley Lake. WQS Appendix D portion of the creek.	5c	No	2000

SegID: 0404C Hart Creek (unclassified water body)
 Perennial stream from the confluence with Big Cypress Creek upstream to 0.2 km upstream of FM 1402

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
0404C_01 Entire water body and WQS Appendix D portion of the water body.	5c	No	2006

SegID: 0404N Lake Daingerfield (unclassified water body)
 Southeast of the City of Daingerfield in Daingerfield State Park in Morris County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
mercury in edible tissue			
0404N_01 Entire reservoir	5c	No	2002

SegID: 0406 Black Bayou
 From the Louisiana State Line in Cass County to FM 96 in Cass County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
0406_01 Black Bayou from the LA state line upstream 19.1 km (11.8 mi) to the confluence with Hurricane Creek	5c	No	2006

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen			
0406_01 Black Bayou from the LA state line upstream 19.1 km (11.8 mi) to the confluence with Hurricane Creek	5b	No	2002
0406_02 From the confluence with Hurricane Creek upstream 28.6 km (17.7 mi) to NHD RC 11140304000881 near FM 96	5b	No	2002

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
pH			
0406_01 Black Bayou from the LA state line upstream 19.1 km (11.8 mi) to the confluence with Hurricane Creek	5b	No	2006
0406_02 From the confluence with Hurricane Creek upstream 28.6 km (17.7 mi) to NHD RC 11140304000881 near FM 96	5b	No	2006

SegID: 0407 James' Bayou
 From the Louisiana State Line in Marion County to Club Lake Road northwest of Linden in Cass County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
0407_02 From the confluence with Bear Creek upstream 29.8 km (18.5 mi) to approximately 2 km north of HWY 11	5c	No	2006

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen			
0407_01 From the LA state line upstream 31.6 km (19.6 mi) to the confluence with Bear Creek.	5b	No	2000
0407_02 From the confluence with Bear Creek upstream 29.8 km (18.5 mi) to approximately 2 km north of HWY 11	5b	No	2000

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
pH			
0407_01 From the LA state line upstream 31.6 km (19.6 mi) to the confluence with Bear Creek.	5b	No	2008

SegID: 0409 Little Cypress Bayou (Creek)
 From the confluence of Big Cypress Creek in Harrison/Marion County to a point 1.0 km (0.6 miles) upstream of FM 2088 in Wood County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
0409_02 From the confluence with Lawrence Creek upstream 29.2 km (18.1 mi) to the confluence with NHD RC 11140307000368	5c	Yes	2006
0409_03 From the confluence with NHD RC 11140307000368 upstream 52.2 km (32.6 mi) to the confluence with Kelsey Creek	5c	No	2006
0409_04 From the confluence with NHD RC 11140307001531 upstream 41.1 km (29.2 mi) to the headwaters at FM 2088	5c	No	2006

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen			
0409_01 From the confluence with Big Cypress Creek upstream 41 km (25.4 mi) to the confluence with Lawrence Creek	5b	No	2000
0409_02 From the confluence with Lawrence Creek upstream 29.2 km (18.1 mi) to the confluence with NHD RC 11140307000368	5b	No	2000
0409_03 From the confluence with NHD RC 11140307000368 upstream 52.2 km (32.6 mi) to the confluence with Kelsey Creek	5b	No	2000

SegID: 0409B South Lilly Creek (unclassified water body)
 From the confluence of Lilly Creek to approximately 2 miles west of FM 1647

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
0409B_01 Entire water body	5c	No	2006

SegID: 0501B Little Cypress Bayou (unclassified water body)
 From the confluence with the Sabine River to the headwaters west of Reese in Orange County.

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
0501B_01 Lower 4.2 miles of bayou	5c	Yes	2006
0501B_02 0.3 mile upstream to 0.5 mile downstream of Bear Path Road	5c	Yes	2006
0501B_03 Upper 3.2 miles of bayou	5c	Yes	2006
depressed dissolved oxygen			
0501B_01 Lower 4.2 miles of bayou	5c	Yes	2006
0501B_02 0.3 mile upstream to 0.5 mile downstream of Bear Path Road	5c	Yes	2006
0501B_03 Upper 3.2 miles of bayou	5c	Yes	2006
toxicity in water			
0501B_01 Lower 4.2 miles of bayou	5c	Yes	2004
0501B_02 0.3 mile upstream to 0.5 mile downstream of Bear Path Road	5c	Yes	2004
0501B_03 Upper 3.2 miles of bayou	5c	Yes	2004

SegID: 0502A Nichols Creek (unclassified water body)
 From the confluence of the Sabine River to the upstream perennial portion of the stream south of Kirbyville in Newton and Jasper Counties

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
0502A_01 Lower 25 miles of creek	5b	Yes	2002
depressed dissolved oxygen			
0502A_01 Lower 25 miles of creek	5c	No	2002

SegID: 0502B Caney Creek (unclassified water body)
 Perennial stream from the Sabine River upstream to the confluence with Martin Branch

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
0502B_02 From Davison Street upstream to the confluence with Caney Branch and Little Caney Branch	5b	No	2006

SegID: 0502E Cypress Creek (unclassified water body)
 From the confluence of Sabine River upstream to headwaters 2.5 miles northeast of Buna in Jasper County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen			
0502E_01 Entire water body	5b	No	2010

SegID: 0504 Toledo Bend Reservoir
 From Toledo Bend Dam in Newton County to a point immediately upstream of the confluence of Murvaul Creek in Panola County, up to the normal pool elevation of 172 feet (impounds the Sabine River)

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
mercury in edible tissue			
0504_01 Lowermost 5200 acres of reservoir, adjacent to dam, including Indian Creek arm	5c	No	1998
0504_02 Six Mile Boat Lane arm	5c	No	1998
0504_03 Sunshine Bay arm	5c	No	1998
0504_04 Near SH 21	5c	No	1998
0504_05 Patroon Bayou Branch arm	5c	No	1998
0504_06 Tenaha Creek arm	5c	No	1998
0504_07 Uppermost 5120 acres of reservoir	5c	No	1998
0504_08 Negreet Bayou arm	5c	No	1998
0504_09 San Miguel arm	5c	No	1998
0504_10 San Patricia arm	5c	No	1998
0504_11 Toledo Bend reservoir near Buzzard Bend	5c	No	1998
0504_12 Remainder of reservoir	5c	No	1998

SegID: 0504E Clear Lake (unclassified water body)
 Oxbow lake 12 miles northwest of Logansport, LA

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
mercury in edible tissue			
0504E_01 Oxbow lake 12 miles northwest of Logansport, LA	5c	No	2006

SegID: 0505 Sabine River Above Toledo Bend Reservoir
 From a point immediately upstream of the confluence of Murvaul Creek in Panola County to a point 100 meters (110 yards) downstream of US 271 in Gregg County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
0505_04 Sabine River from Hatley Creek upstream to Grace Creek in Gregg County	5a	No	2002

SegID: 0505B Grace Creek (unclassified water body)
 Perennial stream from the confluence with the Sabine River up to FM 1844 in Gregg County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
0505B_02 Remainder of segment in the City of Longview upstream to headwaters	5b	No	2000
depressed dissolved oxygen			
0505B_02 Remainder of segment in the City of Longview upstream to headwaters	5c	Yes	2000

SegID: 0505G Wards Creek (unclassified water body)
 From the confluence with Hatley Creek to the headwaters east of Hallsville in Harrison County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen			
0505G_01 Entire segment	5c	No	2000

SegID: 0505O Hills Lake (unclassified water body)
 Oxbow lake 13 miles east of Carthage

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
mercury in edible tissue			
0505O_01 Entire segment	5c	No	2006

SegID: 0506A Harris Creek (unclassified water body)
 From the confluence of the Sabine River northeast of Winona in Smith County to the upstream perennial portion of the stream east of Tyler in Smith County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen			
0506A_01 Entire segment	5b	Yes	2000

SegID: 0507 Lake Tawakoni
 From Iron Bridge Dam in Rains County up to normal pool elevation of 437 feet (impounds Sabine River)

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
pH			
0507_04 Cowleech Fork of Sabine River arm	5c	No	2008

SegID: 0508 Adams Bayou Tidal
 From the confluence with the Sabine River in Orange County to a point 1.1 km (0.7 miles) upstream of IH 10 in Orange County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
0508_01 Lower 3 miles of segment	4a	No	1996
0508_02 2 mile reach near Western Avenue	4a	Yes	1996
0508_03 1 mile reach near Green Avenue	4a	Yes	1996
0508_04 Upper 2 miles of segment	4a	Yes	1996

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen			
0508_01 Lower 3 miles of segment	4a	Yes	1996
0508_02 2 mile reach near Western Avenue	4a	Yes	1996
0508_03 1 mile reach near Green Avenue	4a	Yes	1996
0508_04 Upper 2 miles of segment	4a	Yes	1996

SegID: 0508A Adams Bayou Above Tidal (unclassified water body)
 From a point 1.1 km (0.7 miles) upstream of IH 10 in Orange County to the upstream perennial portion of the stream northwest of Orange in Orange Count

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen			
0508A_01 Entire bayou above tidal	4a	Yes	2000

SegID: 0508B Gum Gully (unclassified water body)
 From the confluence of Adams Bayou to the upstream perennial portion of the stream northwest of Orange in Orange County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
0508B_01 Entire creek	4a	Yes	2000
depressed dissolved oxygen			
0508B_01 Entire creek	4a	Yes	2000

SegID: 0508C Hudson Gully (unclassified water body)
 From the confluence with Adams Bayou to the headwaters near US 890 in Pinehurst in Orange County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
0508C_01 Entire creek	4a	Yes	2002
depressed dissolved oxygen			
0508C_01 Entire creek	4a	Yes	2002

SegID: 0511 Cow Bayou Tidal
 From the confluence with the Sabine River in Orange County to a point 4.8 km (3.0 miles) upstream of IH 10 in Orange County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
0511_01 Lower 5 miles	4a	No	2000
0511_03 5 mile reach near FM 1442 (north crossing)	4a	No	2000
0511_04 Upper 4 miles	4a	Yes	2000
depressed dissolved oxygen			
0511_02 6 mile reach near FM 105	4a	No	2000
0511_03 5 mile reach near FM 1442 (north crossing)	4a	No	2000
0511_04 Upper 4 miles	4a	Yes	2000
pH			
0511_03 5 mile reach near FM 1442 (north crossing)	4a	Yes	2000
0511_04 Upper 4 miles	4a	Yes	2000

SegID: 0511A Cow Bayou Above Tidal (unclassified water body)
 From a point 4.8 km (3.0 miles) upstream of IH 10 in Orange County to the upstream perennial portion of the stream northeast of Vidor in Orange County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen			
0511A_02 Upper 5.3 miles of above-tidal reach	4a	Yes	2000

SegID: 0511B Coon Bayou (unclassified water body)
 From the confluence with Cow Bayou up to the extent of tidal limit in Orange County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
0511B_01 Entire tidal reach	4a	Yes	2000
depressed dissolved oxygen			
0511B_01 Entire tidal reach	4a	Yes	2000

SegID: 0511C Cole Creek (unclassified water body)
 From the confluence of Cow Bayou west of Orange in Orange County to the upstream perennial portion of the stream south of Mauriceville in Orange County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
0511C_01 Entire tidal reach	4a	Yes	2000
depressed dissolved oxygen			
0511C_01 Entire tidal reach	4a	Yes	2000

SegID: 0511E Terry Gully (unclassified water body)
 From the confluence with Cow Bayou in Orange County to the headwaters northeast of Vidor in Orange County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
0511E_01 Entire creek	4a	Yes	2002

SegID: 0512A Running Creek (unclassified water body)
 From the confluence with Lake Fork Reservoir to the headwaters southeast of Martin Springs in Hopkins County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
0512A_01 Entire creek	5b	No	2002

SegID: 0512B Elm Creek (unclassified water body)
 From the confluence with Lake Fork Reservoir in Rains County to the headwaters northwest of Shirley in Hopkins County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
0512B_01 Entire creek	5b	Yes	2002

SegID: 0514 Big Sandy Creek
 From the confluence with the Sabine River in Upshur County to a point 2.6 km (1.6 miles) upstream of SH 11 in Hopkins County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
0514_01 From confluence with Sabine River to just upstream of FM 49	5c	No	2006
0514_02 From just upstream of FM 49 to upper end of segment	5c	No	2006

SegID: 0602 Neches River Below B. A. Steinhagen Lake
 From the Neches River Saltwater Barrier, which is at a point 0.8 kilometers (0.5 miles) downstream of the confluence of Pine Island Bayou, Orange County to Town Bluff Dam in Jasper/Tyler County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
mercury in edible tissue			
0602_02 From the confluence with Village Creek 0608 upstream to the confluence with Black Branch NHD RC 12020003000695	5c	No	2010
0602_03 From the confluence with Black Branch upstream to confluence with unnamed tributary at NHD RC 12020003000058	5c	No	2010
0602_04 From the confluence with unnamed tributary at NHD RC 12020003000058 upstream to Town Bluff Dam	5c	No	2010

SegID: 0603 B. A. Steinhagen Lake
 From Town Bluff Dam in Jasper/Tyler County to a point immediately upstream of the confluence of Hopson Mill Creek on the Neches River Arm in Jasper/Tyler County and to a point immediately upstream of the confluence of Indian Creek on the Angelina River Arm in Jasper County, up to the normal pool elevation of 83 feet (impounds Neches River)

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
mercury in edible tissue			
0603_01 Main pool by dam to include all the area below the US HWY 190 bridge	5c	No	1998
0603_02 Area above the US HWY 190 bridge to the upper boundaries of the segment at points immediately upstream of confluences Hopson Mill Creek (Neches Arm) and Indian Creek (Angelina Arm)	5c	No	1998

SegID: 0603A Sandy Creek in Jasper County (unclassified water body)
 From the confluence of B.A. Steinhagen Lake southwest of City of Jasper in Jasper County to the confluence of Big and Little Sandy Creeks in City of Jasper in Jasper County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
0603A_01 From the confluence with B.A. Steinhagen Lake upstream to confluence with Little Sandy Creek about 0.5 km downstream of Hwy 776, per WQS App. D	5b	No	2000

SegID: 0603B Wolf Creek (unclassified water body)
 From the confluence of B. A. Steinhagen Lake southeast of Colmesneil in Tyler County to the upstream perennial portion of the stream south of Colmesneil in Tyler County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
0603B_01 From the confluence of B.A. Steinhagen Lake upstream to the Lake Amanda dam.	5b	No	2006

SegID: 0604 Neches River Below Lake Palestine
 From a point immediately upstream of the confluence of Hopson Mill Creek in Jasper/Tyler County to Blackburn Crossing Dam in Anderson/Cherokee County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
mercury in edible tissue			
0604_01 Lower boundary to a point immediately upstream of confluence of Biloxi Creek 0604M at NHD RC 12020002001061	5c	No	2010
0604_02 From the confluence of Biloxi Creek (0604M) upstream to the upper confluence of Old River at NHD RC 12020002000037	5c	No	2010
0604_03 From the upper confluence of Old River upstream to the confluence with Cedar Creek in Cherokee County at NHD RC 12020002000085 near Hargrove Lake	5c	No	2010

SegID: 0604A Cedar Creek (unclassified water body)
 From the confluence of the Neches River southwest of Lufkin in Angelina County to the upstream perennial portion of the stream in Lufkin in Angelina County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
0604A_02 From the confluence with Jack Creek (0604C) upstream to confluence with unnamed tributary adjacent to State Loop 287, per App. D in WQS, at NHD RC 12020002000436	5b	No	2000

SegID: 0604B Hurricane Creek (unclassified water body)
 Perennial stream from the confluence with Cedar Creek to the confluence of two unnamed tributaries 100 meters upstream of SH Loop 287 in Lufkin

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
0604B_01 From the confluence with Cedar Creek (0604A) upstream to confluence with unnamed tributary 100m above State Loop 287 in Lufkin, per WQS App. D, at NHD RC 12020002000043	5b	No	2000

SegID: 0604C Jack Creek (unclassified water body)
 From the confluence of Cedar Creek southwest of Lufkin in Angelina County to the upstream perennial portion of the stream in northeast Lufkin in Angelina County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
0604C_01 From the confluence with Cedar Creek (0604A) upstream to confluence with unnamed tributary 1.6km SW of US Hwy 69 NW of Lufkin at NHD RC 12020002012470.	5b	No	2000

SegID: 0604D Piney Creek (unclassified water body)
 From the confluence of the Neches River at the Polk/Tyler/Angelina County lines east of Corrigan to the upstream perennial portion of the stream east of Crockett in Houston County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen			
0604D_01 Middle portion of the stream from the confluence with Bear Creek (0604L) in Polk County upstream to the confluence with Caney Creek (0604O) in Trinity County at NHD RC 12020002000163.	5c	No	2004

SegID: 0604M Biloxi Creek (unclassified water body)
 From the confluence with the Neches River southeast of Diboll to FM 325 east of Lufkin in Angelina County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
0604M_02 From the confluence with Neches River (0604) upstream to confluence with One Eye Creek in Angelina County SE of Lufkin.	5b	No	2004
0604M_03 From the confluence with One Eye Creek in Angelina County SE of Lufkin upstream to FM 325 east of Lufkin	5b	No	2004
depressed dissolved oxygen			
0604M_03 From the confluence with One Eye Creek in Angelina County SE of Lufkin upstream to FM 325 east of Lufkin	5c	No	2006

SegID: 0604T Lake Ratcliff (unclassified water body)
 Lake in Houston County 3.4 miles northeast of Kennard

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
mercury in edible tissue			
0604T_01 Entire lake	5c	No	2002

SegID: 0605 Lake Palestine
 From Blackburn Crossing Dam in Anderson/Cherokee County to a point 6.7km (4.2 miles) downstream of FM 279 in Henderson/Smith County, up to normal pool elevation of 345 feet (impounds Neches River)

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
pH			
0605_03 Upper mid-lake including Tyler Public Water Supply intake	5a	No	2006
0605_09 Flat Creek Arm	5a	No	2006
0605_10 Upper Lake	5a	No	2006

SegID: 0605A Kickapoo Creek in Henderson County (unclassified water body)
 From the confluence of Lake Palestine east of Brownsboro in Henderson County to the upstream perennial portion of the stream northeast of Murchison in Henderson County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
0605A_01 From the confluence with Lake Palestine (0605) east of Brownsboro in Henderson County to the confluence with Slater Creek (0605E).	5c	No	2000

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen			
0605A_01 From the confluence with Lake Palestine (0605) east of Brownsboro in Henderson County to the confluence with Slater Creek (0605E).	5c	No	2006

SegID: 0606 **Neches River Above Lake Palestine**
 Neches River Above Lake Palestine - from a point 2.2 kilometers (1.4 miles) downstream of SH 31 [6.7 kilometers (4.2 miles) downstream of FM 279] in Henderson/Smith County to Rhines Lake Dam in Van Zandt County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
0606_01 From a point approximately 0.06km (0.03 mi) south of St. Louis Southwestern Railroad upstream to the confluence with Prairie Creek (0606A).	5c	No	2008
depressed dissolved oxygen			
0606_02 From the confluence with Prairie Creek (0606A) upstream to the Rhines Lake Dam	5c	No	2004
pH			
0606_02 From the confluence with Prairie Creek (0606A) upstream to the Rhines Lake Dam	5b	No	2002
zinc in water			
0606_02 From the confluence with Prairie Creek (0606A) upstream to the Rhines Lake Dam	5c	Yes	1996

SegID: 0606A **Prairie Creek (unclassified water body)**
 Perennial stream from the confluence with the Neches River to an unnamed tributary approximately 0.6km downstream of the US 69 bridge crossing.

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
0606A_01 From the confluence with Neches River (0606), per WQS App. D first entry for Prairie Creek at NHD RC 12020001000071 in Smith County upstream to the confluence with Black Fork Creek (0606D) at NHD RC 12020001000071 .	5b	No	2002
0606A_03 From the confluence with Caney Creek upstream to confluence with unnamed tributary appx. 0.6 km downstream of the US 69 bridge crossing, which is located appx. 0.6 km south of the City of Lindale, per App. D second line entry	5b	No	2002

SegID: 0607 Pine Island Bayou
 From the confluence with the Neches River in Hardin/Jefferson County to FM 787 in Hardin County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
0607_03 From the confluence with Black Creek upstream to the confluence with Willow Creek (0607C)	5c	No	2008
<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen			
0607_01 From the confluence with the Neches River upstream to unnamed tributary at NHD RC 12020007001215 that runs through Sherwood Drive in northern City of Beaumont.	5b	Yes	2000
0607_02 From the confluence with unnamed tributary that runs through Sherwood Drive in northern City of Beaumont upstream to the confluence with Black Creek	5b	No	2000
0607_03 From the confluence with Black Creek upstream to the confluence with Willow Creek (0607C)	5b	No	2000
0607_04 From the confluence with Willow Creek (0607C) upstream to the confluence with Mayhaw Slough near oil fields	5b	No	2000

SegID: 0607A Boggy Creek (unclassified water body)
 From the confluence of Pine Island Bayou upstream to the confluence with an unnamed tributary 4 km downstream of the crossing of the Southern Pacific Railroad.

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen			
0607A_02 From the confluence with unnamed tributary 0.39 km downstream of CR 421 upstream to confluence with unnamed tributary 4 km downstream of the crossing of the Southern Pacific Railroad, per WQS App. D, at NHD RC 12020007003034.	5b	No	2000

SegID: 0607B Little Pine Island Bayou (unclassified water body)
 From the confluence of Pine Island Bayou southwest of Lumberton in Hardin County to the upstream perennial portion of the stream west of Kountze in Hardin County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
0607B_01 From the confluence with Pine Island Bayou (0607) at the Hardin/Jefferson Counties border upstream to unnamed tributary 1.1 km SE of intersection of FM 770 and FM 787 at NHD RC 12020007000021, same tributary as Big Thicket National Park boundary.	5c	No	2006
<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen			
0607B_01 From the confluence with Pine Island Bayou (0607) at the Hardin/Jefferson Counties border upstream to unnamed tributary 1.1 km SE of intersection of FM 770 and FM 787 at NHD RC 12020007000021, same tributary as Big Thicket National Park boundary.	5b	No	2000

SegID: 0607C Willow Creek (unclassified water body)
 From the confluence of Pine Island Bayou north of Nome in Jefferson County to the upstream perennial portion of the stream east of Devers in Liberty County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen			
0607C_01 From the confluence with Pine Island Bayou (0607) at the State Hwy 326 bridge at NHD RC 12020007000258 upstream to headwaters NE of Devers in Liberty County at NHD RC 12020007000200.	5b	No	2000

SegID: 0608 Village Creek
 From the confluence with the Neches River in Hardin County to Lake Kimble Dam in Hardin County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
mercury in edible tissue			
0608_01 From the confluence with Neches River (0602) upstream to confluence with Cypress Creek (0608C)	5c	No	2010
0608_02 From the confluence with Cypress Creek (0608C) upstream to confluence with Beech Creek (0608A)	5c	No	2010
0608_03 From the confluence with Beech Creek (0608A) upstream to confluence with Big Sandy Creek and Kimball Creek in Hardin County	5c	No	2010
pH			
0608_02 From the confluence with Cypress Creek (0608C) upstream to confluence with Beech Creek (0608A)	5b	No	2000

SegID: 0608A Beech Creek (unclassified water body)
 From the confluence of Village Creek northeast of Kountze in Hardin County to the upstream perennial portion of the stream southeast of Woodville in Tyler County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
0608A_01 From the confluence with Village Creek (0608) at NHD RC 12020006000017 upstream to the confluence with Drakes Branch 0.35 km upstream of FM1943 RD E at NHD RC 12020006000025	5b	No	2006

SegID: 0608B Big Sandy Creek (unclassified water body)
 From the confluence of Village and Kimball Creeks in Hardin County upstream to headwaters in Polk County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
0608B_04 From the confluence with Bear Creek in Polk County upstream to headwaters about 5 km SE of intersection of US Hwy 59 and FM 62 at NHD RC 12020006000133.	5b	No	2000

SegID: 0608C Cypress Creek (unclassified water body)
 From the confluence of Village Creek (0608) east of Kountze in Hardin County to the confluence with Bad Luck Creek northwest of Kountze in Hardin County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
0608C_01 Upper portion from the confluence with unnamed tributary upstream of Pea Monk Branch upstream to confluence with Bad Luck Creek, per WQS App. D, at NHD RC 12020006000148.	5b	No	2006

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen			
0608C_01 Upper portion from the confluence with unnamed tributary upstream of Pea Monk Branch upstream to confluence with Bad Luck Creek, per WQS App. D, at NHD RC 12020006000148.	5b	No	2000

SegID: 0608E Mill Creek in Hardin County (unclassified water body)
 From the confluence of Village Creek (0608) west of Silsbee in Hardin County upstream to headwaters northwest of Silsbee in Hardin County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen			
0608E_01 Entire water body	5c	No	2006

SegID: 0608F Turkey Creek (unclassified water body)
 Perennial stream from the confluence with Village Creek up to 1.6 km above U.S. 69 north of City of Woodville

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
0608F_02 From the confluence with Big Cypress Creek in Tyler County upstream to confluence with unnamed tributary about 1.6 km above U.S. 69 north of City of Woodville, per WQS App. D, at NHD RC 12020006000057	5c	No	2000

SegID: 0608G Lake Kimball (unclassified water body)
 From Kimble Creek Dam northwest of Kountze in Hardin County to normal pool elevation in Tyler County (impounds Kimble and Village Creeks)

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
mercury in edible tissue			
0608G_01 Entire lake	5c	No	2000

SegID: 0610**Sam Rayburn Reservoir**

From Sam Rayburn Dam in Jasper County to a point 5.6 kilometers (3.5 miles) upstream of Marion's Ferry on the Angelina River Arm in Angelina/Nacogdoches County and to a point 3.9 km (2.4 miles) downstream of Curry Creek on the Attoyac Bayou Arm in Nacogdoches/San Augustine County, up to the normal pool elevation of 164 feet (except on the Angelina River Arm) (impounds Angelina River and Attoyac Bayou)

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
mercury in edible tissue			
0610_01 Sam Rayburn main pool by the dam to the Bear Creek and Ayish Arms	5c	No	1996
0610_02 Sam Rayburn lower Angelina River arm	5c	No	1996
0610_03 Sam Rayburn mid-Angelina River arm (area around SH 147)	5c	No	1996
0610_04 Sam Rayburn upper mid-Angelina River arm	5c	No	1996
0610_05 Sam Rayburn lower Attoyac Bayou arm	5c	No	1996
0610_06 Sam Rayburn upper Attoyac Bayou arm	5c	No	1996
0610_07 Sam Rayburn upper Angelina arm	5c	No	1996
0610_08 Sam Rayburn Bear Creek arm	5c	No	1996
0610_09 Sam Rayburn lower Ayish Bayou arm	5c	No	1996
0610_10 Sam Rayburn upper Ayish Bayou arm	5c	No	1996

SegID: 0610A**Ayish Bayou (unclassified water body)**

Perennial stream from the headwaters of Sam Rayburn Reservoir to the dam impounding Bland Lake approximately 0.1km upstream of FM 1279 near the City of San Augustine

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
0610A_01 From the headwaters of Sam Rayburn Reservoir, per WQS App. D, about 2.4 km north of FM 83 upstream to confluence with unnamed tributary about 0.4 km SW of intersection of SH 147 and AT and SF Railroad at NHD RC 12020005000036.	5b	No	2000
0610A_02 From the confluence with unnamed tributary about 0.4 km SW of intersection of SH 147 and AT and SF Railroad in the City of San Augustine upstream to the Bland Lake dam, per WQS App. D.	5b	No	2000

SegID: 0611**Angelina River Above Sam Rayburn Reservoir**

From the aqueduct crossing 1.0 kilometer (0.6 mile) upstream of the confluence of Paper Mill Creek in Angelina/Nacogdoches County to the confluence of Barnhardt Creek and Mill Creek at FM 225 in Rusk County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
0611_03 From a point immediately upstream of the confluence with Mud Creek (0611C) upstream to the confluence with East Fork Angelina River (0611A)	5b	No	2000
0611_04 From a point immediately upstream of confluence with East Fork Angelina River (0611A) upstream to confluence with Barnhardt and Mill Creeks.	5b	No	2000

SegID: 0611A East Fork Angelina River (unclassified water body)
 From the confluence of the Angelina River at the Rusk/Nacogdoches county line upstream to the confluence with Wooten Creek in Rusk County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
0611A_01 From the confluence with Angelina River (0611) at Rusk/Nacogdoches county line upstream to confluence with Beech Creek (0611J) in Rusk County	5b	No	2002

SegID: 0611B La Nana Bayou (unclassified water body)
 From the confluence of the Angelina River south of Nacogdoches in Nacogdoches County to the upstream perennial portion of the stream north of Nacogdoches in Nacogdoches County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
0611B_01 From the confluence with Angelina River (0611), per WQS App. D, upstream to State Loop 224 in City of Nacogdoches	5b	No	2000
0611B_02 From the upstream side of State Loop 224 upstream to FM 1878 in City of Nacogdoches, per WQS App. D.	5b	No	2000

SegID: 0611C Mud Creek (unclassified water body)
 Perennial stream from the confluence with the Angelina River upstream to a point immediately upstream of the confluence of Prairie Creek in Smith County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
0611C_01 From the confluence with Angelina River (0611), per WQS App. D, at the Cherokee and Nacogdoches county line south of City of Reklaw upstream to top of channelized/dredged portion about 2.3 km south of US hwy 79 at -95.150452N/31.956933W	5b	No	2010

SegID: 0611D West Mud Creek (unclassified water body)
 Perennial stream from the confluence with Mud Creek in Cherokee County to the confluence of an unnamed tributary 300 meters upstream of the most northern crossing of US 69 (approximately 2.25 km south of the intersection of Loop 323) in the City of Tyler, per WQS App. D

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
0611D_01 From the confluence with Mud Creek (0611C), per WQS App. D, upstream to confluence with unnamed tributary about 75 m north of WWTP in City of Tyler at NHD RC 12020004000212.	5b	No	2010
0611D_02 From the confluence with unnamed tributary about 75 m north of WWTP in City of Tyler upstream to confluence of unnamed tributary about 300 meters upstream of the most northern crossing of US 69 in City of Tyler, per WQS App. D, at NHD RC 12020004000212.	5b	No	2010

SegID: 0612 Attoyac Bayou
 From a point 3.9 km (2.4 miles) downstream of Curry Creek in Nacogdoches/San Augustine County to FM 95 in Rusk County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
0612_01 From the lower boundary approximately at confluence with Granberry Branch upstream to confluence with Polly Branch.	5b	No	2004
0612_02 From a point immediately upstream of Polly Branch confluence upstream to confluence with Bear Bayou.	5b	No	2004
0612_03 From a point immediately upstream of Bear Bayou upstream to upper boundary at FM 95.	5b	No	2004

SegID: 0615 Angelina River/Sam Rayburn Reservoir
 The riverine portion of Sam Rayburn Reservoir from a point 5.6 kilometers (3.5 miles) upstream of Marion's Ferry to the aqueduct crossing 1.0 kilometer (0.6 mile) upstream of the confluence of Paper Mill Creek

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
0615_01 Entire water body	5c	No	2006
depressed dissolved oxygen			
0615_01 Entire water body	5b	No	2002
impaired fish community			
0615_01 Entire water body	5c	Yes	2002
mercury in edible tissue			
0615_01 Entire water body	5c	No	2002

SegID: 0615A Paper Mill Creek (unclassified water body)
 From the confluence with Angelina River/Sam Rayburn Reservoir (0615) upstream to confluence with Mill Creek (0615B)

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
0615A_01 From the confluence of Angelina River/Sam Rayburn (0615) upstream to confluence with Mill Creek (0615B)	5b	No	2006

SegID: 0701 Taylor Bayou/North Fork Taylor Bayou Above Tidal
 From the saltwater lock 7.7 km (4.8 miles) downstream of SH 73 in Jefferson County to the Lower Neches Valley Authority Canal in Jefferson County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen			
0701_01 From the saltwater lock 7.7 km (4.8 miles) downstream of SH 73 in Jefferson County, per WQS App. C, upstream to the confluence with Hillebrandt Bayou (0704).	5b	No	1996
0701_02 From the confluence with Hillebrandt Bayou upstream to confluences with North Fork Taylor Bayou and South Fork Bayou.	5b	No	1996

SegID: 0701D **Shallow Prong Lake (unclassified water body)**
 Widest upper portion of Big Hill Bayou about 2.0 km (1.26 miles) north of Blind Lake

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen			
0701D_01 Portion of Big Hill Bayou, Shallow Prong portion of NHD RC 12040201006920	5c	No	2004

SegID: 0702 **Intracoastal Waterway Tidal**
 From the confluence with Galveston Bay at Port Bolivar in Galveston County to the confluence with the Sabine-Neches Canal in Jefferson County (including Taylor Bayou Tidal from the confluence with the Intracoastal Waterway up to the saltwater lock 7.7 km

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue			
0702_03 From the eastern most boundary of East Bay to Port Bolivar	5a	No	2010

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue			
0702_03 From the eastern most boundary of East Bay to Port Bolivar	5a	No	2010

SegID: 0702A **Alligator Bayou and Main Canals A, B, C, and D (unclassified water body)**
 All perennial canals in Jefferson County Drainage District No. 7 that eventually drain into the tidal portion of Taylor Bayou at the pump house gate, including Alligator Bayou.

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
toxicity in sediment			
0702A_01 From Taylor Bayou Tidal (0702) to confluence with Main Canal D above SH 82.	5c	No	1998

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
toxicity in water			
0702A_02 Alligator Bayou from confluence with Main Canal D upstream to include small canals that drain into Alligator Bayou	5c	Yes	1998
0702A_03 Main Canal D from the confluence with Alligator Bayou at SH 82 upstream to about 0.35 km upstream of confluence with Canal A	5c	Yes	1998

SegID: 0704 Hillebrandt Bayou
From the confluence of Taylor Bayou in Jefferson County to a point 100 meters (110 yards) upstream of SH 124 in Jefferson County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
0704_02 From the confluence with Willow Marsh Bayou (0704A) upstream to a point 100 meters (110 yards) upstream of SH 124 in Jefferson County	5b	No	2010
depressed dissolved oxygen			
0704_01 From the confluence with Taylor Bayou Above Tidal (0701) upstream to confluence with Willow Marsh Bayou (0704A)	5b	No	1998
0704_02 From the confluence with Willow Marsh Bayou (0704A) upstream to a point 100 meters (110 yards) upstream of SH 124 in Jefferson County	5b	No	1998

SegID: 0801C Cotton Bayou (unclassified water body)
From the confluence of Cotton Lake southeast of Mont Belvieu in Chambers County upstream to a point (NHD RC 12040203000496) approximately 1 mile north of IH 10 in Chambers County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
0801C_01 Entire Segment	5b	No	2010
depressed dissolved oxygen			
0801C_01 Entire Segment	5b	Yes	2006

SegID: 0803 Lake Livingston
From Livingston Dam in Polk/San Jacinto County to a point 1.8 km (1.1 miles) upstream of Boggy Creek in Houston/Leon County, up to normal pool elevation of 131 feet (impounds Trinity River)

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
pH			
0803_01 Lowermost portion of reservoir, adjacent to dam	5c	No	2008
0803_06 Middle portion of reservoir, centering on US 190	5c	No	2008
sulfate			
0803_01 Lowermost portion of reservoir, adjacent to dam	5b	No	2006
0803_02 Lower portion of reservoir, East Wolf Creek	5b	No	2006
0803_03 Lower portion of reservoir, East Willow Springs	5b	No	2006
0803_04 Middle portion of reservoir, East Pointblank	5b	No	2006
0803_05 Middle portion of reservoir, downstream of Kickapoo Creek	5b	No	2006
0803_06 Middle portion of reservoir, centering on US 190	5b	No	2006
0803_07 Upper portion of reservoir, west of Carlisle	5b	No	2006
0803_08 Cove off upper portion of reservoir, East Trinity	5b	No	2006
0803_09 West Carolina Creek cove, off upper portion of reservoir	5b	No	2006
0803_10 Upper portion of reservoir, centering on SH 19	5b	No	2006
0803_11 Riverine portion of reservoir, centering on SH 21	5b	No	2006
0803_12 Remainder of reservoir	5b	No	2006

SegID: 0803G Lake Madisonville (unclassified water body)
 From Lake Madisonville Dam in Madison County up to the normal pool elevation of 285 feet (impounds Town Branch)

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
mercury in edible tissue 0803G_01 Entire water body	5c	No	2010

SegID: 0804 Trinity River Above Lake Livingston
 From a point 1.8 km (1.1 miles) upstream of Boggy Creek in Houston/Leon County to a point immediately upstream of the confluence of the Cedar Creek Reservoir discharge canal in Henderson/Navarro County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue 0804_07 From just above the confluence with Richland Creek in Henderson County, up to the upper end of the segment.	5a	No	2010

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue 0804_07 From just above the confluence with Richland Creek in Henderson County, up to the upper end of the segment.	5a	No	2010

SegID: 0804G Catfish Creek (unclassified water body)
 Twenty mile stretch of Catfish Creek running upstream from US 287 in Anderson Co., to Catfish Creek Ranch Lake just upstream of SH 19 in Henderson Co.

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria 0804G_01 Entire Segment	5b	No	2010

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen 0804G_01 Entire Segment	5b	No	2006

SegID: 0804H Upper Keechi Creek (unclassified water body)
 From confluence with segment 0804 Trinity River to the upper end of NHD stream Upper Keechi Creek (NHD RC 12030201001075)

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen 0804H_01 From the confluence with segment 0804 Trinity River up to confluence with Twin Branch (NHD RC 12030201027099)	5b	No	2010

SegID: 0805 Upper Trinity River
 From a point immediately upstream of the confluence of the Cedar Creek Reservoir discharge canal in Henderson/Navarro County to a point immediately upstream of the confluence of Elm Fork Trinity River in Dallas County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
0805_03 From the confluence of Fivemile Creek upstream to the confluence of Cedar Creek.	5a	No	1996
0805_04 From confluence of Cedar Creek upstream to confluence of Elm Fork Trinity River	5a	No	1996

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue			
0805_01 From confluence of the Cedar Creek Reservoir discharge canal upstream to confluence of Smith Creek.	5a	No	2010
0805_02 From confluence of Smith Creek upstream to confluence of Tenmile Creek.	5a	No	2010
0805_03 From the confluence of Fivemile Creek upstream to the confluence of Cedar Creek.	5a	No	2010
0805_04 From confluence of Cedar Creek upstream to confluence of Elm Fork Trinity River	5a	No	2010
0805_06 From confluence of Tenmile Creek upstream to confluence of Fivemile Creek	5a	No	2010

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue			
0805_01 From confluence of the Cedar Creek Reservoir discharge canal upstream to confluence of Smith Creek.	5a	No	2002
0805_02 From confluence of Smith Creek upstream to confluence of Tenmile Creek.	5a	No	2002
0805_03 From the confluence of Fivemile Creek upstream to the confluence of Cedar Creek.	5a	No	2002
0805_04 From confluence of Cedar Creek upstream to confluence of Elm Fork Trinity River	5a	No	2002
0805_06 From confluence of Tenmile Creek upstream to confluence of Fivemile Creek	5a	No	2002

SegID: 0806 West Fork Trinity River Below Lake Worth
 From a point immediately upstream of the confluence of Village Creek in Tarrant County to Lake Worth Dam in Tarrant County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue			
0806_01 From confluence of Village Creek upstream to confluence of Clear Fork Trinity River	5a	No	2010
0806_02 From confluence of Clear Fork Trinity River upstream to Lake Worth Dam	5a	No	2010

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue			
0806_01 From confluence of Village Creek upstream to confluence of Clear Fork Trinity River	5a	No	1996
0806_02 From confluence of Clear Fork Trinity River upstream to Lake Worth Dam	5a	No	1996

SegID: 0806A Fosdic Lake (unclassified water body)
 From Fosdic Lake Dam to the reservoir headwaters in Oakland Lake Park in Tarrant County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue			
0806A_01 Entire lake	4a	No	1998

SegID: 0806B Echo Lake (unclassified water body)
 From Echo Lake Dam to the reservoirs headwaters in Tarrant County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue			
0806B_01 Entire lake	4a	No	1998

SegID: 0806D Marine Creek (unclassified water body)
 Two mile stretch of Marine Creek running upstream from confluence with the W. Fork of Trinity River to Tenmile Bridge Road in Fort Worth.

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
0806D_01 Marine Creek from the confluence with W. Fork Trinity River 2 miles upstream to Tenmile Bridge Rd. in Ft. Worth	5b	No	2006

SegID: 0806E Sycamore Creek (unclassified water body)
 Five mile stretch of Sycamore Creek running upstream from confluence with the W. Fork of Trinity River to confluence with Echo Lake Tributary in Fort Worth.

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
0806E_01 Five mile stretch of Sycamore Creek running upstream from confluence with the W. Fork of Trinity River to confluence with Echo Lake Tributary in Fort Worth	5b	No	2006

SegID: 0807 Lake Worth
 From Lake Worth Dam in Tarrant County to a point 4.0 km (2.5 miles) downstream of Eagle Mountain Dam in Tarrant County, up to normal pool elevation of 594.3 feet (impounds West Fork Trinity River)

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue			
0807_01 Entire reservoir	4a	No	2002

SegID: 0810 West Fork Trinity River Below Bridgeport Reservoir
 From a point 0.6 km (0.4 miles) downstream of the confluence of Oates Branch in Wise County to Bridgeport Dam in Wise County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
0810_01 Lower 25 miles of segment	5b	No	1998

SegID: 0810A Big Sandy Creek (unclassified water body)
 Fifteen mile stretch of Sycamore Creek running upstream from confluence with Waggoner Creek to FM 1810, west of Alvord, Wise County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
0810A_01 Fifteen mile stretch of Big Sandy Creek running from confluence with Waggoner Creek to FM 1810 West of Alvord, Wise Co.	5b	No	2006

SegID: 0810B Garrett Creek (unclassified water body)
 Eighteen mile stretch of Garrett Creek running upstream from confluence with Salt Creek to Wise County Road approximately 14 miles upstream of SH114, Wise County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
0810B_01 Eighteen mile stretch of Garrett Creek running upstream from confluence with Salt Creek to Wise County Road approximately 14 miles upstream of SH114, Wise Co.	5b	No	2006

SegID: 0810C Martin Branch (unclassified water body)
 The eight mile stretch of Martin Branch running upstream from confluence with Center Creek to FM 730 south of Decatur, Wise County.

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
0810C_01 Eight mile stretch of Martin Branch running upstream from confluence with Center Creek to FM 730 south of Decatur, Wise County.	5b	No	2006

SegID: 0810D Salt Creek (unclassified water body)
 Eleven mile stretch of Salt Creek running upstream from confluence with Garrett Creek, Wise County.

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
0810D_01 Eleven mile stretch of Salt Creek running upstream from confluence with Garrett Creek, Wise County.	5b	Yes	2006

SegID: 0812 West Fork Trinity River Above Bridgeport Reservoir
 From a point immediately upstream of the confluence of Bear Hollow in Jack County to SH 79 in Archer County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
chloride			
0812_01 Lower 25 miles of segment	5b	Yes	1998
0812_02 Upper 60 miles of segment	5b	Yes	1998
depressed dissolved oxygen			
0812_01 Lower 25 miles of segment	5b	Yes	1998

SegID: 0818 Cedar Creek Reservoir
 From Joe B. Hoggsett Dam in Henderson County up to normal pool elevation of 322 feet (impounds Cedar Creek)

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
pH			
0818_01 Lowermost portion of the reservoir, adjacent to the dam.	5c	No	2002
0818_02 Caney Creek cove	5c	Yes	2002
0818_03 Clear Creek cove	5c	Yes	2002
0818_05 Cove off lower portion of reservoir adjacent to Clearview Estates	5c	Yes	2002
0818_06 Middle portion of reservoir downstream of Twin Creeks cove	5c	No	2002
0818_07 Twin Creeks cove	5c	Yes	2002
0818_08 Prairie Creek cove	5c	No	2002
0818_09 Upper portion of reservoir adjacent to Lacy Fork cove	5c	No	2002
0818_11 Upper portion of reservoir east of Tolosa	5c	No	2002
0818_12 Uppermost portion of reservoir downstream of Kings Creek	5c	No	2002

SegID: 0819 East Fork Trinity River
 From the confluence with the Trinity River in Kaufman County to Rockwall-Forney Dam in Kaufman County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
chloride			
0819_01 Entire segment	5c	No	2008
sulfate			
0819_01 Entire segment	5c	No	2008
total dissolved solids			
0819_01 Entire segment	5c	No	2008

SegID: 0821C Wilson Creek (unclassified water body)
 From the confluence with Lake Lavon in Collin County up to West FM 455 (NHD RC 12030106000086), just east of Celina, Collin Co., TX.

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
0821C_01 Entire water body	5b	No	2010

SegID: 0821D East Fork Trinity River above Lake Lavon (unclassified water body)
 A portion of the East Fork Trinity River extending from the confluence with Lake Lavon (segment 0821) to the upper end of the water body (NHD RC 12030106000074) in Collin County, Texas.

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
0821D_01 Entire water body	5b	No	2010

SegID: 0822A Cottonwood Branch (unclassified water body)
 A 6 mile stretch of Cottonwood Branch running upstream from confluence with Hackberry Creek, to Valley View Road in Dallas County.

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
0822A_02 A 3. 5 mile stretch of Cottonwood Branch running upstream from approximately 0.5 miles downstream of N. Story Rd. to Valley View Rd, Dallas, Co.	5b	No	2006

SegID: 0822B Grapevine Creek (unclassified water body)
 From the confluence with Elm Fork Trinity River in Dallas County upstream to its headwaters west of International Parkway at DFW Airport in Tarrant County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
0822B_01 Entire water body	5b	No	2006

SegID: 0828A Village Creek (unclassified water body)
 From the confluence with Lake Arlington in Tarrant County to the headwaters east of Joshua in Johnson County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
0828A_01 From Lake Arlington to the headwaters	5b	No	2010

SegID: 0829 Clear Fork Trinity River Below Benbrook Lake
 From the confluence with the West Fork Trinity River in Tarrant County to Benbrook Dam in Tarrant County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue			
0829_01 From the confluence with West Fork Trinity River to 1 mile upstream.	5a	No	2010
0829_02 From 1 mile upstream of the confluence with West Fork Trinity River up to the confluence with Mary's Creek.	5a	No	2010
0829_03 From the confluence with Mary's Creek up to Benbrook Dam in Tarrant County, TX.	5a	No	2010
PCBs in edible tissue			
0829_01 From the confluence with West Fork Trinity River to 1 mile upstream.	5a	No	1996
0829_02 From 1 mile upstream of the confluence with West Fork Trinity River up to the confluence with Mary's Creek.	5a	No	1996
0829_03 From the confluence with Mary's Creek up to Benbrook Dam in Tarrant County, TX.	5a	No	1996

SegID: 0831 Clear Fork Trinity River Below Lake Weatherford
 From a point 200 meters (220 yards) downstream of US 377 in Tarrant County to Weatherford Dam in Parker County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen			
0831_04 2 mi upstream of South Fork Trinity River confluence to Squaw Ck. Confluence	5b	No	1996
0831_05 From the confluence of Squaw Ck. to Lake Weatherford Dam	5b	No	1996

SegID: 0833 Clear Fork Trinity River Above Lake Weatherford
 From a point 3.1 km (1.9 miles) upstream of FM 1707 in Parker County, to FM 3107 in Parker County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen			
0833_02 Upper 11 miles of segment	5b	No	1998
0833_03 From the confluence of McKnight Branch to the confluence of Cottonwood Ck.	5b	Yes	1998
0833_04 From the confluence with Dobbs Branch to confluence with McKnight Branch	5b	Yes	1998

SegID: 0836B Cedar Creek (unclassified water body)
 From the confluence with Richland Chambers Reservoir to the upper end of the creek (NHD RC 12030109012807)

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen			
0836B_01 Entire segment.	5b	No	2010

SegID: 0838C Walnut Creek (unclassified water body)
 A 7 mile stretch of Walnut Creek running upstream from Holland Road, to confluence with Willow Branch, NW Mansfield, Tarrant County.

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
0838C_01 Entire segment.	5b	No	2006

SegID: 0841 Lower West Fork Trinity River
 From a point immediately upstream of the confluence of the Elm Fork Trinity River in Dallas County to a point immediately upstream of the confluence of Village Creek in Tarrant County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
0841_01 From confluence of the Elm Fork Trinity River to the Tarrant/Dallas county line	5a	No	1996
dioxin in edible tissue			
0841_01 From confluence of the Elm Fork Trinity River to the Tarrant/Dallas county line	5a	No	2010
0841_02 From the Tarrant/Dallas county line upstream to the confluence of Village Creek	5a	No	2010
PCBs in edible tissue			
0841_01 From confluence of the Elm Fork Trinity River to the Tarrant/Dallas county line	5a	No	1996
0841_02 From the Tarrant/Dallas county line upstream to the confluence of Village Creek	5a	No	1996

SegID: 0841A Mountain Creek Lake (unclassified water body)
 From Mountain Creek Lake Dam to the reservoir headwater at the confluence of Mountain and Fish Creeks, in Dallas County (impounds Mountain Creek)

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
chlordan in edible tissue			
0841A_01 Entire reservoir	4a	No	2000
DDD in edible tissue			
0841A_01 Entire reservoir	4a	No	2000
DDE in edible tissue			
0841A_01 Entire reservoir	4a	No	2000
DDT in edible tissue			
0841A_01 Entire reservoir	4a	No	2000
dieldrin in edible tissue			
0841A_01 Entire reservoir	4a	No	2000
heptachlor epoxide in edible tissue			
0841A_01 Entire reservoir	4a	No	2000
PCBs in edible tissue			
0841A_01 Entire reservoir	4a	No	1996

SegID: 0841B Bear Creek (unclassified water body)

A 12 mile stretch of Bear Creek running upstream from confluence with West Fork Trinity River, to the confluence with Little Bear Creek just upstream of HWY 183 in Euless, Tarrant County, TX.

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria 0841B_01 Entire segment.	5b	No	2006

SegID: 0841C Arbor Creek (unclassified water body)

A 2.2 mile stretch of Arbor Creek running upstream from confluence with Johnson Creek, to approx. 0.5 miles upstream of Tarrant/Dallas county line.

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria 0841C_01 Entire segment.	5b	No	2006

SegID: 0841E Copart Branch Mountain Creek (unclassified water body)

A 2.8 mile stretch of Copart Branch running upstream from confluence with Mountain Creek to approximately 0.3 miles upstream of Camden Road on Dallas Naval Academy, Dallas County.

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria 0841E_01 Entire segment.	5b	No	2006

SegID: 0841F Cottonwood Creek (unclassified water body)

A 6.5 mile stretch of Cottonwood Creek running upstream from approx. 0.1 mi. upstream of Mountain Creek Reservoir in Dallas Co., to SH 360 in, Tarrant Co.

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria 0841F_01 Entire segment.	5b	No	2006

SegID: 0841G Dalworth Creek (unclassified water body)

A 2.2 mile stretch of Dalworth Creek running upstream from confluence with Lower W. Fork Trinity to County Line Road in Grand Prairie, Dallas Co.

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria 0841G_01 Entire segment.	5b	No	2006

SegID: 0841H Delaware Creek (unclassified water body)

An 8.5 mile stretch of Delaware Creek running upstream from confluence with Lower W. Fork Trinity to Finley Road in Irving.

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria 0841H_01 Entire segment.	5b	No	2006

SegID: 0841J Estelle Creek (unclassified water body)
 A 4 mile stretch of Estelle Creek running upstream from confluence with Bear Creek to Valley View Lane in Irving, Dallas County.

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria 0841J_01 Entire segment.	5b	No	2006

SegID: 0841K Fish Creek (unclassified water body)
 A 15 mile stretch of Fish Creek running upstream from the confluence with Mountain Creek Reservoir in Grand Prairie, Dallas Co., to the upper end of the creek (NHD RC 12030102000107) in Arlington, Tarrant Co.

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria 0841K_01 Entire segment.	5b	No	2006

SegID: 0841L Johnson Creek (unclassified water body)
 Four mile stretch of Johnson Creek running upstream from confluence with the Arbor Creek to just upstream of I30 in Grand Prairie, Tarrant Co.

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria 0841L_01 Entire segment.	5b	No	2010

SegID: 0841M Kee Branch (unclassified water body)
 Six mile stretch of Kee Branch running upstream from confluence with Rush Creek to upper end of the creek (NHD RC 12030102000165).

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria 0841M_01 Three mile stretch of Kee Branch running upstream from confluence with Rush Creek to approx. 300 m upstream of Polly-Webb Road in Arlington, Tarrant Co. Sta. ID 10792	5b	No	2006

SegID: 0841N Kirby Creek (unclassified water body)
 Four mile stretch of Kirby Creek running upstream from confluence with Fish Creek in Grand Prairie, Dallas Co., to just upstream of Great Southwest Parkway in Arlington, Tarrant Co.

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria 0841N_01 Entire segment	5b	No	2006

SegID: 0841R Rush Creek (unclassified water body)
 A 5 mile stretch of Rush Creek running upstream from confluence with Village Creek to confluence with Kee Branch in Arlington, Tarrant Co.

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria 0841R_01 Entire segment.	5b	No	2010

SegID: 0841S Vilbig Lakes (unclassified water body)
 A 5 acre area in NW corner of Vilbig Lakes, near confluence with unnamed creek, approx. 100 m south of intersection of Rusdell Rd./Marvel Dr. in Irving, Dallas, Co.

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>	
bacteria 0841S_01	A 5 acre area in NW corner of Vilbig Lakes, near confluence with unnamed creek, approx. 100 m south of intersection of Rusdell Rd./Marvel Dr. in Irving, Dallas, Co.	5c	No	2006

SegID: 0841T Village Creek (unclassified water body)
 A 7 mile stretch of Village Creek running upstream from confluence with West Fork Trinity River to SH 303 approx. 0.75 mi. downstream of Lake Arlington.

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>	
bacteria 0841T_01	A 7 mile stretch of Village Creek running upstream from confluence with West Fork Trinity River to SH 303 approx. 0.75 mi. downstream of Lake Arlington.	5b	No	2010

SegID: 0841U West Irving Creek (unclassified water body)
 A 4 mile stretch of West Irving Branch running upstream from approx. 0.4 mi. downstream of Oakdale Rd. to just south of Sowers Road in Irving, Dallas Co.

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>	
bacteria 0841U_01	A 4 mile stretch of West Irving Branch running upstream from approx. 0.4 mi. downstream of Oakdale Rd. to just south of Sowers Road in Irving, Dallas Co.	5b	No	2006

SegID: 0841V Crockett Branch (unclassified water body)
 A 1 mile (1.5 KM) stretch of Crockett Branch extending upstream from the confluence with Cottonwood Creek to the upper end of the creek (NHD RC 12030102044745)

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>	
bacteria 0841V_01	Entire Segment.	5b	No	2010

SegID: 0901 Cedar Bayou Tidal
 From the confluence with Galveston Bay 1.0 km (0.6 miles) downstream of Tri-City Beach Road in Chambers County to a point 2.2 km (1.4 miles) upstream of IH 10 in Chambers/Harris County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
0901_01 From the confluence with Galveston Bay 1.0 km (0.6 miles) downstream of Tri-City Beach Road to a point 2.2 km (1.4 miles) upstream of IH 10	5c	No	2006
dioxin in edible tissue			
0901_01 From the confluence with Galveston Bay 1.0 km (0.6 miles) downstream of Tri-City Beach Road to a point 2.2 km (1.4 miles) upstream of IH 10	5a	No	2002
PCBs in edible tissue			
0901_01 From the confluence with Galveston Bay 1.0 km (0.6 miles) downstream of Tri-City Beach Road to a point 2.2 km (1.4 miles) upstream of IH 10	5a	No	2008

SegID: 1001 San Jacinto River Tidal
 From a point 100 meters (110yards) downstream of IH 10 in Harris County to Lake Houston Dam in Harris County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue			
1001_01 From Lake Houston Dam to US Hwy 90	5a	No	2000
1001_02 From US Hwy 90 to IH 10	5a	No	2000
PCBs in edible tissue			
1001_02 From US Hwy 90 to IH 10	5a	No	2002

SegID: 1002 Lake Houston
 From Lake Houston Dam in Harris County to the confluence of Spring Creek on the West Fork San Jacinto Arm in Harris/Montgomery County and to the confluence of Caney Creek on the East Fork San Jacinto Arm in Harris County, up to normal pool elevation of 44.5 feet (impounds San Jacinto River)

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1002_06 From the confluence with Spring Creek to West Lake Houston Pkwy	5a	No	2006

SegID: 1002C Lake Isabell (unclassified water body)
 Small lake located at the southern end of Lake Houston Park northeast of the Caney Creek (1010) and East Fork of the San Jacinto River (1003) confluence in Harris County.

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
mercury in edible tissue			
1002C_01 Small lake located at the southern end of Lake Houston Park northeast of the Caney Creek (1010) and East Fork of the San Jacinto River (1003) confluence in Harris County.	5c	No	2010

SegID: 1003 East Fork San Jacinto River
 From the confluence of Caney Creek in Harris County to US 190 in Walker County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1003_01 From the Caney Creek confluence upstream to US 59	5a	No	2006
1003_02 From US Hwy 59 to a point 40 km (25 mi) upstream (just upstream of Clear Creek confluence)	5a	No	2006
1003_03 From a point 40 km (25 mi) upstream (just upstream of Clear Creek confluence) to US 190 (upper segment boundary)	5a	No	2006

SegID: 1004 West Fork San Jacinto River
 From the confluence of Spring Creek in Harris/Montgomery County to Conroe Dam in Montgomery County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1004_01 From the Spring Creek confluence upstream to the Stewart Creek confluence	5a	No	2002
1004_02 From the Stewart Creek confluence upstream to the Lake Conroe Dam	5a	No	2002

SegID: 1004D Crystal Creek (unclassified water body)
 From the West Fork of the San Jacinto River confluence to the confluence of the east and west forks of Crystal Creek

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1004D_01 From the Confluence with West Fork San Jacinto River upstream to confluence of the East and West Forks of Crystal Creek	5a	No	2006

SegID: 1004E Stewarts Creek (unclassified water body)
 From headwaters northwest of old Montgomery Rd to confluence with West Fork of the San Jacinto River

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1004E_02 From Airport Rd to confluence with West Fork San Jacinto River	5a	No	2006

SegID: 1005 **Houston Ship Channel/San Jacinto River Tidal**
 From the confluence with Galveston Bay at Morgan's Point in Harris/Chambers County to a point 100 meters
 (110 yards) downstream of IH 10 in Harris County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue			
1005_01 Downstream I-10 to Lynchburg Ferry Road	5a	No	1996
1005_02 Lynchburg Ferry Road to Goose Island	5a	No	1996
1005_03 Goose Island to SH 146	5a	No	1996
1005_04 SH 146 to Morgans Point	5a	No	1996

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue			
1005_01 Downstream I-10 to Lynchburg Ferry Road	5a	No	2002
1005_02 Lynchburg Ferry Road to Goose Island	5a	No	2002
1005_03 Goose Island to SH 146	5a	No	2002
1005_04 SH 146 to Morgans Point	5a	No	2002

SegID: 1006**Houston Ship Channel Tidal**

From the confluence with the San Jacinto River in Harris County to a point immediately upstream of Greens Bayou in Harris County, including tidal portions of tributaries

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1006_01 Houston Ship Channel Tidal-From the Greens Bayou confluence to the Patrick Bayou confluence	5c	Yes	2006
1006_03 Greens Bayou Tidal- From the Houston Ship Channel confluence to a point 0.7 km (0.4 miles) upstream of the Halls Bayou confluence	5c	No	2006
1006_05 Goodyear Creek-From confluence with Greens Bayou Tidal to Granada St. in Harris County	5c	No	2006
<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
chlordane in edible tissue			
1006_01 Houston Ship Channel Tidal-From the Greens Bayou confluence to the Patrick Bayou confluence	4b	No	2004
1006_02 Houston Ship Channel Tidal- From the Patrick Bayou confluence to the Houston Ship Channel/San Jacinto River Tidal (1005) confluence	4b	No	2004
1006_03 Greens Bayou Tidal- From the Houston Ship Channel confluence to a point 0.7 km (0.4 miles) upstream of the Halls Bayou confluence	4b	No	2004
1006_04 Patrick Bayou Tidal - From the confluence with the Houston Ship Channel to 100 m (328 ft) upstream of the railroad bridge	4b	No	2004
1006_05 Goodyear Creek-From confluence with Greens Bayou Tidal to Granada St. in Harris County	4b	No	2004
1006_06 Tucker Bayou- From the Houston Ship Channel confluence to a point 2.7 km (1.7 mi) upstream	4b	No	2004
1006_07 Carpenters Bayou-From the Houston Ship Channel confluence to the lower boundary of 1006B (2.3 m/ 1.4 mi) upstream from the Houston Ship Channel confluence)	4b	No	2004
<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen			
1006_05 Goodyear Creek-From confluence with Greens Bayou Tidal to Granada St. in Harris County	5c	No	2006

SegID: 1006

Houston Ship Channel Tidal

From the confluence with the San Jacinto River in Harris County to a point immediately upstream of Greens Bayou in Harris County, including tidal portions of tributaries

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
dieldrin in edible tissue			
1006_01 Houston Ship Channel Tidal-From the Greens Bayou confluence to the Patrick Bayou confluence	4b	No	2004
1006_02 Houston Ship Channel Tidal- From the Patrick Bayou confluence to the Houston Ship Channel/San Jacinto River Tidal (1005) confluence	4b	No	2004
1006_03 Greens Bayou Tidal- From the Houston Ship Channel confluence to a point 0.7 km (0.4 miles) upstream of the Halls Bayou confluence	4b	No	2004
1006_04 Patrick Bayou Tidal - From the confluence with the Houston Ship Channel to 100 m (328 ft) upstream of the railroad bridge	4b	No	2004
1006_05 Goodyear Creek-From confluence with Greens Bayou Tidal to Granada St. in Harris County	4b	No	2004
1006_06 Tucker Bayou- From the Houston Ship Channel confluence to a point 2.7 km (1.7 mi) upstream	4b	No	2004
1006_07 Carpenters Bayou-From the Houston Ship Channel confluence to the lower boundary of 1006B (2.3 m/ 1.4 mi) upstream from the Houston Ship Channel confluence)	4b	No	2004
<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue			
1006_01 Houston Ship Channel Tidal-From the Greens Bayou confluence to the Patrick Bayou confluence	5a	No	1996
1006_02 Houston Ship Channel Tidal- From the Patrick Bayou confluence to the Houston Ship Channel/San Jacinto River Tidal (1005) confluence	5a	No	1996
1006_03 Greens Bayou Tidal- From the Houston Ship Channel confluence to a point 0.7 km (0.4 miles) upstream of the Halls Bayou confluence	5a	No	1996
1006_04 Patrick Bayou Tidal - From the confluence with the Houston Ship Channel to 100 m (328 ft) upstream of the railroad bridge	5a	No	1996
1006_05 Goodyear Creek-From confluence with Greens Bayou Tidal to Granada St. in Harris County	5a	No	1996
1006_06 Tucker Bayou- From the Houston Ship Channel confluence to a point 2.7 km (1.7 mi) upstream	5a	No	1996
1006_07 Carpenters Bayou-From the Houston Ship Channel confluence to the lower boundary of 1006B (2.3 m/ 1.4 mi) upstream from the Houston Ship Channel confluence)	5a	No	1996

SegID: 1006**Houston Ship Channel Tidal**

From the confluence with the San Jacinto River in Harris County to a point immediately upstream of Greens Bayou in Harris County, including tidal portions of tributaries

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
heptachlor epoxide in edible tissue			
1006_01 Houston Ship Channel Tidal-From the Greens Bayou confluence to the Patrick Bayou confluence	4b	No	2004
1006_02 Houston Ship Channel Tidal- From the Patrick Bayou confluence to the Houston Ship Channel/San Jacinto River Tidal (1005) confluence	4b	No	2004
1006_03 Greens Bayou Tidal- From the Houston Ship Channel confluence to a point 0.7 km (0.4 miles) upstream of the Halls Bayou confluence	4b	No	2004
1006_04 Patrick Bayou Tidal - From the confluence with the Houston Ship Channel to 100 m (328 ft) upstream of the railroad bridge	4b	No	2004
1006_05 Goodyear Creek-From confluence with Greens Bayou Tidal to Granada St. in Harris County	4b	No	2004
1006_06 Tucker Bayou- From the Houston Ship Channel confluence to a point 2.7 km (1.7 mi) upstream	4b	No	2004
1006_07 Carpenters Bayou-From the Houston Ship Channel confluence to the lower boundary of 1006B (2.3 m/ 1.4 mi) upstream from the Houston Ship Channel confluence)	4b	No	2004
mercury in water			
1006_04 Patrick Bayou Tidal - From the confluence with the Houston Ship Channel to 100 m (328 ft) upstream of the railroad bridge	5c	Yes	1998
PCBs in edible tissue			
1006_01 Houston Ship Channel Tidal-From the Greens Bayou confluence to the Patrick Bayou confluence	5a	No	2002
1006_02 Houston Ship Channel Tidal- From the Patrick Bayou confluence to the Houston Ship Channel/San Jacinto River Tidal (1005) confluence	5a	No	2002
1006_03 Greens Bayou Tidal- From the Houston Ship Channel confluence to a point 0.7 km (0.4 miles) upstream of the Halls Bayou confluence	5a	No	2002
1006_04 Patrick Bayou Tidal - From the confluence with the Houston Ship Channel to 100 m (328 ft) upstream of the railroad bridge	5a	No	2002
1006_05 Goodyear Creek-From confluence with Greens Bayou Tidal to Granada St. in Harris County	5a	No	2002
1006_06 Tucker Bayou- From the Houston Ship Channel confluence to a point 2.7 km (1.7 mi) upstream	5a	No	2002
1006_07 Carpenters Bayou-From the Houston Ship Channel confluence to the lower boundary of 1006B (2.3 m/ 1.4 mi) upstream from the Houston Ship Channel confluence)	5a	No	2002
toxicity in sediment			
1006_04 Patrick Bayou Tidal - From the confluence with the Houston Ship Channel to 100 m (328 ft) upstream of the railroad bridge	5c	Yes	2000

SegID: 1006D Halls Bayou (unclassified water body)
 From the Greens Bayou confluence upstream to Frick Road in Harris County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1006D_01 From the Greens Bayou confluence upstream to US 59	5a	No	2002
1006D_02 From US 59 upstream to Frick Road	5a	No	2002

SegID: 1006F Big Gulch Above Tidal (unclassified water body)
 From the confluence with Greens Bayou Tidal to Wallisville Road in Harris County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1006F_01 Entire water body	5a	No	2002

SegID: 1006H Spring Gully Above Tidal (unclassified water body)
 From confluence with Greens Bayou to US 90 in Harris County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1006H_01 Entire water body	5a	No	2002

SegID: 1006I Unnamed Tributary of Halls Bayou (unclassified water body)
 From the confluence with Halls Bayou to a point 0.13 miles upstream of Richland Drive in Harris County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1006I_01 Entire water body	5a	No	2002

SegID: 1006J Unnamed Tributary of Halls Bayou (unclassified water body)
 From the confluence with Halls Bayou (east of US 59 and south of Langley Road) to Mount Houston Road in Harris County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1006J_01 From the Halls Bayou confluence (east of US 59 and south of Langley Road) to Mount Houston Road	5a	No	2002

SegID: 1007**Houston Ship Channel/Buffalo Bayou Tidal**

From a point immediately upstream of Greens Bayou in Harris County to a point 100 meters (110 yards) upstream of US 59 in Harris County, including tidal portion of tributaries

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>	
bacteria				
1007_01	Houston Ship Channel - From a point immediately upstream of Greens Bayou Tidal to immediately upstream of the 69th Street WWTP outfall	5c	No	2006
1007_03	Hunting Bayou Tidal - From the Houston Ship Channel confluence to IH-10	5c	No	2006
1007_04	Brays Bayou Tidal - From the Houston Ship Channel confluence to downstream of IH-45	5c	No	2006
1007_05	Vince Bayou Tidal - From the Houston Ship Channel confluence to SH 225	5c	No	2006
1007_07	Buffalo Bayou - From immediately upstream of 69th Street WWTP outfall to US 59	5c	No	2006
<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>	
chlordan in edible tissue				
1007_01	Houston Ship Channel - From a point immediately upstream of Greens Bayou Tidal to immediately upstream of the 69th Street WWTP outfall	4b	No	2004
1007_02	Sims Bayou Tidal - From the Houston Ship Channel confluence to a point 11 km (6.8 mi) upstream	4b	No	2004
1007_03	Hunting Bayou Tidal - From the Houston Ship Channel confluence to IH-10	4b	No	2004
1007_04	Brays Bayou Tidal - From the Houston Ship Channel confluence to downstream of IH-45	4b	No	2004
1007_05	Vince Bayou Tidal - From the Houston Ship Channel confluence to SH 225	4b	No	2004
1007_06	Berry Bayou - From the Houston Ship Channel confluence to a point 2.4 km (1.5 mi) upstream of the Sims Bayou confluence	4b	No	2004
1007_07	Buffalo Bayou - From immediately upstream of 69th Street WWTP outfall to US 59	4b	No	2004
1007_08	Little Vince Bayou Tidal - From the Vince Bayou confluence to SH 225	4b	No	2004
<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>	
dieldrin in edible tissue				
1007_01	Houston Ship Channel - From a point immediately upstream of Greens Bayou Tidal to immediately upstream of the 69th Street WWTP outfall	4b	No	2004
1007_02	Sims Bayou Tidal - From the Houston Ship Channel confluence to a point 11 km (6.8 mi) upstream	4b	No	2004
1007_03	Hunting Bayou Tidal - From the Houston Ship Channel confluence to IH-10	4b	No	2004
1007_04	Brays Bayou Tidal - From the Houston Ship Channel confluence to downstream of IH-45	4b	No	2004
1007_05	Vince Bayou Tidal - From the Houston Ship Channel confluence to SH 225	4b	No	2004
1007_06	Berry Bayou - From the Houston Ship Channel confluence to a point 2.4 km (1.5 mi) upstream of the Sims Bayou confluence	4b	No	2004
1007_07	Buffalo Bayou - From immediately upstream of 69th Street WWTP outfall to US 59	4b	No	2004
1007_08	Little Vince Bayou Tidal - From the Vince Bayou confluence to SH 225	4b	No	2004

SegID: 1007**Houston Ship Channel/Buffalo Bayou Tidal**

From a point immediately upstream of Greens Bayou in Harris County to a point 100 meters (110 yards) upstream of US 59 in Harris County, including tidal portion of tributaries

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>	
dioxin in edible tissue				
1007_01	Houston Ship Channel - From a point immediately upstream of Greens Bayou Tidal to immediately upstream of the 69th Street WWTP outfall	5a	No	1996
1007_02	Sims Bayou Tidal - From the Houston Ship Channel confluence to a point 11 km (6.8 mi) upstream	5a	No	1996
1007_03	Hunting Bayou Tidal - From the Houston Ship Channel confluence to IH-10	5a	No	1996
1007_04	Brays Bayou Tidal - From the Houston Ship Channel confluence to downstream of IH-45	5a	No	1996
1007_05	Vince Bayou Tidal - From the Houston Ship Channel confluence to SH 225	5a	No	1996
1007_06	Berry Bayou - From the Houston Ship Channel confluence to a point 2.4 km (1.5 mi) upstream of the Sims Bayou confluence	5a	No	1996
1007_07	Buffalo Bayou - From immediately upstream of 69th Street WWTP outfall to US 59	5a	No	1996
1007_08	Little Vince Bayou Tidal - From the Vince Bayou confluence to SH 225	5a	No	1996
<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>	
heptachlor epoxide in edible tissue				
1007_01	Houston Ship Channel - From a point immediately upstream of Greens Bayou Tidal to immediately upstream of the 69th Street WWTP outfall	4b	No	2004
1007_02	Sims Bayou Tidal - From the Houston Ship Channel confluence to a point 11 km (6.8 mi) upstream	4b	No	2004
1007_03	Hunting Bayou Tidal - From the Houston Ship Channel confluence to IH-10	4b	No	2004
1007_04	Brays Bayou Tidal - From the Houston Ship Channel confluence to downstream of IH-45	4b	No	2004
1007_05	Vince Bayou Tidal - From the Houston Ship Channel confluence to SH 225	4b	No	2004
1007_06	Berry Bayou - From the Houston Ship Channel confluence to a point 2.4 km (1.5 mi) upstream of the Sims Bayou confluence	4b	No	2004
1007_07	Buffalo Bayou - From immediately upstream of 69th Street WWTP outfall to US 59	4b	No	2004
1007_08	Little Vince Bayou Tidal - From the Vince Bayou confluence to SH 225	4b	No	2004

SegID: 1007 **Houston Ship Channel/Buffalo Bayou Tidal**
 From a point immediately upstream of Greens Bayou in Harris County to a point 100 meters (110 yards) upstream of US 59 in Harris County, including tidal portion of tributaries

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue			
1007_01 Houston Ship Channel - From a point immediately upstream of Greens Bayou Tidal to immediately upstream of the 69th Street WWTP outfall	5a	No	2002
1007_02 Sims Bayou Tidal - From the Houston Ship Channel confluence to a point 11 km (6.8 mi) upstream	5a	No	2002
1007_03 Hunting Bayou Tidal - From the Houston Ship Channel confluence to IH-10	5a	No	2002
1007_04 Brays Bayou Tidal - From the Houston Ship Channel confluence to downstream of IH-45	5a	No	2002
1007_05 Vince Bayou Tidal - From the Houston Ship Channel confluence to SH 225	5a	No	2002
1007_06 Berry Bayou - From the Houston Ship Channel confluence to a point 2.4 km (1.5 mi) upstream of the Sims Bayou confluence	5a	No	2002
1007_07 Buffalo Bayou - From immediately upstream of 69th Street WWTP outfall to US 59	5a	No	2002
1007_08 Little Vince Bayou Tidal - From the Vince Bayou confluence to SH 225	5a	No	2002

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
toxicity in sediment			
1007_05 Vince Bayou Tidal - From the Houston Ship Channel confluence to SH 225	5c	Yes	2000

SegID: 1007A **Canal C-147 Tributary of Sims Bayou Above Tidal (unclassified water body)**
 From the Sims Bayou confluence upstream to a point 0.71 km (0.44 mi) east of Beltway 8 in Harris County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1007A_01 From the Sims Bayou confluence upstream to a point 0.71 km (0.44 mi) east of Beltway 8	5c	No	2006

SegID: 1007B **Brays Bayou Above Tidal (unclassified water body)**
 From a point 11.5 km (7.1 mi) upstream of confluence with Houston Ship Channel up to SH 6

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1007B_01 From a point 11.5 km (7.1 mi) upstream of confluence with Houston Ship Channel up to SH 6	5a	No	2002
1007B_02 From State Highway 6 upstream to Clodine Road	5a	No	2002

SegID: 1007C Keegans Bayou Above Tidal (unclassified water body)
From the Brays Bayou confluence upstream to Harris County line

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1007C_01 From the Brays Bayou confluence to the Harris County Line	5a	No	2002

SegID: 1007D Sims Bayou Above Tidal (unclassified water body)
Perennial stream from 11.0 km upstream of confluence with Houston Ship Channel upstream to Hiram Clark Drive

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1007D_01 From 0.4 miles north of Beltway 8 to Hiram Clark	5a	No	2002
1007D_02 From Hiram Clark to 11 miles upstream of the confluence with the Houston Ship Channel	5a	No	2002
1007D_03 From 11 miles upstream of the Houston Ship Channel confluence to SH 35	5a	No	2002

SegID: 1007E Willow Waterhole Bayou Above Tidal (unclassified water body)
From the Brays Bayou confluence upstream to South Garden (in Missouri City)

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1007E_01 From the Brays Bayou confluence upstream to South Garden Street	5a	No	2002

SegID: 1007F Berry Bayou Above Tidal (unclassified water body)
From a point 2.4 km (1.5 mi) upstream of the Sims Bayou confluence to the southern city limits of South Houston

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1007F_01 From a point 2.4 km (1.5 mi) upstream of the Sims Bayou confluence to SH 3	5a	No	2002

SegID: 1007G Kuhlman Gully Above Tidal (unclassified water body)
From Brays Bayou confluence to Atchison, Topeka and Santa Fe Railroad tracks in Harris County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1007G_01 From Brays Bayou confluence to Atchison, Topeka and Santa Fe Railroad tracks	5a	No	2002

SegID: 1007H Pine Gully Above Tidal (unclassified water body)
 From the Sims Bayou confluence to 0.11 km (0.07 mi) east of Broadway Street in Harris County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1007H_01 From the Sims Bayou confluence to 0.11 km (0.07 mi) east of Broadway Street	5a	No	2002
depressed dissolved oxygen			
1007H_01 From the Sims Bayou confluence to 0.11 km (0.07 mi) east of Broadway Street	5c	No	2010

SegID: 1007I Plum Creek Above Tidal (unclassified water body)
 From the Sims Bayou confluence to Telephone Road in Harris County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1007I_01 From the Sims Bayou confluence to Telephone Road in Harris County	5a	No	2002
depressed dissolved oxygen			
1007I_01 From the Sims Bayou confluence to Telephone Road in Harris County	5c	No	2010

SegID: 1007K Country Club Bayou Above Tidal (unclassified water body)
 From just downstream of South Lockwood Drive to the confluence with Brays Bayou to approximately 0.5 miles upstream of North Wayside Drive in Harris County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1007K_01 From just downstream of South Lockwood Drive to the confluence with Brays Bayou	5a	No	2002
depressed dissolved oxygen			
1007K_01 From just downstream of South Lockwood Drive to the confluence with Brays Bayou	5c	No	2002

SegID: 1007L Unnamed Tributary of Brays Bayou (unclassified water body)
 From the Brays Bayou confluence near Fondren Road to a point 0.97 km (0.60 mi) upstream in Harris County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1007L_01 From the Brays Bayou confluence near Fondren Road to a point (0.37 km) 0.60 miles upstream in Harris County	5a	No	2002

SegID: 1007M Unnamed Tributary of Hunting Bayou (unclassified water body)
 From the confluence with Hunting Bayou to Mercury Road in Harris County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1007M_01 Entire water body	5a	No	2002

SegID: 1007N Unnamed Tributary of Sims Bayou (unclassified water body)
 From the confluence with Sims Bayou, south of Airport Road, east of SH 288 in Harris County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1007N_01 Entire water body	5a	No	2002

SegID: 1007O Unnamed Tributary of Buffalo Bayou (unclassified water body)
 From the confluence with Buffalo Bayou to IH-10 between Hirsch Road and Lockwood in Harris County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1007O_01 Entire water body	5a	No	2002
depressed dissolved oxygen			
1007O_01 Entire water body	5c	No	2002

SegID: 1007R Hunting Bayou Above Tidal (unclassified water body)
 From the confluence with Hunting Bayou Tidal at IH-10 to Maury Street on the north fork and Bain Street on the south fork

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1007R_01 From Bain Street to Sayers Street (South Fork)	5a	No	2002
1007R_02 From just east of Elysian Street to Falls Street (North Fork)	5a	No	2002
1007R_03 From Falls Street to Loop 610 East	5a	No	2002
1007R_04 From Loop 610 East to IH 10	5a	No	2002
depressed dissolved oxygen			
1007R_01 From Bain Street to Sayers Street (South Fork)	5c	No	2002

SegID: 1007S Poor Farm Ditch (unclassified water body)
 From the Brays Bayou confluence upstream 3.6 km (2.3 mi) to the Bissonnet Road bridge crossing

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1007S_01 From the Brays Bayou confluence upstream 3.6 km (2.3 mi) to the Bissonnet Road bridge crossing	5a	No	2010

SegID: 1007T Bintliff Ditch (unclassified water body)
 From the Brays Bayou confluence upstream 5.8 km (3.6 mi) to the Fondren Road bridge crossing

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1007T_01 From the Brays Bayou confluence to 0.57 km (0.35 mi) upstream of the Fondren Road bridge crossing	5a	No	2010

SegID: 1007U Mimosa Ditch (unclassified water body)
 From the Brays Bayou confluence upstream 2.9 km (1.8 mi) to the Chimney Rock bridge crossing

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1007U_01 From the Brays Bayou confluence upstream 2.9 km (1.8 mi) to the Chimney Rock bridge crossing	5a	No	2010

SegID: 1007V Unnamed Tributary of Hunting Bayou (unclassified water body)
 From the Hunting Bayou confluence to 1.7 km (1.1 mi) upstream of the confluence (0.3 km west of Collingsworth Street)

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1007V_01 From the Hunting Bayou confluence to 1.7 km (1.1 mi) upstream of the confluence (0.3 km west of Collingsworth Street)	5a	No	2010

SegID: 1008 Spring Creek
 From the confluence with the West Fork San Jacinto River in Harris/Montgomery County to the most upstream crossing of FM 1736 in Waller County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1008_02 Field Store Road to SH 249	5a	No	1996
1008_03 SH 249 to IH 45	5a	No	1996
1008_04 IH 45 to confluence with Lake Houston	5a	No	1996
depressed dissolved oxygen			
1008_02 Field Store Road to SH 249	5b	No	1996

SegID: 1008B Upper Panther Branch (unclassified water body)
 From the normal pool elevation of 125 feet of Lake Woodlands upstream to Old Conroe Road

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1008B_01 From the Lake Woodlands confluence upstream to the Bear Branch confluence	5a	No	2006
1008B_02 From the Bear Branch confluence to Old Conroe Road	5a	No	2006

SegID: 1008C Lower Panther Branch (unclassified water body)
 From the Spring Creek confluence upstream to the dam impounding Lake Woodlands in Montgomery County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1008C_01 From Spring Creek confluence upstream to Saw Dust Road	5b	No	2010
1008C_02 From Saw Dust Road to the Lake Woodlands Dam	5b	No	2010

SegID: 1008E Bear Branch (unclassified water body)
 From the Upper Panther Branch confluence to south of FM 1488 in Montgomery County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1008E_01 From Upper Panther Branch confluence to south of FM 1488	5b	No	2010

SegID: 1008H Willow Creek (unclassified water body)
 From the Spring Creek confluence to a point 0.48 km (0.3 mi) north of Juergen Rd

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1008H_01 From the Spring Creek confluence to a point 0.48 km (0.3 mi) north of Juergen Rd	5a	No	2006

SegID: 1009 Cypress Creek
 From the confluence with Spring Creek in Harris County to the confluence of Snake Creek and Mound Creek in Waller County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1009_01 Upper portion of segment to downstream of US 290	5a	No	1996
1009_02 US 290 to SH 249	5a	No	1996
1009_03 SH 249 to IH 45	5a	No	1996
1009_04 IH 45 to confluence with Spring Creek	5a	No	1996

SegID: 1009C Faulkey Gully (unclassified water body)
 From Cypress Creek confluence with upstream 3.2 km (2.0 mi), which is approximately 1.0 km upstream of Louetta Road

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1009C_01 From the Cypress Creek confluence to a point 11.7 km (7.2 mi) upstream	5a	No	2006

SegID: 1009D Spring Gully (unclassified water body)
 From the Cypress Creek confluence upstream to near Spring Cypress Road

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1009D_01 From the Cypress Creek confluence upstream to near Spring Cypress Road	5a	No	2006

SegID: 1009E Little Cypress Creek (unclassified water body)
 From the Cypress Creek confluence to a point 11 km (6.8 mi) upstream in Harris County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1009E_01 From the Cypress Creek confluence to a point 11 km (6.8 mi) upstream	5a	No	2006

SegID: 1010 Caney Creek
 From the confluence with the East Fork San Jacinto River in Harris County to SH 150 in Walker County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1010_02 From the Spring Branch confluence upstream to the Cagle Branch confluence	5a	No	2006
1010_03 From the Cagle Branch confluence upstream to the Camp Creek confluence	5a	Yes	2006
1010_04 From the Camp Creek confluence upstream to State Hwy 150	5a	No	2006

SegID: 1011 Peach Creek
 From the confluence with Caney Creek in Montgomery County to SH 150 in Walker County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1011_01 Upper segment boundary to US Hwy 59	5a	No	2006
1011_02 US Hwy 59 to confluence with Caney Creek	5a	No	2006

SegID: 1013 Buffalo Bayou Tidal
 From a point 100 meters (110 yards) upstream of US 59 in Harris County to a point 400 meters (440 yards) upstream of Shepherd Drive in Harris County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1013_01 From a point immediately upstream of US 59 to a point immediately upstream of Shepard Drive	4a	No	1996

SegID: 1013A Little White Oak Bayou (unclassified water body)
 From the White Oak Bayou confluence to Yale Street in Harris County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1013A_01 From the confluence of White Oak Bayou upstream to the RR Tracks north of IH 610	4a	No	2002
depressed dissolved oxygen			
1013A_01 From the confluence of White Oak Bayou upstream to the RR Tracks north of IH 610	5c	No	2002

SegID: 1013C Unnamed Non-Tidal Tributary of Buffalo Bayou Tidal (unclassified water body)
 Located approximately 1.8 miles upstream of the Buffalo Bayou/White Oak Bayou confluence between IH-10 and Memorial Drive west of IH-45 in Harris County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1013C_01 Entire Segment	4a	No	2002

SegID: 1014 Buffalo Bayou Above Tidal
 From a point 400 meters (440 yards) upstream of Shepherd Drive in Harris County to SH 6 in Harris County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1014_01 From a point immediately upstream of Shepherd Drive upstream to SH 6	4a	No	1996

SegID: 1014A Bear Creek (unclassified water body)
 Perennial stream from the confluence with South Mayde Creek upstream to the confluence with an unnamed tributary 1.24 km north of Longenbaugh Road

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1014A_01 Confluence with South Mayde Creek to a point upstream of an unnamed tributary north of Langenbaugh Road	4a	No	2006

SegID: 1014B Buffalo Bayou/Barker Reservoir (unclassified water body)
 Perennial stream from SH 6 in Harris County upstream to the confluence with Willow Fork Buffalo Bayou in Fort Bend County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1014B_01 From SH 6 to the confluence with Willow Fork Buffalo Bayou	4a	No	2006

SegID: 1014E Langham Creek (unclassified water body)
 From the Dinner Creek confluence upstream to FM 529

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1014E_01 From the Bear Creek confluence upstream to the Dinner Creek confluence	4a	No	2006

SegID: 1014H South Mayde Creek (unclassified water body)
 From the Buffalo Bayou confluence upstream to an unnamed tributary 1.05 km (0.65 mi) south of Clay Road

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1014H_01 From the Buffalo Bayou confluence upstream to the confluence with an unnamed tributary 0.62 km (0.39 mi) east of Barker-Cypress Road	4a	No	2002
1014H_02 From the confluence with an unnamed tributary 0.62 km (0.39 mi) east of Barker-Cypress Road upstream to an unnamed tributary 1.05 km (0.65 mi) south of Clay Road	4a	No	2002

SegID: 1014K Turkey Creek (unclassified water body)
 From the South Mayde Creek confluence upstream to a point 1.1 km (0.68 mi) directly east of FM 529 in Harris County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1014K_01 From the South Mayde Creek confluence upstream to 0.17 km (0.1 mi) south of Clay Road	4a	No	2002
1014K_02 From 0.17 km (0.1 mi) south of Clay Road upstream to a point 1.1 km (0.68 mi) directly east of FM 529	4a	No	2002

SegID: 1014L Mason Creek (unclassified water body)
 From the Buffalo Bayou confluence upstream to Mason Road upstream to 0.32 km (0.2 mi) east of Katyland Drive

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1014L_01 From the Buffalo Bayou confluence upstream to Mason Road	4a	No	2006

SegID: 1014M Newman Branch (Neimans Bayou) (unclassified water body)
From the Buffalo Bayou Above Tidal confluence to 0.1 km (0.06 mi) upstream of Hammerly Blvd in Harris County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1014M_01 From the Buffalo Bayou confluence to 0.1 km (0.06 mi) upstream of Hammerly Blvd	4a	No	2002
depressed dissolved oxygen			
1014M_01 From the Buffalo Bayou confluence to 0.1 km (0.06 mi) upstream of Hammerly Blvd	5b	No	2002
impaired fish community			
1014M_01 From the Buffalo Bayou confluence to 0.1 km (0.06 mi) upstream of Hammerly Blvd	5b	No	2010
impaired macrobenthic community			
1014M_01 From the Buffalo Bayou confluence to 0.1 km (0.06 mi) upstream of Hammerly Blvd	5b	No	2010

SegID: 1014N Rummel Creek (unclassified water body)
From the Buffalo Bayou Above Tidal confluence to 1.2 km (0.75 mi) upstream of IH-10 in Harris County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1014N_01 From the Buffalo Bayou Above Tidal confluence to 1.2 km (0.75 mi) upstream of IH-10	4a	No	2002

SegID: 1014O Spring Branch (unclassified water body)
From Buffalo Bayou Above Tidal confluence to 1.4 km (0.87 mi) upstream of Long Point Road in Harris County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1014O_01 Entire water body	4a	No	2002

SegID: 1016 Greens Bayou Above Tidal
From a point 0.7 km (0.4 miles) above the confluence of Halls Bayou in Harris County to a point 100 meters (110 yards) above FM 1960 in Harris County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1016_01 Upper segment boundary (FM 1960) to IH 45	5a	No	1996
1016_02 IH 45 to US 59	5a	No	1996
1016_03 From US 59 to the downstream boundary 0.7 km (0.4 miles) upstream of the Halls Bayou confluence	5a	No	1996

SegID: 1016A Garners Bayou (unclassified water body)
 Perennial stream from the confluence with Williams Gully upstream to 1.5 km north Atascocita Road

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1016A_02 From the confluence with Williams Gully upstream to 1.5 km north of Atascocita Road	5a	No	2002
1016A_03 From Atascocita Road upstream to 1.7 km (1.1 mi) upstream of Will Clayton Pkwy	5a	No	2002

SegID: 1016B Unnamed Tributary of Greens Bayou (unclassified water body)
 From confluence with Greens Bayou to Hirsch Road in Harris County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1016B_01 Entire water body	5a	No	2002

SegID: 1016C Unnamed Tributary of Greens Bayou (unclassified water body)
 From the confluence with Greens Bayou, east of Aldine Westfield Road, to the Hardy Toll Road in Harris County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1016C_01 Entire water body	5a	No	2002

SegID: 1016D Unnamed Tributary of Greens Bayou (unclassified water body)
 From the confluence with Greens Bayou, west of El Dorado Country Club to Lee Road, west of US Hwy 59 in Harris County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1016D_01 Entire water body	5a	No	2002
depressed dissolved oxygen			
1016D_01 Entire water body	5c	No	2002

SegID: 1017 Whiteoak Bayou Above Tidal
 From a point immediately upstream of the confluence of Little White Oak Bayou in Harris County to a point 3.0 km (1.9 miles) upstream of FM 1960 in Harris County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1017_01 Huffsmith Rd to the confluence with Vogel Creek	4a	No	1996
1017_02 Vogel Creek to the Cole Creek confluence	4a	No	1996
1017_03 Cole Creek confluence to the Brickhouse Gully confluence	4a	No	1996
1017_04 From the Vogel Creek confluence upstream to Huffsmith Road	4a	No	1996

SegID: 1017A Brickhouse Gully/Bayou (unclassified water body)
 Perennial stream from the confluence with Whiteoak Bayou up to Gessner Road

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1017A_01 Entire water body	4a	No	2002

SegID: 1017B Cole Creek (unclassified water body)
 Perennial stream from the confluence with White Oak Bayou up to south of Beltway 8

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1017B_02 From Flintlock Street to confluence with White Oak Bayou	4a	No	2002

SegID: 1017C Vogel Creek (unclassified water body)
 From the White Oak Bayou Above Tidal confluence to a point 3.2 km (2.0 mi) upstream of the White Oak Bayou confluence to just south of State Hwy 249 in Harris County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1017C_01 From the White Oak Bayou confluence to a point 3.2 km (2.0 mi) upstream	5a	No	2010

SegID: 1017D Unnamed Tributary of Whiteoak Bayou (unclassified water body)
 From the confluence with White Oak Bayou downstream of TC Jester, to Hempstead Hwy, north of US Hwy 290 in Harris County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1017D_01 Entire water body	4a	No	2002
depressed dissolved oxygen			
1017D_01 Entire water body	5c	Yes	2002

SegID: 1017E Unnamed Tributary of White Oak Bayou (unclassified water body)
 From the confluence with White Oak, near W 11th Street, to just upstream of W 26th Street, south of Loop 610 W in Harris County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1017E_01 Entire water body	4a	No	2002

SegID: 1101

Clear Creek Tidal

From the Clear Lake confluence at a point 3.2 km (2.0 miles) downstream of El Camino Real in Galveston/Harris County to a point 100 m (110 yards) upstream of FM528 in Galveston/Harris County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1101_01 Upper segment boundary to Chigger Creek confluence	4a	No	1996
1101_02 Chigger Creek confluence to IH 45	4a	No	1996
1101_03 IH 45 to Cow Bayou confluence	4a	No	1996
1101_04 Cow Bayou confluence to confluence with Clear Lake	4a	No	1996
<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue			
1101_01 Upper segment boundary to Chigger Creek confluence	5a	No	2010
1101_02 Chigger Creek confluence to IH 45	5a	No	2010
1101_03 IH 45 to Cow Bayou confluence	5a	No	2010
1101_04 Cow Bayou confluence to confluence with Clear Lake	5a	No	2010
<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue			
1101_01 Upper segment boundary to Chigger Creek confluence	5a	No	2010
1101_02 Chigger Creek confluence to IH 45	5a	No	2010
1101_03 IH 45 to Cow Bayou confluence	5a	No	2010
1101_04 Cow Bayou confluence to confluence with Clear Lake	5a	No	2010

SegID: 1101A

Magnolia Creek (unclassified water body)

From the Clear Creek Tidal confluence upstream to 0.8 km (0.5 mi) upstream of the confluence with the second unnamed tributary

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1101A_01 From the Clear Creek Tidal confluence upstream 7.7 km (4.8 mi)	5a	No	2010

SegID: 1101B

Chigger Creek (unclassified water body)

From the confluence with Clear Creek Tidal to the Brazos River Authority Canal near CR 143 in Galveston County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1101B_01 From the headwaters to FM 528	4a	No	2002

SegID: 1101C

Cow Bayou (unclassified water body)

From the Clear Creek Tidal confluence to SH 3 in Galveston County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1101C_01 From the Clear Creek Tidal confluence to SH3	5a	No	2010

SegID: 1101D Robinson Bayou (unclassified water body)
From confluence with Clear Creek 0.33 mile upstream of Webster Street in Galveston County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1101D_01 From Clear Creek Tidal confluence to 0.05 km (0.03 mi) upstream of Hewitt Street	4a	No	2006

SegID: 1101E Unnamed Trib of Clear Creek Tidal (unclassified water body)
From Clear Creek Tidal confluence to a point 3.2 km (2.0 mi) immediately downstream of I-45 in Galveston County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1101E_01 From the Clear Creek Tidal confluence to a point 3.0 km (1.9 mi) upstream	5a	No	2010
depressed dissolved oxygen			
1101E_01 From the Clear Creek Tidal confluence to a point 3.0 km (1.9 mi) upstream	5c	No	2010

SegID: 1102 Clear Creek Above Tidal
From a point 100 meters (110 yards) upstream of FM 528 in Galveston/Harris County to Rouen Road in Fort Bend County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1102_02 SH 288 to Hickory Slough confluence	4a	No	1996
1102_03 Hickory Slough confluence to Turkey Creek confluence	4a	No	1996
1102_04 Turkey Creek confluence to Mary's Creek confluence	4a	No	1996
PCBs in edible tissue			
1102_01 Upper segment boundary (Rouen Road) to SH 288	5a	No	2010
1102_02 SH 288 to Hickory Slough confluence	5a	No	2010
1102_03 Hickory Slough confluence to Turkey Creek confluence	5a	No	2010
1102_04 Turkey Creek confluence to Mary's Creek confluence	5a	No	2010
1102_05 Mary's Creek confluence to lower segment boundary	5a	No	2010

SegID: 1102A Cowart Creek (unclassified water body)
From the Clear Creek Above Tidal confluence in Galveston County to SH 35 in Brazoria County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1102A_01 Sunset Drive to SH 35	4a	No	2002
1102A_02 Confluence with Clear Creek to Sunset Drive	4a	No	2002

SegID: 1102C Hickory Slough (unclassified water body)
 From the Clear Creek Above Tidal confluence to a point 0.69 km (0.43 mi) upstream of Mykawa Road

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1102C_01 From the Clear Creek Above Tidal confluence to a point 0.69 km (0.43 mi) upstream of Mykawa Road	4a	No	2006

SegID: 1102D Turkey Creek (unclassified water body)
 From the Clear Creek Above Tidal confluence to a point 0.98 km (0.61 mi) upstream of Scarsdale Blvd

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1102D_01 From the Clear Creek Above Tidal confluence to a point 0.98 km (0.61 mi) upstream of Scarsdale Blvd	4a	No	2006

SegID: 1102G Unnamed Tributary of Mary's Creek (unclassified water body)
 From the Mary's Creek confluence 1.3 km (0.84 mi) west of FM 1128 to a point 1.2 km (0.75 mi) upstream to the confluence of an unnamed tributary

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1102G_01 From the Mary's Creek confluence 1.3 km (0.84 mi) west of FM 1128 to a point 1.2 km (0.75 mi) upstream to the confluence of an unnamed tributary	5a	No	2010

SegID: 1103 Dickinson Bayou Tidal
 From the Dickinson Bay confluence 2.1 km (1.3 miles) downstream of SH 146 in Galveston County to a point 4.0 km (2.5 miles) downstream of FM 517 in Galveston County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1103_01 From the Dickinson Bay confluence (downstream of State Hwy 146) upstream to the Gum Bayou confluence	5a	No	1996
1103_03 From the Benson Bayou confluence upstream to the Bordens Gully confluence	5a	Yes	1996
1103_04 From the Bordens Gully confluence upstream to a point 4.0 km (2.5 mi) downstream of FM 517	5a	No	1996

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen			
1103_02 From the Gum Bayou confluence upstream to the Benson Bayou confluence	5a	Yes	1996
1103_03 From the Benson Bayou confluence upstream to the Bordens Gully confluence	5a	Yes	1996
1103_04 From the Bordens Gully confluence upstream to a point 4.0 km (2.5 mi) downstream of FM 517	5a	No	1996

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue			
1103_01 From the Dickinson Bay confluence (downstream of State Hwy 146) upstream to the Gum Bayou confluence	5a	No	2010
1103_02 From the Gum Bayou confluence upstream to the Benson Bayou confluence	5a	No	2010
1103_03 From the Benson Bayou confluence upstream to the Bordens Gully confluence	5a	No	2010
1103_04 From the Bordens Gully confluence upstream to a point 4.0 km (2.5 mi) downstream of FM 517	5a	No	2010

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue			
1103_01 From the Dickinson Bay confluence (downstream of State Hwy 146) upstream to the Gum Bayou confluence	5a	No	2010
1103_02 From the Gum Bayou confluence upstream to the Benson Bayou confluence	5a	No	2010
1103_03 From the Benson Bayou confluence upstream to the Bordens Gully confluence	5a	No	2010
1103_04 From the Bordens Gully confluence upstream to a point 4.0 km (2.5 mi) downstream of FM 517	5a	No	2010

SegID: 1103A Bensons Bayou (unclassified water body)
 From the Dickinson Bayou confluence to point 0.6 km (0.37 mi) upstream of FM 646 in Galveston County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1103A_01 From the Dickinson Bayou Tidal confluence to point 0.6 km (0.37 mi) upstream of FM 646	5a	No	2002

SegID: 1103B Bordens Gully (unclassified water body)
 From the Dickinson Bayou Tidal confluence to a point 1.4 km (0.87 mi) upstream of FM 646 in Galveston County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1103B_01 From the Dickinson Bayou Tidal confluence to a point 1.4 km (0.87 mi) upstream of FM 646	5a	No	2002

SegID: 1103C Geisler Bayou (unclassified water body)
 From the Dickinson Bayou Tidal confluence to a point 1.37 km (0.85 mi) upstream of FM 646 in Galveston County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1103C_01 From the Dickinson Bayou Tidal confluence to a point 1.37 km (0.85 mi) upstream of FM 646	5a	No	2002
depressed dissolved oxygen			
1103C_01 From the Dickinson Bayou Tidal confluence to a point 1.37 km (0.85 mi) upstream of FM 646	5c	No	2010

SegID: 1103D Gum Bayou (unclassified water body)
 From the Dickinson Bayou Tidal confluence to State Hwy 96 in Galveston County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1103D_01 From Dickinson Bayou Tidal confluence to State Hwy 96	5c	No	2010

SegID: 1103E Cedar Creek (unclassified water body)
 From the Dickinson Bayou Tidal confluence to a point 0.63 km (0.39 mi) upstream FM 517 in Galveston County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1103E_01 From the Dickinson Bayou Tidal confluence to a point 0.63 km (0.39 mi) upstream FM 517	5b	No	2010

SegID: 1104 Dickinson Bayou Above Tidal
 From a point 4.0 km (2.5 miles) downstream of FM 517 in Galveston County to FM 528 in Galveston County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1104_02 From FM 517 upstream to FM 528	5b	No	1996
depressed dissolved oxygen			
1104_01 From the lower segment boundary (a point 4.0 km (2.5 mi) downstream of FM 517) to FM 517	5c	Yes	2006

SegID: 1105A Flores Bayou (unclassified water body)
 From a point 2.6 km (1.6 mi) downstream of County Road 171 upstream to SH 35 in Brazoria County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1105A_01 From a point 2.6 km (1.6 mi) downstream of County Road 171 upstream to SH 35	5b	No	2010

SegID: 1105E Brushy Bayou (unclassified water body)
 From the confluence with Austin Bayou Above Tidal (1105C) upstream to end of canal approximately 0.4 miles upstream of FM 210 crossing east of the City of Angleton in Brazoria County.

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1105E_01 Entire water body	5c	No	2010
depressed dissolved oxygen			
1105E_01 Entire water body	5c	No	2010

SegID: 1107 Chocolate Bayou Tidal
 From the Chocolate Bay confluence 1.4 km (0.9 miles) downstream of FM 2004 to a point 4.2 km (2.6 miles) downstream of SH 35 in Brazoria County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1107_01 From the Chocolate Bay confluence 1.4 km (0.9 mi) downstream of FM 2004 to a point 4.2 km (2.6 mi) downstream of SH 35	5c	No	2010
dioxin in edible tissue			
1107_01 From the Chocolate Bay confluence 1.4 km (0.9 mi) downstream of FM 2004 to a point 4.2 km (2.6 mi) downstream of SH 35	5a	No	2010
PCBs in edible tissue			
1107_01 From the Chocolate Bay confluence 1.4 km (0.9 mi) downstream of FM 2004 to a point 4.2 km (2.6 mi) downstream of SH 35	5a	No	2010

SegID: 1110 Oyster Creek Above Tidal
 From a point 100 meters (110 yards) upstream of FM 2004 in Brazoria County to the Brazos River Authority diversion dam 1.8 km (1.1 miles) upstream of SH 6 in Fort Bend County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1110_01 From the lower segment boundary immediately upstream of FM 2004 to the Styles Bayou confluence	5c	No	2006
1110_02 From Styles Bayou upstream to an unnamed tributary [2.9 km (1.8 mi) downstream of FM 1462]	5c	Yes	2006
depressed dissolved oxygen			
1110_01 From the lower segment boundary immediately upstream of FM 2004 to the Styles Bayou confluence	5b	No	1996

SegID: 1113**Armand Bayou Tidal**

From the Clear Lake confluence (at NASA Road 1 bridge) in Harris County to a point 0.8 km (0.5 miles) downstream of Genoa-Red Bluff Road in Pasadena in Harris County (includes Mud Lake/Pasadena Lake)

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen			
1113_02 From the Horsepen Bayou confluence to the Big Island Slough confluence	5b	Yes	1996
1113_03 From the Big Island Slough confluence upstream to a point 0.8 km (0.5 mi) downstream of Genoa-Red Bluff Road	5b	No	1996
<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue			
1113_01 From the Clear Lake confluence at Nasa Road 1 to the Horsepen Bayou confluence	5a	No	2010
1113_02 From the Horsepen Bayou confluence to the Big Island Slough confluence	5a	No	2010
1113_03 From the Big Island Slough confluence upstream to a point 0.8 km (0.5 mi) downstream of Genoa-Red Bluff Road	5a	No	2010
<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue			
1113_01 From the Clear Lake confluence at Nasa Road 1 to the Horsepen Bayou confluence	5a	No	2010
1113_02 From the Horsepen Bayou confluence to the Big Island Slough confluence	5a	No	2010
1113_03 From the Big Island Slough confluence upstream to a point 0.8 km (0.5 mi) downstream of Genoa-Red Bluff Road	5a	No	2010

SegID: 1113A**Armand Bayou Above Tidal (unclassified water body)**

From the upper segment boundary of Armand Bayou Tidal, 0.8 km (0.5 miles) downstream of Genoa-Red Bluff Road), upstream to Beltway 8 in Harris County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1113A_01 From the upper segment boundary of Armand Bayou Tidal (point 0.8 km (0.5 miles) downstream of Genoa-Red Bluff Road) upstream to Beltway 8	5b	No	1998
<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen			
1113A_01 From the upper segment boundary of Armand Bayou Tidal (point 0.8 km (0.5 miles) downstream of Genoa-Red Bluff Road) upstream to Beltway 8	5b	No	1998

SegID: 1113B**Horsepen Bayou Tidal (unclassified water body)**

From the Armand Bayou confluence to the SH3

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1113B_01 From the Armand Bayou confluence to the SH3	5c	No	2006

SegID: 1113C Unnamed Tributary to Horsepen Bayou (unclassified water body)
 From the Horsepen Bayou confluence to Reseda Road

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria				
1113C_01	From the Horsepen Bayou confluence to Reseda Road	5c	No	2010

SegID: 1113D Willow Springs Bayou (unclassified water body)
 From the Armand Bayou confluence to a point 2.8 km (1.8 mi) upstream to an unnamed tributary

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria				
1113D_01	From the Armand Bayou confluence to a point 2.8 km (1.8 mi) upstream to an unnamed tributary	5c	No	2010

SegID: 1202H Allen's Creek (unclassified water body)
 From the confluence with the Brazos River, two miles northeast of Wallis, to the headwaters one mile north of IH 10 in Austin County.

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria				
1202H_01	Entire water body	5b	No	2002

SegID: 1202K Mill Creek (unclassified water body)
 From confluence of East and West Mill Creeks downstream to confluence with Brazos River

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria				
1202K_01	Portion of Mill Creek from confluence with Brazos River upstream to confluence with East/West Forks Mill Creek in Austin County.	5b	No	2010

SegID: 1204A Camp Creek (unclassified water body)
 From its confluence with the Brazos River downstream of Lake Granbury, upstream to its headwaters, 0.9 miles north of US Hwy 67 in Johnson County.

<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria				
1204A_01	entire water body	5b	No	2010

SegID: 1208 Brazos River Above Possum Kingdom Lake
 From a point immediately upstream of the confluence of Cove Creek at Salem Bend in Young County to the confluence of the Double Mountain Fork Brazos River and the Salt Fork Brazos River in Stonewall County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>	
bacteria				
1208_01	Portion of segment from confluence with Possum Kingdom Reservoir headwaters upstream to confluence with Spring Branch in Young County.	5b	No	2008
1208_02	Portion of segment from confluence with Spring Branch upstream to confluence with Fish Creek	5b	No	2008
1208_04	From confluence with Boggy Creek upstream to confluence with Millers Creek	5b	No	2008
1208_05	From confluence with Millers Creek upstream to confluence with Lake Creek	5b	No	2008

SegID: 1209 Navasota River Below Lake Limestone
 From the confluence with the Brazos River in Grimes County to Sterling C. Robertson Dam in Leon/Robertson County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>	
bacteria				
1209_02	Portion of Navasota River from confluence with Rocky Creek upstream to confluence with Sandy Branch in Grimes County.	5b	No	2002
1209_03	Portion of Navasota River from confluence with Sandy Branch upstream to confluence with Shepherd Branch in Madison County.	5b	No	2002
1209_05	Portion of Navasota River from confluence with Camp Creek upstream to Lake Limestone Dam in Robertson County.	5b	No	2002

SegID: 1209A Country Club Lake (unclassified water body)
 From the Country Club Branch Dam up to normal pool elevation in Bryan in Brazos County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>	
toxicity in sediment				
1209A_01	Entire reservoir	5c	No	1999

SegID: 1209B Fin Feather Lake (unclassified water body)
 From Fin Feather Dam up to normal pool elevation in northwest Bryan in Brazos County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>	
toxicity in sediment				
1209B_01	Entire reservoir	5c	No	2000

SegID: 1209C Carters Creek (unclassified water body)
 Perennial stream from the confluence with the Navasota River southeast of College Station in Brazos County upstream to the confluence of an unnamed tributary 0.5 km upstream of FM 158 in Brazos County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria 1209C_01 Entire water body	5a	No	1999

SegID: 1209D Country Club Branch (unclassified water body)
 From the confluence with Country Club Lake in Bryan in Brazos County to the dam at Fin Feather Lake in Bryan

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria 1209D_01 Entire water body	5b	No	2006

SegID: 1209E Wickson Creek (unclassified water body)
 Perennial stream from the confluence with an unnamed first order tributary (approximately 1.3 km upstream of Reliance Road crossing) upstream to the confluence with an unnamed first order tributary approximately 15 meters upstream of Dilly Shaw Road

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria 1209E_01 Entire water body	5b	No	2006

SegID: 1209G Cedar Creek (unclassified water body)
 From the confluence with the Navasota River in Brazos County to the confluence with Moores Branch and Rocky Branch in Robertson County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria 1209G_01 Entire water body	5b	No	2002

SegID: 1209H Duck Creek (unclassified water body)
 From the confluence with the Navasota river in Robertson County to Twin Oak Reservoir dam in Robertson County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria 1209H_01 Portion of Duck Creek from confluence with Navasota River upstream to confluence with Mineral Creek in Robertson County.	5b	No	2006
1209H_02 Portion of Duck Creek from confluence with Mineral Creek in Robertson County upstream to headwaters in Limestone County.	5b	No	2006

SegID: 1209I Gibbons Creek (unclassified water body)
 From confluence with Navasota River in Grimes County to SH 90 in Grimes County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1209I_01 Portion of Gibbons Creek from confluence with Navasota River upstream to confluence with Dry Creek in Grimes County.	5b	No	2002

SegID: 1209J Shepherd Creek (unclassified water body)
 From the confluence with the Navasota River in Madison County to a point 0.7 miles upstream of FM 1452 in Madison County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1209J_01 Entire water body	5b	Yes	2002

SegID: 1209K Steele Creek (unclassified water body)
 From confluence with Navasota River in Robertson County to a point 2.4 miles upstream of FM 147 in Limestone County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1209K_02 Portion of Steele Creek from confluence with Willow Creek upstream to headwaters in Limestone County.	5b	Yes	2002

SegID: 1209L Burton Creek (unclassified water body)
 From the confluence with Carters Creek in College Station, upstream to its headwaters located 0.4 miles east of Fin Feather Lake in Brazos County.

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1209L_01 From confluence with Carters Creek in College Station upstream to un-named tributary, 0.5 km downstream of E. 29th Street.	5a	No	2006

SegID: 1210A Navasota River above Lake Mexia (unclassified water body)
 From the confluence with the headwaters of Lake Mexia in Limestone County to a point 1.25 miles upstream of SH 31 in Hill County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1210A_01 Entire water body	5b	No	2002

SegID: 1211A Davidson Creek (unclassified water body)
 Intermittent stream with perennial pools from the confluence with Yegua Creek to 0.2 km above SH 21 near Caldwell in Burleson County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1211A_02 Portion of Davidson Creek from confluence with unnamed tributary (NHD RC 12070102001903) upstream to headwaters in Milam County.	5b	No	2002

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen			
1211A_02 Portion of Davidson Creek from confluence with unnamed tributary (NHD RC 12070102001903) upstream to headwaters in Milam County.	5b	No	2010

SegID: 1212 Somerville Lake
 From Somerville Dam in Burleson/Washington County up to normal pool elevation of 238 feet (impounds Yegua Creek)

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen			
1212_01 Eastern end of reservoir near dam	5c	No	2008

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
pH			
1212_01 Eastern end of reservoir near dam	5c	No	2002
1212_03 Middle of reservoir near Birch Creek State Park	5c	No	2002
1212_04 Western end of reservoir near upper segment boundary	5c	No	2002

SegID: 1212A Middle Yegua Creek (unclassified water body)
 From the confluence with East Yegua and Yegua Creeks in Lee County to the Lee County/Williamson County line

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1212A_02 From confluence with West Yegua Creek upstream to headwaters of water body in Williamson County.	5b	No	2010

SegID: 1212B East Yegua Creek (unclassified water body)
 From the confluence with Middle Yegua and Yegua Creeks southeast of Dime Box in Lee County to the upstream portion of the stream, south of Alcoa Lake in Milam County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1212B_01 Portion of East Yegua Creek from confluence with Middle Yegua Creek in Burleson County upstream to confluence with Allen Creek in Lee County.	5b	No	2002

SegID: 1213 Little River
 From the confluence with the Brazos River in Milam County to the confluence of the Leon River and the Lampasas River in Bell County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1213_01 From the confluence with Brazos River upstream to confluence with City of Cameron WWTP receiving water	5c	No	2006
1213_04 From confluence with Boggy Creek upstream to its confluence with Leon and Lampasas Rivers	5c	No	2006

SegID: 1213A Big Elm Creek (unclassified water body)
 From the confluence with Little River in Milam county, 4.5 km northeast of the City of Cameron , upstream to its headwaters in McLennan County, 0.7 km west of Moody.

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1213A_01 Portion of Big Elm Creek from the confluence with the Little River upstream to confluence with Little Elm Creek.	5b	No	2010

SegID: 1214 San Gabriel River
 From the confluence with the Little River in Milam County to Granger Lake Dam in Williamson County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1214_01 From confluence with Little River upstream to confl. with Alligator Creek	5a	No	2006
chloride			
1214_01 From confluence with Little River upstream to confl. with Alligator Creek	5c	No	2008
1214_02 From confluence with Alligator Creek upstream to Lake Granger	5c	No	2008
sulfate			
1214_01 From confluence with Little River upstream to confl. with Alligator Creek	5c	No	2006
1214_02 From confluence with Alligator Creek upstream to Lake Granger	5c	No	2006

SegID: 1215 Lampasas River Below Stillhouse Hollow Lake
 From the confluence with the Leon River in Bell County to Stillhouse Hollow Lake Dam in Bell County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1215_01 Entire segment	5b	No	2010

SegID: 1216A Trimmier Creek (unclassified water body)
 From confluence with Stillhouse Hollow Lake upstream to its headwaters, southwest of Killeen in Bell County.

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria 1216A_01 entire water body	5b	No	2010

SegID: 1217B Sulphur Creek (unclassified water body)
 From the confluence of the Lampasas River east of Lampasas in Lampasas County to the confluences of Donalson Creek and Espy Branch west of Lampasas in Lampasas County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen 1217B_02 Portion of Sulphur Creek from the confluence with Burleson Creek upstream to the confluences with Donalson Creek and Espy Branch west of Lampasas in Lampasas County	5c	No	2010

SegID: 1217D North Rocky Creek (unclassified water body)
 From its confluence with South Rocky Creek, upstream to its headwaters 7 miles west of US Hwy 183 in Burnet County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen 1217D_01 Entire water body	5b	No	2006

SegID: 1218 Nolan Creek/ South Nolan Creek
 From the confluence with the Leon River in Bell County to a point 100 meters (110 yards) upstream to the most upstream crossing of US 190 and Loop 172 in Bell County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria 1218_02 Portion of South Nolan Creek from confluence with North Nolan / Nolan Creek fork upstream to confluence with Liberty Ditch in city of Killeen in Bell County.	5b	No	1996

SegID: 1218C Little Nolan Creek (unclassified water body)
 From the confluence with Nolan Creek/South Nolan Creek upstream to headwaters in the city of Killeen, Bell County.

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria 1218C_01 Entire water body	5b	No	2010

SegID: 1220A Cowhouse Creek (unclassified water body)
 From the confluence of Belton Lake in Bell County south of Gatesville in Coryell County to the upstream perennial portion of the stream north of Goldthwaite in Mills County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria 1220A_03 Upstream portion of water body	5c	No	2006

SegID: 1221 Leon River Below Proctor Lake
 From a point 100 meters (110 yards) upstream of FM 236 in Coryell County to Proctor Dam in Comanche County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>	
bacteria				
1221_01	Portion of Leon River from confluence with Lake Belton upstream to confluence with unnamed tributary (NHD RC 12070201005989) in Coryell County.	5b	No	1996
1221_04	From the confluence with Plum Creek, upstream to the confluence with Pecan Creek	5b	No	1996
1221_05	From confluence with Pecan Creek, upstream to confluence with South Leon Creek	5b	No	1996
1221_06	From confluence with South Leon Creek upstream to confluence with Walnut Creek	5b	No	1996
1221_07	From the confluence with Walnut Creek upstream to Lake Proctor	5b	No	1996

SegID: 1221A Resley Creek (unclassified water body)
 From the confluence of the Leon River east of Gustine in Comanche County to the upstream perennial portion of the stream north of Gustine in Comanche County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>	
bacteria				
1221A_01	Portion of Resley Creek from confluence with Leon River upstream to conf. with unnamed tributary (NHD RC 12070201007823), approx. 1.0 mile N. of Comanche County Line	5b	No	2004
1221A_02	Portion of Resley Creek from confluence with unnamed tributary (NHD RC 12070201007823), upstream to headwaters in Erath County.	5b	No	2004
depressed dissolved oxygen				
1221A_01	Portion of Resley Creek from confluence with Leon River upstream to conf. with unnamed tributary (NHD RC 12070201007823), approx. 1.0 mile N. of Comanche County Line	5c	Yes	2006

SegID: 1221B South Leon River (unclassified water body)
 From the confluence of the Leon River south of Gustine in Comanche County to the upstream perennial portion of the stream south of Comanche in Comanche County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>	
bacteria				
1221B_01	Entire water body	5b	No	2006

SegID: 1221D Indian Creek (unclassified water body)
 Perennial stream from an unnamed second order tributary (approximately 0.7 km downstream of Live Oak Street crossing) upstream to the confluence with Bachelor Prong Creek

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1221D_01 From confluence with Leon River, upstream to confluence with Armstrong Creek	5b	No	2006
1221D_02 From confluence with Armstrong Creek upstream to headwaters of water body	5b	No	2006

SegID: 1221F Walnut Creek (unclassified water body)
 From its confluence with Leon River upstream to its headwaters 2.4 miles west of Dublin in Erath County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1221F_01 entire water body	5b	No	2006

SegID: 1222A Duncan Creek (unclassified water body)
 From the confluence of Proctor Lake northeast of Comanche in Comanche County to the upstream perennial portion of the stream west of Comanche in Comanche County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1222A_01 Entire creek	5b	No	1999

SegID: 1222B Rush-Copperas Creek (unclassified water body)
 From the confluence of Proctor Lake northeast of Comanche in Comanche County to the upstream perennial portion of the stream northwest of Comanche in Comanche County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1222B_01 Entire water body	5c	No	2006

SegID: 1222C Sabana River (unclassified water body)
 From the confluence of Proctor Lake northeast of Comanche in Comanche County to the upstream perennial portion of the stream northwest of Rising Star in Eastland County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1222C_01 Portion of Sabana River from confluence with Lake Belton in Comanche County upstream to confluence with Elm Creek in Eastland County.	5c	No	2006

SegID: 1222E Sweetwater Creek (unclassified water body)
 From its confluence with Copperas Creek, upstream to its headwaters, 6.3 miles west of Comanche in Comanche County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1222E_01 entire water body	5b	No	2006

SegID: 1223 Leon River Below Leon Reservoir
 From a point immediately upstream of the confluence of Mill Branch in Comanche County to Leon Dam in Eastland County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1223_01 Entire Segment	5b	No	2006
depressed dissolved oxygen			
1223_01 Entire Segment	5c	Yes	2008

SegID: 1223A Armstrong Creek (unclassified water body)
 From its confluence with the Leon River downstream of Leon Reservoir, upstream to its headwaters in Erath County 6.2 miles east of State Hwy 16.

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1223A_01 entire water body	5b	No	2006

SegID: 1226 North Bosque River
 From a point 100 meters (110 yards) upstream of FM 185 in McLennan County to a point immediately above the confluence of Indian Creek in Erath County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
excessive algal growth			
1226_02 Portion of North Bosque River from confluence with Neils Creek upstream to confluence with Meridian Creek in Bosque County.	4a	No	1996
1226_03 Portion of North Bosque River from confluence with Meridian Creek upstream to confluence with Duffau Creek in Bosque County.	4a	No	1996
1226_04 Portion of North Bosque River from confluence with Duffau Creek in Bosque County upstream to a point immediately upstream of Indian Creek confluence (end of segment) in Erath County.	4a	No	1996

SegID: 1226B Green Creek (unclassified water body)
 From the confluence of the North Bosque River south of Clairette in Erath County upstream to its headwaters 10km west of Stephenville in Erath County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen			
1226B_01 Entire water body	5c	Yes	2006

SegID: 1226E Indian Creek (unclassified water body)
 From the confluence with the North Bosque River in Erath County to the headwaters 3.5 miles east of Stephenville in Erath County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1226E_01 Entire water body	5b	No	2002

SegID: 1226F Sims Creek (unclassified water body)
 From the confluence with the North Bosque River in Erath County to the headwaters 6 miles southeast of Stephenville in Erath County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria 1226F_01 Entire water body	5b	No	2002

SegID: 1226H Alarm Creek (unclassified water body)
 From its confluence with the North Bosque River, upstream to its headwaters 3 miles west of Stephenville in Erath County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria 1226H_01 entire water body	5b	No	2010

SegID: 1226K Little Duffau Creek (unclassified water body)
 From its confluence with Duffau Creek, upstream to its headwaters 2.4 miles south west of US 67 in Erath County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria 1226K_01 entire water body	5b	No	2006

SegID: 1226M Little Green Creek (unclassified water body)
 From its confluence with Green Creek, upstream to its confluence with the North and South Forks of Little Green Creek, 2.4 miles south of SH 6 in Erath County.

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria 1226M_01 entire water body	5b	No	2010

SegID: 1227 **Nolan River**
 From a point immediately upstream of the confluence of Rock Creek in Hill County to Cleburne Dam in Johnson County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>	
chloride				
1227_01	Portion of Nolan River from confluence with Whitney Lake upstream to confluence with Mustang Creek in Hill County.	5b	No	2006
1227_02	Portion of Nolan River from confluence with Mustang Creek in Hill County upstream to confluence with Lake Pat Cleburne Dam in Johnson County.	5b	No	2006
sulfate				
1227_01	Portion of Nolan River from confluence with Whitney Lake upstream to confluence with Mustang Creek in Hill County.	5b	No	2002
1227_02	Portion of Nolan River from confluence with Mustang Creek in Hill County upstream to confluence with Lake Pat Cleburne Dam in Johnson County.	5b	No	2002
total dissolved solids				
1227_01	Portion of Nolan River from confluence with Whitney Lake upstream to confluence with Mustang Creek in Hill County.	5b	No	2006
1227_02	Portion of Nolan River from confluence with Mustang Creek in Hill County upstream to confluence with Lake Pat Cleburne Dam in Johnson County.	5b	No	2006

SegID: 1232A **California Creek (unclassified water body)**
 From the confluence of Paint Creek southeast of Haskell in Haskell County to the headwaters southwest of Stamford in Jones County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>	
bacteria				
1232A_01	Portion of California Creek from confluence with Paint Creek in Haskell County upstream to confluence with Thompson Creek in Jones County.	5b	No	2010

SegID: 1232B **Deadman Creek (unclassified water body)**
 From the confluence of the Clear Fork Brazos River south of Lueders in Jones County to the headwaters north of Hamby in Jones County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>	
bacteria				
1232B_01	From the confluence with Clear Fork Brazos, upstream to city of Abilene WWTP receiving water	5c	No	2006

SegID: 1240 White River Lake
 From White River Dam in Crosby County up to normal pool elevation of 2369 feet (impounds White River)

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
chloride			
1240_01 Entire segment	5b	No	2002
sulfate			
1240_01 Entire segment	5b	No	2010
total dissolved solids			
1240_01 Entire segment	5b	No	2006

SegID: 1241 Double Mountain Fork Brazos River
 From the confluence with the Salt Fork Brazos River in Stonewall County to the confluence of the North Fork Double Mountain Fork Brazos River in Kent County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1241_01 25 miles near Hwy 83	5b	No	2010
chloride			
1241_01 25 miles near Hwy 83	5b	No	2006
1241_02 Remainder of segment	5b	No	2006
total dissolved solids			
1241_01 25 miles near Hwy 83	5b	No	2010
1241_02 Remainder of segment	5b	No	2010

SegID: 1241A North Fork Double Mountain Fork Brazos River (unclassified water body)
 Perennial stream from the confluence with Double Mountain Fork Brazos River to the dam forming Lake Ransom Canyon

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1241A_02 Upstream portion, from confluence with Lake Buffalo Springs upstream to confluence with Yellow House Draw	5c	No	2004

SegID: 1241B Lake Alan Henry (unclassified water body)
 Impounded Double Mountain Fork Brazos Rive, 20.0 miles south east of Post in Garza and Kent Counties.

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
mercury in edible tissue			
1241B_01 entire water body	5c	No	2010

SegID: 1242B Cottonwood Branch (unclassified water body)
 Intermittent stream with perennial pools from the confluence with Still Creek upstream 0.95 km to the confluence with an unnamed tributary

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1242B_01 Portion of Cottonwood Branch from confluence with Still Creek upstream to unnamed tributary (NHD RC 12070101000835) in Brazos County.	5b	No	2006
1242B_02 Portion of Cottonwood Branch from confluence with unnamed tributary (NHD RC 12070101000835) upstream to headwaters in Brazos County.	5b	No	2006

SegID: 1242C Still Creek (unclassified water body)
 Perennial stream from the confluence with Thompson's Creek upstream to the confluence with Cottonwood Branch

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1242C_01 Portion of Still Creek from confluence with Thompsons Creek in Brazos County upstream to confluence with unnamed tributary (NHD RC 12070101006127).	5b	No	2006
1242C_02 Portion of Still Creek from confluence with unnamed tributary (NHD RC 12070101006127) upstream to headwaters in Brazos County.	5b	No	2006

SegID: 1242D Thompsons Creek (unclassified water body)
 From the confluence with the Brazos River upstream to headwaters in Brazos County.

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1242D_01 Portions of Thompsons Creek from confluence with Brazos River upstream to confluence with Still Creek in Brazos County.	5b	No	2002
1242D_02 Portion of Thompsons Creek from confluence with Still Creek upstream to headwaters in Brazos County.	5b	No	2002
depressed dissolved oxygen			
1242D_02 Portion of Thompsons Creek from confluence with Still Creek upstream to headwaters in Brazos County.	5c	No	2006

SegID: 1242F Pond Creek (unclassified water body)
 Perennial stream from the confluence with the Brazos River in Milam County up to the confluence with Live Oak Creek in Falls County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1242F_01 From the Brazos confluence upstream to Live Oak Creek confluence	5b	No	2010

SegID: 1242I **Campbells Creek (unclassified water body)**
 From the confluence with the Little Brazos River upstream to the headwaters, one mile west of Old San Antonio Road

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1242I_01 Entire water body	5b	No	2002

SegID: 1242J **Deer Creek (unclassified water body)**
 From the confluence with the Brazos River upstream to the confluence of West Fork Deer Creek and East Fork Deer Creek in Falls County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1242J_01 Entire water body	5c	No	2006

SegID: 1242K **Mud Creek (unclassified water body)**
 From confluence with the Little Brazos River, upstream to the confluence with Touchstone Branch and Wolf Den Branch, in Robertson County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1242K_01 Entire water body	5b	No	2002

SegID: 1242L **Pin Oak Creek (unclassified water body)**
 From the confluence with the Little Brazos River in Robertson County upstream to the headwaters, 2.07 miles south of Franklin

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1242L_01 Entire water body	5b	No	2002

SegID: 1242M **Spring Creek (unclassified water body)**
 From the confluence with the Little Brazos River in Robertson County, upstream to the headwaters, 1.5 miles north of FM 391

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1242M_01 Entire water body	5b	No	2002

SegID: 1242O **Walnut Creek (unclassified water body)**
 From the confluence with the Little Brazos River in Robertson County, upstream to the headwaters, one mile south of White Rock

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1242O_01 Entire water body	5b	No	2006

SegID: 1242P Big Creek (unclassified water body)
 From the confluence with Little Brazos River in Falls County upstream to the confluence with unnamed creeks near Mart in the northeast corner of Falls County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1242P_01 Downstream portion of water body	5b	No	2002

SegID: 1244 Brushy Creek
 From the confluence with the San Gabriel River in Milam County to the confluence of South Brushy Creek in Williamson County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1244_03 From confluence with Cottonwood Branch upstream to City of Round Rock WWTP outfall	5b	No	2006
1244_04 From immediately upstream of City of Round Rock WWTP outfall upstream to end of segment	5b	No	2006

SegID: 1245 Upper Oyster Creek
 From Steep Bank Creek/Brazos River confluence in Fort Bend County to pumping station on Jones Creek confluence at Brazos River in Fort Bend County (includes portions of Steep Bank Creek, Flat Bank Creek, and Jones Creek)

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1245_01 From the confluence with the Brazos River upstream to Dam #3	4a	No	1996
1245_02 From Dam #3 upstream to Harmon St. crossing in Sugar Land	4a	No	1996
1245_03 From Harmon St. crossing in Sugar Land upstream to the end of the segment	4a	No	1996
depressed dissolved oxygen			
1245_01 From the confluence with the Brazos River upstream to Dam #3	5a	No	1996
1245_02 From Dam #3 upstream to Harmon St. crossing in Sugar Land	5a	No	1996
1245_03 From Harmon St. crossing in Sugar Land upstream to the end of the segment	5a	No	1996

SegID: 1245C Bullhead Bayou (unclassified water body)
 From its confluence with Steep Bank Creek in Fort Colony, upstream to its headwaters in Pecan Grove in Fort Bend County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1245C_01 Entire water body	5b	No	2006

SegID: 1245D **Unnamed Tributary of Bullhead Bayou (unclassified water body)**
 Tributary to Bullhead Bayou in Fort Bend County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria 1245D_01 Entire water body	5b	No	2006

SegID: 1245F **Alcorn Bayou (unclassified water body)**
 From the confluence with Steep Bank Creek upstream to its headwaters 0.5km east of Pecan Grove in Fort Bend county

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria 1245F_01 Entire water body	5b	No	2010

SegID: 1245I **Steep Bank Creek (unclassified water body)**
 From confluence with Oyster Creek (Flat Bank Creek portion) upstream to end of water body, 0.2 km east of US 59 in city of First Colony, Fort Bend County.

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria 1245I_01 Entire water body	5b	No	2010

SegID: 1247A **Willis Creek (unclassified water body)**
 From the confluence with the headwaters of Granger Lake in Williamson County to CR 313 in Williamson County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria 1247A_01 Entire water body	5b	No	2002

SegID: 1248 **San Gabriel/North Fork San Gabriel River**
 From point 1.9 km (1.2 miles) downstream of SH 95 in Williamson County to North San Gabriel Dam in Williamson County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
chloride 1248_01 Entire segment	5b	No	2010

SegID: 1248C **Mankins Branch (unclassified water body)**
 Perennial stream from the confluence with the San Gabriel River in Williamson County to the intersection of CR 105 and 104 in Williamson County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria 1248C_01 Entire water body	5b	No	2004

SegID: 1255 Upper North Bosque River
 From a point immediately above the confluence of Indian Creek in Erath County to the confluence of the North Fork and South Fork of the Bosque River in Erath County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>	
bacteria				
1255_01	Portion of Upper North Bosque River from confluence with Indian Creek upstream to confluence with Dry Branch in Erath County.	5b	No	1996
1255_02	Portion of Upper North Bosque River from confluence with Dry Branch upstream to confluence with North/South Forks North Bosque River in Erath County.	5b	No	1996

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>	
depressed dissolved oxygen				
1255_02	Portion of Upper North Bosque River from confluence with Dry Branch upstream to confluence with North/South Forks North Bosque River in Erath County.	5c	Yes	2008

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>	
excessive algal growth				
1255_01	Portion of Upper North Bosque River from confluence with Indian Creek upstream to confluence with Dry Branch in Erath County.	4a	No	1996
1255_02	Portion of Upper North Bosque River from confluence with Dry Branch upstream to confluence with North/South Forks North Bosque River in Erath County.	4a	No	1996

SegID: 1255A Goose Branch (unclassified water body)
 From the confluence with the south fork of the North Bosque River 2.5 miles (4.0 km) west of Stephenville, upstream to the headwaters 0.5 miles (0.8 km) north of FM 8 in Erath County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>	
bacteria				
1255A_01	Entire water body	5b	No	2002

SegID: 1255B North Fork Upper North Bosque River (unclassified water body)
 From the confluence with the South Fork of the Upper North Bosque River in Stephenville, upstream to the headwaters, 2.0 miles north of FM 219

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>	
bacteria				
1255B_01	Entire water body	5b	No	2002

SegID: 1255C Scarborough Creek (unclassified water body)
 From the confluence with the North Fork of the upper North Bosque River, upstream to the headwaters 0.1 miles (0.2 km) southeast of FM 219 in Erath County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>	
bacteria				
1255C_01	Entire water body	5b	No	2002

SegID: 1255D South Fork North Bosque River (unclassified water body)
 From the confluence with the North Fork of the upper North Bosque River in Stephenville, upstream to the headwaters 3 miles (4.8 km) north of FM 219 in Erath County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria 1255D_01 Entire water body	5b	No	2010

SegID: 1255E Unnamed Tributary of Goose Branch (unclassified water body)
 From the confluence with Goose Branch in Erath County to its headwaters, 0.2 miles southeast of the intersection of FM 8 and Farm Road 1219

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria 1255E_01 Entire water body	5b	No	2002

SegID: 1255F Unnamed Tributary of Scarborough Creek (unclassified water body)
 From the confluence with Scarborough Creek, 1.0 mile west of SH 108 in Erath County, upstream to the headwaters, 0.3 mile north of FM 219

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria 1255F_01 Entire water body	5b	No	2002

SegID: 1255G Woodhollow Branch (unclassified water body)
 From the confluence with the South Fork of the North Bosque River, 6 miles northwest of Stephenville, upstream to the headwaters, 1.5 miles north of FM 219 in Erath County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria 1255G_01 Entire water body	5b	Yes	2002

SegID: 1255I Dry Branch (unclassified water body)
 From its confluence with the Upper North Bosque River, upstream to its headwaters 2.3 miles east of SH 106 in Erath County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria 1255I_01 entire water body	5b	No	2010

SegID: 1301 San Bernard River Tidal
 From the confluence with the Intracoastal Waterway in Brazoria County to a point 3.2 km (2.0 miles) upstream of SH 35 in Brazoria County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria 1301_01 Entire Segment	5c	No	2006

SegID: 1302 San Bernard River Above Tidal
 From a point 3.2 km (2.0 miles) upstream of SH 35 in Brazoria County to the county road southeast of New Ulm in Austin County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1302_01 From the confluence with the Intracoastal Waterway in Brazoria County to confluence with Peach Creek	5b	No	2002
1302_02 From the confluence with Peach Creek to the unnamed tributary at NHD RC 12090401001535 at N-96.03, W29.51	5b	No	2002
1302_03 From the confluence with unnamed tributary at NHD RC 12090401001535 at N-96.03, W29.51 to the confluence with Coushatta Creek	5b	No	2002

SegID: 1302A Gum Tree Branch (unclassified water body)
 From the confluence with West Bernard Creek near Wharton CR 252 to the headwaters approximately 15 miles upstream near RR 102

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1302A_01 Entire Water Body	5b	Yes	2006

SegID: 1302B West Bernard Creek (unclassified water body)
 From the confluence with the San Bernard River Above Tidal downstream of US highway 59 to the headwaters approximately 40 miles upstream near FM 1093

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1302B_02 From the confluence with Clarks Branch to the upper end of segment	5b	No	2006
depressed dissolved oxygen			
1302B_01 From the confluence with the San Bernard River Above Tidal to the confluence with Clarks Branch	5c	No	2006

SegID: 1304 Caney Creek Tidal
 From the confluence with the Intracoastal Waterway in Matagorda County to a point 1.9 km (1.2 miles) upstream of the confluence of Linville Bayou in Matagorda County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1304_01 From the downstream end of segment to the confluence with Dead Slough	5c	No	2006

SegID: 1304A Linnville Bayou (unclassified water body)
 Intermittent stream with perennial pools from a point 1.1 km above the confluence with Caney Creek in Matagorda County up to a point 0.1 km above SH 35 in Brazoria/Matagorda Counties

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1304A_01 Entire Water Body	5b	No	2010

SegID: 1305 Caney Creek Above Tidal
 From a point 1.9 km (1.2 miles) upstream of the confluence of Linnville Bayou in Matagorda County to Old Caney Road in Wharton County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1305_02 From the confluence with Hardeman Slough to the confluence with Snead Slough	5b	No	2002
depressed dissolved oxygen			
1305_02 From the confluence with Hardeman Slough to the confluence with Snead Slough	5b	No	1999
1305_03 From the confluence with Snead Slough to the upper end of segment	5b	No	1999

SegID: 1401 Colorado River Tidal
 From the confluence with the Gulf of Mexico in Matagorda County to a point 2.1 km (1.3 miles) downstream of the Missouri-Pacific Railroad in Matagorda County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1401_01 Entire water body	5c	No	2006

SegID: 1402C Buckners Creek (unclassified water body)
 Perennial stream from the confluence with the Colorado River upstream to the headwaters at Patterson Road southeast of the City of Rosanky in Bastrop County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen			
1402C_01 Perennial stream from the confluence with the Colorado River upstream to the confluence with Chandler Branch 1.6 km upstream of FM 154 in Fayette County	5c	No	2010

SegID: 1402H Skull Creek (unclassified water body)
 From the confluence with the Colorado River west of Eagle Lake in Colorado County to the upstream perennial portion southwest of Columbus

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1402H_01 Entire water body	5b	No	2010
depressed dissolved oxygen			
1402H_01 Entire water body	5b	No	2008

SegID: 1403 Lake Austin
 From Tom Miller Dam in Travis County to Mansfield Dam in Travis County, up to normal pool elevation of 492.8 feet (impounds Colorado River)

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen			
1403_03 Quinlan Park upstream to Mansfield Dam	4a	No	1996

SegID: 1403A Bull Creek (unclassified water body)
 From the confluence of Lake Austin in northwest Austin in Travis County to the upstream perennial portion of the stream north of Austin in Travis County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen			
1403A_05 From the Spicewood Springs Rd. crossing near the Oak Grove cemetery upstream to the end of segment	5c	No	2010

SegID: 1403J Spicewood Tributary to Shoal Creek (unclassified water body)
 From the confluence of an unnamed tributary west of the MoPac Expressway in north Austin in Travis County upstream to the head waters north of Williamsburg Circle in Travis County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1403J_01 Entire water body	5b	No	2002

SegID: 1403K Taylor Slough South (unclassified water body)
 From the confluence of Lake Austin in Travis County to the headwaters near South Meadow Circle on the Texas Department of Aging and Disability Services campus in Austin in Travis County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1403K_01 Entire water body	5b	No	2002

SegID: 1403R Westlake-Davenport Tributary to Lake Austin (unclassified water body)
 From the confluence of Lake Austin in Travis County upstream to the headwaters 150 ft. southeast of the intersection of Waymaker Way and Round Table road in Austin in Travis County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1403R_01 Entire water body	5b	Yes	2006

SegID: 1407A Clear Creek (unclassified water body)
 From the confluence with Inks Lake in Burnet County west of Burnet upstream to a point 2 miles (3.2 km) west of FM 2341 near Potato Hill northwest of Burnet

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
aluminum in water			
1407A_01 From the confluence with Inks Lake upstream to FM 2341	5c	No	2010

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
pH			
1407A_01 From the confluence with Inks Lake upstream to FM 2341	5c	No	2010

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
sulfate			
1407A_01 From the confluence with Inks Lake upstream to FM 2341	5c	No	2010

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
total dissolved solids			
1407A_01 From the confluence with Inks Lake upstream to FM 2341	5c	No	2010

SegID: 1411 E. V. Spence Reservoir
 From Robert Lee Dam in Coke County to a point immediately upstream of the confluence of Little Silver Creek in Coke County, up to the normal pool elevation of 1898 feet (impounds Colorado River)

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
sulfate			
1411_01 Main pool from the dam upstream to the Rough Creek arm	4a	No	1996
1411_02 From the Rough Creek arm upstream to the confluence of Little Silver Creek	4a	No	1996
total dissolved solids			
1411_01 Main pool from the dam upstream to the Rough Creek arm	4a	No	1996
1411_02 From the Rough Creek arm upstream to the confluence of Little Silver Creek	4a	No	1996

SegID: 1412 Colorado River Below Lake J. B. Thomas
 From a point immediately upstream of the confluence of Little Silver Creek in Coke County to Colorado River Dam in Scurry County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1412_02 From the confluence of Beals Creek upstream to the dam below Barber Reservoir pump station	5c	No	2008

SegID: 1412B Beals Creek (unclassified water body)
 From the confluence of the Colorado River south of Colorado City in Mitchell County to the confluence of Mustang Draw and Sulphur Springs Draw in Howard County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1412B_03 From the confluence of Guthrie Draw upstream to the confluence of Mustang Draw and Sulphur Springs Draw	5b	No	2010
selenium in water			
1412B_03 From the confluence of Guthrie Draw upstream to the confluence of Mustang Draw and Sulphur Springs Draw	5c	No	2010

SegID: 1413 Lake J. B. Thomas
 From Colorado River Dam in Scurry County up to normal pool elevation of 2258 feet (impounds Colorado River)

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
chloride			
1413_01 Entire water body	5c	No	2008
total dissolved solids			
1413_01 Entire water body	5c	No	2010

SegID: 1416 San Saba River
From the confluence with the Colorado River in San Saba County to the confluence of the North Valley Prong and the Middle Valley Prong in Schleicher County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1416_01 From the confluence with the Colorado River in San Saba County upstream to the US 190	5c	No	2008

SegID: 1416A Brady Creek (unclassified water body)
From the confluence of the San Saba River southwest of San Saba in San Saba County to Brady Lake Dam west of Brady in McCulloch County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen			
1416A_03 From FM 714 upstream to Brady Lake dam	5c	No	2004

SegID: 1421 Concho River
From a point 2 km (1.2 miles) above the confluence of Fuzzy Creek in Concho County to San Angelo Dam on the North Concho River in Tom Green County and to Nasworthy Dam on the South Concho River in Tom Green County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1421_08 North Concho River, from the confluence with the South Concho River upstream to O.C. Fisher dam	5c	No	2008
depressed dissolved oxygen			
1421_08 North Concho River, from the confluence with the South Concho River upstream to O.C. Fisher dam	5c	No	2008
impaired macrobenthic community			
1421_07 From the dam near Vines Road upstream to the confluence of the North Concho River and the South Concho River	5c	Yes	2002

SegID: 1426 Colorado River Below E. V. Spence Reservoir
From a point 3.7 km (2.3 miles) below the confluence of Mustang Creek in Runnels County to Robert Lee Dam in Coke County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
chloride			
1426_01 Lower end of segment to Country Club Lake	4a	No	2002
1426_02 Country Club Lake to Coke County line	4a	No	2002
1426_03 Coke County line to SH 208	4a	No	2002
1426_04 SH 208 to dam	4a	No	2002
total dissolved solids			
1426_01 Lower end of segment to Country Club Lake	4a	No	1999
1426_02 Country Club Lake to Coke County line	4a	No	1999
1426_03 Coke County line to SH 208	4a	No	1999
1426_04 SH 208 to dam	4a	No	1999

SegID: 1427A Slaughter Creek (unclassified water body)
 Intermittent stream with perennial pools from the confluence with Onion Creek to above US 290 west of Austin

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
impaired macrobenthic community			
1427A_01 Entire water body	5b	Yes	2002

SegID: 1428 Colorado River Below Town Lake
 From a point 100 meters (110 yards) upstream of FM 969 near Utley in Bastrop County to Longhorn Dam in Travis County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1428_03 Walnut Creek to Longhorn Dam	5c	No	2006

SegID: 1428B Walnut Creek (unclassified water body)
 From the confluence of the Colorado River in east Austin in Travis County to the upstream perennial portion of the stream in north Austin in Travis County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1428B_05 From MoPac/Loop 1 upstream to railroad tracks west of Loop 1	5b	No	2006

SegID: 1428C Gilleland Creek (unclassified water body)
 Perennial stream and intermittent stream with perennial pools from the confluence with the Colorado River up to the spring source (Ward Spring) northwest of Pflugerville, in Travis County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1428C_01 From the Colorado River upstream to Taylor Lane	4a	No	1999

SegID: 1429B Eanes Creek (unclassified water body)
 From the confluence of Town Lake in central Austin in Travis County to the upstream perennial portion of the stream in west Austin in Travis County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1429B_01 Entire water body	5b	Yes	1999

SegID: 1429C **Waller Creek (unclassified water body)**
 From the confluence of Town Lake in central Austin in Travis County to the upstream portion of the stream in north Austin in Travis County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1429C_01 From the confluence with Town Lake to East MLK Blvd.	5b	No	2004
1429C_02 From East MLK Blvd. to East 41st Street	5b	No	2004
1429C_03 Upper portion of creek	5b	No	2004

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
impaired macrobenthic community			
1429C_01 From the confluence with Town Lake to East MLK Blvd.	5c	Yes	2002

SegID: 1431 **Mid Pecan Bayou**
 From a point immediately upstream of the confluence of Mackinally Creek in Brown County to a point immediately upstream of Willis Creek in Brown County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1431_01 Entire water body	5b	No	2006

SegID: 1501 **Tres Palacios Creek Tidal**
 From the confluence with Tres Palacios Bay in Matagorda County to a point 1.0 km (0.6 miles) upstream of the confluence of Wilson creek in Matagorda County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1501_01 From the confluence with Willow Dam Creek at Tres Palacios Bay/Turtle Bay upstream to to a point 1.0 km (0.6 miles) upstream of the confluence of Wilson creek in Matagorda County	5c	No	2006

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen			
1501_01 From the confluence with Willow Dam Creek at Tres Palacios Bay/Turtle Bay upstream to to a point 1.0 km (0.6 miles) upstream of the confluence of Wilson creek in Matagorda County	5b	No	1999

SegID: 1602 Lavaca River Above Tidal
 From a point 8.6 km (5.3 miles) downstream of US 59 in Jackson County to a point 5.5 km (3.4 miles) upstream of SH 95 in Lavaca County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1602_02 From the confluence of Beard Branch upstream to confluence of Campbell Branch in Hallettsville.	5c	No	2008
1602_03 Lower portion of segment from confluence with NHD RC 12100101002463 south of Edna in Jackson County upstream to confluence with Beard Branch	5c	No	2008
depressed dissolved oxygen			
1602_01 From confluence of Campbell Branch in Hallettsville upstream to end of segment	5b	No	2004

SegID: 1803A Elm Creek (unclassified water body)
 From the confluence of Sandies Creek east of Smiley in Gonzales County to the upstream perennial portion of the stream southwest of Smiley in Gonzales County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen			
1803A_01 Entire water body	5b	No	1999

SegID: 1803B Sandies Creek (unclassified water body)
 From the confluence of the Guadalupe River west of Cuero in DeWitt County to the upstream perennial portion of the stream northwest of Smiley in Gonzales County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1803B_01 From the confluence with the Guadalupe River to the confluence with Elm Ck.	5c	No	2002
1803B_02 From the confluence with Elm Creek to upper end of water body	5c	No	2002
depressed dissolved oxygen			
1803B_01 From the confluence with the Guadalupe River to the confluence with Elm Ck.	5b	No	1999
1803B_02 From the confluence with Elm Creek to upper end of water body	5b	No	1999
impaired fish community			
1803B_01 From the confluence with the Guadalupe River to the confluence with Elm Ck.	5b	No	2010
impaired macrobenthic community			
1803B_01 From the confluence with the Guadalupe River to the confluence with Elm Ck.	5b	No	2010

SegID: 1803C Peach Creek (unclassified water body)
 From the confluence of the Guadalupe River southeast of Gonzales in Gonzales County to the upstream perennial portion of the stream northeast of Waelder in Gonzales County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1803C_01 Lower 25 miles of water body	5b	No	2002
1803C_03 From approx. 1.2 mi. downstream of FM 1680 in Gonzales Co. to confluence with Elm Cr. In Fayette Co.	5b	No	2002
depressed dissolved oxygen			
1803C_01 Lower 25 miles of water body	5c	No	2006
1803C_03 From approx. 1.2 mi. downstream of FM 1680 in Gonzales Co. to confluence with Elm Cr. In Fayette Co.	5c	No	2006

SegID: 1803F Denton Creek (unclassified water body)
 From the confluence with Peach Creek (1803C) up to the upper end of the creek (NHD RC 12100202000370) E/NE of Gonzales, Gonzales County.

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1803F_01 Entire segment.	5b	No	2010

SegID: 1803G Sandy Fork (unclassified water body)
 From the confluence with Peach Creek (1803C) up to the upper end of the creek (NHD RC 12100202021868)

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1803G_01 From the confluence with Sandy Creek up to the confluence with Scruggs Creek.	5b	No	2010

SegID: 1804A Geronimo Creek (unclassified water body)
 From the confluence of the Guadalupe River south of Seguin in Guadalupe County to the upstream perennial portion north of Seguin in Guadalupe County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1804A_01 Entire water body	5c	No	2006

SegID: 1805 Canyon Lake
 From Canyon Dam in Comal County to a point 2.7 km (1.7 miles) downstream of Rebecca Creek Road in Comal County, up to normal pool elevation of 909 feet (impounds Guadalupe River)

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
mercury in edible tissue			
1805_01 Cove around Jacob's Creek Park	5c	No	2006
1805_02 North end of Crane's Mill Park peninsula to south end of Canyon Park	5c	No	2006
1805_03 Upper end of segment	5c	No	2006
1805_04 Lower end of reservoir from dam upstream to Canyon Park	5c	No	2006

SegID: 1806 **Guadalupe River Above Canyon Lake**
 From a point 2.7 km (1.7 miles) downstream of Rebecca Creek Road in Comal County to the confluence of North Fork Guadalupe River and the South Fork Guadalupe River in Kerr County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1806_04 From the confluence with Third Creek (NHD RC 12100201008474) up to just upstream of the confluence with Camp Meeting Creek (NHD RC 12100201008463) in Kerrville, Kerr County, Texas.	4a	No	2002
1806_05 From the confluence with Camp Meeting Creek (NHD RC 12100201008463) up to the confluence with Town Creek (NHD RC 12100201008543), in Kerrville, Kerr County, Texas.	4a	No	2002
1806_08 From the confluence with Honey Creek (NHD RC 12100201000012) up to the confluence with Joshua Creek (NHD RC 12100201000036).	4a	No	2002

SegID: 1806A **Camp Meeting Creek (unclassified water body)**
 From the confluence of Flatrock Lake in southeast Kerrville in Kerr County to the upstream perennial portion of the stream west of Kerrville in Kerr County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen			
1806A_03 Upper 9 miles	5b	No	1999

SegID: 1806D **Quinlan Creek (unclassified water body)**
 From the confluence of the Guadalupe River in Kerrville in Kerr County to the upstream perennial portion of the stream north of Kerrville in Kerr County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1806D_01 Entire water body	5a	No	2010

SegID: 1806E **Town Creek (unclassified water body)**
 From the confluence of the Guadalupe River in Kerrville in Kerr County to the upstream perennial portion of the stream north of Kerrville in Kerr County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1806E_01 From the confluence with segment 1806 of the Guadalupe River in Kerrville, Kerr County Texas up to the upper end of the segment (NHD RC 12100201000572)	5a	No	2010

SegID: 1810 Plum Creek
 From the confluence with the San Marcos River in Caldwell County to FM 2770 in Hays County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1810_01 Confluence with San Marcos River to approx. 2.5 mi. upstream of the confluence with Clear Fork Plum Creek	4b	No	2004
1810_02 From approx. 2.5 mi. upstream of confluence with Clear Fork Plum Ck to approx. 0.5 mi upstream of SH21	4b	No	2004
1810_03 From approx. 0.5 mi. upstream of SH 21 to upper end of segment	4b	No	2004

SegID: 1811A Dry Comal Creek (unclassified water body)
 From the confluence of the Comal River in New Braunfels in Comal County to the upstream perennial portion of the stream southwest of New Braunfels in Comal County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1811A_01 Lower 25 miles of water body	5b	No	2010

SegID: 1814 Upper San Marcos River
 From a point 1.0 km (0.6 miles) upstream of the confluence of the Blanco River in Hays County to a point 0.7 km (0.4 miles) upstream of Loop 82 in San Marcos in Hays County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
total dissolved solids			
1814_01 Lower 1.5 miles of segment	5c	No	2010
1814_02 From sub-segment 01 to IH 35 east frontage road	5c	No	2010
1814_03 From IH 35 east frontage road to Spring Lake Dam	5c	No	2010
1814_04 Remainder of segment	5c	No	2010

SegID: 1901 Lower San Antonio River
 From the confluence with the Guadalupe River in Refugio/Victoria County to a point 600 meters (660 yards) downstream of FM 791 at Mays crossing near Falls City in Karnes County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1901_01 25 miles downstream of the confluence with Manahuilla Creek	4a	No	2000
1901_02 25 miles upstream of Manahuilla Creek	4a	No	2000
1901_03 From 25 miles upstream of Manahuilla Cr to 9 mi downstream of Escondido Cr	4a	No	2000
1901_04 9 miles downstream of Escondido Creek	4a	No	2000
1901_05 From upstream end of segment to Escondido Creek	4a	No	2000

SegID: 1902 Lower Cibolo Creek
 From the confluence with the San Antonio River in Karnes County to a point 100 meters (110 yards) downstream of IH 10 in Bexar/Guadalupe County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1902_01 Lower 5 miles of segment	5b	Yes	2004
1902_02 From 5 miles upstream of confluence with the San Antonio River to FM 541	5b	No	2004
1902_03 From FM 541 to confluence with Clifton Branch	5b	Yes	2004
impaired fish community			
1902_02 From 5 miles upstream of confluence with the San Antonio River to FM 541	5c	No	2006

SegID: 1902B Salatrillo Creek (unclassified water body)
 From the confluence with Martinez Creek to approximately 1.3 miles upstream of FM 1976.

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1902B_01 From the confluence with Martinez Creek to FM 78 in Converse	5b	No	2010

SegID: 1903 Medina River Below Medina Diversion Lake
 From the confluence with the San Antonio River in Bexar County to Medina Diversion Dam in Medina County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1903_02 From 5 mi upstream of San Antonio River to 1.5 mi upstream of Leon Creek	5b	No	2010

SegID: 1905 Medina River Above Medina Lake
 From the confluence of Red Bluff Creek in Bandera County to the confluence of the North Prong Medina River and the West Prong Medina River in Bandera County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
impaired fish community			
1905_01 From lower end of segment to RR 470, upstream of Bandera	4c	No	2010

SegID: 1906 Lower Leon Creek
 From the confluence with the Medina River in Bexar County to a point 100 meters (110 yards) upstream of SH 16 northwest of San Antonio in Bexar County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen			
1906_02 From 3 miles upstream lower end of segment to confluence with Indian Creek	5a	Yes	1999
1906_04 From Hwy 353 (New Laredo Hwy) to two miles upstream	5a	Yes	1999
1906_05 From 2 miles upstream of Hwy 353 to Hwy 90	5a	Yes	1999

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue			
1906_03 From confluence with Indian Creek to Hwy 353 (New Laredo Hwy)	5a	No	2004
1906_04 From Hwy 353 (New Laredo Hwy) to two miles upstream	5a	No	2004
1906_05 From 2 miles upstream of Hwy 353 to Hwy 90	5a	No	2004
1906_06 Remainder of segment	5a	No	2004

SegID: 1908 Upper Cibolo Creek
 From the Missouri-Pacific Railroad Bridge west of Bracken in Comal County to a point 1.5 km (0.9 miles) upstream of the confluence of Champee Springs in Kendall County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1908_02 From approx. 2 mi. upstream of Hwy 87 in Boerne to upper end of segment	5c	No	2006

SegID: 1910 Salado Creek
 From the confluence with the San Antonio River in Bexar County to Rocking Horse Lane west of Camp Bullis in Bexar County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1910_02 From the confluence with Rosillo Creek up to the confluence with Pershing Creek.	4a	No	1996
1910_03 From the confluence with Pershing Creek up to the confluence with Walzem Creek.	4a	No	1996
1910_04 From the confluence with Walzem Creek up to the confluence with Beitel Creek	4a	No	1996
depressed dissolved oxygen			
1910_02 From the confluence with Rosillo Creek up to the confluence with Pershing Creek.	4a	Yes	1996
1910_03 From the confluence with Pershing Creek up to the confluence with Walzem Creek.	4a	Yes	1996
1910_04 From the confluence with Walzem Creek up to the confluence with Beitel Creek	4a	Yes	1996
impaired fish community			
1910_03 From the confluence with Pershing Creek up to the confluence with Walzem Creek.	5b	Yes	2004
1910_07 From the confluence with Lewis Creek to the upper end of the segment.	5b	Yes	2004
impaired macrobenthic community			
1910_03 From the confluence with Pershing Creek up to the confluence with Walzem Creek.	5b	Yes	2006
1910_07 From the confluence with Lewis Creek to the upper end of the segment.	5b	Yes	2006

SegID: 1910A Walzem Creek (unclassified water body)
 From the confluence with Salado Creek to approximately 1.5 miles upstream of Walzem Road in San Antonio

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1910A_01 Lower 0.25 miles	4a	No	2002

SegID: 1911 Upper San Antonio River
 From a point 600 meters (660 yards) downstream of FM 791 at Mays Crossing near Falls City in Karnes County to a point 100 meters (110 yards) upstream of Hildebrand Avenue at San Antonio in Bexar County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1911_02 From the confluence with Olmos Creek up to just upstream of the confluence with Picoso Creek .	4a	No	1996
1911_03 From just upstream of the confluence with Picoso Creek up to just upstream of the confluence with Lodi Branch in Floresville, Wilson County, Texas.	4a	No	1996
1911_05 From just upstream of the confluence with Calaveras Creek up to just upstream of the confluence with the Medina River.	4a	No	1996
1911_07 From just upstream of the confluence with Salado Creek up to just upstream of the confluence with Sixmile Creek.	4a	No	1996
1911_08 From just upstream of the confluence with Sixmile Creek to just upstream of the confluence with San Pedro Creek.	4a	No	1996
1911_09 From just upstream of the confluence with San Pedro Creek up to the upper end of the segment.	4a	No	1996
impaired fish community			
1911_09 From just upstream of the confluence with San Pedro Creek up to the upper end of the segment.	5c	Yes	2006

SegID: 1911B Apache Creek (unclassified water body)
 From the confluence with San Pedro Creek up to the upper end of the segment at State Highway 421 (NHD RC 12100301001439).

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1911B_01 From the confluence with San Pedro Creek up to just upstream of the confluence with Zarzamora Creek.	5a	No	2010

SegID: 1911C Alazan Creek (unclassified water body)
 From the confluence with Apache Creek up to 0.4 KM (0.25 Mi.) upstream of St. Cloud Road (NHD RC 12100301000163) in San Antonio, Bexar County, Texas.

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1911C_01 From the confluence with Apache Creek up to the confluence with Martinez Creek.	5a	No	2010

SegID: 1911D San Pedro Creek (unclassified water body)
 From the confluence with segment 1911 to the upper end of the water body, NHD RC 12100301000867

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1911D_01 From the confluence with segment 1911 up to the confluence with Apache Creek.	5a	No	2010
1911D_02 From the confluence with Apache Creek to the upper end of the segment, NHD RC 12100301000867	5a	No	2010

SegID: 1913 Mid Cibolo Creek
 From a point 100 meters (110 yards) downstream of IH 10 in Bexar/Guadalupe County to the Missouri-Pacific Railroad bridge west of Bracken in Comal County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
1913_03 From 100 meters upstream of Cibolo Creek Municipal WWTP up to the upper end of the segment.	5c	No	2006

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen			
1913_02 From the confluence with unnamed tributary approximately 0.3 miles upstream of Weir Road, Bexar county, Texas up to 100 meters upstream of the Cibolo Creek Municipal WWTP.	4b	No	1999

SegID: 2001 Mission River Tidal
 From the confluence with Mission Bay in Refugio County to a point 7.4 kilometers (4.6 miles) downstream of US 77 in Refugio County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
2001_01 Entire Water Body	5a	No	2004

SegID: 2003 Aransas River Tidal
 From the confluence with Copano Bay in Aransas/Refugio County to a point 1.6 kilometers (1.0 mile) upstream of US 77 in Refugio/San Patricio County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
2003_01 Entire Water Body	5a	No	2004

SegID: 2004A Aransas Creek (unclassified water body)
 From confluence with the Aransas River to the headwaters of the stream about 10 km upstream of US Highway 59.

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
2004A_01 Entire 20 miles of segment	5b	Yes	2006

SegID: 2103 Lake Corpus Christi
 From Wesley E. Seale Dam in Jim Wells/San Patricio County to a point 100 meters (110 yards) upstream of US 59 in Live Oak County, up to normal pool elevation of 94 feet (impounds Nueces River)

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
total dissolved solids			
2103_01 Mid-lake near dam	5c	No	2010
2103_02 Area approx. 4 mi. SE of FM 3162 and FM 534 intersection near western shore	5c	No	2010
2103_03 Western arm of lake near Lagarto Creek inlet	5c	No	2010
2103_04 Upper portion of lake on opposite shore from Hideaway Hill	5c	No	2010
2103_05 Upper arm of reservoir in more riverine section surrounding FM 534	5c	No	2010
2103_06 Uppermost riverine part of reservoir upstream of FM 534 to upper end of segment to just upstream of US Highway 59.	5c	No	2010

SegID: 2104 Nueces River Above Frio River
 From the confluence of the Frio River in Live Oak County to Holland Dam in LaSalle County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
impaired fish community			
2104_01 From the downstream end of the segment to the confluence with Dragon Creek	5c	No	2010
impaired macrobenthic community			
2104_01 From the downstream end of the segment to the confluence with Dragon Creek	5c	No	2010

SegID: 2106 Nueces/Lower Frio River
 From a point 100 meters (110 yards) upstream of US 59 in Live Oak County to Choke Canyon Dam in Live Oak County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
total dissolved solids			
2106_01 The Nueces river from the downstream end of segment to the confluence with the Frio River	5b	No	2006
2106_02 The Frio River from the confluence with the Nueces River to Choke Canyon Dam	5b	No	2006

SegID: 2107 Atascosa River
From the confluence with the Frio River in Live Oak County to the confluence of the West Prong Atascosa River and the North Prong Atascosa River in Atascosa County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
2107_01 From the downstream end of the segment at the confluence with the Frio River to the confluence with Borrego Creek	5b	No	1996
2107_02 From the confluence with Borrego Creek to the confluence with Galvan Creek	5b	No	1996
depressed dissolved oxygen			
2107_02 From the confluence with Borrego Creek to the confluence with Galvan Creek	5b	No	1996
impaired fish community			
2107_02 From the confluence with Borrego Creek to the confluence with Galvan Creek	5b	No	2006
2107_03 From the confluence with Galvan Creek to the confluence with Palo Alto Creek	5b	No	2006
impaired macrobenthic community			
2107_02 From the confluence with Borrego Creek to the confluence with Galvan Creek	5b	No	2010
2107_03 From the confluence with Galvan Creek to the confluence with Palo Alto Creek	5b	No	2010

SegID: 2108 San Miguel Creek
From a point immediately upstream of the confluence of Mustang Branch in McMullen County to the confluence of San Francisco Perez Creek and Chacon Creek in Frio County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
2108_01 From the downstream end of the segment to the confluence of Liveoak Creek	5c	No	2006

SegID: 2109 Leona River
From the confluence with the Frio River in Frio County to US 83 in Uvalde County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
2109_01 From the downstream end of segment to the confluence of Yoledigo Creek	5c	No	2006
2109_02 From the confluence of Yoledigo Creek to the confluence of Camp Lake Slough	5c	No	2006
2109_03 From the confluence of Camp Lake Slough to the upper end of segment	5c	No	2006

SegID: 2110 Lower Sabinal River
 From the confluence with the Frio River in Frio County to Uvalde County to a point 100 meters (110 yards) upstream of SH 127 in Uvalde County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
nitrate 2110_01 Entire Water Body	4a	No	2002

SegID: 2113 Upper Frio River
 From a point 100 meters (110 yards) upstream of US 90 in Uvalde County to the confluence of the West Frio River and the East Frio River in Real County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
impaired fish community 2113_01 From the downstream end of the segment to the confluence with Bear Creek	5c	No	2006

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
impaired macrobenthic community 2113_01 From the downstream end of the segment to the confluence with Bear Creek	5c	No	2006

SegID: 2116 Choke Canyon Reservoir
 From Choke Canyon Dam in Live Oak County to a point 4.2 km (2.6 miles) downstream of SH 16 on the Frio River Arm in McMullen County and to a point 100 meters (110 yards) upstream of the confluence of Mustang Branch on the San Miguel Creek Arm in McMullen County, up to the normal pool elevation of 220.5 feet (impounds Frio River)

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen 2116_06 Western end of lake up to RR 99 bridge	5c	No	2006

SegID: 2117 Frio River Above Choke Canyon Reservoir
 From a point 4.2 km (2.6 miles) downstream of SH 16 in McMullen County to a point 100 meters (110 yards) upstream of US 90 in Uvalde County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria 2117_02 From the confluence with Esperanza Creek to the confluence with Ruiz Creek	5c	No	2008

SegID: 2201 Arroyo Colorado Tidal
 From confluence with Laguna Madre in Cameron/Willacy County to a point 100 meters (110 yards) downstream of Cemetery Road south of Port Harlingen in Cameron County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
2201_03 From the confluence with an unnamed drainage ditch with NHD RC 12110108005353 at point N-97.53, W 26.31 to the confluence with Harding Ranch Ditch tributary	5c	No	2006
2201_04 From the confluence with Harding Ranch Ditch tributary to just upstream of the City of Hondo Wastewater Discharge at point N-97.58359, W26.247186	5c	No	2006
2201_05 From just upstream of the City of Hondo Wastewater Discharge at point N-97.58359, W26.247186 to the upstream end of the segment	5c	No	2006

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
DDE in edible tissue			
2201_05 From just upstream of the City of Hondo Wastewater Discharge at point N-97.58359, W26.247186 to the upstream end of the segment	5a	No	2010

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen			
2201_04 From the confluence with Harding Ranch Ditch tributary to just upstream of the City of Hondo Wastewater Discharge at point N-97.58359, W26.247186	5a	Yes	1996
2201_05 From just upstream of the City of Hondo Wastewater Discharge at point N-97.58359, W26.247186 to the upstream end of the segment	5a	No	1996

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
mercury in edible tissue			
2201_05 From just upstream of the City of Hondo Wastewater Discharge at point N-97.58359, W26.247186 to the upstream end of the segment	5c	No	2008

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue			
2201_05 From just upstream of the City of Hondo Wastewater Discharge at point N-97.58359, W26.247186 to the upstream end of the segment	5a	No	2008

SegID: 2201B Unnamed Drainage Ditch Tributary (B) in Cameron County Drainage District #3 (unclassified water body)
 From the confluence with the Arroyo Colorado in Cameron County in the Rio Hondo turning basin at -97.6, 26.196 decimal degrees to a point 17.6 km upstream at the FM 510 crossing.

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
2201B_01 Entire Water Body	5c	No	2010

SegID: 2202 **Arroyo Colorado Above Tidal**
 From a point 100 meters (110 yards) downstream of Cemetery Road south of Port Harlingen in Cameron County to FM 2062 in Hidalgo County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
2202_01	5b	No	1996
2202_02	5b	No	1996
2202_03	5b	No	1996
2202_04	5b	No	1996
DDE in edible tissue			
2202_01	4a	No	2002
2202_02	4a	No	2002
2202_03	4a	No	2002
2202_04	4a	No	2002
mercury in edible tissue			
2202_01	5c	No	2008
2202_02	5c	No	2008
2202_03	5c	No	2008
2202_04	5c	No	2008
PCBs in edible tissue			
2202_01	5a	No	2008
2202_02	5a	No	2008
2202_03	5a	No	2008
2202_04	5a	No	2008

SegID: 2202A Donna Reservoir (unclassified water body)
 Off-channel irrigation reservoir pumped from Rio Grande near the City of Donna in Hidalgo County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue			
2202A_01 Entire reservoir	4a	Yes	1996

SegID: 2202B Unnamed Drainage Ditch Tributary (B) to S. Arroyo Colorado (unclassified water body)
 Perennial drainage ditches that flow into the segment in Cameron and Hidalgo counties

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
2202B_01 Entire segment	5c	No	2010

SegID: 2203 Petronila Creek Tidal
 From the confluence of Chiltipin Creek in Kleberg County to a point 1 km (0.6 miles) upstream of private road crossing near Laureles Ranch in Kleberg County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
2203_01 Entire segment	5c	No	2010

SegID: 2204**Petronila Creek Above Tidal**

From a point 1 km (0.6 miles) upstream of private road crossing near Laureles Ranch in Kleberg County to the confluence of Agua Dulce and Banquete Creeks in Nueces County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>	
chloride				
2204_01	From downstream end of segment to the confluence with 2204A, unnamed drainage ditch tributary to Petronila Creek at N-97.7, W27.65 approximately 32.5 km (20.2 mi) upstream	4a	No	1999
2204_02	From the confluence with 2204A, unnamed drainage ditch tributary of Petronila Creek at N-97.7, W27.65 to the upstream end of segment at the confluence with Agua Dulce and Banquete Creeks approximately 31.6 km (19.6 mi) upstream	4a	No	1999

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>	
sulfate				
2204_01	From downstream end of segment to the confluence with 2204A, unnamed drainage ditch tributary to Petronila Creek at N-97.7, W27.65 approximately 32.5 km (20.2 mi) upstream	4a	No	1999
2204_02	From the confluence with 2204A, unnamed drainage ditch tributary of Petronila Creek at N-97.7, W27.65 to the upstream end of segment at the confluence with Agua Dulce and Banquete Creeks approximately 31.6 km (19.6 mi) upstream	4a	No	1999

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>	
total dissolved solids				
2204_01	From downstream end of segment to the confluence with 2204A, unnamed drainage ditch tributary to Petronila Creek at N-97.7, W27.65 approximately 32.5 km (20.2 mi) upstream	4a	No	1999
2204_02	From the confluence with 2204A, unnamed drainage ditch tributary of Petronila Creek at N-97.7, W27.65 to the upstream end of segment at the confluence with Agua Dulce and Banquete Creeks approximately 31.6 km (19.6 mi) upstream	4a	No	1999

SegID: 2302**Rio Grande Below Falcon Reservoir**

From a point 10.8 km (6.7 miles) downstream of the International Bridge in Cameron County to Falcon Dam in Starr County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>	
bacteria				
2302_01	From the El Jardin Pump Station upstream to the Rancho Viejo Floodway	5c	No	1996
2302_04	From the McAllen Int'l Bridge (US Hwy 281) upstream to Anzalduas Dam	5c	No	1996

SegID: 2302A Arroyo Los Olmos (unclassified water body)
 From Rio Grande confluence at Rio Grande City to El Sauz in Starr County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
2302A_01 From the Rio Grande confluence near Rio Grande City upstream to a point 39.4 km (24.5 mi) near El Sauz	5c	No	2004

SegID: 2304 Rio Grande Below Amistad Reservoir
 From the confluence of the Arroyo Salado (Mexico) in Zapata County to Amistad Dam in Val Verde County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
2304_01 From the Arroyo Salado confluence upstream to the San Idelfonso Creek confluence	5c	No	1996
2304_02 From the San Idelfonso Creek confluence upstream to International Bridge #2	5c	No	1996
2304_03 From the International Bridge #2 upstream to the City of Laredo water treatment plant intake	5c	No	1996
2304_07 From El Indio upstream to downstream of US Hwy 277 (Eagle Pass)	5c	No	1996
2304_09 From the Las Moras Creek confluence upstream to the San Felipe Creek confluence	5c	No	1996

SegID: 2306

Rio Grande Above Amistad Reservoir

From a point 1.8 km (1.1 miles) downstream of the confluence of Ramsey Canyon in Val Verde County to the confluence of the Rio Conchos (Mexico) in Presidio County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
2306_08 From Alamito Creek confluence upstream to the Rio Conchos confluence	5c	No	1999
chloride			
2306_01 From the lower segment boundary at Ramsey Canyon upstream to the confluence of Panther Gulch	5c	No	2010
2306_02 From the confluence of Panther Gulch upstream to FM 2627	5c	No	2010
2306_03 From FM 2627 upstream to Boquillas Canyon	5c	No	2010
2306_04 From Boquillas Canyon upstream to Mariscal Canyon	5c	No	2010
2306_05 From Mariscal Canyon to a point upstream of the IBWC gage at Johnson Ranch	5c	No	2010
2306_06 From a point upstream of the IBWC gage at Johnson Ranch to the mouth of Santa Elena Canyon at the Terlingua Creek confluence	5c	No	2010
2306_07 From the mouth of Santa Elena Canyon at the Terlingua Creek confluence upstream to the Alamito Creek confluence	5c	No	2010
2306_08 From Alamito Creek confluence upstream to the Rio Conchos confluence	5c	No	2010
sulfate			
2306_01 From the lower segment boundary at Ramsey Canyon upstream to the confluence of Panther Gulch	5c	No	2010
2306_02 From the confluence of Panther Gulch upstream to FM 2627	5c	No	2010
2306_03 From FM 2627 upstream to Boquillas Canyon	5c	No	2010
2306_04 From Boquillas Canyon upstream to Mariscal Canyon	5c	No	2010
2306_05 From Mariscal Canyon to a point upstream of the IBWC gage at Johnson Ranch	5c	No	2010
2306_06 From a point upstream of the IBWC gage at Johnson Ranch to the mouth of Santa Elena Canyon at the Terlingua Creek confluence	5c	No	2010
2306_07 From the mouth of Santa Elena Canyon at the Terlingua Creek confluence upstream to the Alamito Creek confluence	5c	No	2010
2306_08 From Alamito Creek confluence upstream to the Rio Conchos confluence	5c	No	2010

SegID: 2306

Rio Grande Above Amistad Reservoir

From a point 1.8 km (1.1 miles) downstream of the confluence of Ramsey Canyon in Val Verde County to the confluence of the Rio Conchos (Mexico) in Presidio County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
total dissolved solids			
2306_01 From the lower segment boundary at Ramsey Canyon upstream to the confluence of Panther Gulch	5c	No	2010
2306_02 From the confluence of Panther Gulch upstream to FM 2627	5c	No	2010
2306_03 From FM 2627 upstream to Boquillas Canyon	5c	No	2010
2306_04 From Boquillas Canyon upstream to Mariscal Canyon	5c	No	2010
2306_05 From Mariscal Canyon to a point upstream of the IBWC gage at Johnson Ranch	5c	No	2010
2306_06 From a point upstream of the IBWC gage at Johnson Ranch to the mouth of Santa Elena Canyon at the Terlingua Creek confluence	5c	No	2010
2306_07 From the mouth of Santa Elena Canyon at the Terlingua Creek confluence upstream to the Alamito Creek confluence	5c	No	2010
2306_08 From Alamito Creek confluence upstream to the Rio Conchos confluence	5c	No	2010

SegID: 2307 **Rio Grande Below Riverside Diversion Dam**
 From the confluence of the Rio Conchos (Mexico) in Presidio County to Riverside Diversion Dam in El Paso County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>	
bacteria				
2307_03	From Little Box Canyon upstream to the Alamo Grade Structure	5c	No	2002
2307_04	From the Alamo Grade Structure upstream to the Guadalupe Bridge	5c	No	2002
2307_05	From the Guadalupe Bridge to downstream of the Riverside Diversion Dam	5c	No	2002
chloride				
2307_01	From immediately upstream of the Rio Conchos confluence to a point 40.2 km (25 mi) upstream	5c	No	1996
2307_02	From a point 40.2 km (25 mi) upstream of the Rio Conchos confluence to Little Box Canyon	5c	No	1996
2307_03	From Little Box Canyon upstream to the Alamo Grade Structure	5c	No	1996
2307_04	From the Alamo Grade Structure upstream to the Guadalupe Bridge	5c	No	1996
2307_05	From the Guadalupe Bridge to downstream of the Riverside Diversion Dam	5c	No	1996
total dissolved solids				
2307_01	From immediately upstream of the Rio Conchos confluence to a point 40.2 km (25 mi) upstream	5c	No	1996
2307_02	From a point 40.2 km (25 mi) upstream of the Rio Conchos confluence to Little Box Canyon	5c	No	1996
2307_03	From Little Box Canyon upstream to the Alamo Grade Structure	5c	No	1996
2307_04	From the Alamo Grade Structure upstream to the Guadalupe Bridge	5c	No	1996
2307_05	From the Guadalupe Bridge to downstream of the Riverside Diversion Dam	5c	No	1996

SegID: 2311 **Upper Pecos River**
 From a point immediately upstream of the confluence of Independence Creek in Crockett/Terrell County to Red Bluff Dam in Loving/Reeves County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>	
depressed dissolved oxygen				
2311_03	From US Hwy 67 upstream to FM 1776	5c	No	2006
2311_04	From FM 1776 upstream to US Hwy 80 (Bus 20)	5c	No	2006

SegID: 2314 **Rio Grande Above International Dam**
 From International Dam in El Paso County to the New Mexico State Line in El Paso County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>	
bacteria				
2314_01	From the International Dam upstream to the Anthony Drain confluence	5c	No	2002

SegID: 2421 Upper Galveston Bay

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue			
2421_01 Red Bluff to Five Mile Cut to Houston Point to Morgans Point	5a	No	1996
2421_02 Western portion of the bay	5a	No	1996
2421_03 Eastern portion of the bay	5a	No	1996
<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue			
2421_01 Red Bluff to Five Mile Cut to Houston Point to Morgans Point	5a	No	2004
2421_02 Western portion of the bay	5a	No	2004
2421_03 Eastern portion of the bay	5a	No	2004

**SegID: 2421A Clear Lake Channel (unclassified water body)
From the Lower Galveston Bay confluence to SH 146**

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue			
2421A_01 From Lower Galveston Bay confluence to SH 146	5a	No	2010
<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue			
2421A_01 From Lower Galveston Bay confluence to SH 146	5a	No	2010

SegID: 2421OW Upper Galveston Bay (Oyster Waters)

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria (oyster waters)			
2421OW_01 Entire western portion of the bay	4a	No	1996

SegID: 2422 Trinity Bay

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue			
2422_01 Upper half of bay	5a	No	2010
2422_02 Lower half of bay	5a	No	2010
<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue			
2422_01 Upper half of bay	5a	No	2010
2422_02 Lower half of bay	5a	No	2010

SegID: 2422B Double Bayou West Fork (unclassified water body)
From the Trinity Bay confluence to Belton Road in Chambers County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
2422B_01 From the Trinity Bay confluence to Belton Road	5c	No	2006
depressed dissolved oxygen			
2422B_01 From the Trinity Bay confluence to Belton Road	5b	No	2004
dioxin in edible tissue			
2422B_01 From the Trinity Bay confluence to Belton Road	5a	No	2010
PCBs in edible tissue			
2422B_01 From the Trinity Bay confluence to Belton Road	5a	No	2010

SegID: 2422D Double Bayou East Fork (unclassified water body)
From the Trinity Bay confluence to a point 2.6 km (1.6 mi) upstream of SH 65

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue			
2422D_01 From the Trinity Bay confluence to a point 2.6 km (1.6 mi) upstream of SH 65	5a	No	2010
PCBs in edible tissue			
2422D_01 From the Trinity Bay confluence to a point 2.6 km (1.6 mi) upstream of SH 65	5a	No	2010

SegID: 2422OW Trinity Bay (Oyster Waters)

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria (oyster waters)			
2422OW_01 Upper portion of the bay	4a	No	1998

SegID: 2423 East Bay

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue			
2423_01 Area adjacent to the ICWW (Segment 0702)	5a	No	2010
2423_02 Remainder of segment	5a	No	2010
PCBs in edible tissue			
2423_01 Area adjacent to the ICWW (Segment 0702)	5a	No	2010
2423_02 Remainder of segment	5a	No	2010

SegID: 2423A Oyster Bayou (unclassified water body)
 From the East Bay confluence to a point 2.2 km (1.4 mi) upstream from SH 65 in Chambers County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue			
2423A_01 From the East Bay confluence to a point 2.2 km (1.4 mi) upstream from SH 65	5a	No	2010
<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue			
2423A_01 From the East Bay confluence to a point 2.2 km (1.4 mi) upstream from SH 65	5a	No	2010

SegID: 2423OW East Bay (Oyster Waters)

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria (oyster waters)			
2423OW_01 East end of bay adjacent to the ICWW and East Bay Bayou	4a	No	1998

SegID: 2424 West Bay

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue			
2424_01 Main portion of water body	5a	No	2010
2424_02 Area adjacent to Lower Galveston Island	5a	No	2010
<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue			
2424_01 Main portion of water body	5a	No	2010
2424_02 Area adjacent to Lower Galveston Island	5a	No	2010

SegID: 2424A Highland Bayou (unclassified water body)
From Jones Bay confluence to Avenue Q 0.8 km (0.5 mi) north of SH 6 between Arcadia and Alta Loma in Galveston County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
2424A_02 From Bayou Lane upstream to Lake Road	5c	No	2002
2424A_03 From Lake Road upstream to FM 519	5c	No	2002
2424A_04 From FM 519 upstream to FM 2004	5c	No	2002
2424A_05 From FM 2004 to the headwaters just west of FM 1764	5c	No	2002

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen			
2424A_05 From FM 2004 to the headwaters just west of FM 1764	5b	No	2002

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue			
2424A_01 From the Jones Bay confluence upstream to Bayou Lane	5a	No	2010
2424A_02 From Bayou Lane upstream to Lake Road	5a	No	2010
2424A_03 From Lake Road upstream to FM 519	5a	No	2010
2424A_04 From FM 519 upstream to FM 2004	5a	No	2010
2424A_05 From FM 2004 to the headwaters just west of FM 1764	5a	No	2010

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue			
2424A_01 From the Jones Bay confluence upstream to Bayou Lane	5a	No	2010
2424A_02 From Bayou Lane upstream to Lake Road	5a	No	2010
2424A_03 From Lake Road upstream to FM 519	5a	No	2010
2424A_04 From FM 519 upstream to FM 2004	5a	No	2010
2424A_05 From FM 2004 to the headwaters just west of FM 1764	5a	No	2010

SegID: 2424C Marchand Bayou (unclassified water body)
From Highland Bayou confluence to 0.72 km (0.45 mi) north of IH 45 in Galveston County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
2424C_01 From Highland Bayou confluence 0.72 km (0.45 mi) north of IH-45	5a	No	2002

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen			
2424C_01 From Highland Bayou confluence 0.72 km (0.45 mi) north of IH-45	5c	Yes	2002

SegID: 2424D Offatts Bayou (unclassified water body)
 Located on the east end of Galveston Island, running parallel with the southern terminus of IH 45, and joins West Bay near Teichman Point

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue			
2424D_01 Upper area bordered by SH 342 and 71st Street	5a	No	2010
2424D_02 Middle area bordered by 71st Street and Walsh Street	5a	No	2010
2424D_03 Lower area bordered by Walsh Street and Techmann Point	5a	No	2010

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue			
2424D_01 Upper area bordered by SH 342 and 71st Street	5a	No	2010
2424D_02 Middle area bordered by 71st Street and Walsh Street	5a	No	2010
2424D_03 Lower area bordered by Walsh Street and Techmann Point	5a	No	2010

SegID: 2424OW West Bay (Oyster Waters)

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria (oyster waters)			
2424OW_02 Area adjacent to Lower Galveston Bay and Galveston Island	4a	No	1996

SegID: 2425 Clear Lake

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue			
2425_01 Entire segment	5a	No	2010

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue			
2425_01 Entire segment	5a	No	2010

SegID: 2425A Taylor Lake (unclassified water body)
 From the Clear Lake confluence to the Taylor Bayou confluence near Red Bluff Road in Galveston County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue			
2425A_01 From the Clear Lake confluence to the Taylor Bayou confluence near Red Bluff Road	5a	No	2010

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue			
2425A_01 From the Clear Lake confluence to the Taylor Bayou confluence near Red Bluff Road	5a	No	2010

SegID: 2425B Jarbo Bayou (unclassified water body)
 From Clear Lake confluence with Clear Lake to 1.1 km (0.67 mi) upstream of FM 518 in Galveston County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
2425B_01 From the Clear Lake confluence upstream to Lawrence Road	5a	No	2002
<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue			
2425B_01 From the Clear Lake confluence upstream to Lawrence Road	5a	No	2010
2425B_02 From Lawrence Road to the headwaters 1.1 km (0.67 mi) upstream of FM 518	5a	No	2010
<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue			
2425B_01 From the Clear Lake confluence upstream to Lawrence Road	5a	No	2010
2425B_02 From Lawrence Road to the headwaters 1.1 km (0.67 mi) upstream of FM 518	5a	No	2010

SegID: 2425D Taylor Bayou (unclassified water body)
 From the Taylor Lake confluence to a point 4.6 km (2.8 mi) upstream of State Hwy 146

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue			
2425D_01 From the Taylor Lake confluence to a point 4.6 km (2.8 mi) upstream of State Hwy 146	5a	No	2010
<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue			
2425D_01 From the Taylor Lake confluence to a point 4.6 km (2.8 mi) upstream of State Hwy 146	5a	No	2010

SegID: 2426 Tabbs Bay

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue			
2426_01 Entire segment	5a	No	1996
<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue			
2426_01 Entire segment	5a	No	2004

SegID: 2426C Goose Creek Tidal (unclassified water body)
 From the Tabbs Bay confluence upstream to the East Fork of Goose Creek confluence

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue			
2426C_01 From the Tabbs Bay confluence upstream to the East Fork of Goose Creek confluence	5a	No	2010
<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue			
2426C_01 From the Tabbs Bay confluence upstream to the East Fork of Goose Creek confluence	5a	No	2010

SegID: 2427 San Jacinto Bay

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue			
2427_01 Entire segment	5a	No	1996
<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue			
2427_01 Entire segment	5a	No	2004

SegID: 2428 Black Duck Bay

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue			
2428_01 Entire segment	5a	No	1998
<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue			
2428_01 Entire segment	5a	No	2004

SegID: 2429 Scott Bay

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue			
2429_01 Entire segment	5a	No	1998
<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
PCBs in edible tissue			
2429_01 Entire segment	5a	No	2004

SegID: 2430 Burnett Bay

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue			
2430_01 Entire segment	5a	No	1998
PCBs in edible tissue			
2430_01 Entire segment	5a	No	2004

SegID: 2430A Crystal Bay (unclassified water body)

Crystal Bay, a side bay of Burnett Bay, located between Burnett and Scott (Segment 2429) Bays adjacent to the San Jacinto Monument and Houston Ship Channel (Segment 1005)

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue			
2430A_01 Entire segment	5a	No	2010
PCBs in edible tissue			
2430A_01 Entire segment	5a	No	2010

SegID: 2431 Moses Lake

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue			
2431_01 Entire segment	5a	No	2010
PCBs in edible tissue			
2431_01 Entire segment	5a	No	2010

SegID: 2431A Moses Bayou (unclassified water body)

From Moses Lake confluence to 2.2 km (1.4 mi) upstream of SH 3 in Galveston County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue			
2431A_01 From Moses Lake confluence to 2.2 km (1.4 mi) upstream of SH 3	5a	No	2010
PCBs in edible tissue			
2431A_01 From Moses Lake confluence to 2.2 km (1.4 mi) upstream of SH 3	5a	No	2010

SegID: 2432 Chocolate Bay

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue			
2432_01 Entire segment	5a	No	2010
PCBs in edible tissue			
2432_01 Entire segment	5a	No	2010

SegID: 2432C Halls Bayou Tidal (unclassified water body)
From the Chocolate Bay confluence upstream to a point 31.5 km (19.6 mi) upstream

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue			
2432C_01 From the Chocolate Bay confluence upstream to a point 31.5 km (19.6 mi) upstream	5a	No	2010
PCBs in edible tissue			
2432C_01 From the Chocolate Bay confluence upstream to a point 31.5 km (19.6 mi) upstream	5a	No	2010

SegID: 2432OW Chocolate Bay (Oyster Waters)

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria (oyster waters)			
2432OW_01 Entire segment	4a	No	1996

SegID: 2433OW Bastrop Bay/Oyster Lake (Oyster Waters)

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria (oyster waters)			
2433OW_02 Oyster Lake	5a	No	2006

SegID: 2434OW Christmas Bay (Oyster Waters)

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria (oyster waters)			
2434OW_01 Area adjacent to West Bay	5a	No	2006

SegID: 2435OW Drum Bay (Oyster Waters)

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria (oyster waters)			
2435OW_01 Area adjacent to Christmas Bay	4a	No	2010

SegID: 2436 Barbours Cut

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue			
2436_01 Entire segment	5a	No	1998
PCBs in edible tissue			
2436_01 Entire segment	5a	No	2004

SegID: 2437 Texas City Ship Channel

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue			
2437_01 Entire segment	5a	No	2010
PCBs in edible tissue			
2437_01 Entire segment	5a	No	2010

SegID: 2438 Bayport Channel

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue			
2438_01 Entire segment	5a	No	2000
PCBs in edible tissue			
2438_01 Entire segment	5a	No	2004

SegID: 2439 Lower Galveston Bay

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
dioxin in edible tissue			
2439_01 Area adjacent to the Texas City Ship Channel and Moses Lake	5a	No	2010
2439_02 Main portion of the bay	5a	No	2010
PCBs in edible tissue			
2439_01 Area adjacent to the Texas City Ship Channel and Moses Lake	5a	No	2010
2439_02 Main portion of the bay	5a	No	2010

SegID: 2439OW Lower Galveston Bay (Oyster Waters)

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria (oyster waters)			
2439OW_01 Area adjacent to the Texas City Ship Channel and Moses Lake	4a	No	1996

SegID: 2441OW East Matagorda Bay (Oyster Waters)

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria (oyster waters)			
2441OW_01 Caney Creek arm and western shoreline area	5a	No	1998

SegID: 2442OW Cedar Lakes (Oyster Waters)

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria (oyster waters)			
2442OW_01 Entire segment	5a	No	1998

SegID: 2451OW Matagorda Bay/Powderhorn Lake (Oyster Waters)

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria (oyster waters)			
2451OW_01 Northern end of Matagorda Bay	5a	No	1996

SegID: 2452OW Tres Palacios Bay/Turtle Bay (Oyster Waters)

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria (oyster waters)			
2452OW_01 Turtle Bay and Tres Palacios Creek Arm	5a	No	1998

SegID: 2453A Garcitas Creek Tidal (unclassified water body)

From the Lavaca Bayou confluence to a point 13.7 km (8.5 mi) upstream of FM 616 in Jackson County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen			
2453A_01 From the Lavaca Bay confluence to a point 13.7 km (8.5 mi) upstream of FM 616	5b	No	1999

SegID: 2453C Arenosa Creek (unclassified water body)

From Garcitas Creek confluence upstream to J-2 Ranch Road

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
2453C_01 From Garcitas Creek confluence upstream to J-2 Ranch Road	5b	No	2010

SegID: 2453D Lavaca Bay Ship Channel Area (unclassified water body)

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen			
2453D_01 Entire segment	5c	No	2006
mercury in edible tissue			
2453D_01 Entire segment	4b	No	1996

SegID: 2453OW Lavaca Bay/Chocolate Bay (Oyster Waters)

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria (oyster waters)			
2453OW_02 North-northeastern portion of the bay near Point Comfort	5a	No	1996
2453OW_03 Chocolate Bay area	5a	No	1996

SegID: 2454OW Cox Bay (Oyster Waters)

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria (oyster waters)			
2454OW_01 North end of bay near Cox Creek	5a	No	2006

SegID: 2455OW Keller Bay (Oyster Waters)

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria (oyster waters)			
2455OW_01 Upper arm	5a	No	2006

SegID: 2456 Carancahua Bay

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
2456_02 Upper half of bay	5c	No	2006

SegID: 2456A West Carancahua Creek Tidal (unclassified water body)

From the Carancahua Bay confluence to Jackson CR 440, 10.1 km (6.3 mi) upstream of FM 616 in Jackson County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen			
2456A_01 From the Carancahua Bay confluence to Jackson CR 440, 10.1 km (6.3 mi) upstream of FM 616 in Jackson County	5c	No	2006

SegID: 2456OW Carancahua Bay (Oyster Waters)

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria (oyster waters)			
2456OW_01 Lower portion of bay	5a	No	1996

SegID: 2462OW San Antonio Bay/Hynes Bay/Guadalupe Bay (Oyster Waters)

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria (oyster waters)			
2462OW_01 Guadalupe Bay	5a	No	1996

SegID: 2472OW Copano Bay/Port Bay/Mission Bay (Oyster Waters)

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria (oyster waters)			
2472OW_01 Mission Bay, Aransas River arm, Port Bay, and eastern shoreline	5a	No	1998

SegID: 2481CB Corpus Christi Bay (Recreational Beaches)

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
2481CB_03 Cole Park (Beach ID TX259473)	5a	No	2010
2481CB_04 Ropes Park (Beach ID TX821303)	5a	No	2010

SegID: 2482OW Nueces Bay (Oyster Waters)

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
zinc in edible tissue			
2482OW_01 Entire segment	4a	No	2010

SegID: 2483OW Redfish Bay (Oyster Waters)

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria (oyster waters)			
2483OW_01 Entire segment	5a	No	2006

SegID: 2485 Oso Bay

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
2485_03 Lower portion of bay (Ocean Drive to State Park Road 22)	4a	No	2004

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
depressed dissolved oxygen			
2485_02 Middle bay (State Park Road 22 to Holly Road)	5b	No	1996

SegID: 2485A Oso Creek (unclassified water body)
 From the Oso Bay confluence in southern Corpus Christi to a point 4.8 km (3 mi) upstream of SH 44, west of Corpus Christi in Nueces County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
2485A_01 From the Oso Bay confluence in southern Corpus Christi to a point 4.8 km (3 mi) upstream of SH 44, west of Corpus Christi	5a	No	2002

SegID: 2485OW Oso Bay (Oyster Waters)

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria (oyster waters)			
2485OW_01 Entire bay	5a	No	2006

SegID: 2491 Laguna Madre

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
2491_02 Area adjacent to the Arroyo Colorado confluence	5c	No	2010
depressed dissolved oxygen			
2491_01 Upper portion of bay north of the Arroyo Colorado confluence	5b	No	1999
2491_02 Area adjacent to the Arroyo Colorado confluence	5b	No	1999

SegID: 2491OW Laguna Madre (Oyster Waters)

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria (oyster waters)			
2491OW_02 Area adjacent to the Arroyo Colorado confluence	5a	No	2006

SegID: 2492A San Fernando Creek (unclassified water body)
 From the Gayo Del Grullo confluence in Kleberg County to the Lake Alice Dam in Jim Wells County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
2492A_01 From the Cayo Del Grullo confluence to the Lake Alice Dam	5a	No	2006

SegID: 2494 Brownsville Ship Channel

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
2494_01 From the Laguna Madre confluence upstream to the Port of Brownsville	5c	No	2010

SegID: 2494A Port Isabel Fishing Harbor (unclassified water body)
From the Laguna Madre confluence to 0.4 km (0.25 mi) south of SH 100 in Port Isabel in Cameron County

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
2494A_01 From the Laguna Madre confluence to 0.4 km (0.25 mi) south of SH 100 in Port Isabel	5c	No	2010

SegID: 2501 Gulf of Mexico
From the Gulf shoreline to the limit of Texas' jurisdiction between Sabine Pass and the Rio Grande

<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>	<u>Year Segment First Listed</u>
bacteria			
2501_02 Jefferson-Chambers County line area	5c	No	2010
mercury in edible tissue			
2501_01 Sabine Pass to Sea Rim Park area	5c	No	1998
2501_02 Jefferson-Chambers County line area	5c	No	1998
2501_03 Bolivar Point to San Luis Pass area	5c	No	1998
2501_04 Freeport Area	5c	No	1998
2501_05 Area between Freeport and Port Aransas	5c	No	1998
2501_06 Port Aransas Area	5c	No	1998
2501_07 Area between Port Aransas and Port Mansfield	5c	No	1998
2501_08 Port Mansfield area	5c	No	1998
2501_09 Area between Port Mansfield and Port Isabel	5c	No	1998
2501_10 Port Isabel area	5c	No	1998