

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

Report Abbreviations	Description:		
SEGID:	Unique Segment identification alpha-numeric code; can be stream, reservoir, estuary, oyster waters, beach watch, etc.		
AUID:	Unique Assessment Unit code; this is a portion of the segment the AUID begins with and ends with _01, _02, etc. Some AUIDs are special units ending in "SA," or oyster water AUIDs are indicated by "OW" and beach watch AUIDs are indicated by abbreviations for name of beach in AUID.		
ASMT Start Date:	The start date of the period of record data for this method was selected; the official 2012 period of record is from 12/1/2003 to 11/30/2010. Assessors have the option of going back 10 years (12/1/2000) to select more data, according to assessment guidance.		
ASMT End Date	The end date of the period of record data for this method was selected; the official 2012 period of record dates are 12/1/2003 to 11/30/2010. Assessors have the option of including more recently collected data than 12/01/2010, if available.		
# Assd:	Number of samples assessed; some data are averaged, as with profile data, some are eliminated because criteria do not apply during certain conditions such as low flow.		
Mean Assd:	Mean of samples assessed; includes averaged methods like chronic criteria as well as geometric mean calculations for bacteria.		
# Exceed:	The number of samples that exceed criteria for single sample, or binomial, methods (not averaged data).		
Mean Exceed:	This is the mean of the samples that exceeded criteria for the single sample, or binomial, methods (not averaged data).		
Criteria:	Value that the data is compared against to determine level of support; Note: for acute metals in water, each value is compared to a calculated criteria and not all criteria could be reported here, only the minimum in the range of criteria calculated are included.		
DS Qual:	<p><i>Dataset Qualifier - indicates sample sizes:</i></p> <table style="width: 100%; border: none;"> <tr> <td style="width: 50%; vertical-align: top;"> AD = Adequate Data (10 or more samples) LD = Limited Data (less than 9, greater than 3) ID = Inadequate Data (less than 4) JQ = Level of support is based on judgment of the assessor </td> <td style="width: 50%; vertical-align: top;"> SM = This assessment method is superseded by another method TR = Temporally Not Representative, used with NA SR = Spatially Not Representative, used with NA OE = Other information than ambient samples evaluated, generally information is provided by outside entity </td> </tr> </table>	AD = Adequate Data (10 or more samples) LD = Limited Data (less than 9, greater than 3) ID = Inadequate Data (less than 4) JQ = Level of support is based on judgment of the assessor	SM = This assessment method is superseded by another method TR = Temporally Not Representative, used with NA SR = Spatially Not Representative, used with NA OE = Other information than ambient samples evaluated, generally information is provided by outside entity
AD = Adequate Data (10 or more samples) LD = Limited Data (less than 9, greater than 3) ID = Inadequate Data (less than 4) JQ = Level of support is based on judgment of the assessor	SM = This assessment method is superseded by another method TR = Temporally Not Representative, used with NA SR = Spatially Not Representative, used with NA OE = Other information than ambient samples evaluated, generally information is provided by outside entity		
LOS:	<p><i>Level of support for this use, method, assessment parameter:</i></p> <table style="width: 100%; border: none;"> <tr> <td style="width: 50%; vertical-align: top;"> FS = Fully Supporting NC = No Concern NA = Not Assessed </td> <td style="width: 50%; vertical-align: top;"> NS = Nonsupport CS = Screening Level Concern CN = Use Concern </td> </tr> </table>	FS = Fully Supporting NC = No Concern NA = Not Assessed	NS = Nonsupport CS = Screening Level Concern CN = Use Concern
FS = Fully Supporting NC = No Concern NA = Not Assessed	NS = Nonsupport CS = Screening Level Concern CN = Use Concern		
CF:	Carry forward indicator check box: indicates that the Integrated level of support of CS, CN, or NS was carried forward from a previous assessment due to inadequate data for this method in this assessment.		
Int LOS:	Integrated level of support. This is the overall level of support for this use, method, parameter group, which could be different from the LOS (described above) due to carry forward information or other types of changes. New Code added in 2010: PI = Pending Issue		
TCEQ Cause	This is the impairment description (e.g., bacteria, depressed dissolved oxygen, etc.)		
Cat:	<p><i>This is the assessment category assigned to this impairment. Subcategories as follows:</i></p> <p>Category 4: Standard is not supported or is threatened for one or more designated uses but does not require the development of a TMDL.</p> <p style="margin-left: 20px;">4a - TMDL has been completed and approved by EPA. Category.</p> <p style="margin-left: 20px;">4b - Other pollution control requirements are reasonably expected to result in the attainment of the water quality standard in the near future.</p> <p style="margin-left: 20px;">4c - Nonsupport of the water quality standard is not caused by a pollutant.</p> <p>Category 5: The water body does not meet applicable water quality standards or is threatened for one or more designated uses by one or more pollutants.</p> <p style="margin-left: 20px;">5a - A TMDL is underway, scheduled, or will be scheduled.</p> <p style="margin-left: 20px;">5b - A review of the water quality standards for this water body will be conducted before a TMDL is scheduled.</p> <p style="margin-left: 20px;">5c - Additional data and information will be collected before a TMDL is scheduled.</p>		

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

SEGID **2411 Sabine Pass**

AUID **2411_01**

From the end of jetties at the Gulf of Mexico to SH 82

USE **Aquatic Life Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	31		0		5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	31		0		4.00	AD	FS	<input type="checkbox"/>	FS		

USE **Recreation Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	Enterococcus	12/1/2003	11/30/2010	30	29.18	0		35.00	AD	FS	<input type="checkbox"/>	FS		

USE **General Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2003	11/30/2010	31		0		35.00	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2003	11/30/2010	31		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2003	11/30/2010	31		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	38		0		0.21	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	36		6	14.2	11.60	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	36		1	0.12	0.10	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	38		0		0.19	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	39		1	0.33	0.17	AD	NC	<input type="checkbox"/>	NC		

USE **Fish Consumption Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input type="checkbox"/>	NS	PCBs in edible tissue	5a

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

SEGID 2411OW Sabine Pass (Oyster Waters)

AUID 2411OW_01 Entire segment

USE Oyster Waters Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Shellfish Harvesting Maps	DSHS Shellfishing Restrictions	12/1/2003	11/30/2010						OE	NA	<input checked="" type="checkbox"/>	NA		

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

SEGID 2412 Sabine Lake

AUID 2412_01 Entire segment

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	73		0		4.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	73		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Toxic Substances in sediment	Arsenic	12/1/2003	11/30/2010	54		0		70.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Mercury	12/1/2003	11/30/2010	54		0		0.71	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Zinc	12/1/2003	11/30/2010	53		0		410.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Silver	12/1/2003	11/30/2010	53		0		3.70	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Nickel	12/1/2003	11/30/2010	53		0		51.60	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Lead	12/1/2003	11/30/2010	53		0		218.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Copper	12/1/2003	11/30/2010	53		0		270.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Cadmium	12/1/2003	11/30/2010	54		0		9.60	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Chromium	12/1/2003	11/30/2010	53		0		370.00	AD	NC	<input type="checkbox"/>	NC		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	Enterococcus	12/1/2003	11/30/2010	73	17.94	0		35.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2003	11/30/2010	75		0		35.00	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2003	11/30/2010	75		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2003	11/30/2010	75		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	66		12	15.69	11.60	AD	NC	<input type="checkbox"/>	NC		

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

AUID 2412_01 Entire segment

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	72		1	0.25	0.17	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	69		0		0.19	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	70		5	0.16	0.10	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	71		1	0.31	0.21	AD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input type="checkbox"/>	NS	PCBs in edible tissue	5a

SEGID 2412OW Sabine Lake (Oyster Waters)

AUID 2412OW_01 Entire segment

USE Oyster Waters Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Shellfish Harvesting Maps	DSHS Shellfishing Restrictions	12/1/2003	11/30/2010						OE	NA	<input checked="" type="checkbox"/>	NA		

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

SEGID 2421 Upper Galveston Bay

AUID 2421_01 Red Bluff to Five Mile Cut to Houston Point to Morgans Point

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	38		0		4.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	38		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Toxic Substances in sediment	Copper	12/1/2001	11/30/2010	7		0		270.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Zinc	12/1/2001	11/30/2010	7		0		410.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Silver	12/1/2001	11/30/2010	7		0		3.70	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Nickel	12/1/2001	11/30/2010	7		0		51.60	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Lead	12/1/2001	11/30/2010	7		0		218.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Chromium	12/1/2001	11/30/2010	7		0		370.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Cadmium	12/1/2001	11/30/2010	7		0		9.60	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Arsenic	12/1/2001	11/30/2010	7		0		70.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Mercury	12/1/2001	11/30/2010	7		0		0.71	LD	NC	<input type="checkbox"/>	NC		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	Enterococcus	12/1/2003	11/30/2010	38	11.36	0		35.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2003	11/30/2010	38		0		35.00	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2003	11/30/2010	37		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2003	11/30/2010	37		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	35		22	0.44	0.17	AD	CS	<input type="checkbox"/>	CS	nitrate	

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

AUID 2421_01 Red Bluff to Five Mile Cut to Houston Point to Morgans Point

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	31		7	0.25	0.19	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	35		6	0.14	0.10	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	35		21	0.28	0.21	AD	CS	<input type="checkbox"/>	CS	total phosphorus	
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	33		27	29.24	11.60	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	PCBs in edible tissue	5a
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	dioxin in edible tissue	5a

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

AUID

2421_02

Western portion of the bay

USE

Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	89		1	3.57	4.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	89		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Toxic Substances in sediment	Lead	12/1/2001	11/30/2010	14		0		218.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	DDE	12/1/2001	11/30/2010	1		0		374.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	DDT	12/1/2001	11/30/2010	1		0		4.77	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Zinc	12/1/2001	11/30/2010	14		0		410.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Silver	12/1/2001	11/30/2010	14		0		3.70	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Nickel	12/1/2001	11/30/2010	14		0		51.60	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Mercury	12/1/2001	11/30/2010	14		0		0.71	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	DDD	12/1/2001	11/30/2010	1		0		7.81	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Copper	12/1/2001	11/30/2010	14		0		270.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Chromium	12/1/2001	11/30/2010	14		0		370.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Chlordane	12/1/2001	11/30/2010	1		0		4.79	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Dieldrin	12/1/2001	11/30/2010	1		0		4.30	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Arsenic	12/1/2001	11/30/2010	14		0		70.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Cadmium	12/1/2001	11/30/2010	14		0		9.60	AD	NC	<input type="checkbox"/>	NC		

USE

Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	Enterococcus	12/1/2003	11/30/2010	81	12.12	0		35.00	AD	FS	<input type="checkbox"/>	FS		

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

AUID 2421_02 Western portion of the bay

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2003	11/30/2010	90		0		35.00	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2003	11/30/2010	90		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2003	11/30/2010	90		1	6	6.50	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	88		26	0.41	0.17	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	84		68	25.73	11.60	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	87		46	0.27	0.21	AD	CS	<input type="checkbox"/>	CS	total phosphorus	
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	83		11	0.24	0.19	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	88		1	0.12	0.10	AD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	dioxin in edible tissue	5a
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	PCBs in edible tissue	5a

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

AUID 2421_03 Eastern portion of the bay

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	67		0		4.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	67		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Toxic Substances in sediment	Lead	12/1/2001	11/30/2010	10		0		218.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Mercury	12/1/2001	11/30/2010	10		0		0.71	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Nickel	12/1/2001	11/30/2010	10		0		51.60	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Zinc	12/1/2001	11/30/2010	10		0		410.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Chromium	12/1/2001	11/30/2010	10		0		370.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Cadmium	12/1/2001	11/30/2010	10		0		9.60	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Arsenic	12/1/2001	11/30/2010	10		0		70.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Silver	12/1/2001	11/30/2010	10		0		3.70	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Copper	12/1/2001	11/30/2010	10		0		270.00	AD	NC	<input type="checkbox"/>	NC		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	Enterococcus	12/1/2003	11/30/2010	63	11.06	0		35.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2003	11/30/2010	68		0		35.00	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2003	11/30/2010	68		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2003	11/30/2010	68		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	62		49	21.41	11.60	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	68		10	0.34	0.17	AD	NC	<input type="checkbox"/>	NC		

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

AUID 2421_03 Eastern portion of the bay

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	62		0		0.19	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	67		2	0.2	0.10	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	66		13	0.24	0.21	AD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	dioxin in edible tissue	5a
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	PCBs in edible tissue	5a

SEGID 2421A Clear Lake Channel (unclassified water body)

AUID 2421A_01 From Lower Galveston Bay confluence to SH 146

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	0				0.10	ID	NA	<input checked="" type="checkbox"/>	CS	ammonia	
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	0				0.21	ID	NA	<input checked="" type="checkbox"/>	CS	total phosphorus	

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	dioxin in edible tissue	5a
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	PCBs in edible tissue	5a

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

SEGID 2421OW Upper Galveston Bay (Oyster Waters)

AUID 2421OW_01 Entire western portion of the bay

USE Oyster Waters Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Shellfish Harvesting Maps	DSHS Shellfishing Restrictions	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	bacteria (oyster waters)	4a

AUID 2421OW_02 Eastern portion of the bay

USE Oyster Waters Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Shellfish Harvesting Maps	DSHS Shellfishing Restrictions	12/1/2003	11/30/2010						OE	FS	<input checked="" type="checkbox"/>	FS		

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

SEGID 2422 Trinity Bay

AUID 2422_01

Upper half of bay

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	153		0		4.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	153		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Toxic Substances in sediment	Mercury	12/1/2003	11/30/2010	24		0		0.71	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Zinc	12/1/2003	11/30/2010	24		0		410.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Silver	12/1/2003	11/30/2010	24		0		3.70	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Arsenic	12/1/2003	11/30/2010	24		0		70.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Nickel	12/1/2003	11/30/2010	24		0		51.60	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Copper	12/1/2003	11/30/2010	24		0		270.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Cadmium	12/1/2003	11/30/2010	24		0		9.60	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Lead	12/1/2003	11/30/2010	24		0		218.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Chromium	12/1/2003	11/30/2010	24		0		370.00	AD	NC	<input type="checkbox"/>	NC		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	Enterococcus	12/1/2003	11/30/2010	150	10.74	0		35.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2003	11/30/2010	158		0		35.00	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2003	11/30/2010	158		1	9.2	9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2003	11/30/2010	158		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	159		45	0.41	0.17	AD	CS	<input type="checkbox"/>	CS	nitrate	

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

AUID 2422_01 Upper half of bay

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	141		8	0.23	0.19	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	159		7	0.16	0.10	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	159		27	0.26	0.21	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	146		59	24.71	11.60	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	dioxin in edible tissue	5a
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	PCBs in edible tissue	5a

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

AUID 2422_02 Lower half of bay

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	69		0		4.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	69		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Toxic Substances in sediment	Arsenic	12/1/2003	11/30/2010	13		0		70.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Cadmium	12/1/2003	11/30/2010	13		0		9.60	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Chromium	12/1/2003	11/30/2010	13		0		370.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Copper	12/1/2003	11/30/2010	13		0		270.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Lead	12/1/2003	11/30/2010	13		0		218.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Mercury	12/1/2003	11/30/2010	13		0		0.71	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Nickel	12/1/2003	11/30/2010	13		0		51.60	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Silver	12/1/2003	11/30/2010	13		0		3.70	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Zinc	12/1/2003	11/30/2010	13		0		410.00	AD	NC	<input type="checkbox"/>	NC		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	Enterococcus	12/1/2003	11/30/2010	67	11.05	0		35.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2003	11/30/2010	72		0		35.00	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2003	11/30/2010	72		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2003	11/30/2010	72		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	73		13	0.43	0.17	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	69		4	0.22	0.19	AD	NC	<input type="checkbox"/>	NC		

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

AUID 2422_02 Lower half of bay

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	72		4	0.15	0.10	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	73		13	0.26	0.21	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	68		35	20.66	11.60	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	dioxin in edible tissue	5a
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	PCBs in edible tissue	5a

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

SEGID 2422B Double Bayou West Fork (unclassified water body)

AUID 2422B_01 From the Trinity Bay confluence to Belton Road

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	127		18	2.94	4.00	AD	CS	<input type="checkbox"/>	CS	depressed dissolved oxygen	
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	127		8	2.17	3.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/1/2003	11/30/2010	14		6	2.66	4.00	AD	NS	<input type="checkbox"/>	NS	depressed dissolved oxygen	5b
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/1/2003	11/30/2010	14		5	1.56	3.00	AD	NS	<input type="checkbox"/>	NS	depressed dissolved oxygen	5b
Habitat	Habitat	12/1/2003	11/30/2010	3	15.00			20.00	JQ	CS	<input type="checkbox"/>	NA		
Macrobenthic Community	Macrobenthic Community	12/1/2003	11/30/2010	3	27.92			39.00	JQ	NS	<input type="checkbox"/>	NA		
Fish Community	Fish Community	12/1/2003	11/30/2010	6	38.50			39.00	JQ	NS	<input type="checkbox"/>	NA		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	Enterococcus	12/1/2003	11/30/2010	48	63.14	1		35.00	AD	NS	<input type="checkbox"/>	NS	bacteria	5c

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	89		5	1.83	1.10	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	117		0		0.46	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	51		0		0.46	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	121		3	1.02	0.66	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	116		36	43.13	21.00	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	dioxin in edible tissue	5a

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

AUID 2422B_01 From the Trinity Bay confluence to Belton Road

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	PCBs in edible tissue	5a

SEGID 2422D Double Bayou East Fork (unclassified water body)

AUID 2422D_01 From the Trinity Bay confluence to a point 2.6 km (1.6 mi) upstream of SH 65

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	96		13	2.61	4.00	AD	CS	<input type="checkbox"/>	CS	depressed dissolved oxygen	
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	96		8	2.08	3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	Enterococcus	12/1/2003	11/30/2010	27	45.55	1		35.00	JQ	NS	<input type="checkbox"/>	CN	bacteria	

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	70		0		1.10	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	89		10	35.44	21.00	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	93		1	0.68	0.66	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	87		0		0.46	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	25		0		0.46	AD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	dioxin in edible tissue	5a
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	PCBs in edible tissue	5a

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

SEGID 2422OW Trinity Bay (Oyster Waters)

AUID 2422OW_01 Upper portion of the bay

USE Oyster Waters Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Shellfish Harvesting Maps	DSHS Shellfishing Restrictions	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	bacteria (oyster waters)	4a

AUID 2422OW_02 Lower portion of the bay

USE Oyster Waters Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Shellfish Harvesting Maps	DSHS Shellfishing Restrictions	12/1/2003	11/30/2010						OE	FS	<input checked="" type="checkbox"/>	FS		

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

SEGID 2423 East Bay

AUID 2423_01

Area adjacent to the ICWW (Segment 0702)

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	20		0		4.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	20		0		3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	Enterococcus	12/1/2003	11/30/2010	18	13.49	0		35.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2003	11/30/2010	20		0		35.00	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2003	11/30/2010	20		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2003	11/30/2010	20		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	17		9	19.33	11.60	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	19		2	0.23	0.21	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	20		1	0.14	0.10	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	18		1	0.26	0.17	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	18		0		0.19	AD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	dioxin in edible tissue	5a
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	PCBs in edible tissue	5a

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

AUID 2423_02 Remainder of segment

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	77		0		4.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	77		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Toxic Substances in sediment	Lead	12/1/2003	11/30/2010	15		0		218.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Mercury	12/1/2003	11/30/2010	15		0		0.71	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Nickel	12/1/2003	11/30/2010	15		0		51.60	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Zinc	12/1/2003	11/30/2010	15		0		410.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Chromium	12/1/2003	11/30/2010	15		0		370.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Cadmium	12/1/2003	11/30/2010	15		0		9.60	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Arsenic	12/1/2003	11/30/2010	15		0		70.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Silver	12/1/2003	11/30/2010	15		0		3.70	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Copper	12/1/2003	11/30/2010	15		0		270.00	AD	NC	<input type="checkbox"/>	NC		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	Enterococcus	12/1/2003	11/30/2010	71	10.00	0		35.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2003	11/30/2010	77		0		35.00	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2003	11/30/2010	77		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2003	11/30/2010	77		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	68		27	16.68	11.60	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	72		1	0.35	0.17	AD	NC	<input type="checkbox"/>	NC		

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

AUID 2423_02 Remainder of segment

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	71		0		0.19	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	77		3	0.12	0.10	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	74		5	0.28	0.21	AD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	dioxin in edible tissue	5a
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	PCBs in edible tissue	5a

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

SEGID 2423A Oyster Bayou (unclassified water body)

AUID 2423A_01

From the East Bay confluence to a point 2.2 km (1.4 mi) upstream from SH 65

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	24		3	3.8	4.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	24		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/1/2003	11/30/2010	6		0		4.00	LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/1/2003	11/30/2010	6		2	2.37	3.00	LD	CN	<input type="checkbox"/>	CN	depressed dissolved oxygen	

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	Enterococcus	12/1/2003	11/30/2010	24	33.24	0		35.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	23		0		1.10	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	22		0		0.46	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	23		0		0.46	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	22		0		0.66	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	22		10	58.93	21.00	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	dioxin in edible tissue	5a
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	PCBs in edible tissue	5a

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

SEGID 2423OW East Bay (Oyster Waters)

AUID 2423OW_01 East end of bay adjacent to the ICWW and East Bay Bayou

USE Oyster Waters Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Shellfish Harvesting Maps	DSHS Shellfishing Restrictions	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	bacteria (oyster waters)	4a

AUID 2423OW_02 Remainder of the bay

USE Oyster Waters Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Shellfish Harvesting Maps	DSHS Shellfishing Restrictions	12/1/2003	11/30/2010						OE	FS	<input checked="" type="checkbox"/>	FS		

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

SEGID 2424 West Bay

AUID 2424_01

Main portion of water body

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	101		0		4.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	101		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Toxic Substances in sediment	Arsenic	12/1/2003	11/30/2010	15		0		70.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Cadmium	12/1/2003	11/30/2010	15		0		9.60	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Chromium	12/1/2003	11/30/2010	15		0		370.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Copper	12/1/2003	11/30/2010	15		0		270.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Lead	12/1/2003	11/30/2010	15		0		218.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Mercury	12/1/2003	11/30/2010	15		0		0.71	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Nickel	12/1/2003	11/30/2010	15		0		51.60	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Silver	12/1/2003	11/30/2010	15		0		3.70	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Zinc	12/1/2003	11/30/2010	15		0		410.00	AD	NC	<input type="checkbox"/>	NC		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	Enterococcus	12/1/2003	11/30/2010	102	10.47	0		35.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2003	11/30/2010	108		0		35.00	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2003	11/30/2010	108		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2003	11/30/2010	108		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	104		1	0.23	0.17	AD	NC	<input type="checkbox"/>	NC		

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

AUID 2424_01 Main portion of water body

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	99		0		0.19	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	107		3	0.2	0.10	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	103		1	0.3	0.21	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	101		9	14.94	11.60	AD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	dioxin in edible tissue	5a
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	PCBs in edible tissue	5a

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

AUID 2424_02 Area adjacent to Lower Galveston Island

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	32		0		4.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	32		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Toxic Substances in sediment	Copper	12/1/2003	11/30/2010	2		0		270.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Zinc	12/1/2003	11/30/2010	2		0		410.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Silver	12/1/2003	11/30/2010	2		0		3.70	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Nickel	12/1/2003	11/30/2010	2		0		51.60	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Mercury	12/1/2003	11/30/2010	2		0		0.71	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Chromium	12/1/2003	11/30/2010	2		0		370.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Cadmium	12/1/2003	11/30/2010	2		0		9.60	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Arsenic	12/1/2003	11/30/2010	2		0		70.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Lead	12/1/2003	11/30/2010	2		0		218.00	ID	NA	<input type="checkbox"/>	NA		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	Enterococcus	12/1/2003	11/30/2010	37	7.54	0		35.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2003	11/30/2010	38		0		35.00	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2003	11/30/2010	37		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2003	11/30/2010	37		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	33		1	14	11.60	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	38		1	0.27	0.17	AD	NC	<input type="checkbox"/>	NC		

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

AUID 2424_02 Area adjacent to Lower Galveston Island

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	33		0		0.19	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	38		1	0.11	0.10	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	38		2	0.32	0.21	AD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	dioxin in edible tissue	5a
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	PCBs in edible tissue	5a

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

SEGID 2424A Highland Bayou (unclassified water body)

AUID 2424A_01

From the Jones Bay confluence upstream to Bayou Lane

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	74		12	3.34	4.00	AD	CS	<input type="checkbox"/>	CS	depressed dissolved oxygen	
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	74		2	2.15	3.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/1/2003	11/30/2010	5		0		4.00	LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/1/2003	11/30/2010	5		1	2.3	3.00	LD	NC	<input type="checkbox"/>	NC		
Habitat	Habitat	12/1/2003	11/30/2010	3	15.00			20.00	JQ	CS	<input type="checkbox"/>	NA		
Macrobenthic Community	Macrobenthic Community	12/1/2003	11/30/2010	3	19.62			29.00	JQ	NS	<input type="checkbox"/>	NA		
Fish Community	Fish Community	12/1/2003	11/30/2010	3	27.92			39.00	JQ	NS	<input type="checkbox"/>	NA		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	Enterococcus	12/1/2003	11/30/2010	71	29.19	0		35.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	26		2	25.5	21.00	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	36		0		1.10	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	33		0		0.46	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	36		0		0.46	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	36		1	8.28	0.66	AD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	PCBs in edible tissue	5a

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

AUID 2424A_01 From the Jones Bay confluence upstream to Bayou Lane

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	dioxin in edible tissue	5a

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

AUID 2424A_02 From Bayou Lane upstream to Lake Road

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	26		1	3.8	4.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	26		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/1/2003	11/30/2010	6		0		4.00	LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/1/2003	11/30/2010	6		2	2.25	3.00	LD	CN	<input type="checkbox"/>	CN	depressed dissolved oxygen	
Habitat	Habitat	12/1/2003	11/30/2010	3	19.00			20.00	JQ	CS	<input type="checkbox"/>	NA		
Macroenthic Community	Macroenthic Community	12/1/2003	11/30/2010	3	23.82			229.00	JQ	NS	<input type="checkbox"/>	NA		
Fish Community	Fish Community	12/1/2003	11/30/2010	3	29.69			39.00	JQ	NS	<input type="checkbox"/>	NA		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	Enterococcus	12/1/2003	11/30/2010	20	45.85	1		35.00	AD	NS	<input type="checkbox"/>	NS	bacteria	5c

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	6		0		0.46	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	6		1	10	0.66	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	6		0		0.46	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	6		0		1.10	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	5		5	35.6	21.00	LD	CS	<input type="checkbox"/>	CS	chlorophyll-a	

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	dioxin in edible tissue	5a
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	PCBs in edible tissue	5a

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

AUID 2424A_03 From Lake Road upstream to FM 519

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	56		14	2.83	4.00	AD	CS	<input type="checkbox"/>	CS	depressed dissolved oxygen	
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	56		7	2.13	3.00	AD	CN	<input type="checkbox"/>	CN	depressed dissolved oxygen	
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/1/2003	11/30/2010	6		1	2.6	4.00	LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/1/2003	11/30/2010	6		2	1.85	3.00	LD	CN	<input type="checkbox"/>	CN	depressed dissolved oxygen	
Habitat	Habitat	12/1/2003	11/30/2010	3	15.00			20.00	AD	NC	<input type="checkbox"/>	NC		
Macrobenthic Community	Macrobenthic Community	12/1/2003	11/30/2010	3	23.12			29.00	JQ	NS	<input type="checkbox"/>	NA		
Fish Community	Fish Community	12/1/2003	11/30/2010	3	28.63			39.00	JQ	NS	<input type="checkbox"/>	NA		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	Enterococcus	12/1/2003	11/30/2010	54	73.50	1		35.00	AD	NS	<input type="checkbox"/>	NS	bacteria	5c

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	36		2	2.1	0.66	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	8		5	40.4	21.00	LD	CS	<input type="checkbox"/>	CS	chlorophyll-a	
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	33		0		0.46	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	36		4	2.07	1.10	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	36		0		0.46	AD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	dioxin in edible tissue	5a
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	PCBs in edible tissue	5a

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

AUID 2424A_04 From FM 519 upstream to FM 2004

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	41		10	2.89	4.00	AD	CS	<input type="checkbox"/>	CS	depressed dissolved oxygen	
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	41		5	2.5	3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	Enterococcus	12/1/2001	11/30/2010	20	129.76	1		35.00	AD	NS	<input type="checkbox"/>	NS	bacteria	5c

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	1		0		1.10	ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	1		0		0.46	ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	1		0		0.46	ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	1		0		0.66	ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	1		0		21.00	ID	NA	<input type="checkbox"/>	NA		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	PCBs in edible tissue	5a
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	dioxin in edible tissue	5a

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

AUID 2424A_05 From FM 2004 to the headwaters just west of FM 1764

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	51		28	2.05	4.00	AD	CS	<input type="checkbox"/>	CS	depressed dissolved oxygen	
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	51		21	1.61	3.00	AD	NS	<input type="checkbox"/>	NS	depressed dissolved oxygen	5b
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/1/2003	11/30/2010	7		7	2.17	4.00	LD	NS	<input type="checkbox"/>	NS	depressed dissolved oxygen	5b
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/1/2003	11/30/2010	7		7	1.01	3.00	LD	NS	<input type="checkbox"/>	NS	depressed dissolved oxygen	5b
Habitat	Habitat	12/1/2003	11/30/2010	3	18.30			20.00	JQ	CS	<input type="checkbox"/>	NA		
Macrobenthic Community	Macrobenthic Community	12/1/2003	11/30/2010	3	19.62			29.00	JQ	NS	<input type="checkbox"/>	NA		
Fish Community	Fish Community	12/1/2003	11/30/2010	3	32.52			39.00	JQ	NS	<input type="checkbox"/>	NA		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	Enterococcus	12/1/2003	11/30/2010	54	179.38	1		35.00	AD	NS	<input type="checkbox"/>	NS	bacteria	5c

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	6		4	32.75	21.00	LD	CS	<input type="checkbox"/>	CS	chlorophyll-a	
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	35		0		0.66	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	35		0		0.46	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	36		0		1.10	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	32		0		0.46	AD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	dioxin in edible tissue	5a
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	PCBs in edible tissue	5a

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

SEGID 2424B Lake Madeline (unclassified water body)

AUID 2424B_01 Between Jones Street, Stewart Street and Pine Street, north of the seawall on Galveston Island

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	25		5	3.53	4.00	AD	CS	<input type="checkbox"/>	CS	depressed dissolved oxygen	
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	25		3	3.72	3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	Enterococcus	12/1/2003	11/30/2010	29	10.58	0		35.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	29		3	0.3	0.17	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	25		1	0.27	0.19	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	30		5	0.29	0.10	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	30		9	0.27	0.21	AD	CS	<input type="checkbox"/>	CS	total phosphorus	
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	25		17	35.24	11.60	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

SEGID 2424C Marchand Bayou (unclassified water body)

AUID 2424C_01

From Highland Bayou confluence 0.72 km (0.45 mi) north of IH-45

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	75		13	2.6	4.00	AD	CS	<input type="checkbox"/>	CS	depressed dissolved oxygen	
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	75		6	1.47	3.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/1/2003	11/30/2010	7		2	3.25	4.00	LD	CN	<input type="checkbox"/>	CN	depressed dissolved oxygen	
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/1/2003	11/30/2010	7		3	2.03	3.00	LD	NS	<input type="checkbox"/>	NS	depressed dissolved oxygen	5c
Habitat	Habitat	12/1/2003	11/30/2010	3	15.00			20.00	JQ	CS	<input type="checkbox"/>	NA		
Macrobenthic Community	Macrobenthic Community	12/1/2003	11/30/2010	3	28.37			29.00	JQ	NS	<input type="checkbox"/>	NA		
Fish Community	Fish Community	12/1/2003	11/30/2010	3	35.35			39.00	JQ	NS	<input type="checkbox"/>	NA		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	Enterococcus	12/1/2003	11/30/2010	41	106.73	1		35.00	AD	NS	<input type="checkbox"/>	NS	bacteria	5a

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	33		0		0.46	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	36		0		0.46	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	36		0		0.66	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	7		2	28.5	21.00	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	37		0		1.10	AD	NC	<input type="checkbox"/>	NC		

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

SEGID 2424D Offatts Bayou (unclassified water body)

AUID 2424D_01 Upper area bordered by SH 342 and 71st Street

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	24		0		4.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	24		0		3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	Enterococcus	12/1/2003	11/30/2010	27	5.95	0		35.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	28		1	0.36	0.17	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	24		0		0.19	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	28		2	0.7	0.10	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	28		1	0.22	0.21	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	24		4	16.5	11.60	AD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	dioxin in edible tissue	5a
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	PCBs in edible tissue	5a

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

AUID 2424D_02 Middle area bordered by 71st Street and Walsh Street

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	28		0		4.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	28		0		3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	Enterococcus	12/1/2003	11/30/2010	31	5.55	0		35.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	32		1	0.22	0.21	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	27		9	16.21	11.60	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	32		1	0.21	0.10	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	28		0		0.19	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	32		1	0.19	0.17	AD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	PCBs in edible tissue	5a
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	dioxin in edible tissue	5a

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

AUID 2424D_03 Lower area bordered by Walsh Street and Techmann Point

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	5		0		4.00	LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	5		0		3.00	LD	NC	<input type="checkbox"/>	NC		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	Enterococcus	12/1/2001	11/30/2010	10	15.11	0		35.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	5		0		11.60	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	6		0		0.21	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	6		0		0.10	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	6		1	0.24	0.17	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	5		0		0.19	LD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	dioxin in edible tissue	5a
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	PCBs in edible tissue	5a

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

SEGID 2424E English Bayou (unclassified water body)

AUID 2424E_01 Entire segment

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	25		3	3.08	4.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	25		1	2.47	3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	Enterococcus	12/1/2003	11/30/2010	29	9.07	0		35.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	19		8	14.38	11.60	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	30		3	0.26	0.17	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	25		1	0.2	0.19	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	30		2	0.51	0.10	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	30		3	0.24	0.21	AD	NC	<input type="checkbox"/>	NC		

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

SEGID 2424G Highland Bayou Diversion Canal (unclassified water body)

AUID 2424G_01 From the confluence with an unnamed tributary adjacent to Jones Bay upstream to the Highland Bayou confluence

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	29		3	2.71	4.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	29		2	2.17	3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	Enterococcus	12/1/2003	11/30/2010	31	29.84	0		35.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	29		1	1.26	1.10	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	26		0		0.46	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	29		0		0.46	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	29		0		0.66	AD	NC	<input type="checkbox"/>	NC		

SEGID 2424OW West Bay (Oyster Waters)

AUID 2424OW_01 Main portion of bay

USE Oyster Waters Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Shellfish Harvesting Maps	DSHS Shellfishing Restrictions	12/1/2003	11/30/2010						OE	FS	<input checked="" type="checkbox"/>	FS		

AUID 2424OW_02 Area adjacent to Lower Galveston Bay and Galveston Island

USE Oyster Waters Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Shellfish Harvesting Maps	DSHS Shellfishing Restrictions	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	bacteria (oyster waters)	4a

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

SEGID 2424SP Galveston Island State Park (Recreational Beaches)

AUID 2424SP_01 Galveston Island State Park Backside (Beach ID TX226514)

USE Recreational Beaches

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Texas Beach Watch Program Advisories	Enterococcus	12/1/2003	11/30/2010	221		17	7.69		AD	FS	<input type="checkbox"/>	FS		

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

SEGID 2425 Clear Lake

AUID 2425_01 Entire segment

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	108		3	3.42	4.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	108		1	2.8	3.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2003	11/30/2010	15		0		13.50	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2003	11/30/2010	25		0		92.70	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Selenium	12/1/2003	11/30/2010	25		0		564.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2003	11/30/2010	25		0		45.40	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	12/1/2003	11/30/2010	24		0		149.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/1/2003	11/30/2010	25		0		118.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2003	11/30/2010	24		0		133.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2003	11/30/2010	24	0.84	0		5.30	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2003	11/30/2010	25	2.08	0		84.20	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/1/2003	11/30/2010	25	2.70	0		13.10	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2003	11/30/2010	15	2.65	0		3.60	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2003	11/30/2010	25	1.42	0		10.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic	12/1/2003	11/30/2010	24	20.83	0		78.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Selenium	12/1/2003	11/30/2010	25	0.22	0		136.00	AD	FS	<input type="checkbox"/>	FS		
Toxic Substances in sediment	Chromium	12/1/2003	11/30/2010	8		0		370.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Silver	12/1/2003	11/30/2010	8		0		3.70	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Nickel	12/1/2003	11/30/2010	8		0		51.60	LD	NC	<input type="checkbox"/>	NC		

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

AUID 2425_01 Entire segment

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Toxic Substances in sediment	Zinc	12/1/2003	11/30/2010	8		0		410.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Mercury	12/1/2003	11/30/2010	8		0		0.71	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Cadmium	12/1/2003	11/30/2010	8		0		9.60	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Arsenic	12/1/2003	11/30/2010	8		0		70.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Lead	12/1/2003	11/30/2010	8		0		218.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Copper	12/1/2003	11/30/2010	8		0		270.00	LD	NC	<input type="checkbox"/>	NC		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	Enterococcus	12/1/2003	11/30/2010	107	16.24	0		35.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2003	11/30/2010	110		0		35.00	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2003	11/30/2010	110		1	9.05	9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2003	11/30/2010	110		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	73		57	31.31	11.60	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	91		40	0.48	0.17	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	86		46	0.3	0.19	AD	CS	<input type="checkbox"/>	CS	orthophosphorus	
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	99		28	0.22	0.10	AD	CS	<input type="checkbox"/>	CS	ammonia	
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	99		87	0.37	0.21	AD	CS	<input type="checkbox"/>	CS	total phosphorus	

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	dioxin in edible tissue	5a

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

AUID 2425_01 Entire segment

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	PCBs in edible tissue	5a
HH Bioaccumulative Toxics in water	Chromium	12/1/2003	11/30/2010	25	1.94	0		502.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2003	11/30/2010	24	0.78	0		3.83	AD	FS	<input type="checkbox"/>	FS		

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

SEGID 2425A Taylor Lake (unclassified water body)

AUID 2425A_01 From the Clear Lake confluence to the Taylor Bayou confluence near Red Bluff Road

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	14		0		4.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	14		0		3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	Enterococcus	12/1/2003	11/30/2010	13	17.24	0		35.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	9		4	0.54	0.17	LD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	9		5	0.28	0.19	LD	CS	<input type="checkbox"/>	CS	orthophosphorus	
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	14		5	0.22	0.10	AD	CS	<input type="checkbox"/>	CS	ammonia	
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	14		13	0.33	0.21	AD	CS	<input type="checkbox"/>	CS	total phosphorus	
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	1		0		11.60	ID	NA	<input type="checkbox"/>	NA		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	PCBs in edible tissue	5a
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	dioxin in edible tissue	5a

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

SEGID 2425B Jarbo Bayou (unclassified water body)

AUID 2425B_01 From the Clear Lake confluence upstream to Lawrence Road

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	32		6	3.15	4.00	AD	CS	<input type="checkbox"/>	CS	depressed dissolved oxygen	
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	32		3	2.63	3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	Enterococcus	12/1/2003	11/30/2010	34	62.14	1		35.00	AD	NS	<input type="checkbox"/>	NS	bacteria	5a

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	29		1	2.08	1.10	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	25		8	0.79	0.46	AD	CS	<input type="checkbox"/>	CS	orthophosphorus	
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	28		0		0.46	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	29		9	1.24	0.66	AD	CS	<input type="checkbox"/>	CS	total phosphorus	

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	dioxin in edible tissue	5a
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	PCBs in edible tissue	5a

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

AUID

2425B_02

From Lawrence Road to the headwaters 1.1 km (0.67 mi) upstream of FM 518

USE

Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	Enterococcus	12/1/2003	11/30/2010	8	69.88			35.00	LD	CN	<input checked="" type="checkbox"/>	CN	bacteria	

USE

Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	dioxin in edible tissue	5a
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	PCBs in edible tissue	5a

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

SEGID 2425D Taylor Bayou (unclassified water body)

AUID 2425D_01

From the Taylor Lake confluence to a point 4.6 km (2.8 mi) upstream of State Hwy 146

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	14		0		4.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	14		0		3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	Enterococcus	12/1/2003	11/30/2010	13	15.71	0		35.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	9		0		0.46	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	14		1	0.59	0.46	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	14		0		0.66	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	9		0		1.10	LD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	dioxin in edible tissue	5a
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	PCBs in edible tissue	5a

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

SEGID 2425E Harris County Flood Control Ditch A (unclassified water body)

AUID 2425E_01 From the Taylor Bayou confluence to a point 0.28 km (0.17 mi) downstream of Fairmont Parkway

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	14		0		4.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	14		0		3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	Enterococcus	12/1/2003	11/30/2010	13	41.37	1		35.00	LD	NS	<input type="checkbox"/>	CN	bacteria	

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	14		0		0.66	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	9		0		1.10	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	9		0		0.46	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	14		2	0.6	0.46	AD	NC	<input type="checkbox"/>	NC		

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

SEGID 2426 Tabbs Bay

AUID 2426_01 Entire segment

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	74		3	3.32	4.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	74		1	2.6	3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	Enterococcus	12/1/2003	11/30/2010	71	16.97	0		35.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2003	11/30/2010	75		0		35.00	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2003	11/30/2010	75		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2003	11/30/2010	75		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	23		18	0.76	0.17	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	25		13	0.34	0.19	AD	CS	<input type="checkbox"/>	CS	orthophosphorus	
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	70		40	0.23	0.10	AD	CS	<input type="checkbox"/>	CS	ammonia	
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	66		49	0.34	0.21	AD	CS	<input type="checkbox"/>	CS	total phosphorus	
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	25		1	14	11.60	AD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	dioxin in edible tissue	5a
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	PCBs in edible tissue	5a

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

SEGID 2426C Goose Creek Tidal (unclassified water body)

AUID 2426C_01 From the Tabbs Bay confluence upstream to the East Fork of Goose Creek confluence

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	71		1	3.7	4.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	71		0		3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	Enterococcus	12/1/2003	11/30/2010	71	35.54	0		35.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	23		21	0.9	0.17	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	25		22	0.29	0.19	AD	CS	<input type="checkbox"/>	CS	orthophosphorus	
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	70		24	0.28	0.10	AD	CS	<input type="checkbox"/>	CS	ammonia	
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	66		66	0.44	0.21	AD	CS	<input type="checkbox"/>	CS	total phosphorus	

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	dioxin in edible tissue	5a
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	PCBs in edible tissue	5a

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

SEGID 2427 San Jacinto Bay

AUID 2427_01 Entire segment

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	152		2	3.3	4.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	152		1	2.7	3.00	AD	FS	<input type="checkbox"/>	FS		
Toxic Substances in sediment	Mercury	12/1/2003	11/30/2010	1		0		0.71	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Lead	12/1/2003	11/30/2010	1		0		218.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Zinc	12/1/2003	11/30/2010	1		0		410.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Silver	12/1/2003	11/30/2010	1		0		3.70	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Copper	12/1/2003	11/30/2010	1		0		270.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Arsenic	12/1/2003	11/30/2010	1		0		70.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Chromium	12/1/2003	11/30/2010	1		0		370.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Cadmium	12/1/2003	11/30/2010	1		0		9.60	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Nickel	12/1/2003	11/30/2010	1		0		51.60	ID	NA	<input type="checkbox"/>	NA		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	Enterococcus	12/1/2003	11/30/2010	148	20.04	0		35.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
High pH	pH	12/1/2003	11/30/2010	153		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2003	11/30/2010	153		1	5.45	6.50	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	53		51	0.94	0.17	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	57		38	0.33	0.19	AD	CS	<input type="checkbox"/>	CS	orthophosphorus	

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

AUID 2427_01 Entire segment

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	147		72	0.24	0.10	AD	CS	<input type="checkbox"/>	CS	ammonia	
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	139		129	0.37	0.21	AD	CS	<input type="checkbox"/>	CS	total phosphorus	
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	57		14	33.48	11.60	AD	NC	<input type="checkbox"/>	CS	chlorophyll-a	

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	dioxin in edible tissue	5a
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	PCBs in edible tissue	5a

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

SEGID 2428 Black Duck Bay

AUID 2428_01 Entire segment

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	74		0		4.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	74		0		3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	Enterococcus	12/1/2003	11/30/2010	71	13.58	0		35.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2003	11/30/2010	74		0		35.00	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2003	11/30/2010	74		1	9.1	9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2003	11/30/2010	74		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	23		7	0.39	0.17	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	25		5	0.23	0.19	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	70		10	0.18	0.10	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	66		41	0.33	0.21	AD	CS	<input type="checkbox"/>	CS	total phosphorus	
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	25		18	34.22	11.60	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	dioxin in edible tissue	5a
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	PCBs in edible tissue	5a

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

SEGID 2429 Scott Bay

AUID 2429_01 Entire segment

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	73		1	3.87	4.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	73		0		3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	Enterococcus	12/1/2003	11/30/2010	71	19.95	0		35.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2003	11/30/2010	74		0		35.00	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2003	11/30/2010	73		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2003	11/30/2010	73		1	6.3	6.50	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	66		58	0.38	0.21	AD	CS	<input type="checkbox"/>	CS	total phosphorus	
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	25		9	20.22	11.60	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	70		33	0.24	0.10	AD	CS	<input type="checkbox"/>	CS	ammonia	
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	25		18	0.32	0.19	AD	CS	<input type="checkbox"/>	CS	orthophosphorus	
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	23		23	0.93	0.17	AD	CS	<input type="checkbox"/>	CS	nitrate	

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	PCBs in edible tissue	5a
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	dioxin in edible tissue	5a

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

SEGID 2430 Burnett Bay

AUID 2430_01 Entire segment

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	80		1	3.4	4.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	80		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Toxic Substances in sediment	Mercury	12/1/2003	11/30/2010	2		0		0.71	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Silver	12/1/2003	11/30/2010	2		0		3.70	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Zinc	12/1/2003	11/30/2010	2		0		410.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Nickel	12/1/2003	11/30/2010	2		0		51.60	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Lead	12/1/2003	11/30/2010	2		0		218.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Copper	12/1/2003	11/30/2010	2		0		270.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Chromium	12/1/2003	11/30/2010	2		0		370.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Arsenic	12/1/2003	11/30/2010	2		0		70.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Cadmium	12/1/2003	11/30/2010	2		0		9.60	ID	NA	<input type="checkbox"/>	NA		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	Enterococcus	12/1/2003	11/30/2010	77	17.71	0		35.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2003	11/30/2010	82		0		35.00	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2003	11/30/2010	80		1	9.1	9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2003	11/30/2010	80		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	73		64	0.37	0.21	AD	CS	<input type="checkbox"/>	CS	total phosphorus	

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

AUID 2430_01 Entire segment

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	29		14	29.5	11.60	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	32		19	0.32	0.19	AD	CS	<input type="checkbox"/>	CS	orthophosphorus	
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	30		24	0.81	0.17	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	77		31	0.22	0.10	AD	CS	<input type="checkbox"/>	CS	ammonia	

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	dioxin in edible tissue	5a
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	PCBs in edible tissue	5a

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

SEGID 2430A Crystal Bay (unclassified water body)

AUID 2430A_01 Entire segment

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	71		0		4.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	71		0		3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	Enterococcus	12/1/2003	11/30/2010	71	20.96	0		35.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	23		22	0.89	0.17	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	25		17	0.33	0.19	AD	CS	<input type="checkbox"/>	CS	orthophosphorus	
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	70		36	0.21	0.10	AD	CS	<input type="checkbox"/>	CS	ammonia	
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	66		60	0.38	0.21	AD	CS	<input type="checkbox"/>	CS	total phosphorus	
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	25		8	26.71	11.60	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	dioxin in edible tissue	5a
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	PCBs in edible tissue	5a

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

SEGID 2431 Moses Lake

AUID 2431_01 Entire segment

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	81		4	3.61	4.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	81		0		3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	Enterococcus	12/1/2003	11/30/2010	81	28.00	0		35.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2003	11/30/2010	85		0		35.00	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2003	11/30/2010	85		1	9.1	9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2003	11/30/2010	85		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	83		4	0.24	0.17	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	76		4	0.22	0.19	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	80		5	0.14	0.10	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	81		20	0.28	0.21	AD	CS	<input type="checkbox"/>	CS	total phosphorus	
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	45		13	20.09	11.60	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	dioxin in edible tissue	5a
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	PCBs in edible tissue	5a

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

SEGID 2431A Moses Bayou (unclassified water body)

AUID 2431A_01 From Moses Lake confluence to 2.2 km (1.4 mi) upstream of SH 3

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	55		5	2.82	4.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	55		2	1.6	3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	Enterococcus	12/1/2003	11/30/2010	32	34.40	0		35.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	56		0		1.10	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	50		0		0.46	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	54		1	0.6	0.46	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	56		0		0.66	AD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	dioxin in edible tissue	5a
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	PCBs in edible tissue	5a

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

SEGID 2432 Chocolate Bay

AUID 2432_01 Entire segment

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	67		4	2.91	4.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	67		1	1.8	3.00	AD	FS	<input type="checkbox"/>	FS		
Toxic Substances in sediment	Lead	12/1/2003	11/30/2010	2		0		218.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Zinc	12/1/2003	11/30/2010	2		0		410.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Silver	12/1/2003	11/30/2010	2		0		3.70	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Mercury	12/1/2003	11/30/2010	2		0		0.71	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Chromium	12/1/2003	11/30/2010	2		0		370.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Cadmium	12/1/2003	11/30/2010	2		0		9.60	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Arsenic	12/1/2003	11/30/2010	2		0		70.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Nickel	12/1/2003	11/30/2010	2		0		51.60	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Copper	12/1/2003	11/30/2010	2		0		270.00	ID	NA	<input type="checkbox"/>	NA		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	Enterococcus	12/1/2003	11/30/2010	67	9.39	0		35.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2003	11/30/2010	68		0		35.00	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2003	11/30/2010	68		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2003	11/30/2010	68		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	58		0		0.19	AD	NC	<input type="checkbox"/>	NC		

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

AUID 2432_01 Entire segment

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	68		5	0.24	0.10	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	68		10	0.28	0.21	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	57		3	19.83	11.60	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	68		8	0.27	0.17	AD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	PCBs in edible tissue	5a
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	dioxin in edible tissue	5a

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

SEGID 2432A Mustang Bayou (unclassified water body)

AUID 2432A_01

From the New Bayou confluence upstream to County Road 166

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	16		3	3.03	5.00	AD	CS	<input type="checkbox"/>	CS	depressed dissolved oxygen	
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	16		1	0.4	3.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	15		0		1.95	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	15		0		0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	15		0		0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	15		0		0.69	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	15		0		14.10	AD	NC	<input type="checkbox"/>	NC		

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

AUID

2432A_02

From County Road 166 upstream to an unnamed trib 0.3 km upstream of SH 35.

USE **Aquatic Life Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	8		2	3.7	4.00	LD	CS	<input type="checkbox"/>	CS	depressed dissolved oxygen	
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	8		0		3.00	LD	NC	<input type="checkbox"/>	NC		

USE **Recreation Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2003	11/30/2010	5	441.30	1		126.00	LD	CN	<input type="checkbox"/>	CN	bacteria	

USE **General Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	8		0		0.69	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	8		0		14.10	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	8		0		0.37	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	8		0		1.95	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	8		0		0.33	LD	NC	<input type="checkbox"/>	NC		

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

AUID 2432A_03 From an unnamed trib 0.3 km upstream of State Hwy 35 upstream to an unnamed tributary downstream of Cartwright Road.

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	25		4	3.575	5.00	AD	CS	<input type="checkbox"/>	CS	depressed dissolved oxygen	
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	25		1	2.5	3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2003	11/30/2010	5	441.30	1		126.00	LD	CN	<input type="checkbox"/>	CN	bacteria	

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	25		0		0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	20		2	20.15	14.10	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	25		0		0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	25		0		1.95	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	25		0		0.69	AD	NC	<input type="checkbox"/>	NC		

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

SEGID 2432B Willow Bayou (unclassified water body)

AUID 2432B_01 From the Halls Bayou confluence to a point 9.7 km (6 mi) upstream.

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	22		4	2.78	5.00	AD	CS	<input type="checkbox"/>	CS	depressed dissolved oxygen	
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	22		2	2.15	3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2001	11/30/2010	18	118.81	0		126.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	22		0		0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	22		0		0.69	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	21		0		1.95	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	19		0		0.37	AD	NC	<input type="checkbox"/>	NC		

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

SEGID 2432C Halls Bayou Tidal (unclassified water body)

AUID 2432C_01 From the Chocolate Bay confluence upstream to a point 31.5 km (19.6 mi) upstream

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	57		6	2.83	4.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	57		5	2.78	3.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/1/2003	11/30/2010	15		2	3.05	4.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/1/2003	11/30/2010	15		1	2.25	3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	Enterococcus	12/1/2003	11/30/2010	46	45.30	1		35.00	AD	NS	<input type="checkbox"/>	NS	bacteria	5c

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	55		0		1.10	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	49		0		0.46	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	55		0		0.46	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	55		0		0.66	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	25		6	34.53	21.00	AD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	dioxin in edible tissue	5a
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	PCBs in edible tissue	5a

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

SEGID 2432D Persimmon Bayou (unclassified water body)

AUID 2432D_01 From the New Bayou confluence upstream to the confluence with Mustang Bayou

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	31		8	3.39	5.00	AD	CS	<input type="checkbox"/>	CS	depressed dissolved oxygen	
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	31		2	2.5	3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	Enterococcus	12/1/2001	11/30/2010	19	80.19	1		35.00	LD	NS	<input type="checkbox"/>	CN	bacteria	

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	28		2	3.72	1.95	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	25		9	0.71	0.37	AD	CS	<input type="checkbox"/>	CS	orthophosphorus	
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	29		3	1.63	0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	29		4	1.72	0.69	AD	NC	<input type="checkbox"/>	NC		

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

SEGID 2432E New Bayou (unclassified water body)

AUID 2432E_01 From the Chocolate Bay confluence upstream 25.4 km (15.8 mi) to an unnamed tributary

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	31		6	4.02	5.00	AD	CS	<input type="checkbox"/>	CS	depressed dissolved oxygen	
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	31		0		3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	Enterococcus	12/1/2003	11/30/2010	19	70.41	1		35.00	LD	NS	<input type="checkbox"/>	CN	bacteria	

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	25		4	0.57	0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	29		1	1.8	0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	29		2	0.87	0.69	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	28		0		1.95	AD	NC	<input type="checkbox"/>	NC		

SEGID 2432OW Chocolate Bay (Oyster Waters)

AUID 2432OW_01 Entire segment

USE Oyster Waters Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Shellfish Harvesting Maps	DSHS Shellfishing Restrictions	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	bacteria (oyster waters)	4a

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

SEGID 2433 Bastrop Bay/Oyster Lake

AUID 2433_01 Bastrop Bay

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2001	11/30/2010	7		0		35.00	LD	NC	<input type="checkbox"/>	NC		

AUID 2433_02 Oyster Lake

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2001	11/30/2010	7		0		35.00	LD	NC	<input type="checkbox"/>	NC		

SEGID 2433OW Bastrop Bay/Oyster Lake (Oyster Waters)

AUID 2433OW_01 Bastrop Bay

USE Oyster Waters Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Shellfish Harvesting Maps	DSHS Shellfishing Restrictions	12/1/2003	11/30/2010						OE	FS	<input checked="" type="checkbox"/>	FS		

AUID 2433OW_02 Oyster Lake

USE Oyster Waters Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Shellfish Harvesting Maps	DSHS Shellfishing Restrictions	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	bacteria (oyster waters)	5a

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

SEGID 2434 Christmas Bay

AUID 2434_02 Remainder of segment

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	31		0		4.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	31		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Toxic Substances in sediment	Arsenic	12/1/2003	11/30/2010	2		0		70.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Cadmium	12/1/2003	11/30/2010	2		0		9.60	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Chromium	12/1/2003	11/30/2010	2		0		370.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Copper	12/1/2003	11/30/2010	2		0		270.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Lead	12/1/2003	11/30/2010	2		0		218.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Mercury	12/1/2003	11/30/2010	2		0		0.71	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Nickel	12/1/2003	11/30/2010	2		0		51.60	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Silver	12/1/2003	11/30/2010	2		0		3.70	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Zinc	12/1/2003	11/30/2010	2		0		410.00	ID	NA	<input type="checkbox"/>	NA		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	Enterococcus	12/1/2003	11/30/2010	31	11.20	0		35.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2003	11/30/2010	33		0		35.00	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2003	11/30/2010	33		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2003	11/30/2010	33		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	33		1	0.39	0.17	AD	NC	<input type="checkbox"/>	NC		

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

AUID 2434_02 Remainder of segment

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	30		0		0.19	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	33		0		0.10	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	31		0		0.21	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	32		4	12.73	11.60	AD	NC	<input type="checkbox"/>	NC		

SEGID 2434OW Christmas Bay (Oyster Waters)

AUID 2434OW_01 Area adjacent to West Bay

USE Oyster Waters Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Shellfish Harvesting Maps	DSHS Shellfishing Restrictions	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	bacteria (oyster waters)	5a

AUID 2434OW_02 Remainder of Christmas Bay

USE Oyster Waters Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Shellfish Harvesting Maps	DSHS Shellfishing Restrictions	12/1/2003	11/30/2010						OE	FS	<input checked="" type="checkbox"/>	FS		

SEGID 2435 Drum Bay

AUID 2435_02 Remainder of segment

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2001	11/30/2010	28		0		35.00	AD	FS	<input type="checkbox"/>	FS		

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

SEGID 2435OW Drum Bay (Oyster Waters)

AUID 2435OW_01 Area adjacent to Christmas Bay

USE Oyster Waters Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Shellfish Harvesting Maps	DSHS Shellfishing Restrictions	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	bacteria (oyster waters)	5a

AUID 2435OW_02 Remainder of Drum Bay

USE Oyster Waters Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Shellfish Harvesting Maps	DSHS Shellfishing Restrictions	12/1/2003	11/30/2010						OE	FS	<input checked="" type="checkbox"/>	FS		

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

SEGID 2436 Barbours Cut

AUID 2436_01 Entire segment

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	71		0		4.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	71		0		3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	Enterococcus	12/1/2003	11/30/2010	71	17.99	0		35.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2003	11/30/2010	71		0		35.00	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2003	11/30/2010	71		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2003	11/30/2010	71		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	23		21	0.68	0.17	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	25		13	0.32	0.19	AD	CS	<input type="checkbox"/>	CS	orthophosphorus	
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	70		34	0.21	0.10	AD	CS	<input type="checkbox"/>	CS	ammonia	
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	66		49	0.33	0.21	AD	CS	<input type="checkbox"/>	CS	total phosphorus	

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	dioxin in edible tissue	5a
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	PCBs in edible tissue	5a

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

SEGID 2437 Texas City Ship Channel

AUID 2437_01 Entire segment

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	29		2	3.93	4.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	29		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2003	11/30/2010	14		0		13.50	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2003	11/30/2010	17		0		92.70	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Selenium	12/1/2003	11/30/2010	16		0		564.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2003	11/30/2010	15		0		133.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2003	11/30/2010	15		0		45.40	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	12/1/2003	11/30/2010	13		0		149.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/1/2003	11/30/2010	17		0		118.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic	12/1/2003	11/30/2010	13	19.19	0		78.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2003	11/30/2010	15	0.85	0		10.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2003	11/30/2010	14	1.82	0		3.60	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2003	11/30/2010	15	0.84	0		5.30	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/1/2003	11/30/2010	17	2.90	0		13.10	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Selenium	12/1/2003	11/30/2010	16	0.45	0		136.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2003	11/30/2010	17	4.88	0		84.20	AD	FS	<input type="checkbox"/>	FS		
Toxic Substances in sediment	Mercury	12/1/2003	11/30/2010	14		0		0.71	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Lead	12/1/2003	11/30/2010	14		0		218.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Zinc	12/1/2003	11/30/2010	14		0		410.00	AD	NC	<input type="checkbox"/>	NC		

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

AUID 2437_01 Entire segment

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Toxic Substances in sediment	Silver	12/1/2003	11/30/2010	14		0		3.70	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Copper	12/1/2003	11/30/2010	14		0		270.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Arsenic	12/1/2003	11/30/2010	14		0		70.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Chromium	12/1/2003	11/30/2010	14		0		370.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Cadmium	12/1/2003	11/30/2010	14		0		9.60	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Nickel	12/1/2003	11/30/2010	14		0		51.60	AD	NC	<input type="checkbox"/>	NC		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	Enterococcus	12/1/2003	11/30/2010	27	11.52	0		35.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2003	11/30/2010	29		0		35.00	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2003	11/30/2010	29		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2003	11/30/2010	29		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	28		5	0.54	0.17	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	27		2	0.49	0.19	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	27		8	0.17	0.10	AD	CS	<input type="checkbox"/>	CS	ammonia	
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	28		6	0.4	0.21	AD	NC	<input type="checkbox"/>	CS	total phosphorus	
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	25		10	18.85	11.60	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	dioxin in edible tissue	5a

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

AUID

2437_01

Entire segment

USE

Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	PCBs in edible tissue	5a
HH Bioaccumulative Toxics in water	Lead	12/1/2003	11/30/2010	15	0.84	0		3.83	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Chromium	12/1/2003	11/30/2010	17	6.62	0		502.00	AD	FS	<input type="checkbox"/>	FS		

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

SEGID 2438 Bayport Channel

AUID 2438_01 Entire segment

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	33		4	2.82	4.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	33		3	2.59	3.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	12/1/2003	11/30/2010	24		0		149.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2003	11/30/2010	25		0		45.40	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2003	11/30/2010	16		0		13.50	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2003	11/30/2010	24		0		133.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/1/2003	11/30/2010	25		0		118.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Selenium	12/1/2003	11/30/2010	26		0		564.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2003	11/30/2010	25		0		92.70	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/1/2003	11/30/2010	25	2.87	0		13.10	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2003	11/30/2010	25	3.09	0		84.20	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2003	11/30/2010	24	0.93	0		5.30	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2003	11/30/2010	16	2.70	0		3.60	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2003	11/30/2010	25	1.74	0		10.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic	12/1/2003	11/30/2010	24	26.46	0		78.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Selenium	12/1/2003	11/30/2010	26	0.32	0		136.00	AD	FS	<input type="checkbox"/>	FS		
Toxic Substances in sediment	Zinc	12/1/2003	11/30/2010	15		0		410.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Ethylbenzene	12/1/2003	11/30/2010	9		0		3,930.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	1,2-Dichloroethane	12/1/2003	11/30/2010	9		0		25,800.00	LD	NC	<input type="checkbox"/>	NC		

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

AUID

2438_01

Entire segment

USE

Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Toxic Substances in sediment	Chlorobenzene	12/1/2003	11/30/2010	9		0		19,870.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Carbon tetrachloride	12/1/2003	11/30/2010	9		0		37,330.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Benzene	12/1/2003	11/30/2010	9		0		45,010.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Acetone	12/1/2003	11/30/2010	5		0		1,003,360.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	gamma-BHC (Lindane)	12/1/2003	11/30/2010	10		0		0.99	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Nitrobenzene	12/1/2003	11/30/2010	10		0		161.06	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Benz(a)anthracene	12/1/2003	11/30/2010	10		0		1,600.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	2-Methylnaphthalene	12/1/2003	11/30/2010	4		0		670.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	1,3-Dichlorobenzene	12/1/2003	11/30/2010	10		0		1,950.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Bis(2-ethyl-hexyl)phthalate	12/1/2003	11/30/2010	10		0		2,647.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	DDT	12/1/2003	11/30/2010	10		0		4.77	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Methylene chloride	12/1/2003	11/30/2010	9		0		22,910.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Naphthalene	12/1/2003	11/30/2010	10		0		2,100.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Styrene	12/1/2003	11/30/2010	5		0		22,310.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	1,1,2,2-Tetrachloroethane	12/1/2003	11/30/2010	9		0		3,690.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Tetrachloroethene	12/1/2003	11/30/2010	9		0		18,590.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Toluene	12/1/2003	11/30/2010	9		0		5,660.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Bromoform	12/1/2003	11/30/2010	9		0		10,670.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	1,2,4-Trichlorobenzene	12/1/2003	11/30/2010	10		0		2,320.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	1,1,1-Trichloroethane	12/1/2003	11/30/2010	9		0		15,830.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	1,1,2-Trichloroethane	12/1/2003	11/30/2010	9		0		1,800.00	LD	NC	<input type="checkbox"/>	NC		

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

AUID

2438_01

Entire segment

USE

Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Toxic Substances in sediment	Xylene	12/1/2003	11/30/2010	9		0		7,470.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	DDE	12/1/2003	11/30/2010	10		0		374.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Chloroform	12/1/2003	11/30/2010	9		0		25.80	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	4-Methyl-2-Pentanone (MIBK)	12/1/2003	11/30/2010	5		0		272,060.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	1,4-Dichlorobenzene	12/1/2003	11/30/2010	10		0		4,210.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Trichloroethene	12/1/2003	11/30/2010	9		0		8,820.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	PCBs	12/1/2003	11/30/2010	10		0		180.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Acenaphthene	12/1/2003	11/30/2010	10		0		500.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Acenaphthylene	12/1/2003	11/30/2010	10		0		640.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Acrylonitrile	12/1/2003	11/30/2010	9		0		1,040.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Anthracene	12/1/2003	11/30/2010	10		0		1,100.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Arsenic	12/1/2003	11/30/2010	15		0		70.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Benzo(a)pyrene	12/1/2003	11/30/2010	10		0		1,600.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Cadmium	12/1/2003	11/30/2010	15		0		9.60	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Chlordane	12/1/2003	11/30/2010	10		0		4.79	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Chloromethane	12/1/2003	11/30/2010	9		0		52,430.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Chromium	12/1/2003	11/30/2010	15		0		370.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Chrysene	12/1/2003	11/30/2010	10		0		2,800.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Mercury	12/1/2003	11/30/2010	15		0		0.71	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Silver	12/1/2003	11/30/2010	15		0		3.70	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Pyrene	12/1/2003	11/30/2010	10		0		2,600.00	AD	NC	<input type="checkbox"/>	NC		

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

AUID 2438_01 Entire segment

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Toxic Substances in sediment	Copper	12/1/2003	11/30/2010	15		0		270.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Nickel	12/1/2003	11/30/2010	15		0		51.60	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Lead	12/1/2003	11/30/2010	15		0		218.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Hexachloroethane	12/1/2003	11/30/2010	10		0		13,770.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Hexachlorobutadiene (HCBd)	12/1/2003	11/30/2010	8		0		12.76	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Fluorene	12/1/2003	11/30/2010	10		0		540.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Fluoranthene	12/1/2003	11/30/2010	10		0		5,100.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Dieldrin	12/1/2003	11/30/2010	10		0		4.30	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Dibenz(a,h)anthracene	12/1/2003	11/30/2010	10		0		260.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	DDD	12/1/2003	11/30/2010	10		0		7.81	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Phenanthrene	12/1/2003	11/30/2010	10		0		1,500.00	AD	NC	<input type="checkbox"/>	NC		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	Enterococcus	12/1/2003	11/30/2010	30	10.72	0		35.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2003	11/30/2010	34		0		35.00	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2003	11/30/2010	34		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2003	11/30/2010	34		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	32		25	1	0.19	AD	CS	<input type="checkbox"/>	CS	orthophosphorus	
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	33		29	29.25	11.60	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

AUID 2438_01 Entire segment

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	34		17	0.4	0.17	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	34		11	0.18	0.10	AD	CS	<input type="checkbox"/>	CS	ammonia	
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	32		31	0.79	0.21	AD	CS	<input type="checkbox"/>	CS	total phosphorus	

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	dioxin in edible tissue	5a
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	PCBs in edible tissue	5a
HH Bioaccumulative Toxics in water	Chromium	12/1/2003	11/30/2010	25	1.97	0		502.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2003	11/30/2010	24	0.87	0		3.83	AD	FS	<input type="checkbox"/>	FS		

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

SEGID 2439 Lower Galveston Bay

AUID 2439_01

Area adjacent to the Texas City Ship Channel and Moses Lake

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	54		0		4.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	54		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Toxic Substances in sediment	Arsenic	12/1/2003	11/30/2010	6		0		70.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Zinc	12/1/2003	11/30/2010	6		0		410.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Silver	12/1/2003	11/30/2010	6		0		3.70	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Nickel	12/1/2003	11/30/2010	6		0		51.60	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Mercury	12/1/2003	11/30/2010	6		0		0.71	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Lead	12/1/2003	11/30/2010	6		0		218.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Copper	12/1/2003	11/30/2010	6		0		270.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Cadmium	12/1/2003	11/30/2010	6		0		9.60	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Chromium	12/1/2003	11/30/2010	6		0		370.00	LD	NC	<input type="checkbox"/>	NC		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	Enterococcus	12/1/2003	11/30/2010	50	10.52	0		35.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2003	11/30/2010	54		0		35.00	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2003	11/30/2010	54		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2003	11/30/2010	54		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	54		3	0.4	0.17	AD	NC	<input type="checkbox"/>	NC		

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

AUID

2439_01

Area adjacent to the Texas City Ship Channel and Moses Lake

USE

General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	52		1	0.27	0.19	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	49		3	0.14	0.10	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	52		5	0.31	0.21	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	49		20	17.08	11.60	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	

USE

Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	dioxin in edible tissue	5a
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	PCBs in edible tissue	5a

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

AUID 2439_02 Main portion of the bay

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	265		1	3.85	4.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	265		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Toxic Substances in sediment	Copper	12/1/2003	11/30/2010	35		0		270.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Zinc	12/1/2003	11/30/2010	35		0		410.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Silver	12/1/2003	11/30/2010	35		0		3.70	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Nickel	12/1/2003	11/30/2010	35		0		51.60	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Lead	12/1/2003	11/30/2010	35		0		218.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Chromium	12/1/2003	11/30/2010	35		0		370.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Cadmium	12/1/2003	11/30/2010	35		0		9.60	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Arsenic	12/1/2003	11/30/2010	35		0		70.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Mercury	12/1/2003	11/30/2010	35		0		0.71	AD	NC	<input type="checkbox"/>	NC		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	Enterococcus	12/1/2003	11/30/2010	252	10.75	0		35.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2003	11/30/2010	267		0		35.00	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2003	11/30/2010	267		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2003	11/30/2010	267		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	239		92	20.27	11.60	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	264		14	0.33	0.17	AD	NC	<input type="checkbox"/>	NC		

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

AUID 2439_02 Main portion of the bay

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	258		5	0.23	0.19	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	256		11	0.13	0.10	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	256		14	0.28	0.21	AD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	PCBs in edible tissue	5a
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	dioxin in edible tissue	5a

SEGID 2439OW Lower Galveston Bay (Oyster Waters)

AUID 2439OW_01 Area adjacent to the Texas City Ship Channel and Moses Lake

USE Oyster Waters Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Shellfish Harvesting Maps	DSHS Shellfishing Restrictions	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	bacteria (oyster waters)	4a

AUID 2439OW_02 Main portion of the bay

USE Oyster Waters Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Shellfish Harvesting Maps	DSHS Shellfishing Restrictions	12/1/2003	11/30/2010						OE	FS	<input checked="" type="checkbox"/>	FS		

SEGID 2439TC Texas City Dike (Recreational Beaches)

AUID 2439TC_01 Texas City Dike (Beach ID TX164090)

USE Recreational Beaches

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Texas Beach Watch Program Advisories	Enterococcus	12/1/2003	11/30/2010	197		30	15.23		AD	FS	<input type="checkbox"/>	FS		

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

SEGID 2441 East Matagorda Bay

AUID 2441_02 Remainder of segment

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	27		0		5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	27		0		4.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	Enterococcus	12/1/2003	11/30/2010	24	10.00	0		35.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2003	11/30/2010	27		0		35.00	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2003	11/30/2010	27		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2003	11/30/2010	27		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	25		0		0.10	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	26		2	0.23	0.21	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	24		0		0.19	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	26		0		0.17	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	25		3	15.73	11.60	AD	NC	<input type="checkbox"/>	NC		

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

SEGID 2441OW East Matagorda Bay (Oyster Waters)

AUID 2441OW_01 Caney Creek arm and western shoreline area

USE Oyster Waters Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Shellfish Harvesting Maps	DSHS Shellfishing Restrictions	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	bacteria (oyster waters)	5a

AUID 2441OW_02 Remainder of bay

USE Oyster Waters Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Shellfish Harvesting Maps	DSHS Shellfishing Restrictions	12/1/2003	11/30/2010						OE	FS	<input checked="" type="checkbox"/>	FS		

SEGID 2442OW Cedar Lakes (Oyster Waters)

AUID 2442OW_01 Entire segment

USE Oyster Waters Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Shellfish Harvesting Maps	DSHS Shellfishing Restrictions	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	bacteria (oyster waters)	5a

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

SEGID 2451 Matagorda Bay/Powderhorn Lake

AUID 2451_01 Northern end of Matagorda Bay

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	63		0		5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	63		0		4.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/1/2003	11/30/2010	9		0		5.00	LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/1/2003	11/30/2010	9		0		4.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Arsenic	12/1/2003	11/30/2010	6		0		70.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	1,4-Dichlorobenzene	12/1/2003	11/30/2010	1		0		4,210.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Acenaphthene	12/1/2003	11/30/2010	1		0		500.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Acenaphthylene	12/1/2003	11/30/2010	1		0		640.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Benzo(a)pyrene	12/1/2003	11/30/2010	1		0		1,600.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Phenanthrene	12/1/2003	11/30/2010	1		0		1,500.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	2-Methylnaphthalene	12/1/2003	11/30/2010	1		0		670.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	1,2,4-Trichlorobenzene	12/1/2003	11/30/2010	1		0		2,320.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Nitrobenzene	12/1/2003	11/30/2010	1		0		161.06	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Benz(a)anthracene	12/1/2003	11/30/2010	1		0		1,600.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	1,3-Dichlorobenzene	12/1/2003	11/30/2010	1		0		1,950.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Bis(2-ethyl-hexyl)phthalate	12/1/2003	11/30/2010	1		0		2,647.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Zinc	12/1/2003	11/30/2010	6		0		410.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Anthracene	12/1/2003	11/30/2010	1		0		1,100.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Pyrene	12/1/2003	11/30/2010	1		0		2,600.00	ID	NA	<input type="checkbox"/>	NA		

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

AUID 2451_01 Northern end of Matagorda Bay

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Toxic Substances in sediment	Nickel	12/1/2003	11/30/2010	6		0		51.60	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Naphthalene	12/1/2003	11/30/2010	1		0		2,100.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Copper	12/1/2003	11/30/2010	6		0		270.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Cadmium	12/1/2003	11/30/2010	6		0		9.60	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Silver	12/1/2003	11/30/2010	6		0		3.70	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Chrysene	12/1/2003	11/30/2010	1		0		2,800.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Mercury	12/1/2003	11/30/2010	6		0		0.71	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Dibenz(a,h)anthracene	12/1/2003	11/30/2010	1		0		260.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Fluoranthene	12/1/2003	11/30/2010	1		0		5,100.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Fluorene	12/1/2003	11/30/2010	1		0		540.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Hexachlorobutadiene (HCBD)	12/1/2003	11/30/2010	1		0		12.76	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Hexachloroethane	12/1/2003	11/30/2010	1		0		13,770.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Lead	12/1/2003	11/30/2010	6		0		218.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Chromium	12/1/2003	11/30/2010	6		0		370.00	LD	NC	<input type="checkbox"/>	NC		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	Enterococcus	12/1/2003	11/30/2010	41	11.24	0		35.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2003	11/30/2010	63		0		35.00	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2003	11/30/2010	63		1	9.27	9.00	AD	FS	<input type="checkbox"/>	FS		

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

AUID

2451_01

Northern end of Matagorda Bay

USE

General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Low pH	pH	12/1/2003	11/30/2010	63		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	41		0		0.19	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	39		9	20.07	11.60	AD	NC	<input type="checkbox"/>	CS	chlorophyll-a	
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	41		0		0.21	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	42		1	0.19	0.17	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	43		3	0.14	0.10	AD	NC	<input type="checkbox"/>	NC		

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

AUID 2451_02 Remainder of segment

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	100		1	4.83	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	100		0		4.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/1/2003	11/30/2010	3		0		5.00	ID	NA	<input type="checkbox"/>	NA		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/1/2003	11/30/2010	3		0		4.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Silver	12/1/2003	11/30/2010	1		0		3.70	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Zinc	12/1/2003	11/30/2010	1		0		410.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Nickel	12/1/2003	11/30/2010	1		1	57.2	51.60	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Mercury	12/1/2003	11/30/2010	1		0		0.71	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Copper	12/1/2003	11/30/2010	1		0		270.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Chromium	12/1/2003	11/30/2010	1		0		370.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Cadmium	12/1/2003	11/30/2010	1		0		9.60	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Arsenic	12/1/2003	11/30/2010	1		0		70.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Lead	12/1/2003	11/30/2010	1		0		218.00	ID	NA	<input type="checkbox"/>	NA		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	Enterococcus	12/1/2003	11/30/2010	53	20.04	0		35.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2003	11/30/2010	100		0		35.00	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2003	11/30/2010	100		1	9.13	9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2003	11/30/2010	100		0		6.50	AD	FS	<input type="checkbox"/>	FS		

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

AUID 2451_02 Remainder of segment

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	54		11	15.65	11.60	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	61		2	0.27	0.21	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	61		2	0.14	0.10	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	57		0		0.17	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	60		0		0.19	AD	NC	<input type="checkbox"/>	NC		

SEGID 2451OW Matagorda Bay/Powderhorn Lake (Oyster Waters)

AUID 2451OW_01 Northern end of Matagorda Bay

USE Oyster Waters Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Shellfish Harvesting Maps	DSHS Shellfishing Restrictions	12/1/2003	11/30/2010						OE	FS	<input type="checkbox"/>	FS		

AUID 2451OW_02 Remainder of Matagorda Bay/Powderhorn Lake

USE Oyster Waters Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Shellfish Harvesting Maps	DSHS Shellfishing Restrictions	12/1/2003	11/30/2010						OE	FS	<input checked="" type="checkbox"/>	FS		

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

SEGID 2452 Tres Palacios Bay/Turtle Bay

AUID 2452_01 Main portion of bay

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	48		3	4.39	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	48		0		4.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/1/2003	11/30/2010	23		1	3.7	5.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/1/2003	11/30/2010	23		2	2.93	4.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	Enterococcus	12/1/2003	11/30/2010	3	31.83	0		35.00	ID	NA	<input type="checkbox"/>	NA		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2003	11/30/2010	48		0		35.00	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2003	11/30/2010	48		2	9.37	9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2003	11/30/2010	48		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	17		0		0.17	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	17		0		0.19	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	17		0		0.10	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	3		0		0.21	ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	17		1	12.69	11.60	AD	NC	<input type="checkbox"/>	NC		

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

AUID 2452_03 Tres Palacios Creek Arm

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	46		2	3.86	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	46		1	2.8	4.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/1/2003	11/30/2010	10		1	4.69	5.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/1/2003	11/30/2010	10		2	3.73	4.00	AD	CN	<input type="checkbox"/>	CN	depressed dissolved oxygen	

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	Enterococcus	12/1/2003	11/30/2010	21	13.03	0		35.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2003	11/30/2010	46		0		35.00	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2003	11/30/2010	46		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2003	11/30/2010	46		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	37		4	0.75	0.17	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	35		0		0.19	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	37		5	0.14	0.10	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	26		7	0.38	0.21	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	34		10	18.85	11.60	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

SEGID 2452A Tres Palacios Harbor (unclassified water body)

AUID 2452A_01 Entire segment

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	57		2	3.68	4.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	57		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/1/2003	11/30/2010	17		0		4.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/1/2003	11/30/2010	17		3	2.53	3.00	AD	CN	<input type="checkbox"/>	CN	depressed dissolved oxygen	

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	Enterococcus	12/1/2003	11/30/2010	23	14.63	0		35.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	29		0		0.19	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	28		12	22.61	11.60	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	30		4	0.67	0.17	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	24		2	0.25	0.21	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	29		10	0.18	0.10	AD	CS	<input type="checkbox"/>	CS	ammonia	

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

SEGID 2452OW Tres Palacios Bay/Turtle Bay (Oyster Waters)

AUID 2452OW_01 Turtle Bay and Tres Palacios Creek Arm

USE Oyster Waters Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Shellfish Harvesting Maps	DSHS Shellfishing Restrictions	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	bacteria (oyster waters)	5a

AUID 2452OW_02 Main portion of bay

USE Oyster Waters Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Shellfish Harvesting Maps	DSHS Shellfishing Restrictions	12/1/2003	11/30/2010						OE	FS	<input checked="" type="checkbox"/>	FS		

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

SEGID 2453 Lavaca Bay/Chocolate Bay

AUID 2453_01 Center portion of bay

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	57		1	4.57	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	57		0		4.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/1/2003	11/30/2010	6		1	4.78	5.00	LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/1/2003	11/30/2010	6		0		4.00	LD	NC	<input type="checkbox"/>	NC		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	Enterococcus	12/1/2003	11/30/2010	44	21.06	0		35.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2003	11/30/2010	58		0		35.00	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2003	11/30/2010	58		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2003	11/30/2010	58		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	54		1	0.2	0.19	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	49		12	17.83	11.60	AD	NC	<input type="checkbox"/>	CS	chlorophyll-a	
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	52		4	0.29	0.17	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	56		3	0.28	0.10	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	56		2	0.27	0.21	AD	NC	<input type="checkbox"/>	NC		

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

AUID

2453_02

North-northeastern portion of the bay near Point Comfort

USE

Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	35		0		5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	35		0		4.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Pentachlorophenol (PCP)	12/1/2003	11/30/2010	8		0		15.10	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Phenanthrene	12/1/2003	11/30/2010	9		0		7.70	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Selenium	12/1/2003	11/30/2010	13		0		564.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2003	11/30/2010	13		0		92.70	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Toxaphene	12/1/2003	11/30/2010	9		0		0.21	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Endosulfan 1 (alpha)	12/1/2003	11/30/2010	9		0		0.03	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Endosulfan sulfate	12/1/2003	11/30/2010	9		0		0.03	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	2,4,5-Trichlorophenol	12/1/2003	11/30/2010	9		0		259.00	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	gamma-BHC (Lindane)	12/1/2003	11/30/2010	9		0		0.16	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Nickel	12/1/2003	11/30/2010	13		0		118.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Endosulfan 2 (beta)	12/1/2003	11/30/2010	9		0		0.03	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Chlorpyrifos (Dursban)	12/1/2003	11/30/2010	9		0		0.01	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Lead	12/1/2003	11/30/2010	12		0		133.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2003	11/30/2010	12		0		45.40	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chlordane	12/1/2003	11/30/2010	9		0		0.09	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Arsenic	12/1/2003	11/30/2010	12		0		149.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	DDT	12/1/2003	11/30/2010	9		0		0.13	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Copper	12/1/2003	11/30/2010	8		0		13.50	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Aldrin	12/1/2003	11/30/2010	9		0		1.30	LD	NC	<input type="checkbox"/>	NC		

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

AUID	2453_02	North-northeastern portion of the bay near Point Comfort
-------------	----------------	--

USE	Aquatic Life Use
------------	------------------

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Acute Toxic Substances in water	Dieldrin	12/1/2003	11/30/2010	9		0		0.71	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Endrin	12/1/2003	11/30/2010	9		0		0.04	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Heptachlor	12/1/2003	11/30/2010	9		0		0.05	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Carbaryl (Sevin)	12/1/2003	11/30/2010	5		0		613.00	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Zinc	12/1/2003	11/30/2010	13	2.15	0		84.20	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Mirex	12/1/2003	11/30/2010	9	0.00	0		0.00	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Nickel	12/1/2003	11/30/2010	13	2.81	0		13.10	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Phenanthrene	12/1/2003	11/30/2010	9	2.30	0		4.60	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Selenium	12/1/2003	11/30/2010	13	0.16	0		136.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Toxaphene	12/1/2003	11/30/2010	9	0.00	0		0.00	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Endosulfan 1 (alpha)	12/1/2003	11/30/2010	9	0.00	0		0.01	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Endosulfan sulfate	12/1/2003	11/30/2010	9	0.00	0		0.01	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Methoxychlor	12/1/2003	11/30/2010	9	0.02	0		0.03	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	2,4,5-Trichlorophenol	12/1/2003	11/30/2010	9	2.75	0		12.00	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	DDT	12/1/2003	11/30/2010	9	0.00	0		0.00	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Pentachlorophenol (PCP)	12/1/2003	11/30/2010	8	3.10	0		9.60	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Copper	12/1/2003	11/30/2010	8	1.82	0		3.60	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Endosulfan 2 (beta)	12/1/2003	11/30/2010	9	0.00	0		0.01	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Cadmium	12/1/2003	11/30/2010	12	2.62	0		10.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Malathion	12/1/2003	11/30/2010	9	0.01	0		0.01	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Chlorpyrifos (Dursban)	12/1/2003	11/30/2010	9	0.00	0		0.01	LD	NC	<input type="checkbox"/>	NC		

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

AUID

2453_02

North-northeastern portion of the bay near Point Comfort

USE

Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Chronic Toxic Substances in water	Arsenic	12/1/2003	11/30/2010	12	20.55	0		78.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Demeton	12/1/2003	11/30/2010	8	0.05	0		0.10	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Dieldrin	12/1/2003	11/30/2010	9	0.00	0		0.00	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Endrin	12/1/2003	11/30/2010	9	0.00	0		0.00	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Guthion	12/1/2003	11/30/2010	8	0.01	0		0.01	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Heptachlor	12/1/2003	11/30/2010	9	0.00	0		0.00	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Lead	12/1/2003	11/30/2010	12	1.30	0		5.30	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chlordane	12/1/2003	11/30/2010	9	0.00	0		0.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	1,2-Dichloroethane	12/1/2003	11/30/2010	13		0		25,800.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Chlorobenzene	12/1/2003	11/30/2010	12		0		19,870.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Carbon tetrachloride	12/1/2003	11/30/2010	12		0		37,330.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Benzene	12/1/2003	11/30/2010	12		0		45,010.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Acetone	12/1/2003	11/30/2010	6		0		1,003,360.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	DDT	12/1/2003	11/30/2010	11		0		4.77	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	gamma-BHC (Lindane)	12/1/2003	11/30/2010	11		0		0.99	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Benz(a)anthracene	12/1/2003	11/30/2010	12		0		1,600.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	1,3-Dichlorobenzene	12/1/2003	11/30/2010	11		0		1,950.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Ethylbenzene	12/1/2003	11/30/2010	12		0		3,930.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	2-Methylnaphthalene	12/1/2003	11/30/2010	4		0		670.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Bromoform	12/1/2003	11/30/2010	13		0		10,670.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Trichloroethene	12/1/2003	11/30/2010	12		0		8,820.00	AD	NC	<input type="checkbox"/>	NC		

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

AUID

2453_02

North-northeastern portion of the bay near Point Comfort

USE

Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Toxic Substances in sediment	Bis(2-ethyl-hexyl)phthalate	12/1/2003	11/30/2010	12		0		2,647.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	4-Methyl-2-Pentanone (MIBK)	12/1/2003	11/30/2010	6		0		272,060.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Methylene chloride	12/1/2003	11/30/2010	13		0		22,910.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Nitrobenzene	12/1/2003	11/30/2010	12		0		161.06	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Styrene	12/1/2003	11/30/2010	6		0		22,310.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	1,1,2,2-Tetrachloroethane	12/1/2003	11/30/2010	13		0		3,690.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Toluene	12/1/2003	11/30/2010	12		0		5,660.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	1,2,4-Trichlorobenzene	12/1/2003	11/30/2010	12		0		2,320.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	1,1,1-Trichloroethane	12/1/2003	11/30/2010	12		0		15,830.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	1,1,2-Trichloroethane	12/1/2003	11/30/2010	13		0		1,800.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Xylene	12/1/2003	11/30/2010	12		0		7,470.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	DDE	12/1/2003	11/30/2010	10		0		374.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Chloroform	12/1/2003	11/30/2010	12		0		25.80	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Silver	12/1/2003	11/30/2010	14		0		3.70	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Tetrachloroethene	12/1/2003	11/30/2010	12		0		18,590.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Chromium	12/1/2003	11/30/2010	14		0		370.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Pyrene	12/1/2003	11/30/2010	12		0		2,600.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	1,4-Dichlorobenzene	12/1/2003	11/30/2010	11		0		4,210.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Acenaphthene	12/1/2003	11/30/2010	12		0		500.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Acenaphthylene	12/1/2003	11/30/2010	12		0		640.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Acrylonitrile	12/1/2003	11/30/2010	12		0		1,040.00	AD	NC	<input type="checkbox"/>	NC		

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

AUID

2453_02

North-northeastern portion of the bay near Point Comfort

USE

Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Toxic Substances in sediment	Anthracene	12/1/2003	11/30/2010	12		0		1,100.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Arsenic	12/1/2003	11/30/2010	14		0		70.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Benzo(a)pyrene	12/1/2003	11/30/2010	12		0		1,600.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Cadmium	12/1/2003	11/30/2010	14		0		9.60	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Zinc	12/1/2003	11/30/2010	14		0		410.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Chloromethane	12/1/2003	11/30/2010	12		0		52,430.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Chrysene	12/1/2003	11/30/2010	12		0		2,800.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Copper	12/1/2003	11/30/2010	14		0		270.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Mercury	12/1/2003	11/30/2010	12		0		0.71	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Phenanthrene	12/1/2003	11/30/2010	12		0		1,500.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	PCBs	12/1/2003	11/30/2010	12		0		180.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Chlordane	12/1/2003	11/30/2010	12		0		4.79	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Naphthalene	12/1/2003	11/30/2010	12		0		2,100.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	DDD	12/1/2003	11/30/2010	11		0		7.81	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Lead	12/1/2003	11/30/2010	14		0		218.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Hexachloroethane	12/1/2003	11/30/2010	11		0		13,770.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Hexachlorobutadiene (HCBBD)	12/1/2003	11/30/2010	11		0		12.76	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Fluorene	12/1/2003	11/30/2010	12		0		540.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Fluoranthene	12/1/2003	11/30/2010	12		0		5,100.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Dieldrin	12/1/2003	11/30/2010	11		0		4.30	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Dibenz(a,h)anthracene	12/1/2003	11/30/2010	12		0		260.00	AD	NC	<input type="checkbox"/>	NC		

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

AUID 2453_02 North-northeastern portion of the bay near Point Comfort

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Toxic Substances in sediment	Nickel	12/1/2003	11/30/2010	14		0		51.60	AD	NC	<input type="checkbox"/>	NC		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	Enterococcus	12/1/2003	11/30/2010	22	21.66	0		35.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2003	11/30/2010	36		0		35.00	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2003	11/30/2010	35		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2003	11/30/2010	35		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	29		3	0.31	0.17	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	25		11	17.05	11.60	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	30		6	0.79	0.21	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	27		1	0.21	0.19	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	31		1	0.43	0.10	AD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Bromoform	12/1/2003	11/30/2010	5	2.50	0		2,175.00	LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	1,2,4,5-Tetrachlorobenzene	12/1/2003	11/30/2010	9	0.36	0		0.71	LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Chloroform	12/1/2003	11/30/2010	5	2.50	0		7,143.00	LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	DDE	12/1/2003	11/30/2010	9	0.00	0		0.01	LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Vinyl chloride	12/1/2003	11/30/2010	5	2.50	0		24.00	LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	1,1,1-Trichloroethane	12/1/2003	11/30/2010	5	2.50	0		956,663.00	LD	NC	<input type="checkbox"/>	NC		

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

AUID

2453_02

North-northeastern portion of the bay near Point Comfort

USE

Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Hexachlorophene	12/1/2003	11/30/2010	8	0.00	0		0.01	LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Tetrachloroethene	12/1/2003	11/30/2010	5	2.50	0		49.00	LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	1,1,2,2-Tetrachloroethane	12/1/2003	11/30/2010	5	2.50	0		76.00	LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Nitrobenzene	12/1/2003	11/30/2010	8	2.56	0		463.00	LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Ethylbenzene	12/1/2003	11/30/2010	5	2.50	0		7,143.00	LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	1,2-Dichloropropane	12/1/2003	11/30/2010	5	2.50	0		226.00	LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	1,1-Dichloroethylene	12/1/2003	11/30/2010	5	2.50	0		23,916.00	LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	1,1,2-Trichloroethane	12/1/2003	11/30/2010	5	2.50	0		295.00	LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Cresols	12/1/2003	11/30/2010	8	5.13	0		1,981.00	LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Methyl ethyl ketone	12/1/2003	11/30/2010	5	10.00	0		1,500,000.00	LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	DDD	12/1/2003	11/30/2010	9	0.00	0		0.01	LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	N-Nitrosodiethylamine	12/1/2003	11/30/2010	9	1.05	0		2.10	LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	N-Nitroso-di-n-butylamine	12/1/2003	11/30/2010	9	2.10	0		4.20	LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Pentachlorobenzene	12/1/2003	11/30/2010	9	0.50	0		1.00	LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Silvex	12/1/2003	11/30/2010	9	0.26	0		7.60	LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Pyridine	12/1/2003	11/30/2010	7	2.57	0		2,014.00	LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Bis(2-chloroethyl)ether	12/1/2003	11/30/2010	8	2.55	0		5.27	LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	m-Dichlorobenzene	12/1/2003	11/30/2010	8	2.56	0		1,445.00	LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	o-Dichlorobenzene	12/1/2003	11/30/2010	8	2.56	0		4,336.00	LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Dichloromethane	12/1/2003	11/30/2010	5	2.50	0		5,926.00	LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	2,4-Dimethylphenol	12/1/2003	11/30/2010	8	2.56	0		571.00	LD	NC	<input type="checkbox"/>	NC		

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

AUID

2453_02

North-northeastern portion of the bay near Point Comfort

USE

Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	1,2-Dichloroethane	12/1/2003	11/30/2010	5	2.50	0		553.00	LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	1,2-Dibromoethane	12/1/2003	11/30/2010	5	1.07	0		2.13	LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Chlorobenzene	12/1/2003	11/30/2010	5	2.50	0		5,201.00	LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Acrylonitrile	12/1/2003	11/30/2010	5	1.90	0		3.80	LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Aldrin	12/1/2003	11/30/2010	9	0.00	0		0.00	LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Benzidine	12/1/2003	11/30/2010	9	0.00	0		0.00	LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Benzo(a)anthracene	12/1/2003	11/30/2010	9	0.27	0		0.54	LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Benzo(a)pyrene	12/1/2003	11/30/2010	9	0.17	0		0.33	LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Chlordane	12/1/2003	11/30/2010	9	0.00	0		0.01	LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Endrin	12/1/2003	11/30/2010	9	0.03	0		0.20	LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Chrysene	12/1/2003	11/30/2010	9	2.57	0		327.00	LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Dieldrin	12/1/2003	11/30/2010	9	0.00	0		0.00	LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Heptachlor	12/1/2003	11/30/2010	9	0.00	0		0.00	LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Heptachlor epoxide	12/1/2003	11/30/2010	9	0.00	0		0.00	LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Hexachlorobenzene (HCB)	12/1/2003	11/30/2010	8	0.00	0		0.00	LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Hexachlorobutadiene (HCBd)	12/1/2003	11/30/2010	8	2.56	0		274.00	LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Bromodichloromethane	12/1/2003	11/30/2010	5	2.50	0		322.00	LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Chromium	12/1/2003	11/30/2010	13	2.00	0		502.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Carbon tetrachloride	12/1/2003	11/30/2010	5	2.50	0		29.00	LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Hexachloroethane	12/1/2003	11/30/2010	8	2.56	0		62.00	LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Benzene	12/1/2003	11/30/2010	5	2.50	0		513.00	LD	NC	<input type="checkbox"/>	NC		

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

AUID

2453_02

North-northeastern portion of the bay near Point Comfort

USE

Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	2,4,5-Trichlorophenol	12/1/2003	11/30/2010	9	2.75	0		2,435.00	LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Pentachlorophenol (PCP)	12/1/2003	11/30/2010	8	3.10	0		57.00	LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Dicofol (Kelthane)	12/1/2003	11/30/2010	9	0.04	0		0.08	LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Di-n-butyl phthalate	12/1/2003	11/30/2010	9	2.57	0		3,010.00	LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Toxaphene	12/1/2003	11/30/2010	9	0.00	0		0.01	LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	gamma-BHC (Lindane)	12/1/2003	11/30/2010	9	0.05	0		6.20	LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Trichloroethene	12/1/2003	11/30/2010	5	2.50	0		649.00	LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Methoxychlor	12/1/2003	11/30/2010	9	0.04	0		0.33	LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Lead	12/1/2003	11/30/2010	12	1.15	0		3.83	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	DDT	12/1/2003	11/30/2010	9	0.00	0		0.01	LD	NC	<input type="checkbox"/>	NC		

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

SEGID 2453A Garcitas Creek Tidal (unclassified water body)

AUID 2453A_01 From the Lavaca Bay confluence to a point 13.7 km (8.5 mi) upstream of FM 616

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	18		1	2.67	4.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	18		1	2.67	3.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/1/2003	11/30/2010	6		2	3.04	4.00	LD	CN	<input checked="" type="checkbox"/>	NS	depressed dissolved oxygen	5b
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/1/2003	11/30/2010	6		1	0.42	3.00	LD	NC	<input type="checkbox"/>	NC		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	15		0		0.46	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	18		0		0.46	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	18		0		0.66	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	18		4	33.78	21.00	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	18		0		1.10	AD	NC	<input type="checkbox"/>	NC		

SEGID 2453C Arenosa Creek (unclassified water body)

AUID 2453C_01 From Garcitas Creek confluence upstream to J-2 Ranch Road

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2003	11/30/2010	32	197.60			126.00	AD	NS	<input checked="" type="checkbox"/>	NS	bacteria	5b

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

SEGID 2453D Lavaca Bay Ship Channel Area (unclassified water body)

AUID 2453D_01 Entire segment

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	32		4	2.8	4.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	32		2	2.06	3.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/1/2003	11/30/2010	12		2	3.7	4.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/1/2003	11/30/2010	12		5	2.07	3.00	AD	NS	<input type="checkbox"/>	NS	depressed dissolved oxygen	5c
Acute Toxic Substances in water	Arsenic	12/1/2003	11/30/2010	11		0		149.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2003	11/30/2010	11		0		45.40	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2003	11/30/2010	8		0		13.50	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Lead	12/1/2003	11/30/2010	11		0		133.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/1/2003	11/30/2010	12		0		118.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Selenium	12/1/2003	11/30/2010	12		0		564.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2003	11/30/2010	12		0		92.70	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Selenium	12/1/2003	11/30/2010	12	0.13	0		136.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2003	11/30/2010	12	2.17	0		84.20	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/1/2003	11/30/2010	12	2.84	0		13.10	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic	12/1/2003	11/30/2010	11	24.19	0		78.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2003	11/30/2010	8	1.98	0		3.60	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Cadmium	12/1/2003	11/30/2010	11	2.11	0		10.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2003	11/30/2010	11	2.01	0		5.30	AD	FS	<input type="checkbox"/>	FS		
Toxic Substances in sediment	1,2-Dichloroethane	12/1/2003	11/30/2010	12		0		25,800.00	AD	NC	<input type="checkbox"/>	NC		

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

AUID

2453D_01

Entire segment

USE

Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Toxic Substances in sediment	Chlorobenzene	12/1/2003	11/30/2010	12		0		19,870.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Carbon tetrachloride	12/1/2003	11/30/2010	12		0		37,330.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Benzene	12/1/2003	11/30/2010	12		0		45,010.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Zinc	12/1/2003	11/30/2010	12		0		410.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Acetone	12/1/2003	11/30/2010	5		0		1,003,360.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Bis(2-ethyl-hexyl)phthalate	12/1/2003	11/30/2010	11		0		2,647.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	gamma-BHC (Lindane)	12/1/2003	11/30/2010	11		0		0.99	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Benz(a)anthracene	12/1/2003	11/30/2010	11		0		1,600.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	1,3-Dichlorobenzene	12/1/2003	11/30/2010	11		0		1,950.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Ethylbenzene	12/1/2003	11/30/2010	12		0		3,930.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	1,2,4-Trichlorobenzene	12/1/2003	11/30/2010	11		0		2,320.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	DDT	12/1/2003	11/30/2010	11		0		4.77	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	4-Methyl-2-Pentanone (MIBK)	12/1/2003	11/30/2010	5		0		272,060.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Methylene chloride	12/1/2003	11/30/2010	12		0		22,910.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Nitrobenzene	12/1/2003	11/30/2010	11		0		161.06	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Styrene	12/1/2003	11/30/2010	5		0		22,310.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	1,1,2,2-Tetrachloroethane	12/1/2003	11/30/2010	12		0		3,690.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Tetrachloroethene	12/1/2003	11/30/2010	12		0		18,590.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	2-Methylnaphthalene	12/1/2003	11/30/2010	3		0		670.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Bromoform	12/1/2003	11/30/2010	11		0		10,670.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	1,1,2-Trichloroethane	12/1/2003	11/30/2010	12		0		1,800.00	AD	NC	<input type="checkbox"/>	NC		

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

AUID	2453D_01	Entire segment
-------------	----------	----------------

USE	Aquatic Life Use
------------	------------------

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Toxic Substances in sediment	Xylene	12/1/2003	11/30/2010	12		0		7,470.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	DDE	12/1/2003	11/30/2010	11		0		374.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Chloroform	12/1/2003	11/30/2010	12		0		25.80	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Trichloroethene	12/1/2003	11/30/2010	12		0		8,820.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Toluene	12/1/2003	11/30/2010	12		0		5,660.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Cadmium	12/1/2003	11/30/2010	12		0		9.60	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	1,1,1-Trichloroethane	12/1/2003	11/30/2010	12		0		15,830.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	1,4-Dichlorobenzene	12/1/2003	11/30/2010	11		0		4,210.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Acenaphthene	12/1/2003	11/30/2010	11		0		500.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Acenaphthylene	12/1/2003	11/30/2010	11		0		640.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Acrylonitrile	12/1/2003	11/30/2010	12		0		1,040.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Anthracene	12/1/2003	11/30/2010	11		0		1,100.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Silver	12/1/2003	11/30/2010	12		0		3.70	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Benzo(a)pyrene	12/1/2003	11/30/2010	11		0		1,600.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Chlordane	12/1/2003	11/30/2010	11		0		4.79	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Chloromethane	12/1/2003	11/30/2010	12		0		52,430.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Chromium	12/1/2003	11/30/2010	12		0		370.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Chrysene	12/1/2003	11/30/2010	11		0		2,800.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Copper	12/1/2003	11/30/2010	12		0		270.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Phenanthrene	12/1/2003	11/30/2010	11		0		1,500.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Arsenic	12/1/2003	11/30/2010	12		0		70.00	AD	NC	<input type="checkbox"/>	NC		

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

AUID 2453D_01 Entire segment

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Toxic Substances in sediment	Pyrene	12/1/2003	11/30/2010	11		0		2,600.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	DDD	12/1/2003	11/30/2010	11		0		7.81	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	PCBs	12/1/2003	11/30/2010	11		0		180.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Nickel	12/1/2003	11/30/2010	12		0		51.60	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Naphthalene	12/1/2003	11/30/2010	11		0		2,100.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Mercury	12/1/2003	11/30/2010	11		0		0.71	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Hexachloroethane	12/1/2003	11/30/2010	11		0		13,770.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Hexachlorobutadiene (HCBd)	12/1/2003	11/30/2010	10		0		12.76	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Fluorene	12/1/2003	11/30/2010	11		0		540.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Fluoranthene	12/1/2003	11/30/2010	11		0		5,100.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Dieldrin	12/1/2003	11/30/2010	11		0		4.30	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Dibenz(a,h)anthracene	12/1/2003	11/30/2010	11		0		260.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Lead	12/1/2003	11/30/2010	12		0		218.00	AD	NC	<input type="checkbox"/>	NC		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	Enterococcus	12/1/2003	11/30/2010	22	13.74	0		35.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	27		0		0.19	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	23		4	22.53	11.60	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	27		4	0.13	0.10	AD	NC	<input type="checkbox"/>	NC		

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

AUID 2453D_01 Entire segment

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	24		1	0.27	0.17	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	26		1	0.24	0.21	AD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Aquatic Life Closure	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	mercury in edible tissue	4b
HH Bioaccumulative Toxics in water	Chromium	12/1/2003	11/30/2010	12	2.00	0		502.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2003	11/30/2010	11	1.89	0		3.83	AD	FS	<input type="checkbox"/>	FS		

SEGID 2453OW Lavaca Bay/Chocolate Bay (Oyster Waters)

AUID 2453OW_01 Center portion of bay

USE Oyster Waters Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Shellfish Harvesting Maps	DSHS Shellfishing Restrictions	12/1/2003	11/30/2010						OE	FS	<input checked="" type="checkbox"/>	FS		

AUID 2453OW_02 North-northeastern portion of the bay near Point Comfort

USE Oyster Waters Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Shellfish Harvesting Maps	DSHS Shellfishing Restrictions	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	bacteria (oyster waters)	5a

AUID 2453OW_03 Chocolate Bay area

USE Oyster Waters Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Shellfish Harvesting Maps	DSHS Shellfishing Restrictions	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	bacteria (oyster waters)	5a

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

SEGID 2454 Cox Bay

AUID 2454_02 Remainder of Cox Bay

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	26		0		5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	26		0		4.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	12/1/2003	11/30/2010	10		0		149.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2003	11/30/2010	12		0		45.40	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2003	11/30/2010	9		0		13.50	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Lead	12/1/2003	11/30/2010	12		0		133.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/1/2003	11/30/2010	13		0		118.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Selenium	12/1/2003	11/30/2010	13		0		564.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2003	11/30/2010	13		0		92.70	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Selenium	12/1/2003	11/30/2010	13	0.13	0		136.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2003	11/30/2010	13	2.31	0		84.20	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/1/2003	11/30/2010	13	3.12	0		13.10	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic	12/1/2003	11/30/2010	10	23.34	0		78.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2003	11/30/2010	9	1.93	0		3.60	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Cadmium	12/1/2003	11/30/2010	12	1.94	0		10.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2003	11/30/2010	12	1.60	0		5.30	AD	FS	<input type="checkbox"/>	FS		
Toxic Substances in sediment	4-Methyl-2-Pentanone (MIBK)	12/1/2003	11/30/2010	4		0		272,060.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Ethylbenzene	12/1/2003	11/30/2010	11		0		3,930.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	1,2-Dichloroethane	12/1/2003	11/30/2010	11		0		25,800.00	AD	NC	<input type="checkbox"/>	NC		

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

AUID

2454_02

Remainder of Cox Bay

USE

Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Toxic Substances in sediment	Chlorobenzene	12/1/2003	11/30/2010	11		0		19,870.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Carbon tetrachloride	12/1/2003	11/30/2010	11		0		37,330.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Bis(2-ethyl-hexyl)phthalate	12/1/2003	11/30/2010	11		0		2,647.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	1,3-Dichlorobenzene	12/1/2003	11/30/2010	11		0		1,950.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Acetone	12/1/2003	11/30/2010	4		0		1,003,360.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	DDT	12/1/2003	11/30/2010	11		0		4.77	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	gamma-BHC (Lindane)	12/1/2003	11/30/2010	11		0		0.99	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Benz(a)anthracene	12/1/2003	11/30/2010	11		0		1,600.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Methylene chloride	12/1/2003	11/30/2010	11		0		22,910.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	1,2,4-Trichlorobenzene	12/1/2003	11/30/2010	11		0		2,320.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Benzene	12/1/2003	11/30/2010	11		0		45,010.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Nitrobenzene	12/1/2003	11/30/2010	11		0		161.06	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Styrene	12/1/2003	11/30/2010	4		0		22,310.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	1,1,2,2-Tetrachloroethane	12/1/2003	11/30/2010	11		0		3,690.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Tetrachloroethene	12/1/2003	11/30/2010	11		0		18,590.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Toluene	12/1/2003	11/30/2010	11		0		5,660.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	2-Methylnaphthalene	12/1/2003	11/30/2010	3		0		670.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Benzo(a)pyrene	12/1/2003	11/30/2010	11		0		1,600.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	1,1,1-Trichloroethane	12/1/2003	11/30/2010	11		0		15,830.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	1,1,2-Trichloroethane	12/1/2003	11/30/2010	11		0		1,800.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Xylene	12/1/2003	11/30/2010	11		0		7,470.00	AD	NC	<input type="checkbox"/>	NC		

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

AUID

2454_02

Remainder of Cox Bay

USE

Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Toxic Substances in sediment	DDE	12/1/2003	11/30/2010	11		0		374.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Chloroform	12/1/2003	11/30/2010	11		0		25.80	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Zinc	12/1/2003	11/30/2010	13		0		410.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Bromoform	12/1/2003	11/30/2010	11		0		10,670.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Arsenic	12/1/2003	11/30/2010	13		0		70.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	1,4-Dichlorobenzene	12/1/2003	11/30/2010	11		0		4,210.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Acenaphthene	12/1/2003	11/30/2010	11		0		500.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Acenaphthylene	12/1/2003	11/30/2010	11		0		640.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Chlordane	12/1/2003	11/30/2010	11		0		4.79	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Anthracene	12/1/2003	11/30/2010	11		0		1,100.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Trichloroethene	12/1/2003	11/30/2010	11		0		8,820.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Cadmium	12/1/2003	11/30/2010	13		0		9.60	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Chloromethane	12/1/2003	11/30/2010	11		0		52,430.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Chromium	12/1/2003	11/30/2010	13		0		370.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Chrysene	12/1/2003	11/30/2010	11		0		2,800.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Copper	12/1/2003	11/30/2010	13		0		270.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	DDD	12/1/2003	11/30/2010	11		0		7.81	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Dibenz(a,h)anthracene	12/1/2003	11/30/2010	11		0		260.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Fluoranthene	12/1/2003	11/30/2010	11		0		5,100.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Fluorene	12/1/2003	11/30/2010	11		0		540.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Hexachlorobutadiene (HCBd)	12/1/2003	11/30/2010	10		0		12.76	AD	NC	<input type="checkbox"/>	NC		

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

AUID 2454_02 Remainder of Cox Bay

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Toxic Substances in sediment	Hexachloroethane	12/1/2003	11/30/2010	11		0		13,770.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Lead	12/1/2003	11/30/2010	13		0		218.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Mercury	12/1/2003	11/30/2010	12		0		0.71	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Naphthalene	12/1/2003	11/30/2010	11		0		2,100.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Nickel	12/1/2003	11/30/2010	13		0		51.60	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	PCBs	12/1/2003	11/30/2010	11		0		180.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Phenanthrene	12/1/2003	11/30/2010	11		0		1,500.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Pyrene	12/1/2003	11/30/2010	11		0		2,600.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Silver	12/1/2003	11/30/2010	13		0		3.70	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Acrylonitrile	12/1/2003	11/30/2010	11		0		1,040.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Dieldrin	12/1/2003	11/30/2010	11		0		4.30	AD	NC	<input type="checkbox"/>	NC		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	Enterococcus	12/1/2003	11/30/2010	21	14.81	0		35.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2003	11/30/2010	27		0		35.00	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2003	11/30/2010	27		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2003	11/30/2010	27		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	26		1	0.18	0.17	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	27		1	0.22	0.19	AD	NC	<input type="checkbox"/>	NC		

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

AUID 2454_02 Remainder of Cox Bay

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	27		1	0.15	0.10	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	27		2	0.29	0.21	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	23		8	21.59	11.60	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Chromium	12/1/2003	11/30/2010	13	2.00	0		502.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2003	11/30/2010	12	1.49	0		3.83	AD	FS	<input type="checkbox"/>	FS		

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

SEGID 2454A Cox Lake (unclassified water body)

AUID 2454A_01 From the Cox Lake dam located 4.0 km (2.5 mi) southeast of Point Comfort to the Calhoun/Jackson County line

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	28		4	4.33	5.00	AD	CS	<input type="checkbox"/>	CS	depressed dissolved oxygen	
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	28		0		3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2001	11/30/2010	15	28.74	0		126.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	26		2	44.1	26.70	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	24		20	0.3	0.20	AD	CS	<input type="checkbox"/>	CS	total phosphorus	
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	27		8	1.74	0.37	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	28		25	0.2	0.05	AD	CS	<input type="checkbox"/>	CS	orthophosphorus	
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	27		0		0.11	AD	NC	<input type="checkbox"/>	NC		

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

SEGID 2454OW Cox Bay (Oyster Waters)

AUID 2454OW_01 North end of bay near Cox Creek

USE Oyster Waters Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Shellfish Harvesting Maps	DSHS Shellfishing Restrictions	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	bacteria (oyster waters)	5a

AUID 2454OW_02 Remainder of Cox Bay

USE Oyster Waters Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Shellfish Harvesting Maps	DSHS Shellfishing Restrictions	12/1/2003	11/30/2010						OE	FS	<input checked="" type="checkbox"/>	FS		

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

SEGID 2455 Keller Bay

AUID 2455_02 Remainder of Keller Bay

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	27		0		5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	27		0		4.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	Enterococcus	12/1/2003	11/30/2010	22	13.80	0		35.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2003	11/30/2010	28		0		35.00	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2003	11/30/2010	28		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2003	11/30/2010	28		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	27		1	0.15	0.10	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	27		1	0.43	0.21	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	26		0		0.19	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	26		0		0.17	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	24		5	20.04	11.60	AD	NC	<input type="checkbox"/>	NC		

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

SEGID 2455OW Keller Bay (Oyster Waters)

AUID 2455OW_01 Upper arm

USE Oyster Waters Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Shellfish Harvesting Maps	DSHS Shellfishing Restrictions	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	bacteria (oyster waters)	5a

AUID 2455OW_02 Remainder of Keller Bay

USE Oyster Waters Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Shellfish Harvesting Maps	DSHS Shellfishing Restrictions	12/1/2003	11/30/2010						OE	FS	<input checked="" type="checkbox"/>	FS		

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

SEGID 2456 Carancahua Bay

AUID 2456_02 Upper half of bay

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	55		0		5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	55		0		4.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/1/2003	11/30/2010	13		0		5.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/1/2003	11/30/2010	13		1	3.92	4.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	Enterococcus	12/1/2001	11/30/2010	25	100.50	1		35.00	AD	NS	<input type="checkbox"/>	NS	bacteria	5c

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2003	11/30/2010	55		1	35.08	35.00	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2003	11/30/2010	55		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2003	11/30/2010	55		2	6.45	6.50	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	31		7	0.27	0.19	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	29		24	36.11	11.60	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	28		23	0.34	0.21	AD	CS	<input type="checkbox"/>	CS	total phosphorus	
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	31		8	0.78	0.17	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	31		1	0.23	0.10	AD	NC	<input type="checkbox"/>	NC		

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

SEGID 2456A West Carancahua Creek Tidal (unclassified water body)

AUID 2456A_01 From the Carancahua Bay confluence to Jackson CR 440, 10.1 km (6.3 mi) upstream of FM 616 in Jackson County

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	11		6	3.03	4.00	AD	CS	<input type="checkbox"/>	CS	depressed dissolved oxygen	
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	11		2	2.04	3.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/1/2003	11/30/2010	3		0		4.00	ID	NA	<input checked="" type="checkbox"/>	NS	depressed dissolved oxygen	5c
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/1/2003	11/30/2010	3		0		3.00	ID	NA	<input checked="" type="checkbox"/>	NS	depressed dissolved oxygen	5c

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	11		2	1.63	1.10	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	10		0		0.46	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	11		0		0.46	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	11		0		0.66	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	11		5	31.14	21.00	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

SEGID 2456OW Carancahua Bay (Oyster Waters)

AUID 2456OW_01 Lower portion of bay

USE Oyster Waters Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Shellfish Harvesting Maps	DSHS Shellfishing Restrictions	12/1/2003	11/30/2010						OE	FS	<input checked="" type="checkbox"/>	FS		

AUID 2456OW_02 Upper portion of bay and shoreline area

USE Oyster Waters Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Shellfish Harvesting Maps	DSHS Shellfishing Restrictions	12/1/2003	11/30/2010						OE	NS	<input type="checkbox"/>	NS	bacteria (oyster waters)	5a

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

SEGID 2461 Espiritu Santo Bay

AUID 2461_01 Entire segment

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	55		2	4.33	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	55		0		4.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	Enterococcus	12/1/2003	11/30/2010	52	12.97	0		35.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2003	11/30/2010	55		0		35.00	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2003	11/30/2010	55		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2003	11/30/2010	55		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	55		4	0.35	0.17	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	54		0		0.19	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	55		1	0.11	0.10	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	55		1	0.25	0.21	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	48		5	21.8	11.60	AD	NC	<input type="checkbox"/>	NC		

SEGID 2461OW Espiritu Santo Bay (Oyster Waters)

AUID 2461OW_01 Entire segment

USE Oyster Waters Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Shellfish Harvesting Maps	DSHS Shellfishing Restrictions	12/1/2003	11/30/2010						OE	FS	<input checked="" type="checkbox"/>	FS		

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

SEGID 2462 San Antonio Bay/Hynes Bay/Guadalupe Bay

AUID 2462_01 Entire segment

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	56		3	4.73	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	56		0		4.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	Enterococcus	12/1/2003	11/30/2010	54	11.37	0		35.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2003	11/30/2010	56		0		35.00	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2003	11/30/2010	56		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2003	11/30/2010	56		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	56		12	0.67	0.17	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	40		2	0.27	0.19	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	56		9	0.19	0.10	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	56		12	0.26	0.21	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	53		15	23.46	11.60	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

SEGID 2462OW San Antonio Bay/Hynes Bay/Guadalupe Bay (Oyster Waters)

AUID 2462OW_01 Guadalupe Bay

USE Oyster Waters Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Shellfish Harvesting Maps	DSHS Shellfishing Restrictions	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	bacteria (oyster waters)	5a

AUID 2462OW_02 Hynes Bay

USE Oyster Waters Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Shellfish Harvesting Maps	DSHS Shellfishing Restrictions	12/1/2003	11/30/2010						OE	FS	<input checked="" type="checkbox"/>	FS		

AUID 2462OW_03 San Antonio Bay shoreline area

USE Oyster Waters Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Shellfish Harvesting Maps	DSHS Shellfishing Restrictions	12/1/2003	11/30/2010						OE	NA	<input checked="" type="checkbox"/>	NA		

AUID 2462OW_04 Remainder of San Antonio Bay

USE Oyster Waters Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Shellfish Harvesting Maps	DSHS Shellfishing Restrictions	12/1/2003	11/30/2010						OE	FS	<input checked="" type="checkbox"/>	FS		

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

SEGID 2463 Mesquite Bay/Carlos Bay/Ayres Bay

AUID 2463_01 Entire segment

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	28		1	4.45	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	28		0		4.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	Enterococcus	12/1/2003	11/30/2010	25	8.72	0		35.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2003	11/30/2010	28		0		35.00	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2003	11/30/2010	28		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2003	11/30/2010	28		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	26		2	0.48	0.17	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	28		0		0.19	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	27		1	0.13	0.10	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	27		2	0.29	0.21	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	25		5	22.18	11.60	AD	NC	<input type="checkbox"/>	NC		

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

SEGID 2463OW Mesquite Bay/Carlos Bay/Ayres Bay (Oyster Waters)

AUID 2463OW_01 Western shoreline

USE Oyster Waters Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Shellfish Harvesting Maps	DSHS Shellfishing Restrictions	12/1/2003	11/30/2010						OE	NA	<input checked="" type="checkbox"/>	NA		

AUID 2463OW_02 Remainder of Mesquite Bay

USE Oyster Waters Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Shellfish Harvesting Maps	DSHS Shellfishing Restrictions	12/1/2003	11/30/2010						OE	FS	<input checked="" type="checkbox"/>	FS		

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

SEGID 2471 Aransas Bay

AUID 2471_01 Entire segment

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	56		0		5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	56		0		4.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	Enterococcus	12/1/2003	11/30/2010	44	6.96	0		35.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2003	11/30/2010	56		0		35.00	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2003	11/30/2010	54		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2003	11/30/2010	54		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	54		1	1.86	0.17	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	56		0		0.19	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	56		4	0.15	0.10	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	56		0		0.21	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	56		2	15.7	11.60	AD	NC	<input type="checkbox"/>	NC		

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

SEGID 2471A Little Bay (unclassified water body)

AUID 2471A_01 Entire segment

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	25		1	3.7	4.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	25		0		3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	Enterococcus	12/1/2003	11/30/2010	19	16.52	0		35.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	23		1	0.12	0.10	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	22		0		0.21	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	24		1	0.26	0.17	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	22		18	25.08	11.60	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	24		0		0.19	AD	NC	<input type="checkbox"/>	NC		

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

SEGID 2471OW Aransas Bay (Oyster Waters)

AUID 2471OW_01 Western shoreline

USE Oyster Waters Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Shellfish Harvesting Maps	DSHS Shellfishing Restrictions	12/1/2003	11/30/2010						OE	NA	<input checked="" type="checkbox"/>	NA		

AUID 2471OW_02 Remainder of bay

USE Oyster Waters Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Shellfish Harvesting Maps	DSHS Shellfishing Restrictions	12/1/2003	11/30/2010						OE	FS	<input checked="" type="checkbox"/>	FS		

SEGID 2471RB Rockport (Recreational Beaches)

AUID 2471RB_01 Rockport Beach Park (Beach ID TX748844)

USE Recreational Beaches

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Texas Beach Watch Program Advisories	Enterococcus	12/1/2003	11/30/2010	317		79	24.92		AD	CN	<input type="checkbox"/>	CN	bacteria	

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

SEGID 2472 Copano Bay/Port Bay/Mission Bay

AUID 2472_02 Copano Bay

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	137		7	4.51	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	137		0		4.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/1/2003	11/30/2010	4		0		5.00	LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/1/2003	11/30/2010	4		0		4.00	LD	NC	<input type="checkbox"/>	NC		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	Enterococcus	12/1/2003	11/30/2010	133	6.75	0		35.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2003	11/30/2010	139		0		35.00	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2003	11/30/2010	137		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2003	11/30/2010	137		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	135		6	0.3	0.21	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	137		13	0.27	0.10	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	51		0		0.19	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	133		6	0.3	0.17	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	129		18	23.47	11.60	AD	NC	<input type="checkbox"/>	NC		

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

SEGID 2472OW Copano Bay/Port Bay/Mission Bay (Oyster Waters)

AUID 2472OW_01 Mission Bay, Aransas River arm, Port Bay, and eastern shoreline

USE Oyster Waters Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Shellfish Harvesting Maps	DSHS Shellfishing Restrictions	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	bacteria (oyster waters)	5a

AUID 2472OW_02 Copano Bay

USE Oyster Waters Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Shellfish Harvesting Maps	DSHS Shellfishing Restrictions	12/1/2003	11/30/2010						OE	FS	<input checked="" type="checkbox"/>	FS		

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

SEGID 2473 St. Charles Bay

AUID 2473_01 Entire segment

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	28		5	4.14	5.00	AD	CS	<input type="checkbox"/>	CS	depressed dissolved oxygen	
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	28		2	3.6	4.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	Enterococcus	12/1/2003	11/30/2010	27	13.51	0		35.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2003	11/30/2010	28		0		35.00	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2003	11/30/2010	28		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2003	11/30/2010	28		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	28		1	0.35	0.21	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	28		2	14	11.60	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	28		0		0.17	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	1		0		0.19	ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	28		3	0.27	0.10	AD	NC	<input type="checkbox"/>	NC		

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

SEGID 2473OW St. Charles Bay (Oyster Waters)

AUID 2473OW_01 Remainder of Bay

USE Oyster Waters Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Shellfish Harvesting Maps	DSHS Shellfishing Restrictions	12/1/2003	11/30/2010						OE	FS	<input checked="" type="checkbox"/>	FS		

AUID 2473OW_02 Southwest corner of St Charles Bay

USE Oyster Waters Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Shellfish Harvesting Maps	DSHS Shellfishing Restrictions	12/1/2003	11/30/2010						OE	NA	<input checked="" type="checkbox"/>	NA		

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

SEGID 2481 Corpus Christi Bay

AUID 2481_01

From the Corpus Christi Ship Channel east to Pelican Island, from Pelican Island south to Demit Island including the La Quinta Channel and the Corpus Christi Ship Channel adjacent to Redfish Bay

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	108		3	3.53	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	108		2	3.3	4.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	12/1/2003	11/30/2010	12		1	206	149.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2003	11/30/2010	12		0		92.70	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Selenium	12/1/2003	11/30/2010	12		0		564.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/1/2003	11/30/2010	12		0		118.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2003	11/30/2010	11		0		133.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2003	11/30/2010	12		0		45.40	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2003	11/30/2010	10		0		13.50	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/1/2003	11/30/2010	12	2.84	0		13.10	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2003	11/30/2010	11	1.97	0		5.30	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2003	11/30/2010	12	2.17	0		84.20	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2003	11/30/2010	10	2.25	0		3.60	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2003	11/30/2010	12	3.13	0		10.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic	12/1/2003	11/30/2010	12	44.09	0		78.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Selenium	12/1/2003	11/30/2010	12	0.12	0		136.00	AD	FS	<input type="checkbox"/>	FS		
Toxic Substances in sediment	gamma-BHC (Lindane)	12/1/2003	11/30/2010	11		0		0.99	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	4-Methyl-2-Pentanone (MIBK)	12/1/2003	11/30/2010	5		0		272,060.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Ethylbenzene	12/1/2003	11/30/2010	11		0		3,930.00	AD	NC	<input type="checkbox"/>	NC		

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

AUID 2481_01

From the Corpus Christi Ship Channel east to Pelican Island, from Pelican Island south to Demit Island including the La Quinta Channel and the Corpus Christi Ship Channel adjacent to Redfish Bay

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Toxic Substances in sediment	1,2-Dichloroethane	12/1/2003	11/30/2010	11		0		25,800.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Chlorobenzene	12/1/2003	11/30/2010	11		0		19,870.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Carbon tetrachloride	12/1/2003	11/30/2010	11		0		37,330.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Benzene	12/1/2003	11/30/2010	11		0		45,010.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	DDT	12/1/2003	11/30/2010	10		0		4.77	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Styrene	12/1/2003	11/30/2010	4		0		22,310.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Benz(a)anthracene	12/1/2003	11/30/2010	12		0		1,600.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	1,3-Dichlorobenzene	12/1/2003	11/30/2010	11		0		1,950.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Bis(2-ethyl-hexyl)phthalate	12/1/2003	11/30/2010	12		0		2,647.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Acetone	12/1/2003	11/30/2010	5		0		1,003,360.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Nitrobenzene	12/1/2003	11/30/2010	12		0		161.06	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Nickel	12/1/2003	11/30/2010	12		0		51.60	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	1,1,2,2-Tetrachloroethane	12/1/2003	11/30/2010	11		0		3,690.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Tetrachloroethene	12/1/2003	11/30/2010	11		0		18,590.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Toluene	12/1/2003	11/30/2010	11		0		5,660.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Bromoform	12/1/2003	11/30/2010	11		0		10,670.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	1,2,4-Trichlorobenzene	12/1/2003	11/30/2010	11		0		2,320.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	1,1,1-Trichloroethane	12/1/2003	11/30/2010	11		0		15,830.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	1,1,2-Trichloroethane	12/1/2003	11/30/2010	11		0		1,800.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Xylene	12/1/2003	11/30/2010	11		0		7,470.00	AD	NC	<input type="checkbox"/>	NC		

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

AUID 2481_01

From the Corpus Christi Ship Channel east to Pelican Island, from Pelican Island south to Demit Island including the La Quinta Channel and the Corpus Christi Ship Channel adjacent to Redfish Bay

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Toxic Substances in sediment	DDE	12/1/2003	11/30/2010	11		0		374.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Chloroform	12/1/2003	11/30/2010	11		0		25.80	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	2-Methylnaphthalene	12/1/2003	11/30/2010	5		0		670.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Zinc	12/1/2003	11/30/2010	12		0		410.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Methylene chloride	12/1/2003	11/30/2010	11		0		22,910.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Acenaphthene	12/1/2003	11/30/2010	12		0		500.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Phenanthrene	12/1/2003	11/30/2010	12		0		1,500.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	1,4-Dichlorobenzene	12/1/2003	11/30/2010	10		0		4,210.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Trichloroethene	12/1/2003	11/30/2010	11		0		8,820.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Acenaphthylene	12/1/2003	11/30/2010	12		0		640.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Acrylonitrile	12/1/2003	11/30/2010	11		0		1,040.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Anthracene	12/1/2003	11/30/2010	12		0		1,100.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Arsenic	12/1/2003	11/30/2010	12		0		70.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Benzo(a)pyrene	12/1/2003	11/30/2010	12		0		1,600.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Cadmium	12/1/2003	11/30/2010	12		0		9.60	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Chlordane	12/1/2003	11/30/2010	11		0		4.79	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Chloromethane	12/1/2003	11/30/2010	11		0		52,430.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Chromium	12/1/2003	11/30/2010	12		0		370.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Chrysene	12/1/2003	11/30/2010	12		0		2,800.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Copper	12/1/2003	11/30/2010	12		0		270.00	AD	NC	<input type="checkbox"/>	NC		

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

AUID 2481_01

From the Corpus Christi Ship Channel east to Pelican Island, from Pelican Island south to Demit Island including the La Quinta Channel and the Corpus Christi Ship Channel adjacent to Redfish Bay

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Toxic Substances in sediment	Mercury	12/1/2003	11/30/2010	12		0		0.71	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Silver	12/1/2003	11/30/2010	12		0		3.70	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Pyrene	12/1/2003	11/30/2010	12		0		2,600.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	PCBs	12/1/2003	11/30/2010	11		0		180.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	DDD	12/1/2003	11/30/2010	10		0		7.81	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Naphthalene	12/1/2003	11/30/2010	12		0		2,100.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Lead	12/1/2003	11/30/2010	12		0		218.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Hexachloroethane	12/1/2003	11/30/2010	11		0		13,770.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Hexachlorobutadiene (HCBd)	12/1/2003	11/30/2010	11		0		12.76	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Fluorene	12/1/2003	11/30/2010	12		0		540.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Fluoranthene	12/1/2003	11/30/2010	12		0		5,100.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Dieldrin	12/1/2003	11/30/2010	11		0		4.30	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Dibenz(a,h)anthracene	12/1/2003	11/30/2010	12		0		260.00	AD	NC	<input type="checkbox"/>	NC		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	Enterococcus	12/1/2003	11/30/2010	89	12.35	0		35.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2003	11/30/2010	108		0		35.00	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2003	11/30/2010	108		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2003	11/30/2010	108		0		6.50	AD	FS	<input type="checkbox"/>	FS		

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

AUID 2481_01

From the Corpus Christi Ship Channel east to Pelican Island, from Pelican Island south to Demit Island including the La Quinta Channel and the Corpus Christi Ship Channel adjacent to Redfish Bay

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	108		5	0.18	0.10	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	104		1	0.26	0.21	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	103		1	0.21	0.17	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	96		4	16.83	11.60	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	108		0		0.19	AD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Chromium	12/1/2003	11/30/2010	12	2.00	0		502.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2003	11/30/2010	11	1.79	0		3.83	AD	FS	<input type="checkbox"/>	FS		

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

AUID 2481_02

From the Corpus Christi Ship Channel east to Pelican Island, from Pelican Island south to Demit Island including the area from the Corpus Christi Ship Channel to Demit Island (Oso Bay and City of Corpus Christi area)

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	27		1	4.5	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	27		0		4.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	Enterococcus	12/1/2003	11/30/2010	22	18.49	0		35.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2003	11/30/2010	27		0		35.00	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2003	11/30/2010	27		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2003	11/30/2010	27		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	27		0		0.19	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	27		1	0.14	0.10	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	26		0		0.21	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	24		1	12.4	11.60	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	26		0		0.17	AD	NC	<input type="checkbox"/>	NC		

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

AUID

2481_03

From Pelican Island south to Demit Island, from Demit Island to Mustang Island and the area along Mustang Island State Park to the Corpus Christi Ship Channel

USE **Aquatic Life Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	28		1	4.93	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	28		0		4.00	AD	FS	<input type="checkbox"/>	FS		

USE **Recreation Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	Enterococcus	12/1/2003	11/30/2010	23	11.77	0		35.00	AD	FS	<input type="checkbox"/>	FS		

USE **General Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2003	11/30/2010	28		0		35.00	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2003	11/30/2010	28		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2003	11/30/2010	28		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	26		0		0.17	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	26		0		0.19	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	26		0		0.10	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	26		0		0.21	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	26		2	14.65	11.60	AD	NC	<input type="checkbox"/>	NC		

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

SEGID 2481CB Corpus Christi Bay (Recreational Beaches)

AUD 2481CB_01 Corpus Christi Marina (Beach ID TX305317)

USE Recreational Beaches

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Texas Beach Watch Program Advisories	Enterococcus	12/1/2003	11/30/2010	258		45	17.44		AD	FS	<input type="checkbox"/>	FS		

AUD 2481CB_02 Corpus Christi Beach - Main (Beach ID TX546628)

USE Recreational Beaches

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Texas Beach Watch Program Advisories	Enterococcus	12/1/2003	11/30/2010	290		31	10.69		AD	FS	<input type="checkbox"/>	FS		

AUD 2481CB_03 Cole Park (Beach ID TX259473)

USE Recreational Beaches

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Texas Beach Watch Program Advisories	Enterococcus	12/1/2003	11/30/2010	464		220	47.41		AD	NS	<input type="checkbox"/>	NS	bacteria	5a

AUD 2481CB_04 Ropes Park (Beach ID TX821303)

USE Recreational Beaches

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Texas Beach Watch Program Advisories	Enterococcus	12/1/2003	11/30/2010	423		171	40.43		AD	NS	<input type="checkbox"/>	NS	bacteria	5a

AUD 2481CB_05 McGee Beach (Beach ID TX536781)

USE Recreational Beaches

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Texas Beach Watch Program Advisories	Enterococcus	12/1/2003	11/30/2010	310		61	19.68		AD	FS	<input type="checkbox"/>	FS		

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

AUID **2481CB_06** Poenisch Park (Beach ID TX682648)

USE **Recreational Beaches**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Texas Beach Watch Program Advisories	Enterococcus	12/1/2003	11/30/2010	336		82	24.4		AD	CN	<input type="checkbox"/>	CN	bacteria	

AUID **2481CB_07** Emerald Beach (TX199413)

USE **Recreational Beaches**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Texas Beach Watch Program Advisories	Enterococcus	12/1/2003	11/30/2010	174		31	17.82		AD	FS	<input type="checkbox"/>	FS		

AUID **2481CB_08** University Beach (Beach ID TX495569)

USE **Recreational Beaches**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Texas Beach Watch Program Advisories	Enterococcus	12/1/2003	11/30/2010	293		38	12.97		AD	FS	<input type="checkbox"/>	FS		

AUID **2481CB_09** Packery Channel Park (Beach ID TX227625)

USE **Recreational Beaches**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Texas Beach Watch Program Advisories	Enterococcus	12/1/2003	11/30/2010	237		7	2.95		AD	FS	<input type="checkbox"/>	FS		

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

SEGID 2481OW Corpus Christi Bay (Oyster Waters)

AUID 2481OW_01 Shoreline area

USE Oyster Waters Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Shellfish Harvesting Maps	DSHS Shellfishing Restrictions	12/1/2003	11/30/2010						OE	NA	<input checked="" type="checkbox"/>	NA		

AUID 2481OW_02 Remainder of Corpus Christi Bay

USE Oyster Waters Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Shellfish Harvesting Maps	DSHS Shellfishing Restrictions	12/1/2003	11/30/2010						OE	FS	<input checked="" type="checkbox"/>	FS		

SEGID 2481UL Upper Laguna Madre (Recreational Beaches)

AUID 2481UL_01 JFK Causeway - SW (Beach ID TX442541)

USE Recreational Beaches

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Texas Beach Watch Program Advisories	Enterococcus	12/1/2003	11/30/2010	299		45	15.05		AD	FS	<input type="checkbox"/>	FS		

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

SEGID 2482 Nueces Bay

AUID 2482_01 Entire segment

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	152		0		5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	152		0		4.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	12/1/2003	11/30/2010	9		0		149.00	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Cadmium	12/1/2003	11/30/2010	12		0		45.40	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2003	11/30/2010	7		0		13.50	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Lead	12/1/2003	11/30/2010	11		0		133.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/1/2003	11/30/2010	12		0		118.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Selenium	12/1/2003	11/30/2010	13		0		564.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2003	11/30/2010	80		0		29.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/1/2003	11/30/2010	12	2.37	0		13.10	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2003	11/30/2010	80	1.54	0		84.20	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2003	11/30/2010	11	1.57	0		5.30	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2003	11/30/2010	7	2.95	0		3.60	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Cadmium	12/1/2003	11/30/2010	12	2.73	0		10.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic	12/1/2003	11/30/2010	9	26.00	0		78.00	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Selenium	12/1/2003	11/30/2010	13	0.24	0		136.00	AD	FS	<input type="checkbox"/>	FS		
Toxic Substances in sediment	Zinc	12/1/2003	11/30/2010	54		0		410.00	AD	NC	<input type="checkbox"/>	NC		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	Enterococcus	12/1/2003	11/30/2010	73	23.26	0		35.00	AD	FS	<input type="checkbox"/>	FS		

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

AUID 2482_01 Entire segment

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2003	11/30/2010	152		0		35.00	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2003	11/30/2010	152		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2003	11/30/2010	152		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	81		2	0.22	0.19	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	84		7	0.24	0.10	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	75		8	0.34	0.21	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	76		15	17.8	11.60	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	80		0		0.17	AD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Lead	12/1/2003	11/30/2010	11	1.32	0		3.83	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Chromium	12/1/2003	11/30/2010	12	2.04	0		502.00	AD	FS	<input type="checkbox"/>	FS		

SEGID 2482NB Nueces Bay (Recreational Beaches)

AUID 2482NB_01 Nueces Bay Causeway # 3 (Beach ID TX 139394)

USE Recreational Beaches

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Texas Beach Watch Program Advisories	Enterococcus	12/1/2003	11/30/2010	189		35	18.52		AD	FS	<input type="checkbox"/>	FS		

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

SEGID 2482OW Nueces Bay (Oyster Waters)

AUID 2482OW_01 Entire segment

USE Oyster Waters Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Shellfish Harvesting Maps	DSHS Shellfishing Restrictions	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	zinc in edible tissue	4a

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

SEGID 2483 Redfish Bay

AUID 2483_01 Entire segment

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	35		1	4.97	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	35		0		4.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/1/2003	11/30/2010	4		0		5.00	LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/1/2003	11/30/2010	4		0		4.00	LD	NC	<input type="checkbox"/>	NC		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	Enterococcus	12/1/2003	11/30/2010	35	3.50	0		35.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2003	11/30/2010	35		0		35.00	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2003	11/30/2010	34		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2003	11/30/2010	34		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	35		0		0.17	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	7		0		0.19	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	35		1	0.27	0.10	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	35		0		0.21	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	35		1	17.8	11.60	AD	NC	<input type="checkbox"/>	NC		

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

SEGID 2483A Conn Brown Harbor (unclassified water body)

AUID 2483A_01 From the Aransas Channel confluence southeast of Aransas Pass to a point 1.6 km (1 mi) northeast

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	37		1	3.83	4.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	37		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/1/2003	11/30/2010	4		0		4.00	LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/1/2003	11/30/2010	4		0		3.00	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Zinc	12/1/2003	11/30/2010	8		0		92.70	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Arsenic	12/1/2003	11/30/2010	6		0		149.00	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Cadmium	12/1/2003	11/30/2010	6		0		45.40	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Copper	12/1/2003	11/30/2010	4		2	68.55	13.50	JQ	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2003	11/30/2010	8		0		133.00	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Nickel	12/1/2003	11/30/2010	8		0		118.00	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Selenium	12/1/2003	11/30/2010	8		0		564.00	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Zinc	12/1/2003	11/30/2010	8	3.75	0		84.20	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Selenium	12/1/2003	11/30/2010	8	2.72	0		136.00	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Nickel	12/1/2003	11/30/2010	8	4.70	0		13.10	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Lead	12/1/2003	11/30/2010	8	1.14	0		5.30	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Copper	12/1/2003	11/30/2010	4	36.63	1		3.60	LD	CN	<input type="checkbox"/>	CN	copper in water	
Chronic Toxic Substances in water	Arsenic	12/1/2003	11/30/2010	6	21.36	0		78.00	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Cadmium	12/1/2003	11/30/2010	6	3.68	0		10.00	LD	NC	<input type="checkbox"/>	NC		

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

AUID 2483A_01 From the Aransas Channel confluence southeast of Aransas Pass to a point 1.6 km (1 mi) northeast

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	Enterococcus	12/1/2003	11/30/2010	17	4.52	0		35.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	17		1	0.32	0.21	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	17		2	0.29	0.10	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	17		0		0.17	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	17		2	18.1	11.60	AD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Chromium	12/1/2003	11/30/2010	8	2.09	0		502.00	LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Lead	12/1/2003	11/30/2010	8	0.99	0		3.83	LD	NC	<input type="checkbox"/>	NC		

SEGID 2483OW Redfish Bay (Oyster Waters)

AUID 2483OW_01 Entire segment

USE Oyster Waters Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Shellfish Harvesting Maps	DSHS Shellfishing Restrictions	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	bacteria (oyster waters)	5a

SEGID 2483RB Redfish Bay (Recreational Beaches)

AUID 2483RB_01 Lighthouse Lake (Beach ID TX538780)

USE Recreational Beaches

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Texas Beach Watch Program Advisories	Enterococcus	12/1/2003	11/30/2010	134		3	2.24		AD	FS	<input type="checkbox"/>	FS		

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

SEGID 2484 Corpus Christi Inner Harbor

AUID 2484_01 Entire segment

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	116		0		3.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	116		0		2.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Selenium	12/1/2003	11/30/2010	27		0		564.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2003	11/30/2010	61		0		92.70	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	gamma-BHC (Lindane)	12/1/2003	11/30/2010	9		0		0.16	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Toxaphene	12/1/2003	11/30/2010	9		0		0.21	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	DDT	12/1/2003	11/30/2010	9		0		0.13	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	2,4,5-Trichlorophenol	12/1/2003	11/30/2010	9		0		259.00	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Endosulfan 1 (alpha)	12/1/2003	11/30/2010	9		0		0.03	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Endosulfan sulfate	12/1/2003	11/30/2010	9		0		0.03	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Carbaryl (Sevin)	12/1/2003	11/30/2010	5		0		613.00	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Pentachlorophenol (PCP)	12/1/2003	11/30/2010	8		0		15.10	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Phenanthrene	12/1/2003	11/30/2010	9		0		7.70	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Endosulfan 2 (beta)	12/1/2003	11/30/2010	9		0		0.03	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Cadmium	12/1/2003	11/30/2010	29		0		45.40	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chlorpyrifos (Dursban)	12/1/2003	11/30/2010	9		0		0.01	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Nickel	12/1/2003	11/30/2010	29		0		118.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	12/1/2003	11/30/2010	26		0		149.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chlordane	12/1/2003	11/30/2010	9		0		0.09	LD	NC	<input type="checkbox"/>	NC		

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

AUID

2484_01

Entire segment

USE

Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Acute Toxic Substances in water	Copper	12/1/2003	11/30/2010	25		0		13.50	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Dieldrin	12/1/2003	11/30/2010	9		0		0.71	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Endrin	12/1/2003	11/30/2010	8		0		0.04	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Heptachlor	12/1/2003	11/30/2010	9		0		0.05	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Lead	12/1/2003	11/30/2010	27		0		133.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Aldrin	12/1/2003	11/30/2010	9		0		1.30	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Pentachlorophenol (PCP)	12/1/2003	11/30/2010	8	3.10	0		9.60	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Toxaphene	12/1/2003	11/30/2010	9	0.00	0		0.00	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Nickel	12/1/2003	11/30/2010	29	2.82	0		13.10	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Phenanthrene	12/1/2003	11/30/2010	9	2.30	0		4.60	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Selenium	12/1/2003	11/30/2010	27	1.74	0		136.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2003	11/30/2010	61	4.31	0		84.20	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	DDT	12/1/2003	11/30/2010	9	0.00	0		0.00	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Endosulfan 1 (alpha)	12/1/2003	11/30/2010	9	0.00	0		0.01	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Endosulfan 2 (beta)	12/1/2003	11/30/2010	9	0.00	0		0.01	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	2,4,5-Trichlorophenol	12/1/2003	11/30/2010	9	2.75	0		12.00	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Cadmium	12/1/2003	11/30/2010	29	2.75	0		10.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Mirex	12/1/2003	11/30/2010	8	0.00	0		0.00	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Endosulfan sulfate	12/1/2003	11/30/2010	9	0.00	0		0.01	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Demeton	12/1/2003	11/30/2010	8	0.05	0		0.10	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Chloropyrifos (Dursban)	12/1/2003	11/30/2010	9	0.00	0		0.01	LD	NC	<input type="checkbox"/>	NC		

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

AUID

2484_01

Entire segment

USE

Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Chronic Toxic Substances in water	Methoxychlor	12/1/2003	11/30/2010	9	0.02	0		0.03	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Arsenic	12/1/2003	11/30/2010	26	27.20	0		78.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2003	11/30/2010	25	1.94	0		3.60	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Dieldrin	12/1/2003	11/30/2010	9	0.00	0		0.00	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Endrin	12/1/2003	11/30/2010	8	0.00	0		0.00	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Guthion	12/1/2003	11/30/2010	8	0.01	0		0.01	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Heptachlor	12/1/2003	11/30/2010	9	0.00	0		0.00	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Lead	12/1/2003	11/30/2010	27	2.91	0		5.30	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Malathion	12/1/2003	11/30/2010	9	0.01	0		0.01	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Chlordane	12/1/2003	11/30/2010	9	0.00	0		0.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Zinc	12/1/2003	11/30/2010	43		0		410.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Benzene	12/1/2003	11/30/2010	9		0		45,010.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Ethylbenzene	12/1/2003	11/30/2010	9		0		3,930.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Chlorobenzene	12/1/2003	11/30/2010	9		0		19,870.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Carbon tetrachloride	12/1/2003	11/30/2010	9		0		37,330.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Acetone	12/1/2003	11/30/2010	4		0		1,003,360.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	DDT	12/1/2003	11/30/2010	9		0		4.77	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	gamma-BHC (Lindane)	12/1/2003	11/30/2010	9		0		0.99	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Benz(a)anthracene	12/1/2003	11/30/2010	9		0		1,600.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Bis(2-ethyl-hexyl)phthalate	12/1/2003	11/30/2010	9		0		2,647.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Bromoform	12/1/2003	11/30/2010	9		0		10,670.00	LD	NC	<input type="checkbox"/>	NC		

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

AUID

2484_01

Entire segment

USE

Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Toxic Substances in sediment	1,3-Dichlorobenzene	12/1/2003	11/30/2010	9		0		1,950.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Methylene chloride	12/1/2003	11/30/2010	9		0		22,910.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Nitrobenzene	12/1/2003	11/30/2010	9		0		161.06	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Styrene	12/1/2003	11/30/2010	4		0		22,310.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	1,1,2,2-Tetrachloroethane	12/1/2003	11/30/2010	9		0		3,690.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Trichloroethene	12/1/2003	11/30/2010	9		0		8,820.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Toluene	12/1/2003	11/30/2010	9		0		5,660.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	1,2-Dichloroethane	12/1/2003	11/30/2010	9		0		25,800.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	1,2,4-Trichlorobenzene	12/1/2003	11/30/2010	9		0		2,320.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	1,1,1-Trichloroethane	12/1/2003	11/30/2010	9		0		15,830.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	1,1,2-Trichloroethane	12/1/2003	11/30/2010	9		0		1,800.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Xylene	12/1/2003	11/30/2010	9		0		7,470.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	DDE	12/1/2003	11/30/2010	9		0		374.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Chloroform	12/1/2003	11/30/2010	9		0		25.80	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	2-Methylnaphthalene	12/1/2003	11/30/2010	2		0		670.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Tetrachloroethene	12/1/2003	11/30/2010	9		0		18,590.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Chrysene	12/1/2003	11/30/2010	9		0		2,800.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Silver	12/1/2003	11/30/2010	11		0		3.70	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	1,4-Dichlorobenzene	12/1/2003	11/30/2010	9		0		4,210.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Acenaphthene	12/1/2003	11/30/2010	9		0		500.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Acenaphthylene	12/1/2003	11/30/2010	9		0		640.00	LD	NC	<input type="checkbox"/>	NC		

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

AUID

2484_01

Entire segment

USE

Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Toxic Substances in sediment	Acrylonitrile	12/1/2003	11/30/2010	9		0		1,040.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Anthracene	12/1/2003	11/30/2010	9		0		1,100.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Arsenic	12/1/2003	11/30/2010	11		0		70.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Benzo(a)pyrene	12/1/2003	11/30/2010	9		0		1,600.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Cadmium	12/1/2003	11/30/2010	11		0		9.60	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Chlordane	12/1/2003	11/30/2010	9		0		4.79	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	4-Methyl-2-Pentanone (MIBK)	12/1/2003	11/30/2010	4		0		272,060.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Chromium	12/1/2003	11/30/2010	11		0		370.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Copper	12/1/2003	11/30/2010	11		0		270.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Mercury	12/1/2003	11/30/2010	11		0		0.71	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Pyrene	12/1/2003	11/30/2010	9		0		2,600.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Phenanthrene	12/1/2003	11/30/2010	9		0		1,500.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	PCBs	12/1/2003	11/30/2010	9		0		180.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Chloromethane	12/1/2003	11/30/2010	9		0		52,430.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Naphthalene	12/1/2003	11/30/2010	9		0		2,100.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	DDD	12/1/2003	11/30/2010	9		0		7.81	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Lead	12/1/2003	11/30/2010	11		0		218.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Hexachloroethane	12/1/2003	11/30/2010	9		0		13,770.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Hexachlorobutadiene (HCBD)	12/1/2003	11/30/2010	8		0		12.76	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Fluorene	12/1/2003	11/30/2010	9		0		540.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Fluoranthene	12/1/2003	11/30/2010	9		0		5,100.00	LD	NC	<input type="checkbox"/>	NC		

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

AUID 2484_01 Entire segment

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Toxic Substances in sediment	Dieldrin	12/1/2003	11/30/2010	9		0		4.30	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Dibenz(a,h)anthracene	12/1/2003	11/30/2010	9		0		260.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Nickel	12/1/2003	11/30/2010	11		0		51.60	AD	NC	<input type="checkbox"/>	NC		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	Enterococcus	12/1/2003	11/30/2010	72	19.59	0		35.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2003	11/30/2010	116		0		35.00	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2003	11/30/2010	116		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2003	11/30/2010	116		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	78		21	23.04	11.60	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	77		1	0.34	0.21	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	80		51	0.49	0.17	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	81		22	0.17	0.10	AD	CS	<input type="checkbox"/>	CS	ammonia	
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	84		0		0.19	AD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Di-n-butyl phthalate	12/1/2003	11/30/2010	9	2.57	0		3,010.00	LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Hexachlorobutadiene (HCBD)	12/1/2003	11/30/2010	8	2.56	0		274.00	LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Hexachloroethane	12/1/2003	11/30/2010	9	2.57	0		62.00	LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Lead	12/1/2003	11/30/2010	27	2.72	0		3.83	AD	FS	<input type="checkbox"/>	FS		

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

AUID

2484_01

Entire segment

USE

Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Methoxychlor	12/1/2003	11/30/2010	9	0.05	0		0.33	LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Trichloroethene	12/1/2003	11/30/2010	6	2.50	0		649.00	LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Toxaphene	12/1/2003	11/30/2010	9	0.00	0		0.01	LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Heptachlor	12/1/2003	11/30/2010	9	0.00	0		0.00	LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	DDT	12/1/2003	11/30/2010	9	0.00	0		0.01	LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Dicofol (Kelthane)	12/1/2003	11/30/2010	9	0.04	0		0.08	LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Pentachlorophenol (PCP)	12/1/2003	11/30/2010	8	3.10	0		57.00	LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	2,4,5-Trichlorophenol	12/1/2003	11/30/2010	9	2.75	0		2,435.00	LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Benzene	12/1/2003	11/30/2010	6	2.50	0		513.00	LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	gamma-BHC (Lindane)	12/1/2003	11/30/2010	9	0.03	0		6.20	LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Heptachlor epoxide	12/1/2003	11/30/2010	9	0.00	0		0.00	LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Endrin	12/1/2003	11/30/2010	8	0.04	0		0.20	LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Dieldrin	12/1/2003	11/30/2010	9	0.00	0		0.00	LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	DDD	12/1/2003	11/30/2010	9	0.00	0		0.01	LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Chrysene	12/1/2003	11/30/2010	9	2.57	0		327.00	LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Chromium	12/1/2003	11/30/2010	30	4.64	0		502.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Chlordane	12/1/2003	11/30/2010	9	0.00	0		0.01	LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Benzo(a)pyrene	12/1/2003	11/30/2010	8	0.17	0		0.33	LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Benzo(a)anthracene	12/1/2003	11/30/2010	9	0.27	0		0.54	LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Benzidine	12/1/2003	11/30/2010	9	0.00	0		0.00	LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Aldrin	12/1/2003	11/30/2010	9	0.00	0		0.00	LD	NC	<input type="checkbox"/>	NC		

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

AUID

2484_01

Entire segment

USE

Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Acrylonitrile	12/1/2003	11/30/2010	6	1.90	0		3.80	LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Bromodichloromethane	12/1/2003	11/30/2010	6	2.50	0		322.00	LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Hexachlorobenzene (HCB)	12/1/2003	11/30/2010	8	0.00	0		0.00	LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	1,2-Dibromoethane	12/1/2003	11/30/2010	6	1.07	0		2.13	LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	2,4-Dimethylphenol	12/1/2003	11/30/2010	8	2.56	0		571.00	LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Dichloromethane	12/1/2003	11/30/2010	6	2.50	0		5,926.00	LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	o-Dichlorobenzene	12/1/2003	11/30/2010	10	2.56	0		4,336.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	m-Dichlorobenzene	12/1/2003	11/30/2010	9	2.56	0		1,445.00	LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Bis(2-chloroethyl)ether	12/1/2003	11/30/2010	9	2.57	0		5.27	LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Pyridine	12/1/2003	11/30/2010	8	2.56	0		2,014.00	LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Silvex	12/1/2003	11/30/2010	9	0.26	0		7.60	LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Pentachlorobenzene	12/1/2003	11/30/2010	9	3.10	0		1.00	LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	N-Nitroso-di-n-butylamine	12/1/2003	11/30/2010	9	2.10	0		4.20	LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	N-Nitrosodiethylamine	12/1/2003	11/30/2010	9	1.05	0		2.10	LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Methyl ethyl ketone	12/1/2003	11/30/2010	6	10.00	0		1,500,000.00	LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Carbon tetrachloride	12/1/2003	11/30/2010	6	2.50	0		29.00	LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Cresols	12/1/2003	11/30/2010	8	5.12	0		1,981.00	LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	1,2,4,5-Tetrachlorobenzene	12/1/2003	11/30/2010	9	0.36	0		0.71	LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Nitrobenzene	12/1/2003	11/30/2010	9	2.57	0		463.00	LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Chlorobenzene	12/1/2003	11/30/2010	6	2.50	0		5,201.00	LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	1,2-Dichloroethane	12/1/2003	11/30/2010	6	2.50	0		553.00	LD	NC	<input type="checkbox"/>	NC		

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

AUID

2484_01

Entire segment

USE

Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	1,1-Dichloroethylene	12/1/2003	11/30/2010	6	2.50	0		23,916.00	LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Hexachlorophene	12/1/2003	11/30/2010	8	0.00	0		0.01	LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Ethylbenzene	12/1/2003	11/30/2010	6	2.50	0		7,143.00	LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Chloroform	12/1/2003	11/30/2010	6	2.50	0		7,143.00	LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	1,1,2,2-Tetrachloroethane	12/1/2003	11/30/2010	6	2.50	0		76.00	LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Tetrachloroethene	12/1/2003	11/30/2010	6	2.50	0		49.00	LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Bromoform	12/1/2003	11/30/2010	6	2.50	0		2,175.00	LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	1,1,1-Trichloroethane	12/1/2003	11/30/2010	6	2.50	0		956,663.00	LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	1,1,2-Trichloroethane	12/1/2003	11/30/2010	6	2.50	0		295.00	LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Vinyl chloride	12/1/2003	11/30/2010	6	2.50	0		24.00	LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	DDE	12/1/2003	11/30/2010	9	0.03	0		0.01	LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	1,2-Dichloropropane	12/1/2003	11/30/2010	6	2.50	0		226.00	LD	NC	<input type="checkbox"/>	NC		

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

SEGID 2485 Oso Bay

AUID 2485_01 Upper bay (Holly Road to County Hwy 24)

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	17		0		5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	17		0		4.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/1/2003	11/30/2010	21		0		5.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/1/2003	11/30/2010	21		1	3.56	4.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2003	11/30/2010	17		0		35.00	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2003	11/30/2010	17		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2003	11/30/2010	17		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	13		3	0.69	0.17	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	13		0		0.19	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	13		2	0.13	0.10	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	13		4	0.4	0.21	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	13		6	26.52	11.60	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

AUID 2485_02 Middle bay (State Park Road 22 to Holly Road)

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	73		10	4.19	5.00	AD	CS	<input type="checkbox"/>	CS	depressed dissolved oxygen	
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	73		4	3.43	4.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/1/2003	11/30/2010	21		2	4.94	5.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/1/2003	11/30/2010	21		5	3.52	4.00	AD	NS	<input type="checkbox"/>	NS	depressed dissolved oxygen	5b

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	Enterococcus	12/1/2003	11/30/2010	56	10.76	0		35.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2003	11/30/2010	73		0		35.00	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2003	11/30/2010	73		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2003	11/30/2010	73		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	13		0		0.19	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	41		26	31.24	11.60	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	41		5	1.56	0.17	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	41		15	0.32	0.21	AD	CS	<input type="checkbox"/>	CS	total phosphorus	
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	41		6	0.21	0.10	AD	NC	<input type="checkbox"/>	NC		

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

AUID 2485_03 Lower portion of bay (Ocean Drive to State Park Road 22)

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	90		5	4.66	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	90		0		4.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/1/2003	11/30/2010	41		0		5.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/1/2003	11/30/2010	41		2	3.82	4.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	Enterococcus	12/1/2003	11/30/2010	56	31.42	0		35.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2003	11/30/2010	90		0		35.00	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2003	11/30/2010	90		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2003	11/30/2010	90		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	26		2	0.28	0.17	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	26		0		0.19	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	26		4	0.13	0.10	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	26		8	0.38	0.21	AD	CS	<input type="checkbox"/>	CS	total phosphorus	
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	26		15	24.1	11.60	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

SEGID 2485A Oso Creek (unclassified water body)

AUID 2485A_01 From the Oso Bay confluence in southern Corpus Christi to a point 4.8 km (3 mi) upstream of SH 44, west of Corpus Christi

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	224		25	2.99	4.00	AD	CS	<input type="checkbox"/>	CS	depressed dissolved oxygen	
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	224		13	2.61	3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	Enterococcus	12/1/2003	11/30/2010	223	216.58	1		35.00	AD	NS	<input type="checkbox"/>	NS	bacteria	5a

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010					0.46	ID	NA	<input checked="" type="checkbox"/>	CS	orthophosphorus	
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	32		2	2.08	0.46	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	32		26	1.98	0.66	AD	CS	<input type="checkbox"/>	CS	total phosphorus	
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	32		14	65.86	21.00	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	32		28	12.15	1.10	AD	CS	<input type="checkbox"/>	CS	nitrate	

SEGID 2485B Unnamed trib of Oso Creek (unclassified water body)

AUID 2485B_01 From the Oso Creek confluence upstream to a point 5.2 km (3.2 mi) west of State Hwy 286

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	10		1	1.37	1.10	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	10		4	0.56	0.46	AD	CS	<input type="checkbox"/>	CS	orthophosphorus	
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	10		0		0.46	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	10		4	0.93	0.66	AD	CS	<input type="checkbox"/>	CS	total phosphorus	

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

SEGID 2485D West Oso Creek (unclassified water body)

AUID 2485D_01 From the Oso Creek confluence upstream to a point 0.49 km (0.3 mi) west of FM 1694

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	18		0		4.00	TR	NA	<input type="checkbox"/>	NA		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	18		0		3.00	TR	NA	<input type="checkbox"/>	NA		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	Enterococcus	12/1/2003	11/30/2010	18	1311.84	1		35.00	TR	NA	<input type="checkbox"/>	NA		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	11		0		0.46	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	11		0		0.46	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	11		5	0.97	0.66	AD	CS	<input type="checkbox"/>	CS	total phosphorus	
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	11		3	2.5	1.10	AD	NC	<input type="checkbox"/>	NC		

SEGID 2485OW Oso Bay (Oyster Waters)

AUID 2485OW_01 Entire bay

USE Oyster Waters Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Shellfish Harvesting Maps	DSHS Shellfishing Restrictions	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	bacteria (oyster waters)	5a

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

SEGID 2491 Laguna Madre

AUID 2491_01 Upper portion of bay north of the Arroyo Colorado confluence

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	206		10	4.46	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	206		0		4.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/1/2003	11/30/2010	78		0		5.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/1/2003	11/30/2010	78		12	3.16	4.00	AD	NS	<input type="checkbox"/>	NS	depressed dissolved oxygen	5b
Toxic Substances in sediment	1,2,4-Trichlorobenzene	12/1/2003	11/30/2010	1		0		2,320.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Naphthalene	12/1/2003	11/30/2010	1		0		2,100.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	2-Methylnaphthalene	12/1/2003	11/30/2010	1		0		670.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Pyrene	12/1/2003	11/30/2010	1		0		2,600.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	1,3-Dichlorobenzene	12/1/2003	11/30/2010	1		0		1,950.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Nitrobenzene	12/1/2003	11/30/2010	1		0		161.06	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Phenanthrene	12/1/2003	11/30/2010	1		0		1,500.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Hexachloroethane	12/1/2003	11/30/2010	1		0		13,770.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Benz(a)anthracene	12/1/2003	11/30/2010	1		0		1,600.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Acenaphthylene	12/1/2003	11/30/2010	1		0		640.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Bis(2-ethyl-hexyl)phthalate	12/1/2003	11/30/2010	1		0		2,647.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Hexachlorobutadiene (HCBBD)	12/1/2003	11/30/2010	1		0		12.76	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Acenaphthene	12/1/2003	11/30/2010	1		0		500.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Anthracene	12/1/2003	11/30/2010	1		0		1,100.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Benzo(a)pyrene	12/1/2003	11/30/2010	1		0		1,600.00	ID	NA	<input type="checkbox"/>	NA		

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

AUID 2491_01 Upper portion of bay north of the Arroyo Colorado confluence

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Toxic Substances in sediment	Chrysene	12/1/2003	11/30/2010	1		0		2,800.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Dibenz(a,h)anthracene	12/1/2003	11/30/2010	1		0		260.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Fluoranthene	12/1/2003	11/30/2010	1		0		5,100.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Fluorene	12/1/2003	11/30/2010	1		0		540.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	1,4-Dichlorobenzene	12/1/2003	11/30/2010	1		0		4,210.00	ID	NA	<input type="checkbox"/>	NA		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	Enterococcus	12/1/2003	11/30/2010	106	19.35	0		35.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2003	11/30/2010	211		0		35.00	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2003	11/30/2010	208		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2003	11/30/2010	208		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	169		2	0.24	0.21	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	172		91	25.11	11.60	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	172		0		0.19	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	172		2	0.59	0.17	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	173		3	0.19	0.10	AD	NC	<input type="checkbox"/>	NC		

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

AUID 2491_02 Area adjacent to the Arroyo Colorado confluence

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	40		3	2.52	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	40		2	1.3	4.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/1/2003	11/30/2010	20		1	4.43	5.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/1/2003	11/30/2010	20		4	2.35	4.00	AD	NS	<input type="checkbox"/>	NS	depressed dissolved oxygen	5b

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	Enterococcus	12/1/2001	11/30/2010	24	49.16	1		35.00	AD	NS	<input type="checkbox"/>	NS	bacteria	5c

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2003	11/30/2010	43		0		35.00	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2003	11/30/2010	42		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2003	11/30/2010	42		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	36		22	32.76	11.60	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	37		8	0.3	0.21	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	38		7	0.15	0.10	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	38		15	0.94	0.17	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	38		3	0.34	0.19	AD	NC	<input type="checkbox"/>	NC		

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

AUID

2491_03

Lower portion of bay south of the Arroyo Colorado confluence

USE

Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	67		10	4.07	5.00	AD	CS	<input type="checkbox"/>	CS	depressed dissolved oxygen	
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	67		2	1.65	4.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/1/2003	11/30/2010	18		0		5.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/1/2003	11/30/2010	18		1	3.74	4.00	AD	FS	<input type="checkbox"/>	FS		
Toxic Substances in sediment	Anthracene	12/1/2003	11/30/2010	1		0		1,100.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	1,4-Dichlorobenzene	12/1/2003	11/30/2010	1		0		4,210.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Hexachloroethane	12/1/2003	11/30/2010	1		0		13,770.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	2-Methylnaphthalene	12/1/2003	11/30/2010	1		0		670.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	1,2,4-Trichlorobenzene	12/1/2003	11/30/2010	1		0		2,320.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Nitrobenzene	12/1/2003	11/30/2010	1		0		161.06	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Benz(a)anthracene	12/1/2003	11/30/2010	1		0		1,600.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	1,3-Dichlorobenzene	12/1/2003	11/30/2010	1		0		1,950.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Bis(2-ethyl-hexyl)phthalate	12/1/2003	11/30/2010	1		0		2,647.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Pyrene	12/1/2003	11/30/2010	1		0		2,600.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Acenaphthylene	12/1/2003	11/30/2010	1		0		640.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Naphthalene	12/1/2003	11/30/2010	1		0		2,100.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Hexachlorobutadiene (HCBd)	12/1/2003	11/30/2010	1		0		12.76	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Fluorene	12/1/2003	11/30/2010	1		0		540.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Fluoranthene	12/1/2003	11/30/2010	1		0		5,100.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Dibenz(a,h)anthracene	12/1/2003	11/30/2010	1		0		260.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Chrysene	12/1/2003	11/30/2010	1		0		2,800.00	ID	NA	<input type="checkbox"/>	NA		

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

AUID 2491_03 Lower portion of bay south of the Arroyo Colorado confluence

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Toxic Substances in sediment	Benzo(a)pyrene	12/1/2003	11/30/2010	1		0		1,600.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Acenaphthene	12/1/2003	11/30/2010	1		0		500.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Phenanthrene	12/1/2003	11/30/2010	1		0		1,500.00	ID	NA	<input type="checkbox"/>	NA		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	Enterococcus	12/1/2003	11/30/2010	34	16.79	0		35.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2003	11/30/2010	70		0		35.00	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2003	11/30/2010	70		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2003	11/30/2010	70		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	63		1	0.31	0.17	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	62		0		0.19	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	63		1	0.21	0.10	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	59		0		0.21	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	57		3	19.4	11.60	AD	NC	<input type="checkbox"/>	NC		

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

SEGID 2491OW Laguna Madre (Oyster Waters)

AUID 2491OW_01 Upper portion of the bay north of Port Mansfield Channel

USE Oyster Waters Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Shellfish Harvesting Maps	DSHS Shellfishing Restrictions	12/1/2003	11/30/2010						OE	NA	<input checked="" type="checkbox"/>	NA		

AUID 2491OW_02 Area adjacent to the Arroyo Colorado confluence

USE Oyster Waters Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Shellfish Harvesting Maps	DSHS Shellfishing Restrictions	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	bacteria (oyster waters)	5a

AUID 2491OW_03 Lower portion of the bay south of the Port Mansfield Channel

USE Oyster Waters Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Shellfish Harvesting Maps	DSHS Shellfishing Restrictions	12/1/2003	11/30/2010						OE	FS	<input checked="" type="checkbox"/>	FS		

AUID 2491OW_04 ICWW from Port Mansfield to Brownsville and shoreline area

USE Oyster Waters Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Shellfish Harvesting Maps	DSHS Shellfishing Restrictions	12/1/2003	11/30/2010						OE	NA	<input checked="" type="checkbox"/>	NA		

SEGID 2491UL Upper Laguna Madre (Recreational Beaches)

AUID 2491UL_01 Laguna Shores (Beach ID TX937228)

USE Recreational Beaches

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Texas Beach Watch Program Advisories	Enterococcus	12/1/2003	11/30/2010	270		40	14.81		AD	FS	<input type="checkbox"/>	FS		

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

SEGID 2492 Baffin Bay/Alazan Bay/Cayo del Grullo/Laguna Salada

AUID 2492_01 Entire segment

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	56		0		4.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	56		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/1/2003	11/30/2010	12		0		118.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2003	11/30/2010	12		0		92.70	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Selenium	12/1/2003	11/30/2010	13		0		564.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	12/1/2003	11/30/2010	9		0		149.00	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Cadmium	12/1/2003	11/30/2010	11		0		45.40	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2003	11/30/2010	8		0		13.50	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Lead	12/1/2003	11/30/2010	9		0		133.00	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Nickel	12/1/2003	11/30/2010	12	2.84	0		13.10	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Selenium	12/1/2003	11/30/2010	13	0.13	0		136.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2003	11/30/2010	9	1.87	0		5.30	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Copper	12/1/2003	11/30/2010	8	2.63	0		3.60	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Cadmium	12/1/2003	11/30/2010	11	3.12	0		10.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic	12/1/2003	11/30/2010	9	30.74	0		78.00	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Zinc	12/1/2003	11/30/2010	12	2.33	0		84.20	AD	FS	<input type="checkbox"/>	FS		

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	Enterococcus	12/1/2003	11/30/2010	48	24.82	0		35.00	AD	FS	<input type="checkbox"/>	FS		

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

AUID 2492_01 Entire segment

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2003	11/30/2010	56		0		35.00	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2003	11/30/2010	54		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2003	11/30/2010	54		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	53		0		0.19	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	53		41	37.56	11.60	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	55		0		0.17	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	51		3	0.23	0.10	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	51		0		0.21	AD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Chromium	12/1/2003	11/30/2010	12	2.33	0		502.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2003	11/30/2010	9	1.51	0		3.83	LD	NC	<input type="checkbox"/>	NC		

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

SEGID 2492A San Fernando Creek (unclassified water body)

AUID 2492A_01

From the Cayo Del Grullo confluence to the Lake Alice Dam

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	28		0		4.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	28		0		3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	Enterococcus	12/1/2003	11/30/2010	3	106.07	1		35.00	ID	NA	<input type="checkbox"/>	NS	bacteria	5a

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	25		9	49.6	21.00	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	26		26	3.23	0.66	AD	CS	<input type="checkbox"/>	CS	total phosphorus	
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	26		1	1.29	0.46	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	27		20	2.49	1.10	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	25		25	2.77	0.46	AD	CS	<input type="checkbox"/>	CS	orthophosphorus	

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

SEGID 2492CG Cayo del Grullo Bay (Recreational Beaches)

AUID 2492CG_01 Kaufer-Hubert #3 (Beach ID TX289381)

USE Recreational Beaches

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Texas Beach Watch Program Advisories	Enterococcus	12/1/2003	11/30/2010	180		7	3.89		AD	FS	<input type="checkbox"/>	FS		

AUID 2492CG_02 Kaufer-Hubert #2 (Beach ID TX339922)

USE Recreational Beaches

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Texas Beach Watch Program Advisories	Enterococcus	12/1/2003	11/30/2010	181		11	6.08		AD	FS	<input type="checkbox"/>	FS		

AUID 2492CG_03 Kaufer-Hubert #1 (Beach ID TX471201)

USE Recreational Beaches

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Texas Beach Watch Program Advisories	Enterococcus	12/1/2003	11/30/2010	181		21	11.6		AD	FS	<input type="checkbox"/>	FS		

AUID 2492CG_04 Riviera Beach Pier (Beach ID TX948394)

USE Recreational Beaches

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Texas Beach Watch Program Advisories	Enterococcus	12/1/2003	11/30/2010	164		11	6.71		AD	FS	<input type="checkbox"/>	FS		

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

SEGID 2492OW Baffin Bay/Alazan Bay/Cayo del Grullo/Laguna Salada (Oyster Waters)

AUID 2492OW_01 Entire water body north of the boundary with Lower Laguna Madre

USE Oyster Waters Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Shellfish Harvesting Maps	DSHS Shellfishing Restrictions	12/1/2003	11/30/2010						OE	FS	<input checked="" type="checkbox"/>	FS		

AUID 2492OW_02 Area adjacent to boundary with Lower Laguna Madre

USE Oyster Waters Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Shellfish Harvesting Maps	DSHS Shellfishing Restrictions	12/1/2003	11/30/2010						OE	NA	<input checked="" type="checkbox"/>	NA		

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

SEGID 2493 South Bay

AUID 2493_01 Entire segment

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	47		1	4.4	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	47		0		4.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	Enterococcus	12/1/2003	11/30/2010	27	30.68	0		35.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2003	11/30/2010	50		0		35.00	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2003	11/30/2010	50		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2003	11/30/2010	50		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	47		0		0.17	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	41		0		11.60	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	43		0		0.21	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	47		0		0.19	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	49		2	0.13	0.10	AD	NC	<input type="checkbox"/>	NC		

SEGID 2493OW South Bay (Oyster Waters)

AUID 2493OW_01 Entire segment

USE Oyster Waters Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Shellfish Harvesting Maps	DSHS Shellfishing Restrictions	12/1/2003	11/30/2010						OE	FS	<input checked="" type="checkbox"/>	FS		

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

SEGID 2494 Brownsville Ship Channel

AUID 2494_01 From the Laguna Madre confluence upstream to the Port of Brownsville

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	75		10	4.34	5.00	AD	CS	<input type="checkbox"/>	CS	depressed dissolved oxygen	
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	75		2	3.2	4.00	AD	FS	<input type="checkbox"/>	FS		
Toxic Substances in sediment	Mercury	12/1/2003	11/30/2010	4		0		0.71	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Zinc	12/1/2003	11/30/2010	4		0		410.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Silver	12/1/2003	11/30/2010	4		0		3.70	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Nickel	12/1/2003	11/30/2010	4		0		51.60	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Lead	12/1/2003	11/30/2010	4		0		218.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Copper	12/1/2003	11/30/2010	4		0		270.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Chromium	12/1/2003	11/30/2010	4		0		370.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Arsenic	12/1/2003	11/30/2010	4		0		70.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Cadmium	12/1/2003	11/30/2010	4		0		9.60	LD	NC	<input type="checkbox"/>	NC		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	Enterococcus	12/1/2003	11/30/2010	50	63.45	1		35.00	AD	NS	<input type="checkbox"/>	NS	bacteria	5c

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2003	11/30/2010	81		0		35.00	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2003	11/30/2010	81		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2003	11/30/2010	81		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	63		10	20.99	11.60	AD	NC	<input type="checkbox"/>	NC		

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

AUID

2494_01

From the Laguna Madre confluence upstream to the Port of Brownsville

USE

General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	72		0		0.17	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	72		0		0.19	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	72		7	0.16	0.10	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	63		3	0.44	0.21	AD	NC	<input type="checkbox"/>	NC		

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

SEGID 2494A Port Isabel Fishing Harbor (unclassified water body)

AUID 2494A_01

From the Laguna Madre confluence to 0.4 km (0.25 mi) south of SH 100 in Port Isabel

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2003	11/30/2010	23		0		4.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2003	11/30/2010	23		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	12/1/2003	11/30/2010	1		0		149.00	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Cadmium	12/1/2003	11/30/2010	1		0		45.40	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Copper	12/1/2003	11/30/2010	1		1	43.5	13.50	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Lead	12/1/2003	11/30/2010	1		0		133.00	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Mercury	12/1/2003	11/30/2010	1		0		2.10	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Nickel	12/1/2003	11/30/2010	1		0		118.00	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Selenium	12/1/2003	11/30/2010	1		0		564.00	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Zinc	12/1/2003	11/30/2010	1		0		92.70	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Arsenic	12/1/2003	11/30/2010	1	45.90	0		78.00	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Selenium	12/1/2003	11/30/2010	1	4.00	0		136.00	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Nickel	12/1/2003	11/30/2010	1	16.30	1		13.10	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Mercury	12/1/2003	11/30/2010	1	0.10	0		1.10	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Lead	12/1/2003	11/30/2010	1	0.50	0		5.30	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Cadmium	12/1/2003	11/30/2010	1	0.50	0		10.00	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Zinc	12/1/2003	11/30/2010	1	9.23	0		84.20	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Copper	12/1/2003	11/30/2010	1	43.50	1		3.60	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Mercury	12/1/2003	11/30/2010	1		0		0.71	ID	NA	<input type="checkbox"/>	NA		

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

AUID 2494A_01 From the Laguna Madre confluence to 0.4 km (0.25 mi) south of SH 100 in Port Isabel

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Toxic Substances in sediment	Silver	12/1/2003	11/30/2010	1		0		3.70	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Zinc	12/1/2003	11/30/2010	1		0		410.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Nickel	12/1/2003	11/30/2010	1		0		51.60	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Lead	12/1/2003	11/30/2010	1		0		218.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Copper	12/1/2003	11/30/2010	1		0		270.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Chromium	12/1/2003	11/30/2010	1		0		370.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Arsenic	12/1/2003	11/30/2010	1		0		70.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Cadmium	12/1/2003	11/30/2010	1		0		9.60	ID	NA	<input type="checkbox"/>	NA		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	Enterococcus	12/1/2001	11/30/2010	19	38.24	1		35.00	AD	NS	<input type="checkbox"/>	NS	bacteria	5c

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2010	23		1	0.18	0.17	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Orthophosphorus	12/1/2003	11/30/2010	23		0		0.19	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2010	23		1	0.12	0.10	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2010	21		0		0.21	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2010	20		1	19.5	11.60	AD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Mercury	12/1/2003	11/30/2010	1	0.10	0		0.03	ID	NA	<input type="checkbox"/>	NA		
HH Bioaccumulative Toxics in water	Chromium	12/1/2003	11/30/2010	1	1.79	0		502.00	ID	NA	<input type="checkbox"/>	NA		

2012 Texas Integrated Report: Assessment Results for Basin 24 - Bays and Estuaries

AUID

2494A_01

From the Laguna Madre confluence to 0.4 km (0.25 mi) south of SH 100 in Port Isabel

USE

Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Lead	12/1/2003	11/30/2010	1	0.50	0		3.83	ID	NA	<input type="checkbox"/>	NA		