
2012 Texas Water Quality Inventory Water Bodies Evaluated

Explanation of Report Headings

- SegID and Name:** The unique identifier (SegID), segment name, and location of the water body. Items in this field may be one of three types of numbers for SegID. The first type is a classified segment number (4 digits, e.g. 0218), as defined in the Texas Surface Water Quality Standards. The second type is an unclassified water body (e.g. 0218A), not defined in the Standards, associated with a classified water body because it is in the same watershed. The third type are special Segments for Oyster Water Use (e.g. 2421OW) and Beach Watch Use (e.g. 2481CB) special areas. The segment name and description follow SegID.
- Segment Type:** The type of water body (e.g. Reservoir, Estuary, Freshwater Stream, Tidal Stream, etc.)
- New Segment:** This indicates (yes/no) if this water body is a new segment compared to the 2008 master segment list.
- AUID:** Assessment Unit (AU) ID (e.g., 0101A_01) is the alpha-numeric identifier of one portion of a segment. The AU descriptions immediately follow the AU ID. This report includes all AUs identified for each Segment.
- Flow Type:** Type of flow regime (perennial, intermittent, intermittent with perennial pools) for streams. For non-stream water bodies, Flow type and Segment Type are typically the same.
- Flow Type Source:** This is the reference source used to determine the flow type of an AU.
- ALU Designation:** This is the designated Aquatic Life Use associated with the AU (exceptional, high, intermediate, limited, and minimal).
- ALU Designation Source:** This is the reference source of the ALU designation.
- Station ID(s):** Station IDs are the numbers that identify specific monitoring sites associated with that AUID, but does not necessarily indicate data were available from that station for the period of record. Some assessment units do not have monitoring stations; other information may have been evaluated to determine support status for those AUs.

SegID: 0101 Canadian River Below Lake Meredith

From the Oklahoma State Line in Hemphill County to Sanford Dam in Hutchinson County

Segment Type Freshwater Stream

AU_ID: 0101_01 *From the Oklahoma state line upstream to the confluence with Red Deer Creek east of Canadian*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10032

AU_ID: 0101_02 *From the confluence with Red Deer Creek upstream to the confluence with White Deer Creek in Hutchinson County*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10033

2012 Texas Water Quality Inventory Water Bodies Evaluated

AU_ID: 0101_03 *From the confluence with White Deer Creek upstream to the confluence with Dixon Creek east of Borger*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10034

AU_ID: 0101_04 *From the confluence with Dixon Creek upstream to Sanford Dam in Hutchinson County*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10035

SegID: 0101A Dixon Creek (unclassified water body)

From confluence of the Canadian River upstream to the confluence of the East, Middle, and West Forks of Dixon Creek

Segment Type Freshwater Stream

AU_ID: 0101A_01 *From the confluence with the Canadian River upstream to the confluence with the permitted outfall receiving waters tributary*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type

Station ID(s): 10016

AU_ID: 0101A_02 *From the confluence with the permitted outfall receiving waters tributary upstream to the confluence of the East, Middle, and West Forks of Dixon Creek*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type

Station ID(s): 17045

SegID: 0101B Rock Creek (unclassified water body)

Perennial stream from the confluence with the Canadian River upstream to the headwaters in Carson County

Segment Type Freshwater Stream

AU_ID: 0101B_01 *Appendix D, Perennial stream from the confluence with the Canadian River up to SH 136 in the City of Borger*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Limited	TWQS-Appendix D

Station ID(s): 10024; 10025

SegID: 0101C White Deer Creek (unclassified water body)

From the confluence with the Canadian River upstream to the headwaters near Ranch Road 294 north of White Deer in Carson County

Segment Type Freshwater Stream

AU_ID: 0101C_01 *Entire water body*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type

Station ID(s): 18195

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 0102 Lake Meredith

From Sanford Dam in Hutchinson County to a point immediately upstream of the confluence of Camp Creek in Potter County, up to normal pool level of 2936.5 feet (impounds Canadian River)

Segment Type Reservoir

AU_ID: 0102_01 Reservoir downstream of a line from red starboard marker 14 at Blue West Campground to green port marker 11 north of Fritch Canyon

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): 10036; 10037; 10038; 10043; 10044; 10045; 10050; 10051; 10052

AU_ID: 0102_02 Reservoir upstream of a line from red starboard marker 14 at Blue West Campground to green port marker 11 north of Fritch Canyon

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): 10039; 10040; 10041; 10042; 10046; 10047; 10048; 10049

SegID: 0102A Big Blue Creek (unclassified water body)

From confluence of Lake Meredith in Carson County to the upstream perennial portion of the stream in Moore County

Segment Type Freshwater Stream

AU_ID: 0102A_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	Flow Questionnaire	Minimal	Presumption from Flow Type

Station ID(s): 15270

SegID: 0103 Canadian River Above Lake Meredith

From a point immediately upstream of the confluence of Camp Creek in Potter County to the New Mexico State Line in Oldham County

Segment Type Freshwater Stream

AU_ID: 0103_01 From the headwaters of Lake Meredith upstream to the confluence with Sand Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10054

AU_ID: 0103_02 From the confluence with Sand Creek upstream to the confluence with Punta de Agua Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10056

AU_ID: 0103_03 From the confluence with Punta de Agua Creek upstream to the New Mexico State Line

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 16344

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 0103A East Amarillo Creek (unclassified water body)

From the confluence of the Canadian River to the headwaters of Thompson Park Lake in Amarillo

Segment Type Freshwater Stream

AU_ID: 0103A_01 *From the confluence with the Canadian River upstream to the Thompson Park Lake spillway*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	Flow Questionnaire	Minimal	Presumption from Flow Type

Station ID(s): 10017; 10018

AU_ID: 0103A_02 *From the Thompson Park Lake spillway upstream to the headwaters of the lake*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	Flow Questionnaire	Minimal	Presumption from Flow Type

Station ID(s): 15775

SegID: 0103C Unnamed Tributary to West Amarillo Creek (unclassified water body)

From the confluence with West Amarillo Creek upstream to the headwaters near Amarillo Blvd. in west Amarillo

Segment Type Freshwater Stream

AU_ID: 0103C_01 *Entire water body*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type

Station ID(s): 17056

SegID: 0104 Wolf Creek

From the Oklahoma State Line in Lipscomb County to a point 2.0 kilometers (1.2 miles) upstream of FM 3045 in Ochiltree County

Segment Type Freshwater Stream

AU_ID: 0104_01 *From the Oklahoma State Line upstream to the confluence with Plum Creek*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10059

AU_ID: 0104_02 *From the confluence with Plum Creek upstream to Lake Fryer Dam*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10058

AU_ID: 0104_03 *From the Lake Fryer Dam to a point 2.0 km (1.2 mi.) upstream of FM 3045 in Ochiltree County*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	TWQS-Appendix A

Station ID(s): 17465

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 0105 Rita Blanca Lake

From Rita Blanca Dam in Hartley County up to normal pool level of 3860 feet (impounds Rita Blanca Creek)

Segment Type Reservoir

AU_ID: 0105_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	Limited	TWQS-Appendix A

Station ID(s): 10060

SegID: 0199A Palo Duro Reservoir (unclassified water body)

From Palo Duro dam up to normal pool elevation of 2,892 feet north of Spearman in Hansford County (impounds Palo Duro Creek)

Segment Type Reservoir

AU_ID: 0199A_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	Presumption from Flow Type

Station ID(s): 10005

SegID: 0199B Kiowa Creek (unclassified water body)

From the Oklahoma state line upstream to the headwaters in Ochiltree County

Segment Type Freshwater Stream

AU_ID: 0199B_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type

Station ID(s): 10009

SegID: 0201 Lower Red River

From the Arkansas State Line in Bowie County to the Arkansas-Oklahoma State Line in Bowie County

Segment Type Freshwater Stream

AU_ID: 0201_01 From the Arkansas state line upstream to the confluence with Walnut Bayou (Oklahoma stream)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10123

AU_ID: 0201_02 From the confluence with Walnut Bayou (Oklahoma stream) upstream to the Arkansas-Oklahoma state line

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): No Stations

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 0201A Mud Creek (unclassified water body)

From the confluence of the Red River to the upstream perennial portion of the stream northwest of De Kalb in Bowie County

Segment Type Freshwater Stream

AU_ID: 0201A_01 Entire water body

<u>Flow Type</u> intermittent w/pools	<u>Flow Type Source</u> Flow Questionnaire	<u>ALU Designation</u> Limited	<u>ALU Designation Source</u> Presumption from Flow Type
--	---	-----------------------------------	---

Station ID(s): 15319; 18515

SegID: 0202 Red River Below Lake Texoma

From the Arkansas-Oklahoma State Line in Bowie County to Denison Dam in Grayson County

Segment Type Freshwater Stream

AU_ID: 0202_01 From the Oklahoma/Arkansas state line upstream to the confluence with Pecan Bayou

<u>Flow Type</u> perennial	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): 10125

AU_ID: 0202_02 From the confluence with Pecan Bayou upstream to the confluence with Pine Creek

<u>Flow Type</u> perennial	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): 15779

AU_ID: 0202_03 From the confluence with Pine Creek upstream to the confluence with Bois d'Arc Creek

<u>Flow Type</u> perennial	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): 10126

AU_ID: 0202_04 From the confluence with Bois d'Arc upstream to the confluence with Choctaw Creek

<u>Flow Type</u> perennial	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): 10127

AU_ID: 0202_05 From the confluence with Choctaw Creek upstream to Denison Dam

<u>Flow Type</u> perennial	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): 13684

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 0202A Bois D' Arc Creek (unclassified water body)

From the confluence of the Red River upstream to the headwaters northwest of Whitewright in Grayson County

Segment Type Freshwater Stream

AU_ID: 0202A_01 From the confluence with the Red River upstream to the confluence with Sandy Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Flow Questionnaire	High	Presumption from Flow Type

Station ID(s): 15318; 20167

AU_ID: 0202A_02 Appendix D, Perennial stream from the confluence with Sandy Creek upstream to the confluence with Pace Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D

Station ID(s): 15749; 18652

SegID: 0202C Pecan Bayou (unclassified water body)

From the confluence with the Red River in northeast Red River County to the upstream perennial portion northeast of Clarksville

Segment Type Freshwater Stream

AU_ID: 0202C_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Flow Questionnaire	High	Presumption from Flow Type

Station ID(s): 16001

SegID: 0202D Pine Creek (unclassified water body)

From the confluence of the Red River upstream to the headwaters near the intersection of US 82 and FM 38, west of Paris

Segment Type Freshwater Stream

AU_ID: 0202D_01 Perennial and intermittent stream from the confluence with the Red River upstream to the dam forming Lake Crook

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D

Station ID(s): 10118; 10120; 14234

SegID: 0202E Post Oak Creek (unclassified water body)

From the confluence of Choctaw Creek southeast of Sherman to the upstream perennial portion of the stream northwest of Sherman in Grayson County

Segment Type Freshwater Stream

AU_ID: 0202E_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Flow Questionnaire	High	Presumption from Flow Type

Station ID(s): 10114; 10115; 17599

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 0202F Choctaw Creek (unclassified water body)

From the confluence with the Red River east of Denison to the upstream perennial portion near the intersection of SH 56 and SH 289 in Grayson County

Segment Type Freshwater Stream

AU_ID: 0202F_01 From the confluence with the Red River upstream to the confluence with Post Oak Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Flow Questionnaire	High	Presumption from Flow Type

Station ID(s): 10111; 16123; 18370

AU_ID: 0202F_02 From the confluence with Post Oak Creek upstream to the headwaters near the intersection of SH 56 and SH 289 in Grayson County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type

Station ID(s): 10112

SegID: 0202G Smith Creek (unclassified water body)

From the confluence with Pine Creek north of Paris to the upstream portion of the stream in north Paris in Lamar County

Segment Type Freshwater Stream

AU_ID: 0202G_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	WQS/Permits program	Minimal	Previous TCEQ Permit Decision

Station ID(s): 17044

SegID: 0202H Big Pine Creek (unclassified water body)

From the confluence with the Red River upstream to the confluence with Little Pine Creek

Segment Type Freshwater Stream

AU_ID: 0202H_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type

Station ID(s): 18513

SegID: 0202I Little Pine Creek (unclassified water body)

From the confluence with Big Pine Creek upstream to the headwaters north of Detroit, TX

Segment Type Freshwater Stream

AU_ID: 0202I_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type

Station ID(s): 18514

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 0202J Sand Creek (unclassified water body)

From the confluence with Post Oak Creek upstream to the headwaters near the intersection near US 82 northwest of Sherman

Segment Type Freshwater Stream

AU_ID: 0202J_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type

Station ID(s): 15446

SegID: 0202K Iron Ore Creek (unclassified water body)

From the confluence with Choctaw Creek upstream to the headwaters near FM 120 west of Denison

Segment Type Freshwater Stream

AU_ID: 0202K_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type

Station ID(s): 18653

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 0203 Lake Texoma

From Denison Dam in Grayson County to a point immediately upstream of the confluence of Sycamore Creek in Cooke County, up to normal pool elevation of 617 feet (impounds Red River)

Segment Type Reservoir

AU_ID: 0203_01 *Lower lake from Denison Dam upstream to a line from Rock Point (TX) to Burns West Recreational Area (OK)*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	TWQS-Appendix A

Station ID(s): 10128; 15388; 15440; 20545

AU_ID: 0203_02 *Little Mineral Arm from a line from Rocky point to the Episcopal Recreation Center on Preston peninsula*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	TWQS-Appendix A

Station ID(s): 17480

AU_ID: 0203_03 *Mid-lake area bounded upstream by a line from East Juniper Point to Cardinal Cove (OK) and downstream by a line from Treasure Island to Mill Creek picnic area*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	TWQS-Appendix A

Station ID(s): 10130; 20543; 20544

AU_ID: 0203_04 *Upper-lake area bounded downstream by a line from East Juniper Point to Cardinal Cove (OK) upstream to headwaters*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	TWQS-Appendix A

Station ID(s): 10131

AU_ID: 0203_05 *Remainder of lake not assessed*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	TWQS-Appendix A

Station ID(s): No Stations

SegID: 0203A Big Mineral Creek (unclassified water body)

From the confluence of Lake Texoma to the headwaters of North/Middle/South Big Mineral Creeks east of Callisburg in Cooke County

Segment Type Freshwater Stream

AU_ID: 0203A_01 *Appendix D, Intermittent stream with perennial pools from Lake Texoma normal pool elevation of 617 feet upstream to the confluence with an unnamed second order tributary on North Branch 2.4 km upstream of US 377 and upstream to the confluence with an unnamed second order tributary on South Branch 1.1 km upstream of US 377 north of the City of Whitesboro*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	TWQS-Appendix D	Intermediate	TWQS-Appendix D

Station ID(s): 15320; 15750; 17502; 17505; 17589

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 0203C Mustang Creek (unclassified water body)

From the confluence with Big Mineral Creek upstream to headwaters approximately 3.3 km southeast of Whitesboro

Segment Type Freshwater Stream

AU_ID: 0203C_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type

Station ID(s): 17504

SegID: 0203D Deaver Creek (unclassified water body)

From the confluence with Big Mineral Creek upstream to headwaters in Southmayd

Segment Type Freshwater Stream

AU_ID: 0203D_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type

Station ID(s): 17503

SegID: 0204 Red River Above Lake Texoma

From a point immediately upstream of the confluence of Sycamore Creek in Cooke County to the confluence of the Wichita River in Clay County

Segment Type Freshwater Stream

AU_ID: 0204_01 From the normal pool elevation of Lake Texoma upstream to the confluence with Fish Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10132

AU_ID: 0204_02 From the confluence with Fish Creek upstream to the confluence with Farmers Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 20168

AU_ID: 0204_03 From the confluence with Farmers Creek upstream to the confluence with the Little Wichita River

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10133

AU_ID: 0204_04 From the confluence with the Little Wichita River upstream to the confluence with the Wichita River

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): No Stations

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 0204B Moss Lake (unclassified water body)

From Fish Creek Dam to spillway elevation of 715 feet (impounds Fish Creek)

Segment Type Reservoir

AU_ID: 0204B_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	Presumption from Flow Type

Station ID(s): 15447

SegID: 0205 Red River Below Pease River

From the confluence of the Wichita River in Clay County to the confluence of the Pease River in Wilbarger County

Segment Type Freshwater Stream

AU_ID: 0205_01 From the confluence with the Wichita River upstream to IH 44 in Burkburnett

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10134

AU_ID: 0205_02 From IH 44 in Burkburnett upstream to the confluence with the Pease River

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 16733

SegID: 0206 Red River Above Pease River

From the confluence of the Pease River in Wilbarger County to a point immediately upstream of the confluence of Buck Creek in Hardeman County

Segment Type Freshwater Stream

AU_ID: 0206_01 From the confluence with the Pease River upstream to the confluence with Groesbeck Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): No Stations

AU_ID: 0206_02 From the confluence with the Groesbeck Creek upstream to the confluence with Buck Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10135

SegID: 0206B South Groesbeck Creek (unclassified water body)

From the confluence of Groesbeck Creek NNW of Quanah in Hardeman County to the upstream portion 7.8 miles (12.6 Km) southwest of Childress

Segment Type Freshwater Stream

AU_ID: 0206B_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 16000

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 0207 Lower Prairie Dog Town Fork Red River

From a point immediately upstream of the confluence of Buck Creek in Hardeman County to the confluence of a point 100 meters (110 yards) upstream of the confluence of Salt Fork Creek in Armstrong County

Segment Type Freshwater Stream

AU_ID: 0207_01 *From immediately upstream of the confluence with Buck Creek upstream to the confluence with Grassy Creek in Childress County*

<u>Flow Type</u> perennial	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): 10136

AU_ID: 0207_02 *From the confluence with Grassy Creek upstream to the confluence with Parker Creek in Hall County*

<u>Flow Type</u> perennial	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): No Stations

AU_ID: 0207_03 *From the confluence with Parker Creek upstream to the confluence with Battle Creek in Briscoe County*

<u>Flow Type</u> perennial	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): 16037

AU_ID: 0207_04 *From the confluence with Battle Creek upstream to the confluence with Salt Fork in Armstrong County*

<u>Flow Type</u> perennial	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): 13637

SegID: 0207A Buck Creek (unclassified water body)

From Oklahoma State Line east of Childress in Childress County to the upstream perennial portion of the stream west of Wellington in Collinsworth County

Segment Type Freshwater Stream

AU_ID: 0207A_01 *From Oklahoma state line to House Log Creek*

<u>Flow Type</u> intermittent w/pools	<u>Flow Type Source</u> Flow Questionnaire	<u>ALU Designation</u> Limited	<u>ALU Designation Source</u> Presumption from Flow Type
--	---	-----------------------------------	---

Station ID(s): 15811; 20371; 20372; 20373; 20375; 20376

AU_ID: 0207A_02 *House Log Creek to upper end of segment*

<u>Flow Type</u> intermittent w/pools	<u>Flow Type Source</u> Flow Questionnaire	<u>ALU Designation</u> Limited	<u>ALU Designation Source</u> Presumption from Flow Type
--	---	-----------------------------------	---

Station ID(s): 20364; 20365; 20366; 20368; 20369; 20370

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 0208 Lake Crook

From Lake Crook Dam in Lamar County up to normal pool elevation of 476 feet (impounds Pine Creek)

Segment Type Reservoir

AU_ID: 0208_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	TWQS-Appendix A

Station ID(s): 10137

SegID: 0209 Pat Mayse Lake

From Pat Mayse Dam in Lamar County up to normal pool elevation of 451 feet (impounds Sanders Creek)

Segment Type Reservoir

AU_ID: 0209_01 Lower half of lake

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	TWQS-Appendix A

Station ID(s): 10138; 16343

AU_ID: 0209_02 Upper half of lake

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	TWQS-Appendix A

Station ID(s): 16342; 18439

SegID: 0210 Farmers Creek Reservoir

From Farmer Creek Dam in Montague County up to normal pool elevation of 827 feet (impounds Farmers Creek)

Segment Type Reservoir

AU_ID: 0210_01 Entire segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	TWQS-Appendix A

Station ID(s): 10139

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 0211 Little Wichita River

From the confluence with the Red River in Clay County to Lake Arrowhead Dam in Clay County

Segment Type Freshwater Stream

AU_ID: 0211_01 *From the confluence with the Red River upstream to the confluence with the East Fork Little Wichita River*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10140

AU_ID: 0211_02 *From the confluence with the East Fork Little Wichita River upstream to the Lake Arrowhead Dam*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10141; 13633; 17479

SegID: 0212 Lake Arrowhead

From Lake Arrowhead Dam in Clay County up to normal pool elevation of 926 feet (impounds the Little Wichita River)

Segment Type Reservoir

AU_ID: 0212_01 *Entire water body*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	TWQS-Appendix A

Station ID(s): 10142; 20181; 20190; 20191; 20203; 20204; 20205

SegID: 0213 Lake Kickapoo

From Kickapoo Dam in Archer County up to normal pool elevation of 1045 feet (impounds the North Fork Little Wichita River)

Segment Type Reservoir

AU_ID: 0213_01 *Entire water body*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	TWQS-Appendix A

Station ID(s): 10143

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 0214 **Wichita River Below Diversion Lake Dam**

From the confluence with the Red River in Clay County to Diversion Dam in Archer County

Segment Type Freshwater Stream

AU_ID: 0214_01 *From the confluence with the Red River upstream to the confluence with an un-named tributary immediately upstream of FM 2393*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10145

AU_ID: 0214_02 *From an un-named tributary immediately upstream of FM 2393 upstream to the River Road WWTP*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10148; 10149

AU_ID: 0214_03 *From the River Road WWTP upstream to the confluence with Buffalo Creek*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10150; 10151; 10152; 10153; 15999; 16734; 16735; 18832; 20321

AU_ID: 0214_04 *From the confluence with Buffalo Creek upstream to the confluence with Beaver Creek*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10154

AU_ID: 0214_05 *From the confluence with Beaver Creek upstream to the Diversion Lake Dam*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10155; 10156

SegID: 0214A **Beaver Creek (unclassified water body)**

From the confluence of the Wichita River west of Wichita Falls in Wichita County upstream to the headwaters west of Crowell in Foard County

Segment Type Freshwater Stream

AU_ID: 0214A_01 *From the confluence with the Wichita River upstream to the confluence with Bull Creek*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Flow Questionnaire	High	Presumption from Flow Type

Station ID(s): 10100; 15120

AU_ID: 0214A_02 *From the confluence with Bull Creek upstream to the Santa Rosa Lake dam*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Flow Questionnaire	High	Presumption from Flow Type

Station ID(s): 15121

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 0214B Buffalo Creek (unclassified water body)

From the confluence of the Wichita River west of Wichita Falls in Wichita County to the upstream perennial portion of the stream east of Electra in Wichita County

Segment Type Freshwater Stream

AU_ID: 0214B_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type

Station ID(s): 10097

SegID: 0214D Gordon Lake (unclassified water body)

From Gordon Lake Dam up to normal pool elevation of 1043 feet

Segment Type Reservoir

AU_ID: 0214D_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	Presumption from Flow Type

Station ID(s): 17946

SegID: 0214E Wichita Valley Irrigation Project (unclassified water body)

From northeast of Wichita Falls (North Side Canal) and southwest of Wichita Falls (Call Field Canal) upstream to Lake Diversion Dam

Segment Type Freshwater Stream

AU_ID: 0214E_01 South Side Canal

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 18831

SegID: 0215 Diversion Lake

From Diversion Dam in Archer County to a point 1.5 kilometers (0.9 miles) downstream of the confluence of Cottonwood Creek in Baylor County, up to the normal pool elevation of 1051 feet (impounds Wichita River)

Segment Type Reservoir

AU_ID: 0215_01 Entire lake

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	TWQS-Appendix A

Station ID(s): 10157

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 0216 Wichita River Below Lake Kemp Dam

From a point 1.5 kilometers (0.9 miles) downstream of the confluence of Cottonwood Creek in Baylor County to Lake Kemp Dam in Baylor County

Segment Type Freshwater Stream

AU_ID: 0216_01 Entire segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A
Station ID(s):	10158		

SegID: 0217 Lake Kemp

From Lake Kemp Dam in Baylor County to a point 9.4 kilometers (5.8 miles) downstream of the confluence of Crooked Creek in Baylor County, up to pool elevation of 1144 feet (impounds Wichita River)

Segment Type Reservoir

AU_ID: 0217_01 Area downstream of Cattle Island

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	TWQS-Appendix A
Station ID(s):	10159; 13959		

AU_ID: 0217_02 Area upstream of Cattle Island

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	TWQS-Appendix A
Station ID(s):	10160		

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 0218 Wichita/North Fork Wichita River

From a point 9.4 kilometers (5.8 miles) downstream of the confluence of Crooked Creek in Baylor County to a point 8.5 kilometers (5.3 miles) downstream of the most upstream crossing of FM 193 in Dickens County)

Segment Type Freshwater Stream

AU_ID: 0218_01 Lower end of segment to confluence with South Wichita River

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A
Station ID(s): 10161			

AU_ID: 0218_02 From the confluence with South Wichita River to Confluence with Deadman Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A
Station ID(s): 15177			

AU_ID: 0218_03 From the confluence with Deadman Creek to the confluence with Middle Wichita River

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A
Station ID(s): 10162			

AU_ID: 0218_04 From the confluence with Middle Wichita River to confluence with Salt Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A
Station ID(s): 15119			

AU_ID: 0218_05 From the confluence with Salt Creek to end of segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A
Station ID(s): No Stations			

SegID: 0218A Middle Fork Wichita River (unclassified water body)

From the confluence of the North Wichita River southwest of Crowell in Foard County to the upstream perennial portion of the stream northeast of Guthrie in King County

Segment Type Freshwater Stream

AU_ID: 0218A_01 Entire segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type
Station ID(s): 14900			

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 0219 Lake Wichita

From Lake Wichita Dam in Wichita County up to the normal pool elevation of 980.5 feet (impounds Holliday Creek)

Segment Type Reservoir

AU_ID: 0219_01 Entire segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	TWQS-Appendix A

Station ID(s): 10163

SegID: 0220 Upper Pease/North Fork Pease River

From the confluence with Canal Creek at the Hardeman-Foard county line to 6.0 kilometers (3.7 miles) upstream of the confluence of Dick Moore Canyon in Floyd County

Segment Type Freshwater Stream

AU_ID: 0220_01 Lower end to Middle Pease confluence

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10167

AU_ID: 0220_02 Middle Pease to end of segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10168

SegID: 0221 Middle Fork Pease River

From the confluence with the North Fork Pease River in Cottle County to the confluence of Boggy Creek and Mott Creek in Motley County

Segment Type Freshwater Stream

AU_ID: 0221_01 Lower end of segment to South Pease River confluence

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10170

AU_ID: 0221_02 Remainder of segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): No Stations

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 0222 Salt Fork Red River

From the Oklahoma State Line in Collingsworth County to Greenbelt Dam in Donley County

Segment Type Freshwater Stream

AU_ID: 0222_01 Oklahoma State Line to Lake Creek confluence

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10171

AU_ID: 0222_02 Lake Creek to upper end of segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10172

SegID: 0222A Lelia Lake Creek (unclassified water body)

From the confluence of the Salt Fork Red River north of Hedley in Donley County of the upstream perennial portion of the stream west of Hedley

Segment Type Freshwater Stream

AU_ID: 0222A_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 10076

SegID: 0223 Greenbelt Lake

From Greenbelt Dam in Donley County up to normal pool elevation of 2664 feet (impounds Salt Fork Red River)

Segment Type Reservoir

AU_ID: 0223_01 Entire segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	TWQS-Appendix A

Station ID(s): 10173

SegID: 0224 North Fork Red River

From the Oklahoma State Line in Wheeler County to a point 4.0 kilometers (2.4 miles) upstream of FM 2300 in Gray County

Segment Type Freshwater Stream

AU_ID: 0224_01 Oklahoma State Line to confluence with McClellan Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10178

AU_ID: 0224_02 From McClellan Creek to upper end of segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): No Stations

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 0224A McClellan Creek (unclassified water body)

From the confluence with the North Fork Red River upstream to the headwaters southwest of Panhandle in Carson County

Segment Type Freshwater Stream

AU_ID: 0224A_01 From the confluence with the North Fork Red River upstream to the Lake McClellan dam

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 10064

SegID: 0226 South Fork Wichita River

From the confluence with the North Fork Wichita River in Knox County to a point 15.0 kilometers (9.3 miles) upstream of US 82 in Dickens County

Segment Type Freshwater Stream

AU_ID: 0226_01 Lower end of segment to SH 6

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10185

AU_ID: 0226_02 From SH 6 to confluence with Willow Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): No Stations

AU_ID: 0226_03 From confluence with Willow Creek to confluence with Long Canyon Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 13635; 13636

AU_ID: 0226_04 Low-water dam to 0.5 mile upstream

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): No Stations

SegID: 0228 Mackenzie Reservoir

From Mackenzie Dam in Briscoe County up to the normal pool elevation of 3100 feet (impounds Tule Creek)

Segment Type Reservoir

AU_ID: 0228_01 Entire segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 10188

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 0229 Upper Prairie Dog Town Fork Red River

From a point 100 meters (110 yards) upstream of the confluence of Salt Fork Creek in Armstrong County to Lake Tanglewood Dam in Randall County

Segment Type Freshwater Stream

AU_ID: 0229_01 Lower end of segment to Palo Duro State Park northern boundary

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10191; 13772

AU_ID: 0229_02 Palo Duro Canyon State Park upstream boundary to upper end of segment at Tanglewood Dam

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 18317; 20801

SegID: 0229A Lake Tanglewood (unclassified water body)

From Randall County Dam up to normal pool elevation south of Amarillo (impounds Prairie Dog Town Fork Red River)

Segment Type Reservoir

AU_ID: 0229A_01 Entire lake

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	Presumption from Flow Type

Station ID(s): 10192

SegID: 0230 Pease River

From the confluence with the Red River in Wilbarger County upstream to the confluence with Canal Creek at the Hardeman-Foard county line

Segment Type Freshwater Stream

AU_ID: 0230_01 Red River to confluence with Mule Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Intermediate	TWQS-Appendix A

Station ID(s): 10165; 10166

AU_ID: 0230_02 County line to end of segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Intermediate	TWQS-Appendix A

Station ID(s): No Stations

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 0230A Paradise Creek (unclassified water body)

From the confluence with the Pease River east of Vernon to the upstream perennial portion near Thalia in Foard County

Segment Type Freshwater Stream

AU_ID: 0230A_03 Lower 5 miles of water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type

Station ID(s): 10094

AU_ID: 0230A_04 Remainder of water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type

Station ID(s): 17600

SegID: 0299A Sweetwater Creek (unclassified water body)

From the Oklahoma State Line in Wheeler County to the upstream perennial portion of the stream northwest of Wheeler in Wheeler County (tributary of North Fork Red River)

Segment Type Freshwater Stream

AU_ID: 0299A_01 From Oklahoma State Line to confluence with Graham Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 10072; 10074

SegID: 0301 Sulphur River Below Wright Patman Lake

From the Arkansas State Line in Bowie/Cass County to Wright Patman Lake Dam in Bowie/Cass County

Segment Type Freshwater Stream

AU_ID: 0301_01 From the Arkansas state line approximately 9 miles upstream to the unnamed creek at NHD RC 11140302004559

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	WQS/Permits program	High	TWQS-Appendix A

Station ID(s): 13783

AU_ID: 0301_02 From the unnamed creek at NHD RC 11140302004559 approximately 10 miles to Wright Patman Lake Dam

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	WQS/Permits program	High	TWQS-Appendix A

Station ID(s): 10212

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 0302 Wright Patman Lake

From Wright Patman Lake Dam in Bowie/Cass County to a point 1.5 kilometers (0.9 miles) downstream of Bassett Creek in Bowie/Cass County, up to the normal pool elevation of 225 feet (impounds the Sulphur River)

Segment Type Reservoir

AU_ID: 0302_01 800 acres near dam

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	WQS/Permits program	High	TWQS-Appendix A

Station ID(s): | 14097; 14098

AU_ID: 0302_02 300 acres at International Paper intake

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	WQS/Permits program	High	TWQS-Appendix A

Station ID(s): | 16859

AU_ID: 0302_03 1600 acres southwest of dam

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	WQS/Permits program	High	TWQS-Appendix A

Station ID(s): | 10213

AU_ID: 0302_04 500 acres in the northeast corner of lake

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	WQS/Permits program	High	TWQS-Appendix A

Station ID(s): | 15061

AU_ID: 0302_05 200 acres in the northwestern tip of lake

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	WQS/Permits program	High	TWQS-Appendix A

Station ID(s): | 14099

AU_ID: 0302_06 Big Creek arm

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	WQS/Permits program	High	TWQS-Appendix A

Station ID(s): | 14100; 16860

AU_ID: 0302_07 4000 acres mid-lake

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	WQS/Permits program	High	TWQS-Appendix A

Station ID(s): | 14101; 14102

AU_ID: 0302_08 1600 acres in upper mid-lake

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	WQS/Permits program	High	TWQS-Appendix A

Station ID(s): | 14103

AU_ID: 0302_09 5000 acres mid-lake, below Hwy 8

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	WQS/Permits program	High	TWQS-Appendix A

Station ID(s): | 16205; 16857

2012 Texas Water Quality Inventory Water Bodies Evaluated

AU_ID: 0302_10 4000 acres in upper portion of lake

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	WQS/Permits program	High	TWQS-Appendix A

Station ID(s): 10214; 16858

SegID: 0302A Big Creek (unclassified water body)

Intermittent stream with perennial pools from FM 2149 up to 1.3 kilometers south of U.S. 82 south-east of New Boston

Segment Type Freshwater Stream

AU_ID: 0302A_02 From the confluence with NHD RC 11140302004386 upstream 24.3 km (15.1 mi) to the headwaters near I30 and WQS Appendix D portion of the water body.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Intermediate	Previous TCEQ Permit Decision

Station ID(s): 16864

SegID: 0302B Boone Creek (unclassified water body)

From the confluence with Wright Patman Lake upstream to approximately 3.5 miles north of highway 67 in Bowie County

Segment Type Freshwater Stream

AU_ID: 0302B_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type

Station ID(s): 17326; 18824

SegID: 0302C Anderson Creek (unclassified water body)

From Lake Wright Patman upstream 88.6 km (55 mi) to the headwaters near US HWY 82

Segment Type Freshwater Stream

AU_ID: 0302C_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Intermediate	Previous TCEQ Permit Decision

Station ID(s): 16863; 20765

SegID: 0302D Caney Creek (unclassified water body)

From the confluence with Big Creek in Bowie County to approximately 1.5 kilometers south of US HWY 82

Segment Type Freshwater Stream

AU_ID: 0302D_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type

Station ID(s): 18556

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 0302E Rice Creek (unclassified water body)

From the confluence with Anderson Creek in Bowie County to I30

Segment Type Freshwater Stream

AU_ID: 0302E_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type

Station ID(s): 15947; 18555

SegID: 0302F Akin Creek (unclassified water body)

From the confluence with the Sulphur River in Bowie County below Lake Wright Patman to 1 kilometer (.6 miles) south of US HWY 82

Segment Type Freshwater Stream

AU_ID: 0302F_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 18356

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 0303 Sulphur/South Sulphur River

From a point 1.5 kilometers (0.9 miles) downstream of Bassett Creek in Bowie/Cass County to Cooper Lake Dam in Delta/Hopkins County

Segment Type Freshwater Stream

AU_ID: 0303_01 *Portion of the Sulphur/South Sulphur River from Lake Wright Patman upstream approximately 29 km (18 mi) to the confluence with White Oak Creek*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10215

AU_ID: 0303_02 *Portion of the Sulphur/South Sulphur River from the confluence of White Oak Creek approximately 44 km (27 mi) upstream to the confluence with the Roden Creek.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10216

AU_ID: 0303_03 *Portion of the Sulphur/South Sulphur River from the confluence with Roden Creek approximately 44 km (27 mi) upstream to the confluence with the Cottonwood Slough .*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10217

AU_ID: 0303_04 *Portion of the Sulphur/South Sulphur River from the confluence with Cottonwood Slough approximately 41.5 km (26 mi) upstream to the confluence with the North Sulphur River.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10218; 10219; 10220

AU_ID: 0303_05 *Portion of the Sulphur/South Sulphur River from the confluence with the North Sulphur River approximately 43 km (26.5 mi) upstream to Cooper Lake dam*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10221; 10222

SegID: 0303A Big Creek Lake (unclassified water body)

From Big Creek Dam up to normal pool elevation of 458 feet north of Cooper (impounds Big Creek)

Segment Type Reservoir

AU_ID: 0303A_01 *Entire water body*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	Presumption from Flow Type

Station ID(s): 16856

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 0303B White Oak Creek (unclassified water body)

From the confluence of the Sulphur River north of Naples in Morris County to the upstream perennial portion of the stream east of Sulphur Springs in Hopkins County

Segment Type Freshwater Stream

AU_ID: 0303B_01 *Portion of White Oak Creek from the confluence with the South Sulphur River approximately 40 km (25 mi) upstream to the confluence with Lacy Creek.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D

Station ID(s): 10198; 16697

AU_ID: 0303B_02 *Portion of White Oak Creek from the confluence with the Lacy Creek approximately 42 km (26 mi) upstream to the confluence with Ripley Creek.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D

Station ID(s): No Stations

AU_ID: 0303B_03 *Portion of White Oak Creek from the confluence with the Ripley Creek approximately 42 km (26 mi) upstream to Stouts Creek.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D

Station ID(s): 10199

AU_ID: 0303B_04 *Portion of White Oak Creek from the confluence with the Stouts Creek approximately 46 km (28 mi) upstream to Midget Creek.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D

Station ID(s): 10201; 20099

AU_ID: 0303B_05 *Portion of White Oak Creek from the confluence with the Midget Creek approximately 42 km (26 mi) upstream to the headwaters.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
not available	not available	not available	not available

Station ID(s): No Stations

SegID: 0303D Rock Creek (unclassified water body)

From the confluence with White Oak Creek to the southwest corner of Sulphur Springs approximately 2 miles southeast of the intersection of I-30 and State Hwy 19

Segment Type Freshwater Stream

AU_ID: 0303D_01 *Entire water body*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 10200

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 0303E East Caney Creek (unclassified water body)

From the confluence with White Oak Creek to just east of Como in southeastern Hopkins County

Segment Type Freshwater Stream

AU_ID: 0303E_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type

Station ID(s): 17909

SegID: 0303F Stouts Creek (unclassified water body)

From the confluence with White Oak Creek to approximately 7 miles due east of Como in Hopkins County

Segment Type Freshwater Stream

AU_ID: 0303F_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type

Station ID(s): 17907; 18189

SegID: 0303G North Caney Creek (unclassified water body)

From the confluence with White Oak Creek in Hopkins County to Farm Road 71

Segment Type Freshwater Stream

AU_ID: 0303G_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type

Station ID(s): 17908

SegID: 0303I Big Creek (unclassified water body)

From the confluence with White Oak Creek south to approximately .5 miles north of FM 900 in Hopkins County

Segment Type Freshwater Stream

AU_ID: 0303I_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type

Station ID(s): 17906

SegID: 0303L Kickapoo Creek (unclassified water body)

From the confluence with Cuthand Creek in Titus County to 1.6 kilometers (1 mile) south of FM 114

Segment Type Freshwater Stream

AU_ID: 0303L_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 17342

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 0304 Days Creek

From the Arkansas State Line in Bowie County to the confluence of Swampoodle Creek and Nix Creek in Bowie County.

Segment Type Freshwater Stream

AU_ID: 0304_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	WQS/Permits program	Intermediate	TWQS-Appendix A

Station ID(s): 10226; 10227; 10228; 10229; 14432

SegID: 0304A Swampoodle Creek (unclassified water body)

From the confluence of Days Creek in central Texarkana in Bowie County to the upstream perennial portion of the stream in northern Texarkana in Bowie County

Segment Type Freshwater Stream

AU_ID: 0304A_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Flow Questionnaire	High	Presumption from Flow Type

Station ID(s): 10211; 15256; 15342; 15786

SegID: 0304B Cowhorn Creek (unclassified water body)

From the confluence of Wagner Creek in southern Texarkana in Bowie County to the upstream perennial portion of the stream in northern Texarkana in Bowie County

Segment Type Freshwater Stream

AU_ID: 0304B_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Flow Questionnaire	High	Presumption from Flow Type

Station ID(s): 15254; 17324

SegID: 0304C Wagner Creek (unclassified water body)

Perennial stream from the confluence with Days Creek to a point 1.5 km upstream of IH 30

Segment Type Freshwater Stream

AU_ID: 0304C_01 Entire water body and WQS Appendix D portion of the water body.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D

Station ID(s): 14431; 14475; 17325; 18355

SegID: 0304D Nix Creek (unclassified water body)

From the confluence with Swampoodle Creek to 1.6 kilometers (1 mile) directly east of the intersection of US HWY 271 and I30

Segment Type Freshwater Stream

AU_ID: 0304D_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 10210

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 0305 North Sulphur River

From the confluence with the South Sulphur River in Lamar County to a point 6.7 km (4.2 miles) upstream of FM 68 in Fannin County

Segment Type Freshwater Stream

AU_ID: 0305_01 Portion of the North Sulphur River from the confluence with the Sulphur/South Sulphur upstream approximately 41 km (25 mi) to Morrison Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	TSWQS	Intermediate	TWQS-Appendix A

Station ID(s): 10230; 10231

AU_ID: 0305_02 Portion of the North Sulphur River from the confluence with Morrison Creek upstream approximately 37 km (23 mi) to the headwaters.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	TSWQS	Intermediate	TWQS-Appendix A

Station ID(s): 17613; 18844; 18846

SegID: 0305B Auds Creek (unclassified water body)

From the confluence with the North Sulphur River in Lamar County to 2 kilometers (1.2 miles) south of US HWY 82

Segment Type Freshwater Stream

AU_ID: 0305B_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 10197

SegID: 0305D Big Sandy Creek (unclassified water body)

From the confluence with the North Sulphur River in Lamar County to .4 kilometers (.2 miles) Of US HWY 82 Business in Paris

Segment Type Freshwater Stream

AU_ID: 0305D_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 10205

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 0306 Upper South Sulphur River

From a point 1.0 km (0.6 miles) upstream of SH 71 in Delta/Hopkins County to SH 78 in Fannin County

Segment Type Freshwater Stream

AU_ID: 0306_01 *Portion of the Upper South Sulphur River from a point 1 km (.6 mi) upstream of SH 71 upstream approximately 10 km (6 mi) to Dunbar Creek.*

<u>Flow Type</u> perennial	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> Intermediate	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--	--

Station ID(s): 10235; 10236; 10237; 10238; 10239; 17514

AU_ID: 0306_02 *Portion of the Upper South Sulphur River from the confluence with Dunbar Creek approximately 42 km (26 mi) to Hickory Creek..*

<u>Flow Type</u> perennial	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> Intermediate	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--	--

Station ID(s): 17510; 17511; 17512

AU_ID: 0306_03 *Portion of the Upper South Sulphur River from the confluence with Hickory Creek approximately 19 km (12 mi) to SH 71.*

<u>Flow Type</u> perennial	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> Intermediate	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--	--

Station ID(s): 17513

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 0307 Cooper Lake

from Cooper Lake dam in Delta/Hopkins County to a point 1.0 kilometers (0.6 mile) upstream of SH 71 on the South Sulphur River arm in Delta/Hopkins County and 300 meters (330 yards) below the confluence of Barnett Creek on the Middle Sulphur River arm in Delta County, up to a conservation pool elevation of 440 feet (impounds the Middle Sulphur/South Sulphur River)

Segment Type Reservoir

AU_ID: 0307_01 Lower 5000 acres near dam

<u>Flow Type</u> reservoir	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): 13855

AU_ID: 0307_02 Lower 3000 acre Doctors Creek arm

<u>Flow Type</u> reservoir	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): 13856; 17075

AU_ID: 0307_03 Middle 5000 acres

<u>Flow Type</u> reservoir	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): 10233; 13857

AU_ID: 0307_04 Middle 2000 acre Johns Creek arm

<u>Flow Type</u> reservoir	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): 13858

AU_ID: 0307_05 Middle 1000 acres near Finley Branch

<u>Flow Type</u> reservoir	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): 15211

AU_ID: 0307_06 Upper 3305 Acres in the headwaters

<u>Flow Type</u> reservoir	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): 13860; 16699; 18318

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 0401 Caddo Lake

From the Louisiana State Line in Harrison/Marion County to a point 12.3 km (7.6 miles) downstream of SH 43 in Harrison/Marion County, up to pool elevation of 168.5 feet (impounds Big Cypress Creek)

Segment Type Reservoir

AU_ID: 0401_01 Lower 5000 acres

<u>Flow Type</u> reservoir	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): 10281; 10282; 10283; 10284; 15024; 15025

AU_ID: 0401_02 Harrison Bayou arm

<u>Flow Type</u> reservoir	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): 10285; 10286; 10287; 14946; 16365

AU_ID: 0401_03 Goose Prairie arm

<u>Flow Type</u> reservoir	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): 10288; 10289; 15275; 16364

AU_ID: 0401_05 Clinton Lake

<u>Flow Type</u> reservoir	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): 14236

AU_ID: 0401_07 Mid-lake near Uncertain

<u>Flow Type</u> reservoir	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): 10291; 10292; 10293; 15249; 17867; 20109

AU_ID: 0401_08

<u>Flow Type</u> not available	<u>Flow Type Source</u> not available	<u>ALU Designation</u> not available	<u>ALU Designation Source</u> not available
-----------------------------------	--	---	--

Station ID(s): No Stations

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 0401A Harrison Bayou (unclassified water body)

From the confluence of Caddo Lake east of Karnack in Harrison County to the upstream perennial portion of the stream east of Marshall in Harrison County

Segment Type Freshwater Stream

AU_ID: 0401A_01 *From Caddo Lake upstream 21.8 km (13.5 mi) to the confluence with NHD RC 11140306000177, an unnamed tributary approximately 2 km downstream from FM 1998*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Flow Questionnaire	High	TWQS-Appendix D

Station ID(s): 15506; 15508; 15509

AU_ID: 0401A_02 *From the confluence with NHD RC 11140306000177 upstream 5.5 km (3.4 mi) to near the headwaters*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Flow Questionnaire	High	TWQS-Appendix D

Station ID(s): 15507

SegID: 0401B Kitchen Creek (unclassified water body)

From the confluence with Clinton Lake to near Payne in Marion County

Segment Type Freshwater Stream

AU_ID: 0401B_01 *Entire water body*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type

Station ID(s): 14998; 14999

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 0402 Big Cypress Creek Below Lake O' the Pines

From a point 12.3 km (7.6 miles) downstream of SH 43 in Harrison/Marion County to Ferrell's Bridge Dam in Marion County

Segment Type Freshwater Stream

AU_ID: 0402_01 *From the confluence with Caddo Lake upstream 15 km (9 mi) to Haggerty Creek*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10294; 10295; 15022; 15023; 15248

AU_ID: 0402_02 *From the confluence with Haggerty Creek upstream 25 km (15.5 mi) to the confluence with Black Cypress Bayou.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 14471; 15510; 16254; 20635

AU_ID: 0402_03 *From the confluence with Black Cypress Bayou upstream 23.8 km (14.7 mi) to French Creek.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 15136; 15511; 20108

AU_ID: 0402_04 *From the confluence with French Creek upstream 13 km (8 mi) to Lake O' the Pines*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 13630; 15135

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 0402A Black Cypress Bayou (unclassified water body)

Perennial stream from the confluence with Big Cypress in Marion County up to 7.5 miles above FM 250 in Cass County.

Segment Type Freshwater Stream

AU_ID: 0402A_01 *From the confluence with Big Cypress Creek upstream 25 km (15.5 mi) to the confluence with White Oak Creek*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D

Station ID(s): 10243; 10245

AU_ID: 0402A_02 *From the confluence with White Oak Creek upstream 31.3 km (19.4 mi) to Pruitt Lake*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D

Station ID(s): 10244; 16705

AU_ID: 0402A_03 *Pruitt Lake beginning near HWY 155, extending upstream 1.8 km (1.1 mi)*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D

Station ID(s): 10246

AU_ID: 0402A_04 *From Pruitt Lake 26.4 km (16.4 mi) upstream to the confluence with Arbery Branch*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D

Station ID(s): 10247

AU_ID: 0402A_05 *From the confluence with Arbery Branch upstream 24 km (14.1 mi) to the headwaters near US 259*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 10248

SegID: 0402B Hughes Creek (unclassified water body)

Perennial stream from the confluence with Black Cypress Creek upstream to the confluence with an unnamed first order tributary approximately 0.5 km downstream of FM 250

Segment Type Freshwater Stream

AU_ID: 0402B_01 *Entire water body and WQS Appendix D portion of the water body.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	High	TWQS-Appendix D

Station ID(s): 16258; 16936

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 0402C Haggerty Creek (unclassified water body)

From the confluence with Big Cypress Bayou to approximately 6 miles east of Marshall in Harrison County

Segment Type Freshwater Stream

AU_ID: 0402C_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type

Station ID(s): 14997; 16253

SegID: 0402E Kelly Creek (unclassified water body)

From the confluence with Black Cypress Creek in Cass County, north to approximately 2 miles southwest of where State HWY 338 and US HWY 259 merge

Segment Type Freshwater Stream

AU_ID: 0402E_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Flow Questionnaire	High	Presumption from Flow Type

Station ID(s): 16934

SegID: 0403 Lake O' the Pines

From Ferrell's Bridge Dam in Marion County to a point 1.0 km (0.6 miles) downstream of US 259 in Morris/Upshur County, up to normal pool elevation of 228.5 feet (impounds Big Cypress Creek)

Segment Type Reservoir

AU_ID: 0403_01 Lower 5000 acres

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 10296; 13974; 13975; 13976; 13978; 16448; 16452; 17967; 17968

AU_ID: 0403_02 Middle 5000 acres

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 13977; 13979; 16156; 16449; 16450

AU_ID: 0403_03 Middle 5000 acres below Hwy 155

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	TWQS-Appendix A

Station ID(s): 10297

AU_ID: 0403_04 Upper 3700 acres

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 10298; 10300; 13980; 16868; 17087

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 0404 Big Cypress Creek Below Lake Bob Sandlin

From a point 1.0 km (0.6 miles) downstream of US 259 in Morris/Upshur Counties to Fort Sherman Dam in Camp/Titus Counties

Segment Type Freshwater Stream

AU_ID: 0404_01 *From the confluence with Lake O' the Pines upstream 24 km (14.9 mi) to the confluence with an unnamed tributary NHD RC 11140305002717*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Intermediate	TWQS-Appendix A

Station ID(s): 10302; 10303; 10304; 10305; 10306; 13631; 15257; 16458

AU_ID: 0404_02 *From the confluence with an unnamed tributary NHD RC 11140305002717 upstream 37.2 km (23 mi) to Lake Bob Sandlin*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Intermediate	TWQS-Appendix A

Station ID(s): 10307; 10308; 10309; 10310; 10311; 16457; 16460

SegID: 0404A Ellison Creek Reservoir (unclassified water body)

From the Morris County Dam up to normal pool elevation near Lone Star in Morris County (impounds Ellison Creek)

Segment Type Reservoir

AU_ID: 0404A_01 *Entire water body*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	Presumption from Flow Type

Station ID(s): 14473; 14994; 18767; 18768; 18769; 18770; 18771; 18772; 18773; 18774; 18775; 18776; 18777; 18778; 18779; 18780

SegID: 0404B Tankersley Creek (unclassified water body)

Perennial stream from the confluence with Big Cypress Creek upstream to the confluence with an unnamed tributary 250 meters upstream of IH 30

Segment Type Freshwater Stream

AU_ID: 0404B_01 *From the confluence with Big Cypress Creek upstream 16.1 km (10 mi) to Tankersley Lake. WQS Appendix D portion of the creek.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	High	TWQS-Appendix D

Station ID(s): 10261; 10263; 10264; 15513

AU_ID: 0404B_02 *Impounded 4.9 km (3 mi) in length portion of Tankersley Creek*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	High	TWQS-Appendix D

Station ID(s): 10265; 18327; 18328

AU_ID: 0404B_03 *From the confluence with Tankersley Lake upstream 5.9 km (3.7 mi) to the headwaters*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	High	TWQS-Appendix D

Station ID(s): 15494; 15512

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 0404C Hart Creek (unclassified water body)

Perennial stream from the confluence with Big Cypress Creek upstream to 0.2 km upstream of FM 1402

Segment Type Freshwater Stream

AU_ID: 0404C_01 Entire water body and WQS Appendix D portion of the water body.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	High	TWQS-Appendix D
Station ID(s): 10266; 10271; 10272; 10273; 16467			

SegID: 0404E Dry Creek (unclassified water body)

Perennial stream from the confluence with Big Cypress Creek upstream to the confluence of Mile Branch and Little Creek

Segment Type Freshwater Stream

AU_ID: 0404E_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D
Station ID(s): 10274; 10275; 16461			

SegID: 0404F Sparks Branch (unclassified water body)

Perennial stream from the confluence with Dry Creek upstream to US 271

Segment Type Freshwater Stream

AU_ID: 0404F_01 Entire water body and WQS Appendix D portion of the water body.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D
Station ID(s): 10276; 10277			

SegID: 0404J Prairie Creek (unclassified water body)

From the confluence with Big Cypress Creek to Bennett Lake, south of Pittsburg in Camp County

Segment Type Freshwater Stream

AU_ID: 0404J_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type
Station ID(s): 15836; 15837			

SegID: 0404K Walkers Creek (unclassified water body)

From the confluence with Big Cypress Creek to approximately 2 miles west of Pittsburg in Camp County

Segment Type Freshwater Stream

AU_ID: 0404K_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	Flow Questionnaire	Minimal	Presumption from Flow Type
Station ID(s): 16454; 16714			

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 0404N Lake Daingerfield (unclassified water body)

Southeast of the City of Daingerfield in Daingerfield State Park in Morris County

Segment Type Reservoir*AU_ID: 0404N_01 Entire reservoir*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	Presumption from Flow Type

Station ID(s): 17337

SegID: 0404O Dragoo Creek (unclassified water body)

From the confluence with Tankersley Creek to the headwaters approximately 2 miles NW of US 67

Segment Type Freshwater Stream*AU_ID: 0404O_01 Entire water body*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type

Station ID(s): 18326

SegID: 0404P Unnamed Tributary to Tankersley Creek (unclassified water body)

From the confluence with Tankersley Creek approximately 2 miles upstream to NHD RC 11140305001088

Segment Type Freshwater Stream*AU_ID: 0404P_01 Entire water body*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 18324

SegID: 0404Q Unnamed Tributary to Tankersley Creek (unclassified water body)

From the confluence with Tankersley Creek upstream approximately 4 miles upstream to the headwaters near the end of 26th Street in Mt. Pleasant.

Segment Type Freshwater Stream*AU_ID: 0404Q_01 Entire water body*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type

Station ID(s): 18325

SegID: 0404R Unnamed Tributary to Dragoo Creek (unclassified water body)

From the confluence with Dragoo Creek upstream approximately 1.4 km (.8 mi) southwest to the headwaters

Segment Type Freshwater Stream*AU_ID: 0404R_01 Entire water body*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type

Station ID(s): 18323

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 0405 Lake Cypress Springs

From Franklin County Dam in Franklin County up to the normal pool elevation of 378 feet (impounds Big Cypress Creek)

Segment Type Reservoir

AU_ID: 0405_01 *From the confluence with an unnamed tributary NHD RC 11140305002717 upstream 37.2 km (23 mi) to Lake Bob Sandlin*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): | 10312; 17868; 17869; 17870; 17871

AU_ID: 0405_02 *Upper 2600 acres*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): | 10313; 16937; 16939; 17634; 17872; 20107; 20346

AU_ID: 0405_03 *Panther Arm*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): | 15741; 16938; 16940; 17518; 17548

SegID: 0405A Big Cypress Creek (unclassified water body)

From the confluence with Lake Cypress springs in Franklin County, to approximately 5 miles west of State HWY 37

Segment Type Freshwater Stream

AU_ID: 0405A_01 *Entire water body*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type

Station ID(s): | 15260

SegID: 0405B Panther Creek (unclassified water body)

From the confluence with Lake Cypress springs in Franklin County, to approximately .25 miles west of State HWY 37

Segment Type Freshwater Stream

AU_ID: 0405B_01 *Entire water body*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Flow Questionnaire	High	Presumption from Flow Type

Station ID(s): | 17322

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 0405C Blair Creek (unclassified water body)

From the confluence with Lake Cypress springs in Franklin County, to approximately .5 miles south of FM 900

Segment Type Freshwater Stream

AU_ID: 0405C_01 *Entire water body*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Flow Questionnaire	High	Presumption from Flow Type

Station ID(s): 17952

SegID: 0406 Black Bayou

From the Louisiana State Line in Cass County to FM 96 in Cass County

Segment Type Freshwater Stream

AU_ID: 0406_01 *Black Bayou from the LA state line upstream 19.1 km (11.8 mi) to the confluence with Hurricane Creek*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Intermediate	TWQS-Appendix A

Station ID(s): 10314; 10315

AU_ID: 0406_02 *From the confluence with Hurricane Creek upstream 28.6 km (17.7 mi) to NHD RC 11140304000881 near FM 96*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Intermediate	TWQS-Appendix A

Station ID(s): 10316; 10317; 10318; 16157

SegID: 0407 James' Bayou

From the Louisiana State Line in Marion County to Club Lake Road northwest of Linden in Cass County

Segment Type Freshwater Stream

AU_ID: 0407_01 *From the LA state line upstream 31.6 km (19.6 mi) to the confluence with Bear Creek.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Intermediate	TWQS-Appendix A

Station ID(s): 10319; 14976

AU_ID: 0407_02 *From the confluence with Bear Creek upstream 29.8 km (18.5 mi) to approximately 2 km north of HWY 11*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Intermediate	TWQS-Appendix A

Station ID(s): 10320; 10321; 10322; 10323; 10324; 10325; 10326; 10327; 10328; 18200

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 0407A Beach Creek (unclassified water body)

Perennial stream from Iron Ore Lake upstream to the confluence with an unnamed tributary 0.48 km upstream of Hwy 59

Segment Type Freshwater Stream

AU_ID: 0407A_01 *From the confluence with James' Bayou upstream 8.4 km (5.2 mi) to NHD RC 11140306011985 .48 km (.28 mi) upstream of HWY 59. WQS Appendix D portion of the creek.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D

Station ID(s): 10255; 10256

AU_ID: 0407A_02 *From the confluence with NHD RC 11140306011985 (.48 km (.28 mi) upstream of HWY 59) upstream 15.2 km (9.4 mi) to the headwaters*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
not available	not available	not available	not available

Station ID(s): No Stations

SegID: 0407B Frazier Creek (unclassified water body)

From the confluence with James Bayou to approximately 4 miles northwest of SH 8 near Red Hill in Cass County

Segment Type Freshwater Stream

AU_ID: 0407B_01 *From the confluence with James' Bayou upstream 38.6 km (23.9 mi) to the confluence with NHD RC 11140306000019 near HWY 59*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type

Station ID(s): 10258; 10259

AU_ID: 0407B_02 *From the confluence with the confluence with NHD RC 11140306000019 near HWY 59 upstream 24.7 km (15.3 mi) to the headwaters*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type

Station ID(s): 15838; 17619; 18201

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 0408 Lake Bob Sandlin

From Fort Sherman Dam in Camp/Titus County to Franklin County Dam in Franklin County up to normal pool elevation of 337.5 feet (impounds Big Cypress Creek)

Segment Type Reservoir

AU_ID: 0408_01 Lower 2000 acres near dam

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 10329; 17059; 17060

AU_ID: 0408_02 Middle 4460 acres

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 10330

AU_ID: 0408_03 Upper 3000 acres

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 16158; 20034

SegID: 0408A Lake Monticello (unclassified water body)

Reservoir southwest of Mt. Pleasant in Titus County

Segment Type Reservoir

AU_ID: 0408A_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	Presumption from Flow Type

Station ID(s): 10278; 17345

SegID: 0408C Brushy Creek (unclassified water body)

From the confluence with Lake Bob Sandlin in Franklin County to Winnsboro at State HWY 37

Segment Type Freshwater Stream

AU_ID: 0408C_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Flow Questionnaire	High	Presumption from Flow Type

Station ID(s): 15261

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 0409 Little Cypress Bayou (Creek)

From the confluence of Big Cypress Creek in Harrison/Marion County to a point 1.0 km (0.6 miles) upstream of FM 2088 in Wood County

Segment Type Freshwater Stream

AU_ID: 0409_01 *From the confluence with Big Cypress Creek upstream 41 km (25.4 mi) to the confluence with Lawrence Creek*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10331; 10332

AU_ID: 0409_02 *From the confluence with Lawrence Creek upstream 29.2 km (18.1 mi) to the confluence with NHD RC 11140307000368*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 15773

AU_ID: 0409_03 *From the confluence with NHD RC 11140307000368 upstream 52.2 km (32.6 mi) to the confluence with Kelsey Creek*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10333; 10334; 10335; 16861

AU_ID: 0409_04 *From the confluence with NHD RC 11140307001531 upstream 41.1 km (29.2 mi) to the headwaters at FM 2088*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 14975; 16017

SegID: 0409B South Lilly Creek (unclassified water body)

From the confluence of Lilly Creek to approximately 2 miles west of FM 1647

Segment Type Freshwater Stream

AU_ID: 0409B_01 *Entire water body*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type

Station ID(s): 17953; 17954

SegID: 0409D Lake Gilmer (unclassified water body)

Unclassified reservoir bisecting Kelsey Creek, approximately 2 miles west of US Hwy 271 and 1 mile south of Little Cypress Bayou.

Segment Type Reservoir

AU_ID: 0409D_01 *Entire water body*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	Presumption from Flow Type

Station ID(s): 17478; 18825

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 0409E Clear Creek (unclassified water body)

From the confluence with Little Cypress Creek in Upshur County to 1 kilometer (.6 miles) west of US HWY 271

Segment Type Freshwater Stream

AU_ID: 0409E_01 *Entire water body*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 18590

SegID: 0501 Sabine River Tidal

From the confluence with Sabine Lake in Orange County to West Bluff in Orange County

Segment Type Tidal Stream

AU_ID: 0501_01 *Lower 10 miles of segment from the confluence of Sabine Lake upstream to confluence with Adams Bayou*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	TSWQS	High	TWQS-Appendix A

Station ID(s): 10391; 10392; 10393

AU_ID: 0501_02 *Upper 14 miles of segment from the confluence of Adams Bayou upstream to Little Cypress Bayou*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	TSWQS	High	TWQS-Appendix A

Station ID(s): 10394; 18055; 18056

AU_ID: 0501_03 *Upper 14 miles of segment from the confluence of Little Cypress Bayou upstream to confluence with Old River*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	TSWQS	High	TWQS-Appendix A

Station ID(s): 18454

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 0501B Little Cypress Bayou (unclassified water body)

From the confluence with the Sabine River to the headwaters west of Reese in Orange County.

Segment Type Tidal Stream

AU_ID: 0501B_01 Lower 4.2 miles of bayou

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	Flow Questionnaire	High	Presumption from Flow Type
Station ID(s):	14503		

AU_ID: 0501B_02 0.3 mile upstream to 0.5 mile downstream of Bear Path Road

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	Flow Questionnaire	High	Presumption from Flow Type
Station ID(s):	15520		

AU_ID: 0501B_03 Upper 3.2 miles of bayou

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	Flow Questionnaire	High	Presumption from Flow Type
Station ID(s):	16690		

SegID: 0502 Sabine River Above Tidal

From West Bluff in Orange County to the confluence with Caney Creek in Newton County

Segment Type Freshwater Stream

AU_ID: 0502_01 Sabine River from Old River upstream to confluence of Indian Bayou

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A
Station ID(s):	10395; 18417; 18455		

AU_ID: 0502_02 Sabine River from the confluence of Indian Bayou upstream to confluence of Cypress Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A
Station ID(s):	10397		

AU_ID: 0502_03 Sabine River from the confluence of Cypress Creek upstream to Big Cow Creek (no stations)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A
Station ID(s):	No Stations		

SegID: 0502A Nichols Creek (unclassified water body)

From the confluence of the Sabine River to the upstream perennial portion of the stream south of Kirbyville in Newton and Jasper Counties

Segment Type Freshwater Stream

AU_ID: 0502A_01 Lower 25 miles of creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type
Station ID(s):	15652		

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 0502B Caney Creek (unclassified water body)

Perennial stream from the Sabine River upstream to the confluence with Martin Branch

Segment Type Freshwater Stream

AU_ID: 0502B_02 From Davison Street upstream to the confluence with Caney Branch and Little Caney Branch

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Water body description	High	Presumption from Flow Type

Station ID(s): 17464

SegID: 0502D Dempsey Creek (unclassified water body)

From the confluence with Sabine River to 8.3 miles upstream near FM 363

Segment Type Freshwater Stream

AU_ID: 0502D_01 Entire segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type

Station ID(s): 14966

SegID: 0502E Cypress Creek (unclassified water body)

From the confluence of Sabine River upstream to headwaters 2.5 miles northeast of Buna in Jasper County

Segment Type Freshwater Stream

AU_ID: 0502E_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 10342

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 0503 Sabine River Above Caney Creek

From a point immediately upstream of the confluence with Caney Creek in Newton County up to Toledo Bend Dam in Newton County

Segment Type Freshwater Stream

AU_ID: 0503_01 *From Caney Creek upstream to confluence of Anacoco Bayou*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10398; 17063; 17433; 18428; 18429

AU_ID: 0503_02 *From Anacoco Bayou upstream to confluence of Little Cow Creek*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 17432

AU_ID: 0503_03 *From Little Cow Creek upstream to Lake Tawakoni Dam, and including both the outlet and the spillway of the dam*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10399; 10400; 10401

SegID: 0503D Little Cow Creek (unclassified water body)

From the confluence with Sabine River to 2.75 miles upstream of Rt 255

Segment Type Freshwater Stream

AU_ID: 0503D_01 *From confluence with Sabine River to confluence with McGraw Creek*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 14969

AU_ID: 0503D_02 *From confluence with McGraw Creek to 2.75 miles upstream of Rt 255*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 18321

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 0504 Toledo Bend Reservoir

From Toledo Bend Dam in Newton County to a point immediately upstream of the confluence of Murvaul Creek in Panola County, up to the normal pool elevation of 172 feet (impounds the Sabine River)

Segment Type Reservoir

AU_ID: 0504_01 Lowermost 5200 acres of reservoir, adjacent to dam, including Indian Creek arm

<u>Flow Type</u> reservoir	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): | 10404; 16696

AU_ID: 0504_02 Six Mile Boat Lane arm

<u>Flow Type</u> reservoir	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): | 10407

AU_ID: 0504_03 Sunshine Bay arm

<u>Flow Type</u> reservoir	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): | 10411

AU_ID: 0504_04 Near SH 21

<u>Flow Type</u> reservoir	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): | 10402

AU_ID: 0504_05 Patroon Bayou Branch arm

<u>Flow Type</u> reservoir	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): | 15655

AU_ID: 0504_06 Tenaha Creek arm

<u>Flow Type</u> reservoir	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): | 10412; 20283

AU_ID: 0504_07 Uppermost 5120 acres of reservoir

<u>Flow Type</u> reservoir	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): | 10403; 10414; 17995; 18051

AU_ID: 0504_08 Negreet Bayou arm

<u>Flow Type</u> reservoir	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): | 18054

AU_ID: 0504_09 San Miguel arm

<u>Flow Type</u> reservoir	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): | 15656; 18053

2012 Texas Water Quality Inventory Water Bodies Evaluated

AU_ID: 0504_10 San Patricia arm

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 15657

AU_ID: 0504_11 Toledo Bend reservoir near Buzzard Bend

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 18052

AU_ID: 0504_12 Remainder of reservoir

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): No Stations

SegID: 0504C Palo Gaucho Bayou (unclassified water body)

From the confluence with Toledo Bend Reservoir in Sabine County to the headwaters northeast of San Augustine in San Augustine County

Segment Type Freshwater Stream

AU_ID: 0504C_01 Entire segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 16695

SegID: 0504E Clear Lake (unclassified water body)

Oxbow lake 12 miles northwest of Logansport, LA

Segment Type Reservoir

AU_ID: 0504E_01 Oxbow lake 12 miles northwest of Logansport, LA

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	Presumption from Flow Type

Station ID(s): 18426

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 0505 Sabine River Above Toledo Bend Reservoir

From a point immediately upstream of the confluence of Murvaul Creek in Panola County to a point 100 meters (110 yards) downstream of US 271 in Gregg County

Segment Type Freshwater Stream

AU_ID: 0505_01 Sabine River from the headwaters of Toledo Bend Reservoir upstream to Hoggs Bayou downstream of Carthage in Panola County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10415

AU_ID: 0505_02 Sabine River from Hoggs Bayou upstream to Irons Bayou

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10416

AU_ID: 0505_03 Sabine River from Irons Bayou upstream to Hatley Creek in Harrison County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10417; 10418; 13628

AU_ID: 0505_04 Sabine River from Hatley Creek upstream to Grace Creek in Gregg County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10419; 10420; 10421; 10422; 10423

AU_ID: 0505_05 Sabine River upstream from Grace Creek to end of segment 100 meters downstream of US 271 in Gregg County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10425; 10426; 10427; 15484

SegID: 0505B Grace Creek (unclassified water body)

Perennial stream from the confluence with the Sabine River up to FM 1844 in Gregg County

Segment Type Freshwater Stream

AU_ID: 0505B_02 Remainder of segment in the City of Longview upstream to headwaters

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D

Station ID(s): 14499; 16686; 16689

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 0505D Rabbit Creek (unclassified water body)

From the confluence with the Sabine River near Kilgore in Gregg County to the headwaters west of Overton in Smith County.

Segment Type Freshwater Stream

AU_ID: 0505D_01 Perennial stream from the confluence with the Sabine River in Gregg County up to the confluence with Little Rabbit Creek in Rusk County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D

Station ID(s): 10371; 16681

SegID: 0505E Brandy Branch Reservoir (unclassified water body)

From Harrison County Dam up to normal pool elevation of 340 feet southwest of Marshall in Harrison County (impounds Brandy Branch)

Segment Type Reservoir

AU_ID: 0505E_01 Entire reservoir

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	Presumption from Flow Type

Station ID(s): 13703; 17571; 17572

SegID: 0505F Martin Creek Reservoir (unclassified water body)

From Rusk County Dam up to normal pool elevation of 306 feet northeast of Henderson in Rusk County

Segment Type Reservoir

AU_ID: 0505F_01 Entire reservoir

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	Presumption from Flow Type

Station ID(s): 13601; 13602; 17568; 17569; 17570

SegID: 0505G Wards Creek (unclassified water body)

From the confluence with Hatley Creek to the headwaters east of Hallsville in Harrison County

Segment Type Freshwater Stream

AU_ID: 0505G_01 Entire segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	TWQS-Appendix D	Intermediate	TWQS-Appendix D

Station ID(s): 15188

SegID: 0505O Hills Lake (unclassified water body)

Oxbow lake 13 miles east of Carthage

Segment Type Reservoir

AU_ID: 0505O_01 Entire segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	Presumption from Flow Type

Station ID(s): 18422

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 0505P Irons Bayou (unclassified water body)

From the confluence of Sabine River upstream to headwaters

Segment Type Freshwater Stream

AU_ID: 0505P_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	Water body description	Minimal	Presumption from Flow Type

Station ID(s): 10389

SegID: 0506 Sabine River Below Lake Tawakoni

From a point 100 meters (110 yards) downstream of US 271 in Gregg County to Iron Bridge Dam in Rains County

Segment Type Freshwater Stream

AU_ID: 0506_01 From US 271 upstream to the confluence with Big Sandy Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10428

AU_ID: 0506_02 From the confluence with Big Sandy Creek upstream to the confluence with Lake Fork Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10429

AU_ID: 0506_03 From the confluence with Lake Fork Creek upstream to the confluence with Grand Saline Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10430

AU_ID: 0506_04 From the confluence with Grand Saline Creek upstream to SH 19

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 17065

AU_ID: 0506_05 From SH 19 upstream to Iron Bridge dam

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10432

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 0506A Harris Creek (unclassified water body)

From the confluence of the Sabine River northeast of Winona in Smith County to the upstream perennial portion of the stream east of Tyler in Smith County

Segment Type Freshwater Stream

AU_ID: 0506A_01 Entire segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 14500; 17534

SegID: 0506C Wiggins Creek (unclassified water body)

Perennial stream from the confluence with Harris Creek upstream to the dam impounding an unnamed reservoir located approximately 3.8 km upstream of FM 2015 northeast of the City of Tyler

Segment Type Freshwater Stream

AU_ID: 0506C_01 Appendix D - From the confluence with Harris Creek upstream to Smith County WWTP

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	High	TWQS-Appendix D

Station ID(s): 14507

AU_ID: 0506C_02 From Smith County WWTP upstream to dam impounding unnamed reservoir

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	High	TWQS-Appendix D

Station ID(s): 16362

SegID: 0506G Little White Oak Creek (unclassified water body)

From the confluence with the Sabine River to the headwaters southwest of Gilmer in Upshur County

Segment Type Freshwater Stream

AU_ID: 0506G_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Flow Questionnaire	High	Presumption from Flow Type

Station ID(s): 15986

SegID: 0506H Lake Gladewater (unclassified water body)

From the dam up to the normal pool elevation of 300.2 ft northeast of Gladewater (impounds Glade Creek)

Segment Type Reservoir

AU_ID: 0506H_01 Entire segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	Presumption from Flow Type

Station ID(s): 17062; 17585

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 0506I Lake Hawkins (unclassified water body)

Impounds Little Sandy Creek at Lake Hawkins Dam upstream to an elevation of approximately 346 feet; 3 miles northwest of Hawkins in Wood county

Segment Type Reservoir

AU_ID: 0506I_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	Presumption from Flow Type
Station ID(s):	14422; 18512		

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 0507 Lake Tawakoni

From Iron Bridge Dam in Rains County up to normal pool elevation of 437 feet (impounds Sabine River)

Segment Type Reservoir

AU_ID: 0507_01 *Lowermost area of reservoir, adjacent to dam*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 10434; 17041

AU_ID: 0507_02 *Middle of reservoir near Spring Point*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 17835

AU_ID: 0507_03 *Upper middle body of lake near SH 276*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 10437

AU_ID: 0507_04 *Cowleech Fork of Sabine River arm*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 10440; 17836

AU_ID: 0507_05 *South Fork of the Sabine River around Kitsee Inlet*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 10435

AU_ID: 0507_06 *Caddo Creek arm*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 10438

AU_ID: 0507_07 *Oak Cove*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 14973; 17043

AU_ID: 0507_08 *Cedar Cove portion around City of Point Intake*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 17042

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 0507A Cowleech Fork Sabine River (unclassified water body)

From the confluence of Lake Tawakoni southeast of Greenville in Hunt County to the upstream perennial portion of the stream south of Celeste in Hunt County

Segment Type Freshwater Stream

AU_ID: 0507A_01 Lower 10 miles, downstream of Long Branch confluence

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Previous TCEQ Permit Decision

Station ID(s): 10343

AU_ID: 0507A_02 Upper 20 miles, upstream of Long Branch confluence

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	WQS/Permits program	Minimal	Presumption from Flow Type

Station ID(s): 14493; 14971; 15661; 15989

SegID: 0507B Long Branch (unclassified water body)

From the confluence with Cowleech Fork Sabine River to the upstream perennial portion of the stream in Greenville in Hunt County

Segment Type Freshwater Stream

AU_ID: 0507B_01 Entire creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	Flow Questionnaire	Minimal	Presumption from Flow Type

Station ID(s): 15993; 17508

SegID: 0507D Hickory Creek (unclassified water body)

From the confluence of Cowleech Fork Sabine River to FM 272 east of Celeste in Hunt County

Segment Type Freshwater Stream

AU_ID: 0507D_01 Entire segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type

Station ID(s): 15992

SegID: 0507E Horse Creek (unclassified water body)

From the confluence of Cowleech Fork Sabine River to 0.95 km (0.6 miles) upstream of SH 34

Segment Type Freshwater Stream

AU_ID: 0507E_01 Entire segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type

Station ID(s): 17507

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 0507F Tidwell Creek (unclassified water body)

From the confluence of Cowleech Fork Sabine River to 0.8 km (0.5 mile) upstream of FM 1566

Segment Type Freshwater Stream

AU_ID: 0507F_01 Entire segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type

Station ID(s): 15991

SegID: 0507G South Fork of Sabine River (unclassified water body)

From the confluence with Lake Tawakoni upstream to the confluence with Klutts and Sabine Creeks

Segment Type Freshwater Stream

AU_ID: 0507G_01 Entire segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type

Station ID(s): 14967

SegID: 0507H Caddo Creek (unclassified water body)

From the confluence with Lake Tawakoni at Caddo Inlet upstream to the confluence with East Caddo and West Caddo Creeks

Segment Type Freshwater Stream

AU_ID: 0507H_01 Entire creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type

Station ID(s): 10439

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 0508 Adams Bayou Tidal

From the confluence with the Sabine River in Orange County to a point 1.1 km (0.7 miles) upstream of IH 10 in Orange County

Segment Type Tidal Stream

AU_ID: 0508_01 Lower 3 miles of segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	TSWQS	High	TWQS-Appendix A

Station ID(s): 10441

AU_ID: 0508_02 2 mile reach near Western Avenue

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	TSWQS	High	TWQS-Appendix A

Station ID(s): 10442

AU_ID: 0508_03 1 mile reach near Green Avenue

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	TSWQS	High	TWQS-Appendix A

Station ID(s): 16059

AU_ID: 0508_04 Upper 2 miles of segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	TSWQS	High	TWQS-Appendix A

Station ID(s): 14990

SegID: 0508A Adams Bayou Above Tidal (unclassified water body)

From a point 1.1 km (0.7 miles) upstream of IH 10 in Orange County to the upstream perennial portion of the stream northwest of Orange in Orange County

Segment Type Freshwater Stream

AU_ID: 0508A_01 Entire bayou above tidal

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type

Station ID(s): 15107

SegID: 0508B Gum Gully (unclassified water body)

From the confluence of Adams Bayou to the upstream perennial portion of the stream northwest of Orange in Orange County

Segment Type Freshwater Stream

AU_ID: 0508B_01 Entire creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type

Station ID(s): 16049

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 0508C Hudson Gully (unclassified water body)

From the confluence with Adams Bayou to the headwaters near US 890 in Pinehurst in Orange County

Segment Type Tidal Stream

AU_ID: 0508C_01 Entire creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	Water body description	High	Presumption from Flow Type
Station ID(s):	16041		

SegID: 0509 Murvaul Lake

From Murvaul Dam in Panola County up to the normal pool elevation of 265.3 feet (impounds Murvaul Bayou)

Segment Type Reservoir

AU_ID: 0509_01 Entire reservoir

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A
Station ID(s):	10444; 16954; 18438		

SegID: 0510 Lake Cherokee

From Cherokee Dam in Gregg/Rusk County up to the normal pool elevation of 280 feet (impounds Cherokee Bayou)

Segment Type Reservoir

AU_ID: 0510_01 Lower 2352 acres of reservoir

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A
Station ID(s):	15514		

AU_ID: 0510_02 Upper 1629 acres of reservoir

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A
Station ID(s):	15195		

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 0511 Cow Bayou Tidal

From the confluence with the Sabine River in Orange County to a point 4.8 km (3.0 miles) upstream of IH 10 in Orange County

Segment Type Tidal Stream

AU_ID: 0511_01 Lower 5 miles

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	TSWQS	High	TWQS-Appendix A

Station ID(s): 10446; 10449; 10451

AU_ID: 0511_02 6 mile reach near FM 105

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	TSWQS	High	TWQS-Appendix A

Station ID(s): 10454; 17877

AU_ID: 0511_03 5 mile reach near FM 1442 (north crossing)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	TSWQS	High	TWQS-Appendix A

Station ID(s): 13781

AU_ID: 0511_04 Upper 4 miles

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	TSWQS	High	TWQS-Appendix A

Station ID(s): 10457

SegID: 0511A Cow Bayou Above Tidal (unclassified water body)

From a point 4.8 km (3.0 miles) upstream of IH 10 in Orange County to the upstream perennial portion of the stream northeast of Vidor in Orange County

Segment Type Freshwater Stream

AU_ID: 0511A_02 Upper 5.3 miles of above-tidal reach

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type

Station ID(s): 16058

SegID: 0511B Coon Bayou (unclassified water body)

From the confluence with Cow Bayou up to the extent of tidal limit in Orange County

Segment Type Tidal Stream

AU_ID: 0511B_01 Entire tidal reach

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	TWQS-Appendix D	High	TWQS-Appendix D

Station ID(s): 16052

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 0511C Cole Creek (unclassified water body)

From the confluence of Cow Bayou west of Orange in Orange County to the upstream perennial portion of the stream south of Mauriceville in Orange Count

Segment Type Tidal Stream

AU_ID: 0511C_01 Entire tidal reach

Flow Type
tidal stream

Flow Type Source
Water body description

ALU Designation
High

ALU Designation Source
Presumption from Flow Type

Station ID(s): 16060

SegID: 0511E Terry Gully (unclassified water body)

From the confluence with Cow Bayou in Orange County to the headwaters northeast of Vidor in Orange County

Segment Type Freshwater Stream

AU_ID: 0511E_01 Entire creek

Flow Type
intermittent w/pools

Flow Type Source
Routine Flow Data

ALU Designation
Limited

ALU Designation Source
Presumption from Flow Type

Station ID(s): 16040

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 0512 Lake Fork Reservoir

From Lake Fork Dam in Wood County up to normal pool elevation of 403 feet (impounds Lake Fork Creek)

Segment Type Reservoir

AU_ID: 0512_01 Lowermost 5120 acres of reservoir, adjacent to dam

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 10458; 20178

AU_ID: 0512_02 Caney Creek arm, centering on FM 515

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 10461; 18050

AU_ID: 0512_03 Running Creek cove, centering on FM 2966

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 13704; 16192

AU_ID: 0512_04 Lake Fork Creek arm, centering on FM 515

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 10462

AU_ID: 0512_05 Uppermost 5120 acres of Lake Fork Creek arm

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 16691

AU_ID: 0512_06 Remainder of reservoir

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): No Stations

SegID: 0512A Running Creek (unclassified water body)

From the confluence with Lake Fork Reservoir to the headwaters southeast of Martin Springs in Hopkins County

Segment Type Freshwater Stream

AU_ID: 0512A_01 Entire creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 14264; 14275

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 0512B Elm Creek (unclassified water body)

From the confluence with Lake Fork Reservoir in Rains County to the headwaters northwest of Shirley in Hopkins County

Segment Type Freshwater Stream

AU_ID: 0512B_01 Entire creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type

Station ID(s): 14263; 14479

SegID: 0513 Big Cow Creek

From the confluence with the Sabine River in Newton County to a point 4.6 km (2.9 miles) upstream of CR 255 in Newton County

Segment Type Freshwater Stream

AU_ID: 0513_01 Entire segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10465

SegID: 0514 Big Sandy Creek

From the confluence with the Sabine River in Upshur County to a point 2.6 km (1.6 miles) upstream of SH 11 in Hopkins County

Segment Type Freshwater Stream

AU_ID: 0514_01 From confluence with Sabine River to just upstream of FM 49

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10467; 10468; 16011

AU_ID: 0514_02 From just upstream of FM 49 to upper end of segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 16867; 17950

SegID: 0515 Lake Fork Creek

From the confluence with the Sabine River in Wood County to Lake Fork Dam in Wood County

Segment Type Freshwater Stream

AU_ID: 0515_01 Entire segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10469; 10470

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 0601 Neches River Tidal

From the confluence with the Sabine Lake in Orange County to a point 11.3 km (7.0 miles) upstream of IH 10 in Orange County

Segment Type Tidal Stream

AU_ID: **0601_01** *Lower boundary to top of first oxbow, above Bird Island Bayou confluence at NHD RC 12020003000004*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	TSWQS	Intermediate	TWQS-Appendix A

Station ID(s): 10562; 10563; 10564; 10565

AU_ID: **0601_02** *Top of first oxbow to top of U.S. Nat'l Defense Reserve Fleet Basin at top of NHD RC 12020003008459*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	TSWQS	Intermediate	TWQS-Appendix A

Station ID(s): 10566; 10567; 10568

AU_ID: **0601_03** *Top of U.S. Nat'l Defense Reserve Fleet Basin to top of last oxbow below Kansas City Southern Railroad bridge 0.44km upstream of NHD RC 12020003000013*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	TSWQS	Intermediate	TWQS-Appendix A

Station ID(s): 10569; 10570; 10571

AU_ID: **0601_04** *Top of last oxbow below Kansas City Southern Railroad bridge to saltwater barrier at NHD RC 12020003000017*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	TSWQS	Intermediate	TWQS-Appendix A

Station ID(s): 10572; 10573; 10574; 10575; 10576; 10577; 10578; 20774

SegID: 0601A Star Lake Canal (unclassified water body)

North of Groves in Jefferson County

Segment Type Tidal Stream

AU_ID: **0601A_01** *Entire water body*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	WQS/Permits program	High	Presumption from Flow Type

Station ID(s): 10485

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 0602 Neches River Below B. A. Steinhagen Lake

From the Neches River Saltwater Barrier, which is at a point 0.8 kilometers (0.5 miles) downstream of the confluence of Pine Island Bayou, Orange County to Town Bluff Dam in Jasper/Tyler County

Segment Type Freshwater Stream

AU_ID: 0602_01 *From the saltwater barrier upstream to confluence with Village Creek 0608 at NHD RC 12020003000025*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10579; 15343

AU_ID: 0602_02 *From the confluence with Village Creek 0608 upstream to the confluence with Black Branch NHD RC 12020003000695*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10580

AU_ID: 0602_03 *From the confluence with Black Branch upstream to confluence with unnamed tributary at NHD RC 12020003000058*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10581

AU_ID: 0602_04 *From the confluence with unnamed tributary at NHD RC 12020003000058 upstream to Town Bluff Dam*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 13626

SegID: 0603 B. A. Steinhagen Lake

From Town Bluff Dam in Jasper/Tyler County to a point immediately upstream of the confluence of Hopson Mill Creek on the Neches River Arm in Jasper/Tyler County and to a point immediately upstream of the confluence of Indian Creek on the Angelina River Arm in Jasper County, up to the normal pool elevation of 83 feet (impounds Neches River)

Segment Type Reservoir

AU_ID: 0603_01 *Main pool by dam to include all the area below the US HWY 190 bridge*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 10582

AU_ID: 0603_02 *Area above the US HWY 190 bridge to the upper boundaries of the segment at points immediately upstream of confluences Hopson Mill Creek (Neches Arm) and Indian Creek (Angelina Arm)*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 10583

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 0603A Sandy Creek in Jasper County (unclassified water body)

From the confluence of B.A. Steinhagen Lake southwest of City of Jasper in Jasper County to the confluence of Big and Little Sandy Creeks in City of Jasper in Jasper County

Segment Type Freshwater Stream

AU_ID: 0603A_01 *From the confluence with B.A. Steinhagen Lake upstream to confluence with Little Sandy Creek about 0.5 km downstream of Hwy 776, per WQS App. D*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	High	TWQS-Appendix D

Station ID(s): 10484; 16129

AU_ID: 0603A_02 *From the confluence with Little Sandy Creek upstream to headwaters at Rec Road 255*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): No Stations

SegID: 0603B Wolf Creek (unclassified water body)

From the confluence of B. A. Steinhagen Lake southeast of Colmesneil in Tyler County to the upstream perennial portion of the stream south of Colmesneil in Tyler County

Segment Type Freshwater Stream

AU_ID: 0603B_01 *From the confluence of B.A. Steinhagen Lake upstream to the Lake Amanda dam.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 15344

AU_ID: 0603B_02 *From the confluence with Lake Amanda upstream to the headwaters*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): No Stations

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 0604 Neches River Below Lake Palestine

From a point immediately upstream of the confluence of Hopson Mill Creek in Jasper/Tyler County to Blackburn Crossing Dam in Anderson/Cherokee County

Segment Type Freshwater Stream

AU_ID: 0604_01 *Lower boundary to a point immediately upstream of confluence of Biloxi Creek 0604M at NHD RC 12020002001061*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10584; 10585

AU_ID: 0604_02 *From the confluence of Biloxi Creek (0604M) upstream to the upper confluence of Old River at NHD RC 12020002000037*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10586; 13531; 13532

AU_ID: 0604_03 *From the upper confluence of Old River upstream to the confluence with Cedar Creek in Cherokee County at NHD RC 12020002000085 near Hargrove Lake*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10587; 17067

AU_ID: 0604_04 *From the confluence with Cedar Creek in Cherokee County near Hargrove lake upstream to the confluence with Beech Creek in Anderson County at NHD RC 12020001006717*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10588; 10589; 14794

AU_ID: 0604_05 *From the confluence with Beech Creek in Anderson County upstream to the Blackburn Crossing Dam*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10590; 10591; 13627

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 0604A Cedar Creek (unclassified water body)

From the confluence of the Neches River southwest of Lufkin in Angelina County to the upstream perennial portion of the stream in Lufkin in Angelina County

Segment Type Freshwater Stream

AU_ID: 0604A_01 *From the confluence with the Neches River upstream to the confluence with Jack Creek (0604C)*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D

Station ID(s): 13764

AU_ID: 0604A_02 *From the confluence with Jack Creek (0604C) upstream to confluence with unnamed tributary adjacent to State Loop 287, per App. D in WQS, at NHD RC 12020002000436*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D

Station ID(s): 10478; 10479; 13527; 13528; 16149

SegID: 0604B Hurricane Creek (unclassified water body)

Perennial stream from the confluence with Cedar Creek to the confluence of two unnamed tributaries 100 meters upstream of SH Loop 287 in Lufkin

Segment Type Freshwater Stream

AU_ID: 0604B_01 *From the confluence with Cedar Creek (0604A) upstream to confluence with unnamed tributary 100m above State Loop 287 in Lufkin, per WQS App. D, at NHD RC 12020002000043*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D

Station ID(s): 10487; 13529

SegID: 0604C Jack Creek (unclassified water body)

From the confluence of Cedar Creek southwest of Lufkin in Angelina County to the upstream perennial portion of the stream in northeast Lufkin in Angelina County

Segment Type Freshwater Stream

AU_ID: 0604C_01 *From the confluence with Cedar Creek (0604A) upstream to confluence with unnamed tributary 1.6km SW of US Hwy 69 NW of Lufkin at NHD RC 12020002012470.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 10492; 10493; 10494; 10495

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 0604D Piney Creek (unclassified water body)

From the confluence of the Neches River at the Polk/Tyler/Angelina County lines east of Corrigan to the upstream perennial portion of the stream east of Crockett in Houston County

Segment Type Freshwater Stream

AU_ID: 0604D_01 *Middle portion of the stream from the confluence with Bear Creek (0604L) in Polk County upstream to the confluence with Caney Creek (0604O) in Trinity County at NHD RC 12020002000163.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 16081

AU_ID: 0604D_02 *Upper portion of stream from the confluence with Caney Creek (0604O) in Trinity County upstream to confluence with unnamed tributary at NHD RC 12020002000181 in Houston County 0.75km west of FM 2781.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 10530; 16095; 16096

AU_ID: 0604D_03 *Lower portion of stream from the confluence with the Neches River (0604) upstream to the confluence with Bear Creek (0604L) in Polk County at NHD RC 12020002000145.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): No Stations

SegID: 0604I Dabbs Creek (unclassified water body)

Perennial stream from the confluence of Caney Creek up to the confluence of Dabbs Branch approximately 4.5 km above FM 942 in Polk County

Segment Type Freshwater Stream

AU_ID: 0604I_02 *From the confluence with unnamed tributary that originates in Camden (0604U) upstream to the confluence with Dabbs Branch, per WQS App. D, at NHD RC 12020002012459*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	High	TWQS-Appendix D

Station ID(s): 18299

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 0604M Biloxi Creek (unclassified water body)

From the confluence with the Neches River southeast of Diboll to FM 325 east of Lufkin in Angelina County

Segment Type Freshwater Stream

AU_ID: 0604M_02 *From the confluence with Neches River (0604) upstream to confluence with One Eye Creek in Angelina County SE of Lufkin.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type

Station ID(s): 16097

AU_ID: 0604M_03 *From the confluence with One Eye Creek in Angelina County SE of Lufkin upstream to FM 325 east of Lufkin*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type

Station ID(s): 10499

SegID: 0604N Buck Creek (unclassified water body)

From its confluence with Biloxi Creek south of Huntington to a point 2.1 mi upstream of FM 1475, northwest of Huntington in Angelina County

Segment Type Freshwater Stream

AU_ID: 0604N_01 *From the confluence with Biloxi Creek (0604M) upstream to the confluence with Graham Creek (0604E) SW of City of Huntington at NHD RC 12020002000417.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type

Station ID(s): 16098

AU_ID: 0604N_02 *From the confluence with Graham Creek (0604E) SW of City of Huntington upstream to 0.23km south of Old Ewing Rd east of Lufkin at NHD RC 12020002000418.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type

Station ID(s): 16297

SegID: 0604T Lake Ratcliff (unclassified water body)

Lake in Houston County 3.4 miles northeast of Kennard

Segment Type Reservoir

AU_ID: 0604T_01 *Entire lake*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	Presumption from Flow Type

Station ID(s): 17339

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 0604U Unnamed Tributary of Dabbs Creek (unclassified water body)

From the confluence with Dabbs Creek (0604I) upstream to confluence with unnamed tributary 0.13km south of FM 942 in west Camden.

Segment Type Freshwater Stream

AU_ID: 0604U_02 *From the Moscow Camden San Augustine RR crossing about 90 meters SW of intersection FM 492 and FM 62N upstream to confluence with unnamed tributary 0.13km south of FM 942 in west Camden at NHD RC 12020002001654.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	WQS/Permits program	High	Previous TCEQ Permit Decision

Station ID(s): 18300

SegID: 0604W Bodan Creek (unclassified water body)

From the confluence with the Neches River (0604) west of City of Lufkin upstream to headwaters in Angelina County

Segment Type Freshwater Stream

AU_ID: 0604W_01 *From the confluence with Neches River (0604) upstream to the downstream side of US Hwy 69*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type

Station ID(s): 18372

AU_ID: 0604W_02 *From the upstream side of US Hwy 69 upstream to headwaters northwest of Lufkin at NHD RC 12020002000444.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type

Station ID(s): 18298

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 0605 Lake Palestine

From Blackburn Crossing Dam in Anderson/Cherokee County to a point 6.7km (4.2 miles) downstream of FM 279 in Henderson/Smith County, up to normal pool elevation of 345 feet (impounds Neches River)

Segment Type Reservoir

AU_ID: 0605_01 Lower portion of reservoir near dam to the first bend in reservoir

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A
Station ID(s): 16159; 17966			

AU_ID: 0605_02 From the first bend in lower portion of reservoir up to the SH 155 Bridge crossing.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A
Station ID(s): 20318			

AU_ID: 0605_03 Upper mid-lake including Tyler Public Water Supply intake

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A
Station ID(s): 16346			

AU_ID: 0605_09 Flat Creek Arm

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A
Station ID(s): 18371; 18557			

AU_ID: 0605_10 Upper Lake

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A
Station ID(s): 10594; 16345; 17550; 18643			

AU_ID: 0605_11 From the SH 155 Bridge crossing to the Flat Creek Arm and across the main portion of the lake at the Flat Creek Arm

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A
Station ID(s): 10593; 20319			

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 0605A Kickapoo Creek in Henderson County (unclassified water body)

From the confluence of Lake Palestine east of Brownsboro in Henderson County to the upstream perennial portion of the stream northeast of Murchison in Henderson County

Segment Type Freshwater Stream

AU_ID: 0605A_01 *From the confluence with Lake Palestine (0605) east of Brownsboro in Henderson County to the confluence with Slater Creek (0605E).*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type

Station ID(s): 10517

AU_ID: 0605A_02 *From the confluence with Slater Creek (0605E) upstream to confluence with unnamed tributary about 1.62 km north of FM 858 in Van Zandt County at NHD RC 12020001000161.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type

Station ID(s): 16796; 16797

SegID: 0605F Lake Athens (unclassified water body)

From the dam 5.5 miles East of Athens, 1.8 miles South of FN 317 on Flat Ck, to a point one mile west of FM 2495 in Henderson County.

Segment Type Reservoir

AU_ID: 0605F_01 *Entire lake*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	Presumption from Flow Type

Station ID(s): 15288; 17575

SegID: 0606 Neches River Above Lake Palestine

Neches River Above Lake Palestine - from a point 2.2 kilometers (1.4 miles) downstream of SH 31 [6.7 kilometers (4.2 miles) downstream of FM 279] in Henderson/Smith County to Rhines Lake Dam in Van Zandt County

Segment Type Freshwater Stream

AU_ID: 0606_01 *From a point approximately 0.06km (0.03 mi) south of St. Louis Southwestern Railroad upstream to the confluence with Prairie Creek (0606A).*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Intermediate	TWQS-Appendix A

Station ID(s): 10595; 10596

AU_ID: 0606_02 *From the confluence with Prairie Creek (0606A) upstream to the Rhines Lake Dam*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Intermediate	TWQS-Appendix A

Station ID(s): 10597; 10598; 20282

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 0606A Prairie Creek (unclassified water body)

Perennial stream from the confluence with the Neches River to an unnamed tributary approximately 0.6km downstream of the US 69 bridge crossing.

Segment Type Freshwater Stream

AU_ID: 0606A_01 *From the confluence with Neches River (0606), per WQS App. D first entry for Prairie Creek at NHD RC 12020001000071 in Smith County upstream to the confluence with Black Fork Creek (0606D) at NHD RC 12020001000071 .*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	High	TWQS-Appendix D

Station ID(s): 10518; 10519

AU_ID: 0606A_02 *From the confluence with Black Fork Creek (0606D) upstream to a point immediately upstream of confluence with Caney Creek in Smith County at NHD RC 12020001000074, per WQS App. D first entry for Prairie Creek.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	High	TWQS-Appendix D

Station ID(s): 10520

AU_ID: 0606A_03 *From the confluence with Caney Creek upstream to confluence with unnamed tributary appx. 0.6 km downstream of the US 69 bridge crossing, which is located appx. 0.6 km south of the City of Lindale, per App. D second line entry*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	High	TWQS-Appendix D

Station ID(s): 18301

SegID: 0606D Black Fork Creek (unclassified water body)

Perennial stream from the confluence with Prairie Creek to a point 0.4 km downstream of FM 14 in Tyler

Segment Type Freshwater Stream

AU_ID: 0606D_01 *Perennial stream from the confluence with Prairie Creek (0606A), per WQS App. D second entry for Black Fork Creek, upstream to the confluence with unnamed tributary (receiving waters for WWTP) at NHD RC 12020001000072.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	High	TWQS-Appendix D

Station ID(s): 10521

AU_ID: 0606D_02 *From the confluence with unnamed tributary at NHD RC 12020001000072 upstream to a point 0.4km downstream of FM 14 in Tyler, at the confluence with unnamed tributary at NHD RC 12020001000073, per WQS App. D second entry for Black Fork Creek.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	High	TWQS-Appendix D

Station ID(s): 10522; 10523

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 0607 Pine Island Bayou

From the confluence with the Neches River in Hardin/Jefferson County to FM 787 in Hardin County

Segment Type Freshwater Stream

AU_ID: 0607_01 *From the confluence with the Neches River upstream to unnamed tributary at NHD RC 12020007001215 that runs through Sherwood Drive in northern City of Beaumont.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10599

AU_ID: 0607_02 *From the confluence with unnamed tributary that runs through Sherwood Drive in northern City of Beaumont upstream to the confluence with Black Creek*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10600; 10601; 10602; 10603; 10604

AU_ID: 0607_03 *From the confluence with Black Creek upstream to the confluence with Willow Creek (0607C)*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10605; 10606; 10607; 14420

AU_ID: 0607_04 *From the confluence with Willow Creek (0607C) upstream to the confluence with Mayhaw Slough near oil fields*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10608; 15367

AU_ID: 0607_05 *From the confluence with Mayhaw Slough near oil fields upstream to the headwaters*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): No Stations

SegID: 0607A Boggy Creek (unclassified water body)

From the confluence of Pine Island Bayou upstream to the confluence with an unnamed tributary 4 km downstream of the crossing of the Southern Pacific Railroad.

Segment Type Freshwater Stream

AU_ID: 0607A_02 *From the confluence with unnamed tributary 0.39 km downstream of CR 421 upstream to confluence with unnamed tributary 4 km downstream of the crossing of the Southern Pacific Railroad, per WQS App. D, at NHD RC 12020007003034.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	High	TWQS-Appendix D

Station ID(s): 16127

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 0607B Little Pine Island Bayou (unclassified water body)

From the confluence of Pine Island Bayou southwest of Lumberton in Hardin County to the upstream perennial portion of the stream west of Kountze in Hardin County

Segment Type Freshwater Stream

AU_ID: 0607B_01 *From the confluence with Pine Island Bayou (0607) at the Hardin/Jefferson Counties border upstream to unnamed tributary 1.1 km SE of intersection of FM 770 and FM 787 at NHD RC 12020007000021, same tributary as Big Thicket National Park boundary.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 10547; 15346; 20069

AU_ID: 0607B_02 *From the confluence with unnamed tributary 1.1 km SE of intersection of FM 770 and 787 upstream to headwaters 5.5 km SE of City of Segno in Polk County at NHD RC 12020007000151.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 15347; 15545

SegID: 0607C Willow Creek (unclassified water body)

From the confluence of Pine Island Bayou north of Nome in Jefferson County to the upstream perennial portion of the stream east of Devers in Liberty County

Segment Type Freshwater Stream

AU_ID: 0607C_01 *From the confluence with Pine Island Bayou (0607) at the State Hwy 326 bridge at NHD RC 12020007000258 upstream to headwaters NE of Devers in Liberty County at NHD RC 12020007000200.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 15345

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 0608 Village Creek

From the confluence with the Neches River in Hardin County to Lake Kimble Dam in Hardin County

Segment Type Freshwater Stream

AU_ID: 0608_01 *From the confluence with Neches River (0602) upstream to confluence with Cypress Creek (0608C)*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	WQS/Permits program	High	TWQS-Appendix A

Station ID(s): 10609; 15457; 20315

AU_ID: 0608_02 *From the confluence with Cypress Creek (0608C) upstream to confluence with Beech Creek (0608A)*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 13625

AU_ID: 0608_03 *From the confluence with Beech Creek (0608A) upstream to confluence with Big Sandy Creek and Kimball Creek in Hardin County*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 20314

SegID: 0608A Beech Creek (unclassified water body)

From the confluence of Village Creek northeast of Kountze in Hardin County to the upstream perennial portion of the stream southeast of Woodville in Tyler County

Segment Type Freshwater Stream

AU_ID: 0608A_01 *From the confluence with Village Creek (0608) at NHD RC 12020006000017 upstream to the confluence with Drakes Branch 0.35 km upstream of FM1943 RD E at NHD RC 12020006000025*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 13482; 15355

AU_ID: 0608A_02 *From the confluence with Drakes Branch upstream to headwaters 0.62 km south of FM 1746 at NHD RC 12020006000035.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 10529; 17903

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 0608B Big Sandy Creek (unclassified water body)

From the confluence of Village and Kimball Creeks in Hardin County upstream to headwaters in Polk County

Segment Type Freshwater Stream

AU_ID: 0608B_03 *From the confluence of Village Creek (0608) and Kimball Creek in Hardin County at NHD RC 12020006000109 upstream to the confluence with Bear Creek in Polk County at NHD RC 12020006000119.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 20316

AU_ID: 0608B_04 *From the confluence with Bear Creek in Polk County upstream to headwaters about 5 km SE of intersection of US Hwy 59 and FM 62 at NHD RC 12020006000133.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 15353; 15354

SegID: 0608C Cypress Creek (unclassified water body)

From the confluence of Village Creek (0608) east of Kountze in Hardin County to the confluence with Bad Luck Creek northwest of Kountze in Hardin County

Segment Type Freshwater Stream

AU_ID: 0608C_01 *Upper portion from the confluence with unnamed tributary upstream of Pea Monk Branch upstream to confluence with Bad Luck Creek, per WQS App. D, at NHD RC 12020006000148.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	High	TWQS-Appendix D

Station ID(s): 15352; 16728

AU_ID: 0608C_02 *Lower portion from the confluence with Village Creek (0608), per WQS App. D, upstream to confluence with unnamed tributary upstream of Pea Monk Branch at NHD RC 12020006000135.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	High	TWQS-Appendix D

Station ID(s): No Stations

SegID: 0608D Hickory Creek (unclassified water body)

From the confluence of Village Creek north of Kountze in Hardin County upstream through Tyler County to the confluence with Little Hickory Creek and Woods Creek (0608I) in Polk County.

Segment Type Freshwater Stream

AU_ID: 0608D_01 *Entire water body*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 15349; 15351

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 0608E Mill Creek in Hardin County (unclassified water body)

From the confluence of Village Creek (0608) west of Silsbee in Hardin County upstream to headwaters northwest of Silsbee in Hardin County

Segment Type Freshwater Stream

AU_ID: 0608E_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type

Station ID(s): 16126

SegID: 0608F Turkey Creek (unclassified water body)

Perennial stream from the confluence with Village Creek up to 1.6 km above U.S. 69 north of City of Woodville

Segment Type Freshwater Stream

AU_ID: 0608F_01 From the confluence with Village Creek (0608) in Hardin County, per WQS App. D, upstream to confluence with Big Cypress Creek in Tyler County about 0.88 km north of FM 1943 RD E at NHD RC 12020006000052.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	High	TWQS-Appendix D

Station ID(s): 15348; 15350

AU_ID: 0608F_02 From the confluence with Big Cypress Creek in Tyler County upstream to confluence with unnamed tributary about 1.6 km above U.S. 69 north of City of Woodville, per WQS App. D, at NHD RC 12020006000057

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	High	TWQS-Appendix D

Station ID(s): 14137; 14138; 15356

SegID: 0608G Lake Kimball (unclassified water body)

From Kimble Creek Dam northwest of Kountze in Hardin County to normal pool elevation in Tyler County (impounds Kimble and Village Creeks)

Segment Type Reservoir

AU_ID: 0608G_01 Entire lake

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	Presumption from Flow Type

Station ID(s): 15641

SegID: 0609 Angelina River Below Sam Rayburn Reservoir

From a point immediately upstream of the confluence of Indian Creek in Jasper County to Sam Rayburn Dam in Jasper County

Segment Type Freshwater Stream

AU_ID: 0609_01 Entire Segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10610

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 0610 Sam Rayburn Reservoir

From Sam Rayburn Dam in Jasper County to a point 5.6 kilometers (3.5 miles) upstream of Marion's Ferry on the Angelina River Arm in Angelina/Nacogdoches County and to a point 3.9 km (2.4 miles) downstream of Curry Creek on the Attoyac Bayou Arm in Nacogdoches/San Augustine County, up to the normal pool elevation of 164 feet (except on the Angelina River Arm) (impounds Angelina River and Attoyac Bayou)

Segment Type Reservoir

AU_ID: 0610_01 *Sam Rayburn main pool by the dam to the Bear Creek and Ayish Arms*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A
Station ID(s): 14906; 15451; 15672; 16785; 16786			

AU_ID: 0610_02 *Sam Rayburn lower Angelina River arm*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A
Station ID(s): 15522; 15670; 15671; 16240			

AU_ID: 0610_03 *Sam Rayburn mid-Angelina River arm (area around SH 147)*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A
Station ID(s): 10612; 16790			

AU_ID: 0610_04 *Sam Rayburn upper mid-Angelina River arm*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A
Station ID(s): 15524; 15669; 16792; 16793			

AU_ID: 0610_05 *Sam Rayburn lower Attoyac Bayou arm*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A
Station ID(s): 15523; 15666; 15667; 16791			

AU_ID: 0610_06 *Sam Rayburn upper Attoyac Bayou arm*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A
Station ID(s): 10614			

AU_ID: 0610_07 *Sam Rayburn upper Angelina arm*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A
Station ID(s): 10613; 10615; 10616; 15668; 16788			

AU_ID: 0610_08 *Sam Rayburn Bear Creek arm*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A
Station ID(s): 15527; 15674; 16787			

2012 Texas Water Quality Inventory Water Bodies Evaluated

AU_ID: 0610_09 *Sam Rayburn lower Ayish Bayou arm*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 15526; 15673; 15675; 16784

AU_ID: 0610_10 *Sam Rayburn upper Ayish Bayou arm*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 14907

SegID: 0610A **Ayish Bayou (unclassified water body)**

Perennial stream from the headwaters of Sam Rayburn Reservoir to the dam impounding Bland Lake approximately 0.1km upstream of FM 1279 near the City of San Augustine

Segment Type Freshwater Stream

AU_ID: 0610A_01 *From the headwaters of Sam Rayburn Reservoir, per WQS App. D, about 2.4 km north of FM 83 upstream to confluence with unnamed tributary about 0.4 km SW of intersection of SH 147 and AT and SF Railroad at NHD RC 12020005000036.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	High	TWQS-Appendix D

Station ID(s): 15361

AU_ID: 0610A_02 *From the confluence with unnamed tributary about 0.4 km SW of intersection of SH 147 and AT and SF Railroad in the City of San Augustine upstream to the Bland Lake dam, per WQS App. D.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	High	TWQS-Appendix D

Station ID(s): 15364; 15365

SegID: 06100 **City Lake (unclassified water body)**

San Augustine City Lake in southern San Augustine City in San Augustine County from the Carrizo Creek (0610H) dam to top of lake.

Segment Type Reservoir

AU_ID: 06100_01 *Entire lake from dam of Carrizo Creek south of City of San Augustine at NHD RC 12020005001075.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	Presumption from Flow Type

Station ID(s): 20164

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 0611 Angelina River Above Sam Rayburn Reservoir

From the aqueduct crossing 1.0 kilometer (0.6 mile) upstream of the confluence of Paper Mill Creek in Angelina/Nacogdoches County to the confluence of Barnhardt Creek and Mill Creek at FM 225 in Rusk County

Segment Type Freshwater Stream

AU_ID: 0611_01 *From the aqueduct crossing upstream to the confluence with Old River Channel in Nacogdoches County about 2.8 km downstream of County Hwy 2625 at NHD RC 12020004000039.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10623; 10624; 10625; 10626; 10627; 10628

AU_ID: 0611_02 *From a point immediately upstream of the confluence with Old River channel about 2.8 km downstream of County Hwy 2625 upstream to the confluence with Mud Creek (0611C)*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10629; 10630; 10631; 10632

AU_ID: 0611_03 *From a point immediately upstream of the confluence with Mud Creek (0611C) upstream to the confluence with East Fork Angelina River (0611A)*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10633

AU_ID: 0611_04 *From a point immediately upstream of confluence with East Fork Angelina River (0611A) upstream to confluence with Barnhardt and Mill Creeks.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10634; 10635; 14470

SegID: 0611A East Fork Angelina River (unclassified water body)

From the confluence of the Angelina River at the Rusk/Nacogdoches county line upstream to the confluence with Wooten Creek in Rusk County

Segment Type Freshwater Stream

AU_ID: 0611A_01 *From the confluence with Angelina River (0611) at Rusk/Nacogdoches county line upstream to confluence with Beech Creek (0611J) in Rusk County*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 10551; 10552; 16304

AU_ID: 0611A_02 *From a point immediately upstream of confluence with Beech Creek (0611J) upstream to confluence with Wooten Creek (0611P)*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 13788

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 0611B La Nana Bayou (unclassified water body)

From the confluence of the Angelina River south of Nacogdoches in Nacogdoches County to the upstream perennial portion of the stream north of Nacogdoches in Nacogdoches County

Segment Type Freshwater Stream

AU_ID: 0611B_01 *From the confluence with Angelina River (0611), per WQS App. D, upstream to State Loop 224 in City of Nacogdoches*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D

Station ID(s): 10472; 10473; 10474

AU_ID: 0611B_02 *From the upstream side of State Loop 224 upstream to FM 1878 in City of Nacogdoches, per WQS App. D.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D

Station ID(s): 10475; 20792

AU_ID: 0611B_03 *From the upstream side of FM 1878 in City of Nacogdoches upstream to confluence with Banita Creek.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	high	Presumption from Flow Type

Station ID(s): 10476; 16301

SegID: 0611C Mud Creek (unclassified water body)

Perennial stream from the confluence with the Angelina River upstream to a point immediately upstream of the confluence of Prairie Creek in Smith County

Segment Type Freshwater Stream

AU_ID: 0611C_01 *From the confluence with Angelina River (0611), per WQS App. D, at the Cherokee and Nacogdoches county line south of City of Reklaw upstream to top of channelized/dredged portion about 2.3 km south of US hwy 79 at -95.150452N/31.956933W*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	High	TWQS-Appendix D

Station ID(s): 10532

AU_ID: 0611C_02 *From a point immediately upstream of channelized/dredged portion about 2.3 km south of US hwy 79 at -95.150452N/31.956933W upstream to confluence with Prairie Creek in Smith County, per WQS App. D*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	High	TWQS-Appendix D

Station ID(s): 10535; 10536; 10537; 14477; 16586; 17103

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 0611D West Mud Creek (unclassified water body)

Perennial stream from the confluence with Mud Creek in Cherokee County to the confluence of an unnamed tributary 300 meters upstream of the most northern crossing of US 69 (approximately 2.25 km south of the intersection of Loop 323) in the City of Tyler, per WQS App. D

Segment Type Freshwater Stream

AU_ID: 0611D_01 *From the confluence with Mud Creek (0611C), per WQS App. D, upstream to confluence with unnamed tributary about 75 m north of WWTP in City of Tyler at NHD RC 12020004000212.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Limited	TWQS-Appendix D

Station ID(s): 10538; 10539; 10540; 10541; 10542; 18302

AU_ID: 0611D_02 *From the confluence with unnamed tributary about 75 m north of WWTP in City of Tyler upstream to confluence of unnamed tributary about 300 meters upstream of the most northern crossing of US 69 in City of Tyler, per WQS App. D, at NHD RC 12020004000212.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Limited	TWQS-Appendix D

Station ID(s): 10543

SegID: 0611G Blackhawk Creek (unclassified water body)

Perennial stream from the confluence with Mud Creek to the confluence of an unnamed tributary 120 meters upstream of SH 110 south of the City of Whitehouse

Segment Type Freshwater Stream

AU_ID: 0611G_02 *From the confluence with unnamed tributary about 80 m SE of Shande Street in City of Whitehouse upstream to confluence of unnamed tributary about 120 m upstream of SH 110 south of the City of Whitehouse at NHD RC 12020004016727.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D

Station ID(s): 18303

SegID: 0611Q Lake Nacogdoches (unclassified water body)

Located approximately 10 miles west of Nacogdoches in Nacogdoches County

Segment Type Reservoir

AU_ID: 0611Q_01 *Entire water body*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	Presumption from Flow Type

Station ID(s): 15801; 17818; 21021

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 0611R Lake Striker (unclassified water body)

From the dam approximately 0.5 mile west of CR2430 to the north end of the lake south of US HWY 79 in Rusk County north of Reklaw.

Segment Type Reservoir

AU_ID: 0611R_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	Presumption from Flow Type

Station ID(s): 16950; 17822; 17824

SegID: 0611T Lake Kurth (unclassified water body)

Located south of the Angelina River (0611) about 8 km north of City of Lufkin intersection of State Loop 287 and US Hwy 59 in Angelina County

Segment Type Reservoir

AU_ID: 0611T_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	Presumption from Flow Type

Station ID(s): 17957

SegID: 0611U Bromley Creek (unclassified water body)

From the confluence with Shawnee Creek upstream to confluence with Flanigan Branch in Rusk County

Segment Type Freshwater Stream

AU_ID: 0611U_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 15806

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 0612 Attoyac Bayou

From a point 3.9 km (2.4 miles) downstream of Curry Creek in Nacogdoches/San Augustine County to FM 95 in Rusk County

Segment Type Freshwater Stream

AU_ID: 0612_01 *From the lower boundary approximately at confluence with Granberry Branch upstream to confluence with Polly Branch.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Water body description	High	TWQS-Appendix A

Station ID(s): 10636

AU_ID: 0612_02 *From a point immediately upstream of Polly Branch confluence upstream to confluence with Bear Bayou.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 15253; 20841

AU_ID: 0612_03 *From a point immediately upstream of Bear Bayou upstream to upper boundary at FM 95.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 16076; 20842

SegID: 0613 Lake Tyler/Lake Tyler East

From Whitehouse Dam and Mud Creek Dam in Smith County up to the normal pool elevation of 375.38 feet (impounds Prairie Creek and Mud Creek)

Segment Type Reservoir

AU_ID: 0613_01 *Lake Tyler lower reservoir*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 10637

AU_ID: 0613_02 *Lake Tyler upper reservoir*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 14230; 15210

AU_ID: 0613_03 *Lake Tyler East lower reservoir*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 10638

AU_ID: 0613_04 *Lake Tyler East upper reservoir*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 14235; 17929

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 0614 Lake Jacksonville

From Buckner Dam in Cherokee County up to the normal pool elevation of 422 feet (impounds Gum Creek)

Segment Type Reservoir

AU_ID: 0614_01 Lower reservoir

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 10639

AU_ID: 0614_02 Upper reservoir

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 16535

SegID: 0615 Angelina River/Sam Rayburn Reservoir

The riverine portion of Sam Rayburn Reservoir from a point 5.6 kilometers (3.5 miles) upstream of Marion's Ferry to the aqueduct crossing 1.0 kilometer (0.6 mile) upstream of the confluence of Paper Mill Creek

Segment Type Reservoir

AU_ID: 0615_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 10617; 10618; 10619; 10620; 10621; 10622; 18431; 18432

SegID: 0615A Paper Mill Creek (unclassified water body)

From the confluence with Angelina River/Sam Rayburn Reservoir (0615) upstream to confluence with Mill Creek (0615B)

Segment Type Freshwater Stream

AU_ID: 0615A_01 From the confluence of Angelina River/Sam Rayburn (0615) upstream to confluence with Mill Creek (0615B)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	WQS/Permits program	Minimal	Previous TCEQ Permit Decision

Station ID(s): 10502; 10503; 10504; 18430

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 0701 Taylor Bayou/North Fork Taylor Bayou Above Tidal

From the saltwater lock 7.7 km (4.8 miles) downstream of SH 73 in Jefferson County to the Lower Neches Valley Authority Canal in Jefferson County

Segment Type Freshwater Stream

AU_ID: 0701_01 *From the saltwater lock 7.7 km (4.8 miles) downstream of SH 73 in Jefferson County, per WQS App. C, upstream to the confluence with Hillebrandt Bayou (0704).*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Intermediate	TWQS-Appendix A

Station ID(s): 10667; 10668

AU_ID: 0701_02 *From the confluence with Hillebrandt Bayou upstream to confluences with North Fork Taylor Bayou and South Fork Bayou.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Intermediate	TWQS-Appendix A

Station ID(s): 10669

AU_ID: 0701_03 *North Fork Taylor Bayou from the confluence with Taylor Bayou and South Fork Taylor Bayou upstream to the Lower Neches Valley Authority Canal, per WQS App. C, about 2.7 km SW of intersection of FM 1406 and FM 365 Road south of the City of Nome.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Intermediate	TWQS-Appendix A

Station ID(s): 10673; 10674

SegID: 0701D Shallow Prong Lake (unclassified water body)

Widest upper portion of Big Hill Bayou about 2.0 km (1.26 miles) north of Blind Lake

Segment Type Reservoir

AU_ID: 0701D_01 *Portion of Big Hill Bayou, Shallow Prong portion of NHD RC 12040201006920*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	WQS/Permits program	High	Presumption from Flow Type

Station ID(s): 10642

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 0702 Intracoastal Waterway Tidal

From the confluence with Galveston Bay at Port Bolivar in Galveston County to the confluence with the Sabine-Neches Canal in Jefferson County (including Taylor Bayou Tidal from the confluence with the Intracoastal Waterway up to the saltwater lock 7.7 km

Segment Type Tidal Stream

AU_ID: 0702_01 *From the confluence with Sabine-Neches Canal Tidal (0703) to eastern most boundary of East Bay*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	TSWQS	High	TWQS-Appendix A

Station ID(s): 10675; 10676; 10677; 10678; 10679; 17426; 18688

AU_ID: 0702_02 *Taylor Bayou tidal from the confluence with the Intracoastal Waterway Tidal to the saltwater barriers.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	TSWQS	High	TWQS-Appendix A

Station ID(s): 10640

AU_ID: 0702_03 *From the eastern most boundary of East Bay to Port Bolivar*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	TSWQS	High	TWQS-Appendix A

Station ID(s): 15233; 17082; 17083; 17084

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 0702A Alligator Bayou and Main Canals A, B, C, and D (unclassified water body)

All perennial canals in Jefferson County Drainage District No. 7 that eventually drain into the tidal portion of Taylor Bayou at the pump house gate, including Alligator Bayou.

Segment Type Freshwater Stream

AU_ID: 0702A_01 From Taylor Bayou Tidal (0702) to confluence with Main Canal D above SH 82.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D
Station ID(s): 10643			

AU_ID: 0702A_02 Alligator Bayou from confluence with Main Canal D upstream to include small canals that drain into Alligator Bayou

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D
Station ID(s): No Stations			

AU_ID: 0702A_03 Main Canal D from the confluence with Alligator Bayou at SH 82 upstream to about 0.35 km upstream of confluence with Canal A

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D
Station ID(s): 14411			

AU_ID: 0702A_04 Main Canal A from the confluence with Main Canal D upstream to top of Canal A

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D
Station ID(s): 15030			

AU_ID: 0702A_05 Main Canal B from the confluence with Main Canal D upstream to top of Canal B

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D
Station ID(s): 14460			

AU_ID: 0702A_06 Main Canal C from the confluence with Main Canal B upstream to top of Canal C

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D
Station ID(s): 14412			

SegID: 0703 Sabine-Neches Canal Tidal

From the confluence with Sabine Pass at the southern tip of Pleasure Island in Jefferson County to the Sabine Lake seawall at the northern tip of Pleasure Island in Jefferson County

Segment Type Tidal Stream

AU_ID: 0703_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	TSWQS	High	TWQS-Appendix A
Station ID(s): 10652; 10683			

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 0704 Hillebrandt Bayou

From the confluence of Taylor Bayou in Jefferson County to a point 100 meters (110 yards) upstream of SH 124 in Jefferson County

Segment Type Freshwater Stream

AU_ID: 0704_01 *From the confluence with Taylor Bayou Above Tidal (0701) upstream to confluence with Willow Marsh Bayou (0704A)*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Intermediate	TWQS-Appendix A

Station ID(s): 10684; 10685; 10686

AU_ID: 0704_02 *From the confluence with Willow Marsh Bayou (0704A) upstream to a point 100 meters (110 yards) upstream of SH 124 in Jefferson County*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Intermediate	TWQS-Appendix A

Station ID(s): 10687; 20657

SegID: 0801 Trinity River Tidal

From the confluence with Anahuac Channel in Chambers County to a point 3.1 km (1.9 miles) downstream of US 90 in Liberty County

Segment Type Tidal Stream

AU_ID: 0801_01 *Lower 25 miles of segment*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	TSWQS	High	TWQS-Appendix A

Station ID(s): 10892; 20839

SegID: 0801A Lost River (unclassified water body)

From IH 10 in Chambers County to approximately 6 KM upstream of confluence with John Wiggins Bayou.

Segment Type Tidal Stream

AU_ID: 0801A_01 *Entire Segment*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	Water body description	High	Presumption from Flow Type

Station ID(s): 17879; 17880; 17881

SegID: 0801B Old River (unclassified water body)

From IH 10 in Chambers County to approximately 9 miles upstream of confluence with Cherry Point Gully.

Segment Type Tidal Stream

AU_ID: 0801B_01 *Entire Segment*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	Water body description	High	Presumption from Flow Type

Station ID(s): 18360

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 0801C Cotton Bayou (unclassified water body)

From the confluence of Cotton Lake southeast of Mont Belvieu in Chambers County upstream to a point (NHD RC 12040203000496) approximately 1 mile north of IH 10 in Chambers County

Segment Type Tidal Stream

AU_ID: 0801C_01 Entire Segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	Water body description	High	Presumption from Flow Type

Station ID(s): 17628; 17629; 17632; 17633; 18696; 18697; 20003

SegID: 0801D Lynchburg Canal (unclassified water body)

Lynchburg Canal from confluence with Trinity River Tidal to confluence with Cedar Point lateral (Reach Code 12030203000425)

Segment Type Freshwater Stream

AU_ID: 0801D_01 From confluence with Trinity River Tidal upstream to confluence with Big Caney Creek.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Water body description	High	Presumption from Flow Type

Station ID(s): 16148

SegID: 0802 Trinity River Below Lake Livingston

From a point 3.1 km (1.9 miles) downstream of US 90 in Liberty County to Livingston Dam in Polk/San Jacinto County

Segment Type Freshwater Stream

AU_ID: 0802_01 Lower 17 miles of segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10894

AU_ID: 0802_02 Approx. 9 miles upstream to approx. 15 miles downstream of SH 105

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10895

AU_ID: 0802_03 11 miles upstream to approx. 9 miles downstream of FM 787

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10896

AU_ID: 0802_04 5 miles upstream to 11 miles downstream of US 59

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10897

AU_ID: 0802_05 Upper 6 miles of segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 16998

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 0802B Long King Creek (unclassified water body)

Perennial stream from the confluence with the Trinity River upstream to the confluence with an unnamed tributary approximately 1.2 km upstream of FM 350 near the City of Livingston

Segment Type Freshwater Stream

AU_ID: 0802B_01 *From the confluence with segment 0802 of the Trinity River to just upstream of confluence with unknown tributary (NHD RC 12030202001817)*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	High	TWQS-Appendix D

Station ID(s): No Stations

AU_ID: 0802B_02 *From just upstream of the confluence with unnamed tributary (NHD RC 12030202001817) up to the confluence with Mud Creek, in Polk County.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	High	TWQS-Appendix D

Station ID(s): 10689

SegID: 0802D Menard Creek (unclassified water body)

From the confluence with segment 0802 of the Trinity River up to the confluence with Meetinghouse Creek.

Segment Type Freshwater Stream

AU_ID: 0802D_01 *Entire water body*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
not available	not available	not available	not available

Station ID(s): 10688

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 0803 Lake Livingston

From Livingston Dam in Polk/San Jacinto County to a point 1.8 km (1.1 miles) upstream of Boggy Creek in Houston/Leon County, up to normal pool elevation of 131 feet (impounds Trinity River)

Segment Type Reservoir

AU_ID: 0803_01 *Lowermost portion of reservoir, adjacent to dam*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 10899; 14003; 14004

AU_ID: 0803_02 *Lower portion of reservoir, East Wolf Creek*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 14005

AU_ID: 0803_03 *Lower portion of reservoir, East Willow Springs*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 14006

AU_ID: 0803_04 *Middle portion of reservoir, East Pointblank*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 14007; 14008

AU_ID: 0803_05 *Middle portion of reservoir, downstream of Kickapoo Creek*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 10909; 14009

AU_ID: 0803_06 *Middle portion of reservoir, centering on US 190*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 10911; 14010

AU_ID: 0803_07 *Upper portion of reservoir, west of Carlisle*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 10913; 14013

AU_ID: 0803_08 *Cove off upper portion of reservoir, East Trinity*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 14014

AU_ID: 0803_09 *West Carolina Creek cove, off upper portion of reservoir*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 14011

2012 Texas Water Quality Inventory Water Bodies Evaluated

AU_ID: 0803_10 Upper portion of reservoir, centering on SH 19

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 10914

AU_ID: 0803_11 Riverine portion of reservoir, centering on SH 21

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 10917

AU_ID: 0803_12 Remainder of reservoir

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): No Stations

SegID: 0803A Harmon Creek (unclassified water body)

From the confluence with Lake Livingston (normal pool elevation of 131 feet) to the confluence of East Fork Harmon Creek east of Huntsville in Walker County

Segment Type Freshwater Stream

AU_ID: 0803A_01 A 16 mile (25.7 KM) stretch of Harmon Creek extending from Lake Livingston (normal pool elevation of 131 feet) upstream to the confluence of East Fork Harmon Creek.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	High	TWQS-Appendix D

Station ID(s): 10698

SegID: 0803B White Rock Creek (unclassified water body)

From the confluence of Lake Livingston northeast of Trinity in Trinity County to the upstream perennial portion of the stream east of Lovelady in Houston County

Segment Type Freshwater Stream

AU_ID: 0803B_01 lower 25 miles of segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 10696

AU_ID: 0803B_02 Upper 13 miles of segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): No Stations

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 0803E Nelson Creek (unclassified water body)

From the confluence with segment 0803 Trinity River, to upper end of Nelson Creek NHD RC
12030202005424

Segment Type Freshwater Stream

AU_ID: 0803E_01 Entire water body.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type

Station ID(s): 10700; 10701

SegID: 0803F Bedias Creek (unclassified water body)

From the confluence with segment 0803 Trinity River, to upper end of Bedias Creek, NHD RC
12030202000350

Segment Type Freshwater Stream

AU_ID: 0803F_01 From the confluence with segment 0803 Trinity River up to confluence with Poole Creek (NHD RC 12030202000572)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Water body description	High	Presumption from Flow Type

Station ID(s): 10702

AU_ID: 0803F_02 From the confluence with Poole Creek (NHD RC 12030202000572) to upper end of NHD RC Bedias Creek (NHD RC 12030202000350)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 10703

SegID: 0803G Lake Madisonville (unclassified water body)

From Lake Madisonville Dam in Madison County up to the normal pool elevation of 285 feet (impounds Town Branch)

Segment Type Reservoir

AU_ID: 0803G_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	Presumption from Flow Type

Station ID(s): 16953

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 0804 Trinity River Above Lake Livingston

From a point 1.8 km (1.1 miles) upstream of Boggy Creek in Houston/Leon County to a point immediately upstream of the confluence of the Cedar Creek Reservoir discharge canal in Henderson/Navarro County

Segment Type Freshwater Stream

AU_ID: 0804_01 *From the lower end of the segment up to just above the confluence with Hurricane Bayou in Houston County.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10918; 13690

AU_ID: 0804_02 *From just upstream of the confluence with Hurricane Bayou up to just above the confluence with Boons Creek.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): No Stations

AU_ID: 0804_03 *From just upstream of the confluence with Boons Creek up to just above the confluence with Caney Creek.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): No Stations

AU_ID: 0804_04 *From the confluence with Caney Creek up to just above the confluence with Indian Creek in Anderson County.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10919

AU_ID: 0804_05 *From just above the confluence with Indian Creek in Anderson County up to just above the confluence with Tehuacana Creek.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): No Stations

AU_ID: 0804_06 *From just above the confluence with Tehuacana Creek to just above the confluence with Richland Creek.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): No Stations

AU_ID: 0804_07 *From just above the confluence with Richland Creek in Henderson County, up to the upper end of the segment.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10920; 10921; 10922

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 0804F Tehuacana Creek (unclassified water body)

From the confluence with the Trinity River northeast of Fairfield in Freestone County to the headwaters northwest of Mexia in Limestone County

Segment Type Freshwater Stream

AU_ID: 0804F_01 *A 27 mile stretch of Tehuacana Creek extending from the confluence with 0804 of the Trinity River up to the confluence with Caney Creek (NHD RC 120302010000226).*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Water body description	Limited	Presumption from Flow Type

Station ID(s): 10705

AU_ID: 0804F_02 *A 28.4 mile (45.7 KM) stretch of Tehuacana Creek extending from the confluence with Caney Creek to the upper end (NHD RC 120302010000225) of Tehuacana Creek.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Water body description	Limited	Presumption from Flow Type

Station ID(s): 18572

SegID: 0804G Catfish Creek (unclassified water body)

Twenty mile stretch of Catfish Creek running upstream from US 287 in Anderson Co., to Catfish Creek Ranch Lake just upstream of SH 19 in Henderson Co.

Segment Type Freshwater Stream

AU_ID: 0804G_01 *Entire Segment*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 10717; 18596; 18597

SegID: 0804H Upper Keechi Creek (unclassified water body)

From confluence with segment 0804 Trinity River to the upper end of NHD stream Upper Keechi Creek (NHD RC 12030201001075)

Segment Type Freshwater Stream

AU_ID: 0804H_01 *From the confluence with segment 0804 Trinity River up to confluence with Twin Branch (NHD RC 12030201027099)*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 18401; 20771

AU_ID: 0804H_02 *From the confluence with Twin Branch (NHD RC 12030201027099) to the upper end (NHD RC 12030201001075) of NHD RC stream Upper Keechi Creek.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 18520

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 0804J Fairfield Lake (unclassified water body)

Impounded Big Brown Creek in Freestone County

Segment Type Reservoir

AU_ID: 0804J_01 Entire segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	Presumption from Flow Type

Station ID(s): 17951

SegID: 0805 Upper Trinity River

From a point immediately upstream of the confluence of the Cedar Creek Reservoir discharge canal in Henderson/Navarro County to a point immediately upstream of the confluence of Elm Fork Trinity River in Dallas County

Segment Type Freshwater Stream

AU_ID: 0805_01 From confluence of the Cedar Creek Reservoir discharge canal upstream to confluence of Smith Creek.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10924

AU_ID: 0805_02 From confluence of Smith Creek upstream to confluence of Tenmile Creek.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10925; 10926; 10927; 10928; 16121

AU_ID: 0805_03 From the confluence of Fivemile Creek upstream to the confluence of Cedar Creek.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10934; 10935; 13614; 17161; 20444; 20567

AU_ID: 0805_04 From confluence of Cedar Creek upstream to confluence of Elm Fork Trinity River

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10936; 10937; 16088

AU_ID: 0805_06 From confluence of Tenmile Creek upstream to confluence of Fivemile Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10929; 10930; 10931; 10932; 20566

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 0805A Red Oak Creek (unclassified water body)

From confluence with segment 0805 Trinity River 12 miles upstream to I 45.

Segment Type Freshwater Stream

AU_ID: 0805A_01 Entire Segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type
Station ID(s): 17506; 18569			

SegID: 0805B Parsons Slough (unclassified water body)

From confluence with segment 0805 Trinity River in Kaufman County, 11 miles upstream to Malloy Bridge Road in Dallas Co.

Segment Type Freshwater Stream

AU_ID: 0805B_01 Entire Segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type
Station ID(s): 10839			

SegID: 0805C White Rock Creek below White Rock Lake (unclassified water body)

From the confluence with segment 0805 of the Trinity River up to the confluence with 0827 White Rock Lake.

Segment Type Freshwater Stream

AU_ID: 0805C_01 Entire water body.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type
Station ID(s): 10816; 18458			

SegID: 0805D Fivemile Creek (unclassified water body)

A 17 mile stretch of Fivemile Creek extending from confluence with segment 0805 Trinity River upstream to upper end of NHD stream Fivemile Creek (NHD RC 12030105000066).

Segment Type Freshwater Stream

AU_ID: 0805D_01 Entire water body.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type
Station ID(s): 18575			

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 0806 West Fork Trinity River Below Lake Worth

From a point immediately upstream of the confluence of Village Creek in Tarrant County to Lake Worth Dam in Tarrant County

Segment Type Freshwater Stream

AU_ID: 0806_01 From confluence of Village Creek upstream to confluence of Clear Fork Trinity River

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10938; 10939; 10940; 11085; 16120; 17368; 17662; 17863; 18459; 20292; 20336; 20422

AU_ID: 0806_02 From confluence of Clear Fork Trinity River upstream to Lake Worth Dam

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10941; 18460; 20424; 20425

SegID: 0806A Fosdic Lake (unclassified water body)

From Fosdic Lake Dam to the reservoir headwaters in Oakland Lake Park in Tarrant County

Segment Type Reservoir

AU_ID: 0806A_01 Entire lake

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	Presumption from Flow Type

Station ID(s): 16818

SegID: 0806B Echo Lake (unclassified water body)

From Echo Lake Dam to the reservoirs headwaters in Tarrant County

Segment Type Reservoir

AU_ID: 0806B_01 Entire lake

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	Presumption from Flow Type

Station ID(s): 16813

SegID: 0806C Big Fossil Creek (unclassified water body)

From confluence with Little Fossil Creek in Haltem City, to HWY 183 in Tarrant Co.

Segment Type Freshwater Stream

AU_ID: 0806C_01 Entire Segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 10814; 17133

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 0806D Marine Creek (unclassified water body)

Two mile stretch of Marine Creek running upstream from confluence with the W. Fork of Trinity River to Tenmile Bridge Road in Fort Worth.

Segment Type Freshwater Stream

AU_ID: 0806D_01 *Marine Creek from the confluence with W. Fork Trinity River 2 miles upstream to Tenmile Bridge Rd. in Ft. Worth*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 17370; 20428

SegID: 0806E Sycamore Creek (unclassified water body)

Five mile stretch of Sycamore Creek running upstream from confluence with the W. Fork of Trinity River to confluence with Echo Lake Tributary in Fort Worth.

Segment Type Freshwater Stream

AU_ID: 0806E_01 *Five mile stretch of Sycamore Creek running upstream from confluence with the W. Fork of Trinity River to confluence with Echo Lake Tributary in Fort Worth*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 17131; 17369; 20431

SegID: 0806F Little Fossil Creek (unclassified water body)

A 13.7 mile stretch of Little Fossil Creek running upstream from confluence with segment 0806 W. Fork Trinity River upstream to upper end (NHD RC Reach Code of NHD RC stream Little Fossil Creek.

Segment Type Freshwater Stream

AU_ID: 0806F_01 *Entire water body.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	not available

Station ID(s): 17129

SegID: 0807 Lake Worth

From Lake Worth Dam in Tarrant County to a point 4.0 km (2.5 miles) downstream of Eagle Mountain Dam in Tarrant County, up to normal pool elevation of 594.3 feet (impounds West Fork Trinity River)

Segment Type Reservoir

AU_ID: 0807_01 *Entire reservoir*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 10942; 15163; 15166; 15167

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 0808 West Fork Trinity River Below Eagle Mountain Reservoir

From a point 4.0 km (2.5 miles) downstream of Eagle Mountain Dam in Tarrant County to Eagle Mountain Dam in Tarrant County

Segment Type Freshwater Stream

AU_ID: 0808_01 Entire segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s):

No Stations

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 0809 Eagle Mountain Reservoir

From Eagle Mountain Dam in Tarrant County to a point 0.6 km (0.4 miles) downstream of the confluence of Oates Branch in Wise County up to normal pool elevation of 649.1 feet (impounds West Fork Trinity River)

Segment Type Reservoir

AU_ID: 0809_01 Lowermost portion of reservoir near east end of dam

<u>Flow Type</u> reservoir	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): | 10944

AU_ID: 0809_02 Dosier Slough cove

<u>Flow Type</u> reservoir	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): | 10947

AU_ID: 0809_03 Ash Creek cove

<u>Flow Type</u> reservoir	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): | 10949; 10950; 10951

AU_ID: 0809_04 Lowermost portion of reservoir near west end of dam

<u>Flow Type</u> reservoir	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): | 10945

AU_ID: 0809_05 Lower portion of reservoir east of Walnut Creek cove

<u>Flow Type</u> reservoir	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): | 10952

AU_ID: 0809_06 Walnut Creek cove

<u>Flow Type</u> reservoir	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): | 10954

AU_ID: 0809_07 Old Ranch cove

<u>Flow Type</u> reservoir	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): | 10958; 10959

AU_ID: 0809_08 Middle portion of reservoir near Cole subdivision

<u>Flow Type</u> reservoir	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): | 10956

AU_ID: 0809_09 Indian Creek cove

<u>Flow Type</u> reservoir	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): | 10961; 10962

2012 Texas Water Quality Inventory Water Bodies Evaluated

AU_ID: 0809_10 Upper portion of reservoir near Indian Creek cove

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 10960

AU_ID: 0809_11 Darrett Creek cove

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 10965

AU_ID: 0809_12 Upper portion of reservoir near Newark Beach

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 10964

AU_ID: 0809_13 Remainder of reservoir

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): No Stations

AU_ID: 0809_14 Mid-Lake, from just above Walnut Cr. Cove to Oakwood Rd. peninsula

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 17667

SegID: 0810 West Fork Trinity River Below Bridgeport Reservoir

From a point 0.6 km (0.4 miles) downstream of the confluence of Oates Branch in Wise County to Bridgeport Dam in Wise County

Segment Type Freshwater Stream

AU_ID: 0810_01 Lower 25 miles of segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10967; 10968; 10969; 14246; 17844

AU_ID: 0810_02 Upper 11 miles of segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 14904; 20840

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 0810A Big Sandy Creek (unclassified water body)

Fifteen mile stretch of Big Sandy Creek running upstream from confluence with Waggoner Creek to FM 1810, west of Alvord, Wise County

Segment Type Freshwater Stream

AU_ID: 0810A_01 *Fifteen mile stretch of Big Sandy Creek running from confluence with Waggoner Creek to FM 1810 West of Alvord, Wise Co.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 15688

SegID: 0810B Garrett Creek (unclassified water body)

Eighteen mile stretch of Garrett Creek running upstream from confluence with Salt Creek to Wise County Road approximately 14 miles upstream of SH114, Wise County

Segment Type Freshwater Stream

AU_ID: 0810B_01 *Eighteen mile stretch of Garrett Creek running upstream from confluence with Salt Creek to Wise County Road approximately 14 miles upstream of SH114, Wise Co.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type

Station ID(s): 16767

SegID: 0810C Martin Branch (unclassified water body)

The eight mile stretch of Martin Branch running upstream from confluence with Center Creek to FM 730 south of Decatur, Wise County.

Segment Type Freshwater Stream

AU_ID: 0810C_01 *Eight mile stretch of Martin Branch running upstream from confluence with Center Creek to FM 730 south of Decatur, Wise County.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 17848

SegID: 0810D Salt Creek (unclassified water body)

Eleven mile stretch of Salt Creek running upstream from confluence with Garrett Creek, Wise County.

Segment Type Freshwater Stream

AU_ID: 0810D_01 *Eleven mile stretch of Salt Creek running upstream from confluence with Garrett Creek, Wise County.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type

Station ID(s): 16766

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 0811 Bridgeport Reservoir

From Bridgeport Dam in Wise County to a point immediately upstream of the confluence of Bear Hollow in Jack County, up to normal pool elevation of 836 feet (impounds West Fork Trinity River)

Segment Type Reservoir

AU_ID: 0811_01 Southeast portion of main body of reservoir

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 16762; 16764

AU_ID: 0811_02 Southwest portion of main body of reservoir

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 15165; 16763

AU_ID: 0811_03 Central portion of main body of reservoir

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 10970

AU_ID: 0811_04 Northern portion of main body of reservoir

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 15164

AU_ID: 0811_05 Remainder of reservoir

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 16736; 16759; 16760; 16761; 16765

SegID: 0812 West Fork Trinity River Above Bridgeport Reservoir

From a point immediately upstream of the confluence of Bear Hollow in Jack County to SH 79 in Archer County

Segment Type Freshwater Stream

AU_ID: 0812_01 Lower 25 miles of segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10972; 18058; 18059

AU_ID: 0812_02 Upper 60 miles of segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): No Stations

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 0813 Houston County Lake

From Houston County Dam in Houston County up to the normal pool elevation of 260 feet (impounds Little Elkhart Creek)

Segment Type Reservoir

AU_ID: *0813_01* *Entire reservoir*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 10973

SegID: 0814 Chambers Creek Above Richland-Chambers Reservoir

From a point 4.0 km (2.5 miles) downstream of Tupelo Branch in Navarro County to the confluence of North Fork Chambers Creek and South Fork Chambers Creek

Segment Type Freshwater Stream

AU_ID: *0814_01* *From the lower end of the segment up to just above the confluence with Cummins Creek.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10975

AU_ID: *0814_02* *From just above the confluence with Cummins Creek up to just above the confluence with Waxahachie Creek.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10977; 20000

AU_ID: *0814_03* *From just above the confluence with Waxahachie Creek up to just above the confluence with Mill Branch.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): No Stations

AU_ID: *0814_04* *From just above the confluence with Mill Branch to the upper end of the segment.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10978

SegID: 0815 Bardwell Reservoir

From Bardwell Dam in Ellis County up to the normal pool elevation of 421 feet (impounds Waxahachie Creek)

Segment Type Reservoir

AU_ID: *0815_01* *Entire reservoir*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 10979; 16700; 17582; 18437; 18549; 18550

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 0815A Waxahachie Creek (unclassified water body)

Perennial stream from the confluence with Bardwell Reservoir (normal pool elevation 421 feet) to the headwaters west of Waxahachie in Ellis County

Segment Type Freshwater Stream

AU_ID: 0815A_01 Entire creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D

Station ID(s): 13686; 18519

SegID: 0816 Lake Waxahachie

From South Prong Dam in Ellis County up to normal pool elevation of 531.5 feet (impounds South Prong Creek)

Segment Type Reservoir

AU_ID: 0816_01 Entire reservoir

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 10980

SegID: 0817 Navarro Mills Lake

From Navarro Mills Dam in Navarro County up to normal pool elevation of 424.5 feet (impounds Richland Creek)

Segment Type Reservoir

AU_ID: 0817_01 Entire reservoir

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 10981; 17442; 18545; 18546; 18547; 18548; 20633

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 0818 Cedar Creek Reservoir

From Joe B. Hoggsett Dam in Henderson County up to normal pool elevation of 322 feet (impounds Cedar Creek)

Segment Type Reservoir

AU_ID: 0818_01 *Lowermost portion of the reservoir, adjacent to the dam.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 13845; 16745; 16748

AU_ID: 0818_02 *Caney Creek cove*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 16744

AU_ID: 0818_03 *Clear Creek cove*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 16743

AU_ID: 0818_04 *Lower portion of reservoir east of Key Ranch Estates*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 13848; 16749

AU_ID: 0818_05 *Cove off lower portion of reservoir adjacent to Clearview Estates*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 16746

AU_ID: 0818_06 *Middle portion of reservoir downstream of Twin Creeks cove*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 15812; 16741; 16747; 16750; 17090; 18472; 18473

AU_ID: 0818_07 *Twin Creeks cove*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 16739

AU_ID: 0818_08 *Prairie Creek cove*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 16751; 16752

AU_ID: 0818_09 *Upper portion of reservoir adjacent to Lacy Fork cove*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 13854; 16753; 18471

2012 Texas Water Quality Inventory Water Bodies Evaluated

AU_ID: 0818_10 Lacy Fork cove

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A
Station ID(s):	16771		

AU_ID: 0818_11 Upper portion of reservoir east of Tolosa

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A
Station ID(s):	16772		

AU_ID: 0818_12 Uppermost portion of reservoir downstream of Kings Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A
Station ID(s):	16774; 18469; 18470		

AU_ID: 0818_13 Cedar Creek cove

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A
Station ID(s):	16773		

AU_ID: 0818_14 Remainder of reservoir

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A
Station ID(s):	No Stations		

SegID: 0819 East Fork Trinity River

From the confluence with the Trinity River in Kaufman County to Rockwall-Forney Dam in Kaufman County

Segment Type Freshwater Stream

AU_ID: 0819_01 Entire segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Intermediate	TWQS-Appendix A
Station ID(s):	10987; 10989; 10990; 10991; 10992; 10993; 10996; 10997; 13612; 20284; 20285; 20286		

SegID: 0819B Buffalo Creek (unclassified water body)

Perennial stream from the confluence with the East Fork Trinity River up to 0.6 km above the confluence of Little Buffalo Creek

Segment Type Freshwater Stream

AU_ID: 0819B_01 Entire water body.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Limited	TWQS-Appendix D
Station ID(s):	10824; 18576		

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 0820 Lake Ray Hubbard

From Rockwall-Forney Dam in Kaufman County to Lavon Dam in Collin County, up to normal pool elevation of 435.5 feet (impounds East Fork Trinity River)

Segment Type Reservoir

AU_ID: 0820_01 Lower portion of East Fork arm, centering on IH 30

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 16809

AU_ID: 0820_02 Middle portion of East Fork arm, centering on SH 66

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 16829

AU_ID: 0820_03 Remainder of segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): No Stations

AU_ID: 0820_04 Lower portion of main body of reservoir extending up from dam to Yankee Cr. Arm.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 10998; 20194

AU_ID: 0820_05 Mid-reservoir, I30 crossing Rowlett Cr. Arm to Yankee Cr. Arm

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 17829

AU_ID: 0820_06 Outfall canal from Lake Lavon Dam

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 17846

SegID: 0820B Rowlett Creek (unclassified water body)

Perennial stream from the normal pool elevation of 435.5 feet of Lake Ray Hubbard to the Parker Road crossing

Segment Type Freshwater Stream

AU_ID: 0820B_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D

Station ID(s): 10753; 17845

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 0820C Muddy Creek (unclassified water body)

From the confluence with Lake Ray Hubbard, in Dallas County, to the headwaters east of Allen, in Collin County

Segment Type Freshwater Stream

AU_ID: 0820C_01 Entire creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type
Station ID(s): 16828; 20110			

SegID: 0821 Lake Lavon

From Lavon Dam in Collin County, up to normal pool elevation of 492 feet (impounds East Fork Trinity River)

Segment Type Reservoir

AU_ID: 0821_01 Lowermost portion of reservoir

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A
Station ID(s): 15684; 15685			

SegID: 0821B Sister Grove Creek (unclassified water body)

From the confluence with Lake Lavon in Collin County to the confluence of West Prong Sister Grove Creek/East Prong Sister Grove Creek, east of Van Alstyne in Grayson County

Segment Type Freshwater Stream

AU_ID: 0821B_01 Entire creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type
Station ID(s): 13613			

SegID: 0821C Wilson Creek (unclassified water body)

From the confluence with Lake Lavon in Collin County up to West FM 455 (NHD RC 12030106000086), just east of Celina, Collin Co., TX.

Segment Type Freshwater Stream

AU_ID: 0821C_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	WQS/Permits program	Intermediate	Previous TCEQ Permit Decision
Station ID(s): 10777; 15041			

SegID: 0821D East Fork Trinity River above Lake Lavon (unclassified water body)

A portion of the East Fork Trinity River extending from the confluence with Lake Lavon (segment 0821) to the upper end of the water body (NHD RC 12030106000074) in Collin County, Texas.

Segment Type Freshwater Stream

AU_ID: 0821D_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	WQS/Permits program	Intermediate	Previous TCEQ Permit Decision
Station ID(s): 13740			

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 0822 Elm Fork Trinity River Below Lewisville Lake

From the confluence with the West Fork Trinity River in Dallas County to Lewisville Dam in Denton County

Segment Type Freshwater Stream

AU_ID: 0822_01 Lower 11 miles of segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 16436; 17163; 17164; 18310; 18648; 20287

AU_ID: 0822_02 4.5 miles upstream to 7.5 miles downstream DWU intake

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 11024; 16438; 17162

AU_ID: 0822_03 1.0 mi upstream to 4.5 miles downstream SH 121

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 13615; 18358

AU_ID: 0822_04 Upper 1.5 miles of segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 15252; 16437

SegID: 0822A Cottonwood Branch (unclassified water body)

A 6 mile stretch of Cottonwood Branch running upstream from confluence with Hackberry Creek, to Valley View Road in Dallas County.

Segment Type Freshwater Stream

AU_ID: 0822A_01 A 2.5 mile stretch of Cottonwood Branch running upstream from confluence with Hackberry Creek to approx. 0.5 miles downstream of N. Story Rd., Dallas Co.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type

Station ID(s): 17167; 17168; 18359

AU_ID: 0822A_02 A 3.5 mile stretch of Cottonwood Branch running upstream from approximately 0.5 miles downstream of N. Story Rd. to Valley View Rd, Dallas, Co.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type

Station ID(s): 17165; 17166

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 0822B Grapevine Creek (unclassified water body)

From the confluence with Elm Fork Trinity River in Dallas County upstream to its headwaters west of International Parkway at DFW Airport in Tarrant County

Segment Type Freshwater Stream

AU_ID: 0822B_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type

Station ID(s): 17169; 17531; 17939

SegID: 0822C Hackberry Creek (unclassified water body)

A 5.5 mile stretch of Hackberry Creek running upstream from confluence with Cottonwood Branch, to approximately 2.4 miles upstream of SH 114, in Irving, Dallas County.

Segment Type Freshwater Stream

AU_ID: 0822C_01 A 5.5 mile stretch of Hackberry Creek running upstream from confluence with S. Fork Hackberry Creek to approximately 2.4 miles upstream of SH 114 in Irving, Dallas Co.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 17170; 17171; 17172; 17532; 17938

SegID: 0822D Ski Lake (unclassified water body)

A 65 acre reservoir locate just south of the intersection of US 35E and spur 482 in Irving.

Segment Type Reservoir

AU_ID: 0822D_01 Entire segment.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	Presumption from Flow Type

Station ID(s): 17849

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 0823 Lewisville Lake

From Lewisville Dam in Denton County to a point 100 meters (110 yards) upstream of US 380 in Denton County, up to normal pool elevation of 515 feet (impounds Elm Fork Trinity River)

Segment Type Reservoir

AU_ID: 0823_01 Lowermost portion of reservoir

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 11025; 13995; 13996

AU_ID: 0823_02 Stewart Creek arm

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 13997; 16808

AU_ID: 0823_03 Hickory Creek arm

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 11027; 13998; 18475; 18476; 18477; 18478; 18479; 20893

AU_ID: 0823_04 Little Elm Creek arm

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 17830

AU_ID: 0823_05 Middle portion of reservoir east of Lake Dallas

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 11026; 13999; 14001

AU_ID: 0823_06 Remainder of reservoir

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 18480; 18481

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 0823A Little Elm Creek (unclassified water body)

From confluence with Lake Lewisville in Denton Co., up to 1.4 km above FM 453 in Collin Co.

Segment Type Freshwater Stream

AU_ID: 0823A_01 *From the confluence with Lake Lewisville in Denton Co., up to FM 455 in Collin Co. (Lower 12 miles of segment).*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 13617; 16826

AU_ID: 0823A_02 *From FM 455 in Collin Co., up to 1.4 km above FM 121 in Grayson, Co. near Guenther. (Upper 15 miles of segment).*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D

Station ID(s): No Stations

SegID: 0823B Stewart Creek (unclassified water body)

From the confluence with Lake Lewisville in Denton County to the headwaters near Frisco in Collin County.

Segment Type Freshwater Stream

AU_ID: 0823B_01 *Entire segment.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 10860

SegID: 0823C Clear Creek (unclassified water body)

From the confluence with Lake Lewisville in Denton County to the headwaters west of Montague in Montague County

Segment Type Freshwater Stream

AU_ID: 0823C_01 *Lower 25 miles of segment*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 16827

AU_ID: 0823C_02 *Upper 40 miles of segment*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): No Stations

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 0823D Doe Branch (unclassified water body)

From the confluence (NHD RC 12030103023518) with Lake Lewisville/Elm Fork Trinity in Denton County to the headwaters (NHD RC 12030103005935) northeast of Celina, Collin Co., TX.

Segment Type Freshwater Stream

AU_ID: 0823D_01 *From the confluence (NHD RC 12030103023518) with Lake Lewisville/Elm Fork Trinity in Denton County to the headwaters (NHD RC 12030103005935) northeast of Celina, Collin Co., TX.*

<u>Flow Type</u> intermittent	<u>Flow Type Source</u> WQS/Permits program	<u>ALU Designation</u> Minimal	<u>ALU Designation Source</u> Previous TCEQ Permit Decision
----------------------------------	--	-----------------------------------	--

Station ID(s): 18560; 20291

SegID: 0824 Elm Fork Trinity River Above Ray Roberts Lake

From a point 9.5 km (5.9 miles) downstream of the confluence of Pecan Creek in Cooke County to US 82 in Montague County

Segment Type Freshwater Stream

AU_ID: 0824_01 *Lower 7.5 miles of segment*

<u>Flow Type</u> perennial	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): 11029; 11031

AU_ID: 0824_02 *2 mile reach near unmarked county road, 1.4 km downstream Gainesville WWTP*

<u>Flow Type</u> perennial	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): 11033

AU_ID: 0824_03 *3.5 mile reach near SH 51*

<u>Flow Type</u> perennial	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): 15635; 17670

AU_ID: 0824_04 *25 mile reach near FM 3108*

<u>Flow Type</u> perennial	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): 16432

AU_ID: 0824_05 *Upper 48 miles of segment*

<u>Flow Type</u> perennial	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): No Stations

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 0825 Denton Creek

From the confluence with the Elm Fork Trinity River in Dallas County to Grapevine Dam in Tarrant County

Segment Type Freshwater Stream

AU_ID: 0825_01 Entire segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 11034; 14244

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 0826 Grapevine Lake

From Grapevine Dam in Tarrant County up to normal pool elevation of 535 feet (impounds Denton Creek)

Segment Type Reservoir

AU_ID: 0826_01 *Lowermost portion of reservoir*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 13873; 13874; 16113; 17827; 20889; 20890; 20891

AU_ID: 0826_02 *Morehead Creek cove*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 11036; 11037; 16118; 20886

AU_ID: 0826_03 *Lower portion of reservoir north of Oak Grove Park*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 16114

AU_ID: 0826_04 *North Main Slough cove*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 16116; 16117; 20887

AU_ID: 0826_05 *Middle portion of reservoir east of Meadowmere Park*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 13875; 16115

AU_ID: 0826_06 *Middle portion of reservoir southeast of Walnut Grove Park*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 13876; 16112; 17828

AU_ID: 0826_07 *Upper portion of reservoir east of Marshall Creek Park*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 13877; 13878; 16111; 20882

AU_ID: 0826_08 *Remainder of reservoir*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 20880; 20881; 20883

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 0826A Denton Creek (unclassified water body)

Perennial stream from the confluence with Grapevine Lake in Denton County to the headwaters northeast of Bowie in Montague County

Segment Type Freshwater Stream

AU_ID: 0826A_01 Lower 7.9 miles of creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	High	TWQS-Appendix D

Station ID(s): 14485

AU_ID: 0826A_02 15.7 miles upstream to 7.4 miles down stream of FM 156

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Water body description	High	Presumption from Flow Type

Station ID(s): 14483

AU_ID: 0826A_03 9.3 miles upstream to 15.7 miles downstream of Greenwood Rd.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Water body description	High	Presumption from Flow Type

Station ID(s): No Stations

AU_ID: 0826A_04 Upper 20.8 miles of creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Water body description	High	Presumption from Flow Type

Station ID(s): No Stations

SegID: 0827 White Rock Lake

From White Rock Dam in Dallas County up to the normal pool elevation of 458 feet (impounds White Rock Creek)

Segment Type Reservoir

AU_ID: 0827_01 Entire segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 11038

SegID: 0827A White Rock Creek above White Rock Lake (unclassified water body)

Perennial stream from the headwaters of White Rock Lake upstream to the confluence with McKamy Branch east of the City of Addison

Segment Type Freshwater Stream

AU_ID: 0827A_01 From the headwaters of White Rock Lake upstream to the upper end of the water body at NHD RC 12030105001118.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D

Station ID(s): 15280; 18517; 20289

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 0828 Lake Arlington

From Arlington Dam in Tarrant County up to the normal pool elevation of 550 feet (impounds Village Creek)

Segment Type Reservoir

AU_ID: 0828_01 *Lowermost portion of lake along western half of dam*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 11040; 13905

AU_ID: 0828_02 *Lowermost portion of lake along eastern half of dam*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 13904

AU_ID: 0828_03 *Western half of lower portion of lake*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 13903

AU_ID: 0828_04 *Eastern half of lower portion of lake*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 13901

AU_ID: 0828_05 *Western half of upper portion of lake*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 13899

AU_ID: 0828_06 *Eastern half of upper portion of lake*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 11042; 13898

AU_ID: 0828_07 *Uppermost portion of lake*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 13897

AU_ID: 0828_08 *Remainder of lake*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): No Stations

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 0828A Village Creek (unclassified water body)

From the confluence with Lake Arlington in Tarrant County to the headwaters east of Joshua in Johnson County

Segment Type Freshwater Stream

AU_ID: 0828A_01 From Lake Arlington to the headwaters

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type

Station ID(s): 10780; 10786

SegID: 0829 Clear Fork Trinity River Below Benbrook Lake

From the confluence with the West Fork Trinity River in Tarrant County to Benbrook Dam in Tarrant County

Segment Type Freshwater Stream

AU_ID: 0829_01 From the confluence with West Fork Trinity River to 1 mile upstream.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 16119; 20427

AU_ID: 0829_02 From 1 mile upstream of the confluence with West Fork Trinity River up to the confluence with Mary's Creek.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 11044; 11045; 16122; 18456

AU_ID: 0829_03 From the confluence with Mary's Creek up to Benbrook Dam in Tarrant County, TX.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 13623

SegID: 0829A Lake Como (unclassified water body)

From Lake Como Dam to the reservoir headwaters in Lake Como Park in Tarrant County

Segment Type Reservoir

AU_ID: 0829A_01 Entire lake

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	Presumption from Flow Type

Station ID(s): 16814

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 0830 Benbrook Lake

From Benbrook Dam in Tarrant County to a point 200 meters (220 yards) downstream of US 377 in Tarrant County, up to normal pool elevation of 694 feet (impounds Clear Fork Trinity River)

Segment Type Reservoir

AU_ID: 0830_01 Lower portion of reservoir

<u>Flow Type</u> reservoir	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): 13830; 15151; 15161

AU_ID: 0830_02 Middle portion of reservoir

<u>Flow Type</u> reservoir	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): 13831; 15156

AU_ID: 0830_03 Upper portion of reservoir

<u>Flow Type</u> reservoir	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): 15158

AU_ID: 0830_04 Remainder of reservoir

<u>Flow Type</u> reservoir	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): No Stations

AU_ID: 0830_05 Rock/Mustang Creek arm of Benbrook Lake.

<u>Flow Type</u> reservoir	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): 13832

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 0831 Clear Fork Trinity River Below Lake Weatherford

From a point 200 meters (220 yards) downstream of US 377 in Tarrant County to Weatherford Dam in Parker County

Segment Type Freshwater Stream

AU_ID: 0831_01 Lower 12.75 miles, downstream from South Fork Trinity River confluence

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 13691; 17444; 17447

AU_ID: 0831_03 From the confluence with South Fork of Trinity R. to a point 2 mi upstream

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 17445

AU_ID: 0831_04 2 mi upstream of South Fork Trinity River confluence to Squaw Ck. Confluence

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 11060

AU_ID: 0831_05 From the confluence of Squaw Ck. to Lake Weatherford Dam

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 17446; 17637

SegID: 0831A South Fork Trinity River (unclassified water body)

Eleven mile stretch of South Fork Trinity River running upstream from confluence with Clear Fork Trinity River to confluence with Willow Creek, Parker Co.

Segment Type Freshwater Stream

AU_ID: 0831A_01 Eleven mile stretch of S. Fork Trinity River running upstream from confluence with Clear Fork Trinity River to confluence with Willow Creek, Parker Co.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 17454; 17455

SegID: 0831B Unnamed Tributary of South Fork Trinity River (unclassified water body)

A 4.4 mile (7.1 KM) stretch of unnamed tributary to South Fork Trinity River stretching from the confluence to the upper end of the creek (NHD RC 12030102000351)

Segment Type Freshwater Stream

AU_ID: 0831B_01 Entire segment.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 17456

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 0832 **Lake Weatherford**

From Weatherford Dam in Parker County to a point 3.1 km (1.9 miles) upstream of FM 1707 in Parker County, up to the normal pool elevation of 896 feet (impounds Clear Fork Trinity River)

Segment Type Reservoir

AU_ID: 0832_01 Entire reservoir

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 11061

SegID: 0833 **Clear Fork Trinity River Above Lake Weatherford**

From a point 3.1 km (1.9 miles) upstream of FM 1707 in Parker County, to FM 3107 in Parker County

Segment Type Freshwater Stream

AU_ID: 0833_02 Upper 11 miles of segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 16415; 17459; 17460; 17463

AU_ID: 0833_03 From the confluence of McKnight Branch to the confluence of Cottonwood Ck.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 11062

AU_ID: 0833_04 From the confluence with Dobbs Branch to confluence with McKnight Branch

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 17461

SegID: 0834 **Lake Amon G. Carter**

From Amon G. Carter Dam in Montague County up to the normal pool elevation of 920 feet (impounds Big Sandy Creek)

Segment Type Reservoir

AU_ID: 0834_01 Entire reservoir

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 11063

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 0836 Richland-Chambers Reservoir

From Richland-Chambers Dam in Freestone County to a point immediately upstream of the confluence of Pin Oak Creek on the Richland Creek Arm in Navarro County and to a point 4.0 kilometers (2.5 miles) downstream of Tupelo Branch on the Chambers Creek Arm in Navarro County, up to the normal pool elevation of 315 feet (impounds Richland and Chambers Creeks)

Segment Type Reservoir

AU_ID: 0836_01 Lowermost portion of reservoir, adjacent to dam

<u>Flow Type</u> reservoir	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): 11065; 15168

AU_ID: 0836_02 Confluence of Richland and Chambers Creek arms

<u>Flow Type</u> reservoir	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): 15169

AU_ID: 0836_03 Lower portion of Chambers Creek arm

<u>Flow Type</u> reservoir	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): 15170; 18720

AU_ID: 0836_04 Upper portion of Chambers Creek arm

<u>Flow Type</u> reservoir	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): 15199; 18724

AU_ID: 0836_05 Lower portion of Richland Creek arm

<u>Flow Type</u> reservoir	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): 11068

AU_ID: 0836_06 Upper portion of Richland Creek arm

<u>Flow Type</u> reservoir	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): 15172; 18727

AU_ID: 0836_07 Remainder of reservoir

<u>Flow Type</u> reservoir	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): No Stations

AU_ID: 0836_08 Post Oak Creek Arm off of Chambers Creek Arm of Richland Chambers Reservoir.

<u>Flow Type</u> reservoir	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): 18723

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 0836B Cedar Creek (unclassified water body)

From the confluence with Richland Chambers Reservoir to the upper end of the creek (NHD RC 12030109012807)

Segment Type Freshwater Stream

AU_ID: 0836B_01 Entire segment.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type
Station ID(s): 18716; 18718; 18719			

SegID: 0836C Grape Creek (unclassified water body)

From the confluence with Richland Chambers Reservoir to the upper end of the creek (NHD RC 12030108000107) southwest of Corsicana, Navarro County, TX.

Segment Type Freshwater Stream

AU_ID: 0836C_01 Entire segment.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	WQS/Permits program	Limited	Previous TCEQ Permit Decision
Station ID(s): 18721			

SegID: 0836D Post Oak Creek (unclassified water body)

From the confluence with Richland Chambers Reservoir to the upper end of the creek (NHD RC 12030109012706)

Segment Type Freshwater Stream

AU_ID: 0836D_01 Entire segment.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	WQS/Permits program	High	Previous TCEQ Permit Decision
Station ID(s): 18722			

SegID: 0837 Richland Creek Above Richland-Chambers Reservoir

From the confluence of Pin Oak Creek in Navarro County to Navarro Mills Dam in Navarro County

Segment Type Freshwater Stream

AU_ID: 0837_01 Entire segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A
Station ID(s): 11070; 18344			

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 0838 Joe Pool Lake

From Joe Pool Dam in Dallas County up to the normal pool elevation of 522 feet (impounds Mountain Creek)

Segment Type Reservoir

AU_ID: 0838_01 Lowermost portion of reservoir adjacent to the dam

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 11073; 13890; 13891; 13893; 13894

AU_ID: 0838_02 Mountain Creek arm

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 11071; 13896; 17684

AU_ID: 0838_03 Walnut Creek arm

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 11072; 13892

SegID: 0838A Mountain Creek (unclassified water body)

Ten mile stretch of Mountain Creek running upstream from US 287 in Ellis Co., to confluence with Fish Spring Branch in Johnson County.

Segment Type Freshwater Stream

AU_ID: 0838A_01 Entire segment.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type

Station ID(s): 13622

SegID: 0838B Sugar Creek (unclassified water body)

A 1.6 mile stretch of Sugar Creek running upstream from Tarrant/Dallas County line, to just upstream of Britton Road in Mansfield, Tarrant County.

Segment Type Freshwater Stream

AU_ID: 0838B_01 Entire segment.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type

Station ID(s): 17680

SegID: 0838C Walnut Creek (unclassified water body)

A 7 mile stretch of Walnut Creek running upstream from Holland Road, to confluence with Willow Branch, NW Mansfield, Tarrant County.

Segment Type Freshwater Stream

AU_ID: 0838C_01 Entire segment.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type

Station ID(s): 13621

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 0839 Elm Fork Trinity River Below Ray Roberts Lake

From a point 100 meters (110 yards) upstream of US 380 in Denton County to Ray Roberts Dam in Denton County

Segment Type Freshwater Stream

AU_ID: 0839_01 Entire segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 13619

SegID: 0839A Clear Creek (unclassified water body)

A 25 mile stretch of Clear Creek running upstream from confluence with Elm Fork Trinity, to FM 455 just west of Bolivar, Denton County.

Segment Type Freshwater Stream

AU_ID: 0839A_01 Entire segment.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type

Station ID(s): 10859; 13618

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 0840 Ray Roberts Lake

From Ray Roberts Dam in Denton County to a point 9.5 km (5.9 miles) upstream of the confluence of Pecan Creek in Cooke County, up to the normal pool elevation of 632.5 feet (impounds Elm Fork Trinity River)

Segment Type Reservoir

AU_ID: 0840_01 Lowermost portion of reservoir adjacent to dam

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A
Station ID(s): 14039; 17834			

AU_ID: 0840_02 Lower portion of Jordan Creek arm west of Pilot Point

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A
Station ID(s): 11076			

AU_ID: 0840_03 Upper portion of Jordan Creek arm

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A
Station ID(s): 16823			

AU_ID: 0840_04 Buck Creek cove

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A
Station ID(s): 16822			

AU_ID: 0840_05 Lower portion of Elm Fork arm

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A
Station ID(s): No Stations			

AU_ID: 0840_06 Middle portion of Elm Fork arm

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A
Station ID(s): No Stations			

AU_ID: 0840_07 Upper portion of Elm Fork arm

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A
Station ID(s): 16824			

AU_ID: 0840_08 Remainder of reservoir

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A
Station ID(s): 20897; 20899			

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 0841 Lower West Fork Trinity River

From a point immediately upstream of the confluence of the Elm Fork Trinity River in Dallas County to a point immediately upstream of the confluence of Village Creek in Tarrant County

Segment Type Freshwater Stream

AU_ID: 0841_01 From confluence of the Elm Fork Trinity River to the confluence with Johnson Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Intermediate	TWQS-Appendix A

Station ID(s): 11079; 11080; 11081; 11082; 11089

AU_ID: 0841_02 From the confluence with Johnson Creek upstream to the confluence of Village Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Intermediate	TWQS-Appendix A

Station ID(s): 11083; 11084; 11086; 11087; 11088; 17160; 17669

SegID: 0841A Mountain Creek Lake (unclassified water body)

From Mountain Creek Lake Dam to the reservoir headwater at the confluence of Mountain and Fish Creeks, in Dallas County (impounds Mountain Creek)

Segment Type Reservoir

AU_ID: 0841A_01 Entire reservoir

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	Presumption from Flow Type

Station ID(s): No Stations

SegID: 0841B Bear Creek (unclassified water body)

From confluence with West Fork Trinity River, to the confluence with of Big Bear and Little Bear Creek just upstream of HWY 183 in Euless, Tarrant County, TX.

Segment Type Freshwater Stream

AU_ID: 0841B_01 Entire segment.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type

Station ID(s): 10864; 10865; 10866; 10867; 10868; 10869; 17663; 18313; 18315

SegID: 0841C Arbor Creek (unclassified water body)

From confluence with Johnson Creek upstream to Duncan Perry Road in Grand Prairie, TX

Segment Type Freshwater Stream

AU_ID: 0841C_01 Entire segment.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 17666

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 0841D Big Bear Creek (unclassified water body)

From confluence with Little Bear Creek upstream to headwaters west of IH-35W

Segment Type Freshwater Stream

AU_ID: 0841D_01 Entire segment.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type

Station ID(s): 17089

SegID: 0841E Copart Branch Mountain Creek (unclassified water body)

From confluence with unnamed oxbow (NHD RC 12030102044758) to approximately 0.3 miles upstream of Camden Road on the former Dallas Naval Air Station property, Dallas County.

Segment Type Freshwater Stream

AU_ID: 0841E_01 Entire segment.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type

Station ID(s): 17672

SegID: 0841F Cottonwood Creek (unclassified water body)

A 6.5 mile stretch of Cottonwood Creek running upstream from approx. 0.1 mi. upstream of Mountain Creek Reservoir in Dallas Co., to SH 360 in, Tarrant Co.

Segment Type Freshwater Stream

AU_ID: 0841F_01 Entire segment.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 10723; 17674; 17676

SegID: 0841G Dalworth Creek (unclassified water body)

From confluence with Lower W. Fork Trinity to headwaters area just west of 22nd Street NW in Grand Prairie, Dallas Co.

Segment Type Freshwater Stream

AU_ID: 0841G_01 Entire segment.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 17671

SegID: 0841H Delaware Creek (unclassified water body)

From confluence with Lower W. Fork Trinity to Finley Road in Irving.

Segment Type Freshwater Stream

AU_ID: 0841H_01 Entire segment.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type

Station ID(s): 10871; 15617; 17175; 17176; 17177; 17178; 18314

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 0841I Dry Branch Creek (unclassified water body)

From confluence with Lower W. Fork Trinity to headwaters area in Northwest Park, north of Pocatello Street in Irving, Dallas County.

Segment Type Freshwater Stream

AU_ID: 0841I_01 Entire segment.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type

Station ID(s): 17173

SegID: 0841J Estelle Creek (unclassified water body)

From confluence with Bear Creek upstream to Valley View Lane in Irving, Dallas County.

Segment Type Freshwater Stream

AU_ID: 0841J_01 Entire segment.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type

Station ID(s): 17174

SegID: 0841K Fish Creek (unclassified water body)

From South Belt Line Road (FM 1382) upstream to the upper end of the creek south of West Bardin Road (NHD RC 12030102000107) in Arlington, Tarrant Co. Co.

Segment Type Freshwater Stream

AU_ID: 0841K_01 Entire segment.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 10724; 10725; 17677; 17679; 20342

SegID: 0841L Johnson Creek (unclassified water body)

From confluence with the Lower West Fork Trinity River upstream to just south of Mayfield Road in Arlington, Tarrant Co.

Segment Type Freshwater Stream

AU_ID: 0841L_01 Entire segment.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 10718; 10719; 10721; 17664; 17665; 18311

SegID: 0841M Kee Branch (unclassified water body)

From confluence with Rush Creek to upper end of the creek (NHD RC 12030102000165).

Segment Type Freshwater Stream

AU_ID: 0841M_01 Three mile stretch of Kee Branch running upstream from confluence with Rush Creek to approx. 300 m upstream of Polly-Webb Road in Arlington, Tarrant Co. Sta. ID 10792

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 10792; 15103; 16896

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 0841N Kirby Creek (unclassified water body)

From confluence with Fish Creek in Grand Prairie, Dallas Co., to just upstream of Great Southwest Parkway in Arlington, Tarrant Co.

Segment Type Freshwater Stream

AU_ID: 0841N_01 Entire segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 17675

SegID: 0841O Mountain Creek (unclassified water body)

Four mile stretch of Mountain Creek running upstream from confluence with West Fork Trinity, to approximately 0.3 mile downstream of Mountain Creek Lake in Grand Prairie, Dallas Co.

Segment Type Freshwater Stream

AU_ID: 0841O_01 Entire segment.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 10815; 13672; 17681; 17682

SegID: 0841P North Fork Cottonwood Creek (unclassified water body)

A 4.4 mile stretch of North Fork Cottonwood Creek running upstream from confluence with the S. Fork Cottonwood Creek in Grand Prairie, Dallas Co., to approx. 0.3 mi. upstream of Carter St. in Arlington, Tarrant Co.

Segment Type Freshwater Stream

AU_ID: 0841P_01 Entire segment.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 10722; 17673

SegID: 0841Q North Fork Fish Creek (unclassified water body)

From confluence with Fish Creek in Dallas Co., to headwater area (NHD RC 12030102000417) just west of S. Collins St. in Arlington, Tarrant Co.

Segment Type Freshwater Stream

AU_ID: 0841Q_01 Entire segment.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 17678

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 0841R Rush Creek (unclassified water body)

From confluence with Village Creek to headwater area just east of Calender Road in Arlington, Tarrant Co.

Segment Type Freshwater Stream

AU_ID: 0841R_01 Entire segment.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type
Station ID(s): 10788; 10790; 10791; 17190; 17191			

SegID: 0841S Vilbig Lakes (unclassified water body)

Lake formed in former sand and gravel mine located north of Hunter Ferrell Road, west of MacArthur Blvd, and south of Shady Grove Road in Irving, Dallas, Co.

Segment Type Reservoir

AU_ID: 0841S_01 A 5 acre area in NW corner of Vilbig Lakes, near confluence with unnamed creek, approx. 100 m south of intersection of Rusdell Rd./Marvel Dr. in Irving, Dallas, Co.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	Presumption from Flow Type
Station ID(s): 15624			

SegID: 0841T Village Creek (unclassified water body)

From confluence with West Fork Trinity River to SH 303 approx. 0.75 mi. downstream of Lake Arlington.

Segment Type Freshwater Stream

AU_ID: 0841T_01 A 7 mile stretch of Village Creek running upstream from confluence with West Fork Trinity River to SH 303 approx. 0.75 mi. downstream of Lake Arlington.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type
Station ID(s): 10778; 17189			

SegID: 0841U West Irving Creek (unclassified water body)

From approx. 0.4 mi. downstream of Oakdale Rd. to headwater area in Wyche Park (NHD RC 12030102044201) in Irving, Dallas Co.

Segment Type Freshwater Stream

AU_ID: 0841U_01 A 4 mile stretch of West Irving Branch running upstream from approx. 0.4 mi. downstream of Oakdale Rd. to just south of Sowers Road in Irving, Dallas Co.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type
Station ID(s): 17179			

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 0841V Crockett Branch (unclassified water body)

A 1 mile (1.5 KM) stretch of Crockett Branch extending upstream from the confluence with Cottonwood Creek to the upper end of the creek (NHD RC 12030102044745)

Segment Type Freshwater Stream

AU_ID: 0841V_01 Entire Segment.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 15295; 17683

SegID: 0901 Cedar Bayou Tidal

From the confluence with Galveston Bay 1.0 km (0.6 miles) downstream of Tri-City Beach Road in Chambers County to a point 2.2 km (1.4 miles) upstream of IH 10 in Chambers/Harris County

Segment Type Tidal Stream

AU_ID: 0901_01 From the confluence with Galveston Bay 1.0 km (0.6 miles) downstream of Tri-City Beach Road to a point 2.2 km (1.4 miles) upstream of IH 10

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	TSWQS	High	TWQS-Appendix A

Station ID(s): 11111; 11115; 11117

SegID: 0902 Cedar Bayou Above Tidal

From a point 2.2 km (1.4 miles) upstream of IH 10 in Chambers/Harris County to a point 7.4 km (4.6 miles) upstream of FM 1960 in Liberty County

Segment Type Freshwater Stream

AU_ID: 0902_01 From a point 2.2 km (1.4 miles) upstream of IH 10 to a point 7.4 km (4.6 miles) upstream of FM 1960

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 11120; 11123

SegID: 1001 San Jacinto River Tidal

From a point 100 meters (110yards) downstream of IH 10 in Harris County to Lake Houston Dam in Harris County

Segment Type Tidal Stream

AU_ID: 1001_01 From Lake Houston Dam to US Hwy 90

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	TSWQS	High	TWQS-Appendix A

Station ID(s): 11197; 11200; 11201; 18388; 18389

AU_ID: 1001_02 From US Hwy 90 to IH 10

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	TSWQS	High	TWQS-Appendix A

Station ID(s): 11193; 11198; 16622; 17919

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1002 Lake Houston

From Lake Houston Dam in Harris County to the confluence of Spring Creek on the West Fork San Jacinto Arm in Harris/Montgomery County and to the confluence of Caney Creek on the East Fork San Jacinto Arm in Harris County, up to normal pool elevation of 44.5 feet (impounds San Jacinto River)

Segment Type Reservoir

AU_ID: 1002_01 From the Red Gully confluence to FM 1960 East Pass

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A
Station ID(s): 11212; 13954; 18670			

AU_ID: 1002_02 From West Lake Houston Parkway to FM 1960 West Pass

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A
Station ID(s): 11211; 13957; 14148; 18667			

AU_ID: 1002_03 From the downstream side of FM 1960 (includes East and West Passes) to the Missouri Pacific Railroad Tracks

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A
Station ID(s): 11208; 13948; 13951; 20929			

AU_ID: 1002_04 From the Missouri Pacific Railroad Tracks to Foley Road

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A
Station ID(s): 11205; 13945; 16668; 20184; 20185			

AU_ID: 1002_05 From Foley Road to the Lake Houston Dam

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A
Station ID(s): 11204; 13942; 20928; 20931			

AU_ID: 1002_06 From the confluence with Spring Creek to West Lake Houston Pkwy

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A
Station ID(s): 11213; 18669; 20782			

AU_ID: 1002_07 From the East Fork San Jacinto River confluence to the Red Gully confluence

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A
Station ID(s): 16623			

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1002A Tarkington Bayou (unclassified water body)

From the Luce Bayou confluence upstream to a point just upstream of FM 2025 in Liberty County

Segment Type Freshwater Stream

AU_ID: 1002A_01 *From the Luce Bayou confluence upstream to the Little Tarkington Bayou confluence near the City of Cleveland*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D

Station ID(s): 20466

SegID: 1002B Luce Bayou (unclassified water body)

From confluence with Lake Houston (Harris County) to FM 1008 (Liberty County)

Segment Type Freshwater Stream

AU_ID: 1002B_01 *From the Lake Houston confluence upstream to the Key Gully confluence*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type

Station ID(s): 11187; 18671

SegID: 1002C Lake Isabell (unclassified water body)

Small lake located at the southern end of Lake Houston Park northeast of the Caney Creek (1010) and East Fork of the San Jacinto River (1003) confluence in Harris County.

Segment Type Reservoir

AU_ID: 1002C_01 *Small lake located at the southern end of Lake Houston Park northeast of the Caney Creek (1010) and East Fork of the San Jacinto River (1003) confluence in Harris County.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	Presumption from Flow Type

Station ID(s): No Stations

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1003 East Fork San Jacinto River

From the confluence of Caney Creek in Harris County to US 190 in Walker County

Segment Type Freshwater Stream

AU_ID: 1003_01 *From the Caney Creek confluence upstream to US 59*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 11235; 11236

AU_ID: 1003_02 *From US Hwy 59 to a point immediately downstream of State Hwy 150*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 11237; 11238; 14242

AU_ID: 1003_03 *From a point immediately downstream of State Hwy 150 to US 190 (upper segment boundary)*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 17431

SegID: 1004 West Fork San Jacinto River

From the confluence of Spring Creek in Harris/Montgomery County to Conroe Dam in Montgomery County

Segment Type Freshwater Stream

AU_ID: 1004_01 *From the Spring Creek confluence upstream to the Stewart Creek confluence*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 11243; 13611; 16624

AU_ID: 1004_02 *From the Stewart Creek confluence upstream to the Lake Conroe Dam*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 11245; 11250; 11251

SegID: 1004D Crystal Creek (unclassified water body)

From the West Fork of the San Jacinto River confluence to the confluence of the east and west forks of Crystal Creek

Segment Type Freshwater Stream

AU_ID: 1004D_01 *From the Confluence with West Fork San Jacinto River upstream to confluence of the East and West Forks of Crystal Creek*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 11181; 16635

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1004E Stewarts Creek (unclassified water body)

From headwaters northwest of old Montgomery Rd to confluence with West Fork of the San Jacinto River

Segment Type Freshwater Stream

AU_ID: 1004E_02 From Airport Rd to confluence with West Fork San Jacinto River

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 11178; 16626

SegID: 1004F Woodsons Gully (unclassified water body)

Perennial stream from the confluence with West Fork San Jacinto River upstream to the confluence with an unnamed tributary approximately 1.9 km upstream from Riley-Fussel Road

Segment Type Freshwater Stream

AU_ID: 1004F_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 18367

SegID: 1005 Houston Ship Channel/San Jacinto River Tidal

From the confluence with Galveston Bay at Morgan's Point in Harris/Chambers County to a point 100 meters (110 yards) downstream of IH 10 in Harris County

Segment Type Tidal Stream

AU_ID: 1005_01 Downstream I-10 to Lynchburg Ferry Road

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	TSWQS	High	TWQS-Appendix A

Station ID(s): 11262; 15301; 16619; 16621

AU_ID: 1005_02 Lynchburg Ferry Road to Goose Island

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	TSWQS	High	TWQS-Appendix A

Station ID(s): 11258; 15897; 16195

AU_ID: 1005_03 Goose Island to SH 146

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	TSWQS	High	TWQS-Appendix A

Station ID(s): 11254; 16618

AU_ID: 1005_04 SH 146 to Morgans Point

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	TSWQS	High	TWQS-Appendix A

Station ID(s): 11252; 11261; 18390

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1006 Houston Ship Channel Tidal

From the confluence with the San Jacinto River in Harris County to a point immediately upstream of Greens Bayou in Harris County, including tidal portions of tributaries

Segment Type Tidal Stream

AU_ID: 1006_01 *Houston Ship Channel Tidal-From the Greens Bayou confluence to the Patrick Bayou confluence*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	TSWQS	Minimal	TWQS-Appendix A

Station ID(s): 11268; 11269; 11270; 11271; 15979; 15980; 16617; 18391

AU_ID: 1006_02 *Houston Ship Channel Tidal- From the Patrick Bayou confluence to the Houston Ship Channel/San Jacinto River Tidal (1005) confluence*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	TSWQS	Minimal	TWQS-Appendix A

Station ID(s): 11264; 11265; 11266; 11267; 15936

AU_ID: 1006_03 *Greens Bayou Tidal- From the Houston Ship Channel confluence to a point 0.7 km (0.4 miles) upstream of the Halls Bayou confluence*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	TSWQS	Minimal	TWQS-Appendix A

Station ID(s): 11274; 11275; 11277; 11279; 16981; 18363

AU_ID: 1006_04 *Patrick Bayou Tidal - From the confluence with the Houston Ship Channel to 100 m (328 ft) upstream of the railroad bridge*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	TSWQS	Minimal	TWQS-Appendix A

Station ID(s): 11273; 15302; 16872; 16876; 16877; 17145; 17146; 17147; 17148; 17149; 17150; 17151; 17152; 17153; 17154; 17155

AU_ID: 1006_05 *Goodyear Creek-From confluence with Greens Bayou Tidal to Granada St. in Harris County*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	TSWQS	Minimal	TWQS-Appendix A

Station ID(s): 16664

AU_ID: 1006_06 *Tucker Bayou- From the Houston Ship Channel confluence to a point 2.7 km (1.7 mi) upstream*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	TSWQS	Minimal	TWQS-Appendix A

Station ID(s): 18322

AU_ID: 1006_07 *Carpenters Bayou-From the Houston Ship Channel confluence to the lower boundary of 1006B (2.3 m/ 1.4 mi) upstream from the Houston Ship Channel confluence)*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	TSWQS	Minimal	TWQS-Appendix A

Station ID(s): 11272; 20797

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1006D Halls Bayou (unclassified water body)

From the Greens Bayou confluence upstream to Frick Road in Harris County

Segment Type Freshwater Stream

AU_ID: 1006D_01 From the Greens Bayou confluence upstream to US 59

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D
Station ID(s): 11127; 15862; 15863; 15864; 20023; 20535			

AU_ID: 1006D_02 From US 59 upstream to Frick Road

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Limited	TWQS-Appendix D
Station ID(s): 11126; 17490; 17491; 20455			

SegID: 1006F Big Gulch Above Tidal (unclassified water body)

From the confluence with Greens Bayou Tidal to Wallisville Road in Harris County

Segment Type Freshwater Stream

AU_ID: 1006F_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D
Station ID(s): 16662			

SegID: 1006H Spring Gully Above Tidal (unclassified water body)

From confluence with Greens Bayou to US 90 in Harris County

Segment Type Freshwater Stream

AU_ID: 1006H_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D
Station ID(s): 16663			

SegID: 1006I Unnamed Tributary of Halls Bayou (unclassified water body)

From the confluence with Halls Bayou to a point 0.13 miles upstream of Richland Drive in Harris County

Segment Type Freshwater Stream

AU_ID: 1006I_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Limited	TWQS-Appendix D
Station ID(s): 16666; 16667			

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1006J Unnamed Tributary of Halls Bayou (unclassified water body)

From the confluence with Halls Bayou (east of US 59 and south of Langley Road) to Mount Hoston Road in Harris County

Segment Type Freshwater Stream

AU_ID: *1006J_01* *From the Halls Bayou confluence (east of US 59 and south of Langley Road) to Mount Houston Road*

Flow Type
perennial

Flow Type Source
TWQS-Appendix D

ALU Designation
Limited

ALU Designation Source
TWQS-Appendix D

Station ID(s): 16665

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1007 Houston Ship Channel/Buffalo Bayou Tidal

From a point immediately upstream of Greens Bayou in Harris County to a point 100 meters (110 yards) upstream of US 59 in Harris County, including tidal portion of tributaries

Segment Type Tidal Stream

AU_ID: 1007_01 *Houston Ship Channel - From a point immediately upstream of Greens Bayou Tidal to immediately upstream of the 69th Street WWTP outfall*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	TSWQS	Minimal	TWQS-Appendix A

Station ID(s): 11280; 11283; 11284; 11286; 11287; 16620; 18392

AU_ID: 1007_02 *Sims Bayou Tidal - From the Houston Ship Channel confluence to a point 11 km (6.8 mi) upstream*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	TSWQS	Minimal	TWQS-Appendix A

Station ID(s): 11302; 11304

AU_ID: 1007_03 *Hunting Bayou Tidal - From the Houston Ship Channel confluence to IH-10*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	TSWQS	Minimal	TWQS-Appendix A

Station ID(s): 11298; 18362

AU_ID: 1007_04 *Brays Bayou Tidal - From the Houston Ship Channel confluence to downstream of IH-45*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	TSWQS	Minimal	TWQS-Appendix A

Station ID(s): 11305; 11306; 11307; 20196; 20735

AU_ID: 1007_05 *Vince Bayou Tidal - From the Houston Ship Channel confluence to SH 225*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	TSWQS	Minimal	TWQS-Appendix A

Station ID(s): 11285; 11299; 11300; 11301; 14368; 20654; 20655

AU_ID: 1007_06 *Berry Bayou - From the Houston Ship Channel confluence to a point 2.4 km (1.5 mi) upstream of the Sims Bayou confluence*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	TSWQS	Minimal	TWQS-Appendix A

Station ID(s): 16660

AU_ID: 1007_07 *Buffalo Bayou - From immediately upstream of 69th Street WWTP outfall to US 59*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	TSWQS	Minimal	TWQS-Appendix A

Station ID(s): 11288; 11292; 11294; 11296; 15841

AU_ID: 1007_08 *Little Vince Bayou Tidal - From the Vince Bayou confluence to SH 225*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	WQS/Permits program	Minimal	TWQS-Appendix A

Station ID(s): 11172

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1007A Canal C-147 Tributary of Sims Bayou Above Tidal (unclassified water body)

From the Sims Bayou confluence upstream to a point 0.71 km (0.44 mi) east of Beltway 8 in Harris County

Segment Type Freshwater Stream

AU_ID: 1007A_01 From the Sims Bayou confluence upstream to a point 0.71 km (0.44 mi) east of Beltway 8

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Limited	TWQS-Appendix D

Station ID(s): 15875; 16656

SegID: 1007B Brays Bayou Above Tidal (unclassified water body)

From a point 11.5 km (7.1 mi) upstream of confluence with Houston Ship Channel up to SH 6

Segment Type Freshwater Stream

AU_ID: 1007B_01 From a point 11.5 km (7.1 mi) upstream of confluence with Houston Ship Channel up to SH 6

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Limited	TWQS-Appendix D

Station ID(s): 11138; 11139; 11140; 11309; 15849; 15850; 15851; 15852; 15853; 15854; 15855; 15859; 16479; 18561

AU_ID: 1007B_02 From State Highway 6 upstream to Clodine Road

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	TWQS-Appendix D	Limited	TWQS-Appendix D

Station ID(s): 15848

SegID: 1007C Keegans Bayou Above Tidal (unclassified water body)

From the Brays Bayou confluence upstream to Harris County line

Segment Type Freshwater Stream

AU_ID: 1007C_01 From the Brays Bayou confluence to the Harris County Line

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Limited	TWQS-Appendix D

Station ID(s): 11169; 20211

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1007D Sims Bayou Above Tidal (unclassified water body)

Perennial stream from 11.0 km upstream of confluence with Houston Ship Channel upstream to Hiram Clark Drive

Segment Type Freshwater Stream

AU_ID: 1007D_01 From Fort Bend Parkway to Hiram Clarke

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Limited	TWQS-Appendix D

Station ID(s): 11135; 17976

AU_ID: 1007D_02 From Hiram Clarke to 11 miles upstream of the confluence with the Houston Ship Channel

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Limited	TWQS-Appendix D

Station ID(s): 11133; 15876

AU_ID: 1007D_03 From 11 miles upstream of the Houston Ship Channel confluence to SH 35

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D

Station ID(s): 11132; 15877; 15878

SegID: 1007E Willow Waterhole Bayou Above Tidal (unclassified water body)

From the Brays Bayou confluence upstream to South Garden (in Missouri City)

Segment Type Freshwater Stream

AU_ID: 1007E_01 From the Brays Bayou confluence upstream to South Garden Street

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Limited	TWQS-Appendix D

Station ID(s): 16652

SegID: 1007F Berry Bayou Above Tidal (unclassified water body)

From a point 2.4 km (1.5 mi) upstream of the Sims Bayou confluence to the southern city limits of South Houston

Segment Type Freshwater Stream

AU_ID: 1007F_01 From a point 2.4 km (1.5 mi) upstream of the Sims Bayou confluence to SH 3

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Limited	TWQS-Appendix D

Station ID(s): 16661

SegID: 1007G Kuhlman Gully Above Tidal (unclassified water body)

From Brays Bayou confluence to Atchison, Topeka and Santa Fe Railroad tracks in Harris County

Segment Type Freshwater Stream

AU_ID: 1007G_01 From Brays Bayou confluence to Atchison, Topeka and Santa Fe Railroad tracks

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	High	TWQS-Appendix D

Station ID(s): 16653

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1007H Pine Gully Above Tidal (unclassified water body)

From the Sims Bayou confluence to 0.11 km (0.07 mi) east of Broadway Street in Harris County

Segment Type Freshwater Stream

AU_ID: 1007H_01 From the Sims Bayou confluence to 0.11 km (0.07 mi) east of Broadway Street

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D

Station ID(s): 16659

SegID: 1007I Plum Creek Above Tidal (unclassified water body)

From the Sims Bayou confluence to Telephone Road in Harris County

Segment Type Freshwater Stream

AU_ID: 1007I_01 From the Sims Bayou confluence to Telephone Road in Harris County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D

Station ID(s): 16658

SegID: 1007K Country Club Bayou Above Tidal (unclassified water body)

From just downstream of South Lockwood Drive to the confluence with Brays Bayou to approximately 0.5 miles upstream of North Wayside Drive in Harris County

Segment Type Freshwater Stream

AU_ID: 1007K_01 From just downstream of South Lockwood Drive to the confluence with Brays Bayou

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D

Station ID(s): 16650; 16651

SegID: 1007L Unnamed Tributary of Brays Bayou (unclassified water body)

From the Brays Bayou confluence near Fondren Road to a point 0.97 km (0.60 mi) upstream in Harris County

Segment Type Freshwater Stream

AU_ID: 1007L_01 From the Brays Bayou confluence near Fondren Road to a point (0.37 km) 0.60 miles upstream in Harris County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D

Station ID(s): 16654

SegID: 1007M Unnamed Tributary of Hunting Bayou (unclassified water body)

From the confluence with Hunting Bayou to Mercury Road in Harris County

Segment Type Freshwater Stream

AU_ID: 1007M_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D

Station ID(s): 16657

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1007N Unnamed Tributary of Sims Bayou (unclassified water body)

From the confluence with Sims Bayou, south of Airport Road, east of SH 288 in Harris County

Segment Type Freshwater Stream

AU_ID: 1007N_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D

Station ID(s): 16655

SegID: 1007O Unnamed Tributary of Buffalo Bayou (unclassified water body)

From the confluence with Buffalo Bayou to IH-10 between Hirsch Road and Lockwood in Harris County

Segment Type Freshwater Stream

AU_ID: 1007O_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D

Station ID(s): 16649; 17977

SegID: 1007R Hunting Bayou Above Tidal (unclassified water body)

From the confluence with Hunting Bayou Tidal at IH-10 to Maury Street on the north fork and Bain Street on the south fork

Segment Type Freshwater Stream

AU_ID: 1007R_01 From Bain Street to Sayers Street (South Fork)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D

Station ID(s): 15869; 15872

AU_ID: 1007R_02 From just east of Elysian Street to Falls Street (North Fork)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D

Station ID(s): 11131; 15867; 15868

AU_ID: 1007R_03 From Falls Street to Loop 610 East

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D

Station ID(s): 11129; 15873

AU_ID: 1007R_04 From Loop 610 East to IH 10

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D

Station ID(s): 11128; 20574

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1007S Poor Farm Ditch (unclassified water body)

From the Brays Bayou confluence upstream 3.6 km (2.3 mi) to the Bissonnet Road bridge crossing

Segment Type Freshwater Stream

AU_ID: 1007S_01 *From the Brays Bayou confluence upstream 3.6 km (2.3 mi) to the Bissonnet Road bridge crossing*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D

Station ID(s): 18692

SegID: 1007T Bintliff Ditch (unclassified water body)

From the Brays Bayou confluence upstream 5.8 km (3.6 mi) to the Fondren Road bridge crossing

Segment Type Freshwater Stream

AU_ID: 1007T_01 *From the Brays Bayou confluence to 0.57 km (0.35 mi) upstream of the Fondren Road bridge crossing*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D

Station ID(s): 18690

SegID: 1007U Mimosa Ditch (unclassified water body)

From the Brays Bayou confluence upstream 2.9 km (1.8 mi) to the Chimney Rock bridge crossing

Segment Type Freshwater Stream

AU_ID: 1007U_01 *From the Brays Bayou confluence upstream 2.9 km (1.8 mi) to the Chimney Rock bridge crossing*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D

Station ID(s): 18691

SegID: 1007V Unnamed Tributary of Hunting Bayou (unclassified water body)

From the Hunting Bayou confluence to 1.7 km (1.1 mi) upstream of the confluence (0.3 km west of Collingsworth Street)

Segment Type Freshwater Stream

AU_ID: 1007V_01 *From the Hunting Bayou confluence to 1.7 km (1.1 mi) upstream of the confluence (0.3 km west of Collingsworth Street)*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D

Station ID(s): 18689

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1008 Spring Creek

From the confluence with the West Fork San Jacinto River in Harris/Montgomery County to the most upstream crossing of FM 1736 in Waller County

Segment Type Freshwater Stream

AU_ID: 1008_01 FM 1736 to Field Store Road

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): No Stations

AU_ID: 1008_02 Field Store Road to SH 249

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 11314; 11315; 11323

AU_ID: 1008_03 SH 249 to IH 45

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 11313; 17489; 18198

AU_ID: 1008_04 IH 45 to confluence with Lake Houston

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 11311; 11312; 18868

SegID: 1008A Mill Creek (unclassified water body)

Perennial stream from the normal pool elevation of Neidigk Lake upstream to the confluence of Hurricane Creek and Kickapoo Creek

Segment Type Freshwater Stream

AU_ID: 1008A_01 From the normal pool elevation of Neidigk Lake upstream to the Hurricane Creek and Kickapoo Creek confluences

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D

Station ID(s): 16604; 20461

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1008B Upper Panther Branch (unclassified water body)

From the normal pool elevation of 125 feet of Lake Woodlands upstream to Old Conroe Road

Segment Type Freshwater Stream

AU_ID: 1008B_01 *From Old Conroe Road to a point 0.22 miles (0.35 km) upstream of the Bear Branch confluence*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	WQS/Permits program	Limited	Previous TCEQ Permit Decision

Station ID(s): 16629; 16632; 16634

AU_ID: 1008B_02 *From a point a point 0.22 miles (0.35 km) upstream of the Bear Branch confluence to the confluence of Lake Woodlands*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	TWQS-Appendix D	Limited	TWQS-Appendix D

Station ID(s): 16630

SegID: 1008C Lower Panther Branch (unclassified water body)

From the Spring Creek confluence upstream to the dam impounding Lake Woodlands in Montgomery County

Segment Type Freshwater Stream

AU_ID: 1008C_01 *From Spring Creek confluence upstream to Saw Dust Road*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D

Station ID(s): 16628

AU_ID: 1008C_02 *From Saw Dust Road to the Lake Woodlands Dam*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D

Station ID(s): 16627

SegID: 1008E Bear Branch (unclassified water body)

From the Upper Panther Branch confluence to south of FM 1488 in Montgomery County

Segment Type Freshwater Stream

AU_ID: 1008E_01 *From Upper Panther Branch confluence to south of FM 1488*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type

Station ID(s): 16631

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1008F Lake Woodlands (unclassified water body)

From Lake Woodlands Dam to confluence with Upper Panther Branch Creek in Montgomery County (impounds Upper Panther Branch)

Segment Type Reservoir

AU_ID: 1008F_01 Upper end of segment to Northshore Park/Woodlock Forest

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	Presumption from Flow Type

Station ID(s): 16484; 20568

AU_ID: 1008F_02 Northshore Park/Woodlock Forest to inflow from unnamed tributary

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	Presumption from Flow Type

Station ID(s): 16483

AU_ID: 1008F_03 From inflow of unnamed tributary to dam

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	Presumption from Flow Type

Station ID(s): 16482

AU_ID: 1008F_04 Arm near dam adjacent to West Isle Drive and Pleasure Cove Drive

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	Presumption from Flow Type

Station ID(s): 16481

SegID: 1008H Willow Creek (unclassified water body)

From the Spring Creek confluence to a point 0.48 km (0.3 mi) north of Juergen Rd

Segment Type Freshwater Stream

AU_ID: 1008H_01 From the Spring Creek confluence to a point 0.48 km (0.3 mi) north of Juergen Rd

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 11185; 16426

SegID: 1008I Walnut Creek (unclassified water body)

From the Spring Creek confluence to a point 41.1 km (25.5 mi) upstream

Segment Type Freshwater Stream

AU_ID: 1008I_01 From the Spring Creek confluence to a point 41.1 km (25.5 mi) upstream

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 20462

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1008J Brushy Creek (unclassified water body)

From the Spring Creek confluence upstream to a point 5.6 km (3.5 mi) upstream of FM 1488

Segment Type Freshwater Stream

AU_ID: 1008J_01 *From the Spring Creek confluence upstream to a point 5.6 km (3.5 mi) upstream of FM 1488*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 20463

SegID: 1008M Sulphur Branch (unclassified water body)

Intermittent stream with perennial pools from an unnamed reservoir, known locally as Lake Apache, upstream to FM 1774. The unnamed reservoir impounds Sulphur Branch approximately 0.8 km upstream of the confluence with Walnut Creek

Segment Type Freshwater Stream

AU_ID: 1008M_01 *Entire water body*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
not available	not available	not available	not available

Station ID(s): 18394

SegID: 1009 Cypress Creek

From the confluence with Spring Creek in Harris County to the confluence of Snake Creek and Mound Creek in Waller County

Segment Type Freshwater Stream

AU_ID: 1009_01 *Upper portion of segment to downstream of US 290*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 11333; 20457

AU_ID: 1009_02 *US 290 to SH 249*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 11331; 11332

AU_ID: 1009_03 *SH 249 to IH 45*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 11328; 11330

AU_ID: 1009_04 *IH 45 to confluence with Spring Creek*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 11324

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1009C Faulkey Gully (unclassified water body)

From the Cypress Creek confluence to a point 11.7 km (7.2 mi) upstream

Segment Type Freshwater Stream

AU_ID: 1009C_01 From the Cypress Creek confluence to a point 11.7 km (7.2 mi) upstream

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	Flow Questionnaire	Minimal	Presumption from Flow Type

Station ID(s): 17496

SegID: 1009D Spring Gully (unclassified water body)

Perennial stream from a point 1 km downstream of Louetta Road upstream to Spring Cypress Road

Segment Type Freshwater Stream

AU_ID: 1009D_01 Perennial stream from a point 1 km downstream of Louetta Road upstream to Spring Cypress Road

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 17481

SegID: 1009E Little Cypress Creek (unclassified water body)

From the Cypress Creek confluence to a point 11 km (6.8 mi) upstream in Harris County

Segment Type Freshwater Stream

AU_ID: 1009E_01 From the Cypress Creek confluence to a point 11 km (6.8 mi) upstream

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Flow Questionnaire	High	Presumption from Flow Type

Station ID(s): 14159; 20456

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1010 Caney Creek

From the confluence with the East Fork San Jacinto River in Harris County to SH 150 in Walker County

Segment Type Freshwater Stream

AU_ID: 1010_01 Remaining portion of upper segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): No Stations

AU_ID: 1010_02 From FM 1097 to SH 105

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 14241; 20453

AU_ID: 1010_03 From SH 105 to FM 2090

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 11335

AU_ID: 1010_04 From FM 2090 to lower segment boundary

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 11334; 20452

SegID: 1010C Spring Branch (unclassified water body)

From the Caney Creek confluence to a point 0.54 km (0.34 mi) upstream of SH 105

Segment Type Freshwater Stream

AU_ID: 1010C_01 From the Caney Creek confluence to a point 0.54 km (0.34 mi) upstream of SH 105

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 20451

SegID: 1011 Peach Creek

From the confluence with Caney Creek in Montgomery County to SH 150 in Walker County

Segment Type Freshwater Stream

AU_ID: 1011_01 Upper segment boundary to US Hwy 59

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 11337; 11338; 16625; 20454

AU_ID: 1011_02 US Hwy 59 to confluence with Caney Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 11336; 17746

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1012 Lake Conroe

From Conroe Dam in Montgomery County up to the normal pool elevation of 201 feet (impounds West Fork San Jacinto River)

Segment Type Reservoir

AU_ID: 1012_01 West Fork San Jacinto River arm to FM1375

<u>Flow Type</u> reservoir	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): 11344

AU_ID: 1012_02 FM 1375 to Johnson Bluff

<u>Flow Type</u> reservoir	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): 16645

AU_ID: 1012_03 Lewis Creek arm

<u>Flow Type</u> reservoir	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): 16644; 18495; 18496; 18497

AU_ID: 1012_04 Caney Creek arm to Hunters Point

<u>Flow Type</u> reservoir	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): 13921; 16643; 18492; 18493; 18494

AU_ID: 1012_05 Johnson Bluff to FM 1097

<u>Flow Type</u> reservoir	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): 13920; 16642

AU_ID: 1012_06 Little Lake Creek arm to Walden Estates

<u>Flow Type</u> reservoir	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): 13919; 16640

AU_ID: 1012_07 Lewis Creek arm to Bowsprit Point

<u>Flow Type</u> reservoir	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): 16641

AU_ID: 1012_08 Atkins Creek/Stewart Creek arm

<u>Flow Type</u> reservoir	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): 13916; 16638

AU_ID: 1012_09 Live Branch Creek arm

<u>Flow Type</u> reservoir	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): No Stations

2012 Texas Water Quality Inventory Water Bodies Evaluated

AU_ID: 1012_10 FM 1097 to Walden Estates (main lake)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): No Stations

AU_ID: 1012_11 Walden Estates to dam

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 11342; 13915; 13917; 13918; 16639; 18446

SegID: 1013 Buffalo Bayou Tidal

From a point 100 meters (110 yards) upstream of US 59 in Harris County to a point 400 meters (440 yards) upstream of Shepherd Drive in Harris County

Segment Type Tidal Stream

AU_ID: 1013_01 From a point immediately upstream of US 59 to a point immediately upstream of Shepard Drive

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	TSWQS	Intermediate	TWQS-Appendix A

Station ID(s): 11345; 11347; 11351; 11382; 15825; 15843; 20570

SegID: 1013A Little White Oak Bayou (unclassified water body)

From the White Oak Bayou confluence to Yale Street in Harris County

Segment Type Freshwater Stream

AU_ID: 1013A_01 From the confluence of White Oak Bayou upstream to the RR Tracks north of IH 610

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D

Station ID(s): 11148; 16648

SegID: 1013C Unnamed Non-Tidal Tributary of Buffalo Bayou Tidal (unclassified water body)

Located approximately 1.8 miles upstream of the Buffalo Bayou/White Oak Bayou confluence between IH-10 and Memorial Drive west of IH-45 in Harris County

Segment Type Freshwater Stream

AU_ID: 1013C_01 Entire Segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 16675

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1014 Buffalo Bayou Above Tidal

From a point 400 meters (440 yards) upstream of Shepherd Drive in Harris County to SH 6 in Harris County

Segment Type Freshwater Stream

AU_ID: 1014_01 From a point immediately upstream of Shepherd Drive upstream to SH 6

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Limited	TWQS-Appendix A

Station ID(s): 11353; 11354; 11356; 11357; 11358; 11359; 11360; 11361; 11362; 11363; 11364; 15844; 15845; 15846; 20212

SegID: 1014A Bear Creek (unclassified water body)

Perennial stream from the confluence with South Mayde Creek upstream to the confluence with an unnamed tributary 1.24 km north of Longenbaugh Road

Segment Type Freshwater Stream

AU_ID: 1014A_01 Confluence with South Mayde Creek to a point upstream of an unnamed tributary north of Langenbaugh Road

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D

Station ID(s): 11166; 17484

SegID: 1014B Buffalo Bayou/Barker Reservoir (unclassified water body)

Perennial stream from SH 6 in Harris County upstream to the confluence with Willow Fork Buffalo Bayou in Fort Bend County

Segment Type Freshwater Stream

AU_ID: 1014B_01 From SH 6 to the confluence with Willow Fork Buffalo Bayou

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D

Station ID(s): 11145; 16428; 17492; 18411

SegID: 1014C Horsepen Creek (unclassified water body)

From the Langham Creek confluence upstream to a point 0.1 km (0.06 mi) west of Barker Cypress Road

Segment Type Freshwater Stream

AU_ID: 1014C_01 From the Langham Creek confluence upstream to where channelization begins, 0.62 km (0.39 mi) north of FM 529

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D

Station ID(s): 11158; 20465

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1014E Langham Creek (unclassified water body)

From the Dinner Creek confluence upstream to FM 529

Segment Type Freshwater Stream

AU_ID: 1014E_01 *From the Bear Creek confluence upstream to the Dinner Creek confluence*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D

Station ID(s): 17482

SegID: 1014H South Mayde Creek (unclassified water body)

From the Buffalo Bayou confluence upstream to an unnamed tributary 1.05 km (0.65 mi) south of Clay Road

Segment Type Freshwater Stream

AU_ID: 1014H_01 *From the Buffalo Bayou confluence upstream to the confluence with an unnamed tributary 0.62 km (0.39 mi) east of Barker-Cypress Road*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D

Station ID(s): 11163; 11165; 18413

AU_ID: 1014H_02 *From the confluence with an unnamed tributary 0.62 km (0.39 mi) east of Barker-Cypress Road upstream to an unnamed tributary 1.05 km (0.65 mi) south of Clay Road*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Limited	TWQS-Appendix D

Station ID(s): 17493

SegID: 1014K Turkey Creek (unclassified water body)

From the South Mayde Creek confluence upstream to a point 1.1 km (0.68 mi) directly east of FM 529 in Harris County

Segment Type Freshwater Stream

AU_ID: 1014K_01 *From the South Mayde Creek confluence upstream to 0.17 km (0.1 mi) south of Clay Road*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D

Station ID(s): 11164; 15847

AU_ID: 1014K_02 *From 0.17 km (0.1 mi) south of Clay Road upstream to FM 529 1.1 km (0.68 mi) directly east of N. Eldridge Pkwy*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D

Station ID(s): 17330; 17483

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1014L Mason Creek (unclassified water body)

From the Buffalo Bayou confluence upstream to Mason Road upstream to 0.32 km (0.2 mi) east of Katyland Drive

Segment Type Freshwater Stream

AU_ID: 1014L_01 From the Buffalo Bayou confluence upstream to Mason Road

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D

Station ID(s): 17494; 18410; 18412

SegID: 1014M Newman Branch (Neimans Bayou) (unclassified water body)

From the Buffalo Bayou Above Tidal confluence to 0.1 km (0.06 mi) upstream of Hammerly Blvd in Harris County

Segment Type Freshwater Stream

AU_ID: 1014M_01 From the Buffalo Bayou confluence to 0.1 km (0.06 mi) upstream of Hammerly Blvd

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D

Station ID(s): 16597; 20611

SegID: 1014N Rummel Creek (unclassified water body)

From the Buffalo Bayou Above Tidal confluence to 1.2 km (0.75 mi) upstream of IH-10 in Harris County

Segment Type Freshwater Stream

AU_ID: 1014N_01 From the Buffalo Bayou Above Tidal confluence to 1.2 km (0.75 mi) upstream of IH-10

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D

Station ID(s): 11188

SegID: 1014O Spring Branch (unclassified water body)

From Buffalo Bayou Above Tidal confluence to 1.4 km (0.87 mi) upstream of Long Point Road in Harris County

Segment Type Freshwater Stream

AU_ID: 1014O_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D

Station ID(s): 16591; 16592

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1015 Lake Creek

From the confluence with the West Fork San Jacinto River in Montgomery County to a point 4.0 km (2.5 miles) upstream of SH 30 in Grimes County

Segment Type Freshwater Stream

AU_ID: 1015_01 *From the West Fork of the San Jacinto River confluence upstream to the Landrum Creek confluence*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 11367; 18191

AU_ID: 1015_02 *From the Landrum Creek confluence upstream to a point 4.0 km (2.5 mi) upstream of State Hwy 30*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 18192; 18194

SegID: 1015A Mound Creek (unclassified water body)

From the Lake Creek confluence upstream to a point 1.1 km (0.69 mi) east of FM 149

Segment Type Freshwater Stream

AU_ID: 1015A_01 *From the Lake Creek confluence upstream to the confluence with an unnamed tributary approximately 0.75 km (0.47 mi) downstream of Rabon-Chapel Road*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	High	TWQS-Appendix D

Station ID(s): 17936; 17937

SegID: 1015B Caney Creek (unclassified water body)

From the Lake Creek confluence upstream to a point 2.4 km (1.5 mi) south of FM 1774

Segment Type Freshwater Stream

AU_ID: 1015B_01 *From the Lake Creek confluence upstream to a point 2.4 km (1.5 mi) south of FM 1774*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 18193

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1016 Greens Bayou Above Tidal

From a point 0.7 km (0.4 miles) above the confluence of Halls Bayou in Harris County to a point 100 meters (110 yards) above FM 1960 in Harris County

Segment Type Freshwater Stream

AU_ID: 1016_01 *Upper segment boundary (FM 1960) to IH 45*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Limited	TWQS-Appendix A

Station ID(s): 11368; 11374; 11376; 17495

AU_ID: 1016_02 *IH 45 to US 59*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Limited	TWQS-Appendix A

Station ID(s): 11371; 13778

AU_ID: 1016_03 *From US 59 to the downstream boundary 0.7 km (0.4 miles) upstream of the Halls Bayou confluence*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Limited	TWQS-Appendix A

Station ID(s): 11369; 11370

SegID: 1016A Garners Bayou (unclassified water body)

Perennial stream from the confluence with Williams Gully upstream to 1.5 km north Atascocita Road

Segment Type Freshwater Stream

AU_ID: 1016A_02 *From the confluence with Williams Gully upstream to 1.5 km north of Atascocita Road*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Limited	TWQS-Appendix D

Station ID(s): 16589

AU_ID: 1016A_03 *From the confluence with Greens Bayou to confluence with Williams Gully*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D

Station ID(s): 11125

SegID: 1016B Unnamed Tributary of Greens Bayou (unclassified water body)

From confluence with Greens Bayou to Hirsch Road in Harris County

Segment Type Freshwater Stream

AU_ID: 1016B_01 *Entire water body*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Limited	TWQS-Appendix D

Station ID(s): 16590; 20024

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1016C Unnamed Tributary of Greens Bayou (unclassified water body)

From the confluence with Greens Bayou, east of Aldine Westfield Road, to the Hardy Toll Road in Harris County

Segment Type Freshwater Stream

AU_ID: 1016C_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Limited	TWQS-Appendix D

Station ID(s): 11124

SegID: 1016D Unnamed Tributary of Greens Bayou (unclassified water body)

From the confluence with Greens Bayou, west of El Dorado Country Club to Lee Road, west of US Hwy 59 in Harris County

Segment Type Freshwater Stream

AU_ID: 1016D_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D

Station ID(s): 16676

SegID: 1017 Whiteoak Bayou Above Tidal

From a point immediately upstream of the confluence of Little White Oak Bayou in Harris County to a point 3.0 km (1.9 miles) upstream of FM 1960 in Harris County

Segment Type Freshwater Stream

AU_ID: 1017_01 Huffmeister Rd to the confluence with Vogel Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Limited	TWQS-Appendix A

Station ID(s): 11394; 11395; 11396

AU_ID: 1017_02 Vogel Creek to the Cole Creek confluence

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Limited	TWQS-Appendix A

Station ID(s): 15831

AU_ID: 1017_03 Cole Creek confluence to the Brickhouse Gully confluence

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Limited	TWQS-Appendix A

Station ID(s): 15829

AU_ID: 1017_04 Brickhouse Gully confluence to a point immediately upstream of the confluence of Little White Oak Bayou in Harris Co. (lower segment boundary)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Limited	TWQS-Appendix A

Station ID(s): 11387; 11389; 11390; 15826; 15827; 15828; 16637

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1017A Brickhouse Gully/Bayou (unclassified water body)

Perennial stream from the confluence with Whiteoak Bayou up to Gessner Road

Segment Type Freshwater Stream

AU_ID: 1017A_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Limited	TWQS-Appendix D

Station ID(s):	16594
-----------------------	-------

SegID: 1017B Cole Creek (unclassified water body)

Perennial stream from the confluence with White Oak Bayou up to south of Beltway 8

Segment Type Freshwater Stream

AU_ID: 1017B_02 From Flintlock Street to confluence with White Oak Bayou

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Limited	TWQS-Appendix D

Station ID(s):	16593
-----------------------	-------

SegID: 1017C Vogel Creek (unclassified water body)

From the White Oak Bayou Above Tidal confluence to a point 3.2 km (2.0 mi) upstream of the White Oak Bayou confluence to just south of State Hwy 249 in Harris County

Segment Type Freshwater Stream

AU_ID: 1017C_01 From the White Oak Bayou confluence to a point 3.2 km (2.0 mi) upstream

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Limited	TWQS-Appendix D

Station ID(s):	11155; 18640; 18641
-----------------------	---------------------

SegID: 1017D Unnamed Tributary of Whiteoak Bayou (unclassified water body)

From the confluence with White Oak Bayou downstream of TC Jester, to Hempstead Hwy, north of US Hwy 290 in Harris County

Segment Type Freshwater Stream

AU_ID: 1017D_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Limited	TWQS-Appendix D

Station ID(s):	16595
-----------------------	-------

SegID: 1017E Unnamed Tributary of White Oak Bayou (unclassified water body)

From the confluence with White Oak, near W 11th Street, to just upstream of W 26th Street, south of Loop 610 W in Harris County

Segment Type Freshwater Stream

AU_ID: 1017E_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Limited	TWQS-Appendix D

Station ID(s):	16596
-----------------------	-------

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1017F Rolling Fork Creek (unclassified water body)

From the White Oak Bayou Above Tidal confluence to a point 3.9 km (2.4 mi) upstream

Segment Type Freshwater Stream

AU_ID: 1017F_01 From the White Oak Bayou Above Tidal confluence to a point 3.9 km (2.4 mi) upstream

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	Intermediate	Presumption from Flow Type

Station ID(s): 11157

SegID: 1101 Clear Creek Tidal

From the Clear Lake confluence at a point 3.2 km (2.0 miles) downstream of El Camino Real in Galveston/Harris County to a point 100 m (110 yards) upstream of FM528 in Galveston/Harris County

Segment Type Tidal Stream

AU_ID: 1101_01 Upper segment boundary to Chigger Creek confluence

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	TSWQS	High	TWQS-Appendix A

Station ID(s): 11448

AU_ID: 1101_02 Chigger Creek confluence to IH 45

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	TSWQS	High	TWQS-Appendix A

Station ID(s): 11447; 16576; 16577

AU_ID: 1101_03 IH 45 to Cow Bayou confluence

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	TSWQS	High	TWQS-Appendix A

Station ID(s): 11446; 15458; 16575

AU_ID: 1101_04 Cow Bayou confluence to confluence with Clear Lake

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	TSWQS	High	TWQS-Appendix A

Station ID(s): 16572; 16573; 16985

SegID: 1101A Magnolia Creek (unclassified water body)

From the Clear Creek Tidal confluence upstream to 0.8 km (0.5 mi) upstream of the confluence with the second unnamed tributary

Segment Type Freshwater Stream

AU_ID: 1101A_01 From the Clear Creek Tidal confluence upstream 7.7 km (4.8 mi)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	TWQS-Appendix D	Intermediate	TWQS-Appendix D

Station ID(s): 16611

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1101B Chigger Creek (unclassified water body)

From the confluence with Clear Creek Tidal to the Brazos River Authority Canal near CR 143 in Galveston County

Segment Type Freshwater Stream

AU_ID: 1101B_01 From the headwaters to FM 528

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Water body description	Limited	Presumption from Flow Type

Station ID(s): 16493; 17072; 17078

AU_ID: 1101B_02 FM 528 to the confluence with Clear Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Water body description	Limited	Presumption from Flow Type

Station ID(s): 16472; 18817

SegID: 1101C Cow Bayou (unclassified water body)

From the Clear Creek Tidal confluence to SH 3 in Galveston County

Segment Type Tidal Stream

AU_ID: 1101C_01 From the Clear Creek Tidal confluence to SH3

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 17928

SegID: 1101D Robinson Bayou (unclassified water body)

From confluence with Clear Creek 0.33 mile upstream of Webster Street in Galveston County

Segment Type Tidal Stream

AU_ID: 1101D_01 From Clear Creek Tidal confluence to 0.05 km (0.03 mi) upstream of Hewitt Street

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 16475; 16486

SegID: 1101E Unnamed Trib of Clear Creek Tidal (unclassified water body)

From Clear Creek Tidal confluence to a point 3.2 km (2.0 mi) immediately downstream of I-45 in Galveston County

Segment Type Tidal Stream

AU_ID: 1101E_01 From the Clear Creek Tidal confluence to a point 3.0 km (1.9 mi) upstream

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 18818

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1101F Unnamed Tributary of Clear Creek Tidal (unclassified water body)

From Clear Creek Tidal confluence to a point 7.8 km (4.8 mi) upstream (immediately downstream of I-45 in Galveston County)

Segment Type Freshwater Stream

AU_ID: 1101F_01 *From the Clear Creek Tidal confluence to a point 7.9 km (4.9 mi) upstream (immediately downstream of IH 45)*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 18591

SegID: 1102 Clear Creek Above Tidal

From a point 100 meters (110 yards) upstream of FM 528 in Galveston/Harris County to Rouen Road in Fort Bend County

Segment Type Freshwater Stream

AU_ID: 1102_01 *Upper segment boundary (Rouen Road) to SH 288*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 17073; 18634; 20009

AU_ID: 1102_02 *SH 288 to Hickory Slough confluence*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 11452; 11453; 17076; 17077; 17079; 18382; 18384

AU_ID: 1102_03 *Hickory Slough confluence to Turkey Creek confluence*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 11451; 14229; 17074; 18386; 20010

AU_ID: 1102_04 *Turkey Creek confluence to Mary's Creek confluence*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 11450

AU_ID: 1102_05 *Mary's Creek confluence to lower segment boundary*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 11449

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1102A Cowart Creek (unclassified water body)

From the Clear Creek Above Tidal confluence in Galveston County to SH 35 in Brazoria County

Segment Type Freshwater Stream

AU_ID: 1102A_01 Sunset Drive to SH 35

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	TWQS-Appendix D	Limited	TWQS-Appendix D
Station ID(s): 11426; 11427; 11429; 16477; 16678; 18381			

AU_ID: 1102A_02 Confluence with Clear Creek to Sunset Drive

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	TWQS-Appendix D	Limited	TWQS-Appendix D
Station ID(s): 11425; 16478			

SegID: 1102B Mary's Creek/ North Fork Mary's Creek (unclassified water body)

Perennial stream from the confl. With Clear Creek to confl. With N. and S. Fork Mary's Creek near FM 1128, approx. 5 km SW Pearland. Includes perennial portion of N. Fork Mary's Creek to confl. with unnamed trib approx. 3.2 km upstrm of FM 1128

Segment Type Freshwater Stream

AU_ID: 1102B_01 From the Clear Creek Above Tidal confluence upstream to the N. and S. Fork Mary's Creek near FM 1128

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D
Station ID(s): 16473; 16803; 17914; 17915; 17916; 17918; 18635; 18637; 18638; 20210			

SegID: 1102C Hickory Slough (unclassified water body)

From the Clear Creek Above Tidal confluence to a point 0.69 km (0.43 mi) upstream of Mykawa Road

Segment Type Freshwater Stream

AU_ID: 1102C_01 From the Clear Creek Above Tidal confluence to a point 0.69 km (0.43 mi) upstream of Mykawa Road

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type
Station ID(s): 17068			

SegID: 1102D Turkey Creek (unclassified water body)

From the Clear Creek Above Tidal confluence to a point 0.98 km (0.61 mi) upstream of Scarsdale Blvd

Segment Type Freshwater Stream

AU_ID: 1102D_01 From the Clear Creek Above Tidal confluence to a point 0.98 km (0.61 mi) upstream of Scarsdale Blvd

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type
Station ID(s): 17069			

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1102E Mud Gully (unclassified water body)

From the Clear Creek Above Tidal confluence to a point 0.80 km (0.49 mi) downstream of Hughes Road

Segment Type Freshwater Stream

AU_ID: 1102E_01 *From the Clear Creek Above Tidal confluence to a point 0.80 km (0.49 mi) downstream of Hughes Road*

Flow Type
perennial

Flow Type Source
Routine Flow Data

ALU Designation
High

ALU Designation Source
Presumption from Flow Type

Station ID(s): 17070; 17071

SegID: 1102F Mary's Creek Bypass (unclassified water body)

From the Mary's Creek confluence NE of FM 518 to a point 0.96 km (0.60 mi) upstream to the Mary's Creek confluence (NW of County Road 126)

Segment Type Freshwater Stream

AU_ID: 1102F_01 *From the Mary's Creek confluence NE of FM 518 to a point 0.96 km (0.60 mi) upstream to the Mary's Creek confluence (NW of County Road 126)*

Flow Type
perennial

Flow Type Source
Routine Flow Data

ALU Designation
High

ALU Designation Source
Presumption from Flow Type

Station ID(s): 17917; 18639

SegID: 1102G Unnamed Tributary of Mary's Creek (unclassified water body)

From the Mary's Creek confluence 1.3 km (0.84 mi) west of FM 1128 to a point 1.2 km (0.75 mi) upstream to the confluence of an unnamed tributary

Segment Type Freshwater Stream

AU_ID: 1102G_01 *From the Mary's Creek confluence 1.3 km (0.84 mi) west of FM 1128 to a point 1.2 km (0.75 mi) upstream to the confluence of an unnamed tributary*

Flow Type
perennial

Flow Type Source
Routine Flow Data

ALU Designation
High

ALU Designation Source
Presumption from Flow Type

Station ID(s): 18636

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1103 Dickinson Bayou Tidal

From the Dickinson Bay confluence 2.1 km (1.3 miles) downstream of SH 146 in Galveston County to a point 4.0 km (2.5 miles) downstream of FM 517 in Galveston County

Segment Type Tidal Stream

AU_ID: 1103_01 *From the Dickinson Bay confluence (downstream of State Hwy 146) upstream to the Gum Bayou confluence*

<u>Flow Type</u> tidal stream	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
----------------------------------	----------------------------------	--------------------------------	--

Station ID(s): 11455

AU_ID: 1103_02 *From the Gum Bayou confluence upstream to the Benson Bayou confluence*

<u>Flow Type</u> tidal stream	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
----------------------------------	----------------------------------	--------------------------------	--

Station ID(s): 11457; 11460; 16679; 16979

AU_ID: 1103_03 *From the Benson Bayou confluence upstream to the Bordens Gully confluence*

<u>Flow Type</u> tidal stream	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
----------------------------------	----------------------------------	--------------------------------	--

Station ID(s): 11461; 18650

AU_ID: 1103_04 *From the Bordens Gully confluence upstream to a point 4.0 km (2.5 mi) downstream of FM 517*

<u>Flow Type</u> tidal stream	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
----------------------------------	----------------------------------	--------------------------------	--

Station ID(s): 11462; 11463; 11464; 18649; 18651

SegID: 1103A Bensons Bayou (unclassified water body)

From the Dickinson Bayou confluence to point 0.6 km (0.37 mi) upstream of FM 646 in Galveston County

Segment Type Tidal Stream

AU_ID: 1103A_01 *From the Dickinson Bayou Tidal confluence to point 0.6 km (0.37 mi) upstream of FM 646*

<u>Flow Type</u> tidal stream	<u>Flow Type Source</u> Water body description	<u>ALU Designation</u> High	<u>ALU Designation Source</u> Presumption from Flow Type
----------------------------------	---	--------------------------------	---

Station ID(s): 16471; 20727

SegID: 1103B Bordens Gully (unclassified water body)

From the Dickinson Bayou Tidal confluence to a point 1.4 km (0.87 mi) upstream of FM 646 in Galveston County

Segment Type Tidal Stream

AU_ID: 1103B_01 *From the Dickinson Bayou Tidal confluence to a point 1.4 km (0.87 mi) upstream of FM 646*

<u>Flow Type</u> tidal stream	<u>Flow Type Source</u> Water body description	<u>ALU Designation</u> High	<u>ALU Designation Source</u> Presumption from Flow Type
----------------------------------	---	--------------------------------	---

Station ID(s): 16469; 20724

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1103C Geisler Bayou (unclassified water body)

From the Dickinson Bayou Tidal confluence to a point 1.37 km (0.85 mi) upstream of FM 646 in Galveston County

Segment Type Tidal Stream

AU_ID: 1103C_01 *From the Dickinson Bayou Tidal confluence to a point 1.37 km (0.85 mi) upstream of FM 646*

Flow Type
tidal stream

Flow Type Source
Water body description

ALU Designation
High

ALU Designation Source
Presumption from Flow Type

Station ID(s): 16470; 20726

SegID: 1103D Gum Bayou (unclassified water body)

From the Dickinson Bayou Tidal confluence to State Hwy 96 in Galveston County

Segment Type Tidal Stream

AU_ID: 1103D_01 *From Dickinson Bayou Tidal confluence to State Hwy 96*

Flow Type
tidal stream

Flow Type Source
Water body description

ALU Designation
High

ALU Designation Source
Presumption from Flow Type

Station ID(s): 11436

SegID: 1103E Cedar Creek (unclassified water body)

From the Dickinson Bayou Tidal confluence to a point 0.63 km (0.39 mi) upstream FM 517 in Galveston County

Segment Type Freshwater Stream

AU_ID: 1103E_01 *From the Dickinson Bayou Tidal confluence to a point 0.63 km (0.39 mi) upstream FM 517*

Flow Type
perennial

Flow Type Source
Water body description

ALU Designation
High

ALU Designation Source
Presumption from Flow Type

Station ID(s): 11434

SegID: 1103F Unnamed Tributary of Dickinson Bayou Tidal (unclassified water body)

From the Dickinson Bayou Tidal confluence to a point 0.36 km (0.22 mi) upstream of State Hwy 6

Segment Type Tidal Stream

AU_ID: 1103F_01 *From the Dickinson Bayou Tidal confluence to a point 0.36 km (0.22 mi) upstream of State Hwy 6*

Flow Type
tidal stream

Flow Type Source
Water body description

ALU Designation
High

ALU Designation Source
Presumption from Flow Type

Station ID(s): 20477

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1104 Dickinson Bayou Above Tidal

From a point 4.0 km (2.5 miles) downstream of FM 517 in Galveston County to FM 528 in Galveston County

Segment Type Freshwater Stream

AU_ID: 1104_01 *From the lower segment boundary (a point 4.0 km [2.5 mi] downstream of FM 517) to FM 528*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Intermediate	TWQS-Appendix A

Station ID(s): No Stations

AU_ID: 1104_02

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
not available	not available	not available	not available

Station ID(s): 11465; 11466; 11467; 11472

SegID: 1104A Unnamed Tributary of Dickinson Bayou Above Tidal (unclassified water body)

From the Dickinson Bayou Above Tidal confluence to State Hwy 6

Segment Type Freshwater Stream

AU_ID: 1104A_01 *From the Dickinson Bayou Above Tidal confluence to State Hwy 6*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 20475

SegID: 1105 Bastrop Bayou Tidal

From the Bastrop Bay confluence 1.1 km (0.7 miles) downstream of the Intracoastal Waterway in Brazoria County to Old Clute Road at Lake Jackson in Brazoria County

Segment Type Tidal Stream

AU_ID: 1105_01 *From the Bastrop Bay confluence 1.1 km (0.7 mi) downstream of the Intracoastal Waterway to Old Clute Road at Lake Jackson*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	TSWQS	High	TWQS-Appendix A

Station ID(s): 11475; 14652; 18049; 18502; 18503; 18504; 18505

SegID: 1105A Flores Bayou (unclassified water body)

From a point 2.6 km (1.6 mi) downstream of County Road 171 upstream to SH 35 in Brazoria County

Segment Type Freshwater Stream

AU_ID: 1105A_01 *From a point 2.6 km (1.6 mi) downstream of County Road 171 upstream to SH 35*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D

Station ID(s): 18508

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1105B Austin Bayou Tidal (unclassified water body)

From the Bastrop Bayou Tidal confluence to the FM 2004 bridge crossing in Brazoria County

Segment Type Tidal Stream

AU_ID: 1105B_01 From the Bastrop Bayou Tidal confluence to the FM 2004 bridge crossing

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	Water body description	High	Presumption from Flow Type

Station ID(s): 18507; 18730

SegID: 1105C Austin Bayou Above Tidal (unclassified water body)

From FM 2004 upstream (Austin Bayou Tidal upper boundary) to 0.3 km (0.19 mi) upstream of SH 288 in Brazoria County

Segment Type Freshwater Stream

AU_ID: 1105C_01 From FM 2004 upstream to 0.3 km (0.19 mi) upstream of SH 288

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 18048; 18506; 18731

SegID: 1105D Unnamed Tributary of Bastrop Creek (unclassified water body)

From the Bastrop Bayou Tidal confluence to 0.57 km (0.35 mi) upstream of SH 288 Bus in Brazoria County

Segment Type Freshwater Stream

AU_ID: 1105D_01 From the Bastrop Bayou Tidal confluence to 057 km (0.35 mi) upstream of SH 288 Bus

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Water body description	High	Presumption from Flow Type

Station ID(s): 18509; 18732

SegID: 1105E Brushy Bayou (unclassified water body)

From the confluence with Austin Bayou Above Tidal (1105C) upstream to end of canal approximately 0.4 miles upstream of FM 210 crossing east of the City of Angleton in Brazoria County.

Segment Type Freshwater Stream

AU_ID: 1105E_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Water body description	High	Presumption from Flow Type

Station ID(s): 20783

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1107 Chocolate Bayou Tidal

From the Chocolate Bay confluence 1.4 km (0.9 miles) downstream of FM 2004 to a point 4.2 km (2.6 miles) downstream of SH 35 in Brazoria County

Segment Type Tidal Stream

AU_ID: 1107_01 *From the Chocolate Bay confluence 1.4 km (0.9 mi) downstream of FM 2004 to a point 4.2 km (2.6 mi) downstream of SH 35*

Flow Type
tidal stream

Flow Type Source
TSWQS

ALU Designation
High

ALU Designation Source
TWQS-Appendix A

Station ID(s): 11478; 11480

SegID: 1108 Chocolate Bayou Above Tidal

From a point 4.2 km (2.6 miles) downstream of SH 35 in Brazoria County to SH 6 in Brazoria County

Segment Type Freshwater Stream

AU_ID: 1108_01 *From a point 4.2 km (2.6 mi) downstream of SH 35 to SH 6*

Flow Type
perennial

Flow Type Source
TSWQS

ALU Designation
High

ALU Designation Source
TWQS-Appendix A

Station ID(s): 11484

SegID: 1109 Oyster Creek Tidal

From the Intercoastal Waterway confluence to a point 100 meters (110 yards) upstream of FM 2004 in Brazoria County

Segment Type Tidal Stream

AU_ID: 1109_01 *From the Intracoastal Waterway confluence to a point 100 m (110 yds) upstream of FM 2004*

Flow Type
tidal stream

Flow Type Source
TSWQS

ALU Designation
High

ALU Designation Source
TWQS-Appendix A

Station ID(s): 11485; 11486

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1110 Oyster Creek Above Tidal

From a point 100 meters (110 yards) upstream of FM 2004 in Brazoria County to the Brazos River Authority diversion dam 1.8 km (1.1 miles) upstream of SH 6 in Fort Bend County

Segment Type Freshwater Stream

AU_ID: 1110_01 *From the lower segment boundary immediately upstream of FM 2004 to the Styles Bayou confluence*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 11489

AU_ID: 1110_02 *From Styles Bayou upstream to an unnamed tributary [2.9 km (1.8 mi) downstream of FM 1462]*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): No Stations

AU_ID: 1110_03 *From an unnamed tributary [2.9 km (1.8 mi) downstream of FM 1462] upstream to the Brazos River Diversion Dam*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 11493; 18208

SegID: 1111 Old Brazos River Channel Tidal

From the Intercoastal Waterway confluence to SH 288 in Brazoria County

Segment Type Estuary

AU_ID: 1111_01 *From the Intracoastal Waterway confluence State Hwy 288*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	High	TWQS-Appendix A

Station ID(s): 11498

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1113 Armand Bayou Tidal

From the Clear Lake confluence (at NASA Road 1 bridge) in Harris County to a point 0.8 km (0.5 miles) downstream of Genoa-Red Bluff Road in Pasadena in Harris County (includes Mud Lake/Pasadena Lake)

Segment Type Tidal Stream

AU_ID: 1113_01 From the Clear Lake confluence at Nasa Road 1 to the Horsepen Bayou confluence

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	TSWQS	High	TWQS-Appendix A

Station ID(s): | 11499; 11500; 11501; 15455

AU_ID: 1113_02 From the Horsepen Bayou confluence to the Big Island Slough confluence

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	TSWQS	High	TWQS-Appendix A

Station ID(s): | 11503; 17319; 17622

AU_ID: 1113_03 From the Big Island Slough confluence upstream to a point 0.8 km (0.5 mi) downstream of Genoa-Red Bluff Road

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	TSWQS	High	TWQS-Appendix A

Station ID(s): | 11505; 17623

SegID: 1113A Armand Bayou Above Tidal (unclassified water body)

From the upper segment boundary of Armand Bayou Tidal, 0.8 km (0.5 miles) downstream of Genoa-Red Bluff Road), upstream to Beltway 8 in Harris County

Segment Type Freshwater Stream

AU_ID: 1113A_01 From the upper segment boundary of Armand Bayou Tidal (point 0.8 km (0.5 miles) downstream of Genoa-Red Bluff Road) upstream to Beltway 8

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): | 11404; 11405; 17488

SegID: 1113B Horsepen Bayou Tidal (unclassified water body)

From the Armand Bayou confluence to the SH3

Segment Type Tidal Stream

AU_ID: 1113B_01 From the Armand Bayou confluence to the SH3

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	Water body description	High	Presumption from Flow Type

Station ID(s): | 11408; 11409; 17317; 17318; 17631

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1113C Unnamed Tributary to Horsepen Bayou (unclassified water body)

From the Horsepen Bayou confluence to Reseda Road

Segment Type Freshwater Stream

AU_ID: 1113C_01 From the Horsepen Bayou confluence to Reseda Drive

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Water body description	High	Presumption from Flow Type

Station ID(s): 17485

SegID: 1113D Willow Springs Bayou (unclassified water body)

From the Armand Bayou confluence to a point 2.8 km (1.8 mi) upstream to an unnamed tributary

Segment Type Freshwater Stream

AU_ID: 1113D_01 From the Armand Bayou confluence to a point 2.8 km (1.8 mi) upstream to an unnamed tributary

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Water body description	High	Presumption from Flow Type

Station ID(s): 17487; 20523

SegID: 1113E Big Island Slough (unclassified water body)

From the Armand Bayou confluence upstream to a point 2.4 km (1.5 mi) north of Spenser Hwy

Segment Type Freshwater Stream

AU_ID: 1113E_01 From the Armand Bayou confluence upstream to a point 2.4 km (1.5 mi) north of Spenser Hwy

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Water body description	High	Presumption from Flow Type

Station ID(s): 11402; 17486

SegID: 1201 Brazos River Tidal

From the confluence with the Gulf of Mexico in Brazoria County to a point 100 meters (110 miles) upstream of SH 332 in Brazoria County

Segment Type Tidal Stream

AU_ID: 1201_01 Entire segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	TSWQS	High	TWQS-Appendix A

Station ID(s): 11843; 16878

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1202 Brazos River Below Navasota River

From a point 100 meters (110 yards) upstream of SH 332 in Brazoria County to the confluence of the Navasota River in Grimes County

Segment Type Freshwater Stream

AU_ID: 1202_01 *Portion of the Brazos River from the confluence with the Brazos River Tidal in Brazoria County upstream to the confluence with Flat Bank Creek in Fort Bend County.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 16355

AU_ID: 1202_02 *Portion of the Brazos River from the confluence with Flat Bank Creek upstream to the confluence with Bessie's Creek in Fort Bend County.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 11846

AU_ID: 1202_03 *Portion of the Brazos River from the confluence with Bessie's Creek in Fort Bend County upstream to confluence with Mill Creek in Austin County.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 11848; 16387

AU_ID: 1202_04 *Portion of Brazos River from the confluence with Mill Creek in Austin County upstream to confluence with Lewisville Creek in Waller County.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 16386

AU_ID: 1202_05 *Portion of the Brazos River from confluence with Lewisville Creek in Waller County upstream to the confluence with the Navasota River in Grimes County.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 11850

SegID: 1202H Allen's Creek (unclassified water body)

From the confluence with the Brazos River, two miles northeast of Wallis, to the headwaters one mile north of IH 10 in Austin County.

Segment Type Freshwater Stream

AU_ID: 1202H_01 *Entire water body*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type

Station ID(s): 11577

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1202I Bessie's Creek (unclassified water body)

From the confluence with the Brazos River in Fort Bend County to the headwaters 1.5 miles east of Monaville in Waller County

Segment Type Freshwater Stream

AU_ID: 1202I_02 *Portion of Bessie's Creek from confluence with Dry Branch in Waller County upstream to headwaters of water body.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 18589

SegID: 1202J Big Creek (unclassified water body)

From the confluence of Cottonwood and Coon Creeks, 5 miles north of Needville in Fort Bend County, downstream to the confluence with the Brazos River

Segment Type Freshwater Stream

AU_ID: 1202J_01 *From the confluence with the Brazos River, upstream to the confluence with Fairchild's Creek in Fort Bend County*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Water body description	High	Presumption from Flow Type

Station ID(s): 16353; 16354; 17932

AU_ID: 1202J_02 *From the confluence with Fairchild's creek upstream to the confluence with Cottonwood and Coon Creeks in Fort Bend County*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	WQS/Permits program	Intermediate	Previous TCEQ Permit Decision

Station ID(s): 11518; 17551; 18393

SegID: 1202K Mill Creek (unclassified water body)

From confluence of East and West Mill Creeks downstream to confluence with Brazos River

Segment Type Freshwater Stream

AU_ID: 1202K_01 *Portion of Mill Creek from confluence with Brazos River upstream to confluence with East/West Forks Mill Creek in Austin County.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Flow Questionnaire	High	Presumption from Flow Type

Station ID(s): 11576

SegID: 1202P Pond Creek (unclassified water body)

From its confluence with Clear Creek upstream to its headwaters, 3 miles north of Prairie View in Waller County

Segment Type Freshwater Stream

AU_ID: 1202P_01 *entire water body*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type

Station ID(s): 11579

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1202Q Clear Creek (unclassified water body)

From confluence with Brazos River below Navasota River near Hempstead, upstream to headwaters in Waller County.

Segment Type Freshwater Stream

AU_ID: 1202Q_02 *Portion of Clear Creek from confluence with Pond Creek upstream to headwaters in Waller County.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	WQS/Permits program	High	Previous TCEQ Permit Decision

Station ID(s): 18335

SegID: 1203 Whitney Lake

From Whitney Dam in Bosque/Hill County to a point immediately upstream of the confluence of Camp Creek on the Brazos River Arm in Bosque/Johnson County and to a point immediately upstream of the confluence of Rock Creek on the Nolan River Arm in Hill County, up to the normal pool elevation of 533 feet (impounds Brazos River)

Segment Type Reservoir

AU_ID: 1203_01 *Portion near dam*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	TWQS-Appendix A

Station ID(s): 11851; 13987; 13988; 18443

AU_ID: 1203_02 *Main Body of Lake*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	TWQS-Appendix A

Station ID(s): 11855; 13989; 13990; 13992; 13993; 18788; 18789

AU_ID: 1203_03 *Steele Creek Arm*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 13991; 18654; 18790

AU_ID: 1203_04 *Riverine portion east of Morgan*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	TWQS-Appendix A

Station ID(s): 13994; 18791

AU_ID: 1203_05 *Nolan River Arm*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	TWQS-Appendix A

Station ID(s): 11854

AU_ID: 1203_06 *Brazos River Arm*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 11853

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1204 Brazos River Below Lake Granbury

From a point immediately upstream of the confluence of Camp Creek in Bosque/Johnson County to DeCordova Bend Dam in Hood County

Segment Type Freshwater Stream

AU_ID: 1204_01 *Portion of Brazos River below Lake Granbury from the confluence with Camp Creek upstream to the confluence with the Paluxy River in Somervell County*

<u>Flow Type</u> perennial	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): No Stations

AU_ID: 1204_02 *Portion of Brazos River below Lake Granbury from the confluence with the Paluxy River upstream to DeCordova Bend Dam in Hood County.*

<u>Flow Type</u> perennial	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): 11856; 20213

SegID: 1204A Camp Creek (unclassified water body)

From its confluence with the Brazos River downstream of Lake Granbury, upstream to its headwaters, 0.9 miles north of US Hwy 67 in Johnson County.

Segment Type Freshwater Stream

AU_ID: 1204A_01 *entire water body*

<u>Flow Type</u> intermittent w/pools	<u>Flow Type Source</u> Routine Flow Data	<u>ALU Designation</u> Limited	<u>ALU Designation Source</u> Presumption from Flow Type
--	--	-----------------------------------	---

Station ID(s): 17533

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1205 Lake Granbury

From DeCordova Bend Dam in Hood County to a point 100 meters (110 yards) upstream of FM 2580 in Parker County, up to normal pool elevation of 693 feet (impounds Brazos River)

Segment Type Reservoir

AU_ID: 1205_01 *Upstream portion of lake*

<u>Flow Type</u> reservoir	<u>Flow Type Source</u> Water body description	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	---	--------------------------------	--

Station ID(s): 20230

AU_ID: 1205_02 *Portion of lake adjacent to the City of Oak Trail Shores*

<u>Flow Type</u> reservoir	<u>Flow Type Source</u> Water body description	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	---	--------------------------------	--

Station ID(s): 11862; 20307

AU_ID: 1205_03 *Portion of lake adjacent to the City of Granbury*

<u>Flow Type</u> reservoir	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): 11861

AU_ID: 1205_04 *Portion of lake downstream of Granbury*

<u>Flow Type</u> reservoir	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): No Stations

AU_ID: 1205_05 *Downstream portion of lake*

<u>Flow Type</u> reservoir	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): 11860; 18740

AU_ID: 1205_SAI *Unnamed inlets and canals adjacent to AU 1205_01*

<u>Flow Type</u> reservoir	<u>Flow Type Source</u> Water body description	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	---	--------------------------------	--

Station ID(s): 17930; 17931; 18004; 18005; 18851

AU_ID: 1205_SA2 *Unnamed inlets and canals adjacent to 1205_02*

<u>Flow Type</u> reservoir	<u>Flow Type Source</u> Water body description	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	---	--------------------------------	--

Station ID(s): 18006; 18007; 18008; 18009; 18010; 18011; 18012; 18013; 18014; 18015; 20221

AU_ID: 1205_SA3 *Unnamed inlets and canals adjacent to 1205_03*

<u>Flow Type</u> reservoir	<u>Flow Type Source</u> Water body description	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	---	--------------------------------	--

Station ID(s): 18017; 18018; 18019; 18020; 18021; 20214; 20219

AU_ID: 1205_SA4 *Unnamed inlets and canals adjacent to 1205_04*

<u>Flow Type</u> reservoir	<u>Flow Type Source</u> Water body description	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	---	--------------------------------	--

Station ID(s): 18022; 18023; 18024; 18025; 18026; 18027; 18028; 18029; 18030; 18031; 18032; 18033; 18034; 18035; 18036; 18037; 18038; 18039; 18040; 18739; 20215; 20216; 20217; 20223; 20224; 20225; 20226; 20231

2012 Texas Water Quality Inventory Water Bodies Evaluated

AU_ID: 1205_SA5 Unnamed inlets and canals adjacent to AU 1205_05

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	TWQS-Appendix A

Station ID(s): 18041; 18042; 18043; 18044; 18045; 18738; 18741; 18742

SegID: 1205B Bee Creek (unclassified water body)

Tributary to Lake Granbury, 2.2 miles north of Granbury in Hood County

Segment Type Freshwater Stream

AU_ID: 1205B_01 entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type

Station ID(s): 18016

SegID: 1206 Brazos River Below Possum Kingdom Lake

From a point 100 meters (110 yards) upstream of FM 2580 in Parker County to Morris Sheppard Dam in Palo Pinto County

Segment Type Freshwater Stream

AU_ID: 1206_01 Portion of the Brazos River 100 meters (110 yards) upstream of FM 2580 in Parker County upstream to confluence with Rock Creek in Parker County.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 13543; 18743; 18744; 18749

AU_ID: 1206_02 Portion of Brazos River from confluence with Rock Creek upstream to confluence with Elm Creek in Palo Pinto County.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 11863; 18745; 18746

AU_ID: 1206_03 Portion of Brazos river from confluence with Elm Creek in Palo Pinto County upstream to Possum Kingdom Reservoir in Palo Pinto county.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 11864; 13696; 18748

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1206D Palo Pinto Creek (unclassified water body)

From the confluence with the Brazos River upstream to its headwaters within the City of Eastland, in Palo Pinto County.

Segment Type Freshwater Stream

AU_ID: 1206D_01 *Portion of Palo Pinto Creek from its confluence with the Brazos River upstream to Palo Pinto Reservoir Dam in Palo Pinto County.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	High	TWQS-Appendix D

Station ID(s): 11074; 16408; 18747

AU_ID: 1206D_02 *Portion of Palo Pinto Creek from the headwaters of Lake Palo Pinto upstream to the creek's headwaters within the city of Eastland, Palo Pinto County.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
not available	not available	not available	not available

Station ID(s): No Stations

SegID: 1206E Lake Mineral Wells (unclassified water body)

Impounded Rock Creek within Mineral Wells city limits, Parker County

Segment Type Freshwater Stream

AU_ID: 1206E_01 *Entire water body*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	Presumption from Flow Type

Station ID(s): 20160

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1207 Possum Kingdom Lake

From Morris Sheppard Dam in Palo Pinto County to a point immediately upstream of the confluence of Cove Creek at Salem Bend in Young County, up to the normal pool elevation of 1000 feet (impounds Brazos River)

Segment Type Reservoir

AU_ID: 1207_01 *Rock Creek arm of lake*

<u>Flow Type</u> reservoir	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): | 14029

AU_ID: 1207_02 *Deep Elm Creek arm*

<u>Flow Type</u> reservoir	<u>Flow Type Source</u> Water body description	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	---	--------------------------------	--

Station ID(s): | 11868

AU_ID: 1207_03 *Portion of segment west of SH 16*

<u>Flow Type</u> reservoir	<u>Flow Type Source</u> Water body description	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	---	--------------------------------	--

Station ID(s): | 14028

AU_ID: 1207_04 *Portion of lake containing Costello Island*

<u>Flow Type</u> reservoir	<u>Flow Type Source</u> Water body description	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	---	--------------------------------	--

Station ID(s): | 14027

AU_ID: 1207_05 *Elm Creek arm of segment*

<u>Flow Type</u> reservoir	<u>Flow Type Source</u> Water body description	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	---	--------------------------------	--

Station ID(s): | 11867

AU_ID: 1207_06 *Veale creek arm of segment*

<u>Flow Type</u> reservoir	<u>Flow Type Source</u> Water body description	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	---	--------------------------------	--

Station ID(s): | 14025

AU_ID: 1207_07 *Portion of lake adjacent to northeast corner of state park*

<u>Flow Type</u> reservoir	<u>Flow Type Source</u> Water body description	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	---	--------------------------------	--

Station ID(s): | No Stations

AU_ID: 1207_08 *Caddo Creek arm of lake*

<u>Flow Type</u> reservoir	<u>Flow Type Source</u> Water body description	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	---	--------------------------------	--

Station ID(s): | 14019

AU_ID: 1207_09 *Portion of lake south of FM 2951*

<u>Flow Type</u> reservoir	<u>Flow Type Source</u> Water body description	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	---	--------------------------------	--

Station ID(s): | 14020

2012 Texas Water Quality Inventory Water Bodies Evaluated

AU_ID: 1207_10 Bluff Creek arm of lake

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	TWQS-Appendix A
Station ID(s):	11866		

AU_ID: 1207_11 Jewell Creek arm of lake

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	TWQS-Appendix A
Station ID(s):	14023; 14024		

AU_ID: 1207_12 Downstream portion of lake

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	TWQS-Appendix A
Station ID(s):	11865; 14022		

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1208 Brazos River Above Possum Kingdom Lake

From a point immediately upstream of the confluence of Cove Creek at Salem Bend in Young County to the confluence of the Double Mountain Fork Brazos River and the Salt Fork Brazos River in Stonewall County

Segment Type Freshwater Stream

AU_ID: 1208_01 Portion of segment from confluence with Possum Kingdom Reservoir headwaters upstream to confluence with Spring Branch in Young County.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 11869

AU_ID: 1208_02 Portion of segment from confluence with Spring Branch upstream to confluence with Fish Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 13641

AU_ID: 1208_03 From confluence with Fish Creek upstream to confluence with Boggy Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): No Stations

AU_ID: 1208_04 From confluence with Boggy Creek upstream to confluence with Millers Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 11870

AU_ID: 1208_05 From confluence with Millers Creek upstream to confluence with Lake Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 11871

AU_ID: 1208_06 From confluence with Lake Creek upstream to the confluence with Salt and Double Mountain Forks of the Brazos River

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): No Stations

SegID: 1208A Millers Creek Reservoir (unclassified water body)

Impoundment of Millers Creek, 12.5 miles southwest of Seymour in Baylor County

Segment Type Reservoir

AU_ID: 1208A_01 entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	Presumption from Flow Type

Station ID(s): 11679

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1209 Navasota River Below Lake Limestone

From the confluence with the Brazos River in Grimes County to Sterling C. Robertson Dam in Leon/Robertson County

Segment Type Freshwater Stream

AU_ID: 1209_01 *Portion of Navasota River from confluence with Brazos River upstream to confluence with Rocky Creek in grimes County.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 11872; 11873

AU_ID: 1209_02 *Portion of Navasota River from confluence with Rocky Creek upstream to confluence with Sandy Branch in Grimes County.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 11875; 20528

AU_ID: 1209_03 *Portion of Navasota River from confluence with Sandy Branch upstream to confluence with Shepherd Branch in Madison County.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 16398

AU_ID: 1209_04 *Portion of Navasota River from confluence with Shepherd Branch in Madison County upstream to confluence with Camp Creek in Robertson County.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 18341

AU_ID: 1209_05 *Portion of Navasota River from confluence with Camp Creek upstream to Lake Limestone Dam in Robertson County.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 11877

AU_ID: 1209_06 *Remainder of segment*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): No Stations

SegID: 1209A Country Club Lake (unclassified water body)

From the Country Club Branch Dam up to normal pool elevation in Bryan in Brazos County

Segment Type Reservoir

AU_ID: 1209A_01 *Entire reservoir*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	Presumption from Flow Type

Station ID(s): 11792; 11793; 11794; 20262; 20264; 20265; 20266; 20267; 20268; 20270

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1209B Fin Feather Lake (unclassified water body)

From Fin Feather Dam up to normal pool elevation in northwest Bryan in Brazos County

Segment Type Reservoir

AU_ID: 1209B_01 Entire reservoir

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	Presumption from Flow Type
Station ID(s):	11798; 11799; 11800; 20253; 20254; 20255; 20256; 20257; 20258; 20259; 20260; 20261		

SegID: 1209C Carters Creek (unclassified water body)

Perennial stream from the confluence with the Navasota River southeast of College Station in Brazos County upstream to the confluence of an unnamed tributary 0.5 km upstream of FM 158 in Brazos County

Segment Type Freshwater Stream

AU_ID: 1209C_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D
Station ID(s):	11784; 11785		

SegID: 1209D Country Club Branch (unclassified water body)

From the confluence with Country Club Lake in Bryan in Brazos County to the dam at Fin Feather Lake in Bryan

Segment Type Freshwater Stream

AU_ID: 1209D_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type
Station ID(s):	11795		

SegID: 1209E Wickson Creek (unclassified water body)

Perennial stream from the confluence with an unnamed first order tributary (approximately 1.3 km upstream of Reliance Road crossing) upstream to the confluence with an unnamed first order tributary approximately 15 meters upstream of Dilly Shaw Road

Segment Type Freshwater Stream

AU_ID: 1209E_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type
Station ID(s):	11789; 15033		

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1209G Cedar Creek (unclassified water body)

From the confluence with the Navasota River in Brazos County to the confluence with Moores Branch and Rocky Branch in Robertson County

Segment Type Freshwater Stream

AU_ID: 1209G_01 Entire water body

<u>Flow Type</u> perennial	<u>Flow Type Source</u> Flow Questionnaire	<u>ALU Designation</u> High	<u>ALU Designation Source</u> Presumption from Flow Type
-------------------------------	---	--------------------------------	---

Station ID(s): 11787; 20529

SegID: 1209H Duck Creek (unclassified water body)

From the confluence with the Navasota river in Robertson County to Twin Oak Reservoir dam in Robertson County

Segment Type Freshwater Stream

AU_ID: 1209H_01 Portion of Duck Creek from confluence with Navasota River upstream to confluence with Mineral Creek in Robertson County.

<u>Flow Type</u> perennial	<u>Flow Type Source</u> Flow Questionnaire	<u>ALU Designation</u> High	<u>ALU Designation Source</u> Presumption from Flow Type
-------------------------------	---	--------------------------------	---

Station ID(s): 16389

AU_ID: 1209H_02 Portion of Duck Creek from confluence with Mineral Creek in Robertson County upstream to headwaters in Limestone County.

<u>Flow Type</u> perennial	<u>Flow Type Source</u> Flow Questionnaire	<u>ALU Designation</u> High	<u>ALU Designation Source</u> Presumption from Flow Type
-------------------------------	---	--------------------------------	---

Station ID(s): 16390

SegID: 1209I Gibbons Creek (unclassified water body)

From confluence with Navasota River in Grimes County to SH 90 in Grimes County

Segment Type Freshwater Stream

AU_ID: 1209I_01 Portion of Gibbons Creek from confluence with Navasota River upstream to confluence with Dry Creek in Grimes County.

<u>Flow Type</u> intermittent w/pools	<u>Flow Type Source</u> Flow Questionnaire	<u>ALU Designation</u> Limited	<u>ALU Designation Source</u> Presumption from Flow Type
--	---	-----------------------------------	---

Station ID(s): 11756

AU_ID: 1209I_02 Portion of Gibbons Creek from confluence with Dry Creek upstream to Gibbons Creek Reservoir dam in Grimes County

<u>Flow Type</u> intermittent w/pools	<u>Flow Type Source</u> Flow Questionnaire	<u>ALU Designation</u> Limited	<u>ALU Designation Source</u> Presumption from Flow Type
--	---	-----------------------------------	---

Station ID(s): 17904; 18800; 20719

AU_ID: 1209I_03 Portion of Gibbons Creek from confluence with Gibbons Creek Reservoir headwaters, upstream to headwaters of water body, in Grimes County

<u>Flow Type</u> not available	<u>Flow Type Source</u> not available	<u>ALU Designation</u> not available	<u>ALU Designation Source</u> not available
-----------------------------------	--	---	--

Station ID(s): No Stations

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1209J Shepherd Creek (unclassified water body)

From the confluence with the Navasota River in Madison County to a point 0.7 miles upstream of FM 1452 in Madison County

Segment Type Freshwater Stream

AU_ID: 1209J_01 Entire water body

Flow Type
intermittent

Flow Type Source
Routine Flow Data

ALU Designation
Minimal

ALU Designation Source
Presumption from Flow Type

Station ID(s): 11790

SegID: 1209K Steele Creek (unclassified water body)

From confluence with Navasota River in Robertson County to a point 2.4 miles upstream of FM 147 in Limestone County

Segment Type Freshwater Stream

AU_ID: 1209K_02 Portion of Steele Creek from confluence with Willow Creek upstream to headwaters in Limestone County.

Flow Type
intermittent

Flow Type Source
Flow Questionnaire

ALU Designation
Minimal

ALU Designation Source
Presumption from Flow Type

Station ID(s): 16384

SegID: 1209L Burton Creek (unclassified water body)

From the confluence with Carters Creek in College Station, upstream to its headwaters located 0.4 miles east of Fin Feather Lake in Brazos County.

Segment Type Freshwater Stream

AU_ID: 1209L_01 From confluence with Carters Creek in College Station upstream to un-named tributary, 0.5 km downstream of E. 29th Street.

Flow Type
perennial

Flow Type Source
Water body description

ALU Designation
High

ALU Designation Source
Presumption from Flow Type

Station ID(s): 11783

AU_ID: 1209L_02 From confluence with un-named tributary 0.5 km downstream of E. 29th St. upstream to creek headwaters in Bryan.

Flow Type
intermittent w/pools

Flow Type Source
Flow Questionnaire

ALU Designation
Limited

ALU Designation Source
Presumption from Flow Type

Station ID(s): No Stations

SegID: 1209O Normangee Lake (unclassified water body)

Impounded Running Creek, 7.5 km west of Normangee in Leon County.

Segment Type Reservoir

AU_ID: 1209O_01 Entire water body

Flow Type
reservoir

Flow Type Source
Water body description

ALU Designation
High

ALU Designation Source
Presumption from Flow Type

Station ID(s): 20271; 20272; 20273; 20274; 20275; 20276; 20277; 20278; 20279

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1209P Clear Creek (unclassified water body)

From the confluence with Navasota River below Lake Limestone upstream to headwaters, 11 km southeast of Marquez in Leon County

Segment Type Freshwater Stream

AU_ID: 1209P_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 20019

SegID: 1210 Lake Mexia

From Bistone Dam in Limestone County up to the normal pool elevation of 448.3 feet (impounds Navasota River)

Segment Type Reservoir

AU_ID: 1210_01 Eastern end of reservoir, from dam to RR 2681 east of Washington Park

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	TWQS-Appendix A

Station ID(s): 11878; 14238; 17586; 17587

AU_ID: 1210_02 Western end, from point where reservoir begins to widen, to upper end

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	TWQS-Appendix A

Station ID(s): 17588; 18444

SegID: 1210A Navasota River above Lake Mexia (unclassified water body)

From the confluence with the headwaters of Lake Mexia in Limestone County to a point 1.25 miles upstream of SH 31 in Hill County

Segment Type Freshwater Stream

AU_ID: 1210A_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type

Station ID(s): 16391

SegID: 1211 Yegua Creek

From the confluence with the Brazos River in Burleson/Washington County to Somerville Dam in Burleson/Washington County

Segment Type Freshwater Stream

AU_ID: 1211_01 Entire segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 11880

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1211A Davidson Creek (unclassified water body)

Intermittent stream with perennial pools from the confluence with Yegua Creek to 0.2 km above SH 21 near Caldwell in Burleson County

Segment Type Freshwater Stream

AU_ID: 1211A_01 *Portion of Davidson Creek from confluence with Yegua Creek upstream to unnamed tributary (NHD RC 12070102001903) in Burleson County.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	TWQS-Appendix D	Intermediate	TWQS-Appendix D

Station ID(s): 11728; 18349; 20388

AU_ID: 1211A_02 *Portion of Davidson Creek from confluence with unnamed tributary (NHD RC 12070102001903) upstream to headwaters in Milam County.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	TWQS-Appendix D	Intermediate	TWQS-Appendix D

Station ID(s): 11729

SegID: 1212 Somerville Lake

From Somerville Dam in Burleson/Washington County up to normal pool elevation of 238 feet (impounds Yegua Creek)

Segment Type Reservoir

AU_ID: 1212_01 *Eastern end of reservoir near dam*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 11881

AU_ID: 1212_02 *Northern arm of reservoir near town of Somerville*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 11883

AU_ID: 1212_03 *Middle of reservoir near Birch Creek State Park*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 11885; 16879; 18445; 20532

AU_ID: 1212_04 *Western end of reservoir near upper segment boundary*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 11882

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1212A Middle Yegua Creek (unclassified water body)

From the confluence with East Yegua and Yegua Creeks in Lee County to the Lee County/Williamson County line

Segment Type Freshwater Stream

AU_ID: 1212A_01 *From confluence with East Yegua Creek upstream to confluence with West Yegua Creek in Lee County.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Flow Questionnaire	High	Presumption from Flow Type

Station ID(s): 11838; 11839; 11840

AU_ID: 1212A_02 *From confluence with West Yegua Creek upstream to headwaters of water body in Williamson County.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Flow Questionnaire	High	Presumption from Flow Type

Station ID(s): 18750; 18751

SegID: 1212B East Yegua Creek (unclassified water body)

From the confluence with Middle Yegua and Yegua Creeks southeast of Dime Box in Lee County to the upstream portion of the stream, south of Alcoa Lake in Milam County

Segment Type Freshwater Stream

AU_ID: 1212B_01 *Portion of East Yegua Creek from confluence with Middle Yegua Creek in Burleson County upstream to confluence with Allen Creek in Lee County.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Flow Questionnaire	High	Presumption from Flow Type

Station ID(s): 11594

AU_ID: 1212B_02 *Portion of East Yegua Creek from confluence with Allen Creek in Lee County upstream to headwaters in Milam County.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Flow Questionnaire	High	Presumption from Flow Type

Station ID(s): 16887

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1213 Little River

From the confluence with the Brazos River in Milam County to the confluence of the Leon River and the Lampasas River in Bell County

Segment Type Freshwater Stream

AU_ID: 1213_01 *From the confluence with Brazos River upstream to confluence with City of Cameron WWTP receiving water*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 11888; 20526

AU_ID: 1213_02 *From the City of Cameron WWTP receiving water upstream to the confluence with the San Gabriel River*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 17499

AU_ID: 1213_03 *From confluence with San Gabriel River upstream to confl. with Boggy Creek*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 13544

AU_ID: 1213_04 *From confluence with Boggy Creek upstream to its confluence with Leon and Lampasas Rivers*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 16409

SegID: 1213A Big Elm Creek (unclassified water body)

From the confluence with Little River in Milam county, 4.5 km northeast of the City of Cameron , upstream to its headwaters in McLennan County, 0.7 km west of Moody.

Segment Type Freshwater Stream

AU_ID: 1213A_01 *Portion of Big Elm Creek from the confluence with the Little River upstream to confluence with Little Elm Creek.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	WQS/Permits program	High	Presumption from Flow Type

Station ID(s): 16385

SegID: 1213B Little Elm Creek (unclassified water body)

From the confluence with Big Elm Creek upstream to headwaters, 2.5 km north of Temple in Bell County

Segment Type Freshwater Stream

AU_ID: 1213B_01 *From confluence with Big Elm Creek upstream to confluence with Williamson Branch*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type

Station ID(s): 13537; 13538

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1213C **Unnamed Tributary of Little Elm Creek (unclassified water body)**

From confluence with Little Elm Creek upstream to headwaters in Temple, Bell County

Segment Type Freshwater Stream

AU_ID: 1213C_01 Entire Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type
Station ID(s):	13536; 13539; 13540		

SegID: 1214 **San Gabriel River**

From the confluence with the Little River in Milam County to Granger Lake Dam in Williamson County

Segment Type Freshwater Stream

AU_ID: 1214_01 From confluence with Little River upstream to confl. with Alligator Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A
Station ID(s):	11892		

AU_ID: 1214_02 From confluence with Alligator Creek upstream to Lake Granger

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A
Station ID(s):	13648; 17652		

SegID: 1215 **Lampasas River Below Stillhouse Hollow Lake**

From the confluence with the Leon River in Bell County to Stillhouse Hollow Lake Dam in Bell County

Segment Type Freshwater Stream

AU_ID: 1215_01 Entire segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A
Station ID(s):	11893; 13547		

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1216 Stillhouse Hollow Lake

From Stillhouse Hollow Lake Dam in Bell County to a point immediately upstream of the confluence of Rock Creek in Bell County, up to normal pool elevation of 622 feet (impounds Lampasas River)

Segment Type Reservoir

AU_ID: 1216_01 Main Body of Lake

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): 11894; 14058; 18752; 18753; 18756; 18757; 18758; 20049

AU_ID: 1216_02 Riverine portion of reservoir

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): 20046; 20047; 20048

AU_ID: 1216_SAI Branch Cove associated with main body of lake

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	not available	not available	not available

Station ID(s): 20051; 20052

SegID: 1216A Trimmier Creek (unclassified water body)

From confluence with Stillhouse Hollow Lake upstream to its headwaters, southwest of Killeen in Bell County.

Segment Type Freshwater Stream

AU_ID: 1216A_01 entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 18754; 20050

SegID: 1216B Onion Creek (unclassified water body)

From confluence with riverine portion of Stillhouse Hollow Lake, upstream to its headwaters, west of Killeen in Bell County.

Segment Type Freshwater Stream

AU_ID: 1216B_01 entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type

Station ID(s): 18755

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1217 Lampasas River Above Stillhouse Hollow Lake

From a point immediately upstream of the confluence of Rock Creek in Bell County to FM 2005 in Hamilton County

Segment Type Freshwater Stream

AU_ID: 1217_01 *Portion of Lampasas River from confluence with Rock Creek in Bell County, upstream to confluence with Mesquite Creek, west of Kempner in Lampasas County.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 11895; 11896; 18761; 20018

AU_ID: 1217_02 *Portion of Lampasas River from confluence with Mesquite Creek upstream to confluence with Lucy Creek in Lampasas County.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 11897

AU_ID: 1217_03 *Portion of Lampasas River from confluence with Lucy Creek upstream to confluence with Sims Creek in Lampasas County.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 16404

AU_ID: 1217_04 *Portion of Lampasas River from confluence with Simms Creek upstream to confluence with Bennett Creek in Lampasas County.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 15770

AU_ID: 1217_05 *Portion of Lampasas River from confluence with Bennett Creek upstream to its headwaters in Mills County.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 15762

SegID: 1217A Rocky Creek (unclassified water body)

From the confluence of the Lampasas River north of Oakalla in Burnet County to the confluences of the North and South Rocky Creeks south of Oakalla in Burnet County

Segment Type Freshwater Stream

AU_ID: 1217A_01 *Entire creek*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type

Station ID(s): 11724; 18330; 18331; 18332

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1217B Sulphur Creek (unclassified water body)

From the confluence of the Lampasas River east of Lampasas in Lampasas County to the confluences of Donalson Creek and Espy Branch west of Lampasas in Lampasas County

Segment Type Freshwater Stream

AU_ID: 1217B_01 *Portion of Sulphur Creek from the confluence with the Lampasas River upstream to confluence with Burleson Creek in the City of Lampasas, Lampasas County.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	High	TWQS-Appendix D

Station ID(s): 15250; 15781; 15782; 16358

AU_ID: 1217B_02 *Portion of Sulphur Creek from the confluence with Burleson Creek upstream to the confluences with Donalson Creek and Espy Branch west of Lampasas in Lampasas County*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	High	TWQS-Appendix D

Station ID(s): 15766; 15780; 18760; 18782; 18783; 18787

SegID: 1217D North Rocky Creek (unclassified water body)

From its confluence with South Rocky Creek, upstream to its headwaters 7 miles west of US Hwy 183 in Burnet County

Segment Type Freshwater Stream

AU_ID: 1217D_01 *Entire water body*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	TWQS-Appendix D	Intermediate	TWQS-Appendix D

Station ID(s): 18334; 18656

SegID: 1217E South Rocky Creek (unclassified water body)

From its confluence with North Rocky Creek, upstream to its headwaters 11 miles west of US Hwy 183 in Burnet County

Segment Type Freshwater Stream

AU_ID: 1217E_01 *Entire water body*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type

Station ID(s): 11725; 18333; 18657

SegID: 1217F Reese Creek (unclassified water body)

From its confluence with the Lampasas River Above Stillhouse Hollow Lake upstream to its headwaters, 6.7 km south west of Killeen in Bell County.

Segment Type Freshwater Stream

AU_ID: 1217F_01 *From confluence with Lampasas River above Stillhouse Hollow Lake upstream to confluence with un-named tributary (NHD reach code 12070203002555).*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 18759; 18850

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1218 Nolan Creek/ South Nolan Creek

From the confluence with the Leon River in Bell County to a point 100 meters (110 yards) upstream to the most upstream crossing of US 190 and Loop 172 in Bell County

Segment Type Freshwater Stream

AU_ID: 1218_01 *Portion of Nolan Creek from the confluence with the Leon River upstream to confluence with North Nolan/South Nolan Creek fork in Bell county*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): No Stations

AU_ID: 1218_02 *Portion of South Nolan Creek from confluence with North Nolan / Nolan Creek fork upstream to confluence with Liberty Ditch in city of Killeen in Bell County.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 11907; 11913; 18826; 18827; 18828

AU_ID: 1218_03 *Portion of South Nolan Creek from confluence with Liberty ditch in Killeen upstream to a point 100 meters (110 yards) upstream of the most upstream crossing of US 190 near the intersection of US 190 and Loop 172 in Bell County.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 15271

SegID: 1218A Unnamed Tributary to Little Nolan Creek (unclassified water body)

From the confluence with Little Nolan Creek upstream to headwaters in the city of Killeen, Bell County.

Segment Type Freshwater Stream

AU_ID: 1218A_01 *Entire water body*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
not available	not available	not available	not available

Station ID(s): 18833

SegID: 1218B South Nolan Creek (unclassified water body)

From 100 meters upstream of the most upstream crossing of US 190 near the intersection of US 190 and Loop 172 upstream to headwaters in the city of Killeen, Bell County.

Segment Type Freshwater Stream

AU_ID: 1218B_01 *Entire water body*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 18829

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1218C Little Nolan Creek (unclassified water body)

From the confluence with Nolan Creek/South Nolan Creek upstream to headwaters in the city of Killeen, Bell County.

Segment Type Freshwater Stream

AU_ID: 1218C_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
not available	not available	not available	not available

Station ID(s): 18834

SegID: 1219 Leon River Below Belton Lake

From the confluence with the Lampasas River in Bell County to Belton Dam in Bell County

Segment Type Freshwater Stream

AU_ID: 1219_01 Entire segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 11916

SegID: 1220 Belton Lake

From Belton Dam in Bell County to a point 100 meters (110 yards) upstream of FM 236 in Coryell County, up to the normal pool elevation of 594 feet (impounds Leon River)

Segment Type Reservoir

AU_ID: 1220_01 Portion of Lake near Dam

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 11921; 15676; 20835

AU_ID: 1220_02 Cowhouse Creek Arm

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 11922; 15678

AU_ID: 1220_03 Leon River Arm

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 11923; 15679; 18798

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1220A Cowhouse Creek (unclassified water body)

From the confluence of Belton Lake in Bell County south of Gatesville in Coryell County to the upstream perennial portion of the stream north of Goldthwaite in Mills County

Segment Type Freshwater Stream

AU_ID: 1220A_01 Downstream portion of water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type

Station ID(s): No Stations

AU_ID: 1220A_02 Middle portion of water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type

Station ID(s): 11805

AU_ID: 1220A_03 Upstream portion of water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type

Station ID(s): 17546

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1221 Leon River Below Proctor Lake

From a point 100 meters (110 yards) upstream of FM 236 in Coryell County to Proctor Dam in Comanche County

Segment Type Freshwater Stream

AU_ID: 1221_01 *Portion of Leon River from confluence with Lake Belton upstream to confluence with unnamed tributary (NHD RC 12070201005989) in Coryell County.*

<u>Flow Type</u> perennial	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): 11925; 11926; 11927

AU_ID: 1221_02 *Portion of Leon River from confluence with unnamed tributary (NHD RC 12070201005989) upstream to confluence with Stillhouse Branch in Coryell County.*

<u>Flow Type</u> perennial	<u>Flow Type Source</u> Routine Flow Data	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	--	--------------------------------	--

Station ID(s): 11928; 17501

AU_ID: 1221_03 *From confluence with Stillhouse Creek, upstream to confluence with Plum Creek*

<u>Flow Type</u> perennial	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): 17545

AU_ID: 1221_04 *From the confluence with Plum Creek, upstream to the confluence with Pecan Creek*

<u>Flow Type</u> perennial	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): 11929; 11930

AU_ID: 1221_05 *From confluence with Pecan Creek, upstream to confluence with South Leon Creek*

<u>Flow Type</u> perennial	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): 11932; 15769; 18781

AU_ID: 1221_06 *From confluence with South Leon Creek upstream to confluence with Walnut Creek*

<u>Flow Type</u> perennial	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): 17591

AU_ID: 1221_07 *From the confluence with Walnut Creek upstream to Lake Proctor*

<u>Flow Type</u> perennial	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): 11934

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1221A Resley Creek (unclassified water body)

From the confluence of the Leon River east of Gustine in Comanche County to the upstream perennial portion of the stream north of Gustine in Comanche County

Segment Type Freshwater Stream

AU_ID: 1221A_01 *Portion of Resley Creek from confluence with Leon River upstream to conf. with unnamed tributary (NHD RC 12070201007823), approx. 1.0 mile N. of Comanche County Line*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	Flow Questionnaire	Minimal	Presumption from Flow Type

Station ID(s): 11808; 17377; 17477

AU_ID: 1221A_02 *Portion of Resley Creek from confluence with unnamed tributary (NHD RC 12070201007823), upstream to headwaters in Erath County.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	Flow Questionnaire	Minimal	Presumption from Flow Type

Station ID(s): 17376

SegID: 1221B South Leon River (unclassified water body)

From the confluence of the Leon River south of Gustine in Comanche County to the upstream perennial portion of the stream south of Comanche in Comanche County

Segment Type Freshwater Stream

AU_ID: 1221B_01 *Entire water body*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Flow Questionnaire	High	Presumption from Flow Type

Station ID(s): 11817; 20527

SegID: 1221C Pecan Creek (unclassified water body)

Perennial stream from the confluence with the Leon River upstream to the confluence with an unnamed tributary approximately 3.5 km upstream of SH 36 near the City of Hamilton

Segment Type Freshwater Stream

AU_ID: 1221C_01 *Entire water body*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D

Station ID(s): 11807; 17547

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1221D Indian Creek (unclassified water body)

Perennial stream from an unnamed second order tributary (approximately 0.7 km downstream of Live Oak Street crossing) upstream to the confluence with Bachelor Prong Creek

Segment Type Freshwater Stream

AU_ID: 1221D_01 From confluence with Leon River, upstream to confluence with Armstrong Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 11818

AU_ID: 1221D_02 From confluence with Armstrong Creek upstream to headwaters of water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D

Station ID(s): 17542

SegID: 1221E Plum Creek (unclassified water body)

From its confluence with the Leon River in Coryell county, upstream to its headwaters 2.4 miles east of US Hwy 281 in Hamilton County

Segment Type Freshwater Stream

AU_ID: 1221E_01 entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 18405

SegID: 1221F Walnut Creek (unclassified water body)

From its confluence with Leon River upstream to its headwaters 2.4 miles west of Dublin in Erath County

Segment Type Freshwater Stream

AU_ID: 1221F_01 entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type

Station ID(s): 17379; 18406

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1222 Proctor Lake

From Proctor Dam in Comanche County to a point immediately upstream of the confluence of Mill Branch in Comanche County, up to the normal pool elevation of 1162 feet (impounds Leon River)

Segment Type Reservoir

AU_ID: 1222_01 Sabana River arm of lake

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	TWQS-Appendix A

Station ID(s): 11936; 14036; 14037; 14038

AU_ID: 1222_02 Copperas / Duncan Creeks arm of lake.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 11937; 14034; 14035

AU_ID: 1222_03 Portion of water body near dam

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	TWQS-Appendix A

Station ID(s): 11935; 14032; 14033; 18434

SegID: 1222A Duncan Creek (unclassified water body)

From the confluence of Proctor Lake northeast of Comanche in Comanche County to the upstream perennial portion of the stream west of Comanche in Comanche County

Segment Type Freshwater Stream

AU_ID: 1222A_01 Entire creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type

Station ID(s): 11825; 17544

SegID: 1222B Rush-Copperas Creek (unclassified water body)

From the confluence of Proctor Lake northeast of Comanche in Comanche County to the upstream perennial portion of the stream northwest of Comanche in Comanche County

Segment Type Freshwater Stream

AU_ID: 1222B_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type

Station ID(s): 11824; 17538

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1222C Sabana River (unclassified water body)

From the confluence of Proctor Lake northeast of Comanche in Comanche County to the upstream perennial portion of the stream northwest of Rising Star in Eastland County

Segment Type Freshwater Stream

AU_ID: 1222C_01 Portion of Sabana River from confluence with Lake Belton in Comanche County upstream to confluence with Elm Creek in Eastland County.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type

Station ID(s): 13647

AU_ID: 1222C_02 Portion of Sabana River from confluence with Elm Creek in Eastland upstream to headwaters in Callahan County.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	Routine Flow Data	Minimal	not available

Station ID(s): No Stations

SegID: 1222D Sowell's Creek (unclassified water body)

From its confluence with Lake Proctor, upstream to its headwaters 1.3 miles west of Dublin in Erath County

Segment Type Freshwater Stream

AU_ID: 1222D_01 entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type

Station ID(s): 11827

SegID: 1222E Sweetwater Creek (unclassified water body)

From its confluence with Copperas Creek, upstream to its headwaters, 6.3 miles west of Comanche in Comanche County

Segment Type Freshwater Stream

AU_ID: 1222E_01 entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type

Station ID(s): 17541

SegID: 1222F Hackberry Creek (unclassified water body)

From its confluence with Armstrong Creek, upstream to its headwaters approximately 9.8 miles west of Stephenville in Erath County

Segment Type Freshwater Stream

AU_ID: 1222F_01 entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type

Station ID(s): 17543

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1223 Leon River Below Leon Reservoir

From a point immediately upstream of the confluence of Mill Branch in Comanche County to Leon Dam in Eastland County

Segment Type Freshwater Stream

AU_ID: 1223_01 Entire Segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 11938

SegID: 1223A Armstrong Creek (unclassified water body)

From its confluence with the Leon River downstream of Leon Reservoir, upstream to its headwaters in Erath County 6.2 miles east of State Hwy 16.

Segment Type Freshwater Stream

AU_ID: 1223A_01 entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type

Station ID(s): 15765; 17539

SegID: 1223B Cow Creek (unclassified water body)

From the confluence with Armstrong Creek, upstream to its headwaters in Erath County, 5 miles north of Dublin

Segment Type Freshwater Stream

AU_ID: 1223B_01 entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type

Station ID(s): 17540; 18046

SegID: 1224 Leon Reservoir

From Leon Dam in Eastland County up to the normal pool elevation of 1375 feet (impounds Leon River)

Segment Type Reservoir

AU_ID: 1224_01 Portion near dam

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	TWQS-Appendix A

Station ID(s): 11939

AU_ID: 1224_02 Headwater portion

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	TWQS-Appendix A

Station ID(s): 11941

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1225 Waco Lake

From Waco Lake Dam in McLennan County to a point 100 meters (110 yards) upstream of FM 185 on the North Bosque River Arm in McLennan County and to the confluence of the Middle Bosque River on the South Bosque River Arm in McLennan County, up to the normal pool elevation of 455 feet (impounds Bosque River).

Segment Type Reservoir

AU_ID: 1225_01 North Bosque River arm of lake

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	TWQS-Appendix A

Station ID(s): 11945; 11946; 11947; 16995; 17204; 17205; 17206; 18543; 18544

AU_ID: 1225_02 Portion of lake near dam

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 11942; 11943; 11944; 16996; 17207; 17208; 17209; 18541; 18542

AU_ID: 1225_03 Middle/South Bosque River arm of lake

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 11599; 11600; 11948; 16997; 17210; 17211; 18539; 18540

SegID: 1225A Hog Creek (unclassified water body)

From the creek mouth at Lake Waco in McLennan County to the upstream headwaters in northeast Coryell County

Segment Type Freshwater Stream

AU_ID: 1225A_01 From its confluence with Live Oak Creek downstream to Lake Waco

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type

Station ID(s): 11601; 17212; 18849

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1226 North Bosque River

From a point 100 meters (110 yards) upstream of FM 185 in McLennan County to a point immediately above the confluence of Indian Creek in Erath County

Segment Type Freshwater Stream

AU_ID: 1226_01 *Portion of North Bosque River from confluence with Lake Waco in McLennan County upstream to confluence with Neils Creek in Bosque County.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 11951; 11953; 11954; 17605

AU_ID: 1226_02 *Portion of North Bosque River from confluence with Neils Creek upstream to confluence with Meridian Creek in Bosque County.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 11956; 17500; 18379; 18380

AU_ID: 1226_03 *Portion of North Bosque River from confluence with Meridian Creek upstream to confluence with Duffau Creek in Bosque County.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 11958; 11960; 18003

AU_ID: 1226_04 *Portion of North Bosque River from confluence with Duffau Creek in Bosque County upstream to a point immediately upstream of Indian Creek confluence (end of segment) in Erath County.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 11961; 11962; 15123; 15694

SegID: 1226A Duffau Creek (unclassified water body)

From the confluence with the North Bosque River west of Iredell in Bosque County upstream to its headwaters, 0.4km west of US67 in Erath County.

Segment Type Freshwater Stream

AU_ID: 1226A_01 *Entire water body*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 11810; 17607

SegID: 1226B Green Creek (unclassified water body)

From the confluence of the North Bosque River south of Clairette in Erath County upstream to its headwaters 10km west of Stephenville in Erath County

Segment Type Freshwater Stream

AU_ID: 1226B_01 *Entire water body*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type

Station ID(s): 13486; 17609; 20534

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1226C Meridian Creek (unclassified water body)

From the confluence of the North Bosque River northwest of Clifton in Bosque County to the upstream portion of the stream northeast of Hamilton in Hamilton County

Segment Type Freshwater Stream

AU_ID: 1226C_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type

Station ID(s): 14908; 17243

SegID: 1226D Neils Creek (unclassified water body)

From the confluence of the North Bosque River south of Clifton in Bosque County to the confluence of the North and Middle Fork Neils Creeks west of Clifton in Bosque County

Segment Type Freshwater Stream

AU_ID: 1226D_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type

Station ID(s): 11826

SegID: 1226E Indian Creek (unclassified water body)

From the confluence with the North Bosque River in Erath County to the headwaters 3.5 miles east of Stephenville in Erath County

Segment Type Freshwater Stream

AU_ID: 1226E_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	Flow Questionnaire	Minimal	Presumption from Flow Type

Station ID(s): 17235

SegID: 1226F Sims Creek (unclassified water body)

From the confluence with the North Bosque River in Erath County to the headwaters 6 miles southeast of Stephenville in Erath County

Segment Type Freshwater Stream

AU_ID: 1226F_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type

Station ID(s): 17240

SegID: 1226G Spring Creek (unclassified water body)

From the confluence with the North Bosque River in Hamilton County to the headwaters 8.5 miles west of Hico in Hamilton County

Segment Type Freshwater Stream

AU_ID: 1226G_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type

Station ID(s): 17242

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1226H Alarm Creek (unclassified water body)

From its confluence with the North Bosque River, upstream to its headwaters 3 miles west of Stephenville in Erath County

Segment Type Freshwater Stream

AU_ID: 1226H_01 entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type

Station ID(s): 17604

SegID: 1226I Gilmore Creek (unclassified water body)

From its confluence with the North Bosque River, upstream to its headwaters 11 miles west of Hico in Erath County

Segment Type Freshwater Stream

AU_ID: 1226I_01 entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type

Station ID(s): 17610

SegID: 1226J Honey Creek (unclassified water body)

From its confluence with the North Bosque River, upstream to its headwaters 2.8 miles west of US 281 in Hamilton County

Segment Type Freshwater Stream

AU_ID: 1226J_01 entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type

Station ID(s): 17611

SegID: 1226K Little Duffau Creek (unclassified water body)

From its confluence with Duffau Creek, upstream to its headwaters 2.4 miles south west of US 67 in Erath County

Segment Type Freshwater Stream

AU_ID: 1226K_01 entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type

Station ID(s): 17608

SegID: 1226M Little Green Creek (unclassified water body)

From its confluence with Green Creek, upstream to its confluence with the North and South Forks of Little Green Creek, 2.4 miles south of SH 6 in Erath County.

Segment Type Freshwater Stream

AU_ID: 1226M_01 entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type

Station ID(s): 17606

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1226N Indian Creek Reservoir (unclassified water body)

Impounded Indian Creek in Erath County, 5.6 miles southeast of Stephenville

Segment Type Reservoir

AU_ID: 1226N_01 entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	Presumption from Flow Type

Station ID(s): 17234

SegID: 1226O Sims Creek Reservoir (unclassified water body)

Impounded Sims Creek in Erath County, 6.8 miles south east of Stephenville

Segment Type Reservoir

AU_ID: 1226O_01 entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	Presumption from Flow Type

Station ID(s): 17239

SegID: 1226Q Walker Branch (unclassified water body)

From the confluence with the North Bosque River upstream to headwaters, north of Iredell in Bosque and Erath Counties.

Segment Type Freshwater Stream

AU_ID: 1226Q_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 20533

SegID: 1227 Nolan River

From a point immediately upstream of the confluence of Rock Creek in Hill County to Cleburne Dam in Johnson County

Segment Type Freshwater Stream

AU_ID: 1227_01 Portion of Nolan River from confluence with Whitney Lake upstream to confluence with Mustang Creek in Hill County.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Intermediate	TWQS-Appendix A

Station ID(s): 11966; 11967

AU_ID: 1227_02 Portion of Nolan River from confluence with Mustang Creek in Hill County upstream to confluence with Lake Pat Cleburne Dam in Johnson County.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Intermediate	TWQS-Appendix A

Station ID(s): 11968; 11970; 11971; 11972; 14450

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1227A Buffalo Creek (unclassified water body)

From the confluence with the Nolan River upstream to the confluence with East Buffalo Creek and West Buffalo Creek

Segment Type Freshwater Stream

AU_ID: 1227A_01 Entire segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	TWQS-Appendix D	Limited	TWQS-Appendix D

Station ID(s): 11780

SegID: 1228 Lake Pat Cleburne

From Cleburne Dam in Johnson County up to the normal pool elevation of 733.5 feet (impounds Nolan River)

Segment Type Reservoir

AU_ID: 1228_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 11974; 11975; 14447

SegID: 1229 Paluxy River /North Paluxy River

From the confluence with the Brazos River in Somervell County to the confluence of Rough Creek in Erath County

Segment Type Freshwater Stream

AU_ID: 1229_01 Portion of Paluxy River from confluence with Brazos River near Glen Rose in Somervell county upstream to confluence with Richardson Creek in Hood County.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 11976; 20232

AU_ID: 1229_02 Portion of Paluxy River from confluence with Richardson Creek upstream to confluence with North/South Paluxy Fork in Erath County.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 14481; 20343

AU_ID: 1229_03 Portion of North Paluxy River from the confluence with Paluxy / South Paluxy Fork upstream to confluence with Rough Creek in Erath County.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 14245

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1229A Squaw Creek Reservoir (unclassified water body)

Impounded Squaw Creek in Hood and Somerville Counties, 2.4 miles north of Glen Rose.

Segment Type Reservoir

AU_ID: 1229A_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	Presumption from Flow Type

Station ID(s): 17110

SegID: 1230 Lake Palo Pinto

From Palo Pinto Dam in Palo Pinto County up to the normal pool elevation of 867 feet (impounds Palo Pinto Creek)

Segment Type Reservoir

AU_ID: 1230_01 Entire segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 11977

SegID: 1231 Lake Graham

From Graham Dam and Eddleman Dam in Young County up to the normal pool elevation of 1076.3 feet (impounds Salt Creek and Flint Creek)

Segment Type Reservoir

AU_ID: 1231_01 Entire segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 11979

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1232 Clear Fork Brazos River

From the confluence with the Brazos River in Young County to the most upstream crossing of US 180 in Fisher County

Segment Type Freshwater Stream

AU_ID: 1232_01 *From confluence with Brazos River, upstream to conf. With Hubbard Creek*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 11982

AU_ID: 1232_02 *From confluence with Hubbard Creek upstream to confluence with Deadman Creek*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 11985; 11990; 11991; 18765; 18766

AU_ID: 1232_03 *From confluence with Deadman Creek upstream to conf. With Bitter Creek*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 11992

AU_ID: 1232_04 *From confluence with Bitter Creek upstream to end of segment*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 11999; 12001

SegID: 1232A California Creek (unclassified water body)

From the confluence of Paint Creek southeast of Haskell in Haskell County to the headwaters southwest of Stamford in Jones County

Segment Type Freshwater Stream

AU_ID: 1232A_01 *Portion of California Creek from confluence with Paint Creek in Haskell County upstream to confluence with Thompson Creek in Jones County.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 11709

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1232B Deadman Creek (unclassified water body)

From the confluence of the Clear Fork Brazos River south of Lueders in Jones County to the headwaters north of Hamby in Jones County

Segment Type Freshwater Stream

AU_ID: 1232B_01 From the confluence with Clear Fork Brazos, upstream to city of Abilene WWTP receiving water

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	WQS/Permits program	Intermediate	Previous TCEQ Permit Decision

Station ID(s): 11695; 11696; 11697; 11698

AU_ID: 1232B_02 Upstream of WWTP outfall to headwaters

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type

Station ID(s): 11705

SegID: 1232C Paint Creek (unclassified water body)

From the confluence with the Clear Fork Brazos River in Throckmorton County, upstream to its headwaters in Jones County, 2.7 km north of SH 92.

Segment Type Freshwater Stream

AU_ID: 1232C_01 From confluence with Clear Fork Brazos River upstream to Lake Stamford

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 18764

SegID: 1233 Hubbard Creek Reservoir

From Hubbard Creek Dam in Stephens County up to the normal pool elevation of 1183 feet (impounds Hubbard Creek)

Segment Type Reservoir

AU_ID: 1233_01 Main body of lake

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	TWQS-Appendix A

Station ID(s): 12002; 13888; 13889; 20537

AU_ID: 1233_02 Hubbard Creek Arm

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	TWQS-Appendix A

Station ID(s): 13881; 13883; 13885; 13886

AU_ID: 1233_03 Big Sandy Creek Arm

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	TWQS-Appendix A

Station ID(s): 13879; 13880; 13882; 13884

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1233A Big Sandy Creek (unclassified water body)

From its confluence with Hubbard Creek Reservoir, upstream to its headwaters 4 miles west of US 183 in Stephens County.

Segment Type Freshwater Stream

AU_ID: 1233A_01 entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type
Station ID(s): 13640			

SegID: 1233B Hubbard Creek (unclassified water body)

Portion of Hubbard Creek from its confluence with Hubbard Creek Reservoir upstream to its headwaters in Callahan County, 15 miles east of Abilene.

Segment Type Freshwater Stream

AU_ID: 1233B_01 entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type
Station ID(s): 13639			

SegID: 1234 Lake Cisco

From Williamson Dam in Eastland County up to the normal pool elevation of 1496 feet (impounds Sandy Creek)

Segment Type Reservoir

AU_ID: 1234_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A
Station ID(s): 12005; 18436; 18510			

SegID: 1235 Lake Stamford

From Stamford Dam in Haskell County up to the normal pool elevation of 1416.8 feet (impounds Paint Creek)

Segment Type Reservoir

AU_ID: 1235_01 Entire segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A
Station ID(s): 12006			

SegID: 1236 Fort Phantom Hill Reservoir

From Fort Phantom Hill Dam in Jones County up to the normal pool elevation of 1636 feet (impounds Elm Creek)

Segment Type Reservoir

AU_ID: 1236_01 Entire segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A
Station ID(s): 12010; 12013; 20183			

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1238 Salt Fork Brazos River

From the confluence of the Double Mountain Fork Brazos River in Stonewall County to the most upstream crossing of SH 207 in Crosby County

Segment Type Freshwater Stream

AU_ID: 1238_01 Portion of Salt Fork Brazos River from confluence with Double Mountain Fork Brazos River upstream to confluence with Croton Creek in Stonewall County.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12022

AU_ID: 1238_02 Portion of Salt Fork Brazos River from confluence with Croton Creek in Stonewall County upstream to confluence with Butte Creek in Kent County.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 13683

AU_ID: 1238_03 Portion of Salt Fork Brazos River from confluence with Butte Creek in Kent County upstream to headwaters in Crosby County.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): No Stations

SegID: 1238A Croton Creek (unclassified water body)

From its confluence with the Salt Fork of the Brazos River, upstream to its headwaters 1.6 miles north of Dickens in Dickens County

Segment Type Freshwater Stream

AU_ID: 1238A_01 entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type

Station ID(s): 11553

SegID: 1240 White River Lake

From White River Dam in Crosby County up to normal pool elevation of 2369 feet (impounds White River)

Segment Type Reservoir

AU_ID: 1240_01 Entire segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 12027; 16880; 16881

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1240A White River above White River Reservoir (unclassified water body)

From White River Reservoir, north to confluence with Running Water Draw in Crosby County.

Segment Type Freshwater Stream

AU_ID: 1240A_01 Lower 25 miles

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	Flow Questionnaire	Minimal	Presumption from Flow Type

Station ID(s): 11552

AU_ID: 1240A_02 Remainder of segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	Flow Questionnaire	Minimal	Presumption from Flow Type

Station ID(s): No Stations

SegID: 1241 Double Mountain Fork Brazos River

From the confluence with the Salt Fork Brazos River in Stonewall County to the confluence of the North Fork Double Mountain Fork Brazos River in Kent County

Segment Type Freshwater Stream

AU_ID: 1241_01 25 miles near Hwy 83

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12029

AU_ID: 1241_02 Remainder of segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): No Stations

SegID: 1241A North Fork Double Mountain Fork Brazos River (unclassified water body)

Perennial stream from the confluence with Double Mountain Fork Brazos River to the dam forming Lake Ransom Canyon

Segment Type Freshwater Stream

AU_ID: 1241A_01 From confluence with Double Mountain Fork of Brazos River to Lake Ransom Canyon

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Limited	TWQS-Appendix D

Station ID(s): 11524; 11525; 11527

AU_ID: 1241A_02 Upstream portion, from confluence with Lake Buffalo Springs upstream to confluence with Yellow House Draw

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 11534

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1241B Lake Alan Henry (unclassified water body)

Impounded Double Mountain Fork Brazos Rive, 20.0 miles south east of Post in Garza and Kent Counties.

Segment Type Reservoir

AU_ID: 1241B_01 entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	Presumption from Flow Type

Station ID(s): 18414

SegID: 1241C Buffalo Springs Lake (unclassified water body)

Impounded North Fork Double Mountain Fork Brazos River within city limits of Buffalo Springs, Lubbock County.

Segment Type Reservoir

AU_ID: 1241C_01 entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	Presumption from Flow Type

Station ID(s): 11529

SegID: 1241D South Fork Double Mountain Fork Brazos River upstream of confluence with North Fork Double Mountain Fork

From its confluence with the North Fork Double Mountain Fork Brazos River in Kent County upstream to its headwaters in Lynn County.

Segment Type Freshwater Stream

AU_ID: 1241D_01 entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	WQS/Permits program	Minimal	Presumption from Flow Type

Station ID(s): 11554

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1242 Brazos River Above Navasota River

From a point immediately upstream of the confluence of the Navasota River in Brazos/Grimes/Washington County to the low water dam forming Lake Brazos in McLennan County

Segment Type Freshwater Stream

AU_ID: 1242_01 *Portion of Brazos River from confluence with Navasota River upstream to confluence with Thompson's Creek in Brazos County.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12030; 13666

AU_ID: 1242_02 *Portion of Brazos River from confluence with Thompson's Creek in Brazos County upstream to confluence with Little River in Milam County.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12031; 15767

AU_ID: 1242_03 *Portion of Brazos River from confluence with Little River upstream to confluence with Pond Creek in Milam County.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): No Stations

AU_ID: 1242_04 *Portion of Brazos River from confluence with Pond Creek in Milam County upstream to confluence with Deer Creek in Falls county.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12032; 12033

AU_ID: 1242_05 *Portion of Brazos River from confluence with Deer Creek in Falls County upstream to confluence with Tehuacana Creek in McLennan County*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12034; 12035; 12036; 12037

AU_ID: 1242_06 *Portion of Brazos River from confluence with Tehuacana Creek in McLennan County upstream to Lake Brazos Dam in McLennan County*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12038

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1242A Marlin City Lake System (unclassified water body)

From New Marlin City Dam up to normal pool elevation northeast of Marlin in Falls County (impounds Big Sandy Creek)

Segment Type Reservoir

AU_ID: 1242A_01 Old Marlin City Lake

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	Presumption from Flow Type

Station ID(s): 16783

AU_ID: 1242A_02 New Marlin City Lake

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	Presumption from Flow Type

Station ID(s): 16781

SegID: 1242B Cottonwood Branch (unclassified water body)

Intermittent stream with perennial pools from the confluence with Still Creek upstream 0.95 km to the confluence with an unnamed tributary

Segment Type Freshwater Stream

AU_ID: 1242B_01 Portion of Cottonwood Branch from confluence with Still Creek upstream to unnamed tributary (NHD RC 12070101000835) in Brazos County.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	TWQS-Appendix D	Intermediate	TWQS-Appendix D

Station ID(s): 17598

AU_ID: 1242B_02 Portion of Cottonwood Branch from confluence with unnamed tributary (NHD RC 12070101000835) upstream to headwaters in Brazos County.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type

Station ID(s): 17597

SegID: 1242C Still Creek (unclassified water body)

Perennial stream from the confluence with Thompson's Creek upstream to the confluence with Cottonwood Branch

Segment Type Freshwater Stream

AU_ID: 1242C_01 Portion of Still Creek from confluence with Thompsons Creek in Brazos County upstream to confluence with unnamed tributary (NHD RC 12070101006127).

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 16882

AU_ID: 1242C_02 Portion of Still Creek from confluence with unnamed tributary (NHD RC 12070101006127) upstream to headwaters in Brazos County.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type

Station ID(s): 17378

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1242D Thompsons Creek (unclassified water body)

From the confluence with the Brazos River upstream to headwaters in Brazos County.

Segment Type Freshwater Stream

AU_ID: 1242D_01 Portions of Thompsons Creek from confluence with Brazos River upstream to confluence with Still Creek in Brazos County.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	TWQS-Appendix D	Intermediate	TWQS-Appendix D

Station ID(s): 16396; 20530

AU_ID: 1242D_02 Portion of Thompsons Creek from confluence with Still Creek upstream to headwaters in Brazos County.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	TWQS-Appendix D	Intermediate	TWQS-Appendix D

Station ID(s): 16397; 20653

SegID: 1242E Little Brazos River (unclassified water body)

From confluence with the Brazos River in Brazos County upstream to headwaters in Limestone County.

Segment Type Freshwater Stream

AU_ID: 1242E_01 Portion of Little Brazos River from confluence with Brazos River in Brazos County upstream to confluence with Walnut Creek in Robertson County.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	High	TWQS-Appendix D

Station ID(s): 11581; 11591

SegID: 1242F Pond Creek (unclassified water body)

Perennial stream from the confluence with the Brazos River in Milam County up to the confluence with Live Oak Creek in Falls County

Segment Type Freshwater Stream

AU_ID: 1242F_01 From the Brazos confluence upstream to Live Oak Creek confluence

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Limited	TWQS-Appendix D

Station ID(s): 16406

SegID: 1242H Tradinghouse Reservoir (unclassified water body)

Impounded Tradinghouse Creek, within the city of Hallsburg, McLennan County

Segment Type Reservoir

AU_ID: 1242H_01 entire reservoir

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TWQS-Appendix D	High	TWQS-Appendix D

Station ID(s): 18457

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1242I Campbells Creek (unclassified water body)

From the confluence with the Little Brazos River upstream to the headwaters, one mile west of Old San Antonio Road

Segment Type Freshwater Stream

AU_ID: 1242I_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	Flow Questionnaire	Minimal	Presumption from Flow Type

Station ID(s): 16395; 20561

SegID: 1242J Deer Creek (unclassified water body)

From the confluence with the Brazos River upstream to the confluence of West Fork Deer Creek and East Fork Deer Creek in Falls County

Segment Type Freshwater Stream

AU_ID: 1242J_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	WQS/Permits program	Intermediate	Previous TCEQ Permit Decision

Station ID(s): 11723; 16407; 18644

SegID: 1242K Mud Creek (unclassified water body)

From confluence with the Little Brazos River, upstream to the confluence with Touchstone Branch and Wolf Den Branch, in Robertson County

Segment Type Freshwater Stream

AU_ID: 1242K_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type

Station ID(s): 16402; 20562

SegID: 1242L Pin Oak Creek (unclassified water body)

From the confluence with the Little Brazos River in Robertson County upstream to the headwaters, 2.07 miles south of Franklin

Segment Type Freshwater Stream

AU_ID: 1242L_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type

Station ID(s): 16401; 20563

SegID: 1242M Spring Creek (unclassified water body)

From the confluence with the Little Brazos River in Robertson County, upstream to the headwaters, 1.5 miles north of FM 391

Segment Type Freshwater Stream

AU_ID: 1242M_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type

Station ID(s): 16394; 20564

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1242N Tehuacana Creek (unclassified water body)

From the confluence with the Brazos River in McLennan county upstream to the headwaters 2 miles south of Penelope in Hill County

Segment Type Freshwater Stream

AU_ID: 1242N_01 Downstream portion of water body, from confluence with Brazos River upstream to confluence with Little Tehuacana Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	WQS/Permits program	High	Previous TCEQ Permit Decision

Station ID(s): 11609; 11610; 15771; 18812; 18870; 18871

AU_ID: 1242N_02 Upstream portion, from confluence with Little Tehuacana Creek upstream to headwaters

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	WQS/Permits program	High	Previous TCEQ Permit Decision

Station ID(s): 11616

SegID: 1242O Walnut Creek (unclassified water body)

From the confluence with the Little Brazos River in Robertson County, upstream to the headwaters, one mile south of White Rock

Segment Type Freshwater Stream

AU_ID: 1242O_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 16403; 20021; 20565

SegID: 1242P Big Creek (unclassified water body)

From the confluence with Little Brazos River in Falls County upstream to the confluence with unnamed creeks near Mart in the northeast corner of Falls County

Segment Type Freshwater Stream

AU_ID: 1242P_01 Downstream portion of water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	Flow Questionnaire	Minimal	Presumption from Flow Type

Station ID(s): 16400

AU_ID: 1242P_02 Upstream portion, including confluence with City of Mart WWTP rec. water

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	Flow Questionnaire	Minimal	Presumption from Flow Type

Station ID(s): No Stations

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1242Q Bull Hide Creek (unclassified water body)

From the confluence with the Brazos River in Falls County upstream to its headwaters, 1.5 km west of Waco in McLennan County.

Segment Type Freshwater Stream

AU_ID: 1242Q_01 *Portion of Bull Hide Creek from the confluence with the Brazos River in Falls county upstream to the confluence with unnamed tributary (NHD RC 12070101002570) in McLennan County.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	WQS/Permits program	High	Previous TCEQ Permit Decision

Station ID(s): 11604; 20128

SegID: 1242R Cow Bayou (unclassified water body)

From the confluence with the Brazos River Above Navasota River upstream to the confluence with North / South Cow Bayou in Falls County.

Segment Type Freshwater Stream

AU_ID: 1242R_01 *Entire water body*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	WQS/Permits program	High	Presumption from Flow Type

Station ID(s): 11717; 11718; 11719; 11720

SegID: 1243 Salado Creek

From the confluence with the Lampasas River in Bell County to the confluence of North Salado Creek and South Salado Creek in Williamson County

Segment Type Freshwater Stream

AU_ID: 1243_01 *Portion of Salado Creek from confluence with Lampasas River upstream to unnamed tributary (NHD RC 12070203003968) just downstream of Stagecoach outfall.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12045; 12047; 12049; 12050; 12051

AU_ID: 1243_02 *Portion of Salado Creek from confluence with unnamed tributary (NHD RC 12070203003968) upstream to confluence with North/South Forks Salado Creek in Williamson County.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 11760; 12052; 12053; 20306

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1244 Brushy Creek

From the confluence with the San Gabriel River in Milam County to the confluence of South Brushy Creek in Williamson County

Segment Type Freshwater Stream

AU_ID: 1244_01 From confluence with San Gabriel upstream to confluence with Mustang Creek.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12054; 12056

AU_ID: 1244_02 From confluence with Mustang Creek, upstream to conf. with Cottonwood Branch.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12058

AU_ID: 1244_03 From confluence with Cottonwood Branch upstream to City of Round Rock WWTP outfall

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12060

AU_ID: 1244_04 From immediately upstream of City of Round Rock WWTP outfall upstream to end of segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12067; 12068

SegID: 1244A Brushy Creek Above South Brushy Creek (unclassified water body)

Perennial stream from the confluence of South Brushy Creek to the confluence of North Fork Brushy Creek and South Fork Brushy Creek in Williamson County

Segment Type Freshwater Stream

AU_ID: 1244A_01 Entire segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	High	TWQS-Appendix D

Station ID(s): 11731; 17374; 18659

SegID: 1244B Lake Creek (unclassified water body)

From its confluence with Brushy Creek, upstream to its headwaters 1 mile west of US 183 in Cedar Park, Williamson County.

Segment Type Freshwater Stream

AU_ID: 1244B_01 entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type

Station ID(s): 17375

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1244D South Brushy Creek (unclassified water body)

From its confluence with Brushy Creek, upstream to its headwaters 1.5 miles west of US 183 in Cedar Park, Williamson County.

Segment Type Freshwater Stream

AU_ID: 1244D_01 entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	WQS/Permits program	High	Previous TCEQ Permit Decision

Station ID(s): 11735; 20652

SegID: 1245 Upper Oyster Creek

From Steep Bank Creek/Brazos River confluence in Fort Bend County to pumping station on Jones Creek confluence at Brazos River in Fort Bend County (includes portions of Steep Bank Creek, Flat Bank Creek, and Jones Creek)

Segment Type Freshwater Stream

AU_ID: 1245_01 From the confluence with the Brazos River upstream to Dam #3

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Intermediate	TWQS-Appendix A

Station ID(s): 12074; 12075; 12077; 17690; 18211

AU_ID: 1245_02 From Dam #3 upstream to Harmon St. crossing in Sugar Land

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Intermediate	TWQS-Appendix A

Station ID(s): 12079; 12082; 12083; 17373

AU_ID: 1245_03 From Harmon St. crossing in Sugar Land upstream to the end of the segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Intermediate	TWQS-Appendix A

Station ID(s): 12085; 12086; 12087; 12088; 12089; 12090; 12091; 17685

SegID: 1245A Red Gully (unclassified water body)

Perennial stream from the confluence with Oyster Creek up to 1.7 km upstream of Old Richmond Road

Segment Type Freshwater Stream

AU_ID: 1245A_01 entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D

Station ID(s): 11516; 18212; 18214; 18297

SegID: 1245B Brown's Bayou (unclassified water body)

From US Hwy 59 downstream to its confluence with Bullhead Bayou in Fort Bend County

Segment Type Freshwater Stream

AU_ID: 1245B_01 entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type

Station ID(s): 17380

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1245C Bullhead Bayou (unclassified water body)

From its confluence with Steep Bank Creek in Fort Colony, upstream to its headwaters in Pecan Grove in Fort Bend County

Segment Type Freshwater Stream

AU_ID: 1245C_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type

Station ID(s): 17371; 17372

SegID: 1245D Unnamed Tributary of Bullhead Bayou (unclassified water body)

Tributary to Bullhead Bayou in Fort Bend County

Segment Type Freshwater Stream

AU_ID: 1245D_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type

Station ID(s): 17382

SegID: 1245E Flewellen Creek (unclassified water body)

From the confluence with Oyster Creek upstream to the confluence with two unnamed tributaries, 0.3 km east of Fulshear in Fort Bend county.

Segment Type Freshwater Stream

AU_ID: 1245E_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type

Station ID(s): 17686

SegID: 1245F Alcorn Bayou (unclassified water body)

From the confluence with Steep Bank Creek upstream to its headwaters 0.5km east of Pecan Grove in Fort Bend county

Segment Type Freshwater Stream

AU_ID: 1245F_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type

Station ID(s): 17381

SegID: 1245G Brooks Lake (unclassified water body)

Impounded Oyster Creek (Dam #2) in south Sugar Land, Fort Bend County.

Segment Type Reservoir

AU_ID: 1245G_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	Presumption from Flow Type

Station ID(s): 11510

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1245H Alkire Lake (unclassified water body)

Amenity lake in south-central Sugar Land, Fort Bend County.

Segment Type Reservoir

AU_ID: 1245H_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	Presumption from Flow Type

Station ID(s): 17687

SegID: 1245I Steep Bank Creek (unclassified water body)

From confluence with Oyster Creek (Flat Bank Creek portion) upstream to end of water body, 0.2 km east of US 59 in city of First Colony, Fort Bend County.

Segment Type Freshwater Stream

AU_ID: 1245I_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	WQS/Permits program	Limited	Previous TCEQ Permit Decision

Station ID(s): 11507; 17689; 18206; 18207

SegID: 1245J Stafford Run (unclassified water body)

From the confluence with Upper Oyster Creek upstream to headwaters near Stafford, Fort Bend County.

Segment Type Freshwater Stream

AU_ID: 1245J_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 17688; 18209

SegID: 1246 Middle Bosque/South Bosque River

From the confluence with the South Bosque River in McLennan County to the confluence of Cave Creek and Middle Bosque Creek on the Middle Bosque River in Coryell County and from the confluence of the Middle Bosque River in McLennan County to FM 2671 on the South Bosque River in McLennan County.

Segment Type Freshwater Stream

AU_ID: 1246_01 Entire Middle Bosque River

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12093; 17612

AU_ID: 1246_02 Entire South Bosque River

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12094; 17228; 17229; 20308

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1246D Tonk Creek (unclassified water body)

From the confluence with Middle Bosque River in Crawford (McLennan County), upstream to the headwaters in Coryell County, 1.0 mile west of FM 929

Segment Type Freshwater Stream

AU_ID: 1246D_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	WQS/Permits program	High	Previous TCEQ Permit Decision

Station ID(s): 17232

SegID: 1246E Wasp Creek (unclassified water body)

From the confluence with Tonk Creek in Crawford in McLennan County, upstream to the headwaters in Coryell County, 0.15 mile east of FM 185

Segment Type Freshwater Stream

AU_ID: 1246E_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	Flow Questionnaire	Minimal	Previous TCEQ Permit Decision

Station ID(s): 17233; 18802

SegID: 1247 Granger Lake

From Granger Dam in Williamson County to a point 1.9 km (1.2 miles) downstream of SH 95 in Williamson County, up to normal pool elevation of 504 feet (impounds San Gabriel River)

Segment Type Reservoir

AU_ID: 1247_01 Eastern end of lake near the dam

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 12095; 13868

AU_ID: 1247_02 Willis Creek arm of lake

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 12097

AU_ID: 1247_03 Western end of lake on the San Gabriel River

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 12096; 13872

SegID: 1247A Willis Creek (unclassified water body)

From the confluence with the headwaters of Granger Lake in Williamson County to CR 313 in Williamson County

Segment Type Freshwater Stream

AU_ID: 1247A_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Flow Questionnaire	High	Presumption from Flow Type

Station ID(s): 11573; 20022; 20305

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1248 San Gabriel/North Fork San Gabriel River

From point 1.9 km (1.2 miles) downstream of SH 95 in Williamson County to North San Gabriel Dam in Williamson County

Segment Type Freshwater Stream

AU_ID: 1248_01 Entire segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A
Station ID(s): 12099; 12102; 12106; 12108; 13692			

SegID: 1248A Berry Creek (unclassified water body)

Perennial stream from the confluence with the San Gabriel River northeast of Georgetown in Williamson County to the confluence with Stapp Branch southwest of Florence in Williamson County

Segment Type Freshwater Stream

AU_ID: 1248A_01 Entire creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	High	TWQS-Appendix D
Station ID(s): 11572; 13496			

SegID: 1248B Huddleston Branch (unclassified water body)

From the confluence with Mankins Branch in Williamson County to a point 1 km upstream of CR 105 in Williamson County

Segment Type Freshwater Stream

AU_ID: 1248B_01 Entire reach

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type
Station ID(s): 17052			

SegID: 1248C Mankins Branch (unclassified water body)

Perennial stream from the confluence with the San Gabriel River in Williamson County to the intersection of CR 105 and 104 in Williamson County

Segment Type Freshwater Stream

AU_ID: 1248C_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type
Station ID(s): 13497; 17051			

SegID: 1248D Middle Fork San Gabriel River (unclassified water body)

From its confluence with the North Fork San Gabriel River, upstream to its headwaters 2.6 miles north of SH 29 in Williamson County.

Segment Type Freshwater Stream

AU_ID: 1248D_01 entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type
Station ID(s): 15754; 18734			

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1249 Lake Georgetown

From North San Gabriel Dam in Williamson County to a point 6.6 km (4.1 miles) downstream of US 183 in Williamson County, up to normal pool elevation of 791 feet (impounds North Fork San Gabriel River)

Segment Type Reservoir

AU_ID: 1249_01 East end of reservoir near dam

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): | 12111

AU_ID: 1249_02 West end of reservoir near headwaters

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): | 12113

SegID: 1250 South Fork San Gabriel River

From the confluence with the North Fork San Gabriel River in Williamson County to the most upstream crossing of SH 29 in Burnet County

Segment Type Freshwater Stream

AU_ID: 1250_01 From the confluence with the San Gabriel River upstream to confluence with unnamed tributary (NHD RC 12070205002995).

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): | 12114; 12115; 20309

AU_ID: 1250_02 From the confluence with unnamed tributary (NHD RC 12070205002995) upstream to unnamed tributary NHD RC 12070205002505)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): | 12116

AU_ID: 1250_03 From the confluence with unnamed tributary (NHD RC 12070205002505) upstream to headwaters of water body.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): | 12117

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1251 North Fork San Gabriel River

From a point 6.6 km (4.1 miles) downstream of US 183 in Williamson County to the confluence of Allen Branch in Burnet County

Segment Type Freshwater Stream

AU_ID: 1251_01 *From confluence with Lake Georgetown in Williamson County upstream to confluence with Russell Fork San Gabriel River in Burnet County*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12120; 13676

AU_ID: 1251_02 *From confluence with Russell Fork San Gabriel River upstream to headwaters of water body in Burnet County.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12122

SegID: 1252 Lake Limestone

From Sterling C. Robertson Dam in Leon/Robertson County to a point 2.3 km (1.4 miles) downstream of SH 164 in Limestone County, up to normal pool elevation of 363 feet (impounds Navasota River)

Segment Type Reservoir

AU_ID: 1252_01 *South end of lake near dam*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 12123

AU_ID: 1252_02 *Main body of lake*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 12125

AU_ID: 1252_03 *Lambs Creek arm on east side of lake*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 12124

AU_ID: 1252_04 *Big Creek Arm of Lake*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 13971

AU_ID: 1252_05 *Navasota River Arm near headwaters*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 13970

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1253 Navasota River Below Lake Mexia

From a point 2.3 km (1.4 miles) downstream of SH 164 in Limestone County to Bistone Dam in Limestone County

Segment Type Freshwater Stream

AU_ID: 1253_01 From headwaters of Lake Limestone upstream to confluence with Plummer's Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12126

AU_ID: 1253_02 From confluence with Plummer's Creek upstream to Springfield Lake

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 13650; 16393

AU_ID: 1253_03 From headwaters of Springfield Lake upstream to confluence with Lake Mexia

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 17039

SegID: 1253A Springfield Lake (unclassified water body)

Impoundment of Navasota River below Lake Mexia in Limestone County.

Segment Type Reservoir

AU_ID: 1253A_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	Presumption from Flow Type

Station ID(s): 16247; 18799

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1254 Aquilla Reservoir

From Aquilla Dam in Hill County up to the normal pool elevation of 537.5 feet (impounds Aquilla Creek)

Segment Type Reservoir

AU_ID: 1254_01 South end of reservoir near dam

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 12127; 13821; 13824

AU_ID: 1254_02 Aquilla Creek arm on the west

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 12128; 13827

AU_ID: 1254_03 Hackberry Creek arm on the east

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 12129; 13825; 17321

AU_ID: 1254_SA2 Transition Zone areas associated with Aquilla Creek arm of the lake.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	not available	not available	not available

Station ID(s): 13828; 18461; 18462; 18463; 18464

AU_ID: 1254_SA3 Transition Zone areas associated with Hackberry Arm of lake.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	not available	not available	not available

Station ID(s): 13826; 18466; 18467; 18468

SegID: 1254A Hackberry Creek (unclassified water body)

From its confluence with Aquilla Reservoir, upstream to its headwaters 1.3 miles west of Itasca in Hill County

Segment Type Freshwater Stream

AU_ID: 1254A_01 Portion of Hackberry Creek from the confluence with Aquilla Reservoir upstream to the confluence with Little Hackberry Creek in Hill County.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 13645

AU_ID: 1254A_02 Portion of Hackberry Creek from the confluence with Little Hackberry Creek upstream to headwaters in Hill County.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 13644

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1254B Aquilla Creek upstream of Aquilla Reservoir (unclassified water body)

From its confluence with Aquilla Creek Reservoir, upstream to its headwaters 5.3 miles east of Rio Vista in Johnson County.

Segment Type Freshwater Stream

AU_ID: 1254B_01 entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
not available	not available	not available	not available

Station ID(s): 13643

SegID: 1255 Upper North Bosque River

From a point immediately above the confluence of Indian Creek in Erath County to the confluence of the North Fork and South Fork of the Bosque River in Erath County

Segment Type Freshwater Stream

AU_ID: 1255_01 Portion of Upper North Bosque River from confluence with Indian Creek upstream to confluence with Dry Branch in Erath County.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Intermediate	TWQS-Appendix A

Station ID(s): 11963; 11964; 11965

AU_ID: 1255_02 Portion of Upper North Bosque River from confluence with Dry Branch upstream to confluence with North/South Forks North Bosque River in Erath County.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Intermediate	TWQS-Appendix A

Station ID(s): 17226

SegID: 1255A Goose Branch (unclassified water body)

From the confluence with the south fork of the North Bosque River 2.5 miles (4.0 km) west of Stephenville, upstream to the headwaters 0.5 miles (0.8 km) north of FM 8 in Erath County

Segment Type Freshwater Stream

AU_ID: 1255A_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	Flow Questionnaire	Minimal	Presumption from Flow Type

Station ID(s): 17215

SegID: 1255B North Fork Upper North Bosque River (unclassified water body)

From the confluence with the South Fork of the Upper North Bosque River in Stephenville, upstream to the headwaters, 2.0 miles north of FM 219

Segment Type Freshwater Stream

AU_ID: 1255B_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type

Station ID(s): 17413

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1255C Scarborough Creek (unclassified water body)

From the confluence with the North Fork of the upper North Bosque River, upstream to the headwaters 0.1 miles (0.2 km) southeast of FM 219 in Erath County

Segment Type Freshwater Stream

AU_ID: 1255C_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	Flow Questionnaire	Minimal	Presumption from Flow Type

Station ID(s): 17221; 17222

SegID: 1255D South Fork North Bosque River (unclassified water body)

From the confluence with the North Fork of the upper North Bosque River in Stephenville, upstream to the headwaters 3 miles (4.8 km) north of FM 219 in Erath County

Segment Type Freshwater Stream

AU_ID: 1255D_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type

Station ID(s): 17218; 17602

SegID: 1255E Unnamed Tributary of Goose Branch (unclassified water body)

From the confluence with Goose Branch in Erath County to its headwaters, 0.2 miles southeast of the intersection of FM 8 and Farm Road 1219

Segment Type Freshwater Stream

AU_ID: 1255E_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type

Station ID(s): 17213; 17214

SegID: 1255F Unnamed Tributary of Scarborough Creek (unclassified water body)

From the confluence with Scarborough Creek, 1.0 mile west of SH 108 in Erath County, upstream to the headwaters, 0.3 mile north of FM 219

Segment Type Freshwater Stream

AU_ID: 1255F_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type

Station ID(s): 17223

SegID: 1255G Woodhollow Branch (unclassified water body)

From the confluence with the South Fork of the North Bosque River, 6 miles northwest of Stephenville, upstream to the headwaters, 1.5 miles north of FM 219 in Erath County

Segment Type Freshwater Stream

AU_ID: 1255G_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type

Station ID(s): 17217

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1255H **South Fork Upper North Bosque River Reservoir (unclassified water body)**

Impoundment of South Fork Upper North Bosque River, 8 miles north west of Stephenville in Erath County

Segment Type Reservoir

AU_ID: 1255H_01 *entire water body*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	Presumption from Flow Type

Station ID(s): 17219

SegID: 1255I **Dry Branch (unclassified water body)**

From its confluence with the Upper North Bosque River, upstream to its headwaters 2.3 miles east of SH 106 in Erath County

Segment Type Freshwater Stream

AU_ID: 1255I_01 *entire water body*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type

Station ID(s): 17603

SegID: 1255J **Goose Branch Reservoir (unclassified water body)**

Impoundment of Goose Branch, 5 miles west of Stephenville in Erath County.

Segment Type Reservoir

AU_ID: 1255J_01 *entire water body*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	Presumption from Flow Type

Station ID(s): 17216

SegID: 1255K **Scarborough Creek Reservoir (unclassified water body)**

Impoundment of Scarborough Creek, 5 miles north west of Stephenville in Erath County

Segment Type Reservoir

AU_ID: 1255K_01 *entire water body*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	Presumption from Flow Type

Station ID(s): 17224

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1256 Brazos River/Lake Brazos

From the low water dam forming Lake Brazos in McLennan County to a point immediately upstream of the confluence of Aquilla Creek in McLennan County (includes the Bosque River Arm to the Waco Lake Dam)

Segment Type Freshwater Stream

AU_ID: 1256_01 Brazos River portion of segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A
Station ID(s): 12043			

AU_ID: 1256_02 Lake Brazos portion of segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A
Station ID(s): 12041; 14226			

AU_ID: 1256_03 Bosque River portion of segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A
Station ID(s): 11626; 14948; 18521			

SegID: 1256A Aquilla Creek (unclassified water body)

From the confluence with the Brazos River 4 miles (6.4 km) west of Elm Mott, upstream to the Aquilla Lake Dam in McLennan County

Segment Type Freshwater Stream

AU_ID: 1256A_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type
Station ID(s): 11592; 11593; 13646			

SegID: 1257 Brazos River Below Lake Whitney

From a point immediately upstream of the confluence of Aquilla Creek in McLennan County to Whitney Dam in Bosque/Hill County

Segment Type Freshwater Stream

AU_ID: 1257_01 Downstream portion of segment from confluence with Aquilla Creek upstream to confluence with Coon Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A
Station ID(s): 12044; 16782			

AU_ID: 1257_02 Upstream portion of segment from confluence with Coon Creek upstream to Lake Whitney Dam

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A
Station ID(s): 13642			

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1301 San Bernard River Tidal

From the confluence with the Intracoastal Waterway in Brazoria County to a point 3.2 km (2.0 miles) upstream of SH 35 in Brazoria County

Segment Type Tidal Stream

AU_ID: 1301_01 Entire Segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	TSWQS	High	TWQS-Appendix A

Station ID(s): 12146; 20460

SegID: 1302 San Bernard River Above Tidal

From a point 3.2 km (2.0 miles) upstream of SH 35 in Brazoria County to the county road southeast of New Ulm in Austin County

Segment Type Freshwater Stream

AU_ID: 1302_01 From the confluence with the Intracoastal Waterway in Brazoria County to confluence with Peach Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12147; 15272

AU_ID: 1302_02 From the confluence with Peach Creek to the unnamed tributary at NHD RC 12090401001535 at N-96.03, W29.51

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 17420; 18345

AU_ID: 1302_03 From the confluence with unnamed tributary at NHD RC 12090401001535 at N-96.03, W29.51 to the confluence with Coushatta Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 16370; 16373; 17421

AU_ID: 1302_04 From the confluence with Coushatta Creek to the upstream end of segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 17422

SegID: 1302A Gum Tree Branch (unclassified water body)

From the confluence with West Bernard Creek near Wharton CR 252 to the headwaters approximately 15 miles upstream near RR 102

Segment Type Freshwater Stream

AU_ID: 1302A_01 Entire Water Body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 16371

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1302B West Bernard Creek (unclassified water body)

From the confluence with the San Bernard River Above Tidal downstream of US highway 59 to the headwaters approximately 40 miles upstream near FM 1093

Segment Type Freshwater Stream

AU_ID: 1302B_01 *From the confluence with the San Bernard River Above Tidal to the confluence with Clarks Branch*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Flow Questionnaire	High	Presumption from Flow Type

Station ID(s): 12131; 17419; 20721

AU_ID: 1302B_02 *From the confluence with Clarks Branch to the upper end of segment*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Flow Questionnaire	High	Presumption from Flow Type

Station ID(s): 16374

SegID: 1304 Caney Creek Tidal

From the confluence with the Intracoastal Waterway in Matagorda County to a point 1.9 km (1.2 miles) upstream of the confluence of Linville Bayou in Matagorda County

Segment Type Tidal Stream

AU_ID: 1304_01 *From the downstream end of segment to the confluence with Dead Slough*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	TSWQS	High	TWQS-Appendix A

Station ID(s): 12148; 12149; 12150; 16845; 17439

AU_ID: 1304_02 *From the confluence with Dead Slough to the upstream end of segment*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	TSWQS	High	TWQS-Appendix A

Station ID(s): 12151

SegID: 1304A Linnville Bayou (unclassified water body)

Intermittent stream with perennial pools from a point 1.1 km above the confluence with Caney Creek in Matagorda County up to a point 0.1 km above SH 35 in Brazoria/Matagorda Counties

Segment Type Freshwater Stream

AU_ID: 1304A_01 *Entire Water Body*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	TWQS-Appendix D	Limited	TWQS-Appendix D

Station ID(s): 12141; 12145

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1305 Caney Creek Above Tidal

From a point 1.9 km (1.2 miles) upstream of the confluence of Linnville Bayou in Matagorda County to Old Caney Road in Wharton County

Segment Type Freshwater Stream

AU_ID: *1305_01* *From the downstream end of the segment to the confluence with Hardeman Slough*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12152; 15951

AU_ID: *1305_02* *From the confluence with Hardeman Slough to the confluence with Snead Slough*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12154

AU_ID: *1305_03* *From the confluence with Snead Slough to the upper end of segment*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12155; 17498; 20468

SegID: 1401 Colorado River Tidal

From the confluence with the Gulf of Mexico in Matagorda County to a point 2.1 km (1.3 miles) downstream of the Missouri-Pacific Railroad in Matagorda County

Segment Type Tidal Stream

AU_ID: *1401_01* *Entire water body*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	TSWQS	High	TWQS-Appendix A

Station ID(s): 12281

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1402 Colorado River Below La Grange

From a point 2.1 km (1.3 miles) downstream of the Missouri-Pacific Railroad in Matagorda County to a point 100 meters (110 yards) downstream of SH 71 at La Grange in Fayette County

Segment Type Freshwater Stream

AU_ID: 1402_01 *From a point 2.1 km (1.3 miles) downstream of the Missouri-Pacific Railroad in Matagorda County upstream to the confluence of Blue Creek in Matagorda County*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12284

AU_ID: 1402_02 *From the confluence of Blue Creek in Matagorda County upstream to the confluence of Pierce Canal west of Wharton in Wharton County*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	TWQS-Appendix A

Station ID(s): 12286

AU_ID: 1402_03 *From the confluence of Pierce Canal west of Wharton in Wharton County upstream to the confluence of Robb Slough in Wharton County*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 17362

AU_ID: 1402_04 *From the confluence of Robb Slough in Wharton County upstream to the confluence of Skull Creek in Colorado County*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	TWQS-Appendix A

Station ID(s): 12287

AU_ID: 1402_05 *From the confluence of Skull Creek in Colorado County upstream to the confluence of Cummins Creek northeast of Columbus in Colorado County*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12289; 18351

AU_ID: 1402_06 *From the confluence of Cummins Creek northeast of Columbus in Colorado County upstream to confluence of Williams Creek in Fayette County*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	TWQS-Appendix A

Station ID(s): 12290

AU_ID: 1402_07 *From the confluence of Williams Creek in Fayette County upstream to a point 100 meters (110 yards) downstream of Business SH 71 at La Grange in Fayette County*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	TWQS-Appendix A

Station ID(s): 12292

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1402A Cummins Creek (unclassified water body)

Perennial stream from the confluence with the Colorado River upstream to the headwaters east of Giddings in Lee County

Segment Type Freshwater Stream

AU_ID: 1402A_01 *From the confluence with the Colorado River northeast of the city of Columbus upstream to the confluence of Boggy Creek at FM 1291 in Colorado County*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Exceptional	TWQS-Appendix D

Station ID(s): 12249; 17015

SegID: 1402C Buckners Creek (unclassified water body)

Perennial stream from the confluence with the Colorado River upstream to the headwaters at Patterson Road southeast of the City of Rosanky in Bastrop County

Segment Type Freshwater Stream

AU_ID: 1402C_01 *Perennial stream from the confluence with the Colorado River upstream to the confluence with Chandler Branch 1.6 km upstream of FM 154 in Fayette County*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	High	TWQS-Appendix D

Station ID(s): 16160; 16166; 17053

SegID: 1402G Cedar Creek Reservoir / Fayette Reservoir (unclassified water body)

From Cedar Creek Dam to pool elevation of 391 feet - power plant cooling reservoir

Segment Type Reservoir

AU_ID: 1402G_01 *Area near discharge canal*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	TWQS-Appendix D

Station ID(s): 17018

AU_ID: 1402G_02 *Area near intake canal*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	TWQS-Appendix D

Station ID(s): 17016

AU_ID: 1402G_03 *Mid-lake near dam*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	TWQS-Appendix D

Station ID(s): 17017

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1402H Skull Creek (unclassified water body)

From the confluence with the Colorado River west of Eagle Lake in Colorado County to the upstream perennial portion southwest of Columbus

Segment Type Freshwater Stream

AU_ID: 1402H_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 16805

SegID: 1403 Lake Austin

From Tom Miller Dam in Travis County to Mansfield Dam in Travis County, up to normal pool elevation of 492.8 feet (impounds Colorado River)

Segment Type Reservoir

AU_ID: 1403_01 From Tom Miller dam to Loop 360 bridge

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	TWQS-Appendix A

Station ID(s): 12294; 12295; 13906; 13907; 13908; 13909; 13910

AU_ID: 1403_02 Loop 360 bridge to Quinlan Park

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	TWQS-Appendix A

Station ID(s): 12297; 13911; 13912; 17497

AU_ID: 1403_03 Quinlan Park upstream to Mansfield Dam

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	TWQS-Appendix A

Station ID(s): 12300; 13913; 17640

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1403A Bull Creek (unclassified water body)

From the confluence of Lake Austin in northwest Austin in Travis County to the upstream perennial portion of the stream north of Austin in Travis County

Segment Type Freshwater Stream

AU_ID: 1403A_01 From the confluence with Lake Austin to the confluence of West Bull Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Flow Questionnaire	High	Presumption from Flow Type

Station ID(s): 12215

AU_ID: 1403A_02 From the confluence of W Bull Creek upstream to the Loop 360 crossing near Lakewood Dr.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 16312

AU_ID: 1403A_03 From the Loop 360 crossing near Lakewood Dr. upstream to the Spicewood Springs Rd crossing near Yaupon Dr.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Flow Questionnaire	High	Presumption from Flow Type

Station ID(s): 12216

AU_ID: 1403A_04 From Spicewood Springs Rd. crossing near Yaupon Dr. upstream to the Spicewood Springs Dr. crossing near Oak Grove cemetery

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Flow Questionnaire	High	Presumption from Flow Type

Station ID(s): 12218

AU_ID: 1403A_05 From the Spicewood Springs Rd. crossing near the Oak Grove cemetery upstream to the end of segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Flow Questionnaire	High	Presumption from Flow Type

Station ID(s): 16322

SegID: 1403B West Bull Creek (unclassified water body)

From the confluence of Bull Creek at FM 2222 and Lakewood Drive in Austin in Travis County upstream to a point north of FM 2222 in Travis County

Segment Type Freshwater Stream

AU_ID: 1403B_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 16311; 17468

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1403D Barrow Preserve Tributary (unclassified water body)

From the confluence of Stillhouse Hollow south of Loop 360 in Austin in Travis County upstream to the headsprings in Barrow Nature Preserve

Segment Type Freshwater Stream

AU_ID: 1403D_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type

Station ID(s): 16309

SegID: 1403E Stillhouse Hollow (unclassified water body)

From the confluence of Bull Creek south of Loop 360 in Austin in Travis County upstream to the headsprings in Stillhouse Hollow Nature Preserve

Segment Type Freshwater Stream

AU_ID: 1403E_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Flow Questionnaire	High	Presumption from Flow Type

Station ID(s): 16308

SegID: 1403H Bull Creek Tributary 6 (unclassified water body)

From the confluence of Bull Creek Road west of Pickfair Drive in Austin in Travis County to a point east of Hwy 620 in Travis County

Segment Type Freshwater Stream

AU_ID: 1403H_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 16320; 17467

SegID: 1403I Bull Creek Tributary 5 (unclassified water body)

From the confluence of an unnamed tributary to Bull Creek west of the intersection of Pickfair Drive and Brightling Lane in Austin in Travis County to a point east of Hwy 620 in Travis County

Segment Type Freshwater Stream

AU_ID: 1403I_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	Flow Questionnaire	Minimal	Presumption from Flow Type

Station ID(s): 16321

SegID: 1403J Spicewood Tributary to Shoal Creek (unclassified water body)

From the confluence of an unnamed tributary west of the MoPac Expressway in north Austin in Travis County upstream to the head waters north of Williamsburg Circle in Travis County

Segment Type Freshwater Stream

AU_ID: 1403J_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type

Station ID(s): 16316

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1403K Taylor Slough South (unclassified water body)

From the confluence of Lake Austin in Travis County to the headwaters near South Meadow Circle on the Texas Department of Aging and Disability Services campus in Austin in Travis County

Segment Type Freshwater Stream

AU_ID: 1403K_01 *Entire water body*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 17294

SegID: 1403R Westlake-Davenport Tributary to Lake Austin (unclassified water body)

From the confluence of Lake Austin in Travis County upstream to the headwaters 150 ft. southeast of the intersection of Waymaker Way and Round Table road in Austin in Travis County

Segment Type Freshwater Stream

AU_ID: 1403R_01 *Entire water body*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type

Station ID(s): 16310

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1404 Lake Travis

From Mansfield Dam in Travis County to Max Starcke Dam on the Colorado River Arm in Burnet County and to a point immediately upstream of the confluence of Fall Creek on the Pedernales River Arm in Travis County, up to the normal pool elevation of 681 feet (impounds Colorado River)

Segment Type Reservoir

AU_ID: 1404_01 *From Mansfield Dam upstream to the confluence with Big Sandy Creek Arm*

<u>Flow Type</u> reservoir	<u>Flow Type Source</u> Water body description	<u>ALU Designation</u> Exceptional	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	---	---------------------------------------	--

Station ID(s): | 12302

AU_ID: 1404_02 *Big Sandy Creek Arm*

<u>Flow Type</u> reservoir	<u>Flow Type Source</u> Water body description	<u>ALU Designation</u> Exceptional	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	---	---------------------------------------	--

Station ID(s): | 12307; 12308

AU_ID: 1404_03 *Arkansas Bend area, from Sandy Creek Arm upstream to Hurst Creek Arm*

<u>Flow Type</u> reservoir	<u>Flow Type Source</u> Water body description	<u>ALU Designation</u> Exceptional	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	---	---------------------------------------	--

Station ID(s): | 12309

AU_ID: 1404_04 *Lakeway area, from Hurst Creek arm upstream to the confluence with Cow Creek*

<u>Flow Type</u> reservoir	<u>Flow Type Source</u> Water body description	<u>ALU Designation</u> Exceptional	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	---	---------------------------------------	--

Station ID(s): | 12311

AU_ID: 1404_05 *From the confluence with Cow Creek upstream to the confluence of the Pedernales River Arm*

<u>Flow Type</u> reservoir	<u>Flow Type Source</u> Water body description	<u>ALU Designation</u> Exceptional	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	---	---------------------------------------	--

Station ID(s): | 12313

AU_ID: 1404_06 *From the confluence with the Pedernales River Arm upstream to Muleshoe Bend*

<u>Flow Type</u> reservoir	<u>Flow Type Source</u> Water body description	<u>ALU Designation</u> Exceptional	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	---	---------------------------------------	--

Station ID(s): | 12315

AU_ID: 1404_07 *From Muleshoe Bend upstream to the confluence with Hickory Creed*

<u>Flow Type</u> reservoir	<u>Flow Type Source</u> Water body description	<u>ALU Designation</u> Exceptional	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	---	---------------------------------------	--

Station ID(s): | 12316

AU_ID: 1404_08 *From Hickory Creek confluence upstream to the headwaters at Max Starcke Dam*

<u>Flow Type</u> reservoir	<u>Flow Type Source</u> Water body description	<u>ALU Designation</u> Exceptional	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	---	---------------------------------------	--

Station ID(s): | 12318

2012 Texas Water Quality Inventory Water Bodies Evaluated

AU_ID: 1404_09 Pedernales River Arm

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): 12301; 12314

AU_ID: 1404_10 Bee Creek Arm

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): 20070

AU_ID: 1404_11 Hurst Creek Arm

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): 12310; 15427; 15428

SegID: 1404A Hamilton Creek (unclassified water body)

From the confluence with Lake Travis upstream to the headwaters near the intersection of CR 110 and Threadgill Ranch Road northwest of Burnet in Burnet County

Segment Type Freshwater Stream

AU_ID: 1404A_03 From the confluence of Haynie Branch upstream to the headwaters near the intersection of CR 110 and Threadgill Ranch Road northwest of Burnet in Burnet County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type

Station ID(s): 17050

SegID: 1404B Cow Creek (unclassified water body)

From the confluence with Lake Travis in Travis County upstream to the headwaters 3.2 km (2.0 miles) southwest of the intersection of CR 336 and CR 337 near the City of Oatmeal in Burnet County

Segment Type Freshwater Stream

AU_ID: 1404B_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 17054; 18660

SegID: 1404D Lick Creek (unclassified water body)

From the confluence with the Pedernales River arm of Lake Travis upstream to the headwaters 1.0 km (0.75 miles) northeast of the intersection of Reimers-Peacock Road and Hamilton Pool Road in Travis county

Segment Type Freshwater Stream

AU_ID: 1404D_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Flow Questionnaire	High	Presumption from Flow Type

Station ID(s): 17334; 18661

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1405 Marble Falls Lake

From Max Starcke Dam in Burnet County to Alvin Wirtz Dam in Burnet County, up to normal pool elevation of 738 feet (impounds the Colorado River)

Segment Type Reservoir

AU_ID: 1405_01 From Max Starcke Dam to Varnhagen Creek confluence

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	TWQS-Appendix A

Station ID(s):

AU_ID: 1405_02 From Varnhagen Creek confluence upstream to Alvin Wirtz Dam

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	TWQS-Appendix A

Station ID(s):

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1406 Lake Lyndon B. Johnson

From Alvin Wirtz Dam in Burnet County to Roy Inks Dam on the Colorado River Arm in Burnet/Llano County and to a point immediately upstream of the confluence of Honey Creek on the Llano River Arm in Llano County, up to the normal pool elevation of 825 feet (impounds Colorado River)

Segment Type Reservoir

AU_ID: 1406_01 From Alvin Wirtz Dam upstream to the Pecan Creek Arm

<u>Flow Type</u> reservoir	<u>Flow Type Source</u> Water body description	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	---	--------------------------------	--

Station ID(s): 12324

AU_ID: 1406_02 From the Pecan Creek Arm upstream to the Station Creek/Dry Creek Arm

<u>Flow Type</u> reservoir	<u>Flow Type Source</u> Water body description	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	---	--------------------------------	--

Station ID(s): 12327; 17329

AU_ID: 1406_03 From the Station Creek/Dry Creek Arm upstream to the Llano River Arm

<u>Flow Type</u> reservoir	<u>Flow Type Source</u> Water body description	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	---	--------------------------------	--

Station ID(s): 12330

AU_ID: 1406_04 Llano River arm

<u>Flow Type</u> reservoir	<u>Flow Type Source</u> Water body description	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	---	--------------------------------	--

Station ID(s): 12331

AU_ID: 1406_05 From the confluence with the Llano River Arm upstream to the Williams Creek confluence

<u>Flow Type</u> reservoir	<u>Flow Type Source</u> Water body description	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	---	--------------------------------	--

Station ID(s): 12333

AU_ID: 1406_06 From the Williams Creek confluence upstream to Roy Inks Dam

<u>Flow Type</u> reservoir	<u>Flow Type Source</u> Water body description	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	---	--------------------------------	--

Station ID(s): 12335

SegID: 1406A Sandy Creek (unclassified water body)

From the confluence of Lake Lyndon B. Johnson southeast of Llano in Llano County to the upstream to the confluence of Crabapple Creek south of Llano in Llano County

Segment Type Freshwater Stream

AU_ID: 1406A_01 From the confluence of Lake LBJ upstream to the confluence of Crabapple Creek south of Llano in Llano County

<u>Flow Type</u> intermittent	<u>Flow Type Source</u> Flow Questionnaire	<u>ALU Designation</u> Minimal	<u>ALU Designation Source</u> Presumption from Flow Type
----------------------------------	---	-----------------------------------	---

Station ID(s): 12214; 17007

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1407 Inks Lake

From Roy Inks Dam on the Colorado River Arm in Burnet/Llano County to Buchanan Dam in Burnet/Llano County, up to normal pool elevation of 888 feet (impounds the Colorado River)

Segment Type Reservoir

AU_ID: 1407_01 *From Roy Inks Dam upstream to the Clear Creek Arm*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	TWQS-Appendix A

Station ID(s): 12336

AU_ID: 1407_02 *From Clear Creek Arm upstream to Buchanan Dam*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	TWQS-Appendix A

Station ID(s): 12343

SegID: 1407A Clear Creek (unclassified water body)

From the confluence with Inks Lake in Burnet County west of Burnet upstream to a point 2 miles (3.2 km) west of FM 2341 near Potato Hill northwest of Burnet

Segment Type Freshwater Stream

AU_ID: 1407A_01 *From the confluence with Inks Lake upstream to FM 2341*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type

Station ID(s): 18710

AU_ID: 1407A_02 *FM 2341 upstream to headwaters near Potato Hill*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	Flow Questionnaire	Minimal	Presumption from Flow Type

Station ID(s): No Stations

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1408 Lake Buchanan

From Buchanan Dam in Burnet/Llano County to a point immediately upstream of the confluence of Yancey Creek, up to normal pool elevation of 1020 feet (impounds Colorado River)

Segment Type Reservoir

AU_ID: 1408_01 Main pool near dam upstream to Flag Island area

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	TWQS-Appendix A

Station ID(s): 12344

AU_ID: 1408_02 Rocky Point area, from Flag Island upstream to Shaw Island Park area

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	TWQS-Appendix A

Station ID(s): 12347

AU_ID: 1408_03 From Shaw Island Park area upstream to Paradise Point Resort area

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	TWQS-Appendix A

Station ID(s): 12350

AU_ID: 1408_04 From Paradise Point Resort area upstream to Willow Slough area

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	TWQS-Appendix A

Station ID(s): 12352

AU_ID: 1408_05 From the Willow Slough area upstream to the headwaters near the Yancey Creek confluence

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	TWQS-Appendix A

Station ID(s): 12353

AU_ID: 1408_06 Council Creek and Morgan Creek Arm

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 12348; 12349; 20055; 20056; 20057

SegID: 1409 Colorado River Above Lake Buchanan

From a point immediately upstream of the confluence of Yancey Creek in Burnet/San Saba/Lampasas County to the confluence of the San Saba River in San Saba County

Segment Type Freshwater Stream

AU_ID: 1409_01 From the Yancey Creek confluence upstream to the confluence with Cherokee Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	TWQS-Appendix A

Station ID(s): 17358; 20641

AU_ID: 1409_02 From the confluence with Cherokee Creek upstream to the confluence of the San Saba River

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	TWQS-Appendix A

Station ID(s): 12355

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1409A Cherokee Creek (unclassified water body)

From the confluence with the Colorado River in San Saba County to a point 1.5 km south of the Llano County line southwest of the City of Cherokee

Segment Type Freshwater Stream

AU_ID: 1409A_01 *From the confluence with the Colorado River in San Saba County upstream to the confluence of Buffalo Creek northeast of the City of Cherokee in San Saba County*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 12274

SegID: 1410 Colorado River Below O. H. Ivie Reservoir

From the confluence of the San Saba River in San Saba County to S. W. Freese Dam in Coleman/Concho County

Segment Type Freshwater Stream

AU_ID: 1410_01 *From the confluence of the San Saba River upstream to the confluence of Pecan Bayou*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 17359; 17361

AU_ID: 1410_02 *From the confluence of Pecan Bayou upstream to the confluence of Indian Creek*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	TWQS-Appendix A

Station ID(s): 17360

AU_ID: 1410_03 *From the confluence of Indian Creek upstream to the confluence of Bull Creek*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12358

AU_ID: 1410_04 *From the confluence of Bull Creek upstream to O.H. Ivie Reservoir dam*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	TWQS-Appendix A

Station ID(s): 13667

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1411 E. V. Spence Reservoir

From Robert Lee Dam in Coke County to a point immediately upstream of the confluence of Little Silver Creek in Coke County, up to the normal pool elevation of 1898 feet (impounds Colorado River)

Segment Type Reservoir

AU_ID: 1411_01 Main pool from the dam upstream to the Rough Creek arm

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	TWQS-Appendix A

Station ID(s): 12359; 13862; 13863

AU_ID: 1411_02 From the Rough Creek arm upstream to the confluence of Little Silver Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	TWQS-Appendix A

Station ID(s): 12360

SegID: 1412 Colorado River Below Lake J. B. Thomas

From a point immediately upstream of the confluence of Little Silver Creek in Coke County to Colorado River Dam in Scurry County

Segment Type Freshwater Stream

AU_ID: 1412_01 From a point 275 m (300 yds) upstream of the confluence of Little Silver Creek in Coke County upstream to the confluence of Beals Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	TWQS-Appendix A

Station ID(s): 12362; 17002

AU_ID: 1412_02 From the confluence of Beals Creek upstream to the dam below Barber Reservoir pump station

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	TWQS-Appendix A

Station ID(s): 12363; 12364

AU_ID: 1412_03 From the dam below Barber Reservoir pump station upstream to the confluence of Deep Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	TWQS-Appendix A

Station ID(s): 12365

AU_ID: 1412_04 From the confluence of Deep Creek upstream to the Confluence of Willow Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	TWQS-Appendix A

Station ID(s): 17003

AU_ID: 1412_05 From the confluence of Willow Creek upstream to Lake J.B. Thomas dam

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	TWQS-Appendix A

Station ID(s): 12366

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1412A Lake Colorado City (unclassified water body)

From Lake Colorado City Dam up to normal pool elevation of 2070.0 feet southwest of Colorado City in Mitchell County (impounds Morgans Creek)

Segment Type Reservoir

AU_ID: 1412A_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	Presumption from Flow Type

Station ID(s): 12167

SegID: 1412B Beals Creek (unclassified water body)

From the confluence of the Colorado River south of Colorado City in Mitchell County to the confluence of Mustang Draw and Sulphur Springs Draw in Howard County

Segment Type Freshwater Stream

AU_ID: 1412B_01 From the confluence with the Colorado River upstream to the confluence of Bull Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	TWQS-Appendix D	Limited	TWQS-Appendix D

Station ID(s): 12156

AU_ID: 1412B_02 From the confluence of Bull Creek upstream to the confluence of Guthrie Draw

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	TWQS-Appendix D	Limited	TWQS-Appendix D

Station ID(s): 12157

AU_ID: 1412B_03 From the confluence of Guthrie Draw upstream to the confluence of Mustang Draw and Sulphur Springs Draw

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	TWQS-Appendix D	Limited	TWQS-Appendix D

Station ID(s): 12158; 12159; 12160

SegID: 1413 Lake J. B. Thomas

From Colorado River Dam in Scurry County up to normal pool elevation of 2258 feet (impounds Colorado River)

Segment Type Reservoir

AU_ID: 1413_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	TWQS-Appendix A

Station ID(s): 12367

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1414 Pedernales River

From a point immediately upstream of the confluence of Fall Creek in Travis County to FM 385 in Kimble County

Segment Type Freshwater Stream

AU_ID: 1414_01 End of segment to falls in Pedernales Falls State Park

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	TWQS-Appendix A

Station ID(s): 12369

AU_ID: 1414_02 Pedernales Falls to Johnson City Dam

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	TWQS-Appendix A

Station ID(s): 12372

AU_ID: 1414_03 Johnson City Dam to Gillespie County line

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	TWQS-Appendix A

Station ID(s): 12375

AU_ID: 1414_04 Gillespie County line to Gellermann Lane

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	TWQS-Appendix A

Station ID(s): 12376; 15419

AU_ID: 1414_05 Gellermann Lane to Live Oak Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	TWQS-Appendix A

Station ID(s): 12377; 17472

AU_ID: 1414_06 Remainder of segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): No Stations

SegID: 1414B Cypress Creek (unclassified water body)

From the confluence with the Pedernales River west of Austin to the upstream perennial portion west of Round Mountain in Blanco County

Segment Type Freshwater Stream

AU_ID: 1414B_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Flow Questionnaire	High	Presumption from Flow Type

Station ID(s): 12258

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1415 Llano River

From a point immediately upstream of the confluence of Honey Creek in Llano County to FM 864 on the North Llano River in Sutton County and to SH 55 on the South Llano River in Edwards County

Segment Type Freshwater Stream

AU_ID: 1415_01 *From the confluence of Honey Creek upstream to the dam in Llano*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	TWQS-Appendix A

Station ID(s): 12383; 12384; 12386; 17012

AU_ID: 1415_02 *From the dam in Llano upstream to US 87 in Mason County*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	TWQS-Appendix A

Station ID(s): 12388; 17011; 17013; 17363; 17470

AU_ID: 1415_03 *From US 87 upstream to Kimble County line*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	TWQS-Appendix A

Station ID(s): No Stations

AU_ID: 1415_04 *From the Kimble County line upstream to the confluence of the North LLano River and the South LLano River in Junction*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	TWQS-Appendix A

Station ID(s): 14231; 17010; 17471

AU_ID: 1415_05 *North Llano River from the confluence of the South Llano upstream to FM 864 in Sutton County*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	TWQS-Appendix A

Station ID(s): 17008; 17425

AU_ID: 1415_06 *South Llano from the confluence with the North Llano River to SH 55 in Edwards County*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	TWQS-Appendix A

Station ID(s): 12391; 16701; 17009; 18197

SegID: 1415A Johnson Fork Creek (unclassified water body)

Perennial stream from the confluence with the Llano River to source springs (Rio Bonito Springs) south of Segovia

Segment Type Freshwater Stream

AU_ID: 1415A_01 *Entire water body*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	High	TWQS-Appendix D

Station ID(s): 12213; 13550

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1415C James River (unclassified water body)

From the confluence of the Llano River south of the City of Mason in Mason County upstream to 0.8 km (0.5 miles) southeast of the intersection of CR 4431 and Stapp Road in Kimble County (NHD RC 12090204006873).

Segment Type Freshwater Stream

AU_ID: 1415C_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): | 12210

SegID: 1416 San Saba River

From the confluence with the Colorado River in San Saba County to the confluence of the North Valley Prong and the Middle Valley Prong in Schleicher County

Segment Type Freshwater Stream

AU_ID: 1416_01 From the confluence with the Colorado River in San Saba County upstream to the US 190

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	TWQS-Appendix A

Station ID(s): | 12392

AU_ID: 1416_02 From US 190 upstream to McCulloch County line

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): | 20662

AU_ID: 1416_03 McCulloch County/San Saba County line upstream to McCulloch County/Mason County line

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	TWQS-Appendix A

Station ID(s): | 17004

AU_ID: 1416_04 Mason County to FM 2092

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): | No Stations

AU_ID: 1416_05 FM 2092 upstream to end of segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): | 16905

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1416A Brady Creek (unclassified water body)

From the confluence of the San Saba River southwest of San Saba in San Saba County to Brady Lake Dam west of Brady in McCulloch County

Segment Type Freshwater Stream

AU_ID: 1416A_01 *From the confluence of the San Saba River upstream to the confluence of an unnamed tributary*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 20411

AU_ID: 1416A_02 *From the confluence of an unnamed tributary approximately 5 km east of FM 2309 east of Brady upstream to FM 714*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D

Station ID(s): 14232

AU_ID: 1416A_03 *From FM 714 upstream to Brady Lake dam*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	TWQS-Appendix D	Intermediate	TWQS-Appendix D

Station ID(s): 17005

SegID: 1416B Brady Creek Reservoir (unclassified water body)

From Brady Creek Reservoir dam up to pool elevation 1,743 ft.

Segment Type Reservoir

AU_ID: 1416B_01 *Entire water body*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	Presumption from Flow Type

Station ID(s): 12179; 20410

SegID: 1416C Brady Creek above Brady Creek Reservoir (unclassified water body)

From the confluence of an unnamed tributary 2.5 km (1.5 miles) downstream of the Cow Creek confluence in McCulloch County upstream the headwaters 22.5 km (14 miles) southwest of Eden in Concho County

Segment Type Freshwater Stream

AU_ID: 1416C_01 *From the confluence of an unnamed tributary 2.5 km (1.5 miles) downstream of the Cow Creek confluence in McCulloch County upstream to the confluence of Harden Branch in Concho County.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type

Station ID(s): 17347; 20409; 20661

AU_ID: 1416C_02 *From the confluence of Harden Branch in Concho County upstream to the headwaters 22.5 km (14 miles) southwest of Eden in Concho County*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 20406

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1417 Lower Pecan Bayou

From the confluence with the Colorado River in Mills County to a point immediately upstream of the confluence of Mackinally Creek in Brown County

Segment Type Freshwater Stream

AU_ID: 1417_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	TWQS-Appendix A

Station ID(s): 12394

SegID: 1418 Lake Brownwood

From Lake Brownwood Dam in Brown County to a point 100 meters (110 yards) upstream of FM 2559 in Brown County, up to normal pool elevation of 1424.6 feet (impounds Pecan Bayou)

Segment Type Reservoir

AU_ID: 1418_01 Mid-lake near dam

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	TWQS-Appendix A

Station ID(s): 12395

AU_ID: 1418_02 West arm of lake

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	TWQS-Appendix A

Station ID(s): 12396

AU_ID: 1418_03 North arm of lake

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	TWQS-Appendix A

Station ID(s): 12397; 18435

SegID: 1418C Hords Creek Reservoir (unclassified water body)

From Hords Creek Dam 10 miles west of Coleman in Coleman County up to the normal pool elevation of 1900 ft. (impounds Hords Creek).

Segment Type Reservoir

AU_ID: 1418C_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	Presumption from Flow Type

Station ID(s): 12178

SegID: 1419 Lake Coleman

From Coleman Dam in Coleman County up to the normal pool elevation of 1717.5 feet (impounds Jim Ned Creek)

Segment Type Reservoir

AU_ID: 1419_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 12398; 12399

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1420 Pecan Bayou Above Lake Brownwood

From a point 100 meter (110 yards) upstream of FM 2559 in Brown County to the confluence of the North Prong Pecan Bayou and the South Prong of Pecan Bayou in Callahan County

Segment Type Freshwater Stream

AU_ID: 1420_01 Lower 25 miles

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	TWQS-Appendix A

Station ID(s): 12400; 16732

AU_ID: 1420_02 Remainder of segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): No Stations

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1421 Concho River

From a point 2 km (1.2 miles) above the confluence of Fuzzy Creek in Concho County to San Angelo Dam on the North Concho River in Tom Green County and to Nasworthy Dam on the South Concho River in Tom Green County

Segment Type Freshwater Stream

AU_ID: 1421_01 Downstream end to Chandler Lake confluence

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	TWQS-Appendix A
Station ID(s): 12401			

AU_ID: 1421_02 From Chandler Lake confluence upstream to confluence of Puddle Ck.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	TWQS-Appendix A
Station ID(s): 12402			

AU_ID: 1421_03 From the confluence of Puddle Creek upstream to the confluence of Willow Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	High	TWQS-Appendix A
Station ID(s): 12403			

AU_ID: 1421_04 From the confluence of Willow Creek upstream to the confluence of an unnamed tributary near Chandler Road

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	TWQS-Appendix A
Station ID(s): 12404			

AU_ID: 1421_05 From the confluence of an unnamed tributary near Chandler Rd. upstream to the confluence of Red Ck.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	TWQS-Appendix A
Station ID(s): 12405			

AU_ID: 1421_06 From the confluence of Red Creek upstream to the dam near Vines Rd.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	TWQS-Appendix A
Station ID(s): 12407			

AU_ID: 1421_07 From the dam near Vines Road upstream to the confluence of the North Concho River and the South Concho River

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	TWQS-Appendix A
Station ID(s): 12408; 12409			

AU_ID: 1421_08 North Concho River, from the confluence with the South Concho River upstream to O.C. Fisher dam

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	TWQS-Appendix A
Station ID(s): 12412; 12414; 15886; 20324			

2012 Texas Water Quality Inventory Water Bodies Evaluated

AU_ID: 1421_09 *South Concho River, from the confluence with the North Concho upstream to Nasworthy Dam*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	TWQS-Appendix A

Station ID(s): 12416; 17348

SegID: 1421A **Dry Hollow Creek (unclassified water body)**

From the confluence with the Concho River west of Paint Rock in Concho County to the headwaters at US 87

Segment Type Freshwater Stream

AU_ID: 1421A_01 *Entire water body*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Flow Questionnaire	High	Presumption from Flow Type

Station ID(s): 12257

SegID: 1421B **Kickapoo Creek (unclassified water body)**

From the confluence with the Concho River west of Paint Rock in Concho County to the headwaters northwest of Eden

Segment Type Freshwater Stream

AU_ID: 1421B_01 *Lower 25 miles of creek*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type

Station ID(s): 12255

SegID: 1421C **Lipan Creek (unclassified water body)**

From the confluence with the Concho River west of Paint Rock in Concho County to the headwaters near RR 1223 in Tom Green County

Segment Type Freshwater Stream

AU_ID: 1421C_01 *Lower 25 miles of creek*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	Flow Questionnaire	Minimal	Presumption from Flow Type

Station ID(s): 12254

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1422 Lake Nasworthy

From Nasworthy Dam in Tom Green County to Twin Buttes Dam in Tom Green County, up to the normal pool elevation of 1872.2 feet (impounds South Concho River)

Segment Type Reservoir

AU_ID: 1422_01 Lower half of lake

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	TWQS-Appendix A

Station ID(s): 12418; 12421

AU_ID: 1422_02 Upper half of lake

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	TWQS-Appendix A

Station ID(s): 12419

SegID: 1423 Twin Buttes Reservoir

From Twin Buttes Dam in Tom Green County to a point 100 meters (110 yards) upstream of US 67 on the Middle Concho River Arm in Tom Green County and to a point 4.0 km (2.5 miles) downstream of FM 2335 on the South Concho River Arm in Tom Green County, up to the normal pool elevation of 1940.2 feet (impounds the Middle Concho River and the South Concho River)

Segment Type Reservoir

AU_ID: 1423_01 North pool

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	TWQS-Appendix A

Station ID(s): 12422

AU_ID: 1423_02 South pool

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	TWQS-Appendix A

Station ID(s): 12425

SegID: 1423A Spring Creek (unclassified water body)

From the confluence of Twin Buttes Reservoir south of Tankersley in Tom Green County to the upstream perennial portion of the stream northeast of Ozona in Crockett County

Segment Type Freshwater Stream

AU_ID: 1423A_01 From the confluence of Twin Buttes Reservoir upstream to Duncan Avenue crossing in Mertzon

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type

Station ID(s): 12161

AU_ID: 1423A_02 From Duncan Avenue crossing in Mertzon upstream to the upstream perennial portion of the stream northeast of Ozona in Crockett County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type

Station ID(s): 17346

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1423B Dove Creek (unclassified water body)

From the confluence with Spring Creek above Twin Buttes Reservoir to the headwaters near FM 1828 in Schleicher County

Segment Type Freshwater Stream

AU_ID: 1423B_01 From the confluence of Spring Creek upstream to RR 915

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Flow Questionnaire	High	Presumption from Flow Type

Station ID(s): 12166

SegID: 1424 Middle Concho/South Concho River

From a point 4.0 km (2.5 miles) downstream of FM 2335 in Tom Green County to the confluence of Bois d' Arc Draw on the South Concho River in Tom Green County, and from a point 100 meters (110 yards) upstream of US 67 in Tom Green County to the confluence of Three Bluff Draw and Indian Creek on the Middle Concho River in Reagan County.

Segment Type Freshwater Stream

AU_ID: 1424_01 South Concho River from a point 4 km (2.5 miles) downstream of FM 2335 upstream to the confluence of Bois D'Arc Draw in Tom Green County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	TWQS-Appendix A

Station ID(s): 12427; 17349; 18712; 18869

AU_ID: 1424_02 Middle Concho River from a point 100 m upstream of US 67 in Tom Green County upstream to the confluence of Big Hollow Draw in Irion County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	TWQS-Appendix A

Station ID(s): 12428; 16903

AU_ID: 1424_03 From the confluence of Big Hollow Draw in Irion County upstream to the confluence of Three Bluff Draw and Indian Creek on the Middle Concho River in Reagan County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): No Stations

SegID: 1424A West Rocky Creek (unclassified water body)

From the confluence of Middle Concho River to the upstream perennial portion of the stream north of Mertzon in Irion County

Segment Type Freshwater Stream

AU_ID: 1424A_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 12165

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1424B Cold Creek (unclassified water body)

From the confluence of the South Concho River 110 meters (360 ft.) southwest of Musik Lane south of Christoval in Tom Green County (upstream to the confluence of the South Concho River in Tom Green County (NHD Reach Code 12090102000009)).

Segment Type Freshwater Stream

AU_ID: 1424B_01 Entire water body

Flow Type
perennial

Flow Type Source
Routine Flow Data

ALU Designation
High

ALU Designation Source
Presumption from Flow Type

Station ID(s): | 18711

SegID: 1425 O. C. Fisher Lake

From San Angelo Dam in Tom Green County up to normal pool elevation of 1908 feet (impounds North Concho River)

Segment Type Reservoir

AU_ID: 1425_01 Entire water body

Flow Type
reservoir

Flow Type Source
Water body description

ALU Designation
High

ALU Designation Source
TWQS-Appendix A

Station ID(s): | 12429

SegID: 1425A North Concho River (unclassified water body)

From the headwaters of OC Fisher Lake near San Angelo in Tom Green County upstream to the Glasscock/Howard County line

Segment Type Freshwater Stream

AU_ID: 1425A_01 Lower end of water body to Sterling County line

Flow Type
intermittent w/pools

Flow Type Source
Routine Flow Data

ALU Designation
Limited

ALU Designation Source
Presumption from Flow Type

Station ID(s): | 12170; 12171; 17245; 17350; 17351

AU_ID: 1425A_02 Sterling County line to SH 163

Flow Type
intermittent w/pools

Flow Type Source
Routine Flow Data

ALU Designation
Limited

ALU Designation Source
Presumption from Flow Type

Station ID(s): | 16779

AU_ID: 1425A_03 SH 163 to US 87

Flow Type
intermittent w/pools

Flow Type Source
Routine Flow Data

ALU Designation
Limited

ALU Designation Source
Presumption from Flow Type

Station ID(s): | 16780

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1426 Colorado River Below E. V. Spence Reservoir

From a point 3.7 km (2.3 miles) below the confluence of Mustang Creek in Runnels County to Robert Lee Dam in Coke County

Segment Type Freshwater Stream

AU_ID: 1426_01 Lower end of segment to Country Club Lake

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	TWQS-Appendix A
Station ID(s):	12430; 12431; 17244		

AU_ID: 1426_02 Country Club Lake to Coke County line

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	TWQS-Appendix A
Station ID(s):	13651; 16901		

AU_ID: 1426_03 Coke County line to SH 208

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	TWQS-Appendix A
Station ID(s):	12432; 16900		

AU_ID: 1426_04 SH 208 to dam

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	TWQS-Appendix A
Station ID(s):	15147; 17475; 18338		

SegID: 1426A Oak Creek Reservoir (unclassified water body)

From Oak Creek Dam up to normal pool elevation of 2,000.0 feet north of Bronte in Coke County (impounds Oak Creek)

Segment Type Reservoir

AU_ID: 1426A_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	Presumption from Flow Type
Station ID(s):	12180		

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1426B Elm Creek (unclassified water body)

From the confluence with the Colorado River near Ballinger in Runnels County to the Lake Winters dam east of Winters in Runnels County

Segment Type Freshwater Stream

AU_ID: 1426B_01 From the confluence with the Colorado River upstream dam upstream of US 67 near Crosson Avenue in the city of Ballinger

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	High	TWQS-Appendix D

Station ID(s): 15536

AU_ID: 1426B_02 From the dam upstream of US 67 near Crosson Avenue in the city of Ballinger upstream to Lake Winters dam

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type

Station ID(s): 12169; 12207

SegID: 1426C Bluff Creek (unclassified water body)

From the confluence with Elm Creek in Runnels County upstream to a point 1 mile east of US Hwy 277 in Taylor County.

Segment Type Freshwater Stream

AU_ID: 1426C_01 From the confluence with Elm Creek upstream to the confluence of Mill Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 17474

SegID: 1426D Coyote Creek (unclassified water body)

From the confluence with Elm Creek in Runnels County upstream to the confluence of Big Coyote Creek and Little Coyote Creek southwest of Winters in Runnels County.

Segment Type Freshwater Stream

AU_ID: 1426D_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 16899

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1427 Onion Creek

From the confluence with the Colorado River in Travis County to the most upstream crossing of FM 165 in Blanco County

Segment Type Freshwater Stream

AU_ID: 1427_01 From the confluence with the Colorado River upstream to US 183

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	TWQS-Appendix A

Station ID(s): 12434; 12435; 12436

AU_ID: 1427_02 From US 183 upstream to FM 967

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12440; 12443; 12444; 12445; 12446; 12447; 12448; 17275

AU_ID: 1427_03 From FM 967 upstream to Jackson Branch confluence

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	TWQS-Appendix A

Station ID(s): 12449; 12450; 12451; 12452

AU_ID: 1427_04 From Jackson Branch confluence to end of segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	TWQS-Appendix A

Station ID(s): 12454; 12455; 17276; 17466

SegID: 1427A Slaughter Creek (unclassified water body)

Intermittent stream with perennial pools from the confluence with Onion Creek to above US 290 west of Austin

Segment Type Freshwater Stream

AU_ID: 1427A_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	TWQS-Appendix D	High	TWQS-Appendix D

Station ID(s): 12185; 12186; 17964

SegID: 1427B Williamson Creek (unclassified water body)

From the confluence of Onion Creek in southeast Austin in Travis County to the upstream perennial portion southwest of Austin in Travis County

Segment Type Freshwater Stream

AU_ID: 1427B_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Flow Questionnaire	High	Presumption from Flow Type

Station ID(s): 12181; 12183; 13653; 14417; 14772; 15697; 17963

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1427C Bear Creek (unclassified water body)

From the confluence of Onion Creek in south Austin in Travis County upstream to the headwaters at Trinity Hills Drive in southwest of Austin in Travis County

Segment Type Freshwater Stream

AU_ID: 1427C_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type

Station ID(s): 12187; 12188; 12189; 17965

SegID: 1427G Granada Hills Tributary to Slaughter Creek (unclassified water body)

Unnamed tributary from the confluence of Slaughter Creek in Travis County upstream to La Fauna Path in Travis County

Segment Type Freshwater Stream

AU_ID: 1427G_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	Flow Questionnaire	Minimal	Presumption from Flow Type

Station ID(s): 17293

SegID: 1428 Colorado River Below Town Lake

From a point 100 meters (110 yards) upstream of FM 969 near Utley in Bastrop County to Longhorn Dam in Travis County

Segment Type Freshwater Stream

AU_ID: 1428_01 Lower end of segment to Gilleland Creek confluence

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	Exceptional	TWQS-Appendix A

Station ID(s): 12466

AU_ID: 1428_02 From the confluence of Gilleland Creek upstream to the confluence of Walnut Ck.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	Exceptional	TWQS-Appendix A

Station ID(s): 12469

AU_ID: 1428_03 Walnut Creek to Longhorn Dam

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	Exceptional	TWQS-Appendix A

Station ID(s): 12474; 12475

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1428B Walnut Creek (unclassified water body)

From the confluence of the Colorado River in east Austin in Travis County to the upstream perennial portion of the stream in north Austin in Travis County

Segment Type Freshwater Stream

AU_ID: 1428B_01 From the Colorado River upstream to FM 969

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 12231

AU_ID: 1428B_02 From FM 969 upstream to Old Manor Rd.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 12232; 16187

AU_ID: 1428B_03 From old Manor Road upstream to Dessau Road

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 17469

AU_ID: 1428B_04 From Dessau Rd. upstream to MoPac/Loop 1

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 13669; 15743; 17299

AU_ID: 1428B_05 From MoPac/Loop 1 upstream to Union Pacific Railroad tracks south of McNeil Drive

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type

Station ID(s): 17251

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1428C Gilleland Creek (unclassified water body)

Perennial stream and intermittent stream with perennial pools from the confluence with the Colorado River up to the spring source (Ward Spring) northwest of Pflugerville, in Travis County

Segment Type Freshwater Stream

AU_ID: 1428C_01 From the Colorado River upstream to Taylor Lane

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	High	TWQS-Appendix D

Station ID(s): 17257

AU_ID: 1428C_02 From Taylor Lane upstream to Old Highway 20

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	TWQS-Appendix D

Station ID(s): 12235

AU_ID: 1428C_03 From Old Highway 20 to Cameron Road

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Flow Questionnaire	High	TWQS-Appendix D

Station ID(s): 12236; 12237

AU_ID: 1428C_04 From Cameron Road to the spring source

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	TWQS-Appendix D

Station ID(s): 15954; 20474

SegID: 1428K Walter E. Long Lake

Walter E. Long Lake from Decker Creek dam up to pool elevation of 555 ft. msl (169 m)

Segment Type Reservoir

AU_ID: 1428K_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	Presumption from Flow Type

Station ID(s): 20161; 21022; 21023

SegID: 1429 Town Lake

From Longhorn Dam in Travis County to Tom Miller Dam in Travis County, up to the normal pool elevation of 429 feet (impounds Colorado River)

Segment Type Reservoir

AU_ID: 1429_01 Longhorn Dam upstream to Lamar Street bridge

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	TWQS-Appendix A

Station ID(s): 12476; 12481; 12483; 14061; 14062; 14065; 14066; 14067; 14068

AU_ID: 1429_02 From Lamar Street bridge upstream to Tom Miller Dam

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	TWQS-Appendix A

Station ID(s): 12486; 14063; 14064; 14069; 14070; 14071; 14072

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1429B Eanes Creek (unclassified water body)

From the confluence of Town Lake in central Austin in Travis County to the upstream perennial portion of the stream in west Austin in Travis County

Segment Type Freshwater Stream

AU_ID: 1429B_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type

Station ID(s): 15964

SegID: 1429C Waller Creek (unclassified water body)

From the confluence of Town Lake in central Austin in Travis County to the upstream portion of the stream in north Austin in Travis County

Segment Type Freshwater Stream

AU_ID: 1429C_01 From the confluence with Town Lake to East MLK Blvd.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 12222

AU_ID: 1429C_02 From East MLK Blvd. to East 41st Street

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type

Station ID(s): 15962

AU_ID: 1429C_03 Upper portion of creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type

Station ID(s): 12228; 16331

SegID: 1429D East Bouldin Creek (unclassified water body)

From the confluence of Town Lake in Austin in Travis County upstream to SH 71 in south Austin in Travis County

Segment Type Freshwater Stream

AU_ID: 1429D_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type

Station ID(s): 15881; 16106; 16107; 17296; 17297

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1430 Barton Creek

From the confluence with Town Lake in Travis County to FM 12 in Hays County

Segment Type Freshwater Stream

AU_ID: 1430_01 From confluence with Town Lake to downstream dam of Barton Springs Pool

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	TWQS-Appendix A
Station ID(s): 13693			

AU_ID: 1430_02 From Barton Springs Pool upstream dam to a point 2 miles upstream of Loop 1

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	High	TWQS-Appendix A
Station ID(s): 12488; 12489; 12490; 12491; 15958; 17960; 17978; 17979			

AU_ID: 1430_03 From a point 2 miles upstream of Loop 1 to SH 71

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	High	TWQS-Appendix A
Station ID(s): 12492; 12495; 13555; 14902; 15959; 18187			

AU_ID: 1430_04 SH 71 upstream to Hays County Line

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	High	TWQS-Appendix A
Station ID(s): 12496; 12497			

AU_ID: 1430_05 Hays County Line upstream to FM 12

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	TWQS-Appendix A
Station ID(s): 12498			

SegID: 1430A Barton Springs (unclassified water body)

Barton Springs 0.4 mile upstream of Barton Springs Road in Austin in Travis County

Segment Type Freshwater Stream

AU_ID: 1430A_01 Barton Springs Pool - entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type
Station ID(s): 15696			

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1430B Tributaries to Barton Creek (unclassified water bodies)

Tributaries to Barton Creek in Travis County and Hays County

Segment Type Freshwater Stream

AU_ID: 1430B_01 *Tributaries entering Barton Cr from a point 2 mi upstream of Loop 1 upstream to Barton Creek Blvd.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type

Station ID(s): 17277; 17278; 17279; 17280; 17284; 17286; 17289; 17316

AU_ID: 1430B_05 *Tributaries entering Barton Creek from the Hays County line upstream to CR 169*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type

Station ID(s): 12500; 17295; 17306

SegID: 1431 Mid Pecan Bayou

From a point immediately upstream of the confluence of Mackinally Creek in Brown County to a point immediately upstream of Willis Creek in Brown County

Segment Type Freshwater Stream

AU_ID: 1431_01 *Entire water body*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 12503; 12504; 12505; 12507; 20799; 20800

SegID: 1432 Upper Pecan Bayou

From a point immediately upstream of the confluence of Willis Creek in Brown County to Lake Brownwood Dam in Brown County

Segment Type Freshwater Stream

AU_ID: 1432_01 *Entire water body*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	TWQS-Appendix A

Station ID(s): 12508

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1433 O. H. Ivie Reservoir

From S. W. Freese Dam in Coleman/Concho County to a point 3.7 km (2.3 miles) below the confluence of Mustang Creek on the Colorado River Arm in Runnels County and to a point 2.0 km (1.2 miles) above the confluence of Fuzzy Creek on the Concho River Arm in Concho County, up to the conservation pool level of 1551.5 feet (impounds Colorado River)

Segment Type Reservoir

AU_ID: 1433_01 Main pool near dam

<u>Flow Type</u> reservoir	<u>Flow Type Source</u> Water body description	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	---	--------------------------------	--

Station ID(s): 12511

AU_ID: 1433_02 Concho River arm

<u>Flow Type</u> reservoir	<u>Flow Type Source</u> Water body description	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	---	--------------------------------	--

Station ID(s): 12512

AU_ID: 1433_03 Colorado River arm

<u>Flow Type</u> reservoir	<u>Flow Type Source</u> Water body description	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	---	--------------------------------	--

Station ID(s): 12513

AU_ID: 1433_04 Remainder of reservoir

<u>Flow Type</u> reservoir	<u>Flow Type Source</u> Water body description	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	---	--------------------------------	--

Station ID(s): No Stations

SegID: 1434 Colorado River above La Grange

From a point 100 meters (110 yards) downstream of SH 71 at La Grange in Fayette County to a point 100 meters (110 yards) upstream of FM 969 near Utley in Bastrop County

Segment Type Freshwater Stream

AU_ID: 1434_01 From a point 100 m downstream of SH 71 upstream to the Southern Pacific Railroad crossing

<u>Flow Type</u> perennial	<u>Flow Type Source</u> Routine Flow Data	<u>ALU Designation</u> Exceptional	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	--	---------------------------------------	--

Station ID(s): No Stations

AU_ID: 1434_02 Southern-Pacific RR upstream to the confluence of Reeds Creek west of Smithville

<u>Flow Type</u> perennial	<u>Flow Type Source</u> Routine Flow Data	<u>ALU Designation</u> Exceptional	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	--	---------------------------------------	--

Station ID(s): 12293; 12457

AU_ID: 1434_03 From the confluence of Reeds Creek west of Smithville upstream to the end of segment

<u>Flow Type</u> perennial	<u>Flow Type Source</u> Routine Flow Data	<u>ALU Designation</u> Exceptional	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	--	---------------------------------------	--

Station ID(s): 12461; 12462; 12463

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1434B Cedar Creek (unclassified water body)

Perennial stream from the confluence with the Colorado River upstream to the confluence of an unnamed tributary at FM 525 in Bastrop County

Segment Type Freshwater Stream

AU_ID: 1434B_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	High	TWQS-Appendix D

Station ID(s): 16176

SegID: 1434C Lake Bastrop (unclassified water body)

From the Lake Bastrop dam to the normal pool elevation of 450 ft. (impounds Spicey Creek) in Bastrop County

Segment Type Reservoir

AU_ID: 1434C_01 South arm of lake near intake

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	Presumption from Flow Type

Station ID(s): 17021

AU_ID: 1434C_02 Mid-lake

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	Presumption from Flow Type

Station ID(s): 17020

AU_ID: 1434C_03 North arm of lake near discharge

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	Presumption from Flow Type

Station ID(s): 17019

SegID: 1434D Wilbarger Creek

Wilbarger Creek from the confluence of the Colorado River at Hemphil Bend in Bastrop County upstream to Schultz lane east of Pflugerville Heights in Travis County.

Segment Type Freshwater Stream

AU_ID: 1434D_02 From the confluence of Cottonwood Creek upstream to Schultz lane east of Pflugerville Heights in Travis County.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 12234; 16032; 16175; 16182; 20808; 20809

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1434E Big Sandy Creek

Big Sandy Creek Creek from the confluence of the Colorado River in Bastrop County upstream to a point east of CR 302 near sundbeck Ranch Airport in Lee County.

Segment Type Freshwater Stream

AU_ID: 1434E_01 Big Sandy Creek Creek from the confluence of the Colorado River in Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	not available	Limited	Presumption from Flow Type

Station ID(s): 12243; 16031; 16904; 17473

SegID: 1501 Tres Palacios Creek Tidal

From the confluence with Tres Palacios Bay in Matagorda County to a point 1.0 km (0.6 miles) upstream of the confluence of Wilson creek in Matagorda County

Segment Type Tidal Stream

AU_ID: 1501_01 From the confluence with Willow Dam Creek at Tres Palacios Bay/Turtle Bay upstream to to a point 1.0 km (0.6 miles) upstream of the confluence of Wilson creek in Matagorda County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): 12515; 15321; 20636

SegID: 1502 Tres Palacios Creek Above Tidal

From a point 1.0 km (0.6 miles) upstream of the confluence of Wilson Creek in Matagorda County to State Route 525 (Old US59) in Wharton County

Segment Type Freshwater Stream

AU_ID: 1502_01 Middle portion of segment from the confluence with Wallace Creek upstream to confluence with unnamed tributary with NHD RC 12100401013089 about 1.0 km SW of intersection of FM 418 and FM 422 NE of City of Danevang in Wharton County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12517; 15325; 15326; 15327; 16910; 16911

AU_ID: 1502_02 Upper portion of segment from the confluence with unnamed tributary about 1.0 km SW of intersection of 418 and 422 NE of City of Danevang in Wharton County upstream to US 59

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 15328; 15329; 15330; 15331; 15332; 16024; 16912

AU_ID: 1502_03 Lower portion of segment from a point 1.0 km (0.6 miles) upstream of the confluence of Wilson Creek upstream to confluence with Wallace Creek Matagorda County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12516; 15322; 15323; 16909; 17887

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1601 Lavaca River Tidal

From the confluence with Lavaca Bay in Calhoun/Jackson County to a point 8.6 km (5.3 miles) downstream of US 59 in Jackson County

Segment Type Tidal Stream

AU_ID: 1601_02 *From confluence of unnamed tributary NHD RC 12100101002580 upstream to confluence with Navidad River*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	TSWQS	High	TWQS-Appendix A

Station ID(s): 12523; 15371; 15372

AU_ID: 1601_03 *From the confluence of Lavaca Bay upstream to unnamed tributary NHD RC 12100101002580*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	TSWQS	High	TWQS-Appendix A

Station ID(s): 14135; 18336

SegID: 1601C Dry Creek (unclassified water body)

From the confluence of Lavaca River Tidal upstream to three miles north of the City of Edna

Segment Type Freshwater Stream

AU_ID: 1601C_01 *Entire water body*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Water body description	Limited	Presumption from Flow Type

Station ID(s): No Stations

SegID: 1602 Lavaca River Above Tidal

From a point 8.6 km (5.3 miles) downstream of US 59 in Jackson County to a point 5.5 km (3.4 miles) upstream of SH 95 in Lavaca County

Segment Type Freshwater Stream

AU_ID: 1602_01 *From confluence of Campbell Branch in Hallettsville upstream to end of segment*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12526; 17138; 17139; 17140; 17141; 17341; 17396; 17594; 17595; 18698; 18699

AU_ID: 1602_02 *From the confluence of Beard Branch upstream to confluence of Campbell Branch in Hallettsville.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12525; 12527; 18700

AU_ID: 1602_03 *Lower portion of segment from confluence with NHD RC 12100101002463 south of Edna in Jackson County upstream to confluence with Beard Branch*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12524

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1603 Navidad River Tidal

From the confluence with the Lavaca River in Jackson County to Palmetto Bend Dam in Jackson County

Segment Type Tidal Stream

AU_ID: 1603_01 Entire segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	TSWQS	High	TWQS-Appendix A

Station ID(s): 15374; 15375; 15376

SegID: 1604 Lake Texana

From Palmetto Bend Dam in Jackson County to a point 100 meters (110 yards) downstream of FM 530 in Jackson County, up to normal pool elevation of 44 feet (impounds Navidad River)

Segment Type Reservoir

AU_ID: 1604_01 Navidad River arm of Lake Texana

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 12530; 13985; 20038

AU_ID: 1604_02 East Mustang Creek arm of Lake Texana

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 13986; 20039; 20040

AU_ID: 1604_03 Upstream middle portion of Lake Texana

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 13984; 20041

AU_ID: 1604_04 Downstream middle portion of Lake Texana

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 13983; 15379

AU_ID: 1604_05 Downstream portion of Lake Texana

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 13981; 13982; 15377; 15381

SegID: 1604A East Mustang Creek (unclassified water body)

From the confluence of Lake Texana east of Ganado in Jackson County to the upstream perennial portion of the stream east of Louise in Wharton County

Segment Type Freshwater Stream

AU_ID: 1604A_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	TWQS-Appendix D	Intermediate	TWQS-Appendix D

Station ID(s): No Stations

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1604B West Mustang Creek (unclassified water body)

From the confluence of Lake Texana east of Ganado in Jackson County to the upstream perennial portion of the stream north of El Campo in Wharton County

Segment Type Freshwater Stream

AU_ID: 1604B_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): No Stations

SegID: 1604C Sandy Creek (unclassified water body)

From the confluence of Lake Texana west of Ganado in Jackson County to the upstream perennial portion of the stream northwest of El Campo in Wharton County

Segment Type Freshwater Stream

AU_ID: 1604C_01 From the confluence of Goldenrod Creek upstream to the confluence of Middle Turkey Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): No Stations

AU_ID: 1604C_02 From the confluence of Lake Texana upstream to Goldenrod Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): No Stations

SegID: 1605 Navidad River Above Lake Texana

From a point 100 meters (110 yards) downstream of FM 530 in Jackson County to the confluence of the East Navidad River and the West Navidad River in Colorado/Lavaca County

Segment Type Freshwater Stream

AU_ID: 1605_01 Upper 14.5 miles of segment from confluence of Sandy Branch to confluence of East and West Navidad Rivers

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12532

AU_ID: 1605_02 Middle 16.5 miles of segment from confluence with Sandies Creek upstream to confluence of Sandy Branch

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 15698

AU_ID: 1605_03 Lower 31 miles of segment from confluence with Lake Texana upstream to confluence of Sandies Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 15380

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1701 Victoria Barge Canal

From the confluence with San Antonio Bay in Calhoun County to Victoria Turning Basin in Victoria County

Segment Type Estuary

AU_ID: 1701_01 Entire segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	Water body description	High	TWQS-Appendix A
Station ID(s): 12535; 12536			

SegID: 1801 Guadalupe River Tidal

From the confluence with Guadalupe Bay in Calhoun/Refugio County to the Guadalupe-Blanco River Authority Salt Water Barrier 0.7 km (0.4 miles) downstream of the confluence of the San Antonio River in Calhoun/Refugio County

Segment Type Tidal Stream

AU_ID: 1801_01 Entire segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	TSWQS	Exceptional	TWQS-Appendix A
Station ID(s): 12577			

SegID: 1802 Guadalupe River Below San Antonio River

From the Guadalupe-Blanco River Authority Salt Water Barrier 0.7 kilometer (0.4 mile) downstream of the confluence of the San Antonio River in Calhoun/Refugio County to a point immediately upstream of the confluence of the San Antonio River in Calhoun/Refugio County to a point immediately upstream of the confluence of the San Antonio River in Calhoun/Refugio/Victoria County

Segment Type Freshwater Stream

AU_ID: 1802_01 Entire segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A
Station ID(s): 12578			

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1803 Guadalupe River Below San Marcos River

From the a point immediately upstream of the confluence of the San Antonio River in Calhoun/Refugio/Victoria County to a point immediately upstream to the confluence of the San Marcos River in Gonzales

Segment Type Freshwater Stream

AU_ID: 1803_01 Lower 25 miles of segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A
Station ID(s): 16579			

AU_ID: 1803_02 From confluence with Coletto Creek 25 miles upstream

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A
Station ID(s): 12585			

AU_ID: 1803_03 From confluence with Sandies Creek 25 miles upstream

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A
Station ID(s): 12592; 20470			

AU_ID: 1803_04 From 25 miles upstream of confluence. with Coletto Ck. to confluence. with Sandies Ck.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A
Station ID(s): 12590			

AU_ID: 1803_05 From 25 miles upstream of confluence. with Sandies Ck. to upper end of segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A
Station ID(s): No Stations			

SegID: 1803A Elm Creek (unclassified water body)

From the confluence of Sandies Creek east of Smiley in Gonzales County to the upstream perennial portion of the stream southwest of Smiley in Gonzales County

Segment Type Freshwater Stream

AU_ID: 1803A_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Flow Questionnaire	High	Presumption from Flow Type
Station ID(s): 15996; 15997; 17893; 17894			

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1803B Sandies Creek (unclassified water body)

From the confluence of the Guadalupe River west of Cuero in DeWitt County to the upstream perennial portion of the stream northwest of Smiley in Gonzales County

Segment Type Freshwater Stream

AU_ID: 1803B_01 From the confluence with the Guadalupe River to the confluence with Elm Ck.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Flow Questionnaire	High	Presumption from Flow Type

Station ID(s): 13657; 14935

AU_ID: 1803B_02 From the confluence with Elm Creek to upper end of water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Flow Questionnaire	High	Presumption from Flow Type

Station ID(s): 15998; 17895; 17901; 18854; 18857

SegID: 1803C Peach Creek (unclassified water body)

From the confluence of the Guadalupe River southeast of Gonzales in Gonzales County to the upstream perennial portion of the stream northeast of Waelder in Gonzales County

Segment Type Freshwater Stream

AU_ID: 1803C_01 Lower 25 miles of water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 14937; 17935; 18342

AU_ID: 1803C_02 Remainder of water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): No Stations

AU_ID: 1803C_03 From approx. 1.2 mi. downstream of FM 1680 in Gonzales Co. to confluence with Elm Cr. In Fayette Co.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 17933; 17934

SegID: 1803D Salty Creek (unclassified water body)

From the confluence with Five Mile Creek up to the confluence with Brushy and Buckhorn Creeks, in Gonzales County.

Segment Type Freshwater Stream

AU_ID: 1803D_01 Entire segment.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type

Station ID(s): 18853

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1803E Little Elm Creek (unclassified water body)

From the confluence with Sandies Creek up to the upper end of the creek (NHD RC 12100202000444), northwest of Smiley in Gonzales County.

Segment Type Freshwater Stream

AU_ID: 1803E_01 Entire segment.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type
Station ID(s): 18855			

SegID: 1803F Denton Creek (unclassified water body)

From the confluence with Peach Creek (1803C) up to the upper end of the creek (NHD RC 12100202000370) E/NE of Gonzales, Gonzales County.

Segment Type Freshwater Stream

AU_ID: 1803F_01 Entire segment.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type
Station ID(s): 18403			

SegID: 1803G Sandy Fork (unclassified water body)

From the confluence with Peach Creek (1803C) up to the upper end of the creek (NHD RC 12100202021868)

Segment Type Freshwater Stream

AU_ID: 1803G_01 From the confluence with Sandy Creek up to the confluence with Scruggs Creek.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type
Station ID(s): 18404			

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1804 Guadalupe River Below Comal River

From the confluence of the San Marcos River in Gonzales County to the confluence of the Comal River in Comal County

Segment Type Freshwater Stream

AU_ID: 1804_01 *From a point immediately upstream of the confluence with San Marcos River in Gonzales County, up the confluence with Clemens Creek in Gonzales county, Texas.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): | 15110

AU_ID: 1804_02 *From the confluence with Mill Creek up to McQueeney Dam.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): | 12595; 16249; 17134

AU_ID: 1804_03 *From McQueeney Dam up to TP-1 on Lake Dunlap (NHD RC 12100202000118)*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): | 15149; 15273; 15516; 15517; 18213

AU_ID: 1804_04 *From TP-1 dam on Lake Dunlap (NHD RC 12100202000118) up to immediately upstream of Comal River confluence.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): | 12596; 13506; 15435; 15480; 15481; 17943; 18835; 18836; 18837

AU_ID: 1804_05 *From confluence with Clemens Creek up to the confluence with Mill Creek.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): | 17944

SegID: 1804A Geronimo Creek (unclassified water body)

From the confluence of the Guadalupe River south of Seguin in Guadalupe County to the upstream perennial portion north of Seguin in Guadalupe County

Segment Type Freshwater Stream

AU_ID: 1804A_01 *Entire water body*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): | 12575; 12576; 14932; 20742; 20745; 20746; 20747; 20751

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1805 Canyon Lake

From Canyon Dam in Comal County to a point 2.7 km (1.7 miles) downstream of Rebecca Creek Road in Comal County, up to normal pool elevation of 909 feet (impounds Guadalupe River)

Segment Type Reservoir

AU_ID: 1805_01 *Cove around Jacob's Creek Park*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): 12598; 17443

AU_ID: 1805_02 *North end of Crane's Mill Park peninsula to south end of Canyon Park*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): 12600; 13840; 15404; 20045

AU_ID: 1805_03 *Upper end of segment*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): 12601; 13843; 18449; 20042; 20043

AU_ID: 1805_04 *Lower end of reservoir from dam upstream to Canyon Park*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): 12597; 13836

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1806 Guadalupe River Above Canyon Lake

From a point 2.7 km (1.7 miles) downstream of Rebecca Creek Road in Comal County to the confluence of North Fork Guadalupe River and the South Fork Guadalupe River in Kerr County

Segment Type Freshwater Stream

AU_ID: 1806_01 *Lower 25 miles of segment.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): 13700; 14255

AU_ID: 1806_02 *From the confluence with Big Joshua Creek to Flat Rock Dam in Kerrville.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): 12602; 12603; 12605; 12608; 12610; 15113; 16242

AU_ID: 1806_03 *From Flat Rock Dam in Kerrville to 1 mile upstream.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): 12612

AU_ID: 1806_04 *From 1 mile upstream Flat Rock Dam to confluence with Camp Meeting Creek.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): 12615

AU_ID: 1806_05 *From confluence with Camp Meeting Creek to 2 miles upstream.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): 12616

AU_ID: 1806_06 *From RR 394 1 mile downstream.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): 12617; 16243; 16244

AU_ID: 1806_07 *Upper 10 miles of segment.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): 12618; 12619; 12620; 12621; 15111; 16241

AU_ID: 1806_08 *From 25 miles upstream of lower end to confluence with Big Joshua Creek.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): 17404

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1806A Camp Meeting Creek (unclassified water body)

From the confluence of Flatrock Lake in southeast Kerrville in Kerr County to the upstream perennial portion of the stream west of Kerrville in Kerr County

Segment Type Freshwater Stream

AU_ID: 1806A_02 *From the confluence with segment 1806 of the Guadalupe River upstream to the dam of an unnamed impoundment approximately 0.65 km upstream of Tree Lane in the City of Kerrville (3.6 Miles).*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type

Station ID(s): | 12546

AU_ID: 1806A_03 *Upper 3 miles*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type

Station ID(s): | 17896

SegID: 1806D Quinlan Creek (unclassified water body)

From the confluence of the Guadalupe River in Kerrville in Kerr County to the upstream perennial portion of the stream north of Kerrville in Kerr County

Segment Type Freshwater Stream

AU_ID: 1806D_01 *Entire water body*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type

Station ID(s): | 12541

SegID: 1806E Town Creek (unclassified water body)

From the confluence of the Guadalupe River in Kerrville in Kerr County to the upstream perennial portion of the stream north of Kerrville in Kerr County

Segment Type Freshwater Stream

AU_ID: 1806E_01 *From the confluence with segment 1806 of the Guadalupe River in Kerrville, Kerr County Texas up to the upper end of the segment (NHD RC 12100201000572)*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Water body description	High	Presumption from Flow Type

Station ID(s): | 12549; 12550

SegID: 1806H Big Joshua Creek (unclassified water body)

From the confluence with segment 1806 of the Guadalupe River in Kendall County up to the upper end of the segment (NHD RC 12100201004037).

Segment Type Freshwater Stream

AU_ID: 1806H_01 *Entire segment.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): | 17405; 18665

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1807 Coledo Creek

From the confluence with the Guadalupe River in Victoria County to the confluence of Fifteenmile Creek and Twelvemile Creek in Goliad/Victoria County, including Coledo Creek Reservoir

Segment Type Freshwater Stream

AU_ID: 1807_01 *From confluence with Guadalupe River to Coledo Ck. Reservoir Dam*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12622; 12623; 20827

AU_ID: 1807_02 *Remainder of segment*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 17942; 18594; 18694

SegID: 1807A Perdido Creek (unclassified water body)

From the confluence with Coledo Creek (1807) up to the upper end of the segment (NHD RC 12100204000174).

Segment Type Freshwater Stream

AU_ID: 1807A_01 *Entire segment.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type

Station ID(s): 18595

SegID: 1808 Lower San Marcos River

From the confluence with the Guadalupe River in Gonzales County to a point 1.0 km (0.6 miles) upstream of the Blanco River in Hays County

Segment Type Freshwater Stream

AU_ID: 1808_01 *Lower 18 miles from confluence with Guadalupe R to confluence Mile Creek*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 16578

AU_ID: 1808_02 *From confluence with Mile Creek to confluence with Plum Creek*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12624

AU_ID: 1808_03 *From confluence with Plum Creek to Guadalupe CR 239/247*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12626

AU_ID: 1808_04 *From Guadalupe CR 239/247 to upper end of segment*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12628; 17429; 17430

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1809 Lower Blanco River

From the confluence with the San Marcos River in Hays County to a point 0.3 km (0.2 miles) upstream of Limekiln Road in Hays County

Segment Type Freshwater Stream

AU_ID: 1809_01 *Lower 7 miles of segment*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12631

AU_ID: 1809_02 *Upper 8 miles of segment*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12635; 12637; 15019

SegID: 1810 Plum Creek

From the confluence with the San Marcos River in Caldwell County to FM 2770 in Hays County

Segment Type Freshwater Stream

AU_ID: 1810_01 *Confluence with San Marcos River to approx. 2.5 mi. upstream of the confluence with Clear Fork Plum Creek*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12640; 12642

AU_ID: 1810_02 *From approx. 2.5 mi. upstream of confluence with Clear Fork Plum Ck to approx. 0.5 mi upstream of SH21*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12643; 12645; 12647

AU_ID: 1810_03 *From approx. 0.5 mi. upstream of SH 21 to upper end of segment*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12648; 12649; 17406; 18343; 20480; 20484; 20503

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1811 Comal River

From the confluence with the Guadalupe River in Comal County to Klingemann Street in New Braunfels in Comal County

Segment Type Freshwater Stream

AU_ID: 1811_01 *From the confluence with segment 1804 of the Guadalupe River up to just upstream of the confluence with Dry Comal Creek in New Braunfels, Comal County, Texas.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12651; 12653

AU_ID: 1811_02 *From the confluence with Dry Comal Creek up to Klingemann Street in New Braunfels, Comal County, Texas.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12655; 15146

SegID: 1811A Dry Comal Creek (unclassified water body)

From the confluence of the Comal River in New Braunfels in Comal County to the upstream perennial portion of the stream southwest of New Braunfels in Comal County

Segment Type Freshwater Stream

AU_ID: 1811A_01 *Lower 25 miles of water body*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type

Station ID(s): 12570

AU_ID: 1811A_02 *Remainder of water body*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type

Station ID(s): No Stations

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1812 Guadalupe River Below Canyon Dam

From the confluence of the Comal River in Comal County to Canyon Dam in Comal County

Segment Type Freshwater Stream

AU_ID: *1812_01* *From a point immediately upstream of the confluence of the Comal River in Comal County to immediately upstream of the confluence with Elm Creek, Comal County, Texas.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): 12656; 12657; 13511; 18841; 18842

AU_ID: *1812_02* *From immediately upstream of Elm Creek up to the confluence with Bear Creek, Comal County, Texas.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): 12658; 15406; 18448

AU_ID: *1812_03* *From immediately upstream of the confluence with Bear Creek in Comal County, Texas up to Canyon Dam.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): 13656; 16703

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1813 Upper Blanco River

From a point 0.3 km (0.2 miles) upstream of Limekiln Road in Hays County to the confluence of Meier Creek in Kendall County

Segment Type Freshwater Stream

AU_ID: 1813_01 *From a point 0.3 KM (0.2 miles) upstream of Limekiln Road in Hays County up to the confluence with Spoke Pile Creek.*

<u>Flow Type</u> perennial	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> Exceptional	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	---------------------------------------	--

Station ID(s): 12660; 20926

AU_ID: 1813_02 *From the confluence with Spoke Pile Creek up to the confluence with Cypress Creek, in Wimberley, Hays County, Texas.*

<u>Flow Type</u> perennial	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> Exceptional	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	---------------------------------------	--

Station ID(s): 12661

AU_ID: 1813_03 *From the confluence with Rogers Branch up to the confluence with Hinds Branch in Blanco, County, Texas.*

<u>Flow Type</u> perennial	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> Exceptional	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	---------------------------------------	--

Station ID(s): 12667; 12668; 13514; 17528

AU_ID: 1813_04 *From the confluence with Hinds Branch in Blanco County, Texas up to the confluence with Meier Creek in Kendall County, Texas.*

<u>Flow Type</u> perennial	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> Exceptional	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	---------------------------------------	--

Station ID(s): 17522; 17525; 18664

AU_ID: 1813_05 *From the confluence with Cypress Creek in Wimberley, Hays County, Texas up to the confluence with Rogers Branch in Blanco County, Texas.*

<u>Flow Type</u> perennial	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> Exceptional	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	---------------------------------------	--

Station ID(s): 12663

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1814 Upper San Marcos River

From a point 1.0 km (0.6 miles) upstream of the confluence of the Blanco River in Hays County to a point 0.7 km (0.4 miles) upstream of Loop 82 in San Marcos in Hays County

Segment Type Freshwater Stream

AU_ID: 1814_01 Lower 1.5 miles of segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): 12629

AU_ID: 1814_02 From sub-segment 01 to IH 35 east frontage road

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): 12671

AU_ID: 1814_03 From IH 35 east frontage road to Spring Lake Dam

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): 12672; 15498

AU_ID: 1814_04 Remainder of segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): No Stations

SegID: 1815 Cypress Creek

From the confluence with the Blanco River in Hays County to a point 6.4 km (4.0 miles) upstream of the most upstream unnamed county road crossing Hays County

Segment Type Freshwater Stream

AU_ID: 1815_01 Lower 7 miles of segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): 12673; 12674; 12675; 12676; 12677

AU_ID: 1815_02 Upper 7 miles of segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): No Stations

SegID: 1816 Johnson Creek

From the confluence with the Guadalupe River in Kerr County to a point 1.2 km (0.7 miles) upstream of the most upstream crossing of SH 41 in Kerr County

Segment Type Freshwater Stream

AU_ID: 1816_01 Entire segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): 12678; 12680

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1817 North Fork Guadalupe River

From the confluence with the Guadalupe River in Kerr County to a point 18.2 km (11.3 miles) upstream of Boneyard Draw in Kerr County

Segment Type Freshwater Stream

AU_ID: 1817_01 Entire segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): 12681; 12682; 16245

SegID: 1818 South Fork Guadalupe River

From the confluence with the Guadalupe River in Kerr County to a point 4.8 km (3.0 miles) upstream of FM 187 in Kerr County

Segment Type Freshwater Stream

AU_ID: 1818_01 Lower 1.5 miles of segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): 12684

AU_ID: 1818_02 From lower 1.5 mi to approx 0.5 mile upstream of Lange Ravine

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): 12685

AU_ID: 1818_03 From 0.5 mi upstream Lange Ravine to low water dam just below Camp Mystic

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): 16246

AU_ID: 1818_04 From low water dam below Camp Mystic to confluence with Cherry Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): 12686

AU_ID: 1818_05 Upper 18.5 miles of segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): 12688

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1901 Lower San Antonio River

From the confluence with the Guadalupe River in Refugio/Victoria County to a point 600 meters (660 yards) downstream of FM 791 at Mays crossing near Falls City in Karnes County

Segment Type Freshwater Stream

AU_ID: 1901_01 25 miles downstream of the confluence with Manahuilla Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12790

AU_ID: 1901_02 25 miles upstream of Manahuilla Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12791; 17858

AU_ID: 1901_03 From 25 miles upstream of Manahuilla Cr to 9 mi downstream of Escondido Cr

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12793; 17859

AU_ID: 1901_04 9 miles downstream of Escondido Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12794

AU_ID: 1901_05 From upstream end of segment to Escondido Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12795; 12796; 16580; 17860; 17861; 17862

AU_ID: 1901_06 Lower 31 miles of segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12789

SegID: 1901A Escondido Creek (unclassified water body)

From the confluence with segment 1901 up to the upper end of the water body (NHD RC 12100303002847).

Segment Type Freshwater Stream

AU_ID: 1901A_01 From the confluence with segment 1901 up to the confluence with Nichols Creek in Kennedy.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 17573; 18402

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1901B Cabeza Creek (unclassified water body)

From the confluence with segment 1901, west of Goliad, Goliad County, up to the upper end of the water body (NHD RC 12100303000882)

Segment Type Freshwater Stream

AU_ID: 1901B_01 Entire segment.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type
Station ID(s): 16992			

SegID: 1901C Hord Creek (unclassified water body)

From the confluence with segment 1901 up to the upper end of the water body (NHD RC 12100303000256).

Segment Type Freshwater Stream

AU_ID: 1901C_01 Entire segment.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type
Station ID(s): 18319			

SegID: 1902 Lower Cibolo Creek

From the confluence with the San Antonio River in Karnes County to a point 100 meters (110 yards) downstream of IH 10 in Bexar/Guadalupe County

Segment Type Freshwater Stream

AU_ID: 1902_01 Lower 5 miles of segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A
Station ID(s): 12797; 20777			

AU_ID: 1902_02 From 5 miles upstream of confluence with the San Antonio River to FM 541

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A
Station ID(s): 12798; 14211			

AU_ID: 1902_03 From FM 541 to confluence with Clifton Branch

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A
Station ID(s): 12803			

AU_ID: 1902_04 From confluence with Clifton Branch to the confluence with Elm Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A
Station ID(s): 12805			

AU_ID: 1902_05 Upper end of segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A
Station ID(s): 14197			

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1902A Martinez Creek (unclassified water body)

Perennial stream from the confluence with Escondido Creek upstream to Binz-Engleman Road

Segment Type Freshwater Stream

AU_ID: 1902A_01 *From confluence with Cibolo Creek to confluence with Salatrillo Creek*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type
Station ID(s):	12741		

AU_ID: 1902A_02 *From confluence with Salatrillo Creek to confluence with Escondido Creek*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type
Station ID(s):	14203		

AU_ID: 1902A_03 *From confluence with Escondido Creek to about 1.9 miles downstream of IH 10*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D
Station ID(s):	15306		

AU_ID: 1902A_04 *From approximately 1.1 km downstream of FM 1516 to Binz-Engleman Road.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D
Station ID(s):	15305		

AU_ID: 1902A_05 *Remainder of water body*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type
Station ID(s):	12749		

SegID: 1902B Salatrillo Creek (unclassified water body)

From the confluence with Martinez Creek to approximately 1.3 miles upstream of FM 1976.

Segment Type Freshwater Stream

AU_ID: 1902B_01 *From the confluence with Martinez Creek to FM 78 in Converse*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type
Station ID(s):	14201; 14923; 15303		

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1903 Medina River Below Medina Diversion Lake

From the confluence with the San Antonio River in Bexar County to Medina Diversion Dam in Medina County

Segment Type Freshwater Stream

AU_ID: 1903_01 Lower 5 miles of segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12811

AU_ID: 1903_02 From 5 mi upstream of San Antonio River to 1.5 mi upstream of Leon Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12812; 12813

AU_ID: 1903_03 From 1.5 miles upstream of Leon Cr to confluence with Live Oak Slough

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12814; 12816

AU_ID: 1903_04 From confluence with Live Oak Slough to upstream 25 miles

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12817; 12818; 12819; 12821; 13699; 14200

AU_ID: 1903_05 Upper 32 miles of segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12823; 12824

SegID: 1904 Medina Lake

From Medina Dam in Medina County to a point immediately upstream of the confluence of Red Bluff Creek in Bandera County, up to normal pool elevation of 1064.2 feet (impounds Medina River)

Segment Type Reservoir

AU_ID: 1904_01 Lower portion, from dam west to Masterson Point and east to Reuters Cove

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 12825

AU_ID: 1904_02 Part of lake extending upstream from Brushy Creek to upper end of segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 12829

AU_ID: 1904_03 Remainder of segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): No Stations

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1905 **Medina River Above Medina Lake**

From the confluence of Red Bluff Creek in Bandera County to the confluence of the North Prong Medina River and the West Prong Medina River in Bandera County

Segment Type Freshwater Stream

AU_ID: 1905_01 *From lower end of segment to RR 470, upstream of Bandera*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Exceptional	TWQS-Appendix A
Station ID(s):	12830; 13638		

AU_ID: 1905_02 *Remainder of segment*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Exceptional	TWQS-Appendix A
Station ID(s):	14213		

SegID: 1905A **North Prong Medina River (unclassified water body)**

From the confluence with segment 1905 (Medina River) up to the confluence with Shephard Creek

Segment Type Freshwater Stream

AU_ID: 1905A_01 *Entire water body*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type
Station ID(s):	18447		

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1906 Lower Leon Creek

From the confluence with the Medina River in Bexar County to a point 100 meters (110 yards) upstream of SH 16 northwest of San Antonio in Bexar County

Segment Type Freshwater Stream

AU_ID: 1906_01 Lower 3 miles of segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 14198

AU_ID: 1906_02 From 3 miles upstream lower end of segment to confluence with Indian Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12835; 12836

AU_ID: 1906_03 From confluence with Indian Creek to Hwy 353 (New Laredo Hwy)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12838

AU_ID: 1906_04 From Hwy 353 (New Laredo Hwy) to two miles upstream

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12840

AU_ID: 1906_05 From 2 miles upstream of Hwy 353 to Hwy 90

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12841; 12842; 18199

AU_ID: 1906_06 Remainder of segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12845; 14209

SegID: 1906A Helotes Creek (unclassified water body)

Segment Type Freshwater Stream

AU_ID: 1906A_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
not available	not available	not available	not available

Station ID(s): 12780

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1907 Upper Leon Creek

From a point 100 meters (110 yards) upstream of SH 16 northwest of San Antonio in Bexar County to a point 9.0 km (5.6 miles) upstream of Scenic Loop Road north of Helotes in Bexar County

Segment Type Freshwater Stream

AU_ID: 1907_01 Entire segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A
Station ID(s):	12851; 14252; 17364; 17365		

SegID: 1908 Upper Cibolo Creek

From the Missouri-Pacific Railroad Bridge west of Bracken in Comal County to a point 1.5 km (0.9 miles) upstream of the confluence of Champee Springs in Kendall County

Segment Type Freshwater Stream

AU_ID: 1908_01 From confluence. with Balcones Ck. to approx. 2 mi. upstream of Hwy 87 in Boerne

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A
Station ID(s):	12853; 12854; 12855; 12856; 15126; 16702		

AU_ID: 1908_02 From approx. 2 mi. upstream of Hwy 87 in Boerne to upper end of segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A
Station ID(s):	12857; 12858		

AU_ID: 1908_03 Lower 43 miles of segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A
Station ID(s):	No Stations		

SegID: 1909 Medina Diversion Lake

From Medina Diversion Dam in Medina County to Medina Lake Dam in Medina County, up to normal pool elevation of 926.5 feet (impounds Medina River)

Segment Type Reservoir

AU_ID: 1909_01 Entire segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A
Station ID(s):	12859; 18407		

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1910 Salado Creek

From the confluence with the San Antonio River in Bexar County to Rocking Horse Lane west of Camp Bullis in Bexar County

Segment Type Freshwater Stream

AU_ID: 1910_01 From confluence with San Antonio River to confluence with Rosillo Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A
Station ID(s): 12861; 12862			

AU_ID: 1910_02 From the confluence with Rosillo Creek up to the confluence with Pershing Creek.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A
Station ID(s): 12864; 12868; 12870; 14929; 15645; 15646; 15647			

AU_ID: 1910_03 From the confluence with Pershing Creek up to the confluence with Walzem Creek.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A
Station ID(s): 12871; 12872; 12874; 15642; 15644; 20327			

AU_ID: 1910_04 From the confluence with Walzem Creek up to the confluence with Beitel Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix D
Station ID(s): 12875; 12876			

AU_ID: 1910_05 From the confluence with Beitel Creek up to the confluence with Lorence Creek.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	TWQS-Appendix D
Station ID(s): 12877			

AU_ID: 1910_06 From the confluence with Lorence Creek up to the confluence with Lewis Creek.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	TSWQS	Minimal	TWQS-Appendix D
Station ID(s): No Stations			

AU_ID: 1910_07 From the confluence with Lewis Creek to the upper end of the segment.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	TSWQS	Minimal	TWQS-Appendix D
Station ID(s): 17574			

SegID: 1910A Walzem Creek (unclassified water body)

From the confluence with Salado Creek to approximately 1.5 miles upstream of Walzem Road in San Antonio

Segment Type Freshwater Stream

AU_ID: 1910A_01 Lower 1.5 miles of segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type
Station ID(s): 12698; 20356; 20359			

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1910B Rosillo Creek (unclassified water body)

From the confluence with Salado Creek in Bexar County to approximately 0.5 miles upstream of FM 1976 in Bexar County

Segment Type Freshwater Stream

AU_ID: 1910B_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type

Station ID(s): 12689; 12690; 12699; 12700

SegID: 1910C Salado Creek Tributary (unclassified water body)

From the confluence with segment 1910 to the upper end of the water body, NHD RC 12100301000902.

Segment Type Freshwater Stream

AU_ID: 1910C_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	Routine Flow Data	Minimal	Presumption from Flow Type

Station ID(s): 12692

SegID: 1910D Menger Creek (unclassified water body)

From the confluence with segment 1910 to the upper end of the water body, NHD RC 12100301000147.

Segment Type Freshwater Stream

AU_ID: 1910D_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Water body description	High	Presumption from Flow Type

Station ID(s): 12693

SegID: 1910E Beitel Creek (unclassified water body)

From the confluence with segment 1910 to the upper end of the water body, NHD RC 12100301000662.

Segment Type Freshwater Stream

AU_ID: 1910E_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type

Station ID(s): 12701; 12702; 16583; 20358

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1911 Upper San Antonio River

From a point 600 meters (660 yards) downstream of FM 791 at Mays Crossing near Falls City in Karnes County to a point 100 meters (110 yards) upstream of Hildebrand Avenue at San Antonio in Bexar County

Segment Type Freshwater Stream

AU_ID: 1911_01 From the lower end of the segment up to just upstream of the confluence with Olmos Creek.

<u>Flow Type</u> perennial	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): | 12879

AU_ID: 1911_02 From the confluence with Olmos Creek up to just upstream of the confluence with Picoso Creek .

<u>Flow Type</u> perennial	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): | 12880

AU_ID: 1911_03 From just upstream of the confluence with Picoso Creek up to just upstream of the confluence with Lodi Branch in Floresville, Wilson County, Texas.

<u>Flow Type</u> perennial	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): | 12881

AU_ID: 1911_04 From just upstream of the confluence with Lodi Branch in Floresville, Wilson County, Texas up to just upstream of the confluence with Calaveras Creek.

<u>Flow Type</u> perennial	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): | 12882; 12883; 12884; 12885

AU_ID: 1911_05 From just upstream of the confluence with Calaveras Creek up to just upstream of the confluence with the Medina River.

<u>Flow Type</u> perennial	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): | 12886; 12889; 20355

AU_ID: 1911_06 From just upstream of the confluence with the Medina River up to just upstream of the confluence with Salado Creek.

<u>Flow Type</u> perennial	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): | 12894; 16731

AU_ID: 1911_07 From just upstream of the confluence with Salado Creek up to just upstream of the confluence with Sixmile Creek.

<u>Flow Type</u> perennial	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): | 12897; 20638

2012 Texas Water Quality Inventory Water Bodies Evaluated

AU_ID: 1911_08 *From just upstream of the confluence with Sixmile Creek to just upstream of the confluence with San Pedro Creek.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A
Station ID(s):	12899; 15308; 17066		

AU_ID: 1911_09 *From just upstream of the confluence with San Pedro Creek up to the upper end of the segment.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A
Station ID(s):	12904; 12905; 12908; 12911; 12912; 14219; 14220; 14223; 14256; 15085; 18859; 18865; 20118; 20122; 20360; 20361		

SegID: 1911B Apache Creek (unclassified water body)

From the confluence with San Pedro Creek up to the upper end of the segment at State Highway 421 (NHD RC 12100301001439).

Segment Type Freshwater Stream

AU_ID: 1911B_01 *From the confluence with San Pedro Creek up to just upstream of the confluence with Zarzamora Creek.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type
Station ID(s):	12710; 12712; 15707; 18735; 18814; 20604; 20605; 20606		

SegID: 1911C Alazan Creek (unclassified water body)

From the confluence with Apache Creek up to 0.4 KM (0.25 Mi.) upstream of St. Cloud Road (NHD RC 12100301000163) in San Antonio, Bexar County, Texas.

Segment Type Freshwater Stream

AU_ID: 1911C_01 *From the confluence with Apache Creek up to the confluence with Martinez Creek.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type
Station ID(s):	12715; 18737; 20345		

AU_ID: 1911C_02 *From just upstream of the confluence with Martinez Creek to the upper end of the segment.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type
Station ID(s):	12716; 12718; 18813; 20344		

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1911D San Pedro Creek (unclassified water body)

From the confluence with segment 1911 to the upper end of the water body, NHD RC 12100301000867

Segment Type Freshwater Stream

AU_ID: 1911D_01 From the confluence with segment 1911 up to the confluence with Apache Creek.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 12707; 18736; 20116

AU_ID: 1911D_02 From the confluence with Apache Creek to the upper end of the segment, NHD RC 12100301000867

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 12708; 20117; 20119; 20120; 20121

SegID: 1911E Sixmile Creek (unclassified water body)

From the confluence with 1911 to the upper end of the water body at NHD RC 12100301000061

Segment Type Freshwater Stream

AU_ID: 1911E_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	WQS/Permits program	Minimal	Previous TCEQ Permit Decision

Station ID(s): 12705

SegID: 1911F Calaveras Reservoir (unclassified water body)

Entire Water body.

Segment Type Reservoir

AU_ID: 1911F_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	Presumption from Flow Type

Station ID(s): 12769

SegID: 1911G Braunig Reservoir (unclassified water body)

Entire Water body.

Segment Type Reservoir

AU_ID: 1911G_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	Presumption from Flow Type

Station ID(s): 12761

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1911H Picoso Creek (unclassified water body)

From the confluence with segment 1911 to the upper end of the water body, NHD RC 12100303003001937.

Segment Type Freshwater Stream

AU_ID: 1911H_01 From the confluence with 1911 up to the confluence with Mariana Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type

Station ID(s): 20350

SegID: 1912 Medio Creek

From the confluence with the Medina River in Bexar County to a point 1.0 km (0.6 miles) upstream of IH 35 in San Antonio in Bexar County

Segment Type Freshwater Stream

AU_ID: 1912_01 Entire segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Intermediate	TWQS-Appendix A

Station ID(s): 12916; 12917

SegID: 1912A Upper Medio Creek (unclassified water body)

From approximately 1.0 kilometer (0.6 miles) upstream of IH 35 at San Antonio (Bexar County) to approximately 1.0 mile upstream of the Bexar/Medina County Line

Segment Type Freshwater Stream

AU_ID: 1912A_01 Entire water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent	Flow Questionnaire	Minimal	Presumption from Flow Type

Station ID(s): 12728; 12730; 12735; 13659

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 1913 Mid Cibolo Creek

From a point 100 meters (110 yards) downstream of IH 10 in Bexar/Guadalupe County to the Missouri-Pacific Railroad bridge west of Bracken in Comal County

Segment Type Freshwater Stream

AU_ID: 1913_01 *From 100 M downstream of IH0 up to unnamed tributary approximately 0.3 miles upstream of Weir Road, Bexar County, Texas.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Limited	TWQS-Appendix A

Station ID(s): 12919; 12921

AU_ID: 1913_02 *From the confluence with unnamed tributary approximately 0.3 miles upstream of Weir Road, Bexar county, Texas up to 100 meters upstream of the Cibolo Creek Municipal WWTP.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Limited	TWQS-Appendix A

Station ID(s): 12924; 12925

AU_ID: 1913_03 *From 100 meters upstream of Cibolo Creek Municipal WWTP up to the upper end of the segment.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Limited	TWQS-Appendix A

Station ID(s): 12927; 14212

SegID: 2001 Mission River Tidal

From the confluence with Mission Bay in Refugio County to a point 7.4 kilometers (4.6 miles) downstream of US 77 in Refugio County

Segment Type Tidal Stream

AU_ID: 2001_01 *Entire Water Body*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	TSWQS	High	TWQS-Appendix A

Station ID(s): 12943

SegID: 2002 Mission River Above Tidal

From a point 7.4 km (4.6 miles) downstream of US 77 in Refugio County to the confluence of Blanco Creek and Medio Creek in Refugio County

Segment Type Freshwater Stream

AU_ID: 2002_01 *Entire Water Body*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12944

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 2003 Aransas River Tidal

From the confluence with Copano Bay in Aransas/Refugio County to a point 1.6 kilometers (1.0 mile) upstream of US 77 in Refugio/San Patricio County

Segment Type Tidal Stream

AU_ID: 2003_01 Entire Water Body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	TSWQS	High	TWQS-Appendix A

Station ID(s): 12947; 12948

SegID: 2004 Aransas River Above Tidal

From a point 1.6 kilometers (1.0 mile) upstream of US 77 in Refugio/San Patricio County to the confluence of Poesta Creek and Aransas Creek in Bee County

Segment Type Freshwater Stream

AU_ID: 2004_01 From the downstream end of segment to the confluence with Papalote Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): No Stations

AU_ID: 2004_02 From the confluence with Papalote Creek to the upstream end of segment at the confluence with Aransas Creek and Poesta Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12952

SegID: 2004A Aransas Creek (unclassified water body)

From confluence with the Aransas River to the headwaters of the stream about 10 km upstream of US Highway 59.

Segment Type Freshwater Stream

AU_ID: 2004A_01 Entire 20 miles of segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Flow Questionnaire	Limited	Presumption from Flow Type

Station ID(s): 12941

SegID: 2004B Poesta Creek (unclassified water body)

From the confluence with the Aransas River to the headwaters of the stream about 7.5 km upstream of FM 673.

Segment Type Freshwater Stream

AU_ID: 2004B_02 From the confluence with Talpacate Creek to the headwaters of the stream approximately 7.5 km upstream of FM 673

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type

Station ID(s): 12932

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 2101 Nueces River Tidal

From the confluence with Nueces Bay in Nueces County to Calallen Dam 1.7 km (1.1 miles) upstream of US 77/IH 37 in Nueces/San Patricio County

Segment Type Tidal Stream

AU_ID: 2101_01 Entire Water Body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	TSWQS	High	TWQS-Appendix A

Station ID(s): 12960; 12961; 17645; 17646; 17647

SegID: 2102 Nueces River Below Lake Corpus Christi

From Calallen Dam 1.7 km (1.1 miles) upstream of US 77/IH 37 in Nueces/San Patricio County to Wesley E. Seale Dam in Jim Wells/San Patricio County

Segment Type Freshwater Stream

AU_ID: 2102_01 From the downstream end of segment to the confluence with Javelin Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12964; 20927

AU_ID: 2102_02 From the confluence with Javelin Creek to the upstream end of segment at Lake Corpus Christi

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12965

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 2103 Lake Corpus Christi

From Wesley E. Seale Dam in Jim Wells/San Patricio County to a point 100 meters (110 yards) upstream of US 59 in Live Oak County, up to normal pool elevation of 94 feet (impounds Nueces River)

Segment Type Reservoir

AU_ID: 2103_01 *Mid-lake near dam*

<u>Flow Type</u> reservoir	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): | 12967

AU_ID: 2103_02 *Area approx. 4 mi. SE of FM 3162 and FM 534 intersection near western shore*

<u>Flow Type</u> reservoir	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): | 17386; 18350; 20201

AU_ID: 2103_03 *Western arm of lake near Lagarto Creek inlet*

<u>Flow Type</u> reservoir	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): | 17385; 20193

AU_ID: 2103_04 *Upper portion of lake on opposite shore from Hideaway Hill*

<u>Flow Type</u> reservoir	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): | 12970; 17384

AU_ID: 2103_05 *Upper arm of reservoir in more riverine section surrounding FM 534*

<u>Flow Type</u> reservoir	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): | 17383

AU_ID: 2103_06 *Uppermost riverine part of reservoir upstream of FM 534 to upper end of segment to just upstream of US Highway 59.*

<u>Flow Type</u> reservoir	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): | 17648

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 2104 Nueces River Above Frio River

From the confluence of the Frio River in Live Oak County to Holland Dam in LaSalle County

Segment Type Freshwater Stream

AU_ID: 2104_01 From the downstream end of the segment to the confluence with Dragon Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12972

AU_ID: 2104_02 From the confluence with Dragon Creek to the confluence with Guadalupe Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12973; 17897

AU_ID: 2104_03 From the confluence with Guadalupe Creek to the upstream end of the segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12974

SegID: 2105 Nueces River Above Holland Dam

From Holland Dam in LaSalle County to a point 100 meters (110 yards) upstream of FM 1025 in Zavala County

Segment Type Freshwater Stream

AU_ID: 2105_01 From the downstream end of the segment at Holland Dam to the confluence of Sauz Mocho Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12975

AU_ID: 2105_02 From the confluence with Sauz Macho Creek to the confluence of Line Oak Slough

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12976; 20156

AU_ID: 2105_03 From the confluence of Line Oak Slough to the upstream end of the segment at Ranch Rd. 1025

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): No Stations

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 2106 Nueces/Lower Frio River

From a point 100 meters (110 yards) upstream of US 59 in Live Oak County to Choke Canyon Dam in Live Oak County

Segment Type Freshwater Stream

AU_ID: 2106_01 *The Nueces river from the downstream end of segment to the confluence with the Frio River*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12978; 12979; 20701

AU_ID: 2106_02 *The Frio River from the confluence with the Nueces River to Choke Canyon Dam*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12977; 17437; 18357

SegID: 2107 Atascosa River

From the confluence with the Frio River in Live Oak County to the confluence of the West Prong Atascosa River and the North Prong Atascosa River in Atascosa County

Segment Type Freshwater Stream

AU_ID: 2107_01 *From the downstream end of the segment at the confluence with the Frio River to the confluence with Borrego Creek*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12980; 20773

AU_ID: 2107_02 *From the confluence with Borrego Creek to the confluence with Galvan Creek*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 17899; 17900; 18646; 20764

AU_ID: 2107_03 *From the confluence with Galvan Creek to the confluence with Palo Alto Creek*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12982; 17436; 17898; 18645; 20761; 20762

AU_ID: 2107_04 *From the confluence with Palo Alto Creek to the upper end of the segment*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 17142; 20760

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 2108 San Miguel Creek

From a point immediately upstream of the confluence of Mustang Branch in McMullen County to the confluence of San Francisco Perez Creek and Chacon Creek in Frio County

Segment Type Freshwater Stream

AU_ID: 2108_01 From the downstream end of the segment to the confluence of Liveoak Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12983

AU_ID: 2108_02 From the confluence of Liveoak Creek to the upstream end of segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12984

SegID: 2109 Leona River

From the confluence with the Frio River in Frio County to US 83 in Uvalde County

Segment Type Freshwater Stream

AU_ID: 2109_01 From the downstream end of segment to the confluence of Yoledigo Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12985

AU_ID: 2109_02 From the confluence of Yoledigo Creek to the confluence of Camp Lake Slough

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12987

AU_ID: 2109_03 From the confluence of Camp Lake Slough to the upper end of segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12988; 12989; 12992; 18418

SegID: 2110 Lower Sabinal River

From the confluence with the Frio River in Frio County to Uvalde County to a point 100 meters (110 yards) upstream of SH 127 in Uvalde County

Segment Type Freshwater Stream

AU_ID: 2110_01 Entire Water Body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 12993

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 2111 Upper Sabinal River

From a point 100 meters (110 yards) upstream of SH 127 in Uvalde County to the most upstream crossing of FM 187 in Bandera County

Segment Type Freshwater Stream

AU_ID: 2111_01 From the downstream end of segment to the confluence with the West Sabinal River

<u>Flow Type</u> perennial	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): 12994

AU_ID: 2111_02 From the confluence with the West Sabinal River to the upstream end of segment

<u>Flow Type</u> perennial	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): No Stations

SegID: 2112 Upper Nueces River

From a point 100 meters (110 yards) upstream of FM 1025 in Zavala County to the confluence of the East Prong Nueces River and Hackberry Creek in Edwards County

Segment Type Freshwater Stream

AU_ID: 2112_01 From the downstream end of the segment to the confluence with Sand Ridge Creek

<u>Flow Type</u> perennial	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): 12996; 17143

AU_ID: 2112_02 From the confluence with Sand Ridge Creek to the confluence with unnamed tributary with NHD RC 12110103000444 at point N-99.91, W29.2 just downstream of US Highway 90.

<u>Flow Type</u> perennial	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): 12997; 12998; 17438

AU_ID: 2112_03 From the confluence with unnamed tributary with NHD RC 12110103000444 at point N-99.91, W29.2 just downstream of US Highway 90 to the confluence with Miller Creek.

<u>Flow Type</u> perennial	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): 12999; 16704

AU_ID: 2112_04 From the confluence with Miller Creek to the upper end of the segment

<u>Flow Type</u> perennial	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): 13005

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 2113 Upper Frio River

From a point 100 meters (110 yards) upstream of US 90 in Uvalde County to the confluence of the West Frio River and the East Frio River in Real County

Segment Type Freshwater Stream

AU_ID: 2113_01 *From the downstream end of the segment to the confluence with Bear Creek*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): 13006

AU_ID: 2113_02 *From the confluence with Bear Creek to the upstream end of segment*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): 13007; 13008; 17892

SegID: 2114 Hondo Creek

From the confluence with the Frio River in Frio County to FM 470 in Bandera County

Segment Type Freshwater Stream

AU_ID: 2114_01 *From the downstream end of the segment to the confluence with and unnamed tributary with NHD RC 12110107000245 at point N-99.12, W29.38 just upstream of FM 2676.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 18408

AU_ID: 2114_02 *From the confluence with and unnamed tributary with NHD RC 12110107000245 at point N-99.12, W29.38 just upstream of FM 2676 to the upstream end of the segment.*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 13010

SegID: 2115 Seco Creek

From the confluence with Hondo Creek in Frio County to West Seco Creek in Bandera County

Segment Type Freshwater Stream

AU_ID: 2115_01 *From the downstream end of the segment to the confluence with an unnamed tributary at NHD RC 1211010700385 at point N-99.28, W29.42*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): No Stations

AU_ID: 2115_02 *From the confluence with an unnamed tributary at NHD RC 1211010700385 at point N-99.28, W29.42 to the upstream end of the segment*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 13013

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 2116 Choke Canyon Reservoir

From Choke Canyon Dam in Live Oak County to a point 4.2 km (2.6 miles) downstream of SH 16 on the Frio River Arm in McMullen County and to a point 100 meters (110 yards) upstream of the confluence of Mustang Branch on the San Miguel Creek Arm in McMullen County, up to the normal pool elevation of 220.5 feet (impounds Frio River)

Segment Type Reservoir

AU_ID: 2116_01 5120 acres near dam

<u>Flow Type</u> reservoir	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): 13019

AU_ID: 2116_02 Small north arm of lake near dam and Willow Hollow Tank

<u>Flow Type</u> reservoir	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): 17393

AU_ID: 2116_03 5120 acres in middle of lake

<u>Flow Type</u> reservoir	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): 13020; 17392

AU_ID: 2116_04 Large north arm near mid lake and Jacob Oil Field

<u>Flow Type</u> reservoir	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): 17391

AU_ID: 2116_05 Southern arm near mid lake and Rec. Road 7 west of Calliham

<u>Flow Type</u> reservoir	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): 17390; 17997

AU_ID: 2116_06 Western end of lake up to RR 99 bridge

<u>Flow Type</u> reservoir	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): 17389; 20179

AU_ID: 2116_07 Remainder of lake from RR 99 bridge to upper end of segment

<u>Flow Type</u> reservoir	<u>Flow Type Source</u> TSWQS	<u>ALU Designation</u> High	<u>ALU Designation Source</u> TWQS-Appendix A
-------------------------------	----------------------------------	--------------------------------	--

Station ID(s): 13022

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 2117 **Frio River Above Choke Canyon Reservoir**

From a point 4.2 km (2.6 miles) downstream of SH 16 in McMullen County to a point 100 meters (110 yards) upstream of US 90 in Uvalde County

Segment Type Freshwater Stream

AU_ID: 2117_01 From the downstream end of segment to the confluence with Esperanza Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 13023

AU_ID: 2117_02 From the confluence with Esperanza Creek to the confluence with Ruiz Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 18373

AU_ID: 2117_03 From the confluence with Ruiz Creek to the confluence with Live Oak Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 13024

AU_ID: 2117_04 From the confluence with Live Oak Creek to the confluence with Elm Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): No Stations

AU_ID: 2117_05 From the confluence with Elm to the confluence with Spring Branch

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 15449

AU_ID: 2117_06 From the confluence with Spring Branch to the upstream end of the segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): No Stations

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 2201 Arroyo Colorado Tidal

From confluence with Laguna Madre in Cameron/Willacy County to a point 100 meters (110 yards) downstream of Cemetery Road south of Port Harlingen in Cameron County

Segment Type Tidal Stream

AU_ID: 2201_01 *From the downstream end of the segment to the confluence with San Vicente Drainage Ditch*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	TSWQS	High	TWQS-Appendix A

Station ID(s): 13782; 15551

AU_ID: 2201_02 *From the confluence with San Vicente Drainage Ditch to the confluence with an unnamed drainage ditch with NHD RC 12110108005353 at point N-97.53, W 26.31*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	TSWQS	High	TWQS-Appendix A

Station ID(s): 13071

AU_ID: 2201_03 *From the confluence with an unnamed drainage ditch with NHD RC 12110108005353 at point N-97.53, W 26.31 to the confluence with Harding Ranch Ditch tributary*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	TSWQS	High	TWQS-Appendix A

Station ID(s): 13559

AU_ID: 2201_04 *From the confluence with Harding Ranch Ditch tributary to just upstream of the City of Hondo Wastewater Discharge at point N-97.58359, W26.247186*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	TSWQS	High	TWQS-Appendix A

Station ID(s): 13073

AU_ID: 2201_05 *From just upstream of the City of Hondo Wastewater Discharge at point N-97.58359, W26.247186 to the upstream end of the segment*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	TSWQS	High	TWQS-Appendix A

Station ID(s): 13072; 16142; 17650; 20200

SegID: 2201A Harding Ranch Drainage Ditch Tributary (A) to the Arroyo Colorado Tidal (unclassified water body)

From the confluence with the Arroyo Colorado in Cameron County downstream of Rio Hondo at - 97.584, 26.279 decimal degrees to a point 20.8 km upstream at the FM 508 crossing.

Segment Type Freshwater Stream

AU_ID: 2201A_01 *Entire Water Body*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Limited	TWQS-Appendix D

Station ID(s): 17113

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 2201B Unnamed Drainage Ditch Tributary (B) in Cameron County Drainage District #3 (unclassified water body)

From the confluence with the Arroyo Colorado in Cameron County in the Rio Hondo turning basin at -97.6, 26.196 decimal degrees to a point 17.6 km upstream at the FM 510 crossing.

Segment Type Tidal Stream

AU_ID: 2201B_01 Entire Water Body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	Water body description	High	Presumption from Flow Type

Station ID(s): 18196

SegID: 2202 Arroyo Colorado Above Tidal

From a point 100 meters (110 yards) downstream of Cemetery Road south of Port Harlingen in Cameron County to FM 2062 in Hidalgo County

Segment Type Freshwater Stream

AU_ID: 2202_01 From the downstream end of segment to the confluence with Little Creek just upstream of State Loop 499.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Intermediate	TWQS-Appendix A

Station ID(s): 13074

AU_ID: 2202_02 From the confluence with Little Creek to the confluence with La Feria Main Canal just upstream of Dukes Highway.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Intermediate	TWQS-Appendix A

Station ID(s): 13079; 13080; 16141; 16445

AU_ID: 2202_03 From the confluence with La Feria Main Canal just upstream of Dukes Highway to the confluence with La Cruz Resaca just downstream of FM 907

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Intermediate	TWQS-Appendix A

Station ID(s): 13081; 13082; 16137

AU_ID: 2202_04 From the confluence with La Cruz Resaca to the upper end of segment at FM 2062

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Intermediate	TWQS-Appendix A

Station ID(s): 13083; 13084; 13086; 17644

SegID: 2202A Donna Reservoir (unclassified water body)

Off-channel irrigation reservoir pumped from Rio Grande near the City of Donna in Hidalgo County

Segment Type Reservoir

AU_ID: 2202A_01 Entire reservoir

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	Presumption from Flow Type

Station ID(s): 17416; 18486; 18487; 18488; 18490

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 2202B Unnamed Drainage Ditch Tributary (B) to S. Arroyo Colorado (unclassified water body)

Perennial drainage ditches that flow into the segment in Cameron and Hidalgo counties

Segment Type Freshwater Stream

AU_ID: 2202B_01 Entire segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Limited	TWQS-Appendix D

Station ID(s): 13039

SegID: 2202C Unnamed Drainage Ditch Tributary (C) to S. Arroyo Colorado (unclassified water body)

From the confluence with S. Arroyo Colorado to a point 1.1 miles upstream near US Highway 281.

Segment Type Freshwater Stream

AU_ID: 2202C_01 Entire segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Limited	TWQS-Appendix D

Station ID(s): 13056

SegID: 2203 Petronila Creek Tidal

From the confluence of Chiltipin Creek in Kleberg County to a point 1 km (0.6 miles) upstream of private road crossing near Laureles Ranch in Kleberg County

Segment Type Tidal Stream

AU_ID: 2203_01 Entire segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	TSWQS	High	TWQS-Appendix A

Station ID(s): 13090

SegID: 2204 Petronila Creek Above Tidal

From a point 1 km (0.6 miles) upstream of private road crossing near Laureles Ranch in Kleberg County to the confluence of Agua Dulce and Banquete Creeks in Nueces County

Segment Type Freshwater Stream

AU_ID: 2204_01 From downstream end of segment to the confluence with 2204A, unnamed drainage ditch tributary to Petronila Creek at N-97.7, W27.65 approximately 32.5 km (20.2 mi) upstream

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Intermediate	TWQS-Appendix A

Station ID(s): 13093; 13094; 13095

AU_ID: 2204_02 From the confluence with 2204A, unnamed drainage ditch tributary of Petronila Creek at N-97.7, W27.65 to the upstream end of segment at the confluence with Agua Dulce and Banquete Creeks approximately 31.6 km (19.6 mi) upstream

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Intermediate	TWQS-Appendix A

Station ID(s): 13096; 13098; 13099; 20806

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 2301 Rio Grande Tidal

From the confluence with the Gulf of Mexico in Cameron County to a point 10.8 km (6.7 miles) downstream of the International Bridge in Cameron County

Segment Type Tidal Stream

AU_ID: **2301_01** *From the mouth of the Rio Grande (lower segment boundary) to a point 71.7 km (44.6 mi) upstream*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): 13176

AU_ID: **2301_02** *From a point 71.7 km (44.6 mi) upstream of the mouth the Rio Grande to the upper segment boundary 10.8 km (6.7 mi) downstream of the International Bridge*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): 16288

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 2302 Rio Grande Below Falcon Reservoir

From a point 10.8 km (6.7 miles) downstream of the International Bridge in Cameron County to Falcon Dam in Starr County

Segment Type Freshwater Stream

AU_ID: 2302_01 *From the El Jardin Pump Station upstream to the Rancho Viejo Floodway*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 13177; 13178; 13179; 20449

AU_ID: 2302_02 *From the Rancho Viejo Floodway upstream to the Progresso Int'l Bridge (FM 1015)*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 10249

AU_ID: 2302_03 *From the Progresso Int'l Bridge (FM 1015) upstream to the McAllen Int'l Bridge (US Hwy 281)*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 13180; 15808; 17247

AU_ID: 2302_04 *From the McAllen Int'l Bridge (US Hwy 281) upstream to Anzalduas Dam*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 13181; 13664

AU_ID: 2302_05 *From Anzalduas Dam upstream to the Los Ebanos Ferry Crossing*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 20696

AU_ID: 2302_06 *From the Los Ebanos Ferry Crossing upstream to the Arroyo Los Olmos confluence*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 13184

AU_ID: 2302_07 *From the Arroyo Los Olmos confluence upstream to the Falcon Dam*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 13185; 13186; 13188

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 2302A Arroyo Los Olmos (unclassified water body)

From Rio Grande confluence at Rio Grande City to El Sauz in Starr County

Segment Type Freshwater Stream

AU_ID: 2302A_01 *From the Rio Grande confluence near Rio Grande City upstream to a point 39.4 km (24.5 mi) near El Sauz*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type

Station ID(s): 13103

SegID: 2303 International Falcon Reservoir

From Falcon Dam in Starr County to the confluence of the Arroyo Salado (Mexico) in Zapata County, up to normal pool elevation of 301.1 feet (impounds Rio Grande)

Segment Type Reservoir

AU_ID: 2303_01 *Area around International Monument XIV*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): No Stations

AU_ID: 2303_02 *Area around Zapata WTP intake*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 15818

AU_ID: 2303_03 *Area around International Monument I*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 13189

AU_ID: 2303_04 *Remainder of segment*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 15819

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 2304 Rio Grande Below Amistad Reservoir

From the confluence of the Arroyo Salado (Mexico) in Zapata County to Amistad Dam in Val Verde County

Segment Type Freshwater Stream

AU_ID: 2304_01 *From the Arroyo Salado confluence upstream to the San Idelfonso Creek confluence*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 13196; 15816; 15817

AU_ID: 2304_02 *From the San Idelfonso Creek confluence upstream to International Bridge #2*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 13200; 15815

AU_ID: 2304_03 *From the International Bridge #2 upstream to the City of Laredo water treatment plant intake*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 13201; 15814

AU_ID: 2304_04 *From the City of Laredo water treatment plant intake upstream to the World Trade Center Bridge*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 13202; 15813; 20650

AU_ID: 2304_05 *From the World Trade Center Bridge upstream to the Columbia Bridge*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 13204; 17410

AU_ID: 2304_06 *From the Columbia Bridge upstream to El Indio*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 15274; 15839; 17596

AU_ID: 2304_07 *From El Indio upstream to downstream of US Hwy 277 (Eagle Pass)*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 18792; 18795

AU_ID: 2304_08 *From downstream of US Hwy 277 (Eagle Pass) upstream to the Las Moras Creek confluence*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 13205; 13206

2012 Texas Water Quality Inventory Water Bodies Evaluated

AU_ID: 2304_09 From the Las Moras Creek confluence upstream to the San Felipe Creek confluence

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 13560

AU_ID: 2304_10 From the San Felipe Creek confluence upstream to the Amistad Dam

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 13208; 13209; 14092; 15340

SegID: 2304B Manadas Creek (unclassified water body)

From the Rio Grande confluence in Laredo to a point 1.3 km (0.81 mi) upstream of Bob Bullock Loop

Segment Type Freshwater Stream

AU_ID: 2304B_01 From the Rio Grande confluence in Laredo to a point 1.3 km (0.81 mi) upstream of Bob Bullock Loop

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Water body description	High	Presumption from Flow Type

Station ID(s): 13116

SegID: 2305 International Amistad Reservoir

From Amistad Dam in Val Verde County to a point 1.8 km (1.1 miles) downstream of the confluence of Ramsey Canyon on the Rio Grande Arm in Val Verde County and to a point 0.7 km (0.4 miles) downstream of the confluence of Painted Canyon on the Pecos Arm in Val Verde County and to a point 0.6 kilometer (0.4 mile) downstream of the confluence of Little Satan Creek on the Devils River Arm in Val Verde County, up to the normal pool elevation of 1117 feet (impounds Rio Grande)

Segment Type Reservoir

AU_ID: 2305_01 Rio Grande Arm

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 15892; 20174; 20624; 20627; 20630

AU_ID: 2305_02 Devils River arm

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 15893

AU_ID: 2305_03 Area around International Boundary Buoy I (dam)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 13835

AU_ID: 2305_04 Remainder of reservoir

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): No Stations

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 2306 Rio Grande Above Amistad Reservoir

From a point 1.8 km (1.1 miles) downstream of the confluence of Ramsey Canyon in Val Verde County to the confluence of the Rio Conchos (Mexico) in Presidio County

Segment Type Freshwater Stream

AU_ID: 2306_01 *From the lower segment boundary at Ramsey Canyon upstream to the confluence of Panther Gulch*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 13223; 20182; 20628; 20629; 20631; 20632

AU_ID: 2306_02 *From the confluence of Panther Gulch upstream to FM 2627*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 20623; 20625; 20626

AU_ID: 2306_03 *From FM 2627 upstream to Boquillas Canyon*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 13225

AU_ID: 2306_04 *From Boquillas Canyon upstream to Mariscal Canyon*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 16730; 18483; 18535; 20199; 20619

AU_ID: 2306_05 *From Mariscal Canyon to a point upstream of the IBWC gage at Johnson Ranch*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 13227; 20616

AU_ID: 2306_06 *From a point upstream of the IBWC gage at Johnson Ranch to the mouth of Santa Elena Canyon at the Terlingua Creek confluence*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 13228; 16274; 17621; 18482; 20617

AU_ID: 2306_07 *From the mouth of Santa Elena Canyon at the Terlingua Creek confluence upstream to the Alamito Creek confluence*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 16862; 18441; 20615

AU_ID: 2306_08 *From Alamito Creek confluence upstream to the Rio Conchos confluence*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 13229; 17000; 17001

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 2306A Alamito Creek (unclassified water body)

From Rio Grande confluence upstream to the confluence of the North and South Forks of Alamito Creek north of Marfa in Presidio County

Segment Type Freshwater Stream

AU_ID: 2306A_01 From the confluence with the Rio Grande upstream to Ranch Road 169 crossing

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Water body description	High	Presumption from Flow Type

Station ID(s): 13108

SegID: 2307 Rio Grande Below Riverside Diversion Dam

From the confluence of the Rio Conchos (Mexico) in Presidio County to Riverside Diversion Dam in El Paso County

Segment Type Freshwater Stream

AU_ID: 2307_01 From immediately upstream of the Rio Conchos confluence to a point 40.2 km (25 mi) upstream

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 13230; 13231

AU_ID: 2307_02 From a point 40.2 km (25 mi) upstream of the Rio Conchos confluence to Little Box Canyon

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 20648

AU_ID: 2307_03 From Little Box Canyon upstream to the Alamo Grade Structure

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 13232; 13233; 17408

AU_ID: 2307_04 From the Alamo Grade Structure upstream to the Guadalupe Bridge

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 15795

AU_ID: 2307_05 From the Guadalupe Bridge to downstream of the Riverside Diversion Dam

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 15704; 16272

SegID: 2308 Rio Grande Below International Dam

From the Riverside Diversion Dam in El Paso County to International Dam in El Paso County

Segment Type Freshwater Stream

AU_ID: 2308_01 From the Riverside Diversion Dam to the International Dam in El Paso County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Limited	TWQS-Appendix A

Station ID(s): 14465; 15528; 15529

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 2309 Devils River

From a point 0.6 km (0.4 miles) downstream of the confluence of Little Satan Creek in Val Verde County to the confluence of Dry Devils River in Sutton County

Segment Type Freshwater Stream

AU_ID: 2309_01 *From the Devils River Arm of Amistad Reservoir upstream to Falls Canyon just below the Dolan Creek confluence*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): 13237

AU_ID: 2309_02 *From Falls Canyon just below the Dolan Creek confluence upstream to Wallace Canyon*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): 13239; 18387

AU_ID: 2309_03 *From Wallace Canyon to the upper segment boundary at the Dry Devils River confluence*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): No Stations

SegID: 2309A Dolan Creek (unclassified water body)

From Devils River confluence to km 46.7 km (29 mi) south of Sonora and 4.8 km (3 mi) west of US 277 in Val Verde County

Segment Type Freshwater Stream

AU_ID: 2309A_02 *From Yellow Bluff upstream to a point 4.7 km (2.9 mi) west of US HWY 277 (headwaters)*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Flow Questionnaire	Exceptional	Presumption from Flow Type

Station ID(s): 14942

SegID: 2310 Lower Pecos River

From a point 0.7 km (0.4 miles) downstream of the confluence of Painted Canyon in Val Verde County to a point immediately upstream of the confluence of Independence Creek in Crockett/Terrell County

Segment Type Freshwater Stream

AU_ID: 2310_01 *From the Devils River Arm of Amistad Reservoir confluence upstream to FM 2083 near Pan Dale*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 13240; 16379

AU_ID: 2310_02 *From FM 2083 near Pan Dale upstream to just upstream of the Independence Creek confluence*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 13246; 18801

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 2310A Independence Creek (unclassified water body)

From the Pecos River confluence northeast of Sanderson in Terrell County to a point approximately 4.1 km (2.5 mi) east of US Hwy 285 in Pecos County

Segment Type Freshwater Stream

AU_ID: 2310A_01 *From the Pecos River confluence to the unnamed tributary 0.37 km (0.23 mi) upstream of State Hwy 349*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Exceptional	TWQS-Appendix D

Station ID(s): | 13109

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 2311 Upper Pecos River

From a point immediately upstream of the confluence of Independence Creek in Crockett/Terrell County to Red Bluff Dam in Loving/Reeves County

Segment Type Freshwater Stream

AU_ID: 2311_01 *From just upstream of the Independence Creek confluence upstream to US Hwy 290*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): No Stations

AU_ID: 2311_02 *From US Hwy 290 upstream to US Hwy 67*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 13249; 13255; 15114

AU_ID: 2311_03 *From US Hwy 67 upstream to the Ward Two Irrigation Turnout*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 13257; 13258; 13260; 20399

AU_ID: 2311_04 *From the Ward Two Irrigation Turnout upstream to US Hwy 80 (Bus 20)*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 13259

AU_ID: 2311_05 *From US Hwy 80 (Bus 20) upstream to the Barstow Dam*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 13261

AU_ID: 2311_06 *From the Barstow Dam upstream to State Hwy 302*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): No Stations

AU_ID: 2311_07 *From State Hwy 302 upstream to FM 652*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 13264

AU_ID: 2311_08 *From FM 652 upstream to the Red Bluff Dam*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 13265

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 2312 Red Bluff Reservoir

From Red Bluff Dam in Loving/Reeves County to New Mexico State Line in Loving/Reeves County, up to normal pool elevation 2842 feet (impounds Pecos River)

Segment Type Reservoir

AU_ID: 2312_01 From the Red Bluff Dam to mid-lake

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 13267

AU_ID: 2312_02 From mid-lake to the Texas/New Mexico state line

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	TSWQS	High	TWQS-Appendix A

Station ID(s): 13269

SegID: 2313 San Felipe Creek

From the confluence with the Rio Grande in Val Verde County to a point 4.0 km (2.5 miles) upstream of US 90 in Val Verde County

Segment Type Freshwater Stream

AU_ID: 2313_01 From the Rio Grande confluence to the San Felipe Springs upstream of US Hwy 90

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 13270; 15820; 15821

SegID: 2314 Rio Grande Above International Dam

From International Dam in El Paso County to the New Mexico State Line in El Paso County

Segment Type Freshwater Stream

AU_ID: 2314_01 From the International Dam upstream to the Anthony Drain confluence

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 13272; 13275; 17040

AU_ID: 2314_02 From the Anthony Drain confluence upstream to the New Mexico/Texas state line

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	TWQS-Appendix A

Station ID(s): 13276

SegID: 2411 Sabine Pass

From the end of jetties at the Gulf of Mexico to SH 82

Segment Type Estuary

AU_ID: 2411_01 From the end of jetties at the Gulf of Mexico to SH 82

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): 13298

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 2411OW Sabine Pass (Oyster Waters)

Segment Type Oyster Water

AU_ID: 2411OW_01 Entire segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	Exceptional	TWQS-Appendix A
Station ID(s):	No Stations		

SegID: 2412 Sabine Lake

Segment Type Estuary

AU_ID: 2412_01 Entire segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	High	TWQS-Appendix A
Station ID(s):	13300; 13301; 13302; 14514		

SegID: 2412OW Sabine Lake (Oyster Waters)

Segment Type Oyster Water

AU_ID: 2412OW_01 Entire segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	Exceptional	TWQS-Appendix A
Station ID(s):	No Stations		

SegID: 2421 Upper Galveston Bay

Segment Type Estuary

AU_ID: 2421_01 Red Bluff to Five Mile Cut to Houston Point to Morgans Point

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	High	TWQS-Appendix A
Station ID(s):	13308; 13309; 14561; 14580; 15244; 15904; 15907; 16201; 16203; 16503		

AU_ID: 2421_02 Western portion of the bay

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	High	TWQS-Appendix A
Station ID(s):	13305; 14546; 14555; 14556; 14560; 14562; 14563; 14565; 14570; 14571; 14572; 14581; 14582; 14598; 15243; 15245; 15246; 15247; 15464; 15903; 15908; 15913; 16208; 16213; 16230; 16507; 16511; 16516		

AU_ID: 2421_03 Eastern portion of the bay

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	High	TWQS-Appendix A
Station ID(s):	13303; 14554; 14557; 14566; 14569; 15242; 15906; 15909; 15910; 15911; 16207; 16209; 16215; 16510; 16512; 17091		

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 2421A Clear Lake Channel (unclassified water body)

From the Lower Galveston Bay confluence to SH 146

Segment Type Estuary

AU_ID: 2421A_01 From Lower Galveston Bay confluence to SH 146

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	Water body description	High	Presumption from Flow Type

Station ID(s):	16563
-----------------------	-------

SegID: 2421OW Upper Galveston Bay (Oyster Waters)Segment Type Oyster Water

AU_ID: 2421OW_01 Entire western portion of the bay

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	High	TWQS-Appendix A

Station ID(s):	No Stations
-----------------------	-------------

AU_ID: 2421OW_02 Eastern portion of the bay

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	High	TWQS-Appendix A

Station ID(s):	No Stations
-----------------------	-------------

SegID: 2422 Trinity BaySegment Type Estuary

AU_ID: 2422_01 Upper half of bay

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	High	TWQS-Appendix A

Station ID(s):	13314; 13315; 14542; 14548; 14549; 15234; 15235; 15236; 15237; 15238; 15896; 15898; 15899; 15900; 15901; 16194; 16196; 16197; 16198; 16199; 16200; 16202; 16495; 16497; 16498; 16500; 16501; 16502; 16504; 17092
-----------------------	--

AU_ID: 2422_02 Lower half of bay

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	High	TWQS-Appendix A

Station ID(s):	14398; 14538; 14539; 14540; 14541; 14543; 14544; 14545; 14547; 15239; 15240; 15241; 15902; 15905; 16204; 16206; 16210; 16505; 16506; 16509; 16838; 17093; 17094; 17973
-----------------------	--

SegID: 2422B Double Bayou West Fork (unclassified water body)

From the Trinity Bay confluence to Belton Road in Chambers County

Segment Type Tidal Stream

AU_ID: 2422B_01 From the Trinity Bay confluence to Belton Road

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	Water body description	High	Presumption from Flow Type

Station ID(s):	10657; 18361; 20016; 20288
-----------------------	----------------------------

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 2422D Double Bayou East Fork (unclassified water body)

From the Trinity Bay confluence to a point 2.6 km (1.6 mi) upstream of SH 65

Segment Type Tidal Stream

AU_ID: 2422D_01 From the Trinity Bay confluence to a point 2.6 km (1.6 mi) upstream of SH 65

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	Water body description	High	Presumption from Flow Type

Station ID(s): 10658

SegID: 2422OW Trinity Bay (Oyster Waters)Segment Type Oyster Water

AU_ID: 2422OW_01 Upper portion of the bay

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	High	TWQS-Appendix A

Station ID(s): No Stations

AU_ID: 2422OW_02 Lower portion of the bay

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	High	TWQS-Appendix A

Station ID(s): No Stations

SegID: 2423 East BaySegment Type Estuary

AU_ID: 2423_01 Area adjacent to the ICWW (Segment 0702)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	High	TWQS-Appendix A

Station ID(s): 14528; 14530; 15912; 16212; 16513

AU_ID: 2423_02 Remainder of segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	High	TWQS-Appendix A

Station ID(s): 13320; 14522; 14523; 14524; 14525; 14526; 14527; 14529; 14531; 14532; 14535; 14536; 14559; 15229; 15230; 15231; 15914; 15916; 15917; 16211; 16214; 16216; 16514; 16515; 17081

SegID: 2423A Oyster Bayou (unclassified water body)

From the East Bay confluence to a point 2.2 km (1.4 mi) upstream from SH 65 in Chambers County

Segment Type Tidal Stream

AU_ID: 2423A_01 From the East Bay confluence to a point 2.2 km (1.4 mi) upstream from SH 65

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	Water body description	High	Presumption from Flow Type

Station ID(s): 10655

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 2423OW East Bay (Oyster Waters)

Segment Type Oyster Water

AU_ID: 2423OW_01 East end of bay adjacent to the ICWW and East Bay Bayou

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	High	TWQS-Appendix A
Station ID(s):	No Stations		

AU_ID: 2423OW_02 Remainder of the bay

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	High	TWQS-Appendix A
Station ID(s):	No Stations		

SegID: 2424 West Bay

Segment Type Estuary

AU_ID: 2424_01 Main portion of water body

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	High	TWQS-Appendix A
Station ID(s):	13325; 14606; 14607; 14609; 14610; 14611; 14612; 14614; 14615; 14616; 14618; 14619; 15227; 15228; 15927; 15928; 15929; 15930; 16226; 16227; 16229; 16529; 16530; 16531; 16565; 16566; 16567; 16568; 16840; 16843		

AU_ID: 2424_02 Area adjacent to Lower Galveston Island

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	High	TWQS-Appendix A
Station ID(s):	13321; 14608; 14617; 14620; 14621; 14622; 14623; 15226; 15456; 16569; 16670; 16839; 16841; 16842; 16844		

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 2424A Highland Bayou (unclassified water body)

From Jones Bay confluence to Avenue Q 0.8 km (0.5 mi) north of SH 6 between Arcadia and Alta Loma in Galveston County

Segment Type Tidal Stream

AU_ID: 2424A_01 From the Jones Bay confluence upstream to Bayou Lane

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	Routine Flow Data	High	Presumption from Flow Type

Station ID(s): 16488; 20006

AU_ID: 2424A_02 From Bayou Lane upstream to Lake Road

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	Water body description	High	Presumption from Flow Type

Station ID(s): 16562; 20005

AU_ID: 2424A_03 From Lake Road upstream to FM 519

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	Water body description	High	Presumption from Flow Type

Station ID(s): 11415; 20004

AU_ID: 2424A_04 From FM 519 upstream to FM 2004

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	Water body description	High	Presumption from Flow Type

Station ID(s): 15941; 20189

AU_ID: 2424A_05 From FM 2004 to the headwaters just west of FM 1764

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	Water body description	High	Presumption from Flow Type

Station ID(s): 16491

SegID: 2424B Lake Madeline (unclassified water body)

Located between Jones Street, Stewart Street and Pine Street, north of the seawall on Galveston Island

Segment Type Estuary

AU_ID: 2424B_01 Between Jones Street, Stewart Street and Pine Street, north of the seawall on Galveston Island

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	Water body description	High	Presumption from Flow Type

Station ID(s): 16564

SegID: 2424C Marchand Bayou (unclassified water body)

From Highland Bayou confluence to 0.72 km (0.45 mi) north of IH 45 in Galveston County

Segment Type Tidal Stream

AU_ID: 2424C_01 From Highland Bayou confluence 0.72 km (0.45 mi) north of IH-45

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	Water body description	High	Presumption from Flow Type

Station ID(s): 16490; 20007

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 2424D Offatts Bayou (unclassified water body)

Located on the east end of Galveston Island, running parallel with the southern terminus of IH 45, and joins West Bay near Teichman Point

Segment Type Estuary

AU_ID: 2424D_01 Upper area bordered by SH 342 and 71st Street

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	Water body description	High	Presumption from Flow Type
Station ID(s): 14641; 14645; 16494			

AU_ID: 2424D_02 Middle area bordered by 71st Street and Walsh Street

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	Water body description	High	Presumption from Flow Type
Station ID(s): 13322; 16560			

AU_ID: 2424D_03 Lower area bordered by Walsh Street and Techmann Point

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	Water body description	High	Presumption from Flow Type
Station ID(s): 16561			

SegID: 2424E English Bayou (unclassified water body)

Between IH 45, Bayou Shore Drive, South Shore Rear and SH 342 on Galveston Island

Segment Type Estuary

AU_ID: 2424E_01 Entire segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	Water body description	High	Presumption from Flow Type
Station ID(s): 16559; 18695			

SegID: 2424G Highland Bayou Diversion Canal (unclassified water body)

From the confluence with an unnamed tributary adjacent to Jones Bay upstream to the Highland Bayou confluence

Segment Type Tidal Stream

AU_ID: 2424G_01 From the confluence with an unnamed tributary adjacent to Jones Bay upstream to the Highland Bayou confluence

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	Water body description	High	Presumption from Flow Type
Station ID(s): 18593			

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 2424OW West Bay (Oyster Waters)

Segment Type Oyster Water

AU_ID: 2424OW_01 Main portion of bay

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	High	TWQS-Appendix A
Station ID(s): No Stations			

AU_ID: 2424OW_02 Area adjacent to Lower Galveston Bay and Galveston Island

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	High	TWQS-Appendix A
Station ID(s): No Stations			

SegID: 2424SP Galveston Island State Park (Recreational Beaches)

Segment Type Recreational Beach

AU_ID: 2424SP_01 Galveston Island State Park Backside (Beach ID TX226514)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	Water body description	not available	not available
Station ID(s): No Stations			

SegID: 2425 Clear Lake

Segment Type Estuary

AU_ID: 2425_01 Entire segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	High	TWQS-Appendix A
Station ID(s): 13332; 13335; 16571; 16671; 20014			

SegID: 2425A Taylor Lake (unclassified water body)

From the Clear Lake confluence to the Taylor Bayou confluence near Red Bluff Road in Galveston County

Segment Type Estuary

AU_ID: 2425A_01 From the Clear Lake confluence to the Taylor Bayou confluence near Red Bluff Road

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TWQS-Appendix D	High	TWQS-Appendix D
Station ID(s): 20015			

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 2425B Jarbo Bayou (unclassified water body)

From Clear Lake confluence with Clear Lake to 1.1 km (0.67 mi) upstream of FM 518 in Galveston County

Segment Type Tidal Stream

AU_ID: 2425B_01 From the Clear Lake confluence upstream to Lawrence Road

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	Water body description	High	Presumption from Flow Type

Station ID(s): 16476

AU_ID: 2425B_02 From Lawrence Road to the headwaters 1.1 km (0.67 mi) upstream of FM 518

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	Water body description	High	Presumption from Flow Type

Station ID(s): 16485

SegID: 2425D Taylor Bayou (unclassified water body)

From the Taylor Lake confluence to a point 4.6 km (2.8 mi) upstream of State Hwy 146

Segment Type Tidal Stream

AU_ID: 2425D_01 From the Taylor Lake confluence to a point 4.6 km (2.8 mi) upstream of State Hwy 146

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	Water body description	High	Presumption from Flow Type

Station ID(s): 20013

SegID: 2425E Harris County Flood Control Ditch A (unclassified water body)

From the Taylor Bayou confluence to a point 0.28 km (0.17 mi) downstream of Fairmont Parkway

Segment Type Tidal Stream

AU_ID: 2425E_01 From the Taylor Bayou confluence to a point 0.28 km (0.17 mi) downstream of Fairmont Parkway

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	Water body description	High	Presumption from Flow Type

Station ID(s): 20012

SegID: 2426 Tabbs Bay

Segment Type Estuary

AU_ID: 2426_01 Entire segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	High	TWQS-Appendix A

Station ID(s): 13336; 13337; 13338; 17926

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 2426C Goose Creek Tidal (unclassified water body)

From the Tabbs Bay confluence upstream to the East Fork of Goose Creek confluence

Segment Type Tidal Stream

AU_ID: 2426C_01 From the Tabbs Bay confluence upstream to the East Fork of Goose Creek confluence

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	Water body description	High	Presumption from Flow Type

Station ID(s): 11092; 17927

SegID: 2427 San Jacinto Bay

Segment Type Estuary

AU_ID: 2427_01 Entire segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	High	TWQS-Appendix A

Station ID(s): 13339; 16499; 17923; 17924

SegID: 2428 Black Duck Bay

Segment Type Estuary

AU_ID: 2428_01 Entire segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	High	TWQS-Appendix A

Station ID(s): 13340; 13341

SegID: 2429 Scott Bay

Segment Type Estuary

AU_ID: 2429_01 Entire segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	High	TWQS-Appendix A

Station ID(s): 13342; 17922; 17971

SegID: 2430 Burnett Bay

Segment Type Estuary

AU_ID: 2430_01 Entire segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	High	TWQS-Appendix A

Station ID(s): 13343; 13344; 16496; 17920

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 2430A Crystal Bay (unclassified water body)

Crystal Bay, a side bay of Burnett Bay, located between Burnett and Scott (Segment 2429) Bays adjacent to the San Jacinto Monument and Houston Ship Channel (Segment 1005)

Segment Type Estuary

AU_ID: 2430A_01 Entire segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	Water body description	High	Presumption from Flow Type
Station ID(s):	17921		

SegID: 2431 Moses Lake

Segment Type Estuary

AU_ID: 2431_01 Entire segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	High	TWQS-Appendix A
Station ID(s):	13345; 16551; 16552; 18592		

SegID: 2431A Moses Bayou (unclassified water body)

From Moses Lake confluence to 2.2 km (1.4 mi) upstream of SH 3 in Galveston County

Segment Type Tidal Stream

AU_ID: 2431A_01 From Moses Lake confluence to 2.2 km (1.4 mi) upstream of SH 3

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	Water body description	High	Presumption from Flow Type
Station ID(s):	11400; 17910		

SegID: 2432 Chocolate Bay

Segment Type Estuary

AU_ID: 2432_01 Entire segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	High	TWQS-Appendix A
Station ID(s):	13346; 13347; 15180; 16228; 17085; 17086		

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 2432A Mustang Bayou (unclassified water body)

From the New Bayou confluence upstream to an unnamed tributary 0.3 km (0.19 mi) upstream of State Hwy 35 to an unnamed tributary downstream of Cartwright Road

Segment Type Freshwater Stream

AU_ID: 2432A_01 From the New Bayou confluence upstream to County Road 166

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Water body description	High	Presumption from Flow Type

Station ID(s): 11423; 17959

AU_ID: 2432A_02 From County Road 166 upstream to an unnamed trib 0.3 km upstream of SH 35.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TWQS-Appendix D	Intermediate	TWQS-Appendix D

Station ID(s): 18554

AU_ID: 2432A_03 From an unnamed trib 0.3 km upstream of State Hwy 35 upstream to an unnamed tributary downstream of Cartwright Road.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Water body description	High	Presumption from Flow Type

Station ID(s): 18551; 18552; 18553; 20011

SegID: 2432B Willow Bayou (unclassified water body)

From the Halls Bayou confluence to a point 9.7 km (6 mi) upstream.

Segment Type Freshwater Stream

AU_ID: 2432B_01 From the Halls Bayou confluence to a point 9.7 km (6 mi) upstream.

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Flow Questionnaire	High	Presumption from Flow Type

Station ID(s): 17912; 18668

SegID: 2432C Halls Bayou Tidal (unclassified water body)

From the Chocolate Bay confluence upstream to a point 31.5 km (19.6 mi) upstream

Segment Type Tidal Stream

AU_ID: 2432C_01 From the Chocolate Bay confluence upstream to a point 31.5 km (19.6 mi) upstream

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	WQS/Permits program	High	Presumption from Flow Type

Station ID(s): 11422; 17565; 17566; 17624; 17625; 17626; 17627

SegID: 2432D Persimmon Bayou (unclassified water body)

From the New Bayou confluence upstream to the Mustang Bayou confluence

Segment Type Freshwater Stream

AU_ID: 2432D_01 From the New Bayou confluence upstream to the confluence with Mustang Bayou

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	TSWQS	High	Presumption from Flow Type

Station ID(s): 17913

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 2432E New Bayou (unclassified water body)

From the Chocolate Bay confluence upstream 25.4 km (15.8 mi) to an unnamed tributary

Segment Type Freshwater Stream

AU_ID: 2432E_01 From the Chocolate Bay confluence upstream 25.4 km (15.8 mi) to an unnamed tributary

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
perennial	Flow Questionnaire	High	Presumption from Flow Type
Station ID(s): 17911; 17958			

SegID: 2432OW Chocolate Bay (Oyster Waters)Segment Type Oyster Water

AU_ID: 2432OW_01 Entire segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	Exceptional	TWQS-Appendix A
Station ID(s): No Stations			

SegID: 2433 Bastrop Bay/Oyster LakeSegment Type Estuary

AU_ID: 2433_01 Bastrop Bay

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	High	TWQS-Appendix A
Station ID(s): 13348			

AU_ID: 2433_02 Oyster Lake

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	High	TWQS-Appendix A
Station ID(s): 14654			

SegID: 2433OW Bastrop Bay/Oyster Lake (Oyster Waters)Segment Type Oyster Water

AU_ID: 2433OW_01 Bastrop Bay

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	High	TWQS-Appendix A
Station ID(s): No Stations			

AU_ID: 2433OW_02 Oyster Lake

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	High	TWQS-Appendix A
Station ID(s): No Stations			

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 2434 **Christmas Bay**

Segment Type Estuary

AU_ID: 2434_02 *Remainder of segment*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	High	TWQS-Appendix A
Station ID(s): 13351; 14649; 14650; 14651; 14888; 15931			

SegID: 2434OW **Christmas Bay (Oyster Waters)**

Segment Type Oyster Water

AU_ID: 2434OW_01 *Area adjacent to West Bay*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	High	TWQS-Appendix A
Station ID(s): No Stations			

AU_ID: 2434OW_02 *Remainder of Christmas Bay*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	High	TWQS-Appendix A
Station ID(s): No Stations			

SegID: 2435 **Drum Bay**

Segment Type Estuary

AU_ID: 2435_02 *Remainder of segment*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	High	TWQS-Appendix A
Station ID(s): 13354; 14655; 14656; 14657			

SegID: 2435OW **Drum Bay (Oyster Waters)**

Segment Type Oyster Water

AU_ID: 2435OW_01 *Area adjacent to Christmas Bay*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	High	TWQS-Appendix A
Station ID(s): No Stations			

AU_ID: 2435OW_02 *Remainder of Drum Bay*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	High	TWQS-Appendix A
Station ID(s): No Stations			

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 2436 Barbours CutSegment Type Estuary*AU_ID: 2436_01 Entire segment*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	High	TWQS-Appendix A
Station ID(s):	13355; 17925; 17970		

SegID: 2437 Texas City Ship ChannelSegment Type Estuary*AU_ID: 2437_01 Entire segment*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	High	TWQS-Appendix A
Station ID(s):	13361; 14592; 16546; 16547; 16548; 16549; 16550; 17424		

SegID: 2438 Bayport ChannelSegment Type Estuary*AU_ID: 2438_01 Entire segment*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	High	TWQS-Appendix A
Station ID(s):	13363; 13589; 16508		

SegID: 2439 Lower Galveston BaySegment Type Estuary*AU_ID: 2439_01 Area adjacent to the Texas City Ship Channel and Moses Lake*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	High	TWQS-Appendix A
Station ID(s):	13366; 14568; 14573; 14574; 14576; 14577; 14578; 14584; 14587; 14588; 14593; 14884; 15219; 15224; 15225; 15919; 16218; 16220; 16519; 16525; 17969		

AU_ID: 2439_02 Main portion of the bay

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	High	TWQS-Appendix A
Station ID(s):	13364; 13367; 13369; 13372; 14533; 14534; 14558; 14564; 14567; 14575; 14591; 14594; 14595; 14596; 14597; 15215; 15216; 15217; 15218; 15220; 15221; 15222; 15223; 15232; 15915; 15918; 15920; 15921; 15922; 15923; 15924; 15925; 15926; 16217; 16219; 16221; 16222; 16223; 16224; 16225; 16517; 16518; 16520; 16521; 16522; 16523; 16524; 16526; 16527; 16528; 16545; 16553; 16554; 16555; 16556; 17080; 17972; 18626; 18627; 18628; 18629; 18630; 18631; 18632		

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 2439OW Lower Galveston Bay (Oyster Waters)

Segment Type Oyster Water

AU_ID: 2439OW_01 Area adjacent to the Texas City Ship Channel and Moses Lake

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): No Stations

AU_ID: 2439OW_02 Main portion of the bay

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	High	TWQS-Appendix A

Station ID(s): No Stations

SegID: 2439TC Texas City Dike (Recreational Beaches)

Segment Type Recreational Beach

AU_ID: 2439TC_01 Texas City Dike (Beach ID TX164090)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	Water body description	not available	not available

Station ID(s): No Stations

SegID: 2441 East Matagorda Bay

Segment Type Estuary

AU_ID: 2441_02 Remainder of segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): 13375; 14660; 14661; 14662; 14663; 14664; 14665; 14666; 16846; 18378

SegID: 2441OW East Matagorda Bay (Oyster Waters)

Segment Type Oyster Water

AU_ID: 2441OW_01 Caney Creek arm and western shoreline area

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): No Stations

AU_ID: 2441OW_02 Remainder of bay

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): No Stations

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 2442OW Cedar Lakes (Oyster Waters)

Segment Type Oyster Water

AU_ID: 2442OW_01 Entire segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	High	TWQS-Appendix A
Station ID(s):	No Stations		

SegID: 2451 Matagorda Bay/Powderhorn Lake

Segment Type Estuary

AU_ID: 2451_01 Northern end of Matagorda Bay

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	Exceptional	TWQS-Appendix A
Station ID(s):	14953; 17354; 18395; 18397		

AU_ID: 2451_02 Remainder of segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	Exceptional	TWQS-Appendix A
Station ID(s):	13377; 13378; 13379; 14670; 14671; 14672; 14673; 14674; 14675; 14678; 14679; 14725; 14726; 14727; 14728; 14729; 14743; 16847; 17096; 17098; 17974		

SegID: 2451OW Matagorda Bay/Powderhorn Lake (Oyster Waters)

Segment Type Oyster Water

AU_ID: 2451OW_01 Northern end of Matagorda Bay

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	Exceptional	TWQS-Appendix A
Station ID(s):	No Stations		

AU_ID: 2451OW_02 Remainder of Matagorda Bay/Powderhorn Lake

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	Exceptional	TWQS-Appendix A
Station ID(s):	No Stations		

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 2452 Tres Palacios Bay/Turtle BaySegment Type Estuary*AU_ID: 2452_01 Main portion of bay*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	Exceptional	TWQS-Appendix A
Station ID(s): 13381; 14682; 14683; 14684; 14685; 14686; 14687; 14688; 14690; 14691; 14692			

AU_ID: 2452_03 Tres Palacios Creek Arm

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	Exceptional	TWQS-Appendix A
Station ID(s): 14680; 14681; 14689; 17886; 18398			

SegID: 2452A Tres Palacios Harbor (unclassified water body)Segment Type Estuary*AU_ID: 2452A_01 Entire segment*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	Water body description	High	Presumption from Flow Type
Station ID(s): 13382; 14693; 18867			

SegID: 2452OW Tres Palacios Bay/Turtle Bay (Oyster Waters)Segment Type Oyster Water*AU_ID: 2452OW_01 Turtle Bay and Tres Palacios Creek Arm*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	Exceptional	TWQS-Appendix A
Station ID(s): No Stations			

AU_ID: 2452OW_02 Main portion of bay

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	Exceptional	TWQS-Appendix A
Station ID(s): No Stations			

SegID: 2452TP Tres Palacios (Recreational Beaches)Segment Type Recreational Beach*AU_ID: 2452TP_01 Palacios Pavilion (Beach ID TX784742)*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
ocean	not available	not available	not available
Station ID(s): No Stations			

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 2453 Lavaca Bay/Chocolate BaySegment Type Estuary*AU_ID: 2453_01 Center portion of bay*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	Exceptional	TWQS-Appendix A
Station ID(s):	13383; 13384; 14133; 14134; 14704; 14705; 14711; 14714; 14717; 14718; 14721; 14885; 17418; 17554; 17555; 17557; 17559; 17560; 17562; 17563; 17853; 18633		

AU_ID: 2453_02 North-northeastern portion of the bay near Point Comfort

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	Exceptional	TWQS-Appendix A
Station ID(s):	13563; 14121; 14130; 14707; 14708; 14709; 14710; 14712; 14713; 14720; 17552; 17553; 17556		

SegID: 2453A Garcitas Creek Tidal (unclassified water body)

From the Lavaca Bayou confluence to a point 13.7 km (8.5 mi) upstream of FM 616 in Jackson County

Segment Type Tidal Stream*AU_ID: 2453A_01 From the Lavaca Bay confluence to a point 13.7 km (8.5 mi) upstream of FM 616*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	WQS/Permits program	High	Previous TCEQ Permit Decision
Station ID(s):	17883; 17884; 17885		

SegID: 2453C Arenosa Creek (unclassified water body)

From Garcitas Creek confluence upstream to J-2 Ranch Road

Segment Type Freshwater Stream*AU_ID: 2453C_01 From Garcitas Creek confluence upstream to J-2 Ranch Road*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
intermittent w/pools	Routine Flow Data	Limited	Presumption from Flow Type
Station ID(s):	13295		

SegID: 2453D Lavaca Bay Ship Channel Area (unclassified water body)Segment Type Estuary*AU_ID: 2453D_01 Entire segment*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	Water body description	High	Presumption from Flow Type
Station ID(s):	13385; 14394; 14703; 14706; 17857		

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 2453OW Lavaca Bay/Chocolate Bay (Oyster Waters)

Segment Type Oyster Water

AU_ID: 2453OW_01 Center portion of bay

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	Exceptional	TWQS-Appendix A
Station ID(s): No Stations			

AU_ID: 2453OW_02 North-northeastern portion of the bay near Point Comfort

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	Exceptional	TWQS-Appendix A
Station ID(s): No Stations			

AU_ID: 2453OW_03 Chocolate Bay area

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	Exceptional	TWQS-Appendix A
Station ID(s): No Stations			

SegID: 2454 Cox Bay

Segment Type Estuary

AU_ID: 2454_02 Remainder of Cox Bay

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	Exceptional	TWQS-Appendix A
Station ID(s): 13386; 14719; 17564			

SegID: 2454A Cox Lake (unclassified water body)

From the Cox Lake dam located 4.0 km (2.5 mi) southeast of Point Comfort in Calhoun County to the Calhoun/Jackson County line

Segment Type Reservoir

AU_ID: 2454A_01 From the Cox Lake dam located 4.0 km (2.5 mi) southeast of Point Comfort to the Calhoun/Jackson County line

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
reservoir	Water body description	High	Presumption from Flow Type
Station ID(s): 12514			

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 2454OW Cox Bay (Oyster Waters)

Segment Type Oyster Water

AU_ID: 2454OW_01 North end of bay near Cox Creek

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	Exceptional	TWQS-Appendix A
Station ID(s): No Stations			

AU_ID: 2454OW_02 Remainder of Cox Bay

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	Exceptional	TWQS-Appendix A
Station ID(s): No Stations			

SegID: 2455 Keller Bay

Segment Type Estuary

AU_ID: 2455_02 Remainder of Keller Bay

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	Exceptional	TWQS-Appendix A
Station ID(s): 13387; 14722; 14723			

SegID: 2455OW Keller Bay (Oyster Waters)

Segment Type Oyster Water

AU_ID: 2455OW_01 Upper arm

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	Exceptional	TWQS-Appendix A
Station ID(s): No Stations			

AU_ID: 2455OW_02 Remainder of Keller Bay

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	Exceptional	TWQS-Appendix A
Station ID(s): No Stations			

SegID: 2456 Carancahua Bay

Segment Type Estuary

AU_ID: 2456_02 Upper half of bay

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	Exceptional	TWQS-Appendix A
Station ID(s): 13388; 13390; 14698; 14699; 14700; 17882			

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 2456A West Carancahua Creek Tidal (unclassified water body)

From the Carancahua Bay confluence to Jackson CR 440, 10.1 km (6.3 mi) upstream of FM 616 in Jackson County

Segment Type Tidal Stream

AU_ID: 2456A_01 From the Carancahua Bay confluence to Jackson CR 440, 10.1 km (6.3 mi) upstream of FM 616 in Jackson County

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	Water body description	High	Presumption from Flow Type

Station ID(s): | 13293; 17873; 17876

SegID: 2456OW Carancahua Bay (Oyster Waters)

Segment Type Oyster Water

AU_ID: 2456OW_01 Lower portion of bay

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): | No Stations

AU_ID: 2456OW_02 Upper portion of bay and shoreline area

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): | No Stations

SegID: 2461 Espiritu Santo Bay

Segment Type Estuary

AU_ID: 2461_01 Entire segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): | 13396; 14730; 14731; 14732; 14733; 14735; 14951

SegID: 2461OW Espiritu Santo Bay (Oyster Waters)

Segment Type Oyster Water

AU_ID: 2461OW_01 Entire segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): | No Stations

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 2462 San Antonio Bay/Hynes Bay/Guadalupe Bay

Segment Type Estuary

AU_ID: 2462_01 Entire segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	Exceptional	TWQS-Appendix A
Station ID(s):	13397; 14737; 14738; 14739; 14740; 14741; 14742; 14747; 14749; 14751; 14752; 14753; 14754; 14755; 14882; 14891; 14956; 18216; 18217; 18266		

SegID: 2462OW San Antonio Bay/Hynes Bay/Guadalupe Bay (Oyster Waters)

Segment Type Oyster Water

AU_ID: 2462OW_01 Guadalupe Bay

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	Exceptional	TWQS-Appendix A
Station ID(s):	No Stations		

AU_ID: 2462OW_02 Hynes Bay

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	Exceptional	TWQS-Appendix A
Station ID(s):	No Stations		

AU_ID: 2462OW_03 San Antonio Bay shoreline area

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	Exceptional	TWQS-Appendix A
Station ID(s):	No Stations		

AU_ID: 2462OW_04 Remainder of San Antonio Bay

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	Exceptional	TWQS-Appendix A
Station ID(s):	No Stations		

SegID: 2463 Mesquite Bay/Carlos Bay/Ayres Bay

Segment Type Estuary

AU_ID: 2463_01 Entire segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	Exceptional	TWQS-Appendix A
Station ID(s):	13400; 14756; 14757; 18220; 18224; 18225; 18227; 18296		

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 2463OW Mesquite Bay/Carlos Bay/Ayres Bay (Oyster Waters)

Segment Type Oyster Water

AU_ID: 2463OW_01 Western shoreline

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	Exceptional	TWQS-Appendix A
Station ID(s):	No Stations		

AU_ID: 2463OW_02 Remainder of Mesquite Bay

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	Exceptional	TWQS-Appendix A
Station ID(s):	No Stations		

SegID: 2471 Aransas Bay

Segment Type Estuary

AU_ID: 2471_01 Entire segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	Exceptional	TWQS-Appendix A
Station ID(s):	13402; 14758; 14760; 14761; 14762; 14763; 14764; 14765; 14767; 14768; 14771; 14773; 14777; 16492; 16848; 18228; 18230; 18231; 18232; 18268; 18269; 18270; 18271; 18272; 18273; 18275		

SegID: 2471A Little Bay (unclassified water body)

Located between Aransas Bay (Segment 2471) on the east side and Broadway Street in Rockport on the west side and Rockport Beach on the south side in Aransas County

Segment Type Estuary

AU_ID: 2471A_01 Entire segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	Water body description	High	Presumption from Flow Type
Station ID(s):	16232		

SegID: 2471OW Aransas Bay (Oyster Waters)

Segment Type Oyster Water

AU_ID: 2471OW_01 Western shoreline

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	Exceptional	TWQS-Appendix A
Station ID(s):	No Stations		

AU_ID: 2471OW_02 Remainder of bay

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	Exceptional	TWQS-Appendix A
Station ID(s):	No Stations		

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 2471RB Rockport (Recreational Beaches)

Segment Type Recreational Beach

AU_ID: 2471RB_01 Rockport Beach Park (Beach ID TX748844)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	Water body description	not available	not available

Station ID(s): No Stations

SegID: 2472 Copano Bay/Port Bay/Mission Bay

Segment Type Estuary

AU_ID: 2472_02 Copano Bay

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): 12945; 13404; 13405; 14779; 14780; 14781; 14782; 14783; 14784; 14785; 14786; 14787; 14788; 14790; 14792; 14793; 14797; 17701; 17702; 17703; 17714; 17715; 17716; 17717; 17718; 17719; 17720; 17721; 17722; 17723; 17724; 17725; 17726; 17727; 17728; 17739; 17740; 17741; 18221; 18223; 18226; 18229; 18267

SegID: 2472OW Copano Bay/Port Bay/Mission Bay (Oyster Waters)

Segment Type Oyster Water

AU_ID: 2472OW_01 Mission Bay, Aransas River arm, Port Bay, and eastern shoreline

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): No Stations

AU_ID: 2472OW_02 Copano Bay

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): No Stations

SegID: 2473 St. Charles Bay

Segment Type Estuary

AU_ID: 2473_01 Entire segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): 13406; 14776; 15004; 17692; 18218; 18219; 18222

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 2473OW St. Charles Bay (Oyster Waters)

Segment Type Oyster Water

AU_ID: 2473OW_01 Remainder of Bay

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	Exceptional	TWQS-Appendix A
Station ID(s):	No Stations		

AU_ID: 2473OW_02 Southwest corner of St Charles Bay

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	Exceptional	TWQS-Appendix A
Station ID(s):	No Stations		

SegID: 2481 Corpus Christi Bay

Segment Type Estuary

AU_ID: 2481_01 From the Corpus Christi Ship Channel east to Pelican Island, from Pelican Island south to Demit Island including the La Quinta Channel and the Corpus Christi Ship Channel adjacent to Redfish Bay

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	Exceptional	TWQS-Appendix A
Station ID(s):	13407; 13409; 13410; 13419; 14822; 14823; 14824; 14825; 14826; 14827; 14828; 14829; 14830; 14979; 16854; 17747; 17748; 17749; 17750; 17751; 17752; 17753; 17754; 17755; 17756; 17757; 17759; 17760; 17769; 17770; 17771; 17772; 17776; 17780; 17785; 17786; 17788; 17790; 17791; 18237; 18239; 18240; 18250; 18277; 18451		

AU_ID: 2481_02 From the Corpus Christi Ship Channel east to Pelican Island, from Pelican Island south to Demit Island including the area from the Corpus Christi Ship Channel to Demit Island (Oso Bay and City of Corpus Christi area)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	Exceptional	TWQS-Appendix A
Station ID(s):	13411; 14818; 14819; 14820; 14821; 14955; 17758; 17762; 17763; 17764; 17765; 17766; 17767; 17768; 17773; 17774; 17775; 17777; 17778; 17779; 17781; 17782; 17783; 17784; 17787; 17789; 17792; 17793; 17794; 18241; 18242; 18243; 18246; 18280; 18281; 18282		

AU_ID: 2481_03 From Pelican Island south to Demit Island, from Demit Island to Mustang Island and the area along Mustang Island State Park to the Corpus Christi Ship Channel

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	Exceptional	TWQS-Appendix A
Station ID(s):	14355; 14469; 16853; 17761; 18244; 18245; 18247		

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 2481CB Corpus Christi Bay (Recreational Beaches)

Segment Type Recreational Beach

AU_ID: 2481CB_01 Corpus Christi Marina (Beach ID TX305317)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	Water body description	not available	not available
Station ID(s): No Stations			

AU_ID: 2481CB_02 Corpus Christi Beach - Main (Beach ID TX546628)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	Water body description	not available	not available
Station ID(s): No Stations			

AU_ID: 2481CB_03 Cole Park (Beach ID TX259473)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	Water body description	not available	not available
Station ID(s): No Stations			

AU_ID: 2481CB_04 Ropes Park (Beach ID TX821303)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	Water body description	not available	not available
Station ID(s): No Stations			

AU_ID: 2481CB_05 McGee Beach (Beach ID TX536781)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	Water body description	not available	not available
Station ID(s): No Stations			

AU_ID: 2481CB_06 Poenisch Park (Beach ID TX682648)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	Water body description	not available	not available
Station ID(s): No Stations			

AU_ID: 2481CB_07 Emerald Beach (TX199413)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	Water body description	not available	not available
Station ID(s): No Stations			

AU_ID: 2481CB_08 University Beach (Beach ID TX495569)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	Water body description	not available	not available
Station ID(s): No Stations			

AU_ID: 2481CB_09 Packery Channel Park (Beach ID TX227625)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	Water body description	not available	not available
Station ID(s): No Stations			

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 2481OW Corpus Christi Bay (Oyster Waters)

Segment Type Oyster Water

AU_ID: 2481OW_01 Shoreline area

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	Exceptional	TWQS-Appendix A
Station ID(s):	No Stations		

AU_ID: 2481OW_02 Remainder of Corpus Christi Bay

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	Exceptional	TWQS-Appendix A
Station ID(s):	No Stations		

SegID: 2481UL Upper Laguna Madre (Recreational Beaches)

Segment Type Recreational Beach

AU_ID: 2481UL_01 JFK Causeway - SW (Beach ID TX442541)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	Water body description	not available	not available
Station ID(s):	No Stations		

SegID: 2482 Nueces Bay

Segment Type Estuary

AU_ID: 2482_01 Entire segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	Exceptional	TWQS-Appendix A
Station ID(s):	13420; 13421; 13422; 13423; 13424; 13425; 14831; 14832; 14833; 14834; 14835; 14836; 17729; 17730; 17731; 17732; 17733; 17734; 17736; 17737; 17738; 17813; 17815; 17817; 18234; 18235; 18238; 18276; 18278; 18365; 18866		

SegID: 2482NB Nueces Bay (Recreational Beaches)

Segment Type Recreational Beach

AU_ID: 2482NB_01 Nueces Bay Causeway # 3 (Beach ID TX 139394)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	Water body description	not available	not available
Station ID(s):	No Stations		

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 2482OW Nueces Bay (Oyster Waters)

Segment Type Oyster Water

AU_ID: 2482OW_01 Entire segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	Exceptional	TWQS-Appendix A
Station ID(s):	No Stations		

SegID: 2483 Redfish Bay

Segment Type Estuary

AU_ID: 2483_01 Entire segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	Exceptional	TWQS-Appendix A
Station ID(s):	13426; 14801; 14803; 14805; 14806; 14808; 14810; 14812; 14813; 14815; 14816; 14817; 16855; 17693; 17694; 17695; 17696; 17697; 17698; 17699; 18233; 18236; 18274		

SegID: 2483A Conn Brown Harbor (unclassified water body)

From the Aransas Channel confluence southeast of Aransas Pass in San Patricio County to a point 1.6 km (1 mi) northeast in Aransas County

Segment Type Estuary

AU_ID: 2483A_01 From the Aransas Channel confluence southeast of Aransas Pass to a point 1.6 km (1 mi) northeast

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	Water body description	High	Presumption from Flow Type
Station ID(s):	13287; 18848		

SegID: 2483OW Redfish Bay (Oyster Waters)

Segment Type Oyster Water

AU_ID: 2483OW_01 Entire segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	Exceptional	TWQS-Appendix A
Station ID(s):	No Stations		

SegID: 2483RB Redfish Bay (Recreational Beaches)

Segment Type Recreational Beach

AU_ID: 2483RB_01 Lighthouse Lake (Beach ID TX538780)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	Water body description	not available	not available
Station ID(s):	No Stations		

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 2484 Corpus Christi Inner HarborSegment Type Estuary*AU_ID: 2484_01 Entire segment*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	Intermediate	TWQS-Appendix A
Station ID(s): 13430; 13432; 13433; 13436; 13439			

SegID: 2485 Oso BaySegment Type Estuary*AU_ID: 2485_01 Upper bay (Holly Road to County Hwy 24)*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	Exceptional	TWQS-Appendix A
Station ID(s): 17120			

AU_ID: 2485_02 Middle bay (State Park Road 22 to Holly Road)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	Exceptional	TWQS-Appendix A
Station ID(s): 13440; 15003; 17119; 18249			

AU_ID: 2485_03 Lower portion of bay (Ocean Drive to State Park Road 22)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	Exceptional	TWQS-Appendix A
Station ID(s): 13441; 13442; 17118; 18248; 18283			

SegID: 2485A Oso Creek (unclassified water body)

From the Oso Bay confluence in southern Corpus Christi to a point 4.8 km (3 mi) upstream of SH 44, west of Corpus Christi in Nueces County

Segment Type Tidal Stream*AU_ID: 2485A_01 From the Oso Bay confluence in southern Corpus Christi to a point 4.8 km (3 mi) upstream of SH 44, west of Corpus Christi*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	Water body description	High	Presumption from Flow Type
Station ID(s): 13026; 13027; 13028; 13029; 16712; 18499; 18500			

SegID: 2485B Unnamed trib of Oso Creek (unclassified water body)

From the Oso Creek confluence upstream to a point 5.2 km (3.2 mi) west of State Hwy 286 in Nueces County

Segment Type Tidal Stream*AU_ID: 2485B_01 From the Oso Creek confluence upstream to a point 5.2 km (3.2 mi) west of State Hwy 286*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	Water body description	High	Presumption from Flow Type
Station ID(s): 20195			

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 2485D West Oso Creek (unclassified water body)

From the Oso Creek confluence upstream to a point 0.49 km (0.3 mi) west of FM 1694 in Neuces County

Segment Type Tidal Stream

AU_ID: 2485D_01 From the Oso Creek confluence upstream to a point 0.49 km (0.3 mi) west of FM 1694

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	Water body description	High	Presumption from Flow Type

Station ID(s): 18501; 20198

SegID: 2485OW Oso Bay (Oyster Waters)

Segment Type Oyster Water

AU_ID: 2485OW_01 Entire bay

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): No Stations

SegID: 2491 Laguna Madre

Segment Type Estuary

AU_ID: 2491_01 Upper portion of bay north of the Arroyo Colorado confluence

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): 13443; 13444; 13445; 13448; 13449; 14843; 17117; 17121; 18066; 18067; 18068; 18069; 18070; 18071; 18072; 18073; 18074; 18075; 18076; 18078; 18079; 18080; 18081; 18082; 18083; 18084; 18085; 18086; 18087; 18088; 18089; 18090; 18091; 18092; 18093; 18094; 18095; 18096; 18097; 18098; 18099; 18100; 18101; 18102; 18103; 18104; 18160; 18161; 18162; 18163; 18164; 18165; 18166; 18167; 18168; 18169; 18170; 18171; 18172; 18173; 18174; 18175; 18176; 18177; 18178; 18179; 18180; 18181; 18182; 18183; 18184; 18188; 18251; 18252; 18253; 18254; 18255; 18259; 18261; 18262; 18263; 18264; 18265; 18285; 18286; 18287; 18293; 18294; 18295; 18452; 18605

AU_ID: 2491_02 Area adjacent to the Arroyo Colorado confluence

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): 13447

AU_ID: 2491_03 Lower portion of bay south of the Arroyo Colorado confluence

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): 13446; 14844; 14845; 14861; 14862; 14863; 14868; 14869; 14870; 14876; 14877; 14878; 14879; 17100; 17975

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 2491OW Laguna Madre (Oyster Waters)**Segment Type** Oyster Water

AU_ID: 2491OW_01 Upper portion of the bay north of Port Mansfield Channel

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): No Stations

AU_ID: 2491OW_02 Area adjacent to the Arroyo Colorado confluence

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): No Stations

AU_ID: 2491OW_03 Lower portion of the bay south of the Port Mansfield Channel

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): No Stations

AU_ID: 2491OW_04 ICWW from Port Mansfield to Brownsville and shoreline area

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): No Stations

SegID: 2491UL Upper Laguna Madre (Recreational Beaches)**Segment Type** Recreational Beach

AU_ID: 2491UL_01 Laguna Shores (Beach ID TX937228)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	Water body description	not available	not available

Station ID(s): No Stations

SegID: 2492 Baffin Bay/Alazan Bay/Cayo del Grullo/Laguna Salada**Segment Type** Estuary

AU_ID: 2492_01 Entire segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	High	TWQS-Appendix A

Station ID(s): 13450; 13452; 18105; 18106; 18107; 18108; 18109; 18110; 18111; 18112; 18113; 18114; 18115; 18116; 18117; 18118; 18119; 18120; 18121; 18122; 18123; 18124; 18125; 18126; 18127; 18128; 18129; 18130; 18131; 18132; 18133; 18134; 18135; 18136; 18137; 18138; 18139; 18140; 18141; 18142; 18143; 18144; 18145; 18146; 18147; 18148; 18149; 18150; 18151; 18152; 18153; 18154; 18155; 18156; 18157; 18158; 18159; 18256; 18257; 18258; 18260; 18288; 18289; 18290; 18291; 18292

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 2492A San Fernando Creek (unclassified water body)

From the Gayo Del Grullo confluence in Kleberg County to the Lake Alice Dam in Jim Wells County

Segment Type Tidal Stream

AU_ID: 2492A_01 From the Cayo Del Grullo confluence to the Lake Alice Dam

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
tidal stream	Water body description	High	Presumption from Flow Type

Station ID(s): 13033; 15976

SegID: 2492CG Cayo del Grullo Bay (Recreational Beaches)Segment Type Recreational Beach

AU_ID: 2492CG_01 Kaufer-Hubert #3 (Beach ID TX289381)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	Water body description	not available	not available

Station ID(s): No Stations

AU_ID: 2492CG_02 Kaufer-Hubert #2 (Beach ID TX339922)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	Water body description	not available	not available

Station ID(s): No Stations

AU_ID: 2492CG_03 Kaufer-Hubert #1 (Beach ID TX471201)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	Water body description	not available	not available

Station ID(s): No Stations

AU_ID: 2492CG_04 Riviera Beach Pier (Beach ID TX948394)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	Water body description	not available	not available

Station ID(s): No Stations

SegID: 2492OW Baffin Bay/Alazan Bay/Cayo del Grullo/Laguna Salada (Oyster Waters)Segment Type Oyster Water

AU_ID: 2492OW_01 Entire water body north of the boundary with Lower Laguna Madre

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): No Stations

AU_ID: 2492OW_02 Area adjacent to boundary with Lower Laguna Madre

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): No Stations

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 2493 **South Bay**

Segment Type Estuary

AU_ID: 2493_01 Entire segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	Exceptional	TWQS-Appendix A
Station ID(s): 13459; 14855; 14856; 14858; 14865; 14880; 17101			

SegID: 2493OW **South Bay (Oyster Waters)**

Segment Type Oyster Water

AU_ID: 2493OW_01 Entire segment

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	Exceptional	TWQS-Appendix A
Station ID(s): No Stations			

SegID: 2494 **Brownsville Ship Channel**

Segment Type Estuary

AU_ID: 2494_01 From the Laguna Madre confluence upstream to the Port of Brownsville

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	TSWQS	Exceptional	TWQS-Appendix A
Station ID(s): 13460; 14871; 14875; 17102			

SegID: 2494A **Port Isabel Fishing Harbor (unclassified water body)**

From the Laguna Madre confluence to 0.4 km (0.25 mi) south of SH 100 in Port Isabel in Cameron County

Segment Type Estuary

AU_ID: 2494A_01 From the Laguna Madre confluence to 0.4 km (0.25 mi) south of SH 100 in Port Isabel

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
estuary	Water body description	High	Presumption from Flow Type
Station ID(s): 13285			

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 2501 Gulf of Mexico

From the Gulf shoreline to the limit of Texas' jurisdiction between Sabine Pass and the Rio Grande

Segment Type Ocean

AU_ID: 2501_01 *Sabine Pass to Sea Rim Park area*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
ocean	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): 13461; 13462; 18820; 18821**AU_ID:** 2501_02 *Jefferson-Chambers County line area*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
ocean	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): 13463**AU_ID:** 2501_03 *Bolivar Point to San Luis Pass area*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
ocean	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): 13465; 16536; 16537; 16538; 16539; 16540; 16541; 16542; 16543; 16544; 16672**AU_ID:** 2501_04 *Freeport Area*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
ocean	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): 17519**AU_ID:** 2501_05 *Area between Freeport and Port Aransas*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
ocean	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): No Stations**AU_ID:** 2501_06 *Port Aransas Area*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
ocean	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): 13468**AU_ID:** 2501_07 *Area between Port Aransas and Port Mansfield*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
ocean	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): No Stations**AU_ID:** 2501_08 *Port Mansfield area*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
ocean	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): 13469**AU_ID:** 2501_09 *Area between Port Mansfield and Port Isabel*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
ocean	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): No Stations

2012 Texas Water Quality Inventory Water Bodies Evaluated

AU_ID: 2501_10 Port Isabel area

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
ocean	TSWQS	Exceptional	TWQS-Appendix A

Station ID(s): No Stations

SegID: 2501BC Brazoria County Beaches (Recreational Beaches)

Segment Type Recreational Beach

AU_ID: 2501BC_01 Follets Island (Beach ID TX646145)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
ocean	Water body description	not available	not available

Station ID(s): No Stations

AU_ID: 2501BC_02 Quintana (Beach ID TX28060)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
ocean	Water body description	not available	not available

Station ID(s): No Stations

AU_ID: 2501BC_03 Surfside (Beach ID TX647885)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
ocean	Water body description	not available	not available

Station ID(s): No Stations

AU_ID: 2501BC_04 Bryan Beach (Beach ID TX384318)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
ocean	Water body description	not available	not available

Station ID(s): No Stations

SegID: 2501BO Boca Chica State Park (Recreational Beaches)

Segment Type Recreational Beach

AU_ID: 2501BO_01 Boca Chica State Park (Beach ID TX14667)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
ocean	Water body description	not available	not available

Station ID(s): No Stations

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 2501BP Bolivar Peninsula (Recreational Beaches)

Segment Type Recreational Beach

AU_ID: 2501BP_01 Seadrift (Beach ID TX236175)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
ocean	Water body description	not available	not available

Station ID(s): No Stations

AU_ID: 2501BP_02 Clara St. (Beach ID TX392019)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
ocean	Water body description	not available	not available

Station ID(s): No Stations

AU_ID: 2501BP_03 West End (Beach ID TX426780)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
ocean	Water body description	not available	not available

Station ID(s): No Stations

AU_ID: 2501BP_04 O'Neil Rd. (Beach ID TX669225)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
ocean	Water body description	not available	not available

Station ID(s): No Stations

AU_ID: 2501BP_05 Gulf Shores (Beach ID TX860495)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
ocean	Water body description	not available	not available

Station ID(s): No Stations

AU_ID: 2501BP_06 Caplen (Beach ID TX940700)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
ocean	Water body description	not available	not available

Station ID(s): No Stations

AU_ID: 2501BP_07 Rettilon Road (Beach ID TX832087)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
ocean	Water body description	not available	not available

Station ID(s): No Stations

SegID: 2501GE Galveston Island East End (Recreational Beaches)

Segment Type Recreational Beach

AU_ID: 2501GE_01 Appfel Park (Beach ID TX327206)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
ocean	Water body description	not available	not available

Station ID(s): No Stations

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 2501GU Galveston Island Urban (Recreational Beaches)

Segment Type Recreational Beach

AU_ID: 2501GU_01 45th St. (Beach ID TX241299)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
ocean	Water body description	not available	not available

Station ID(s): No Stations

AU_ID: 2501GU_02 61st St. (Beach ID TX786021)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
ocean	Water body description	not available	not available

Station ID(s): No Stations

AU_ID: 2501GU_03 25th St. (Beach ID TX710697)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
ocean	Water body description	not available	not available

Station ID(s): No Stations

AU_ID: 2501GU_04 Stewart Beach (Beach ID TX451421)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
ocean	Water body description	not available	not available

Station ID(s): No Stations

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 2501GW Galveston Island West End (Recreational Beaches)

Segment Type Recreational Beach

AU_ID: 2501GW_01 Spanish Grant/Bermuda Beach (Beach ID TX163187)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
ocean	Water body description	not available	not available

Station ID(s): No Stations

AU_ID: 2501GW_02 Galveston Island State Park (Beach ID TX334226)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
ocean	Water body description	not available	not available

Station ID(s): No Stations

AU_ID: 2501GW_03 Dellanera Park (Beach ID TX393353)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
ocean	Water body description	not available	not available

Station ID(s): No Stations

AU_ID: 2501GW_04 Pirates Beach (Beach ID TX751320)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
ocean	Water body description	not available	not available

Station ID(s): No Stations

AU_ID: 2501GW_05 Sea Isle (Beach ID TX767833)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
ocean	Water body description	not available	not available

Station ID(s): No Stations

AU_ID: 2501GW_06 San Luis Pass (Beach ID TX822495)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
ocean	Water body description	not available	not available

Station ID(s): No Stations

AU_ID: 2501GW_07 Jamaica Beach (Beach ID TX974690)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
ocean	Water body description	not available	not available

Station ID(s): No Stations

AU_ID: 2501GW_08 Indian Beach (Beach ID TX239942)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
ocean	Water body description	not available	not available

Station ID(s): No Stations

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 2501MC Matagorda County (Recreational Beaches)

Segment Type Recreational Beach

AU_ID: 2501MC_01 Jetty Park (Beach ID TX967170)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
ocean	not available	not available	not available

Station ID(s): No Stations

AU_ID: 2501MC_02 Seargent Beach (Beach ID TX455545)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
ocean	not available	not available	not available

Station ID(s): No Stations

SegID: 2501MF McFaddin National Wildlife Refuge (Recreational Beaches)

Segment Type Recreational Beach

AU_ID: 2501MF_01 McFaddin NWR (Beach ID TX831676)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
ocean	Water body description	not available	not available

Station ID(s): No Stations

SegID: 2501MI Mustang Island (Recreational Beaches)

Segment Type Recreational Beach

AU_ID: 2501MI_01 Mustang Island (Beach ID TX551380)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
ocean	Water body description	not available	not available

Station ID(s): No Stations

AU_ID: 2501MI_02 Mustang Island (Beach ID TX396020)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
ocean	Water body description	not available	not available

Station ID(s): No Stations

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 2501PA Port Aransas (Recreational Beaches)

Segment Type Recreational Beach

AU_ID: 2501PA_01 Port Aransas - South (Beach ID TX315916)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
ocean	Water body description	not available	not available

Station ID(s): No Stations

AU_ID: 2501PA_02 Port Aransas Park (Beach ID TX722300)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
ocean	Water body description	not available	not available

Station ID(s): No Stations

SegID: 2501PI Padre Island (Recreational Beaches)

Segment Type Recreational Beach

AU_ID: 2501PI_01 JP Luby Park (Beach ID TX607336)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
ocean	Water body description	not available	not available

Station ID(s): No Stations

SegID: 2501RP Rollover Pass (Recreational Beaches)

Segment Type Recreational Beach

AU_ID: 2501RP_01 Rollover Pass East (Beach ID TX284256)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
ocean	Water body description	not available	not available

Station ID(s): No Stations

AU_ID: 2501RP_02 Rollover Pass West (Beach ID TX341767)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
ocean	Water body description	not available	not available

Station ID(s): No Stations

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 2501SP South Padre Island (Recreational Beaches)**Segment Type** Recreational Beach

AU_ID: 2501SP_01 *Town of South Padre Island (Beach ID TX868582)*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
ocean	Water body description	not available	not available

Station ID(s): No Stations

AU_ID: 2501SP_02 *Access Point #4 (Beach ID TX282282)*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
ocean	Water body description	not available	not available

Station ID(s): No Stations

AU_ID: 2501SP_03 *Access Point #6 (Beach ID TX810590)*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
ocean	Water body description	not available	not available

Station ID(s): No Stations

AU_ID: 2501SP_04 *Isla Blanca Park (Beach ID TX137781)*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
ocean	Water body description	not available	not available

Station ID(s): No Stations

AU_ID: 2501SP_05 *Atwood Park (Beach ID TX841900)*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
ocean	Water body description	not available	not available

Station ID(s): No Stations

AU_ID: 2501SP_06 *Padre Bali Park (Beach ID TX314643)*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
ocean	Water body description	not available	not available

Station ID(s): No Stations

AU_ID: 2501SP_07 *Park Road 100 Bay Access #2 (Beach ID TX229010)*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
ocean	Water body description	not available	not available

Station ID(s): No Stations

AU_ID: 2501SP_08 *Andy Bowie Park (Beach ID TX967170)*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
ocean	Water body description	not available	not available

Station ID(s): No Stations

AU_ID: 2501SP_09 *Access Point #3 (Beach ID TX147297)*

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
ocean	Water body description	not available	not available

Station ID(s): No Stations

2012 Texas Water Quality Inventory Water Bodies Evaluated

SegID: 2501SR Sea Rim State Park (Recreational Beaches)

Segment Type Recreational Beach

AU_ID: 2501SR_01 Sea Rim State Park (Beach ID TX095025)

<u>Flow Type</u>	<u>Flow Type Source</u>	<u>ALU Designation</u>	<u>ALU Designation Source</u>
ocean	Water body description	not available	not available
<hr/>			
Station ID(s):	No Stations		