

2014 Texas Integrated Report: Assessment Results for Basin 19 - San Antonio River

Report Abbreviations	Description:		
SEGID:	Unique Segment identification alpha-numeric code; can be stream, reservoir, estuary, oyster waters, beach watch, etc.		
AUID:	Unique Assessment Unit code; this is a portion of the segment the AUID begins with and ends with _01, _02, etc. Some AUIDs are special units ending in "SA," or oyster water AUIDs are indicated by "OW" and beach watch AUIDs are indicated by abbreviations for name of beach in AUID.		
ASMT Start Date:	The start date of the period of record data for this method was selected; the official 2014 period of record is from 12/1/2005 to 11/30/2012. Assessors have the option of going back 10 years (12/1/2002) to select more data, according to assessment guidance.		
ASMT End Date	The end date of the period of record data for this method was selected; the official 2014 period of record dates are 12/1/2005 to 11/30/2012. Assessors have the option of including more recently collected data than 12/01/2012, if available.		
# Assd:	Number of samples assessed; some data are averaged, as with profile data, some are eliminated because criteria do not apply during certain conditions such as low flow.		
Mean Assd:	Mean of samples assessed; includes averaged methods like chronic criteria as well as geometric mean calculations for bacteria.		
# Exceed:	The number of samples that exceed criteria for single sample, or binomial, methods (not averaged data).		
Mean Exceed:	This is the mean of the samples that exceeded criteria for the single sample, or binomial, methods (not averaged data).		
Criteria:	Value that the data is compared against to determine level of support; Note: for acute metals in water, each value is compared to a calculated criteria and not all criteria could be reported here, only the minimum in the range of criteria calculated are included.		
DS Qual:	<p><i>Dataset Qualifier - indicates sample sizes:</i></p> <table style="width: 100%; border: none;"> <tr> <td style="width: 50%; vertical-align: top;"> AD = Adequate Data (10 or more samples) LD = Limited Data (less than 9, greater than 3) ID = Inadequate Data (less than 4) JQ = Level of support is based on judgment of the assessor </td> <td style="width: 50%; vertical-align: top;"> SM = This assessment method is superseded by another method TR = Temporally Not Representative, used with NA SR = Spatially Not Representative, used with NA OE = Other information than ambient samples evaluated OS = Assessment area outside state boundaries </td> </tr> </table>	AD = Adequate Data (10 or more samples) LD = Limited Data (less than 9, greater than 3) ID = Inadequate Data (less than 4) JQ = Level of support is based on judgment of the assessor	SM = This assessment method is superseded by another method TR = Temporally Not Representative, used with NA SR = Spatially Not Representative, used with NA OE = Other information than ambient samples evaluated OS = Assessment area outside state boundaries
AD = Adequate Data (10 or more samples) LD = Limited Data (less than 9, greater than 3) ID = Inadequate Data (less than 4) JQ = Level of support is based on judgment of the assessor	SM = This assessment method is superseded by another method TR = Temporally Not Representative, used with NA SR = Spatially Not Representative, used with NA OE = Other information than ambient samples evaluated OS = Assessment area outside state boundaries		
LOS:	<p><i>Level of support for this use, method, assessment parameter:</i></p> <table style="width: 100%; border: none;"> <tr> <td style="width: 50%; vertical-align: top;"> FS = Fully Supporting NC = No Concern NA = Not Assessed </td> <td style="width: 50%; vertical-align: top;"> NS = Nonsupport CS = Screening Level Concern CN = Use Concern </td> </tr> </table>	FS = Fully Supporting NC = No Concern NA = Not Assessed	NS = Nonsupport CS = Screening Level Concern CN = Use Concern
FS = Fully Supporting NC = No Concern NA = Not Assessed	NS = Nonsupport CS = Screening Level Concern CN = Use Concern		
CF:	Carry forward indicator check box: indicates that the Integrated level of support of CS, CN, or NS was carried forward from a previous assessment due to inadequate data for this method in this assessment.		
Int LOS:	Integrated level of support. This is the overall level of support for this use, method, parameter group, which could be different from the LOS (described above) due to carry forward information or other types of changes. New Code added in 2010: PI = Pending Issue		
TCEQ Cause	This is the impairment description (e.g., bacteria, depressed dissolved oxygen, etc.)		
Cat:	<p><i>This is the assessment category assigned to this impairment. Subcategories as follows:</i></p> <p>Category 4: Standard is not attained or nonattainment is predicted in the near future due to one or more parameters, but no TMDLs are required.</p> <p style="margin-left: 20px;">4a - All TMDLs have been completed and approved by EPA. 4b - Other pollution control requirements are reasonably expected to result in the attainment of the water quality standard in the near future. 4c - Nonattainment of the standard for one or more parameters is shown to be caused by pollution, not by pollutants and that the water quality conditions cannot be changed by the allocation and control of pollutants through the TMDL process.</p> <p>Category 5: Standard is not attained or nonattainment is predicted in the near future for one or more parameters.</p> <p style="margin-left: 20px;">5a - TMDLs are underway, scheduled, or may be scheduled for one or more parameters. 5b - review of the standards for one or more parameters will be conducted before a management strategy is selected, including a possible revision to the water quality standards. 5c - Additional data or information will be collected and/or evaluated for one or more parameters before a management strategy is selected.</p>		

2014 Texas Integrated Report: Assessment Results for Basin 19 - San Antonio River

SEGID **1901** **Lower San Antonio River**

AUID **1901_01** 25 miles downstream of the confluence with Manahuilla Creek

USE **Aquatic Life Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	79		1	4.2	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	79		0		3.00	AD	FS	<input type="checkbox"/>	FS		

USE **Recreation Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	79	109.53	0		126.00	AD	FS	<input type="checkbox"/>	FS		

USE **General Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2005	11/30/2012	79		1	35.2	32.20	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2005	11/30/2012	79		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2005	11/30/2012	79		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	756	678.13	0		750.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	698	121.01	0		180.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	698	105.41	0		140.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	79		68	6.72	1.95	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	41		1	0.37	0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	79		44	1.02	0.69	AD	CS	<input type="checkbox"/>	CS	total phosphorus	
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	80		16	29.25	14.10	AD	NC	<input type="checkbox"/>	NC		

USE **Fish Consumption Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Antimony	12/1/2005	11/30/2012	1		0		1,071.00	ID	NA	<input type="checkbox"/>	NA		

2014 Texas Integrated Report: Assessment Results for Basin 19 - San Antonio River

AUID 1901_01 25 miles downstream of the confluence with Manahuilla Creek

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Thallium	12/1/2005	11/30/2012	1		0		1.50	ID	NA	<input type="checkbox"/>	NA		
HH Bioaccumulative Toxics in water	Chromium	12/1/2005	11/30/2012	57		0		502.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2005	11/30/2012	57		0		3.83	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel	12/1/2005	11/30/2012	57		0		1,140.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 19 - San Antonio River

AUID 1901_02 25 miles upstream of Manahuilla Creek

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	102		0		5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	102		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/1/2005	11/30/2012	1		0		5.00	ID	NA	<input type="checkbox"/>	NA		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/1/2005	11/30/2012	1		0		3.00	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	10		0		33.93	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2005	11/30/2012	9		0		388.92	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Selenium	12/1/2005	11/30/2012	9		0		20.00	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Nickel	12/1/2005	11/30/2012	10		0		1,551.20	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2005	11/30/2012	10		0		289.48	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2005	11/30/2012	10		0		1,816.75	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	12/1/2005	11/30/2012	10		0		340.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Aluminum	12/1/2005	11/30/2012	10		0		991.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2005	11/30/2012	10		0		53.91	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2005	11/30/2012	10	0.15	0		8.47	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Selenium	12/1/2005	11/30/2012	9	1.14	0		5.00	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Zinc	12/1/2005	11/30/2012	9	3.74	0		309.81	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Nickel	12/1/2005	11/30/2012	10	3.60	0		136.18	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2005	11/30/2012	10	1.17	0		188.20	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	10	0.12	0		0.54	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic	12/1/2005	11/30/2012	10	3.09	0		150.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2005	11/30/2012	10	1.72	0		25.03	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 19 - San Antonio River

AUID 1901_02 25 miles upstream of Manahuilla Creek

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Habitat	Habitat	12/1/2005	11/30/2012	4	15.40			20.00	AD	CS	<input type="checkbox"/>	CS	impaired habitat	
Fish Community	Fish Community	12/1/2005	11/30/2012	4	34.20			42.00	TR	NA	<input checked="" type="checkbox"/>	NS	impaired fish community	5c

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	320	183.05	1		126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	4a

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2005	11/30/2012	102		0		32.20	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2005	11/30/2012	101		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2005	11/30/2012	101		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	698	121.01	0		180.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	698	105.41	0		140.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	756	678.13	0		750.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	89		83	6.92	1.95	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	89		1	0.49	0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	89		54	1.01	0.69	AD	CS	<input type="checkbox"/>	CS	total phosphorus	
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	36		14	39.14	14.10	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Nickel	12/1/2005	11/30/2012	57	3.43	0		1,140.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Antimony	12/1/2005	11/30/2012	1		0		1,071.00	ID	NA	<input type="checkbox"/>	NA		
HH Bioaccumulative Toxics in water	Chromium	12/1/2005	11/30/2012	57	1.03	0		502.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 19 - San Antonio River

AUID 1901_02 25 miles upstream of Manahuilla Creek

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Thallium	12/1/2005	11/30/2012	1		0		1.50	ID	NA	<input type="checkbox"/>	NA		
HH Bioaccumulative Toxics in water	Lead	12/1/2005	11/30/2012	57	0.17	0		3.83	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 19 - San Antonio River

AUID

1901_03

From 25 miles upstream of Manahuilla Cr to 9 mi downstream of Escondido Cr

USE

Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	178		0		5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	178		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2005	11/30/2012	10		0		181.77	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2005	11/30/2012	8		0		265.88	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Nickel	12/1/2005	11/30/2012	10		0		1,061.08	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2005	11/30/2012	10		0		35.32	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2005	11/30/2012	10		0		1,257.88	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	10		0		21.95	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	12/1/2005	11/30/2012	10		0		340.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Aluminum	12/1/2005	11/30/2012	10		1	1200	991.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Selenium	12/1/2005	11/30/2012	10		0		20.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2005	11/30/2012	8	4.74	0		309.81	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Arsenic	12/1/2005	11/30/2012	10	2.77	0		150.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	10	0.05	0		0.54	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2005	11/30/2012	10	0.50	0		188.20	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2005	11/30/2012	10	1.52	0		25.03	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2005	11/30/2012	10	0.14	0		8.47	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/1/2005	11/30/2012	10	3.05	0		136.18	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Selenium	12/1/2005	11/30/2012	10	0.74	0		5.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 19 - San Antonio River

AUID **1901_03** From 25 miles upstream of Manahuilla Cr to 9 mi downstream of Escondido Cr

USE **Recreation Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	166	148.47	1		126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	4a

USE **General Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2005	11/30/2012	180		1	33	32.20	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2005	11/30/2012	180		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2005	11/30/2012	180		1	6.3	6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	756	678.13	0		750.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	698	121.01	0		180.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	698	105.41	0		140.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	56		13	26.69	14.10	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	167		157	7.54	1.95	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	167		2	0.56	0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	165		103	1.06	0.69	AD	CS	<input type="checkbox"/>	CS	total phosphorus	

USE **Fish Consumption Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Thallium	12/1/2005	11/30/2012	1		0		1.50	ID	NA	<input type="checkbox"/>	NA		
HH Bioaccumulative Toxics in water	Antimony	12/1/2005	11/30/2012	1		0		1,071.00	ID	NA	<input type="checkbox"/>	NA		
HH Bioaccumulative Toxics in water	Nickel	12/1/2005	11/30/2012	57	3.43	0		1,140.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Chromium	12/1/2005	11/30/2012	57	1.03	0		502.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2005	11/30/2012	57	0.17	0		3.83	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 19 - San Antonio River

AUID 1901_04 9 miles downstream of Escondido Creek

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	93		0		5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	93		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2005	11/30/2012	9		0		263.55	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Zinc	12/1/2005	11/30/2012	8		0		359.92	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Selenium	12/1/2005	11/30/2012	9		0		20.00	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Aluminum	12/1/2005	11/30/2012	9		0		991.00	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Nickel	12/1/2005	11/30/2012	9		0		1,435.73	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Copper	12/1/2005	11/30/2012	9		0		49.46	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Chromium	12/1/2005	11/30/2012	9		0		1,685.67	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Arsenic	12/1/2005	11/30/2012	9		0		340.00	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	9		0		31.05	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Arsenic	12/1/2005	11/30/2012	9	2.80	0		150.00	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	9	0.10	0		0.54	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Chromium	12/1/2005	11/30/2012	9	1.29	0		188.20	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Copper	12/1/2005	11/30/2012	9	1.89	0		25.03	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Lead	12/1/2005	11/30/2012	9	0.19	0		8.47	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Nickel	12/1/2005	11/30/2012	9	3.58	0		136.18	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Selenium	12/1/2005	11/30/2012	9	0.96	0		5.00	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Zinc	12/1/2005	11/30/2012	8	4.35	0		309.81	LD	NC	<input type="checkbox"/>	NC		

2014 Texas Integrated Report: Assessment Results for Basin 19 - San Antonio River

AUID 1901_04 9 miles downstream of Escondido Creek

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	84	195.75	1		126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	4a

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2005	11/30/2012	94		1	33	32.20	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2005	11/30/2012	94		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2005	11/30/2012	94		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	756	678.13	0		750.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	698	121.01	0		180.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	698	105.41	0		140.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	84		79	7.56	1.95	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	84		1	0.41	0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	83		54	1.01	0.69	AD	CS	<input type="checkbox"/>	CS	total phosphorus	
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	38		4	29.75	14.10	AD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Nickel	12/1/2005	11/30/2012	57	3.43	0		1,140.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Antimony	12/1/2005	11/30/2012	1		0		1,071.00	ID	NA	<input type="checkbox"/>	NA		
HH Bioaccumulative Toxics in water	Lead	12/1/2005	11/30/2012	57	0.17	0		3.83	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Chromium	12/1/2005	11/30/2012	57	1.03	0		502.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Thallium	12/1/2005	11/30/2012	1		0		1.50	ID	NA	<input type="checkbox"/>	NA		

2014 Texas Integrated Report: Assessment Results for Basin 19 - San Antonio River

AUID 1901_05 From upstream end of segment to Escondido Creek

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	258		0		5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	258		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/1/2005	11/30/2012	6		0		5.00	LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/1/2005	11/30/2012	6		0		3.00	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Arsenic	12/1/2005	11/30/2012	30		0		340.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2005	11/30/2012	30		0		253.44	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Selenium	12/1/2005	11/30/2012	29		0		20.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/1/2005	11/30/2012	30		0		1,390.38	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2005	11/30/2012	27		0		348.54	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	30		0		29.93	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Aluminum	12/1/2005	11/30/2012	30		0		991.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2005	11/30/2012	30		0		1,634.09	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2005	11/30/2012	30		0		47.73	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2005	11/30/2012	30	1.82	0		25.03	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2005	11/30/2012	27	5.76	0		309.81	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Selenium	12/1/2005	11/30/2012	29	0.69	0		5.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2005	11/30/2012	30	0.17	0		8.47	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2005	11/30/2012	30	1.03	0		188.20	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	30	0.10	0		0.54	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic	12/1/2005	11/30/2012	30	1.78	0		150.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/1/2005	11/30/2012	30	3.48	0		136.18	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 19 - San Antonio River

AUID 1901_05 From upstream end of segment to Escondido Creek

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Habitat	Habitat	12/1/2005	11/30/2012	4	20.00			20.00	AD	NC	<input type="checkbox"/>	NC		
Fish Community	Fish Community	12/1/2005	11/30/2012	4	30.90			42.00	TR	NA	<input type="checkbox"/>	NA		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	236	110.67	0		126.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2005	11/30/2012	261		0		32.20	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2005	11/30/2012	259		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2005	11/30/2012	259		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	756	678.13	0		750.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	698	121.01	0		180.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	698	105.41	0		140.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	238		232	9.09	1.95	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	238		4	0.56	0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	236		168	1.13	0.69	AD	CS	<input type="checkbox"/>	CS	total phosphorus	
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	90		7	45.43	14.10	AD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Chromium	12/1/2005	11/30/2012	57	1.03	0		502.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Thallium	12/1/2005	11/30/2012	1	0.02	0		1.50	ID	NA	<input type="checkbox"/>	NA		
HH Bioaccumulative Toxics in water	Antimony	12/1/2005	11/30/2012	1	0.35	0		1,071.00	ID	NA	<input type="checkbox"/>	NA		

2014 Texas Integrated Report: Assessment Results for Basin 19 - San Antonio River

AUID 1901_05 From upstream end of segment to Escondido Creek

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Lead	12/1/2005	11/30/2012	57	0.17	0		3.83	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel	12/1/2005	11/30/2012	57	3.43	0		1,140.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 19 - San Antonio River

AUID 1901_06 Lower 31 miles of segment

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	40		0		5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	40		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2005	11/30/2012	1		0		46.23	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Zinc	12/1/2005	11/30/2012	1		0		338.72	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Nickel	12/1/2005	11/30/2012	1		0		1,351.28	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Chromium	12/1/2005	11/30/2012	1		0		1,589.59	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	1		0		28.97	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Arsenic	12/1/2005	11/30/2012	1		0		340.00	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Aluminum	12/1/2005	11/30/2012	1		0		991.00	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Lead	12/1/2005	11/30/2012	1		0		244.77	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Nickel	12/1/2005	11/30/2012	1	5.10	0		136.18	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Zinc	12/1/2005	11/30/2012	1	4.10	0		309.81	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Lead	12/1/2005	11/30/2012	1	0.10	0		8.47	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Copper	12/1/2005	11/30/2012	1	1.70	0		25.03	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Chromium	12/1/2005	11/30/2012	1	0.10	0		188.20	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	1	0.27	0		0.54	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Arsenic	12/1/2005	11/30/2012	1	2.80	0		150.00	ID	NA	<input type="checkbox"/>	NA		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	39	73.77	0		126.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 19 - San Antonio River

AUID 1901_06 Lower 31 miles of segment

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2005	11/30/2012	41		0		32.20	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2005	11/30/2012	41		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2005	11/30/2012	41		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	698	105.41	0		140.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	756	678.13	0		750.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	698	121.01	0		180.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	6		3	43.67	14.10	LD	CS	<input type="checkbox"/>	CS	chlorophyll-a	
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	39		24	0.98	0.69	AD	CS	<input type="checkbox"/>	CS	total phosphorus	
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	41		38	6.5	1.95	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	41		0		0.33	AD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Chromium	12/1/2005	11/30/2012	57		0		502.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2005	11/30/2012	57		0		3.83	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel	12/1/2005	11/30/2012	57		0		1,140.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Antimony	12/1/2005	11/30/2012	1		0		1,071.00	ID	NA	<input type="checkbox"/>	NA		
HH Bioaccumulative Toxics in water	Thallium	12/1/2005	11/30/2012	1		0		1.50	ID	NA	<input type="checkbox"/>	NA		

2014 Texas Integrated Report: Assessment Results for Basin 19 - San Antonio River

SEGID 1901A Escondido Creek

AUID 1901A_01 From the confluence with segment 1901 up to the confluence with Nichols Creek in Kennedy.

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	32		1	4.6	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	32		0		3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	33	916.85	1		126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	5c

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	27		5	1.25	0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	27		27	2.43	0.69	AD	CS	<input type="checkbox"/>	CS	total phosphorus	
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	14		1	16	14.10	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	27		19	12.38	1.95	AD	CS	<input type="checkbox"/>	CS	nitrate	

2014 Texas Integrated Report: Assessment Results for Basin 19 - San Antonio River

SEGID 1901B Cabeza Creek

AUID 1901B_01 Entire segment.

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	16		1	2.7	3.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	16		0		2.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	10/27/2004	11/30/2012	21	551.56	1		126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	5c

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	10		0		1.95	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	5		0		14.10	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	10		0		0.69	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	10		0		0.33	AD	NC	<input type="checkbox"/>	NC		

2014 Texas Integrated Report: Assessment Results for Basin 19 - San Antonio River

SEGID 1901C Hord Creek

AUID 1901C_01 Entire segment.

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	5		0		3.00	LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	5		0		2.00	LD	NC	<input type="checkbox"/>	NC		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	5	20.51	0		126.00	LD	NC	<input type="checkbox"/>	NC		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	1		0		0.69	ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	1		0		14.10	ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	1		0		0.33	ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	1		0		1.95	ID	NA	<input type="checkbox"/>	NA		

2014 Texas Integrated Report: Assessment Results for Basin 19 - San Antonio River

SEGID 1901D Lost Creek

AUID 1901D_01 Entire water body

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	5		0		3.00	LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	5		0		2.00	LD	NC	<input type="checkbox"/>	NC		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	5	81.83	0		126.00	LD	NC	<input type="checkbox"/>	NC		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	1		0		1.95	ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	1		0		0.33	ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	1		0		0.69	ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	1		0		14.10	ID	NA	<input type="checkbox"/>	NA		

2014 Texas Integrated Report: Assessment Results for Basin 19 - San Antonio River

SEGID 1902 Lower Cibolo Creek

AUID 1902_01 Lower 5 miles of segment

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	43		1	4.8	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	43		0		3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	42	198.46	1		126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	5b

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2005	11/30/2012	43		0		32.20	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2005	11/30/2012	43		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2005	11/30/2012	43		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	211	639.95	0		900.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	208	94.07	0		170.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	211	124.51	0		275.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	43		0		1.95	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	14		0		14.10	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	42		0		0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	42		1	0.76	0.69	AD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Chromium	12/1/2005	11/30/2012	10		0		502.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 19 - San Antonio River

AUID 1902_01 Lower 5 miles of segment

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Lead	12/1/2005	11/30/2012	10		0		3.83	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel	12/1/2005	11/30/2012	10		0		1,140.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Antimony	12/1/2005	11/30/2012	1		0		1,071.00	ID	NA	<input type="checkbox"/>	NA		
HH Bioaccumulative Toxics in water	Thallium	12/1/2005	11/30/2012	1		0		1.50	ID	NA	<input type="checkbox"/>	NA		

2014 Texas Integrated Report: Assessment Results for Basin 19 - San Antonio River

AUID 1902_02 From 5 miles upstream of confluence with the San Antonio River to FM 541

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	79		0		5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	79		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/1/2002	11/30/2012	10		0		5.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/1/2002	11/30/2012	10		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/1/2005	11/30/2012	10		0		1,351.28	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Selenium	12/1/2005	11/30/2012	9		0		20.00	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Lead	12/1/2005	11/30/2012	10		0		244.77	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2005	11/30/2012	10		0		46.23	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2005	11/30/2012	10		0		1,589.59	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	10		0		28.97	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	12/1/2005	11/30/2012	10		0		340.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Aluminum	12/1/2005	11/30/2012	10		0		991.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2005	11/30/2012	9		0		338.72	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Zinc	12/1/2005	11/30/2012	9	2.06	0		262.86	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Arsenic	12/1/2005	11/30/2012	10	2.17	0		150.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	10	0.08	0		0.47	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2005	11/30/2012	10	1.13	0		160.56	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2005	11/30/2012	10	0.78	0		21.21	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2005	11/30/2012	10	0.14	0		6.91	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/1/2005	11/30/2012	10	4.01	0		115.57	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Selenium	12/1/2005	11/30/2012	9	1.12	0		5.00	LD	NC	<input type="checkbox"/>	NC		

2014 Texas Integrated Report: Assessment Results for Basin 19 - San Antonio River

AUID 1902_02 From 5 miles upstream of confluence with the San Antonio River to FM 541

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Habitat	Habitat	12/1/2005	11/30/2012	7	19.90			20.00	AD	NC	<input type="checkbox"/>	NC		
Fish Community	Fish Community	12/1/2005	11/30/2012	6	41.30			42.00	JQ	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	200	162.17	1		126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	5b

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2005	11/30/2012	79		0		32.20	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2005	11/30/2012	78		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2005	11/30/2012	78		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	211	124.51	0		275.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	211	639.95	0		900.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	208	94.07	0		170.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	35		0		14.10	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	68		0		0.69	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	68		5	2.51	1.95	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	68		0		0.33	AD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Chromium	12/1/2005	11/30/2012	10	1.13	0		502.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2005	11/30/2012	10	0.14	0		3.83	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel	12/1/2005	11/30/2012	10	4.01	0		1,140.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 19 - San Antonio River

AUID 1902_02 From 5 miles upstream of confluence with the San Antonio River to FM 541

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Antimony	12/1/2005	11/30/2012	1	0.04	0		1,071.00	ID	NA	<input type="checkbox"/>	NA		
HH Bioaccumulative Toxics in water	Thallium	12/1/2005	11/30/2012	1	0.02	0		1.50	ID	NA	<input type="checkbox"/>	NA		

2014 Texas Integrated Report: Assessment Results for Basin 19 - San Antonio River

AUID 1902_03 From FM 541 to confluence with Clifton Branch

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	20		1	3.7	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	20		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Fish Community	Fish Community	12/1/2005	11/30/2012						ID	NA	<input checked="" type="checkbox"/>	CN	impaired fish community	

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	24	126.37	0		126.00	AD	NS	<input checked="" type="checkbox"/>	NS	bacteria	5c

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2005	11/30/2012	20		0		32.20	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2005	11/30/2012	20		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2005	11/30/2012	20		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	211	124.51	0		275.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	211	639.95	0		900.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	208	94.07	0		170.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	23		2	18.85	14.10	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	22		0		0.69	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	24		6	2.58	1.95	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	24		0		0.33	AD	NC	<input type="checkbox"/>	NC		

2014 Texas Integrated Report: Assessment Results for Basin 19 - San Antonio River

AUID 1902_04 From confluence with Clifton Branch to the confluence with Elm Creek

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	24		0		5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	24		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2005	11/30/2012	1		0		36.21	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Chromium	12/1/2005	11/30/2012	1		0		1,285.23	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Zinc	12/1/2005	11/30/2012	1		0		271.86	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Nickel	12/1/2005	11/30/2012	1		0		1,084.92	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Aluminum	12/1/2005	11/30/2012	1		0		991.00	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	1		0		22.52	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Arsenic	12/1/2005	11/30/2012	1		0		340.00	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Lead	12/1/2005	11/30/2012	1		0		186.84	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Nickel	12/1/2005	11/30/2012	1	2.50	0		115.57	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Zinc	12/1/2005	11/30/2012	1	1.90	0		262.86	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Lead	12/1/2005	11/30/2012	1	0.06	0		6.91	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Copper	12/1/2005	11/30/2012	1	0.30	0		21.21	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Chromium	12/1/2005	11/30/2012	1	0.06	0		160.56	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	1	0.02	0		0.47	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Arsenic	12/1/2005	11/30/2012	1	0.42	0		150.00	ID	NA	<input type="checkbox"/>	NA		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	26	57.73	0		126.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 19 - San Antonio River

AUID 1902_04 From confluence with Clifton Branch to the confluence with Elm Creek

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2005	11/30/2012	24		0		32.20	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2005	11/30/2012	23		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2005	11/30/2012	23		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	211	124.51	0		275.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	211	639.95	0		900.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	208	94.07	0		170.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	26		3	0.8	0.69	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	25		5	56.46	14.10	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	28		11	3.16	1.95	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	28		0		0.33	AD	NC	<input type="checkbox"/>	NC		

2014 Texas Integrated Report: Assessment Results for Basin 19 - San Antonio River

AUID 1902_05 Upper end of segment

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	45		0		5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	45		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/1/2002	11/30/2012	10		0		5.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/1/2002	11/30/2012	10		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Habitat	Habitat	12/1/2005	11/30/2012	6	22.20			20.00	AD	NC	<input type="checkbox"/>	NC		
Fish Community	Fish Community	12/1/2005	11/30/2012	6	43.50			41.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	45	103.50	0		126.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2005	11/30/2012	45		0		32.20	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2005	11/30/2012	45		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2005	11/30/2012	45		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	211	639.95	0		900.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	208	94.07	0		170.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	211	124.51	0		275.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	29		2	25	14.10	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	45		26	1.01	0.69	AD	CS	<input type="checkbox"/>	CS	total phosphorus	
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	45		0		0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	45		18	3.42	1.95	AD	CS	<input type="checkbox"/>	CS	nitrate	

2014 Texas Integrated Report: Assessment Results for Basin 19 - San Antonio River

SEGID 1902A Martinez Creek

AUID 1902A_01 From confluence with Cibolo Creek to confluence with Salatrillo Creek

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	19		0		5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	19		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/1/2005	11/30/2012	2		0		5.00	ID	NA	<input type="checkbox"/>	NA		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/1/2005	11/30/2012	2		0		3.00	ID	NA	<input type="checkbox"/>	NA		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	18	292.88	1		126.00	LD	CN	<input type="checkbox"/>	CN	bacteria	

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	20		0		0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	19		15	1.3	0.69	AD	CS	<input type="checkbox"/>	CS	total phosphorus	
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	20		4	3.05	1.95	AD	NC	<input type="checkbox"/>	NC		

2014 Texas Integrated Report: Assessment Results for Basin 19 - San Antonio River

AUID 1902A_03 From confluence with Escondido Creek to about. 1.9 miles downstream of IH 10

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	6		0		4.00	LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	6		0		3.00	LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/1/2005	11/30/2012	1		0		4.00	ID	NA	<input type="checkbox"/>	NA		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/1/2005	11/30/2012	1		0		3.00	ID	NA	<input type="checkbox"/>	NA		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	6	390.58	1		126.00	LD	CN	<input type="checkbox"/>	CN	bacteria	

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	6		5	5.58	1.95	LD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	6		1	0.43	0.33	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	5		4	1.74	0.69	LD	CS	<input type="checkbox"/>	CS	total phosphorus	

2014 Texas Integrated Report: Assessment Results for Basin 19 - San Antonio River

AUID 1902A_04 From approximately 1.1 km downstream of FM 1516 to Binz-Engleman Road.

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	7		0		4.00	LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	7		0		3.00	LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/1/2005	11/30/2012	1		0		4.00	ID	NA	<input type="checkbox"/>	NA		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/1/2005	11/30/2012	1		0		3.00	ID	NA	<input type="checkbox"/>	NA		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	7	137.71	1		126.00	LD	CN	<input type="checkbox"/>	CN	bacteria	

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	7		4	3.55	1.95	LD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	7		0		0.33	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	6		4	1.34	0.69	LD	CS	<input type="checkbox"/>	CS	total phosphorus	

2014 Texas Integrated Report: Assessment Results for Basin 19 - San Antonio River

SEGID 1902B Salatrillo Creek

AUID 1902B_01 From the confluence with Martinez Creek to FM 78 in Converse

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	68		0		3.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	68		0		2.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/1/2005	11/30/2012	2		0		3.00	ID	NA	<input type="checkbox"/>	NA		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/1/2005	11/30/2012	2		0		2.00	ID	NA	<input type="checkbox"/>	NA		
Habitat	Habitat	12/1/2005	11/30/2012	1	20.50			4.00	LD	NC	<input type="checkbox"/>	NC		
Fish Community	Fish Community	12/1/2005	11/30/2012	1	41.80			11.00	LD	NC	<input type="checkbox"/>	NC		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	68	15.86	0		126.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	68		47	4.81	1.95	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	68		19	0.74	0.33	AD	CS	<input type="checkbox"/>	CS	ammonia	
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	64		62	2.8	0.69	AD	CS	<input type="checkbox"/>	CS	total phosphorus	
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	27		0		14.10	AD	NC	<input type="checkbox"/>	NC		

2014 Texas Integrated Report: Assessment Results for Basin 19 - San Antonio River

SEGID 1902C Clifton Branch

AUID 1902C_01 From the confluence of Lower Cibolo Creek upstream to the headwater 0.6 miles upstream of Wilson CR 424 north of Stockdale

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	19		9	2.4	5.00	AD	CS	<input type="checkbox"/>	CS	depressed dissolved oxygen	
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	21		6	1.77	3.00	AD	NS	<input type="checkbox"/>	NS	depressed dissolved oxygen	5c

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	22	137.93	1		126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	5c

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	26		0		1.95	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	26		6	0.9	0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	26		9	1.2	0.69	AD	CS	<input type="checkbox"/>	CS	total phosphorus	

2014 Texas Integrated Report: Assessment Results for Basin 19 - San Antonio River

SEGID **1903** **Medina River Below Medina Diversion Lake**

AUID **1903_01** Lower 5 miles of segment

USE **Aquatic Life Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	42		0		5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	42		0		3.00	AD	FS	<input type="checkbox"/>	FS		

USE **Recreation Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	45	109.60	0		126.00	AD	FS	<input type="checkbox"/>	FS		

USE **General Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2005	11/30/2012	42		0		32.20	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2005	11/30/2012	42		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2005	11/30/2012	42		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	195	44.91	0		120.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	200	66.10	0		120.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	215	461.88	0		700.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	28		27	9.85	1.95	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	26		4	0.66	0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	25		23	1.2	0.69	AD	CS	<input type="checkbox"/>	CS	total phosphorus	
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	27		1	19.8	14.10	AD	NC	<input type="checkbox"/>	NC		

USE **Public Water Supply Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	186	4.16	0		10.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 19 - San Antonio River

AUID 1903_01 Lower 5 miles of segment

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Fluoride	12/1/2005	11/30/2012	88	0.29	0		4.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 19 - San Antonio River

AUID 1903_02 From 5 mi upstream of San Antonio River to 1.5 mi upstream of Leon Creek

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	43		0		5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	43		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/1/2005	11/30/2012	5		0		5.00	LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/1/2005	11/30/2012	5		0		3.00	LD	NC	<input type="checkbox"/>	NC		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	39	142.10	1		126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	5c

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2005	11/30/2012	44		0		32.20	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2005	11/30/2012	44		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2005	11/30/2012	44		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	215	461.88	0		700.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	195	44.91	0		120.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	200	66.10	0		120.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	44		42	6.8	1.95	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	44		14	1.06	0.33	AD	CS	<input type="checkbox"/>	CS	ammonia	
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	44		32	1.34	0.69	AD	CS	<input type="checkbox"/>	CS	total phosphorus	
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	28		1	20	14.10	AD	NC	<input type="checkbox"/>	NC		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Fluoride	12/1/2005	11/30/2012	88		0		4.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 19 - San Antonio River

AUID 1903_02 From 5 mi upstream of San Antonio River to 1.5 mi upstream of Leon Creek

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	186	4.16	0		10.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 19 - San Antonio River

AUID 1903_03 From 1.5 miles upstream of Leon Cr to confluence with Live Oak Slough

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	17		0		5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	17		0		3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	16	93.85	0		126.00	LD	NC	<input type="checkbox"/>	NC		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2005	11/30/2012	17		0		32.20	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2005	11/30/2012	17		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2005	11/30/2012	17		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	215	461.88	0		700.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	195	44.91	0		120.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	200	66.10	0		120.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	17		0		0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	16		1	1.22	0.69	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	18		16	4.02	1.95	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	14		0		14.10	AD	NC	<input type="checkbox"/>	NC		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Fluoride	12/1/2005	11/30/2012	88	0.29	0		4.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	186	4.16	0		10.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 19 - San Antonio River

AUID 1903_04 From confluence with Live Oak Slough to upstream 25 miles.

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	80		0		5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	80		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/1/2005	11/30/2012	6		0		5.00	LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/1/2005	11/30/2012	6		0		3.00	LD	NC	<input type="checkbox"/>	NC		
Habitat	Habitat	12/1/2005	11/30/2012	6	20.00			20.00	AD	NC	<input type="checkbox"/>	NC		
Fish Community	Fish Community	12/1/2005	11/30/2012	6	43.50			41.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	75	88.90	0		126.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2005	11/30/2012	80		0		32.20	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2005	11/30/2012	80		1	9.1	9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2005	11/30/2012	80		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	215	461.88	0		700.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	195	44.91	0		120.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	200	66.10	0		120.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	73		0		0.69	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	55		1	18.5	14.10	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	82		0		0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	81		38	3.15	1.95	AD	CS	<input type="checkbox"/>	CS	nitrate	

2014 Texas Integrated Report: Assessment Results for Basin 19 - San Antonio River

AUID 1903_04 From confluence with Live Oak Slough to upstream 25 miles.

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	186	4.16	0		10.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Fluoride	12/1/2005	11/30/2012	88	0.29	0		4.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 19 - San Antonio River

AUID 1903_05 Upper 32 miles of segment

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	25		0		5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	25		0		3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	27	12.61	0		126.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2005	11/30/2012	25		0		32.20	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2005	11/30/2012	25		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2005	11/30/2012	25		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	200	66.10	0		120.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	195	44.91	0		120.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	215	461.88	0		700.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	28		0		1.95	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	29		0		0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	28		0		0.69	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	26		0		14.10	AD	NC	<input type="checkbox"/>	NC		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Fluoride	12/1/2005	11/30/2012	88	0.29	0		4.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	186	4.16	0		10.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 19 - San Antonio River

SEGID 1904 Medina Lake

AUID 1904_01 Lower portion, from dam west to Masterson Point and east to Reuters Cove

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	25		0		5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	25		0		3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	22	3.43	0		126.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2005	11/30/2012	26		0		31.10	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2005	11/30/2012	25		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2005	11/30/2012	25		2	5.83	6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	49	272.66	0		350.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	46	12.37	0		80.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	47	56.60	0		75.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	24		1	0.5	0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	19		0		26.70	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	22		0		0.20	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	22		0		0.11	AD	NC	<input type="checkbox"/>	NC		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Fluoride	12/1/2005	11/30/2012	47	0.14	0		4.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 19 - San Antonio River

AUID 1904_01 Lower portion, from dam west to Masterson Point and east to Reuters Cove

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	43	0.15	0		10.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 19 - San Antonio River

AUID 1904_02 Part of lake extending upstream from Brushy Creek to upper end of segment

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	21		0		5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	21		0		3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	21	3.92	0		126.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2005	11/30/2012	21		1	31.6	31.10	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2005	11/30/2012	21		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2005	11/30/2012	21		2	5.65	6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	46	12.37	0		80.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	47	56.60	0		75.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	49	272.66	0		350.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	19		3	0.73	0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	18		0		0.11	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	17		0		0.20	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	16		0		26.70	AD	NC	<input type="checkbox"/>	NC		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Fluoride	12/1/2005	11/30/2012	47	0.14	0		4.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	43	0.15	0		10.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 19 - San Antonio River

SEGID **1905 Medina River Above Medina Lake**

AUID **1905_01** From lower end of segment to RR 470, upstream of Bandera

USE **Aquatic Life Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	48		1	5.5	6.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	48		0		4.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/1/2005	11/30/2012	6		0		6.00	LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/1/2005	11/30/2012	6		0		4.00	LD	NC	<input type="checkbox"/>	NC		
Habitat	Habitat	12/1/2005	11/30/2012	6	18.80			26.00	AD	CS	<input type="checkbox"/>	CS	impaired habitat	
Fish Community	Fish Community	12/1/2005	11/30/2012	6	46.40			52.00	AD	NS	<input type="checkbox"/>	NS	impaired fish community	5c

USE **Recreation Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	48	45.90	0		126.00	AD	FS	<input type="checkbox"/>	FS		

USE **General Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2005	11/30/2012	48		0		31.10	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2005	11/30/2012	48		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2005	11/30/2012	48		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	50	394.77	0		400.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	48	15.25	0		50.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	48	95.75	0		150.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	48		0		1.95	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	48		0		0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	47		0		0.69	AD	NC	<input type="checkbox"/>	NC		

2014 Texas Integrated Report: Assessment Results for Basin 19 - San Antonio River

AUID 1905_01 From lower end of segment to RR 470, upstream of Bandera

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	27		1	15	14.10	AD	NC	<input type="checkbox"/>	NC		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	27	0.40	0		10.00	AD	FS	<input type="checkbox"/>	FS		

AUID 1905_02 Remainder of segment

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Fish Community	Fish Community	12/1/2005	11/30/2012			1		52.00	ID	NA	<input checked="" type="checkbox"/>	CN	impaired fish community	

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	50		0		400.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	48		0		50.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	48		0		150.00	AD	FS	<input type="checkbox"/>	FS		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	27		0		10.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 19 - San Antonio River

SEGID 1905A North Prong Medina River

AUID 1905A_01 Entire water body

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	32		3	3.77	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	32		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/1/2005	11/30/2012	2		0		5.00	ID	NA	<input type="checkbox"/>	NA		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/1/2005	11/30/2012	2		0		3.00	ID	NA	<input type="checkbox"/>	NA		
Habitat	Habitat	12/1/2005	11/30/2012	2	21.80			20.00	AD	NC	<input type="checkbox"/>	NC		
Macrobenthic Community	Macrobenthic Community	12/1/2005	11/30/2012	2	33.90			29.00	AD	FS	<input type="checkbox"/>	FS		
Fish Community	Fish Community	12/1/2005	11/30/2012	2	50.40			42.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	33	33.80	0		126.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	33		0		1.95	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	33		0		0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	33		0		0.69	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	31		0		14.10	AD	NC	<input type="checkbox"/>	NC		

2014 Texas Integrated Report: Assessment Results for Basin 19 - San Antonio River

SEGID 1906 Lower Leon Creek

AUID 1906_01 From the confluence of the Medina River upstream approximate 3.5 miles to the northside of Toyota plant

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	47		2	4.1	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	47		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/1/2005	11/30/2012	7		0		5.00	LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/1/2005	11/30/2012	7		0		3.00	LD	NC	<input type="checkbox"/>	NC		
Habitat	Habitat	12/1/2005	11/30/2012	7	24.40			20.00	AD	NC	<input type="checkbox"/>	NC		
Fish Community	Fish Community	12/1/2005	11/30/2012	7	44.00			41.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	47	25.47	0		126.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2005	11/30/2012	47		0		35.00	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2005	11/30/2012	47		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2005	11/30/2012	47		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	113	54.59	0		120.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	116	81.27	0		120.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	201	532.78	0		700.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	47		0		0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	47		0		0.69	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	23		4	52.75	14.10	AD	NC	<input type="checkbox"/>	NC		

2014 Texas Integrated Report: Assessment Results for Basin 19 - San Antonio River

AUID 1906_01 From the confluence of the Medina River upstream approximate 3.5 miles to the northside of Toyota plant

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	47		2	2.17	1.95	AD	NC	<input type="checkbox"/>	NC		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	97	0.62	0		10.00	AD	FS	<input type="checkbox"/>	FS		

AUID 1906_02 From the northside of the Toyota plant upstream to the confluence of Indian Creek

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	24		0		5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	24		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/1/2005	11/30/2012	10		1	4.7	5.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/1/2005	11/30/2012	10		1	0.6	3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	23	67.17	0		126.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2005	11/30/2012	24		0		35.00	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2005	11/30/2012	24		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2005	11/30/2012	24		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	201	532.78	0		700.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	113		0		120.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	116		0		120.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 19 - San Antonio River

AUID 1906_03 From confluence with Indian Creek to Hwy 353 (New Laredo Hwy)

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	28		2	3.4	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	28		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	12/1/2005	11/30/2012	26		0		340.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2005	11/30/2012	26		0		267.26	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Selenium	12/1/2005	11/30/2012	25		0		20.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/1/2005	11/30/2012	26		0		1,066.57	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2005	11/30/2012	26		0		182.93	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2005	11/30/2012	19		0		35.52	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	26		0		22.08	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Aluminum	12/1/2005	11/30/2012	26		0		991.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2005	11/30/2012	26		0		1,264.18	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2005	11/30/2012	26	0.21	0		6.80	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Selenium	12/1/2005	11/30/2012	25	0.14	0		5.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2005	11/30/2012	26	2.64	0		259.39	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/1/2005	11/30/2012	26	2.91	0		114.05	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2005	11/30/2012	26	2.00	0		158.51	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic	12/1/2005	11/30/2012	26	2.86	0		150.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	26	0.12	0		0.47	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2005	11/30/2012	19	1.12	0		20.93	AD	FS	<input type="checkbox"/>	FS		
Toxic Substances in sediment	Copper	12/1/2005	11/30/2012	20		0		149.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Iron	12/1/2005	11/30/2012	20		0		40,000.00	AD	NC	<input type="checkbox"/>	NC		

2014 Texas Integrated Report: Assessment Results for Basin 19 - San Antonio River

AUID 1906_03 From confluence with Indian Creek to Hwy 353 (New Laredo Hwy)

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Toxic Substances in sediment	Zinc	12/1/2005	11/30/2012	20		0		459.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Silver	12/1/2005	11/30/2012	19		5	6.43	2.20	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Nickel	12/1/2005	11/30/2012	19		3	51.6	48.60	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Mercury	12/1/2005	11/30/2012	17		0		1.06	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Lead	12/1/2005	11/30/2012	20		2	130.5	128.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Chromium	12/1/2005	11/30/2012	19		2	126.5	111.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Cadmium	12/1/2005	11/30/2012	20		2	6.8	4.98	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Arsenic	12/1/2005	11/30/2012	20		0		33.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Manganese	12/1/2005	11/30/2012	20		0		1,100.00	AD	NC	<input type="checkbox"/>	NC		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	28	92.14	0		126.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2005	11/30/2012	28		0		35.00	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2005	11/30/2012	28		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2005	11/30/2012	28		1	6.3	6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	201	532.78	0		700.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	113	54.59	0		120.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	116	81.27	0		120.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	26		0		0.69	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	28		0		14.10	AD	NC	<input type="checkbox"/>	NC		

2014 Texas Integrated Report: Assessment Results for Basin 19 - San Antonio River

AUID 1906_03 From confluence with Indian Creek to Hwy 353 (New Laredo Hwy)

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	28		0		0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	26		0		1.95	AD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	PCBs in edible tissue	5a
DSHS Advisories, Closures, and Risk Assessments	Restricted and No-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	PCBs in edible tissue	5a
HH Bioaccumulative Toxics in water	Cadmium	12/1/2005	11/30/2012	36	0.17	0		5.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Chromium	12/1/2005	11/30/2012	37	2.00	0		62.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2005	11/30/2012	36	0.18	0		1.15	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel	12/1/2005	11/30/2012	37	2.77	0		332.00	AD	FS	<input type="checkbox"/>	FS		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Fluoride	12/1/2005	11/30/2012	54	0.18	0		4.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Cadmium	12/1/2005	11/30/2012	36	0.17	0		5.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Lead	12/1/2005	11/30/2012	36	0.18	0		1.15	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nickel	12/1/2005	11/30/2012	37	2.77	0		332.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	97	0.62	0		10.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Selenium	12/1/2005	11/30/2012	36	0.16	0		50.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Arsenic	12/1/2005	11/30/2012	36	2.08	0		10.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 19 - San Antonio River

AUID 1906_04 From Hwy 353 (New Laredo Hwy) upstream approximately 2 miles to a point southeast of Pearsall Park

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	26		4	4.15	5.00	SM	CN	<input checked="" type="checkbox"/>	CN	depressed dissolved oxygen	
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	26		0		3.00	AD	NS	<input checked="" type="checkbox"/>	NS	depressed dissolved oxygen	5a
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/1/2005	11/30/2012	10		1	4.1	5.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/1/2005	11/30/2012	10		2	2.7	3.00	AD	CN	<input type="checkbox"/>	CN	depressed dissolved oxygen	
Toxic Substances in sediment	Silver	12/1/2005	11/30/2012	0					ID	NA	<input checked="" type="checkbox"/>	NA		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	23	107.96	0		126.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2005	11/30/2012	26		0		35.00	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2005	11/30/2012	26		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2005	11/30/2012	26		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	116		0		120.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	201	532.78	0		700.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	113		0		120.00	AD	FS	<input type="checkbox"/>	FS		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Restricted and No-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	PCBs in edible tissue	5a

2014 Texas Integrated Report: Assessment Results for Basin 19 - San Antonio River

AUID 1906_05 From a point southeast of Pearsall Park upstream to US 90 on the westside of San Antonio

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	29		3	4.53	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	29		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/1/2005	11/30/2012	10		2	4.75	5.00	AD	CN	<input type="checkbox"/>	CN	depressed dissolved oxygen	
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/1/2005	11/30/2012	10		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2005	11/30/2012	26		0		1,127.48	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2005	11/30/2012	26		0		237.42	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Selenium	12/1/2005	11/30/2012	26		0		20.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/1/2005	11/30/2012	26		0		947.66	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2005	11/30/2012	18		0		31.14	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	25		0		19.28	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	12/1/2005	11/30/2012	25		0		340.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Aluminum	12/1/2005	11/30/2012	26		0		991.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2005	11/30/2012	25		0		157.93	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2005	11/30/2012	25	0.17	0		6.80	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Selenium	12/1/2005	11/30/2012	26	0.16	0		5.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2005	11/30/2012	26	2.08	0		259.39	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/1/2005	11/30/2012	26	2.88	0		114.05	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2005	11/30/2012	26	2.00	0		158.51	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	25	0.12	0		0.47	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic	12/1/2005	11/30/2012	25	2.47	0		150.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2005	11/30/2012	18	1.29	0		20.93	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 19 - San Antonio River

AUID 1906_05 From a point southeast of Pearsall Park upstream to US 90 on the westside of San Antonio

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Toxic Substances in sediment	Manganese	12/1/2005	11/30/2012	20		0		1,100.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Iron	12/1/2005	11/30/2012	20		0		40,000.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Zinc	12/1/2005	11/30/2012	20		0		459.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Silver	12/1/2005	11/30/2012	19		5	6.43	2.20	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Mercury	12/1/2005	11/30/2012	17		0		1.06	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Lead	12/1/2005	11/30/2012	20		2	130.5	128.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Copper	12/1/2005	11/30/2012	20		0		149.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Chromium	12/1/2005	11/30/2012	19		2	126.5	111.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Cadmium	12/1/2005	11/30/2012	20		2	6.8	4.98	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Arsenic	12/1/2005	11/30/2012	20		0		33.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Nickel	12/1/2005	11/30/2012	19		3	51.6	48.60	AD	NC	<input type="checkbox"/>	NC		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	27	72.60	0		126.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2005	11/30/2012	29		0		35.00	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2005	11/30/2012	29		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2005	11/30/2012	29		2	6.35	6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	201	532.78	0		700.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	116	81.27	0		120.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	113	54.59	0		120.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 19 - San Antonio River

AUID 1906_05 From a point southeast of Pearsall Park upstream to US 90 on the westside of San Antonio

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	26		0		1.95	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	28		0		0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	25		0		0.69	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	28		6	33.33	14.10	AD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Restricted and No-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	PCBs in edible tissue	5a
DSHS Advisories, Closures, and Risk Assessments	Restricted and No-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	PCBs in edible tissue	5a
HH Bioaccumulative Toxics in water	Chromium	12/1/2005	11/30/2012	37	2.00	0		62.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2005	11/30/2012	36	0.18	0		1.15	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Cadmium	12/1/2005	11/30/2012	36	0.17	0		5.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel	12/1/2005	11/30/2012	37	2.77	0		332.00	AD	FS	<input type="checkbox"/>	FS		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Arsenic	12/1/2005	11/30/2012	36	2.08	0		10.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Cadmium	12/1/2005	11/30/2012	36	0.17	0		5.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Fluoride	12/1/2005	11/30/2012	54	0.18	0		4.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Lead	12/1/2005	11/30/2012	36	0.18	0		1.15	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nickel	12/1/2005	11/30/2012	37	2.77	0		332.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	97	0.62	0		10.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Selenium	12/1/2005	11/30/2012	36	0.16	0		50.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 19 - San Antonio River

AUID 1906_06 From US 90 on the westside of San Antonio upstream to a point 100 meters upstream of SH 16 northwest of San Antonio

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	29		1	4.9	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	29		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Toxic Substances in sediment	Silver	12/1/2005	11/30/2012	0					ID	NA	<input checked="" type="checkbox"/>	CS	silver in sediment	

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	28	75.57	0		126.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2005	11/30/2012	29		0		35.00	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2005	11/30/2012	29		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2005	11/30/2012	29		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	201	532.78	0		700.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	113	54.59	0		120.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	116	81.27	0		120.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	12		1	2.47	1.95	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	13		5	18.56	14.10	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	13		0		0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	12		0		0.69	AD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Restricted and No-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	PCBs in edible tissue	5a
DSHS Advisories, Closures, and Risk Assessments	Restricted and No-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	PCBs in edible tissue	5a

2014 Texas Integrated Report: Assessment Results for Basin 19 - San Antonio River

AUID

1906_06

From US 90 on the westside of San Antonio upstream to a point 100 meters upstream of SH 16 northwest of San Antonio

USE

Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Fluoride	12/1/2005	11/30/2012	54	0.18	0		4.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	97	0.62	0		10.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 19 - San Antonio River

SEGID 1907 Upper Leon Creek

AUID 1907_01 Entire segment

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	5		0		5.00	LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	5		0		3.00	LD	NC	<input type="checkbox"/>	NC		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	6	66.01	0		126.00	LD	NC	<input type="checkbox"/>	NC		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2005	11/30/2012	5		0		35.00	LD	NC	<input type="checkbox"/>	NC		
High pH	pH	12/1/2005	11/30/2012	5		0		9.00	LD	NC	<input type="checkbox"/>	NC		
Low pH	pH	12/1/2005	11/30/2012	5		0		6.50	LD	NC	<input type="checkbox"/>	NC		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	5	468.00	0		550.00	LD	NC	<input type="checkbox"/>	NC		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	6	38.33	0		55.00	LD	NC	<input type="checkbox"/>	NC		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	6	47.33	0		240.00	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	6		0		0.69	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	5		0		14.10	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	6		0		0.33	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	6		2	2.27	1.95	LD	NC	<input type="checkbox"/>	NC		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	6	1.41	0		10.00	LD	NC	<input type="checkbox"/>	NC		

2014 Texas Integrated Report: Assessment Results for Basin 19 - San Antonio River

AUID	1907_01	Entire segment
-------------	---------	----------------

USE	Public Water Supply Use
------------	-------------------------

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Fluoride	12/1/2005	11/30/2012	6	0.13	0		4.00	LD	NC	<input type="checkbox"/>	NC		

2014 Texas Integrated Report: Assessment Results for Basin 19 - San Antonio River

SEGID 1908 Upper Cibolo Creek

AUID 1908_01 From confluence. with Balcones Ck. to approx. 2 mi. upstream of Hwy 87 in Boerne

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	66		15	4.2	5.00	AD	CS	<input type="checkbox"/>	CS	depressed dissolved oxygen	
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	66		2	2.45	3.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/1/2005	11/30/2012	1		0		5.00	ID	NA	<input type="checkbox"/>	NA		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/1/2005	11/30/2012	1		0		3.00	ID	NA	<input type="checkbox"/>	NA		
Habitat	Habitat	12/1/2005	11/30/2012	6	23.00			20.00	AD	NC	<input type="checkbox"/>	NC		
Macrobenthic Community	Macrobenthic Community	12/1/2005	11/30/2012	6	39.00			29.00	AD	FS	<input type="checkbox"/>	FS		
Fish Community	Fish Community	12/1/2005	11/30/2012	6	51.00			42.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	26	74.16	0		126.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2005	11/30/2012	66		0		32.20	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2005	11/30/2012	63		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2005	11/30/2012	63		1	5.8	6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	66	470.24	0		600.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	66	62.05	1		50.00	AD	NS	<input type="checkbox"/>	NS	chloride	5c
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	28	49.32	0		100.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	65		0		0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	57		35	2.04	0.69	AD	CS	<input type="checkbox"/>	CS	total phosphorus	

2014 Texas Integrated Report: Assessment Results for Basin 19 - San Antonio River

AUID 1908_01 From confluence. with Balcones Ck. to approx. 2 mi. upstream of Hwy 87 in Boerne

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	61		4	4.56	1.95	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	62		4	28.75	14.10	AD	NC	<input type="checkbox"/>	NC		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Fluoride	12/1/2005	11/30/2012	28	0.27	0		4.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	53	0.76	0		10.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 19 - San Antonio River

AUID 1908_02 From approx. 2 mi. upstream of Hwy 87 in Boerne to upper end of segment

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Habitat	Habitat	12/1/2005	11/30/2012	0		0		20.00	ID	NA	<input checked="" type="checkbox"/>	CS	impaired habitat	

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	1	180.00	1		126.00	ID	NA	<input checked="" type="checkbox"/>	NS	bacteria	5c

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	66	470.24	0		600.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	66	62.05	1		50.00	AD	NS	<input type="checkbox"/>	NS	chloride	5c
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	28	49.32	0		100.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	1		0		1.95	ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	1		0		14.10	ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	1		0		0.33	ID	NA	<input type="checkbox"/>	NA		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Fluoride	12/1/2005	11/30/2012	28	0.27	0		4.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	53	0.76	0		10.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 19 - San Antonio River

AUID 1908_03 Lower 43 miles of segment

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	66	470.24	0		600.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	66	62.05	1		50.00	AD	NS	<input type="checkbox"/>	NS	chloride	5c
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	28	49.32	0		100.00	AD	FS	<input type="checkbox"/>	FS		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Fluoride	12/1/2005	11/30/2012	28		0		4.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	53		0		10.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 19 - San Antonio River

SEGID 1909 Medina Diversion Lake

AUID 1909_01 Entire segment

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	15		0		5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	15		0		3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	17	11.26	0		126.00	LD	NC	<input type="checkbox"/>	NC		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2005	11/30/2012	15		0		32.20	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2005	11/30/2012	15		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2005	11/30/2012	15		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	15	269.70	0		400.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	19	11.63	0		50.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	20	50.35	0		75.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	19		0		0.20	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	20		0		0.11	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	20		5	0.63	0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	19		0		26.70	AD	NC	<input type="checkbox"/>	NC		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Fluoride	12/1/2005	11/30/2012	20	0.15	0		4.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 19 - San Antonio River

AUID	1909_01	Entire segment
-------------	---------	----------------

USE	Public Water Supply Use
------------	-------------------------

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	20	0.29	0		10.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 19 - San Antonio River

SEGID 1910 Salado Creek

AUID 1910_01 From confluence with San Antonio River to confluence with Rosillo Creek

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	84		0		5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	84		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/1/2005	11/30/2012	7		0		5.00	LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/1/2005	11/30/2012	7		0		3.00	LD	NC	<input type="checkbox"/>	NC		
Habitat	Habitat	12/1/2005	11/30/2012	7	21.90			20.00		NC	<input type="checkbox"/>	NC		
Fish Community	Fish Community	12/1/2005	11/30/2012	7	41.00			41.00	JQ	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	85	53.11	0		126.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2005	11/30/2012	85		0		32.20	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2005	11/30/2012	84		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2005	11/30/2012	84		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	496	496.93	0		600.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	202	55.79	0		140.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	205	65.66	0		200.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	47		1	0.7	0.69	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	48		0		0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	48		2	12.32	1.95	AD	NC	<input type="checkbox"/>	NC		

2014 Texas Integrated Report: Assessment Results for Basin 19 - San Antonio River

AUID 1910_01 From confluence with San Antonio River to confluence with Rosillo Creek

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	29		3	26.67	14.10	AD	NC	<input type="checkbox"/>	NC		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Fluoride	12/1/2005	11/30/2012	15		0		4.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	196	1.55	0		10.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 19 - San Antonio River

AUID 1910_02 From the confluence with Rosillo Creek up to the confluence with Pershing Creek.

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	234		54	3.98	5.00	AD	CS	<input type="checkbox"/>	CS	depressed dissolved oxygen	
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	234		5	2.4	3.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/1/2005	11/30/2012	11		1	4.8	5.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/1/2005	11/30/2012	11		1	2.8	3.00	AD	FS	<input type="checkbox"/>	FS		
Habitat	Habitat	12/1/2005	11/30/2012	11	22.60			20.00	AD	NC	<input type="checkbox"/>	NC		
Macrobenthic Community	Macrobenthic Community	12/1/2005	11/30/2012						ID	NA	<input checked="" type="checkbox"/>	NS	impaired macrobenthic community	5c
Fish Community	Fish Community	12/1/2005	11/30/2012	11	41.40			41.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	190	114.63	0		126.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2005	11/30/2012	237		0		32.20	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2005	11/30/2012	235		1	11.7	9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2005	11/30/2012	235		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	496	496.93	0		600.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	202	55.79	0		140.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	205	65.66	0		200.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	106		21	2.88	1.95	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	67		4	82.05	14.10	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	101		1	0.76	0.69	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	105		0		0.33	AD	NC	<input type="checkbox"/>	NC		

2014 Texas Integrated Report: Assessment Results for Basin 19 - San Antonio River

AUID

1910_02

From the confluence with Rosillo Creek up to the confluence with Pershing Creek.

USE

Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Fluoride	12/1/2005	11/30/2012	15		0		4.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	196	1.55	0		10.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 19 - San Antonio River

AUID

1910_03

From the confluence with Pershing Creek up to the confluence with Walzem Creek.

USE

Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	131		13	2.91	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	131		6	1.75	3.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/1/2005	11/30/2012	6		1	4.6	5.00	LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/1/2005	11/30/2012	4				3.00	LD	NC	<input type="checkbox"/>	NC		
Habitat	Habitat	12/1/2005	11/30/2012	6	22.10			20.00	AD	NC	<input type="checkbox"/>	NC		
Fish Community	Fish Community	12/1/2005	11/30/2012	6	40.10			41.00	TR	NA	<input type="checkbox"/>	NA		

USE

Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	118	145.94	1		126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	4a

USE

General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2005	11/30/2012	138		1	33.5	32.20	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2005	11/30/2012	137		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2005	11/30/2012	137		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	496	496.93	0		600.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	202	55.79	0		140.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	205	65.66	0		200.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	42		1	1.47	0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	42		7	1.49	0.69	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	25		1	23	14.10	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	43		18	6.69	1.95	AD	CS	<input type="checkbox"/>	CS	nitrate	

2014 Texas Integrated Report: Assessment Results for Basin 19 - San Antonio River

AUID

1910_03

From the confluence with Pershing Creek up to the confluence with Walzem Creek.

USE

Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Fluoride	12/1/2005	11/30/2012	15		0		4.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	196	1.55	0		10.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 19 - San Antonio River

AUID 1910_04 From the confluence with Walzem Creek up to the confluence with Beitel Creek

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	42		8	3.81	5.00	AD	CS	<input type="checkbox"/>	CS	depressed dissolved oxygen	
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	40				3.00	AD	FS	<input checked="" type="checkbox"/>	NS	depressed dissolved oxygen	4a

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	40	160.09	1		126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	4a

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2005	11/30/2012	45		0		32.20	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2005	11/30/2012	44		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2005	11/30/2012	44		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	202	55.79	0		140.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	205	65.66	0		200.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	496	496.93	0		600.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	8		0		1.95	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	8		0		0.33	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	8		0		0.69	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	2		0		14.10	ID	NA	<input type="checkbox"/>	NA		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	196	1.55	0		10.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Fluoride	12/1/2005	11/30/2012	15		0		4.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 19 - San Antonio River

SEGID 1910A Walzem Creek

AUID 1910A_01 Lower 1.5 miles of segment

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	42		0		5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	42		0		3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	44	289.93	1		126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	4a

SEGID 1910B Rosillo Creek

AUID 1910B_01 Entire water body

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	47		5	2.06	3.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	47		2	1.3	2.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	47	60.23	0		126.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 19 - San Antonio River

SEGID 1910C Salado Creek Tributary

AUID 1910C_01 Entire water body

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	19		0		2.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	19		0		1.50	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	19	246.92	1		126.00	LD	CN	<input type="checkbox"/>	CN	bacteria	

SEGID 1910D Menger Creek

AUID 1910D_01 Entire water body

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	18		8	3.41	5.00	AD	CS	<input type="checkbox"/>	CS	depressed dissolved oxygen	
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	18		4	2.23	3.00	AD	NS	<input type="checkbox"/>	NS	depressed dissolved oxygen	5c

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	18	608.68	1		126.00	LD	NS	<input checked="" type="checkbox"/>	NS	bacteria	5c

2014 Texas Integrated Report: Assessment Results for Basin 19 - San Antonio River

SEGID 1910E Beitel Creek

AUID 1910E_01 Entire water body

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	23		4	1.85	3.00	AD	CS	<input type="checkbox"/>	CS	depressed dissolved oxygen	
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	23		2	1.25	2.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	24	125.25	0		126.00	AD	FS	<input type="checkbox"/>	FS		

SEGID 1910F Upper Salado Creek

AUID 1910F_01 Upper Salado Creek an Appendix D section from the confluence with Beitel Creek upstream to Nacogdoches Road

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	22		3	3.53	4.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	22		0		3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	26	38.80	0		126.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	8		5	30.32	14.10	LD	CS	<input type="checkbox"/>	CS	chlorophyll-a	
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	7		0		0.69	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	8		0		0.33	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	8		0		1.95	LD	NC	<input type="checkbox"/>	NC		

2014 Texas Integrated Report: Assessment Results for Basin 19 - San Antonio River

SEGID 1911 Upper San Antonio River

AUID 1911_01 From the lower end of the segment up to just upstream of the confluence with Olmos Creek.

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	117		0		5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	117		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2005	11/30/2012	10		0		1,567.24	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2005	11/30/2012	9		0		333.80	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Selenium	12/1/2005	11/30/2012	10		0		20.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/1/2005	11/30/2012	10		0		1,331.66	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2005	11/30/2012	10		0		45.49	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	10		0		28.48	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	12/1/2005	11/30/2012	10		0		340.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Aluminum	12/1/2005	11/30/2012	10		0		991.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2005	11/30/2012	10		0		240.43	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2005	11/30/2012	10	0.18	0		5.36	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2005	11/30/2012	9	6.64	0		214.35	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Nickel	12/1/2005	11/30/2012	10	3.47	0		94.27	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2005	11/30/2012	10	1.13	0		131.82	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	10	0.08	0		0.40	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic	12/1/2005	11/30/2012	10	1.63	0		150.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Selenium	12/1/2005	11/30/2012	10	0.71	0		5.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2005	11/30/2012	10	1.96	0		17.27	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 19 - San Antonio River

AUID 1911_01 From the lower end of the segment up to just upstream of the confluence with Olmos Creek.

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	355	76.74	0		126.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2005	11/30/2012	117		5	32.58	32.20	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2005	11/30/2012	115		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2005	11/30/2012	115		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	1868	505.02	0		750.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	1066	76.10	0		150.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	1067	57.64	0		150.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	85		82	9.92	1.95	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	85		1	1.05	0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	85		64	1.21	0.69	AD	CS	<input type="checkbox"/>	CS	total phosphorus	
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	36		3	26.33	14.10	AD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Risk Assess.- No Advisory	12/1/2003	11/30/2010						OE	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Nickel	12/1/2005	11/30/2012	50	2.40	0		1,140.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Chromium	12/1/2005	11/30/2012	50	1.12	0		502.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2005	11/30/2012	50	0.16	0		3.83	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 19 - San Antonio River

AUID 1911_02 From the confluence with Olmos Creek up to just upstream of the confluence with Pico Creek .

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	44		0		5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	44		0		3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	44	140.51	1		126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	4a

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2005	11/30/2012	45		0		32.20	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2005	11/30/2012	45		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2005	11/30/2012	45		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	1868	505.02	0		750.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	1066	76.10	0		150.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	1067	57.64	0		150.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	40		39	9.65	1.95	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	6		0		14.10	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	40		0		0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	39		32	1.33	0.69	AD	CS	<input type="checkbox"/>	CS	total phosphorus	

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Risk Assess.- No Advisory	12/1/2003	11/30/2010						OE	NC	<input type="checkbox"/>	NC		

2014 Texas Integrated Report: Assessment Results for Basin 19 - San Antonio River

AUID

1911_03

From just upstream of the confluence with Picos Creek up to just upstream of the confluence with Lodi Branch in Floresville, Wilson County, Texas.

USE

Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	113		0		5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	113		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	12/1/2005	11/30/2012	10		0		340.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2005	11/30/2012	9		0		392.91	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Selenium	12/1/2005	11/30/2012	10		0		20.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/1/2005	11/30/2012	10		0		1,567.11	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2005	11/30/2012	10		0		293.08	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	10		0		34.33	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2005	11/30/2012	10		0		1,834.79	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Aluminum	12/1/2005	11/30/2012	10		0		991.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2005	11/30/2012	10		0		54.53	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/1/2005	11/30/2012	10	3.00	0		94.27	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Selenium	12/1/2005	11/30/2012	10	0.60	0		5.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2005	11/30/2012	10	0.17	0		5.36	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2005	11/30/2012	10	1.87	0		17.27	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2005	11/30/2012	10	1.16	0		131.82	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	10	0.08	0		0.40	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic	12/1/2005	11/30/2012	10	1.40	0		150.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2005	11/30/2012	9	8.03	0		214.35	LD	NC	<input type="checkbox"/>	NC		

2014 Texas Integrated Report: Assessment Results for Basin 19 - San Antonio River

AUID 1911_03 From just upstream of the confluence with Picos Creek up to just upstream of the confluence with Lodi Branch in Floresville, Wilson County, Texas.

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	358	133.30	1		126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	4a

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2005	11/30/2012	113		1	32.4	32.20	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2005	11/30/2012	110		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2005	11/30/2012	110		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	1067	57.64	0		150.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	1868	505.02	0		750.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	1066	76.10	0		150.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	84		71	1.27	0.69	AD	CS	<input type="checkbox"/>	CS	total phosphorus	
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	43		2	37.5	14.10	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	84		81	10.22	1.95	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	84		4	0.45	0.33	AD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Risk Assess.- No Advisory	12/1/2003	11/30/2010						OE	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Chromium	12/1/2005	11/30/2012	50	1.12	0		502.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2005	11/30/2012	50	0.16	0		3.83	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel	12/1/2005	11/30/2012	50	2.40	0		1,140.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 19 - San Antonio River

AUID 1911_04 From just upstream of the confluence with Lodi Branch in Floresville, Wilson County, Texas up to just upstream of the confluence with Calaveras Creek.

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	97		1	4.6	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	97		0		3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	96	81.19	0		126.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2005	11/30/2012	97		0		32.20	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2005	11/30/2012	97		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2005	11/30/2012	97		1	4.8	6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	1868	505.02	0		750.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	1066	76.10	0		150.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	1067	57.64	0		150.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	21		18	1.33	0.69	AD	CS	<input type="checkbox"/>	CS	total phosphorus	
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	21		2	0.44	0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	21		18	10.1	1.95	AD	CS	<input type="checkbox"/>	CS	nitrate	

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Risk Assess.- No Advisory	12/1/2003	11/30/2010						OE	NC	<input type="checkbox"/>	NC		

2014 Texas Integrated Report: Assessment Results for Basin 19 - San Antonio River

AUID 1911_05 From just upstream of the confluence with Calaveras Creek up to just upstream of the confluence with the Medina River.

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	217		1	0.7	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	217		1	0.7	3.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/1/2002	11/30/2012	10		0		5.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/1/2002	11/30/2012	10		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	11		0		24.22	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2005	11/30/2012	10		0		289.68	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Selenium	12/1/2005	11/30/2012	10		0		20.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/1/2005	11/30/2012	11		0		1,155.89	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2005	11/30/2012	11		0		202.06	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2005	11/30/2012	11		0		1,366.54	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	12/1/2005	11/30/2012	11		0		340.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Aluminum	12/1/2005	11/30/2012	11		0		991.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2005	11/30/2012	11		0		38.85	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2005	11/30/2012	11	0.14	0		5.36	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2005	11/30/2012	11	1.62	0		17.27	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2005	11/30/2012	10	11.24	0		214.35	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Selenium	12/1/2005	11/30/2012	10	0.60	0		5.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2005	11/30/2012	11	1.06	0		131.82	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	11	0.08	0		0.40	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic	12/1/2005	11/30/2012	11	0.90	0		150.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/1/2005	11/30/2012	11	2.81	0		94.27	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 19 - San Antonio River

AUID 1911_05 From just upstream of the confluence with Calaveras Creek up to just upstream of the confluence with the Medina River.

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Habitat	Habitat	12/1/2005	11/30/2012	7	18.30			20.00	AD	CS	<input type="checkbox"/>	CS	impaired habitat	
Fish Community	Fish Community	12/1/2005	11/30/2012	7	37.50			41.00	TR	NA	<input type="checkbox"/>	NA		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	203	117.36	0		126.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2005	11/30/2012	217		4	32.43	32.20	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2005	11/30/2012	216		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2005	11/30/2012	216		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	1066	76.10	0		150.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	1067	57.64	0		150.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	1868	505.02	0		750.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	146		140	12.93	1.95	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	145		31	0.73	0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	143		113	1.4	0.69	AD	CS	<input type="checkbox"/>	CS	total phosphorus	
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	89		0		14.10	AD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Risk Assess.- No Advisory	12/1/2003	11/30/2010						OE	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Nickel	12/1/2005	11/30/2012	50	2.40	0		1,140.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Chromium	12/1/2005	11/30/2012	50	1.12	0		502.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 19 - San Antonio River

AUID 1911_05 From just upstream of the confluence with Calaveras Creek up to just upstream of the confluence with the Medina River.

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Lead	12/1/2005	11/30/2012	50	0.16	0		3.83	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 19 - San Antonio River

AUID

1911_06

From just upstream of the confluence with the Medina River up to just upstream of the confluence with Salado Creek.

USE

Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	178		2	4.3	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	178		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/1/2005	11/30/2012	6		0		5.00	LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/1/2005	11/30/2012	6		0		3.00	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	10		0		17.07	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2005	11/30/2012	10		0		213.50	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Selenium	12/1/2005	11/30/2012	10		0		20.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/1/2005	11/30/2012	10		0		852.33	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2005	11/30/2012	10		0		138.31	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2005	11/30/2012	10		0		1,017.50	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	12/1/2005	11/30/2012	10		0		340.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Aluminum	12/1/2005	11/30/2012	10		0		991.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2005	11/30/2012	10		0		27.67	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2005	11/30/2012	10	0.14	0		5.36	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2005	11/30/2012	10	1.35	0		17.27	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2005	11/30/2012	10	2.53	0		214.35	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Selenium	12/1/2005	11/30/2012	10	0.60	0		5.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2005	11/30/2012	10	1.03	0		131.82	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	10	0.08	0		0.40	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic	12/1/2005	11/30/2012	10	1.48	0		150.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/1/2005	11/30/2012	10	1.37	0		94.27	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 19 - San Antonio River

AUID 1911_06 From just upstream of the confluence with the Medina River up to just upstream of the confluence with Salado Creek.

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Habitat	Habitat	12/1/2005	11/30/2012	6	21.40			20.00	AD	NC	<input type="checkbox"/>	NC		
Fish Community	Fish Community	12/1/2005	11/30/2012	6	42.60			41.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	169	97.02	0		126.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2005	11/30/2012	179		3	32.6	32.20	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2005	11/30/2012	178		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2005	11/30/2012	178		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	1066	76.10	0		150.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	1067	57.64	0		150.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	1868	505.02	0		750.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	129		39	3.36	1.95	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	129		1	0.42	0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	127		7	1.02	0.69	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	57		4	20.25	14.10	AD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Risk Assess.- No Advisory	12/1/2003	11/30/2010						OE	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Nickel	12/1/2005	11/30/2012	50	2.40	0		1,140.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Chromium	12/1/2005	11/30/2012	50	1.12	0		502.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 19 - San Antonio River

AUID

1911_06

From just upstream of the confluence with the Medina River up to just upstream of the confluence with Salado Creek.

USE

Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Lead	12/1/2005	11/30/2012	50	0.16	0		3.83	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 19 - San Antonio River

AUID

1911_07

From just upstream of the confluence with Salado Creek up to just upstream of the confluence with Sixmile Creek.

USE

Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	114		0		5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	114		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/1/2005	11/30/2012	1		0		5.00	ID	NA	<input type="checkbox"/>	NA		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/1/2005	11/30/2012	1		0		3.00	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	10		0		23.01	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2005	11/30/2012	10		0		276.97	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Selenium	12/1/2005	11/30/2012	10		0		20.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/1/2005	11/30/2012	10		0		1,105.28	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2005	11/30/2012	10		0		191.19	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2005	11/30/2012	10		0		1,308.58	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	12/1/2005	11/30/2012	10		0		340.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Aluminum	12/1/2005	11/30/2012	10		0		991.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2005	11/30/2012	10		0		36.96	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2005	11/30/2012	10	1.17	0		131.82	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Selenium	12/1/2005	11/30/2012	10	0.60	0		5.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/1/2005	11/30/2012	10	1.40	0		94.27	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2005	11/30/2012	10	3.10	0		214.35	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	10	0.08	0		0.40	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic	12/1/2005	11/30/2012	10	1.26	0		150.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2005	11/30/2012	10	0.19	0		5.36	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2005	11/30/2012	10	1.63	0		17.27	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 19 - San Antonio River

AUID 1911_07 From just upstream of the confluence with Salado Creek up to just upstream of the confluence with Sixmile Creek.

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Habitat	Habitat	12/1/2005	11/30/2012	3	18.70			20.00	AD	CS	<input type="checkbox"/>	CS	impaired habitat	
Fish Community	Fish Community	12/1/2005	11/30/2012	3	44.60			41.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	324	145.23	1		126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	4a

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2005	11/30/2012	114		7	33.53	32.20	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2005	11/30/2012	112		5	9.18	9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2005	11/30/2012	112		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	1868	505.02	0		750.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	1066	76.10	0		150.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	1067	57.64	0		150.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	26		3	48	14.10	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	81		40	3.53	1.95	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	81		1	0.77	0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	80		2	0.73	0.69	AD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Risk Assess.- No Advisory	12/1/2003	11/30/2010						OE	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Chromium	12/1/2005	11/30/2012	50	1.12	0		502.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2005	11/30/2012	50	0.16	0		3.83	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 19 - San Antonio River

AUID

1911_07

From just upstream of the confluence with Salado Creek up to just upstream of the confluence with Sixmile Creek.

USE

Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Nickel	12/1/2005	11/30/2012	50	2.40	0		1,140.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 19 - San Antonio River

AUID 1911_08 From just upstream of the confluence with Sixmile Creek to just upstream of the confluence with San Pedro Creek.

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	105		2	4.3	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	105		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Habitat	Habitat	12/1/2005	11/30/2012	1	17.00			20.00	LD	CS	<input checked="" type="checkbox"/>	CS	impaired habitat	
Fish Community	Fish Community	12/1/2005	11/30/2012	1	36.40			41.00	LD	CN	<input checked="" type="checkbox"/>	CN	impaired fish community	

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	122	205.29	1		126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	4a

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2005	11/30/2012	105		2	32.9	32.20	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2005	11/30/2012	105		1	9.2	9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2005	11/30/2012	105		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	1868	505.02	0		750.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	1066	76.10	0		150.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	1067	57.64	0		150.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	16		2	24.5	14.10	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	61		6	1.08	0.69	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	62		0		0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	62		41	4.94	1.95	AD	CS	<input type="checkbox"/>	CS	nitrate	

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Risk Assess.- No Advisory	12/1/2003	11/30/2010						OE	NC	<input type="checkbox"/>	NC		

2014 Texas Integrated Report: Assessment Results for Basin 19 - San Antonio River

AUID 1911_09 From just upstream of the confluence with San Pedro Creek up to the upper end of the segment.

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	873		58	3.88	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	873		11	2.34	3.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/1/2005	11/30/2012	11		0		5.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/1/2005	11/30/2012	11		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Habitat	Habitat	12/1/2005	11/30/2012					20.00		CS	<input checked="" type="checkbox"/>	CS	impaired habitat	
Fish Community	Fish Community	12/1/2005	11/30/2012							NS	<input checked="" type="checkbox"/>	NS	impaired fish community	5c

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	903	436.96	1		126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	4a

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2005	11/30/2012	873		0		32.20	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2005	11/30/2012	873		1	9.6	9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2005	11/30/2012	873		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	1868	505.02	0		750.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	1066	76.10	0		150.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	1067	57.64	0		150.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	192		5	82.6	14.10	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	418		313	8.45	1.95	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	418		17	0.63	0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	412		168	1.2	0.69	AD	CS	<input type="checkbox"/>	CS	total phosphorus	

2014 Texas Integrated Report: Assessment Results for Basin 19 - San Antonio River

AUID **1911_09** From just upstream of the confluence with San Pedro Creek up to the upper end of the segment.

USE **Fish Consumption Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Risk Assess.- No Advisory	12/1/2003	11/30/2010						OE	NC	<input type="checkbox"/>	NC		

SEGID **1911B Apache Creek**

AUID **1911B_01** From the confluence with San Pedro Creek up to just upstream of the confluence with Zarzamora Creek.

USE **Aquatic Life Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	255		50	3.4	5.00	AD	CS	<input type="checkbox"/>	CS	depressed dissolved oxygen	
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	255		19	2.24	3.00	AD	FS	<input type="checkbox"/>	FS		

USE **Recreation Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	236	485.23	1		126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	5a

USE **General Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	105		32	3.31	1.95	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	104		4	0.76	0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	100		0		0.69	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	29		2	32	14.10	AD	NC	<input type="checkbox"/>	NC		

2014 Texas Integrated Report: Assessment Results for Basin 19 - San Antonio River

SEGID 1911C Alazan Creek

AUID 1911C_01 From the confluence with Apache Creek up to the confluence with Martinez Creek.

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	180		1	2.9	3.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	180		0		2.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	179	350.33	1		126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	5a

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	72		1	3.59	1.95	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	72		4	0.5	0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	70		0		0.69	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	36		4	18.5	14.10	AD	NC	<input type="checkbox"/>	NC		

AUID 1911C_02 From just upstream of the confluence with Martinez Creek to the upper end of the segment.

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	130	290.15	1		126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	5c

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	44		0		0.69	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	12		7	36.86	14.10	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	46		0		1.95	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	37		11	0.96	0.33	AD	CS	<input checked="" type="checkbox"/>	CS	ammonia	

2014 Texas Integrated Report: Assessment Results for Basin 19 - San Antonio River

SEGID 1911D San Pedro Creek

AUID 1911D_01 From the confluence with segment 1911 up to the confluence with Apache Creek.

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	118		0		5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	118		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/1/2005	11/30/2012	5		0		5.00	LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/1/2005	11/30/2012	5		0		3.00	LD	NC	<input type="checkbox"/>	NC		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	116	274.14	1		126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	5a

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	50		1	1.02	0.69	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	28		3	17.33	14.10	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	52		0		0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	52		16	2.22	1.95	AD	CS	<input type="checkbox"/>	CS	nitrate	

2014 Texas Integrated Report: Assessment Results for Basin 19 - San Antonio River

AUID 1911D_02 From the confluence with Apache Creek to the upper end of the segment, NHD RC 12100301000867

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	123		22	3.01	5.00	AD	CS	<input type="checkbox"/>	CS	depressed dissolved oxygen	
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	123		10	1.9	3.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/1/2005	11/30/2012	1		0		5.00	ID	NA	<input type="checkbox"/>	NA		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/1/2005	11/30/2012	1		0		3.00	ID	NA	<input type="checkbox"/>	NA		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	121	924.09	1		126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	5a

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	38		16	2.02	1.95	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	38		3	0.81	0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	37		0		0.69	AD	NC	<input type="checkbox"/>	NC		

SEGID 1911E Sixmile Creek

AUID 1911E_01 Entire water body

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	24		0		2.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	24		0		1.50	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	24	385.10	1		126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	5c

2014 Texas Integrated Report: Assessment Results for Basin 19 - San Antonio River

SEGID 1911H Picoso Creek

AUID 1911H_01 From the confluence with 1911 up to the confluence with Mariana Creek

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	19		10	1.27	3.00	AD	CS	<input type="checkbox"/>	CS	depressed dissolved oxygen	
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	19		8	1.05	2.00	AD	NS	<input type="checkbox"/>	NS	depressed dissolved oxygen	5c

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	19	102.50	0		126.00	LD	NC	<input type="checkbox"/>	NC		

SEGID 1911I Martinez Creek

AUID 1911I_01 Martinez Creek from the confluence of Alazan Creek in central San Antonio upstream to the concrete channel portion at San Francisco St in north San Antonio

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	41		8	2.19	3.00	AD	CS	<input type="checkbox"/>	CS	depressed dissolved oxygen	
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	41		2	1.45	2.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	41	267.68			126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	5c

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	17				1.95	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	17		1	64	15.00	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	17				0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	17				0.69	AD	NC	<input type="checkbox"/>	NC		

2014 Texas Integrated Report: Assessment Results for Basin 19 - San Antonio River

SEGID 1912 Medio Creek

AUID 1912_01 Entire segment

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	51		0		4.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	51		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/1/2005	11/30/2012	10		0		4.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/1/2005	11/30/2012	10		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Habitat	Habitat	12/1/2005	11/30/2012	8	22.20			14.00	AD	NC	<input type="checkbox"/>	NC		
Fish Community	Fish Community	12/1/2005	11/30/2012	8	41.20			35.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	51	100.12	0		126.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2005	11/30/2012	51		0		35.00	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2005	11/30/2012	51		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2005	11/30/2012	51		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	56	644.43	0		750.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	51	112.68	0		150.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	51	63.37	0		150.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	51		48	1.58	0.69	AD	CS	<input type="checkbox"/>	CS	total phosphorus	
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	31		3	24.67	14.10	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	51		0		0.33	AD	NC	<input type="checkbox"/>	NC		

2014 Texas Integrated Report: Assessment Results for Basin 19 - San Antonio River

AUID 1912_01 Entire segment

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	51		27	6.75	1.95	AD	CS	<input type="checkbox"/>	CS	nitrate	

SEGID 1912A Upper Medio Creek

AUID 1912A_01 Entire water body

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	42		1	1	2.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	42		1	1	1.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/1/2005	11/30/2012	6		0		2.00	LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/1/2005	11/30/2012	6		0		1.50	LD	NC	<input type="checkbox"/>	NC		
Habitat	Habitat	12/1/2005	11/30/2012	2	21.30				TR	NA	<input type="checkbox"/>	NA		
Fish Community	Fish Community	12/1/2005	11/30/2012	2	40.40				TR	NA	<input type="checkbox"/>	NA		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	42	76.03	0		126.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	42		6	1.72	0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	40		40	2.53	0.69	AD	CS	<input type="checkbox"/>	CS	total phosphorus	
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	41		32	10.33	1.95	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	28		0		14.10	AD	NC	<input type="checkbox"/>	NC		

2014 Texas Integrated Report: Assessment Results for Basin 19 - San Antonio River

SEGID 1913 Mid Cibolo Creek

AUID 1913_01 From 100 M downstream of I10 up to unnamed tributary approximately 0.3 miles upstream of Weir Road, Bexar County, Texas.

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	26		2	2.75	3.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	26		0		2.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/1/2005	11/30/2012	4		1	2.9	3.00	LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/1/2005	11/30/2012	4		1	1.4	2.00	LD	NC	<input type="checkbox"/>	NC		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	27	77.45	0		126.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	62	46.26	0		150.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	66	538.31	0		750.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	69	74.53	0		150.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	28		5	35.26	14.10	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	27		25	1.63	0.69	AD	CS	<input type="checkbox"/>	CS	total phosphorus	
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	30		26	7.93	1.95	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	26		6	4.63	0.33	AD	NC	<input type="checkbox"/>	NC		

2014 Texas Integrated Report: Assessment Results for Basin 19 - San Antonio River

AUID

1913_02

From the confluence with unnamed tributary approximately 0.3 miles upstream of Weir Road, Bexar county, Texas up to 100 meters upstream of the Cibolo Creek Municipal WWTP.

USE

Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	10		0		3.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	10		0		2.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/1/2005	11/30/2012	4		1	2.4	3.00	LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/1/2005	11/30/2012	4		4	0.55	2.00	LD	NS	<input checked="" type="checkbox"/>	NS	depressed dissolved oxygen	4b

USE

Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	11	42.62	0		126.00	LD	NC	<input type="checkbox"/>	NC		

USE

General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	62	46.26	0		150.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	69	74.53	0		150.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	66	538.31	0		750.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	15		14	7.75	1.95	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	12		4	3.63	0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	14		14	2.39	0.69	AD	CS	<input type="checkbox"/>	CS	total phosphorus	
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	16		2	31.85	14.10	AD	NC	<input type="checkbox"/>	NC		

2014 Texas Integrated Report: Assessment Results for Basin 19 - San Antonio River

AUID 1913_03 From 100 meters upstream of Cibolo Creek Municipal WWTP up to the upper end of the segment.

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	21		1	2.6	3.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	21		0		2.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/1/2005	11/30/2012	2		0		3.00	ID	NA	<input type="checkbox"/>	NA		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/1/2005	11/30/2012	2		0		2.00	ID	NA	<input type="checkbox"/>	NA		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	23	70.23	0		126.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	66	538.31	0		750.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	69	74.53	0		150.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	62	46.26	0		150.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	22		3	36.1	14.10	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	24		5	3.78	1.95	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	22		0		0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	21		0		0.69	AD	NC	<input type="checkbox"/>	NC		