

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

Report Abbreviations	Description:		
SEGID:	Unique Segment identification alpha-numeric code; can be stream, reservoir, estuary, oyster waters, beach watch, etc.		
AUID:	Unique Assessment Unit code; this is a portion of the segment the AUID begins with and ends with _01, _02, etc. Some AUIDs are special units ending in "SA," or oyster water AUIDs are indicated by "OW" and beach watch AUIDs are indicated by abbreviations for name of beach in AUID.		
ASMT Start Date:	The start date of the period of record data for this method was selected; the official 2014 period of record is from 12/1/2005 to 11/30/2012. Assessors have the option of going back 10 years (12/1/2002) to select more data, according to assessment guidance.		
ASMT End Date	The end date of the period of record data for this method was selected; the official 2014 period of record dates are 12/1/2005 to 11/30/2012. Assessors have the option of including more recently collected data than 12/01/2012, if available.		
# Assd:	Number of samples assessed; some data are averaged, as with profile data, some are eliminated because criteria do not apply during certain conditions such as low flow.		
Mean Assd:	Mean of samples assessed; includes averaged methods like chronic criteria as well as geometric mean calculations for bacteria.		
# Exceed:	The number of samples that exceed criteria for single sample, or binomial, methods (not averaged data).		
Mean Exceed:	This is the mean of the samples that exceeded criteria for the single sample, or binomial, methods (not averaged data).		
Criteria:	Value that the data is compared against to determine level of support; Note: for acute metals in water, each value is compared to a calculated criteria and not all criteria could be reported here, only the minimum in the range of criteria calculated are included.		
DS Qual:	<p><i>Dataset Qualifier - indicates sample sizes:</i></p> <table style="width: 100%; border: none;"> <tr> <td style="width: 50%; vertical-align: top;"> AD = Adequate Data (10 or more samples) LD = Limited Data (less than 9, greater than 3) ID = Inadequate Data (less than 4) JQ = Level of support is based on judgment of the assessor </td> <td style="width: 50%; vertical-align: top;"> SM = This assessment method is superseded by another method TR = Temporally Not Representative, used with NA SR = Spatially Not Representative, used with NA OE = Other information than ambient samples evaluated OS = Assessment area outside state boundaries </td> </tr> </table>	AD = Adequate Data (10 or more samples) LD = Limited Data (less than 9, greater than 3) ID = Inadequate Data (less than 4) JQ = Level of support is based on judgment of the assessor	SM = This assessment method is superseded by another method TR = Temporally Not Representative, used with NA SR = Spatially Not Representative, used with NA OE = Other information than ambient samples evaluated OS = Assessment area outside state boundaries
AD = Adequate Data (10 or more samples) LD = Limited Data (less than 9, greater than 3) ID = Inadequate Data (less than 4) JQ = Level of support is based on judgment of the assessor	SM = This assessment method is superseded by another method TR = Temporally Not Representative, used with NA SR = Spatially Not Representative, used with NA OE = Other information than ambient samples evaluated OS = Assessment area outside state boundaries		
LOS:	<p><i>Level of support for this use, method, assessment parameter:</i></p> <table style="width: 100%; border: none;"> <tr> <td style="width: 50%; vertical-align: top;"> FS = Fully Supporting NC = No Concern NA = Not Assessed </td> <td style="width: 50%; vertical-align: top;"> NS = Nonsupport CS = Screening Level Concern CN = Use Concern </td> </tr> </table>	FS = Fully Supporting NC = No Concern NA = Not Assessed	NS = Nonsupport CS = Screening Level Concern CN = Use Concern
FS = Fully Supporting NC = No Concern NA = Not Assessed	NS = Nonsupport CS = Screening Level Concern CN = Use Concern		
CF:	Carry forward indicator check box: indicates that the Integrated level of support of CS, CN, or NS was carried forward from a previous assessment due to inadequate data for this method in this assessment.		
Int LOS:	Integrated level of support. This is the overall level of support for this use, method, parameter group, which could be different from the LOS (described above) due to carry forward information or other types of changes. New Code added in 2010: PI = Pending Issue		
TCEQ Cause	This is the impairment description (e.g., bacteria, depressed dissolved oxygen, etc.)		
Cat:	<p><i>This is the assessment category assigned to this impairment. Subcategories as follows:</i></p> <p>Category 4: Standard is not attained or nonattainment is predicted in the near future due to one or more parameters, but no TMDLs are required.</p> <p style="margin-left: 20px;">4a - All TMDLs have been completed and approved by EPA. 4b - Other pollution control requirements are reasonably expected to result in the attainment of the water quality standard in the near future. 4c - Nonattainment of the standard for one or more parameters is shown to be caused by pollution, not by pollutants and that the water quality conditions cannot be changed by the allocation and control of pollutants through the TMDL process.</p> <p>Category 5: Standard is not attained or nonattainment is predicted in the near future for one or more parameters.</p> <p style="margin-left: 20px;">5a - TMDLs are underway, scheduled, or may be scheduled for one or more parameters. 5b - review of the standards for one or more parameters will be conducted before a management strategy is selected, including a possible revision to the water quality standards. 5c - Additional data or information will be collected and/or evaluated for one or more parameters before a management strategy is selected.</p>		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

SEGID 0801 Trinity River Tidal

AUID 0801_01 Lower 25 miles of segment

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	62		5	2.82	4.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	62		5	2.82	3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	Enterococcus	12/1/2005	11/30/2012	26	12.28	0		35.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2005	11/30/2012	62		0		35.00	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2005	11/30/2012	62		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2005	11/30/2012	62		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	45		0		1.10	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	26		0		0.46	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	57		1	0.71	0.66	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	60		22	32.18	21.00	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

SEGID 0801B Old River

AUID 0801B_01 Entire Segment

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	64		2	2.35	4.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	64		1	1.7	3.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	42		0		1.10	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	64		1	0.67	0.66	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	60		31	43.71	21.00	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

SEGID 0801C Cotton Bayou

AUID 0801C_01 Entire Segment

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	64		12	2.66	4.00	AD	CS	<input type="checkbox"/>	CS	depressed dissolved oxygen	
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	67		8	2.16	3.00	AD	CN	<input type="checkbox"/>	CN	depressed dissolved oxygen	
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/1/2005	11/30/2012	11		1	3	4.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/1/2005	11/30/2012	11		2	2.25	3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	14	725.96	1		126.00	LD	NS	<input checked="" type="checkbox"/>	NS	bacteria	5c
Bacteria Geomean	Enterococcus	12/1/2005	11/30/2012	46	179.06	1		35.00	AD	NS	<input type="checkbox"/>	NS	bacteria	5c

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	65		32	8.27	1.10	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	65		4	1.48	0.46	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	59		28	1.98	0.66	AD	CS	<input type="checkbox"/>	CS	total phosphorus	
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	63		17	50.1	21.00	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

SEGID 0801D Lynchburg Canal

AUID 0801D_01 From confluence with Trinity River Tidal upstream to confluence with Big Caney Creek.

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	10		0		5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	10		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	12/1/2005	11/30/2012	10		0		149.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	10		0		40.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2003	11/30/2012	13		0		13.50	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2005	11/30/2012	10		0		133.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/1/2005	11/30/2012	10		0		118.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Selenium	12/1/2003	11/30/2012	12		0		564.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2005	11/30/2012	10		1	284	92.70	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/1/2005	11/30/2012	10	8.80	0		13.10	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Selenium	12/1/2003	11/30/2012	12	0.96	0		136.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2005	11/30/2012	10	0.50	0		5.30	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	10	0.15	0		8.75	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic	12/1/2005	11/30/2012	10	2.50	0		78.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2005	11/30/2012	10	33.85	0		84.20	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2003	11/30/2012	13	1.50	0		3.60	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2003	11/30/2012	13	33.54	0		126.00	LD	NC	<input type="checkbox"/>	NC		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0801D_01 From confluence with Trinity River Tidal upstream to confluence with Big Caney Creek.

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	10		0		0.66	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2012	10		2	36.45	21.00	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2012	13		0		0.46	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2012	11		0		1.10	AD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Lead	12/1/2005	11/30/2012	10	0.50	0		3.83	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel	12/1/2005	11/30/2012	10	8.80	0		1,140.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Chromium	12/1/2005	11/30/2012	10	5.00	0		502.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

SEGID **0802** **Trinity River Below Lake Livingston**

AUID **0802_01** Lower 17 miles of segment

USE **Aquatic Life Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	28		0		5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	28		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2005	11/30/2012	1		0		75.88	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Copper	12/1/2005	11/30/2012	1		0		16.33	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	1		0		9.91	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Arsenic	12/1/2005	11/30/2012	1		0		340.00	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Chromium	12/1/2005	11/30/2012	1		0		643.41	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Arsenic	12/1/2005	11/30/2012	1	2.50	0		150.00	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	1	0.12	0		0.24	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Chromium	12/1/2005	11/30/2012	1	5.00	0		70.45	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Copper	12/1/2005	11/30/2012	1	1.50	0		8.98	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Lead	12/1/2005	11/30/2012	1	0.50	0		2.35	ID	NA	<input type="checkbox"/>	NA		

USE **Recreation Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	29	33.33	0		126.00	AD	FS	<input type="checkbox"/>	FS		

USE **General Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2005	11/30/2012	28		0		33.90	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2005	11/30/2012	28		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2005	11/30/2012	28		0		6.50	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0802_01 Lower 17 miles of segment

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	158	243.64	0		600.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	144	33.96	0		125.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	98	43.86	0		100.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	26		0		1.95	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	27		0		0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	25		0		0.69	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	24		17	36.09	14.10	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Cadmium	12/1/2005	11/30/2012	13	0.25	0		5.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Chromium	12/1/2005	11/30/2012	14	5.00	0		62.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2005	11/30/2012	13	0.50	0		1.15	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel	12/1/2005	11/30/2012	12				332.00	AD	FS	<input type="checkbox"/>	FS		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Lead	12/1/2005	11/30/2012	13	0.50	0		1.15	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	114	0.26	0		10.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nickel	12/1/2005	11/30/2012	12				332.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Cadmium	12/1/2005	11/30/2012	13	0.25	0		5.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Arsenic	12/1/2005	11/30/2012	14	2.68	0		10.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Fluoride	12/1/2005	11/30/2012	42	0.32	0		4.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0802_02 Approx. 9 miles upstream to approx. 15 miles downstream of SH 105

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
High pH	pH	12/1/2005	11/30/2012	0				9.00	ID	NA	<input checked="" type="checkbox"/>	CN	pH	
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	158				600.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	144				125.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	98				100.00	AD	FS	<input type="checkbox"/>	FS		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Cadmium	12/1/2005	11/30/2012	13				5.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Chromium	12/1/2005	11/30/2012	14				62.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2005	11/30/2012	13				1.15	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel	12/1/2005	11/30/2012	12				332.00	AD	FS	<input type="checkbox"/>	FS		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Lead	12/1/2005	11/30/2012	13				1.15	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nickel	12/1/2005	11/30/2012	12				332.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Cadmium	12/1/2005	11/30/2012	13				5.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Arsenic	12/1/2005	11/30/2012	14				10.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	114				10.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Fluoride	12/1/2005	11/30/2012	42				4.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0802_03 11 miles upstream to approx. 9 miles downstream of FM 787

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	28		1	7.96	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	28		1	7.96	3.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2005	11/30/2012	1		0		541.61	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Copper	12/1/2005	11/30/2012	1		0		13.40	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	1		0		8.08	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Arsenic	12/1/2005	11/30/2012	1		0		340.00	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Lead	12/1/2005	11/30/2012	1		0		60.37	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Arsenic	12/1/2005	11/30/2012	1	2.50	0		150.00	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	1	1.47	1		0.24	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Chromium	12/1/2005	11/30/2012	1	5.00	0		70.45	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Copper	12/1/2005	11/30/2012	1	1.50	0		8.98	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Lead	12/1/2005	11/30/2012	1	0.50	0		2.35	ID	NA	<input type="checkbox"/>	NA		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	29	28.16	0		126.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2005	11/30/2012	28		0		33.90	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2005	11/30/2012	28		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2005	11/30/2012	28		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	158	243.64	0		600.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	144	33.96	0		125.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0802_03 11 miles upstream to approx. 9 miles downstream of FM 787

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	98	43.86	0		100.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	26		0		1.95	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	26		0		0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	24		0		0.69	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	26		19	27.89	14.10	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Lead	12/1/2005	11/30/2012	13	0.50	0		1.15	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel	12/1/2005	11/30/2012	12				332.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Chromium	12/1/2005	11/30/2012	14	5.00	0		62.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Cadmium	12/1/2005	11/30/2012	13	0.25	0		5.00	AD	FS	<input type="checkbox"/>	FS		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Cadmium	12/1/2005	11/30/2012	13	0.25	0		5.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Fluoride	12/1/2005	11/30/2012	42	0.32	0		4.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Lead	12/1/2005	11/30/2012	13	0.50	0		1.15	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nickel	12/1/2005	11/30/2012	12				332.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	114	0.26	0		10.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Arsenic	12/1/2005	11/30/2012	14	2.68	0		10.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0802_04 5 miles upstream to 11 miles downstream of US 59

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	22		0		5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	22		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/1/2005	11/30/2012	13		0		524.68	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2005	11/30/2012	13		0		16.12	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Selenium	12/1/2005	11/30/2012	12		0		20.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2005	11/30/2012	12		0		74.75	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	12		0		9.78	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2005	11/30/2012	13		0		131.33	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	12/1/2005	11/30/2012	13		0		340.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Aluminum	12/1/2005	11/30/2012	10		0		991.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2005	11/30/2012	13		0		636.13	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic	12/1/2005	11/30/2012	13	2.69	0		150.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	12	0.12	0		0.24	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2005	11/30/2012	13	5.00	0		70.45	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2005	11/30/2012	13	1.50	0		8.98	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2005	11/30/2012	12	0.50	0		2.35	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/1/2005	11/30/2012	13	11.08	0		49.35	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Selenium	12/1/2005	11/30/2012	12	1.00	0		5.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2005	11/30/2012	13	6.12	0		112.10	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0802_04 5 miles upstream to 11 miles downstream of US 59

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	19	30.32	0		126.00	LD	NC	<input type="checkbox"/>	NC		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2005	11/30/2012	23		0		33.90	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2005	11/30/2012	23		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2005	11/30/2012	23		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	158	243.64	0		600.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	144	33.96	0		125.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	98	43.86	0		100.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	22		0		0.69	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	23		17	25.21	14.10	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	19		0		0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	15		0		1.95	AD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Chromium	12/1/2005	11/30/2012	14	5.00	0		62.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2005	11/30/2012	13	0.50	0		1.15	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel	12/1/2005	11/30/2012	12	11.58	0		332.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Cadmium	12/1/2005	11/30/2012	13	0.25	0		5.00	AD	FS	<input type="checkbox"/>	FS		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Cadmium	12/1/2005	11/30/2012	13	0.25	0		5.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0802_04 5 miles upstream to 11 miles downstream of US 59

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	114	0.26	0		10.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Selenium	12/1/2005	11/30/2012	12	1.00	0		50.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Arsenic	12/1/2005	11/30/2012	14	2.68	0		10.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nickel	12/1/2005	11/30/2012	12	11.58	0		332.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Lead	12/1/2005	11/30/2012	13	0.50	0		1.15	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0802_05 Upper 6 miles of segment

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	82		0		5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	82		0		3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	23	7.47	0		126.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2005	11/30/2012	84		0		33.90	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2005	11/30/2012	83		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2005	11/30/2012	83		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	158	243.64	0		600.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	144	33.96	0		125.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	98	43.86	0		100.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	61		0		1.95	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	79		39	21	14.10	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	23		0		0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	80		0		0.69	AD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Cadmium	12/1/2005	11/30/2012	13				5.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Chromium	12/1/2005	11/30/2012	14				62.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2005	11/30/2012	13				1.15	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0802_05 Upper 6 miles of segment

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Nickel	12/1/2005	11/30/2012	12				332.00	AD	FS	<input type="checkbox"/>	FS		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Arsenic	12/1/2005	11/30/2012	14				10.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Cadmium	12/1/2005	11/30/2012	13				5.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Lead	12/1/2005	11/30/2012	13				1.15	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nickel	12/1/2005	11/30/2012	12				332.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	114				10.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Selenium	12/1/2005	11/30/2012	12				50.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

SEGID 0802B Long King Creek

AUID 0802B_02 From just upstream of the confluence with unnamed tributary (NHD RC 12030202001817) up to the confluence with Mud Creek, in Polk County.

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	7		0		5.00	LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	7		0		3.00	LD	NC	<input type="checkbox"/>	NC		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	6	55.59	0		126.00	LD	NC	<input type="checkbox"/>	NC		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	7		0		1.95	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	6		0		0.33	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	7		0		0.69	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	5		0		14.10	LD	NC	<input type="checkbox"/>	NC		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

SEGID 0802D Menard Creek

AUID 0802D_01 Entire water body

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	27	90.58	0		126.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	27		0		1.95	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	25		0		0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	27		0		0.69	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	6		0		14.10	LD	NC	<input type="checkbox"/>	NC		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

SEGID **0803** **Lake Livingston**

AUID **0803_01**

Lowermost portion of reservoir, adjacent to dam

USE **Aquatic Life Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	25		0		5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	25		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/1/2005	11/30/2012	3		0		5.00	ID	NA	<input type="checkbox"/>	NA		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/1/2005	11/30/2012	3		0		3.00	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Arsenic	12/1/2005	11/30/2012	17		0		340.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	16		0		8.42	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2005	11/30/2012	17		0		560.41	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2005	11/30/2012	17		0		13.93	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2005	11/30/2012	17		0		63.18	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/1/2005	11/30/2012	17		0		460.30	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Selenium	12/1/2005	11/30/2012	16		0		20.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2005	11/30/2012	17		0		115.19	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Aluminum	12/1/2005	11/30/2012	13		0		991.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	16	0.12	0		0.24	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2005	11/30/2012	17	8.15	0		112.10	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Selenium	12/1/2005	11/30/2012	16	1.00	0		5.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/1/2005	11/30/2012	17	8.06	0		49.35	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2005	11/30/2012	17	5.00	0		70.45	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2005	11/30/2012	17	2.08	0		8.98	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0803_01 Lowermost portion of reservoir, adjacent to dam

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Chronic Toxic Substances in water	Arsenic	12/1/2005	11/30/2012	17	2.65	0		150.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2005	11/30/2012	17	0.50	0		2.35	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	24	1.99	0		126.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2005	11/30/2012	26		1	34	33.90	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2005	11/30/2012	26		2	9.4	9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2005	11/30/2012	26		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	284	306.41	0		500.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	221	46.29	0		150.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	216	57.83	1		50.00	AD	NS	<input type="checkbox"/>	NS	sulfate	5b
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	19		0		0.11	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	25		3	0.4	0.20	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	18		4	0.53	0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	25		11	34.33	26.70	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Risk Assess.- No Advisory	12/1/2003	11/30/2010						OE	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Cadmium	12/1/2005	11/30/2012	110	0.19	0		5.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Chromium	12/1/2005	11/30/2012	116	5.00	0		62.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0803_01 Lowermost portion of reservoir, adjacent to dam

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Lead	12/1/2005	11/30/2012	112	0.50	0		1.15	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel	12/1/2005	11/30/2012	116	9.97	0		332.00	AD	FS	<input type="checkbox"/>	FS		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Arsenic	12/1/2005	11/30/2012	116	2.76	0		10.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Cadmium	12/1/2005	11/30/2012	110	0.19	0		5.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Lead	12/1/2005	11/30/2012	112	0.50	0		1.15	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nickel	12/1/2005	11/30/2012	116	9.97	0		332.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	188	2.46	0		10.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Selenium	12/1/2005	11/30/2012	108	1.06	0		50.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0803_02 Lower portion of reservoir, East Wolf Creek

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	3		0		5.00	ID	NA	<input type="checkbox"/>	NA		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	3		0		3.00	ID	NA	<input type="checkbox"/>	NA		
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/1/2005	11/30/2012	3		0		5.00	ID	NA	<input type="checkbox"/>	NA		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/1/2005	11/30/2012	3		0		3.00	ID	NA	<input type="checkbox"/>	NA		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2005	11/30/2012	3		0		33.90	ID	NA	<input type="checkbox"/>	NA		
High pH	pH	12/1/2005	11/30/2012	3		0		9.00	ID	NA	<input type="checkbox"/>	NA		
Low pH	pH	12/1/2005	11/30/2012	3		0		6.50	ID	NA	<input type="checkbox"/>	NA		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	221				150.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	216	57.83			50.00	AD	NS	<input type="checkbox"/>	NS	sulfate	5b
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	284	306.41	0		500.00	AD	FS	<input type="checkbox"/>	FS		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Risk Assess.- No Advisory	12/1/2003	11/30/2010						OE	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Nickel	12/1/2005	11/30/2012	116				332.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Cadmium	12/1/2005	11/30/2012	110				5.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Chromium	12/1/2005	11/30/2012	116				62.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2005	11/30/2012	112				1.15	AD	FS	<input type="checkbox"/>	FS		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nickel	12/1/2005	11/30/2012	116				332.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0803_02 Lower portion of reservoir, East Wolf Creek

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	188				10.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Selenium	12/1/2005	11/30/2012	108				50.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Lead	12/1/2005	11/30/2012	112				1.15	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Arsenic	12/1/2005	11/30/2012	116				10.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Cadmium	12/1/2005	11/30/2012	110				5.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0803_03 Lower portion of reservoir, East Willow Springs

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	3		0		5.00	ID	NA	<input type="checkbox"/>	NA		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	3		0		3.00	ID	NA	<input type="checkbox"/>	NA		
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/1/2002	11/30/2012	10		0		5.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/1/2002	11/30/2012	10		0		3.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2005	11/30/2012	3		0		33.90	ID	NA	<input type="checkbox"/>	NA		
High pH	pH	12/1/2005	11/30/2012	3		0		9.00	ID	NA	<input type="checkbox"/>	NA		
Low pH	pH	12/1/2005	11/30/2012	3		0		6.50	ID	NA	<input type="checkbox"/>	NA		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	216	57.83			50.00	AD	NS	<input type="checkbox"/>	NS	sulfate	5b
Dissolved Solids	Chloride	12/1/2005	11/30/2012	221				150.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	284	306.41	0		500.00	AD	FS	<input type="checkbox"/>	FS		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Risk Assess.- No Advisory	12/1/2003	11/30/2010						OE	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Cadmium	12/1/2005	11/30/2012	110				5.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Chromium	12/1/2005	11/30/2012	116				62.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2005	11/30/2012	112				1.15	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel	12/1/2005	11/30/2012	116				332.00	AD	FS	<input type="checkbox"/>	FS		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Selenium	12/1/2005	11/30/2012	108				50.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0803_03 Lower portion of reservoir, East Willow Springs

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Arsenic	12/1/2005	11/30/2012	116				10.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Cadmium	12/1/2005	11/30/2012	110				5.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Lead	12/1/2005	11/30/2012	112				1.15	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nickel	12/1/2005	11/30/2012	116				332.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	188				10.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0803_04 Middle portion of reservoir, East Pointblank

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	3		0		5.00	ID	NA	<input type="checkbox"/>	NA		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	3		0		3.00	ID	NA	<input type="checkbox"/>	NA		
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/1/2002	11/30/2012	10		0		5.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/1/2002	11/30/2012	10		0		3.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2005	11/30/2012	3		0		33.90	ID	NA	<input type="checkbox"/>	NA		
High pH	pH	12/1/2005	11/30/2012	3		0		9.00	ID	NA	<input type="checkbox"/>	NA		
Low pH	pH	12/1/2005	11/30/2012	3		0		6.50	ID	NA	<input type="checkbox"/>	NA		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	284	306.41	0		500.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	221				150.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	216	57.83			50.00	AD	NS	<input type="checkbox"/>	NS	sulfate	5b
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	6		2	0.62	0.37	LD	NC	<input checked="" type="checkbox"/>	CS	nitrate	

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Risk Assess.- No Advisory	12/1/2003	11/30/2010						OE	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Chromium	12/1/2005	11/30/2012	116				62.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2005	11/30/2012	112				1.15	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Cadmium	12/1/2005	11/30/2012	110				5.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel	12/1/2005	11/30/2012	116				332.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0803_04 Middle portion of reservoir, East Pointblank

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Arsenic	12/1/2005	11/30/2012	116				10.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Cadmium	12/1/2005	11/30/2012	110				5.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Lead	12/1/2005	11/30/2012	112				1.15	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nickel	12/1/2005	11/30/2012	116				332.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	188				10.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Selenium	12/1/2005	11/30/2012	108				50.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0803_05 Middle portion of reservoir, downstream of Kickapoo Creek

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	20		0		5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	20		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	16		0		9.32	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2005	11/30/2012	17		0		125.86	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Selenium	12/1/2005	11/30/2012	16		0		20.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/1/2005	11/30/2012	17		0		502.87	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2005	11/30/2012	16		0		70.78	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2005	11/30/2012	17		0		610.51	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	12/1/2005	11/30/2012	17		0		340.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Aluminum	12/1/2005	11/30/2012	14		0		991.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2005	11/30/2012	17		0		15.38	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2005	11/30/2012	17	7.68	0		112.10	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic	12/1/2005	11/30/2012	17	2.71	0		150.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	16	0.17	0		0.24	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2005	11/30/2012	17	5.00	0		70.45	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2005	11/30/2012	17	1.68	0		8.98	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2005	11/30/2012	16	0.50	0		2.35	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/1/2005	11/30/2012	17	11.59	0		49.35	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Selenium	12/1/2005	11/30/2012	16	1.00	0		5.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID **0803_05** Middle portion of reservoir, downstream of Kickapoo Creek

USE **Recreation Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	17	3.98	0		126.00	LD	NC	<input type="checkbox"/>	NC		

USE **General Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2005	11/30/2012	21		2	34.45	33.90	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2005	11/30/2012	21		1	9.2	9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2005	11/30/2012	21		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	284	306.41	0		500.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	221	46.29	0		150.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	216	57.83	1		50.00	AD	NS	<input type="checkbox"/>	NS	sulfate	5b
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	16		1	0.38	0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	15		1	0.2	0.11	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	20		3	0.41	0.20	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	21		16	49.79	26.70	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	

USE **Fish Consumption Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Risk Assess.- No Advisory	12/1/2003	11/30/2010						OE	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Chromium	12/1/2005	11/30/2012	116	5.00	0		62.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2005	11/30/2012	112	0.50	0		1.15	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Cadmium	12/1/2005	11/30/2012	110	0.19	0		5.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel	12/1/2005	11/30/2012	116	9.97	0		332.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0803_05 Middle portion of reservoir, downstream of Kickapoo Creek

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Arsenic	12/1/2005	11/30/2012	116	2.76	0		10.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Cadmium	12/1/2005	11/30/2012	110	0.19	0		5.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Lead	12/1/2005	11/30/2012	112	0.50	0		1.15	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nickel	12/1/2005	11/30/2012	116	9.97	0		332.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	188	2.46	0		10.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Selenium	12/1/2005	11/30/2012	108	1.06	0		50.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0803_06 Middle portion of reservoir, centering on US 190

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	21		0		5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	21		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	16		0		10.98	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2005	11/30/2012	17		0		145.21	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Selenium	12/1/2005	11/30/2012	15		0		20.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/1/2005	11/30/2012	17		0		580.03	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2005	11/30/2012	16		0		84.98	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2005	11/30/2012	17		0		18.03	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	12/1/2005	11/30/2012	17		0		340.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Aluminum	12/1/2005	11/30/2012	14		0		991.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2005	11/30/2012	17		0		701.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic	12/1/2005	11/30/2012	17	2.94	0		150.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	16	0.17	0		0.24	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2005	11/30/2012	17	5.00	0		70.45	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2005	11/30/2012	17	1.65	0		8.98	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2005	11/30/2012	16	0.50	0		2.35	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/1/2005	11/30/2012	17	11.94	0		49.35	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Selenium	12/1/2005	11/30/2012	15	1.00	0		5.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2005	11/30/2012	17	7.76	0		112.10	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0803_06 Middle portion of reservoir, centering on US 190

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	20	2.67	0		126.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2005	11/30/2012	21		0		33.90	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2005	11/30/2012	21		1	9.4	9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2005	11/30/2012	21		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	284	306.41	0		500.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	221	46.29	0		150.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	216	57.83	1		50.00	AD	NS	<input type="checkbox"/>	NS	sulfate	5b
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	17		8	0.93	0.37	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	16		0		0.11	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	22		10	0.45	0.20	AD	CS	<input type="checkbox"/>	CS	total phosphorus	
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	22		18	51.02	26.70	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Risk Assess.- No Advisory	12/1/2003	11/30/2010						OE	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Cadmium	12/1/2005	11/30/2012	110	0.19	0		5.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel	12/1/2005	11/30/2012	116	9.97	0		332.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2005	11/30/2012	112	0.50	0		1.15	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Chromium	12/1/2005	11/30/2012	116	5.00	0		62.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0803_06 Middle portion of reservoir, centering on US 190

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Arsenic	12/1/2005	11/30/2012	116	2.76	0		10.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Cadmium	12/1/2005	11/30/2012	110	0.19	0		5.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Lead	12/1/2005	11/30/2012	112	0.50	0		1.15	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nickel	12/1/2005	11/30/2012	116	9.97	0		332.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	188	2.46	0		10.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Selenium	12/1/2005	11/30/2012	108	1.06	0		50.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID	0803_07	Upper portion of reservoir, west of Carlisle
-------------	----------------	--

USE	Aquatic Life Use
------------	------------------

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	21		1	4.6	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	21		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	16		0		13.32	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2005	11/30/2012	17		0		171.91	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Selenium	12/1/2005	11/30/2012	16		0		20.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/1/2005	11/30/2012	17		0		686.54	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2005	11/30/2012	16		0		105.29	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2005	11/30/2012	17		0		825.26	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	12/1/2005	11/30/2012	17		0		340.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Aluminum	12/1/2005	11/30/2012	14		0		991.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2005	11/30/2012	17		0		21.75	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2005	11/30/2012	17	10.82	0		112.10	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic	12/1/2005	11/30/2012	17	3.04	0		150.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	16	0.19	0		0.24	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2005	11/30/2012	17	5.00	0		70.45	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2005	11/30/2012	17	2.05	0		8.98	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2005	11/30/2012	16	0.50	0		2.35	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/1/2005	11/30/2012	17	11.65	0		49.35	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Selenium	12/1/2005	11/30/2012	16	1.00	0		5.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0803_07 Upper portion of reservoir, west of Carlisle

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	18	5.26	0		126.00	LD	NC	<input type="checkbox"/>	NC		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2005	11/30/2012	21		0		33.90	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2005	11/30/2012	21		1	9.1	9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2005	11/30/2012	21		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	284	306.41	0		500.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	221	46.29	0		150.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	216	57.83	1		50.00	AD	NS	<input type="checkbox"/>	NS	sulfate	5b
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	15		14	2.52	0.37	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	16		0		0.11	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	22		20	0.4	0.20	AD	CS	<input type="checkbox"/>	CS	total phosphorus	
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	21		11	63.53	26.70	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Risk Assess.- No Advisory	12/1/2003	11/30/2010						OE	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Cadmium	12/1/2005	11/30/2012	110	0.19	0		5.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel	12/1/2005	11/30/2012	116	9.97	0		332.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Chromium	12/1/2005	11/30/2012	116	5.00	0		62.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2005	11/30/2012	112	0.50	0		1.15	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0803_07 Upper portion of reservoir, west of Carlisle

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Arsenic	12/1/2005	11/30/2012	116	2.76	0		10.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Cadmium	12/1/2005	11/30/2012	110	0.19	0		5.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Lead	12/1/2005	11/30/2012	112	0.50	0		1.15	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nickel	12/1/2005	11/30/2012	116	9.97	0		332.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	188	2.46	0		10.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Selenium	12/1/2005	11/30/2012	108	1.06	0		50.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0803_08 Cove off upper portion of reservoir, East Trinity

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	3		0		5.00	ID	NA	<input type="checkbox"/>	NA		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	3		0		3.00	ID	NA	<input type="checkbox"/>	NA		
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/1/2005	11/30/2012	4		0		5.00	LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/1/2005	11/30/2012	4		0		3.00	LD	NC	<input type="checkbox"/>	NC		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2005	11/30/2012	3		0		33.90	ID	NA	<input type="checkbox"/>	NA		
High pH	pH	12/1/2005	11/30/2012	3		0		9.00	ID	NA	<input type="checkbox"/>	NA		
Low pH	pH	12/1/2005	11/30/2012	3		0		6.50	ID	NA	<input type="checkbox"/>	NA		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	284	306.41	0		500.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	221	46.29			150.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	216	57.83			50.00	AD	NS	<input type="checkbox"/>	NS	sulfate	5b
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	6		4	1.61	0.37	LD	CS	<input checked="" type="checkbox"/>	CS	nitrate	

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Risk Assess.- No Advisory	12/1/2003	11/30/2010						OE	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Cadmium	12/1/2005	11/30/2012	110				5.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Chromium	12/1/2005	11/30/2012	116				62.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2005	11/30/2012	112				1.15	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel	12/1/2005	11/30/2012	116				332.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0803_08 Cove off upper portion of reservoir, East Trinity

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nickel	12/1/2005	11/30/2012	116				332.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	188				10.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Arsenic	12/1/2005	11/30/2012	116				10.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Cadmium	12/1/2005	11/30/2012	110				5.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Selenium	12/1/2005	11/30/2012	108				50.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Lead	12/1/2005	11/30/2012	112				1.15	AD	FS	<input type="checkbox"/>	FS		

AUID 0803_09 West Carolina Creek cove, off upper portion of reservoir

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	2		1	4.58	5.00	ID	NA	<input checked="" type="checkbox"/>	CS	depressed dissolved oxygen	

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	284	306.41			500.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	221	46.29			150.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	216	53.83			50.00	AD	NS	<input checked="" type="checkbox"/>	NS	sulfate	5b

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Risk Assess.- No Advisory	12/1/2003	11/30/2010						OE	NC	<input type="checkbox"/>	NC		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID	0803_10	Upper portion of reservoir, centering on SH 19
-------------	----------------	--

USE	Aquatic Life Use
------------	------------------

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	82		2	4.4	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	82		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/1/2005	11/30/2012	4		0		5.00	LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/1/2005	11/30/2012	4		0		3.00	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Lead	12/1/2005	11/30/2012	24		0		130.36	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2005	11/30/2012	24		0		203.66	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Selenium	12/1/2005	11/30/2012	23		0		20.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/1/2005	11/30/2012	24		0		813.09	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	12/1/2005	11/30/2012	24		0		340.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	23		0		16.18	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2005	11/30/2012	24		0		972.12	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Aluminum	12/1/2005	11/30/2012	21		0		991.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2005	11/30/2012	23		0		26.26	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic	12/1/2005	11/30/2012	24	2.72	0		150.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	23	0.18	0		0.24	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2005	11/30/2012	24	5.00	0		70.45	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2005	11/30/2012	23	2.86	0		8.98	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2005	11/30/2012	24	0.50	0		2.35	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/1/2005	11/30/2012	24	8.00	0		49.35	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Selenium	12/1/2005	11/30/2012	23	1.26	0		5.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2005	11/30/2012	24	7.04	0		112.10	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0803_10 Upper portion of reservoir, centering on SH 19

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	77	21.49	0		126.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2005	11/30/2012	86		0		33.90	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2005	11/30/2012	83		2	9.55	9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2005	11/30/2012	83		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	284	306.41	0		500.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	221	46.29	0		150.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	216	57.83	1		50.00	AD	NS	<input type="checkbox"/>	NS	sulfate	5b
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	60		56	3.19	0.37	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	68		3	0.15	0.11	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	78		75	0.48	0.20	AD	CS	<input type="checkbox"/>	CS	total phosphorus	
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	77		23	55.24	26.70	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Risk Assess.- No Advisory	12/1/2003	11/30/2010						OE	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Cadmium	12/1/2005	11/30/2012	110	0.19	0		5.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel	12/1/2005	11/30/2012	116	9.97	0		332.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2005	11/30/2012	112	0.50	0		1.15	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Chromium	12/1/2005	11/30/2012	116	5.00	0		62.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID	0803_10	Upper portion of reservoir, centering on SH 19
-------------	----------------	--

USE	Public Water Supply Use
------------	--------------------------------

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Arsenic	12/1/2005	11/30/2012	116	2.76	0		10.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Cadmium	12/1/2005	11/30/2012	110	0.19	0		5.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Lead	12/1/2005	11/30/2012	112	0.50	0		1.15	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nickel	12/1/2005	11/30/2012	116	9.97	0		332.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	188	2.46	0		10.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Selenium	12/1/2005	11/30/2012	108	1.06	0		50.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID	0803_11	Riverine portion of reservoir, centering on SH 21
-------------	----------------	---

USE	Aquatic Life Use
------------	------------------

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	81		1	4.6	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	81		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	23		0		15.36	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2005	11/30/2012	24		0		194.63	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Selenium	12/1/2005	11/30/2012	22		0		20.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/1/2005	11/30/2012	24		0		777.11	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2005	11/30/2012	23		0		123.14	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2005	11/30/2012	24		0		930.45	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	12/1/2005	11/30/2012	24		0		340.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Aluminum	12/1/2005	11/30/2012	21		0		991.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2005	11/30/2012	24		0		24.97	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2005	11/30/2012	24	6.81	0		112.10	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic	12/1/2005	11/30/2012	24	2.60	0		150.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	23	0.14	0		0.24	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2005	11/30/2012	24	5.00	0		70.45	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2005	11/30/2012	24	2.70	0		8.98	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2005	11/30/2012	23	0.52	0		2.35	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/1/2005	11/30/2012	24	9.54	0		49.35	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Selenium	12/1/2005	11/30/2012	22	1.00	0		5.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0803_11 Riverine portion of reservoir, centering on SH 21

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	81	52.86	0		126.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2005	11/30/2012	83		0		33.90	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2005	11/30/2012	82		2	9.3	9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2005	11/30/2012	82		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	284	306.41	0		500.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	221	46.29	0		150.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	216	57.83	1		50.00	AD	NS	<input type="checkbox"/>	NS	sulfate	5b
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	62		59	3.93	0.37	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	69		0		0.11	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	80		77	0.71	0.20	AD	CS	<input type="checkbox"/>	CS	total phosphorus	
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	74		20	78.53	26.70	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Risk Assess.- No Advisory	12/1/2003	11/30/2010						OE	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Chromium	12/1/2005	11/30/2012	116	5.00	0		62.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2005	11/30/2012	112	0.50	0		1.15	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Cadmium	12/1/2005	11/30/2012	110	0.19	0		5.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel	12/1/2005	11/30/2012	116	9.97	0		332.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0803_11 Riverine portion of reservoir, centering on SH 21

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Arsenic	12/1/2005	11/30/2012	116	2.76	0		10.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Cadmium	12/1/2005	11/30/2012	110	0.19	0		5.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Lead	12/1/2005	11/30/2012	112	0.50	0		1.15	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nickel	12/1/2005	11/30/2012	116	9.97	0		332.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	188	2.46	0		10.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Selenium	12/1/2005	11/30/2012	108	1.06	0		50.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0803_12 Remainder of reservoir

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	284	306.41			500.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	221	46.29			150.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	216	57.83			50.00	AD	NS	<input type="checkbox"/>	NS	sulfate	5b

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Risk Assess.- No Advisory	12/1/2003	11/30/2010						OE	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Nickel	12/1/2005	11/30/2012	116				332.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2005	11/30/2012	112				1.15	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Cadmium	12/1/2005	11/30/2012	110				5.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Chromium	12/1/2005	11/30/2012	116				62.00	AD	FS	<input type="checkbox"/>	FS		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Arsenic	12/1/2005	11/30/2012	116				10.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Cadmium	12/1/2005	11/30/2012	110				5.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Lead	12/1/2005	11/30/2012	112				1.15	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nickel	12/1/2005	11/30/2012	116				332.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	188				10.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Selenium	12/1/2005	11/30/2012	108				50.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

SEGID 0803A Harmon Creek

AUID 0803A_01

A 16 mile (25.7 KM) stretch of Harmon Creek extending from Lake Livingston (normal pool elevation of 131 feet) upstream to the confluence of East Fork Harmon Creek.

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	11		0		5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	11		0		3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	11	41.28	0		126.00	LD	NC	<input type="checkbox"/>	NC		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Ammonia	12/1/2004	11/30/2012	10		1	0.36	0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	9/1/2004	11/30/2012	10		10	1.06	0.69	AD	CS	<input type="checkbox"/>	CS	total phosphorus	
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2012	10		8	6.35	1.95	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2012	10		1	35	14.10	AD	NC	<input type="checkbox"/>	NC		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

SEGID 0803B White Rock Creek

AUID 0803B_01 lower 25 miles of segment

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	10		0		5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	10		0		3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	10	19.09	0		126.00	LD	NC	<input type="checkbox"/>	NC		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2002	11/30/2012	9		0		1.95	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2002	11/30/2012	10		0		0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	10		0		0.69	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2002	11/30/2012	10		8	28.1	14.10	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

SEGID 0803E Nelson Creek

AUID 0803E_01 Entire water body.

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	10		0		3.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	10		0		2.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2005	11/30/2012	1		0		10.42	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Lead	12/1/2005	11/30/2012	1		0		45.08	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Zinc	12/1/2005	11/30/2012	1		0		88.71	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Chromium	12/1/2005	11/30/2012	1		0		435.36	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Arsenic	12/1/2005	11/30/2012	1		0		340.00	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Aluminum	12/1/2005	11/30/2012	1		0		991.00	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Nickel	12/1/2005	11/30/2012	1		0		354.62	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Arsenic	12/1/2005	11/30/2012	1	2.50	0		150.00	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Chromium	12/1/2005	11/30/2012	1	5.00	0		70.45	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Copper	12/1/2005	11/30/2012	1	1.50	0		8.98	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Lead	12/1/2005	11/30/2012	1	0.50	0		2.35	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Nickel	12/1/2005	11/30/2012	1	5.00	0		49.35	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Zinc	12/1/2005	11/30/2012	1	8.00	0		112.10	ID	NA	<input type="checkbox"/>	NA		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	10	131.23	1		126.00	LD	CN	<input type="checkbox"/>	CN	bacteria	

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0803E_01 Entire water body.

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Total Phosphorus	12/1/2004	11/30/2012	10		0		0.69	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2002	11/30/2012	11		1	71	14.10	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2004	11/30/2012	10		0		0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2002	11/30/2012	11		0		1.95	AD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Lead	12/1/2005	11/30/2012	1	0.50	0		3.83	ID	NA	<input type="checkbox"/>	NA		
HH Bioaccumulative Toxics in water	Nickel	12/1/2005	11/30/2012	1	5.00	0		1,140.00	ID	NA	<input type="checkbox"/>	NA		
HH Bioaccumulative Toxics in water	Chromium	12/1/2005	11/30/2012	1	5.00	0		502.00	ID	NA	<input type="checkbox"/>	NA		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

SEGID 0803F Bédias Creek

AUID 0803F_01 From the confluence with segment 0803 Trinity River up to confluence with Poole Creek (NHD RC 12030202000572)

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2002	11/30/2012	10		0		5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2002	11/30/2012	10		0		3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	5	147.98	1		126.00	LD	CN	<input checked="" type="checkbox"/>	CN	bacteria	

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Total Phosphorus	12/1/2002	11/30/2012	10		0		0.69	AD	NC	<input type="checkbox"/>	NC		

AUID 0803F_02 From the confluence with Poole Creek (NHD RC 12030202000572) to upper end of NHD RC Bédias Creek (NHD RC 12030202000350)

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Acute Toxic Substances in water	Zinc	12/1/2005	11/30/2012	3		1	539	151.28	ID	NA	<input checked="" type="checkbox"/>	CN	zinc in water	
Chronic Toxic Substances in water	Zinc	12/1/2005	11/30/2012	3	189.33	1		91.97	ID	NA	<input checked="" type="checkbox"/>	CN	zinc in water	

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

SEGID 0803G Lake Madisonville

AUID 0803G_01 Entire water body

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Acute Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	9		0		2.72	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Selenium	12/1/2005	11/30/2012	9		0		20.00	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Nickel	12/1/2005	11/30/2012	9		0		172.22	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Zinc	12/1/2005	11/30/2012	9		0		43.03	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Lead	12/1/2005	11/30/2012	9		0		17.46	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Arsenic	12/1/2005	11/30/2012	9		0		340.00	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Aluminum	12/1/2005	11/30/2012	9		0		991.00	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Copper	12/1/2005	11/30/2012	9		0		4.66	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Chromium	12/1/2005	11/30/2012	9		0		216.36	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Lead	12/1/2005	11/30/2012	9	0.10	0		2.35	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Zinc	12/1/2005	11/30/2012	9	2.82	0		112.10	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Nickel	12/1/2005	11/30/2012	9	2.50	0		49.35	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Copper	12/1/2005	11/30/2012	9	0.78	0		8.98	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Chromium	12/1/2005	11/30/2012	9	2.00	0		70.45	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	9	0.06	0		0.24	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Arsenic	12/1/2005	11/30/2012	9	1.42	0		150.00	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Selenium	12/1/2005	11/30/2012	9	0.18	0		5.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Arsenic	12/1/2005	11/30/2012	9		0		33.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Mercury	12/1/2005	11/30/2012	9		0		1.06	LD	NC	<input type="checkbox"/>	NC		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0803G_01 Entire water body

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Toxic Substances in sediment	Iron	12/1/2005	11/30/2012	9		0		40,000.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Zinc	12/1/2005	11/30/2012	9		0		459.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Silver	12/1/2005	11/30/2012	9		0		2.20	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Nickel	12/1/2005	11/30/2012	9		0		48.60	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Manganese	12/1/2005	11/30/2012	9		0		1,100.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Lead	12/1/2005	11/30/2012	9		0		128.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Copper	12/1/2005	11/30/2012	9		0		149.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Cadmium	12/1/2005	11/30/2012	9		0		4.98	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Chromium	12/1/2005	11/30/2012	9		0		111.00	LD	NC	<input type="checkbox"/>	NC		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	9	7.26	0		126.00	LD	NC	<input type="checkbox"/>	NC		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	9		0		0.11	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	9		2	0.25	0.20	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	9		6	48.93	26.70	LD	CS	<input type="checkbox"/>	CS	chlorophyll-a	
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	9		0		0.37	LD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						AD	NS	<input checked="" type="checkbox"/>	NS	mercury in edible tissue	5c
HH Bioaccumulative Toxics in water	Chromium	12/1/2005	11/30/2012	9	2.00	0		502.00	LD	NC	<input type="checkbox"/>	NC		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0803G_01 Entire water body

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Lead	12/1/2005	11/30/2012	9	0.10	0		3.83	LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Nickel	12/1/2005	11/30/2012	9	2.50	0		1,140.00	LD	NC	<input type="checkbox"/>	NC		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

SEGID **0804** **Trinity River Above Lake Livingston**

AUID **0804_01** From the lower end of the segment up to just above the confluence with Hurricane Bayou in Houston County.

USE **Aquatic Life Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	108		0		5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	108		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2005	11/30/2012	24		0		24.55	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2005	11/30/2012	24		0		191.73	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Selenium	12/1/2005	11/30/2012	23		0		20.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2005	11/30/2012	23		0		120.84	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2005	11/30/2012	24		0		917.03	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	23		0		15.09	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	12/1/2005	11/30/2012	24		0		340.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Aluminum	12/1/2005	11/30/2012	21		0		991.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/1/2005	11/30/2012	24		0		765.54	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic	12/1/2005	11/30/2012	24	2.73	0		150.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	23	0.16	0		0.28	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2005	11/30/2012	24	5.00	0		87.22	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2005	11/30/2012	24	3.08	0		11.22	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2005	11/30/2012	23	0.52	0		3.12	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/1/2005	11/30/2012	24	12.25	0		61.53	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Selenium	12/1/2005	11/30/2012	23	1.17	0		5.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2005	11/30/2012	24	8.10	0		139.82	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0804_01 From the lower end of the segment up to just above the confluence with Hurricane Bayou in Houston County.

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	80	69.49	0		126.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2005	11/30/2012	109		0		33.90	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2005	11/30/2012	109		2	9.1	9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2005	11/30/2012	109		1	6.1	6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	171	359.20	0		600.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	108	54.67	0		150.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	106	68.70	0		150.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	68		45	5.41	1.95	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	73		0		0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	80		43	1	0.69	AD	CS	<input type="checkbox"/>	CS	total phosphorus	
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	73		27	49.91	14.10	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Nickel	12/1/2005	11/30/2012	34	11.84	0		1,140.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Chromium	12/1/2005	11/30/2012	41	3.66	0		502.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2005	11/30/2012	40	0.51	0		3.83	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID

0804_02

From just upstream of the confluence with Hurricane Bayou up to just above the confluence with Boons Creek.

USE

General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	106				150.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	171				600.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	108				150.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012						ID	NA	<input checked="" type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012						ID	NA	<input checked="" type="checkbox"/>	CS	total phosphorus	
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012						ID	NA	<input checked="" type="checkbox"/>	CS	chlorophyll-a	

USE

Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Chromium	12/1/2005	11/30/2012	41				502.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2005	11/30/2012	40				3.83	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel	12/1/2005	11/30/2012	34				1,140.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0804_03 From just upstream of the confluence with Boons Creek up to just above the confluence with Caney Creek.

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	171				600.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	108				150.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	106				150.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012						ID	NA	<input checked="" type="checkbox"/>	CS	nitrate	

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Chromium	12/1/2005	11/30/2012	41				502.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2005	11/30/2012	40				3.83	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel	12/1/2005	11/30/2012	34				1,140.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID

0804_04

From the confluence with Caney Creek up to just above the confluence with Indian Creek in Anderson County.

USE

Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	41		0		5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	41		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2005	11/30/2012	15		0		938.82	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2005	11/30/2012	11		0		196.44	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/1/2005	11/30/2012	11		0		784.33	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2005	11/30/2012	12		0		25.23	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	15		0		15.52	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	12/1/2005	11/30/2012	14		0		340.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Aluminum	12/1/2005	11/30/2012	8		0		991.00	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Lead	12/1/2005	11/30/2012	15		0		124.59	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	15	0.14	0		0.28	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/1/2005	11/30/2012	11	4.79	0		61.53	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2005	11/30/2012	11	5.96	0		139.82	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2005	11/30/2012	15	0.50	0		3.12	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2005	11/30/2012	15	2.50	0		87.22	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic	12/1/2005	11/30/2012	14	2.50	0		150.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2005	11/30/2012	12	2.83	0		11.22	AD	FS	<input type="checkbox"/>	FS		

USE

Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	42	97.04	0		126.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID **0804_04** From the confluence with Caney Creek up to just above the confluence with Indian Creek in Anderson County.

USE **General Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2005	11/30/2012	42		0		33.90	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2005	11/30/2012	42		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2005	11/30/2012	42		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	171	359.20	0		600.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	108	54.67	0		150.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	106	68.70	0		150.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	42		28	1.35	0.69	AD	CS	<input type="checkbox"/>	CS	total phosphorus	
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	39		0		0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	39		31	7.32	1.95	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	41		13	36.07	14.10	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	

USE **Fish Consumption Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Chromium	12/1/2005	11/30/2012	41	3.66	0		502.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2005	11/30/2012	40	0.51	0		3.83	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel	12/1/2005	11/30/2012	34	11.84	0		1,140.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID **0804_05** From just above the confluence with Indian Creek in Anderson County up to just above the confluence with Tehuacana Creek.

USE **General Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	171				600.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	108				150.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	106				150.00	AD	FS	<input type="checkbox"/>	FS		

USE **Fish Consumption Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Chromium	12/1/2005	11/30/2012	41				502.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2005	11/30/2012	40				3.83	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel	12/1/2005	11/30/2012	34				1,140.00	AD	FS	<input type="checkbox"/>	FS		

AUID **0804_06** From just above the confluence with Tehuacana Creek to just above the confluence with Richland Creek.

USE **General Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	171				600.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	108				150.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	106				150.00	AD	FS	<input type="checkbox"/>	FS		

USE **Fish Consumption Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Lead	12/1/2005	11/30/2012	40				3.83	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel	12/1/2005	11/30/2012	34				1,140.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID

0804_07

From just above the confluence with Richland Creek in Henderson County, up to the upper end of the segment.

USE

Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	41		1	4.6	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	41		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Aluminum	12/1/2005	11/30/2012	6		0		991.00	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Arsenic	12/1/2005	11/30/2012	14		0		340.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	15		0		15.27	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2005	11/30/2012	15		0		926.26	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2005	11/30/2012	12		0		24.84	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2005	11/30/2012	15		0		122.42	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/1/2005	11/30/2012	11		0		773.50	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2005	11/30/2012	11		0		193.73	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2005	11/30/2012	15	0.50	0		3.12	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2005	11/30/2012	11	7.81	0		139.82	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/1/2005	11/30/2012	11	13.45	0		61.53	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic	12/1/2005	11/30/2012	14	2.50	0		150.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	15	0.14	0		0.28	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2005	11/30/2012	15	2.50	0		87.22	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2005	11/30/2012	12	3.11	0		11.22	AD	FS	<input type="checkbox"/>	FS		

USE

Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	41	93.27	0		126.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID

0804_07

From just above the confluence with Richland Creek in Henderson County, up to the upper end of the segment.

USE

General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2005	11/30/2012	42		0		33.90	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2005	11/30/2012	42		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2005	11/30/2012	42		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	171	359.20	0		600.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	108	54.67	0		150.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	106	68.70	0		150.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	39		1	0.44	0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	42		32	1.48	0.69	AD	CS	<input type="checkbox"/>	CS	total phosphorus	
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	39		31	8.35	1.95	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	41		17	27.09	14.10	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	

USE

Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Restricted and No-Consumption	12/1/2003	11/30/2010						OE	NS	<input type="checkbox"/>	NS	dioxin in edible tissue	5a
DSHS Advisories, Closures, and Risk Assessments	Restricted and No-Consumption	12/1/2003	11/30/2010						OE	NS	<input type="checkbox"/>	NS	PCBs in edible tissue	5a
HH Bioaccumulative Toxics in water	Chromium	12/1/2005	11/30/2012	41	3.66	0		502.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2005	11/30/2012	40	0.51	0		3.83	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel	12/1/2005	11/30/2012	34	11.84	0		1,140.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

SEGID 0804F Tehuacana Creek

AUID 0804F_01

A 27 mile stretch of Tehuacana Creek extending from the confluence with 0804 of the Trinity River up to the confluence with Caney Creek (NHD RC 120302010000226).

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	30		0		3.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	30		0		2.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2005	11/30/2012	16		0		837.28	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Selenium	12/1/2005	11/30/2012	9		0		20.00	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Nickel	12/1/2005	11/30/2012	16		0		696.87	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2005	11/30/2012	16		0		174.50	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	16		0		13.55	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	12/1/2005	11/30/2012	16		0		340.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Aluminum	12/1/2005	11/30/2012	16		0		991.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2005	11/30/2012	16		0		107.31	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2005	11/30/2012	16		1	24.9	22.11	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2005	11/30/2012	16	1.16	0		87.22	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2005	11/30/2012	16	7.34	0		139.82	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Selenium	12/1/2005	11/30/2012	9	0.19	0		5.00	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Nickel	12/1/2005	11/30/2012	16	3.20	0		61.53	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2005	11/30/2012	16	4.15	0		11.22	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	16	0.06	0		0.28	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic	12/1/2005	11/30/2012	16	2.16	0		150.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2005	11/30/2012	16	0.15	0		3.12	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0804F_01

A 27 mile stretch of Tehuacana Creek extending from the confluence with 0804 of the Trinity River up to the confluence with Caney Creek (NHD RC 120302010000226).

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	9	83.14	0		126.00	LD	NC	<input type="checkbox"/>	NC		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	7		0		0.69	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	9		3	76.47	14.10	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	18		0		1.95	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	18		0		0.33	AD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Chromium	12/1/2005	11/30/2012	16	1.16	0		502.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2005	11/30/2012	16	0.15	0		3.83	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel	12/1/2005	11/30/2012	16	3.20	0		1,140.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Antimony	12/1/2004	11/30/2012	10	0.12	0		1,071.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0804F_02

A 28.4 mile (45.7 KM) stretch of Tehuacana Creek extending from the confluence with Caney Creek to the upper end (NHD RC 120302010000225) of Tehuacana Creek.

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	1		0		3.00	ID	NA	<input type="checkbox"/>	NA		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	1		0		2.00	ID	NA	<input type="checkbox"/>	NA		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	1	7300.00	1		126.00	ID	NA	<input type="checkbox"/>	NA		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	1		0		1.95	ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	1		0		0.69	ID	NA	<input type="checkbox"/>	NA		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Nickel	12/1/2005	11/30/2012	16				1,140.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2005	11/30/2012	16				3.83	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Chromium	12/1/2005	11/30/2012	16				502.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Antimony	12/1/2004	11/30/2012	10				1,071.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

SEGID 0804G Catfish Creek

AUID 0804G_01 Entire Segment

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	22		8	4.08	5.00	AD	CS	<input type="checkbox"/>	CS	depressed dissolved oxygen	
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	25		1	2.7	3.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/1/2005	11/30/2012	17		10	3.65	5.00	AD	NS	<input type="checkbox"/>	NS	depressed dissolved oxygen	5b
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/1/2005	11/30/2012	17		2	2.35	3.00	AD	FS	<input type="checkbox"/>	FS		
Macrobenthic Community	Macrobenthic Community	12/1/2003	11/30/2010	1	27.00	1	26.6	29.00	LD	CN	<input type="checkbox"/>	CN	impaired macrobenthic community	
Fish Community	Fish Community	12/1/2003	11/30/2010	1	44.00	0		42.00	LD	NC	<input type="checkbox"/>	NC		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	20	120.34	0		126.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2002	11/30/2012	38		0		1.95	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2002	11/30/2012	38		1	0.81	0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2002	11/30/2012	40		1	1.28	0.69	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2002	11/30/2012	36		1	14.2	14.10	AD	NC	<input type="checkbox"/>	NC		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

SEGID 0804H Upper Keechi Creek

AUID 0804H_01 From the confluence with segment 0804 Trinity River up to confluence with Twin Branch (NHD RC 12030201027099)

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	10		0		5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	10		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/1/2005	11/30/2012	2		0		5.00	ID	NA	<input checked="" type="checkbox"/>	NS	depressed dissolved oxygen	5b
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/1/2005	11/30/2012	2		0		3.00	ID	NA	<input checked="" type="checkbox"/>	NS	depressed dissolved oxygen	5b
Acute Toxic Substances in water	Zinc	12/1/2005	11/30/2012	8		0		145.46	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Aluminum	12/1/2005	11/30/2012	8		0		991.00	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Arsenic	12/1/2005	11/30/2012	8		0		340.00	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	8		0		11.00	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Chromium	12/1/2005	11/30/2012	8		0		702.20	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Copper	12/1/2005	11/30/2012	8		0		18.06	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Lead	12/1/2005	11/30/2012	8		0		85.17	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Nickel	12/1/2005	11/30/2012	8		0		581.06	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Selenium	12/1/2005	11/30/2012	8		0		20.00	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Lead	12/1/2005	11/30/2012	8	0.04	0		3.12	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Selenium	12/1/2005	11/30/2012	8	0.19	0		5.00	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Zinc	12/1/2005	11/30/2012	8	4.87	0		139.82	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Nickel	12/1/2005	11/30/2012	8	3.41	0		61.53	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Chromium	12/1/2005	11/30/2012	8	2.00	0		87.22	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Arsenic	12/1/2005	11/30/2012	8	1.25	0		150.00	LD	NC	<input type="checkbox"/>	NC		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID **0804H_01** From the confluence with segment 0804 Trinity River up to confluence with Twin Branch (NHD RC 12030201027099)

USE **Aquatic Life Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Chronic Toxic Substances in water	Copper	12/1/2005	11/30/2012	8	1.25	0		11.22	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	8	0.05	0		0.28	LD	NC	<input type="checkbox"/>	NC		

USE **Recreation Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	9	118.25	0		126.00	LD	NC	<input type="checkbox"/>	NC		

USE **General Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	9		0		0.69	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	10		5	28.02	14.10	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	10		0		0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	10		0		1.95	AD	NC	<input type="checkbox"/>	NC		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

SEGID 0804J Fairfield Lake

AUID 0804J_01 Entire segment

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	38		5	2.29	5.00	AD	CS	<input type="checkbox"/>	CS	depressed dissolved oxygen	
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	38		3	1.67	3.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/1/2005	11/30/2012	10		0		5.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/1/2005	11/30/2012	10		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2005	11/30/2012	19		0		100.66	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2005	11/30/2012	19		0		165.91	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Selenium	12/1/2005	11/30/2012	19		0		20.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/1/2005	11/30/2012	19		0		662.60	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2005	11/30/2012	9		0		20.91	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Chromium	12/1/2005	11/30/2012	19		0		797.39	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	19		0		12.79	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Aluminum	12/1/2005	11/30/2012	19		0		991.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	12/1/2005	11/30/2012	19		0		340.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2005	11/30/2012	19	2.00	0		87.22	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Selenium	12/1/2005	11/30/2012	19	0.13	0		5.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/1/2005	11/30/2012	19	2.64	0		61.53	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2005	11/30/2012	19	2.00	0		139.82	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	19	0.10	0		0.28	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic	12/1/2005	11/30/2012	19	7.73	0		150.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0804J_01 Entire segment

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Chronic Toxic Substances in water	Copper	12/1/2005	11/30/2012	9	2.22	0		11.22	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Lead	12/1/2005	11/30/2012	19	0.19	0		3.12	AD	FS	<input type="checkbox"/>	FS		
Toxic Substances in sediment	Benzo(a)pyrene	12/1/2005	11/30/2012	4		0		1,450.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Fluorene	12/1/2005	11/30/2012	4		0		536.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Fluoranthene	12/1/2005	11/30/2012	4		0		2,230.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Endrin	12/1/2005	11/30/2012	4		0		207.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Dieldrin	12/1/2005	11/30/2012	4		0		61.80	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Dibenz(a,h)anthracene	12/1/2005	11/30/2012	4		0		140.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	DDD	12/1/2005	11/30/2012	4		0		28.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Copper	12/1/2005	11/30/2012	8		0		149.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Chrysene	12/1/2005	11/30/2012	4		0		1,290.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Chromium	12/1/2005	11/30/2012	8		0		111.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Chloromethane	12/1/2005	11/30/2012	1		0		10,680.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Cadmium	12/1/2005	11/30/2012	8		0		4.98	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Arsenic	12/1/2005	11/30/2012	8		0		33.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Anthracene	12/1/2005	11/30/2012	4		0		845.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Aldrin	12/1/2005	11/30/2012	4		0		80.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Acrylonitrile	12/1/2005	11/30/2012	1		0		1,360.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Acenaphthylene	12/1/2005	11/30/2012	4		0		130.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Acenaphthene	12/1/2005	11/30/2012	4		0		89.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	1,4-Dichlorobenzene	12/1/2005	11/30/2012	4		0		4,650.00	LD	NC	<input type="checkbox"/>	NC		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0804J_01 Entire segment

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Toxic Substances in sediment	Hexachlorobutadiene (HCBD)	12/1/2005	11/30/2012	4		0		550.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Chlordane	12/1/2005	11/30/2012	4		0		17.60	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Nitrobenzene	12/1/2005	11/30/2012	4		0		161.06	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Bromodichloromethane	12/1/2005	11/30/2012	1		0		14,740.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Carbon disulfide	12/1/2005	11/30/2012	1		0		780.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Carbon tetrachloride	12/1/2005	11/30/2012	1		0		37,330.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Chlorobenzene	12/1/2005	11/30/2012	1		0		19,870.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Dichlorodifluoromethane	12/1/2005	11/30/2012	1		0		22,090.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	1,1-Dichloroethane	12/1/2005	11/30/2012	1		0		13,890.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	1,2-Dichloroethane	12/1/2005	11/30/2012	1		0		28,690.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	1,2-Dichloroethene (trans)	12/1/2005	11/30/2012	1		0		71,840.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	1,2-Dichloropropane	12/1/2005	11/30/2012	1		0		13,170.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Ethylbenzene	12/1/2005	11/30/2012	1		0		17,180.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	2-hexanone	12/1/2005	11/30/2012	1		0		28,200.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Benzene	12/1/2005	11/30/2012	1		0		45,010.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Methylene chloride	12/1/2005	11/30/2012	1		0		46.52	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Vinyl chloride	12/1/2005	11/30/2012	1		0		11,780.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Styrene	12/1/2005	11/30/2012	1		0		61,420.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	1,1,2,2-Tetrachloroethane	12/1/2005	11/30/2012	1		0		3,800.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Tetrachloroethene	12/1/2005	11/30/2012	1		0		10,050.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Toluene	12/1/2005	11/30/2012	1		0		17,290.00	ID	NA	<input type="checkbox"/>	NA		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0804J_01 Entire segment

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Toxic Substances in sediment	Bromoform	12/1/2005	11/30/2012	1		0		1,310.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	1,2,4-Trichlorobenzene	12/1/2005	11/30/2012	4		0		5,310.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	1,1,1-Trichloroethane	12/1/2005	11/30/2012	1		0		24,800.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	1,1,2-Trichloroethane	12/1/2005	11/30/2012	1		0		5,880.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Xylene	12/1/2005	11/30/2012	1		0		12,010.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Chloroform	12/1/2005	11/30/2012	1		0		5,630.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	o-Dichlorobenzene	12/1/2005	11/30/2012	4		0		4,950.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Hexachlorobenzene (HCB)	12/1/2005	11/30/2012	4		0		240.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	4-Methyl-2-Pentanone (MIBK)	12/1/2005	11/30/2012	1		0		116,590.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Mercury	12/1/2005	11/30/2012	8		0		1.06	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	DDE	12/1/2005	11/30/2012	4		0		31.30	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Acetone	12/1/2005	11/30/2012	1		0		367,990.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Hexachloroethane	12/1/2005	11/30/2012	4		0		13,770.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Lead	12/1/2005	11/30/2012	8		0		128.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Heptachlor epoxide	12/1/2005	11/30/2012	4		0		16.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Naphthalene	12/1/2005	11/30/2012	4		0		561.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Nickel	12/1/2005	11/30/2012	8		0		48.60	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	PCBs	12/1/2005	11/30/2012	4		0		676.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Phenanthrene	12/1/2005	11/30/2012	4		0		1,170.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Pyrene	12/1/2005	11/30/2012	4		0		1,520.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Silver	12/1/2005	11/30/2012	8		0		2.20	LD	NC	<input type="checkbox"/>	NC		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0804J_01 Entire segment

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Toxic Substances in sediment	Trichloroethene	12/1/2005	11/30/2012	1		0		5,070.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Zinc	12/1/2005	11/30/2012	8		0		459.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	alpha-BHC	12/1/2005	11/30/2012	4		0		100.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	1,3-Dichlorobenzene	12/1/2005	11/30/2012	4		0		350.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Toxaphene	12/1/2005	11/30/2012	4		0		32.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	gamma-BHC (Lindane)	12/1/2005	11/30/2012	4		0		4.99	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Di-n-butyl phthalate	12/1/2005	11/30/2012	4		0		43.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Manganese	12/1/2005	11/30/2012	8		0		1,100.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	DDT	12/1/2005	11/30/2012	4		0		62.90	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Arachlor 1248	12/1/2005	11/30/2012	4		0		1,500.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Arachlor1260	12/1/2005	11/30/2012	4		0		240.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Arachlor 1016	12/1/2005	11/30/2012	4		0		530.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Arachlor 1254	12/1/2005	11/30/2012	4		0		340.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Benz(a)anthracene	12/1/2005	11/30/2012	4		0		1,050.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Iron	12/1/2005	11/30/2012	8		0		40,000.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	beta-BHC	12/1/2005	11/30/2012	4		0		210.00	LD	NC	<input type="checkbox"/>	NC		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	27	4.32	0		126.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	28		2	0.62	0.37	AD	NC	<input type="checkbox"/>	NC		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0804J_01 Entire segment

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	27		22	69.53	26.70	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	27		4	0.29	0.11	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	26		8	0.3	0.20	AD	CS	<input type="checkbox"/>	CS	total phosphorus	
Fish Kill Reports	Fish Kill Reports	12/1/2005	11/30/2012	7					OE	CN	<input checked="" type="checkbox"/>	CN	fish kill report	

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Chromium	12/1/2005	11/30/2012	19	2.00	0		502.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2005	11/30/2012	19	0.19	0		3.83	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel	12/1/2005	11/30/2012	19	2.64	0		1,140.00	AD	FS	<input type="checkbox"/>	FS		
Bioaccumulative Toxics in fish tissue	Toxaphene	12/1/2002	11/30/2012	2		0		0.83	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Lead	12/1/2002	11/30/2012	2		0		0.60	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Zinc	12/1/2002	11/30/2012	2		0		525.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Aldrin	12/1/2002	11/30/2012	2		0		0.14	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Selenium	12/1/2002	11/30/2012	2		0		4.38	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	PCBs	12/1/2002	11/30/2012	2		0		0.13	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Nickel	12/1/2002	11/30/2012	2		0		35.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Mirex	12/1/2002	11/30/2012	2		0		0.04	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Mercury	12/1/2002	11/30/2012	2		0		0.53	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Heptachlor epoxide	12/1/2002	11/30/2012	2		0		0.25	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Heptachlor	12/1/2002	11/30/2012	2		0		0.20	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Dieldrin	12/1/2002	11/30/2012	2		0		0.06	ID	NA	<input type="checkbox"/>	NA		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0804J_01 Entire segment

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bioaccumulative Toxics in fish tissue	Copper	12/1/2002	11/30/2012	2		0		250.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Chromium	12/1/2002	11/30/2012	2		0		5.25	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Arsenic	12/1/2002	11/30/2012	2		0		0.04	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Cadmium	12/1/2002	11/30/2012	2		0		0.23	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Hexachlorobenzene (HCB)	12/1/2002	11/30/2012	2		0		0.61	ID	NA	<input type="checkbox"/>	NA		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

SEGID **0805** **Upper Trinity River**

AUID **0805_01** From confluence of the Cedar Creek Reservoir discharge canal upstream to confluence of Smith Creek.

USE **Aquatic Life Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Toxic Substances in sediment	PCBs	12/1/2005	11/30/2012	13		0		676.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Arachlor 1254	12/1/2005	11/30/2012	1		0		340.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Benz(a)anthracene	12/1/2005	11/30/2012	1		0		1,050.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Iron	12/1/2005	11/30/2012	1		0		40,000.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	1,3-Dichlorobenzene	12/1/2005	11/30/2012	1		0		350.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Pyrene	12/1/2005	11/30/2012	1		0		1,520.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Arachlor 1016	12/1/2005	11/30/2012	1		0		530.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Phenanthrene	12/1/2005	11/30/2012	1		0		1,170.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Toxaphene	12/1/2005	11/30/2012	1		0		32.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Nickel	12/1/2005	11/30/2012	1		0		48.60	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Silver	12/1/2005	11/30/2012	1		0		2.20	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Arachlor1260	12/1/2005	11/30/2012	1		0		240.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Arachlor 1248	12/1/2005	11/30/2012	1		0		1,500.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	alpha-BHC	12/1/2005	11/30/2012	1		0		100.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	gamma-BHC (Lindane)	12/1/2005	11/30/2012	1		0		4.99	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Di-n-butyl phthalate	12/1/2005	11/30/2012	1		0		43.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	DDT	12/1/2005	11/30/2012	1		0		62.90	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Nitrobenzene	12/1/2005	11/30/2012	1		0		161.06	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	1,2,4-Trichlorobenzene	12/1/2005	11/30/2012	1		0		5,310.00	ID	NA	<input type="checkbox"/>	NA		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0805_01 From confluence of the Cedar Creek Reservoir discharge canal upstream to confluence of Smith Creek.

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Toxic Substances in sediment	DDE	12/1/2005	11/30/2012	1		0		31.30	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	o-Dichlorobenzene	12/1/2005	11/30/2012	1		0		4,950.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Naphthalene	12/1/2005	11/30/2012	1		0		561.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	beta-BHC	12/1/2005	11/30/2012	1		0		210.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Anthracene	12/1/2005	11/30/2012	1		0		845.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Manganese	12/1/2005	11/30/2012	1		0		1,100.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	1,4-Dichlorobenzene	12/1/2005	11/30/2012	1		0		4,650.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Acenaphthene	12/1/2005	11/30/2012	1		0		89.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Aldrin	12/1/2005	11/30/2012	1		0		80.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Arsenic	12/1/2005	11/30/2012	1		0		33.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Benzo(a)pyrene	12/1/2005	11/30/2012	1		0		1,450.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Cadmium	12/1/2005	11/30/2012	1		0		4.98	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Chlordane	12/1/2005	11/30/2012	1		0		17.60	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Chromium	12/1/2005	11/30/2012	1		0		111.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Chrysene	12/1/2005	11/30/2012	1		0		1,290.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Copper	12/1/2005	11/30/2012	1		0		149.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Dibenz(a,h)anthracene	12/1/2005	11/30/2012	1		0		140.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Dieldrin	12/1/2005	11/30/2012	1		0		61.80	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Endrin	12/1/2005	11/30/2012	1		0		207.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Fluoranthene	12/1/2005	11/30/2012	1		0		2,230.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Fluorene	12/1/2005	11/30/2012	1		0		536.00	ID	NA	<input type="checkbox"/>	NA		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID **0805_01** From confluence of the Cedar Creek Reservoir discharge canal upstream to confluence of Smith Creek.

USE **Aquatic Life Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Toxic Substances in sediment	Heptachlor epoxide	12/1/2005	11/30/2012	1		0		16.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Lead	12/1/2005	11/30/2012	1		0		128.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Zinc	12/1/2005	11/30/2012	1		0		459.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Acenaphthylene	12/1/2005	11/30/2012	1		0		130.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Hexachlorobutadiene (HCBd)	12/1/2005	11/30/2012	1		0		550.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Hexachloroethane	12/1/2005	11/30/2012	1		0		13,770.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	DDD	12/1/2005	11/30/2012	1		0		28.00	ID	NA	<input type="checkbox"/>	NA		

USE **General Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/1/2005	11/30/2012	54				175.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	52				175.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	138				850.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	0				0.69	ID	NA	<input checked="" type="checkbox"/>	CS	total phosphorus	
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	0				14.10	ID	NA	<input checked="" type="checkbox"/>	CS	chlorophyll-a	
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	0				1.95	ID	NA	<input checked="" type="checkbox"/>	CS	nitrate	

USE **Fish Consumption Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Restricted and No-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	dioxin in edible tissue	5a
DSHS Advisories, Closures, and Risk Assessments	Restricted and No-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	PCBs in edible tissue	5a
HH Bioaccumulative Toxics in water	Chromium	12/1/2005	11/30/2012	35				502.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2005	11/30/2012	35				3.83	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel	12/1/2005	11/30/2012	23				1,140.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0805_02 From confluence of Smith Creek upstream to confluence of Tenmile Creek.

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	61		0		3.50	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	61		0		2.50	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2005	11/30/2012	15		0		113.78	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Aluminum	6/1/2003	11/30/2012	10		0		991.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2005	11/30/2012	11		0		182.79	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/1/2005	11/30/2012	11		0		729.89	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2005	11/30/2012	15		0		875.66	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	12/1/2005	11/30/2012	14		0		340.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	15		0		14.29	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2005	11/30/2012	12		0		23.28	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2005	11/30/2012	11	9.16	0		164.69	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic	12/1/2005	11/30/2012	14	2.50	0		150.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	15	0.15	0		0.32	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2005	11/30/2012	15	2.50	0		102.18	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2005	11/30/2012	12	2.68	0		13.24	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2005	11/30/2012	15	0.50	0		3.85	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/1/2005	11/30/2012	11	4.70	0		72.46	AD	FS	<input type="checkbox"/>	FS		
Toxic Substances in sediment	Arachlor 1016	12/1/2005	11/30/2012	1		0		530.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Arachlor 1254	12/1/2005	11/30/2012	1		0		340.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Benz(a)anthracene	12/1/2005	11/30/2012	1		0		1,050.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Iron	12/1/2005	11/30/2012	1		0		40,000.00	ID	NA	<input type="checkbox"/>	NA		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID

0805_02

From confluence of Smith Creek upstream to confluence of Tenmile Creek.

USE

Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Toxic Substances in sediment	1,3-Dichlorobenzene	12/1/2005	11/30/2012	1		0		350.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Zinc	12/1/2005	11/30/2012	1		0		459.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Silver	12/1/2005	11/30/2012	1		0		2.20	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Arachlor1260	12/1/2005	11/30/2012	1		0		240.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Phenanthrene	12/1/2005	11/30/2012	1		0		1,170.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Di-n-butyl pthalate	12/1/2005	11/30/2012	1		0		43.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	PCBs	12/1/2005	11/30/2012	13		0		676.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Pyrene	12/1/2005	11/30/2012	1		0		1,520.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Arachlor 1248	12/1/2005	11/30/2012	1		0		1,500.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	alpha-BHC	12/1/2005	11/30/2012	1		0		100.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	beta-BHC	12/1/2005	11/30/2012	1		0		210.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	gamma-BHC (Lindane)	12/1/2005	11/30/2012	1		0		4.99	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	o-Dichlorobenzene	12/1/2005	11/30/2012	1		0		4,950.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Anthracene	12/1/2005	11/30/2012	1		0		845.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	DDT	12/1/2005	11/30/2012	1		0		62.90	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Nitrobenzene	12/1/2005	11/30/2012	1		0		161.06	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	1,2,4-Trichlorobenzene	12/1/2005	11/30/2012	1		0		5,310.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	DDE	12/1/2005	11/30/2012	1		0		31.30	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Nickel	12/1/2005	11/30/2012	1		0		48.60	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Toxaphene	12/1/2005	11/30/2012	1		0		32.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Aldrin	12/1/2005	11/30/2012	1		0		80.00	ID	NA	<input type="checkbox"/>	NA		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID

0805_02

From confluence of Smith Creek upstream to confluence of Tenmile Creek.

USE

Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Toxic Substances in sediment	1,4-Dichlorobenzene	12/1/2005	11/30/2012	1		0		4,650.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Benzo(a)pyrene	12/1/2005	11/30/2012	1		0		1,450.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Acenaphthylene	12/1/2005	11/30/2012	1		0		130.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Naphthalene	12/1/2005	11/30/2012	1		0		561.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Arsenic	12/1/2005	11/30/2012	1		0		33.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Cadmium	12/1/2005	11/30/2012	1		0		4.98	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Chlordane	12/1/2005	11/30/2012	1		0		17.60	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Chromium	12/1/2005	11/30/2012	1		0		111.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Chrysene	12/1/2005	11/30/2012	1		0		1,290.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Copper	12/1/2005	11/30/2012	1		0		149.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Dibenz(a,h)anthracene	12/1/2005	11/30/2012	1		0		140.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Dieldrin	12/1/2005	11/30/2012	1		0		61.80	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Endrin	12/1/2005	11/30/2012	1		0		207.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Fluoranthene	12/1/2005	11/30/2012	1		0		2,230.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Fluorene	12/1/2005	11/30/2012	1		0		536.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Heptachlor epoxide	12/1/2005	11/30/2012	1		0		16.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Hexachlorobutadiene (HCBd)	12/1/2005	11/30/2012	1		0		550.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Hexachloroethane	12/1/2005	11/30/2012	1		0		13,770.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Lead	12/1/2005	11/30/2012	1		0		128.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Manganese	12/1/2005	11/30/2012	1		0		1,100.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Acenaphthene	12/1/2005	11/30/2012	1		0		89.00	ID	NA	<input type="checkbox"/>	NA		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID **0805_02** From confluence of Smith Creek upstream to confluence of Tenmile Creek.

USE **Aquatic Life Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Toxic Substances in sediment	DDD	12/1/2005	11/30/2012	1		0		28.00	ID	NA	<input type="checkbox"/>	NA		

USE **Recreation Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	42	80.97	0		126.00	AD	FS	<input type="checkbox"/>	FS		

USE **General Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2005	11/30/2012	62		0		35.00	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2005	11/30/2012	62		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2005	11/30/2012	62		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	138	410.88	0		850.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	54	67.51	0		175.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	52	78.88	0		175.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	41		33	9.52	1.95	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	43		1	0.36	0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	40		27	1.78	0.69	AD	CS	<input type="checkbox"/>	CS	total phosphorus	
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	41		17	21.06	14.10	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	

USE **Fish Consumption Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Restricted and No-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	dioxin in edible tissue	5a
DSHS Advisories, Closures, and Risk Assessments	Restricted and No-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	PCBs in edible tissue	5a
HH Bioaccumulative Toxics in water	Nickel	12/1/2005	11/30/2012	23	3.67	0		1,140.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Chromium	12/1/2005	11/30/2012	35	2.50	0		502.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0805_02 From confluence of Smith Creek upstream to confluence of Tenmile Creek.

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Lead	12/1/2005	11/30/2012	35				3.83	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID

0805_03

From the confluence of Fivemile Creek upstream to the confluence of Cedar Creek.

USE

Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	119		1	4.7	3.50	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	119		0		2.50	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Aluminum	12/1/2005	11/30/2012	10		0		991.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	12/1/2005	11/30/2012	14		0		340.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	15		0		14.04	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2005	11/30/2012	15		0		862.91	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2005	11/30/2012	12		0		22.89	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2005	11/30/2012	15		0		111.62	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/1/2005	11/30/2012	11		0		718.91	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2005	11/30/2012	10		0		180.03	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2005	11/30/2012	12	2.21	0		13.24	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2005	11/30/2012	10	9.19	0		164.69	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2005	11/30/2012	15	0.50	0		3.85	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2005	11/30/2012	15	2.50	0		102.18	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	15	0.15	0		0.32	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic	12/1/2005	11/30/2012	14	2.50	0		150.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/1/2005	11/30/2012	11	3.60	0		72.46	AD	FS	<input type="checkbox"/>	FS		
Toxic Substances in sediment	DDE	12/1/2005	11/30/2012	1		0		31.30	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Arachlor 1254	12/1/2005	11/30/2012	1		0		340.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Nickel	12/1/2005	11/30/2012	1		0		48.60	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	PCBs	12/1/2005	11/30/2012	13		0		676.00	AD	NC	<input type="checkbox"/>	NC		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID

0805_03

From the confluence of Fivemile Creek upstream to the confluence of Cedar Creek.

USE

Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Toxic Substances in sediment	Phenanthrene	12/1/2005	11/30/2012	1		0		1,170.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Pyrene	12/1/2005	11/30/2012	1		0		1,520.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Silver	12/1/2005	11/30/2012	1		0		2.20	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Zinc	12/1/2005	11/30/2012	1		0		459.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	1,3-Dichlorobenzene	12/1/2005	11/30/2012	1		0		350.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Iron	12/1/2005	11/30/2012	1		0		40,000.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Benz(a)anthracene	12/1/2005	11/30/2012	1		0		1,050.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Arachlor 1016	12/1/2005	11/30/2012	1		0		530.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Arachlor1260	12/1/2005	11/30/2012	1		0		240.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Arachlor 1248	12/1/2005	11/30/2012	1		0		1,500.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	alpha-BHC	12/1/2005	11/30/2012	1		0		100.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	beta-BHC	12/1/2005	11/30/2012	1		0		210.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	gamma-BHC (Lindane)	12/1/2005	11/30/2012	1		0		4.99	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Toxaphene	12/1/2005	11/30/2012	1		0		32.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Naphthalene	12/1/2005	11/30/2012	1		0		561.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Nitrobenzene	12/1/2005	11/30/2012	1		0		161.06	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	DDT	12/1/2005	11/30/2012	1		0		62.90	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	o-Dichlorobenzene	12/1/2005	11/30/2012	1		0		4,950.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Di-n-butyl phthalate	12/1/2005	11/30/2012	1		0		43.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	1,4-Dichlorobenzene	12/1/2005	11/30/2012	1		0		4,650.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Acenaphthene	12/1/2005	11/30/2012	1		0		89.00	ID	NA	<input type="checkbox"/>	NA		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID

0805_03

From the confluence of Fivemile Creek upstream to the confluence of Cedar Creek.

USE

Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Toxic Substances in sediment	Acenaphthylene	12/1/2005	11/30/2012	1		0		130.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Manganese	12/1/2005	11/30/2012	1		1	1140	1,100.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Aldrin	12/1/2005	11/30/2012	1		0		80.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Anthracene	12/1/2005	11/30/2012	1		0		845.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Arsenic	12/1/2005	11/30/2012	1		0		33.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Benzo(a)pyrene	12/1/2005	11/30/2012	1		0		1,450.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Cadmium	12/1/2005	11/30/2012	1		0		4.98	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Chlordane	12/1/2005	11/30/2012	1		0		17.60	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Chromium	12/1/2005	11/30/2012	1		0		111.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Chrysene	12/1/2005	11/30/2012	1		0		1,290.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	DDD	12/1/2005	11/30/2012	1		0		28.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Dibenz(a,h)anthracene	12/1/2005	11/30/2012	1		0		140.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Dieldrin	12/1/2005	11/30/2012	1		0		61.80	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Endrin	12/1/2005	11/30/2012	1		0		207.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Fluoranthene	12/1/2005	11/30/2012	1		0		2,230.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Fluorene	12/1/2005	11/30/2012	1		0		536.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	1,2,4-Trichlorobenzene	12/1/2005	11/30/2012	1		0		5,310.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Heptachlor epoxide	12/1/2005	11/30/2012	1		0		16.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Hexachlorobutadiene (HCBD)	12/1/2005	11/30/2012	1		0		550.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Hexachloroethane	12/1/2005	11/30/2012	1		0		13,770.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Lead	12/1/2005	11/30/2012	1		1	263	128.00	ID	NA	<input type="checkbox"/>	NA		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0805_03 From the confluence of Fivemile Creek upstream to the confluence of Cedar Creek.

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Toxic Substances in sediment	Copper	12/1/2005	11/30/2012	1		0		149.00	ID	NA	<input type="checkbox"/>	NA		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	47	360.50	1		126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	4a

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2005	11/30/2012	121		0		35.00	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2005	11/30/2012	121		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2005	11/30/2012	121		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	138	410.88	0		850.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	54	67.51	0		175.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	52	78.88	0		175.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	42		35	8.85	1.95	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	44		4	0.46	0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	45		27	1.77	0.69	AD	CS	<input type="checkbox"/>	CS	total phosphorus	
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	42		12	19.73	14.10	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Restricted and No-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	dioxin in edible tissue	5a
DSHS Advisories, Closures, and Risk Assessments	Restricted and No-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	PCBs in edible tissue	5a
HH Bioaccumulative Toxics in water	Nickel	12/1/2005	11/30/2012	23	3.67	0		1,140.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Chromium	12/1/2005	11/30/2012	35	2.50	0		502.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0805_03 From the confluence of Fivemile Creek upstream to the confluence of Cedar Creek.

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Lead	12/1/2005	11/30/2012	35	0.50	0		3.83	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID

0805_04

From confluence of Cedar Creek upstream to confluence of Elm Fork Trinity River

USE

Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	41		0		3.50	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	41		0		2.50	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Aluminum	6/1/2003	11/30/2012	7		0		991.00	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Arsenic	12/1/2005	11/30/2012	14		0		340.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	15		0		13.39	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2005	11/30/2012	15		0		828.70	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2005	11/30/2012	12		0		21.85	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2005	11/30/2012	15		0		105.87	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/1/2005	11/30/2012	11		0		689.49	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2005	11/30/2012	10		0		172.65	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2005	11/30/2012	12	2.15	0		13.24	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2005	11/30/2012	10	12.42	0		164.69	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2005	11/30/2012	15	0.50	0		3.85	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2005	11/30/2012	15	2.50	0		102.18	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	15	0.15	0		0.32	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic	12/1/2005	11/30/2012	14	2.50	0		150.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/1/2005	11/30/2012	11	3.77	0		72.46	AD	FS	<input type="checkbox"/>	FS		
Toxic Substances in sediment	Silver	12/1/2005	11/30/2012	1		0		2.20	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Arachlor 1254	12/1/2005	11/30/2012	1		0		340.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	o-Dichlorobenzene	12/1/2005	11/30/2012	1		0		4,950.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Benz(a)anthracene	12/1/2005	11/30/2012	1		0		1,050.00	ID	NA	<input type="checkbox"/>	NA		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID

0805_04

From confluence of Cedar Creek upstream to confluence of Elm Fork Trinity River

USE

Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Toxic Substances in sediment	Iron	12/1/2005	11/30/2012	1		0		40,000.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	1,3-Dichlorobenzene	12/1/2005	11/30/2012	1		0		350.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	PCBs	12/1/2005	11/30/2012	13		0		676.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Nitrobenzene	12/1/2005	11/30/2012	1		0		161.06	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Pyrene	12/1/2005	11/30/2012	1		0		1,520.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Phenanthrene	12/1/2005	11/30/2012	1		0		1,170.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	DDD	12/1/2005	11/30/2012	1		0		28.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Zinc	12/1/2005	11/30/2012	1		0		459.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Arachlor 1016	12/1/2005	11/30/2012	1		0		530.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Arachlor1260	12/1/2005	11/30/2012	1		0		240.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Arachlor 1248	12/1/2005	11/30/2012	1		0		1,500.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	alpha-BHC	12/1/2005	11/30/2012	1		0		100.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	beta-BHC	12/1/2005	11/30/2012	1		0		210.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	gamma-BHC (Lindane)	12/1/2005	11/30/2012	1		0		4.99	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Toxaphene	12/1/2005	11/30/2012	1		0		32.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	DDT	12/1/2005	11/30/2012	1		0		62.90	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	1,2,4-Trichlorobenzene	12/1/2005	11/30/2012	1		0		5,310.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	DDE	12/1/2005	11/30/2012	1		0		31.30	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Nickel	12/1/2005	11/30/2012	1		0		48.60	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Di-n-butyl phthalate	12/1/2005	11/30/2012	1		0		43.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Benzo(a)pyrene	12/1/2005	11/30/2012	1		0		1,450.00	ID	NA	<input type="checkbox"/>	NA		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID

0805_04

From confluence of Cedar Creek upstream to confluence of Elm Fork Trinity River

USE

Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Toxic Substances in sediment	Naphthalene	12/1/2005	11/30/2012	1		0		561.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Dieldrin	12/1/2005	11/30/2012	1		0		61.80	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	1,4-Dichlorobenzene	12/1/2005	11/30/2012	1		0		4,650.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Acenaphthene	12/1/2005	11/30/2012	1		0		89.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Acenaphthylene	12/1/2005	11/30/2012	1		0		130.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Aldrin	12/1/2005	11/30/2012	1		0		80.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Arsenic	12/1/2005	11/30/2012	1		0		33.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Cadmium	12/1/2005	11/30/2012	1		0		4.98	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Chlordane	12/1/2005	11/30/2012	1		0		17.60	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Chromium	12/1/2005	11/30/2012	1		0		111.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Hexachlorobutadiene (HCBBD)	12/1/2005	11/30/2012	1		0		550.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Manganese	12/1/2005	11/30/2012	1		0		1,100.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Anthracene	12/1/2005	11/30/2012	1		0		845.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Hexachloroethane	12/1/2005	11/30/2012	1		0		13,770.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Chrysene	12/1/2005	11/30/2012	1		0		1,290.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Heptachlor epoxide	12/1/2005	11/30/2012	1		0		16.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Fluorene	12/1/2005	11/30/2012	1		0		536.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Fluoranthene	12/1/2005	11/30/2012	1		0		2,230.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Endrin	12/1/2005	11/30/2012	1		0		207.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Dibenz(a,h)anthracene	12/1/2005	11/30/2012	1		0		140.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Copper	12/1/2005	11/30/2012	1		0		149.00	ID	NA	<input type="checkbox"/>	NA		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0805_04 From confluence of Cedar Creek upstream to confluence of Elm Fork Trinity River

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Toxic Substances in sediment	Lead	12/1/2005	11/30/2012	1		0		128.00	ID	NA	<input type="checkbox"/>	NA		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	42	203.12	1		126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	4a

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2005	11/30/2012	42		0		35.00	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2005	11/30/2012	42		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2005	11/30/2012	42		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	138	410.88	0		850.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	54	67.51	0		175.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	52	78.88	0		175.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	41		10	20.83	14.10	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	37		29	10.53	1.95	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	38		4	0.84	0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	40		28	1.73	0.69	AD	CS	<input type="checkbox"/>	CS	total phosphorus	

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Restricted and No-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	dioxin in edible tissue	5a
DSHS Advisories, Closures, and Risk Assessments	Restricted and No-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	PCBs in edible tissue	5a
HH Bioaccumulative Toxics in water	Chromium	12/1/2005	11/30/2012	35	2.50	0		502.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2005	11/30/2012	35	0.50	0		3.83	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0805_04 From confluence of Cedar Creek upstream to confluence of Elm Fork Trinity River

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Nickel	12/1/2005	11/30/2012	23	3.67	0		1,140.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID

0805_06

From confluence of Tenmile Creek upstream to confluence of Fivemile Creek

USE

Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Toxic Substances in sediment	Phenanthrene	12/1/2005	11/30/2012	1		0		1,170.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Arachlor 1016	12/1/2005	11/30/2012	1		0		530.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Arachlor 1254	12/1/2005	11/30/2012	1		0		340.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Benz(a)anthracene	12/1/2005	11/30/2012	1		0		1,050.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Iron	12/1/2005	11/30/2012	1		0		40,000.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	1,3-Dichlorobenzene	12/1/2005	11/30/2012	1		0		350.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Zinc	12/1/2005	11/30/2012	1		0		459.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Arachlor1260	12/1/2005	11/30/2012	1		0		240.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Pyrene	12/1/2005	11/30/2012	1		0		1,520.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	beta-BHC	12/1/2005	11/30/2012	1		0		210.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	PCBs	12/1/2005	11/30/2012	13		0		676.00	AD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Silver	12/1/2005	11/30/2012	1		0		2.20	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	o-Dichlorobenzene	12/1/2005	11/30/2012	1		0		4,950.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Arachlor 1248	12/1/2005	11/30/2012	1		0		1,500.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	alpha-BHC	12/1/2005	11/30/2012	1		0		100.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Nickel	12/1/2005	11/30/2012	1		0		48.60	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	gamma-BHC (Lindane)	12/1/2005	11/30/2012	1		0		4.99	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Toxaphene	12/1/2005	11/30/2012	1		0		32.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Di-n-butyl phthalate	12/1/2005	11/30/2012	1		0		43.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	DDT	12/1/2005	11/30/2012	1		0		62.90	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Nitrobenzene	12/1/2005	11/30/2012	1		0		161.06	ID	NA	<input type="checkbox"/>	NA		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID

0805_06

From confluence of Tenmile Creek upstream to confluence of Fivemile Creek

USE

Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Toxic Substances in sediment	1,2,4-Trichlorobenzene	12/1/2005	11/30/2012	1		0		5,310.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	DDE	12/1/2005	11/30/2012	1		0		31.30	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Chromium	12/1/2005	11/30/2012	1		0		111.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Anthracene	12/1/2005	11/30/2012	1		0		845.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	1,4-Dichlorobenzene	12/1/2005	11/30/2012	1		0		4,650.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Acenaphthene	12/1/2005	11/30/2012	1		0		89.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Copper	12/1/2005	11/30/2012	1		0		149.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Aldrin	12/1/2005	11/30/2012	1		0		80.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Naphthalene	12/1/2005	11/30/2012	1		0		561.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Arsenic	12/1/2005	11/30/2012	1		0		33.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Benzo(a)pyrene	12/1/2005	11/30/2012	1		0		1,450.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Cadmium	12/1/2005	11/30/2012	1		0		4.98	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Chlordane	12/1/2005	11/30/2012	1		0		17.60	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Chrysene	12/1/2005	11/30/2012	1		0		1,290.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Dibenz(a,h)anthracene	12/1/2005	11/30/2012	1		0		140.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Dieldrin	12/1/2005	11/30/2012	1		0		61.80	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Endrin	12/1/2005	11/30/2012	1		0		207.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Fluoranthene	12/1/2005	11/30/2012	1		0		2,230.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Fluorene	12/1/2005	11/30/2012	1		0		536.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Heptachlor epoxide	12/1/2005	11/30/2012	1		0		16.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Hexachlorobutadiene (HCBD)	12/1/2005	11/30/2012	1		0		550.00	ID	NA	<input type="checkbox"/>	NA		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0805_06 From confluence of Tenmile Creek upstream to confluence of Fivemile Creek

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Toxic Substances in sediment	Hexachloroethane	12/1/2005	11/30/2012	1		0		13,770.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Lead	12/1/2005	11/30/2012	1		0		128.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Manganese	12/1/2005	11/30/2012	1		0		1,100.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	DDD	12/1/2005	11/30/2012	1		0		28.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Acenaphthylene	12/1/2005	11/30/2012	1		0		130.00	ID	NA	<input type="checkbox"/>	NA		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	14	42.72	0		126.00	LD	NC	<input type="checkbox"/>	NC		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	52				175.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	54				175.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	138				850.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	0				1.95	ID	NA	<input checked="" type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	3		3	1.57	0.69	ID	NA	<input checked="" type="checkbox"/>	CS	total phosphorus	

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Restricted and No-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	dioxin in edible tissue	5a
DSHS Advisories, Closures, and Risk Assessments	Restricted and No-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	PCBs in edible tissue	5a
HH Bioaccumulative Toxics in water	Chromium	12/1/2005	11/30/2012	35				502.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2005	11/30/2012	35				3.83	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel	12/1/2005	11/30/2012	23				1,140.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

SEGID 0805A Red Oak Creek

AUID 0805A_01 Entire Segment

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	14	36.78	0		126.00	LD	NC	<input type="checkbox"/>	NC		

SEGID 0805B Parsons Slough

AUID 0805B_01 Entire Segment

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2004	11/30/2012	11	33.02	0		126.00	LD	NC	<input type="checkbox"/>	NC		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

SEGID **0806** **West Fork Trinity River below Lake Worth**

AUID **0806_01** **From confluence of Village Creek upstream to confluence of Clear Fork Trinity River**

USE **Aquatic Life Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	334		18	3.91	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	334		3	1.65	3.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Aluminum	12/1/2005	11/30/2012	15		0		991.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	12/1/2005	11/30/2012	57		0		340.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	26		0		11.57	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2005	11/30/2012	61		0		732.93	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2005	11/30/2012	19		0		26.13	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2005	11/30/2012	59		0		90.11	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/1/2005	11/30/2012	17		0		809.50	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2005	11/30/2012	15		0		202.76	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2005	11/30/2012	61	1.60	0		95.34	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2005	11/30/2012	15	2.71	0		153.30	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/1/2005	11/30/2012	17	1.84	0		67.46	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2005	11/30/2012	19	1.14	0		12.31	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	26	0.15	0		0.30	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic	12/1/2005	11/30/2012	57	1.79	0		150.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2005	11/30/2012	59	0.48	0		3.51	AD	FS	<input type="checkbox"/>	FS		
Toxic Substances in sediment	PCBs	12/1/2005	11/30/2012	12		0		676.00	AD	NC	<input type="checkbox"/>	NC		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0806_01 From confluence of Village Creek upstream to confluence of Clear Fork Trinity River

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	164	74.11	0		126.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2005	11/30/2012	341		0		33.90	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2005	11/30/2012	341		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2005	11/30/2012	341		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	341	242.40	0		500.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	31	31.30	0		100.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	31	34.32	0		100.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	59		0		0.69	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	58		0		0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	56		1	10.5	1.95	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	60		34	30.46	14.10	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Restricted and No-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	dioxin in edible tissue	5a
DSHS Advisories, Closures, and Risk Assessments	Restricted and No-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	PCBs in edible tissue	5a
HH Bioaccumulative Toxics in water	Cadmium	12/1/2005	11/30/2012	26	0.15	0		5.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Chromium	12/1/2005	11/30/2012	61	1.60	0		62.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2005	11/30/2012	59	0.48	0		1.15	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel	12/1/2005	11/30/2012	17	1.84	0		332.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0806_01 From confluence of Village Creek upstream to confluence of Clear Fork Trinity River

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Arsenic	12/1/2005	11/30/2012	57	1.79	0		10.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Cadmium	12/1/2005	11/30/2012	26	0.15	0		5.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Lead	12/1/2005	11/30/2012	59	0.48	0		1.15	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nickel	12/1/2005	11/30/2012	17	1.84	0		332.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	98	0.38	0		10.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0806_02 From confluence of Clear Fork Trinity River upstream to Lake Worth Dam

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Toxic Substances in sediment	PCBs	12/1/2005	11/30/2012	12		0		676.00	AD	NC	<input type="checkbox"/>	NC		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	31				100.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	341				500.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	31				100.00	AD	FS	<input type="checkbox"/>	FS		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Restricted and No-Consumption	12/1/2003	11/30/2010						OE	NS	<input type="checkbox"/>	NS	dioxin in edible tissue	5a
DSHS Advisories, Closures, and Risk Assessments	Restricted and No-Consumption	12/1/2003	11/30/2010						OE	NS	<input type="checkbox"/>	NS	PCBs in edible tissue	5a
HH Bioaccumulative Toxics in water	Cadmium	12/1/2005	11/30/2012	26				5.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Chromium	12/1/2005	11/30/2012	61				62.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2005	11/30/2012	59				1.15	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel	12/1/2005	11/30/2012	17				332.00	AD	FS	<input type="checkbox"/>	FS		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	98				10.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Arsenic	12/1/2005	11/30/2012	57				10.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Cadmium	12/1/2005	11/30/2012	26				5.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Lead	12/1/2005	11/30/2012	59				1.15	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nickel	12/1/2005	11/30/2012	17				332.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

SEGID 0806A Fosdic Lake

AUID 0806A_01 Entire lake

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bioaccumulative Toxics in fish tissue	Arsenic	12/1/2005	11/30/2012	0		0		0.04	ID	NA	<input checked="" type="checkbox"/>	CS	arsenic in edible tissue	

SEGID 0806B Echo Lake

AUID 0806B_01 Entire lake

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bioaccumulative Toxics in fish tissue	Arsenic	12/1/2005	11/30/2012	0				0.04	ID	NA	<input checked="" type="checkbox"/>	CS	arsenic in edible tissue	

SEGID 0806D Marine Creek

AUID 0806D_01 Marine Creek from the confluence with W. Fork Trinity River 2 miles upstream to Tenmile Bridge Rd. in Ft. Worth

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	79		2	2.4	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	79		1	1.4	3.00	AD	FS	<input type="checkbox"/>	FS		
Toxic Substances in sediment	PCBs	12/1/2005	11/30/2012	2		0		676.00	ID	NA	<input type="checkbox"/>	NA		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	21	170.00			126.00	JQ	NS	<input type="checkbox"/>	CN	bacteria	

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

SEGID 0806E Sycamore Creek

AUID 0806E_01 Five mile stretch of Sycamore Creek running upstream from confluence with the W. Fork of Trinity River to confluence with Echo Lake Tributary in Fort Worth

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	48	212.95	1		126.00	AD	NS	<input checked="" type="checkbox"/>	NS	bacteria	5b

SEGID 0806F Little Fossil Creek

AUID 0806F_01 Entire water body.

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	6	165.97			126.00	LD	CN	<input checked="" type="checkbox"/>	CN	bacteria	

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

SEGID **0807 Lake Worth**

AUID **0807_01** Entire reservoir

USE **Aquatic Life Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	92		4	4.47	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	92		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/1/2005	11/30/2012	7		1	4.8	5.00	LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/1/2005	11/30/2012	7		1	2.2	3.00	LD	NC	<input type="checkbox"/>	NC		

USE **Recreation Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	106	5.96	0		126.00	AD	FS	<input type="checkbox"/>	FS		

USE **General Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2005	11/30/2012	92		0		32.80	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2005	11/30/2012	92		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2005	11/30/2012	92		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	101	233.42	0		500.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	49	31.54	0		100.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	23	23.78	0		100.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	49		0		0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	43		3	0.24	0.11	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	48		2	0.21	0.20	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	47		20	46.66	26.70	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID **0807_01** Entire reservoir

USE **Fish Consumption Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Restricted and No-Consumption	12/1/2003	11/30/2010						AD	NS	<input type="checkbox"/>	NS	PCBs in edible tissue	4a
DSHS Advisories, Closures, and Risk Assessments	Restricted and No-Consumption	12/1/2003	11/30/2010						OE	NS	<input type="checkbox"/>	NS	aldrin in fish tissue	4b
DSHS Advisories, Closures, and Risk Assessments	Restricted and No-Consumption	12/1/2003	11/30/2010						OE	NS	<input type="checkbox"/>	NS	dieldrin in edible tissue	4b

USE **Public Water Supply Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	116	0.03	0		10.00	AD	FS	<input type="checkbox"/>	FS		

SEGID **0808** West Fork Trinity River Below Eagle Mountain Reservoir

AUID **0808_01** Entire segment

USE **Fish Consumption Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Restricted and No-Consumption	12/1/2003	11/30/2010						OE	NS	<input type="checkbox"/>	NS	aldrin in fish tissue	4b
DSHS Advisories, Closures, and Risk Assessments	Restricted and No-Consumption	12/1/2003	11/30/2010						OE	NS	<input type="checkbox"/>	NS	dieldrin in edible tissue	4b
DSHS Advisories, Closures, and Risk Assessments	Restricted and No-Consumption	12/1/2003	11/30/2010						OE	NS	<input type="checkbox"/>	NS	PCBs in edible tissue	5a

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

SEGID **0809** **Eagle Mountain Reservoir**

AUID **0809_01** Lowermost portion of reservoir near east end of dam

USE **Aquatic Life Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	32		4	3.22	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	32		2	2.55	3.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/1/2005	11/30/2012	5		1	3.6	5.00	LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/1/2005	11/30/2012	5		1	2.6	3.00	LD	NC	<input type="checkbox"/>	NC		

USE **Recreation Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	60	2.56	0		126.00	AD	FS	<input type="checkbox"/>	FS		

USE **General Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2005	11/30/2012	33		0		34.40	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2005	11/30/2012	32		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2005	11/30/2012	32		1	4.8	6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	161	216.17	0		300.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	133	31.52	0		75.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	31	24.80	0		75.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	31		1	1.09	0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	31		11	38.9	26.70	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	27		4	0.14	0.11	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	31		0		0.20	AD	NC	<input type="checkbox"/>	NC		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID **0809_01** Lowermost portion of reservoir near east end of dam

USE **Public Water Supply Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	223	0.09	0		10.00	AD	FS	<input type="checkbox"/>	FS		

AUID **0809_02** Dosier Slough cove

USE **General Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	161				300.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	133				75.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	31				75.00	AD	FS	<input type="checkbox"/>	FS		

USE **Public Water Supply Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	223				10.00	AD	FS	<input type="checkbox"/>	FS		

AUID **0809_03** Ash Creek cove

USE **General Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	161				300.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	133				75.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	31				75.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	4		0		0.11	LD	NC	<input checked="" type="checkbox"/>	CS	ammonia	

USE **Public Water Supply Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	223				10.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0809_04 Lowermost portion of reservoir near west end of dam

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	31				75.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	161				300.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	133				75.00	AD	FS	<input type="checkbox"/>	FS		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	223				10.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0809_05 Lower portion of reservoir east of Walnut Creek cove

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	30		1	4.26	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	30		0		3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	43	2.35	0		126.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2005	11/30/2012	30		0		34.40	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2005	11/30/2012	30		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2005	11/30/2012	30		1	5.8	6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	161	216.17	0		300.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	133	31.52	0		75.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	31				75.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	31		1	0.88	0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	31		12	38.7	26.70	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	27		3	0.13	0.11	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	31		0		0.20	AD	NC	<input type="checkbox"/>	NC		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	223	0.09	0		10.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0809_06 Walnut Creek cove

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	161				300.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	133				75.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	31				75.00	AD	FS	<input type="checkbox"/>	FS		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	223				10.00	AD	FS	<input type="checkbox"/>	FS		

AUID 0809_07 Old Ranch cove

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	161				300.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	133				75.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	31				75.00	AD	FS	<input type="checkbox"/>	FS		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	223				10.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0809_08 Middle portion of reservoir near Cole subdivision

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	30		1	4.77	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	30		0		3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	37	3.29	0		126.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2005	11/30/2012	30		0		34.40	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2005	11/30/2012	30		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2005	11/30/2012	30		1	6.1	6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	161	216.17	0		300.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	133	31.52	0		75.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	31				75.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	31		1	1.06	0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	26		0		0.11	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	30		0		0.20	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	30		16	43.89	26.70	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	223	0.09	0		10.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0809_09 Indian Creek cove

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/1/2005	11/30/2012	133				75.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	31				75.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	161				300.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	4		0		26.70	LD	NC	<input checked="" type="checkbox"/>	CS	chlorophyll-a	

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	223				10.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0809_10 Upper portion of reservoir near Indian Creek cove

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	30		1	4.4	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	30		0		3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	38	2.52	0		126.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2005	11/30/2012	30		0		34.40	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2005	11/30/2012	30		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2005	11/30/2012	30		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	161	216.17	0		300.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	133	31.52	0		75.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	31				75.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	30		1	1.06	0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	30		16	46.85	26.70	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	28		2	0.22	0.20	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	25		0		0.11	AD	NC	<input type="checkbox"/>	NC		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	223	0.09	0		10.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID	0809_11	Darrett Creek cove
-------------	----------------	--------------------

USE	General Use
------------	--------------------

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	161				300.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	133				75.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	31				75.00	AD	FS	<input type="checkbox"/>	FS		

USE	Public Water Supply Use
------------	--------------------------------

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	223				10.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0809_12 Upper portion of reservoir near Newark Beach

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	29		0		5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	29		0		3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	23	4.33	0		126.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2005	11/30/2012	29		0		34.40	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2005	11/30/2012	29		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2005	11/30/2012	29		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	31				75.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	161	216.17	0		300.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	133	31.52	0		75.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	11		1	0.87	0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	10		0		0.11	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	11		3	0.24	0.20	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	11		2	43.3	26.70	AD	NC	<input type="checkbox"/>	NC		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	223	0.09	0		10.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID **0809_14** Mid-Lake, from just above Walnut Cr. Cove to Oakwood Rd. peninsula

USE **General Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	161				300.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	133				75.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	31				75.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	11		4	35.85	26.70	AD	CS	<input checked="" type="checkbox"/>	CS	chlorophyll-a	

USE **Public Water Supply Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	223				10.00	AD	FS	<input type="checkbox"/>	FS		

SEGID **0809A** **Walnut Creek**

AUID **0809A_01** Entire Segment

USE **Aquatic Life Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	13		2		5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012			0		3.00	AD	FS	<input type="checkbox"/>	FS		

USE **Recreation Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	14	85.80			126.00	LD	NC	<input type="checkbox"/>	NC		

USE **General Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	16		0		1.95	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	11		1			AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	16		1		0.69	AD	NC	<input type="checkbox"/>	NC		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

SEGID 0809B Ash Creek

AUID 0809B_01 Entire Segment

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	20		0		5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	20		0		3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	20	392.80			126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	5c

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	20		14		1.95	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	14		0			AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	18		13		0.69	AD	CS	<input type="checkbox"/>	CS	total phosphorus	

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

SEGID 0810 West Fork Trinity River Below Bridgeport Reservoir

AUID 0810_01 Lower 25 miles of segment

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	143		10	4.08	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	143		0		3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	129	217.39	1		126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	5c

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2005	11/30/2012	143		0		32.20	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2005	11/30/2012	143		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2005	11/30/2012	143		1	6.2	6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	190	331.22	0		500.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	48	61.02	0		100.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	23	41.27	0		100.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	46		2	7.82	1.95	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	39		0		0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	44		4	0.86	0.69	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	21		7	22.6	14.10	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Fluoride	12/1/2005	11/30/2012	22	0.16	0		4.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0810_01 Lower 25 miles of segment

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	42	0.69	0		10.00	AD	FS	<input type="checkbox"/>	FS		

AUID 0810_02 Upper 11 miles of segment

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	48		2	3.7	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	48		0		3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	48	52.20	0		126.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2005	11/30/2012	48		0		32.20	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2005	11/30/2012	48		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2005	11/30/2012	48		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	190	331.22	0		500.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	48				100.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	23				100.00	AD	FS	<input type="checkbox"/>	FS		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Fluoride	12/1/2005	11/30/2012	22				4.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	42				10.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

SEGID 0810A Big Sandy Creek

AUID 0810A_01 Fifteen mile stretch of Big Sandy Creek running from confluence with Waggoner Creek to FM 1810 West of Alvord, Wise Co.

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	16		0		5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	16		0		3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	14	208.37	1		126.00	LD	NS	<input checked="" type="checkbox"/>	NS	bacteria	5b

SEGID 0810B Garrett Creek

AUID 0810B_01 Eighteen mile stretch of Garrett Creek running upstream from confluence with Salt Creek to Wise County Road approximately 14 miles upstream of SH114, Wise Co.

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	14		1	0.3	3.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	14		1	0.3	2.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	27	94.30	0		126.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

SEGID 0810C Martin Branch

AUID 0810C_01 Eight mile stretch of Martin Branch running upstream from confluence with Center Creek to FM 730 south of Decatur, Wise County.

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	21		1	2.8	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	21		1	2.8	3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	32	578.66	1		126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	5b

SEGID 0810D Salt Creek

AUID 0810D_01 Eleven mile stretch of Salt Creek running upstream from confluence with Garrett Creek, Wise County.

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	13		1	2.4	3.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	13		0		2.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	12	68.06	0		126.00	LD	NC	<input type="checkbox"/>	NC		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

SEGID 0811 Bridgeport Reservoir

AUID 0811_01 Southeast portion of main body of reservoir

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	49		1	3.9	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	49		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	12/1/2005	11/30/2012	1		0		340.00	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Arsenic	12/1/2005	11/30/2012	1	3.00	0		150.00	ID	NA	<input type="checkbox"/>	NA		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	26	1.47	0		126.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2005	11/30/2012	49		0		32.20	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2005	11/30/2012	49		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2005	11/30/2012	49		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	212	177.81	0		300.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	174	17.92	0		75.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	28				75.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	41		0		0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	37		0		0.11	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	38		0		0.20	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	41		0		26.70	AD	NC	<input type="checkbox"/>	NC		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0811_01 Southeast portion of main body of reservoir

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Arsenic	12/1/2005	11/30/2012	4	2.50	0		10.00	LD	NC	<input type="checkbox"/>	NC		
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	265	0.04	0		10.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0811_02 Southwest portion of main body of reservoir

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	23		0		5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	23		0		3.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2005	11/30/2012	23		0		32.20	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2005	11/30/2012	23		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2005	11/30/2012	23		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	212	177.81	0		300.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	174	17.92	0		75.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	28				75.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	17		0		0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	17		0		0.11	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	17		0		0.20	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	17		0		26.70	AD	NC	<input type="checkbox"/>	NC		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Arsenic	12/1/2005	11/30/2012	4				10.00	LD	NC	<input type="checkbox"/>	NC		
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	265	0.04	0		10.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0811_03 Central portion of main body of reservoir

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	38		2	4.58	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	38		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	12/1/2005	11/30/2012	2		0		340.00	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Arsenic	12/1/2005	11/30/2012	2	2.50	0		150.00	ID	NA	<input type="checkbox"/>	NA		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	54	1.71	0		126.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2005	11/30/2012	38		0		32.20	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2005	11/30/2012	38		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2005	11/30/2012	38		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	212	177.81	0		300.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	174	17.92	0		75.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	28	12.41	0		75.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	36		0		0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	32		0		0.11	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	31		0		0.20	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	36		0		26.70	AD	NC	<input type="checkbox"/>	NC		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Arsenic	12/1/2005	11/30/2012	4	2.50	0		10.00	LD	NC	<input type="checkbox"/>	NC		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0811_03 Central portion of main body of reservoir

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	265	0.04	0		10.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0811_04 Northern portion of main body of reservoir

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	37		2	4.05	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	37		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	12/1/2005	11/30/2012	1		0		340.00	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Arsenic	12/1/2005	11/30/2012	1	2.00	0		150.00	ID	NA	<input type="checkbox"/>	NA		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	30	1.25	0		126.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2005	11/30/2012	38		1	32.8	32.20	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2005	11/30/2012	37		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2005	11/30/2012	37		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	212	177.81	0		300.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	174	17.92	0		75.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	28				75.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	31		0		0.20	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	36		0		26.70	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	35		0		0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	32		0		0.11	AD	NC	<input type="checkbox"/>	NC		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Arsenic	12/1/2005	11/30/2012	4	2.50	0		10.00	LD	NC	<input type="checkbox"/>	NC		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0811_04 Northern portion of main body of reservoir

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	265	0.04	0		10.00	AD	FS	<input type="checkbox"/>	FS		

AUID 0811_05 Remainder of reservoir

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	55		1	4.07	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	55		0		3.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2005	11/30/2012	60		0		32.20	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2005	11/30/2012	56		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2005	11/30/2012	56		1	4.4	6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	212	177.81	0		300.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	174	17.92	0		75.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	28				75.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	46		0		0.11	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	46		4	0.44	0.20	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	46		0		0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	46		1	32	26.70	AD	NC	<input type="checkbox"/>	NC		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Arsenic	12/1/2005	11/30/2012	4				10.00	LD	NC	<input type="checkbox"/>	NC		
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	265	0.04	0		10.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

SEGID 0812 West Fork Trinity River Above Bridgeport Reservoir

AUID 0812_01 Lower 25 miles of segment

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	16		0		3.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	16		0		2.00	AD	FS	<input checked="" type="checkbox"/>	NS	depressed dissolved oxygen	5c

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	15	410.31	1		126.00	LD	CN	<input type="checkbox"/>	CN	bacteria	

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2005	11/30/2012	16		0		31.10	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2005	11/30/2012	16		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2005	11/30/2012	16		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	6/1/2005	11/30/2012	10	62.45	0		100.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	18	439.65	0		500.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	17	24.51	0		100.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Chlorophyll-a	6/1/2005	11/30/2012	10		2	35.95	14.10	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	16		4	1.13	0.69	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	14		0		0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	16		0		1.95	AD	NC	<input type="checkbox"/>	NC		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Fluoride	6/1/2005	11/30/2012	10	0.15	0		4.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0812_01 Lower 25 miles of segment

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	16	0.44	0		10.00	AD	FS	<input type="checkbox"/>	FS		

AUID 0812_02 Upper 60 miles of segment

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	18				500.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	17	24.51			100.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	6/1/2005	11/30/2012	10				100.00	AD	FS	<input type="checkbox"/>	FS		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Fluoride	6/1/2005	11/30/2012	10				4.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	16				10.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

SEGID **0813** **Houston County Lake**

AUID **0813_01** Entire reservoir

USE **Aquatic Life Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	27		2	4.62	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	27		0		3.00	AD	FS	<input type="checkbox"/>	FS		

USE **Recreation Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	25	3.34	0		126.00	AD	FS	<input type="checkbox"/>	FS		

USE **General Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2005	11/30/2012	27		0		33.90	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2005	11/30/2012	27		1	9.1	9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2005	11/30/2012	27		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	25	15.04	0		75.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	26	11.00	0		75.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	27	80.18	0		300.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	27		0		0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	26		1	0.15	0.11	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	23		0		0.20	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	27		2	33.6	26.70	AD	NC	<input type="checkbox"/>	NC		

USE **Public Water Supply Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Fluoride	12/1/2005	11/30/2012	27	0.13	0		4.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0813_01 Entire reservoir

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	27	0.04	0		10.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

SEGID **0814** **Chambers Creek Above Richland-Chambers Reservoir**

AUID **0814_01** From the lower end of the segment up to just above the confluence with Cummins Creek.

USE **Aquatic Life Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	28		4	3.68	5.00	AD	CS	<input type="checkbox"/>	CS	depressed dissolved oxygen	
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	29		1	1.6	3.00	AD	FS	<input type="checkbox"/>	FS		

USE **Recreation Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	24	66.84	0		126.00	AD	FS	<input type="checkbox"/>	FS		

USE **General Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2005	11/30/2012	29		0		32.20	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2005	11/30/2012	29		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2005	11/30/2012	29		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	43	456.90	0		500.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	40	59.12	1		50.00	AD	NS	<input type="checkbox"/>	NS	chloride	5c
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	38	103.98	0		160.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	25		13	22.93	14.10	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	27		3	3.16	1.95	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	25		0		0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	25		8	1.41	0.69	AD	CS	<input type="checkbox"/>	CS	total phosphorus	

USE **Fish Consumption Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Antimony	12/1/2004	11/30/2012	10				6.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0814_01 From the lower end of the segment up to just above the confluence with Cummins Creek.

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Nickel	12/1/2004	11/30/2012	10				332.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2004	11/30/2012	10				1.15	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Cadmium	12/1/2004	11/30/2012	10				5.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Chromium	12/1/2004	11/30/2012	10				62.00	AD	FS	<input type="checkbox"/>	FS		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nickel	12/1/2004	11/30/2012	10				332.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Arsenic	12/1/2004	11/30/2012	10				10.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	39	0.95	0		10.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Antimony	12/1/2004	11/30/2012	10				6.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Lead	12/1/2004	11/30/2012	10				1.15	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Fluoride	12/1/2005	11/30/2012	25	0.57	0		4.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Barium	12/1/2004	11/30/2012	10				2,000.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Cadmium	12/1/2004	11/30/2012	10				5.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID

0814_02

From just above the confluence with Cummins Creek up to just above the confluence with Waxahachie Creek.

USE

Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	26		2	4.5	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	26		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/1/2005	11/30/2012	1		0		5.00	ID	NA	<input type="checkbox"/>	NA		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/1/2005	11/30/2012	1		0		3.00	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Copper	12/1/2004	11/30/2012	10		0		19.50	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/1/2004	11/30/2012	10		0		622.43	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2004	11/30/2012	10		0		155.84	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2004	11/30/2012	10		0		92.97	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2004	11/30/2012	10		0		11.90	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Aluminum	12/1/2004	11/30/2012	10		0		991.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	12/1/2004	11/30/2012	10		0		340.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2004	11/30/2012	10		0		750.54	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic	12/1/2004	11/30/2012	10	3.08	0		150.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2004	11/30/2012	10	0.04	0		0.28	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2004	11/30/2012	10	0.17	0		86.05	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2004	11/30/2012	10	4.17	0		11.07	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2004	11/30/2012	10	0.14	0		3.07	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/1/2004	11/30/2012	10	3.21	0		60.68	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2004	11/30/2012	10	3.78	0		137.87	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0814_02 From just above the confluence with Cummins Creek up to just above the confluence with Waxahachie Creek.

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2005	11/30/2012	26		0		32.20	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2005	11/30/2012	26		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2005	11/30/2012	26		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	38	103.98	0		160.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	43	456.90	0		500.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	40	59.12	1		50.00	AD	NS	<input type="checkbox"/>	NS	chloride	5c
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	12		1	5.78	1.95	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	12		0		0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	3		0		0.69	ID	NA	<input type="checkbox"/>	NA		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Cadmium	12/1/2004	11/30/2012	10	0.04	0		5.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Chromium	12/1/2004	11/30/2012	10	0.17	0		62.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2004	11/30/2012	10	0.14	0		1.15	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel	12/1/2004	11/30/2012	10	3.21	0		332.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Antimony	12/1/2004	11/30/2012	10	0.20	0		6.00	AD	FS	<input type="checkbox"/>	FS		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nickel	12/1/2004	11/30/2012	10	3.21	0		332.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	39	0.95	0		10.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Antimony	12/1/2004	11/30/2012	10	0.20	0		6.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Cadmium	12/1/2004	11/30/2012	10	0.04	0		5.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID

0814_02

From just above the confluence with Cummins Creek up to just above the confluence with Waxahachie Creek.

USE

Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Arsenic	12/1/2004	11/30/2012	10	3.08	0		10.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Lead	12/1/2004	11/30/2012	10	0.14	0		1.15	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Barium	12/1/2004	11/30/2012	10	56.70	0		2,000.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0814_03 From just above the confluence with Waxahachie Creek up to just above the confluence with Mill Branch.

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012						ID	NA	<input checked="" type="checkbox"/>	CS	depressed dissolved oxygen	

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	43				500.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	40				50.00	AD	NS	<input type="checkbox"/>	NS	chloride	5c
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	38				160.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012						ID	NA	<input checked="" type="checkbox"/>	CS	total phosphorus	
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012						ID	NA	<input checked="" type="checkbox"/>	CS	chlorophyll-a	

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Cadmium	12/1/2004	11/30/2012	10				5.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Antimony	12/1/2004	11/30/2012	10				6.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel	12/1/2004	11/30/2012	10				332.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Chromium	12/1/2004	11/30/2012	10				62.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2004	11/30/2012	10				1.15	AD	FS	<input type="checkbox"/>	FS		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Antimony	12/1/2004	11/30/2012	10				6.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Arsenic	12/1/2004	11/30/2012	10				10.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Barium	12/1/2004	11/30/2012	10				2,000.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Cadmium	12/1/2004	11/30/2012	10				5.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Lead	12/1/2004	11/30/2012	10				1.15	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0814_03 From just above the confluence with Waxahachie Creek up to just above the confluence with Mill Branch.

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nickel	12/1/2004	11/30/2012	10				332.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	39				10.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0814_04 From just above the confluence with Mill Branch to the upper end of the segment.

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/1/2005	11/30/2012	40				50.00	AD	NS	<input type="checkbox"/>	NS	chloride	5c
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	38				160.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	43				500.00	AD	FS	<input type="checkbox"/>	FS		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Cadmium	12/1/2004	11/30/2012	10				5.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Chromium	12/1/2004	11/30/2012	10				62.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2004	11/30/2012	10				1.15	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel	12/1/2004	11/30/2012	10				332.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Antimony	12/1/2004	11/30/2012	10				6.00	AD	FS	<input type="checkbox"/>	FS		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Arsenic	12/1/2004	11/30/2012	10				10.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Antimony	12/1/2004	11/30/2012	10				6.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	39				10.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nickel	12/1/2004	11/30/2012	10				332.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Lead	12/1/2004	11/30/2012	10				1.15	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Barium	12/1/2004	11/30/2012	10				2,000.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Cadmium	12/1/2004	11/30/2012	10				5.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

SEGID 0815 Bardwell Reservoir

AUID 0815_01 Entire reservoir

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	30		4	4.59	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	30		0		3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	18	5.28	0		126.00	LD	NC	<input type="checkbox"/>	NC		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2005	11/30/2012	37		0		32.80	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2005	11/30/2012	31		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2005	11/30/2012	31		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	38	235.38	0		300.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	23	18.23	0		50.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	23	48.95	0		50.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	34		0		0.20	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	33		9	32.33	26.70	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	33		4	0.17	0.11	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	33		9	0.66	0.37	AD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bioaccumulative Toxics in fish tissue	Lead	12/1/2005	11/30/2012	1		0		0.60	ID	NA	<input type="checkbox"/>	NA		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0815_01 Entire reservoir

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bioaccumulative Toxics in fish tissue	Toxaphene	12/1/2005	11/30/2012	1		0		0.83	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Zinc	12/1/2005	11/30/2012	1		0		525.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Selenium	12/1/2005	11/30/2012	1		0		4.38	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	PCBs	12/1/2005	11/30/2012	1		0		0.13	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Nickel	12/1/2005	11/30/2012	1		0		35.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Mirex	12/1/2005	11/30/2012	1		0		0.04	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Mercury	12/1/2005	11/30/2012	1		0		0.53	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Aldrin	12/1/2005	11/30/2012	1		0		0.14	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Heptachlor epoxide	12/1/2005	11/30/2012	1		0		0.25	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Heptachlor	12/1/2005	11/30/2012	1		0		0.20	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Dieldrin	12/1/2005	11/30/2012	1		0		0.06	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Copper	12/1/2005	11/30/2012	1		0		250.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Chromium	12/1/2005	11/30/2012	1		0		5.25	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Cadmium	12/1/2005	11/30/2012	1		0		0.23	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Arsenic	12/1/2005	11/30/2012	1		1	0.36	0.04	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Hexachlorobenzene (HCB)	12/1/2005	11/30/2012	1		0		0.61	ID	NA	<input type="checkbox"/>	NA		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Fluoride	12/1/2005	11/30/2012	21	0.35	0		4.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	33	0.21	0		10.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

SEGID 0815A Waxahachie Creek

AUID 0815A_01 Entire creek

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	14		5	2.96	1.95	AD	CS	<input checked="" type="checkbox"/>	CS	nitrate	

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

SEGID **0816 Lake Waxahachie**

AUID **0816_01** Entire reservoir

USE **Aquatic Life Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	24		1	4.56	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	24		0		3.00	AD	FS	<input type="checkbox"/>	FS		

USE **Recreation Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	19	3.26	0		126.00	LD	NC	<input type="checkbox"/>	NC		

USE **General Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2005	11/30/2012	25		1	33.2	32.80	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2005	11/30/2012	25		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2005	11/30/2012	25		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	24	194.92	0		300.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	23	12.80	0		50.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	23	27.06	0		50.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	22		0		0.20	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	23		4	0.23	0.11	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	23		3	0.58	0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	19		7	30.2	26.70	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	

USE **Public Water Supply Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Fluoride	12/1/2005	11/30/2012	21	0.25	0		4.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0816_01 Entire reservoir

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	23	0.16	0		10.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

SEGID **0817** **Navarro Mills Lake**

AUID **0817_01** Entire reservoir

USE **Aquatic Life Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	24		5	4.28	5.00	AD	CS	<input type="checkbox"/>	CS	depressed dissolved oxygen	
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	24		0		3.00	AD	FS	<input type="checkbox"/>	FS		

USE **Recreation Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	15	3.54	0		126.00	LD	NC	<input type="checkbox"/>	NC		

USE **General Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2005	11/30/2012	30		0		32.20	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2005	11/30/2012	24		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2005	11/30/2012	24		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	30	201.61	0		300.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	18	8.86	0		50.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	19	23.42	0		75.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	29		1	0.12	0.11	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	26		0		0.20	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	28		4	1.76	0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	25		1	27.7	26.70	AD	NC	<input type="checkbox"/>	NC		

USE **Public Water Supply Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Fluoride	12/1/2005	11/30/2012	17	0.28	0		4.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID	0817_01	Entire reservoir
-------------	---------	------------------

USE	Public Water Supply Use
------------	-------------------------

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	28	0.29	0		10.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water Toxic Substances average concern	Alachlor	12/1/2005	11/30/2012	3	0.05	0		2.00	ID	NA	<input type="checkbox"/>	NA		
Surface Water Toxic Substances average concern	Atrazine	12/1/2005	11/30/2012	3	0.85	0		3.00	ID	NA	<input type="checkbox"/>	NA		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

SEGID **0818 Cedar Creek Reservoir**

AUID **0818_01** Lowermost portion of the reservoir, adjacent to the dam.

USE **Aquatic Life Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	38		1	4.68	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	38		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/1/2005	11/30/2012	1		0		5.00	ID	NA	<input type="checkbox"/>	NA		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/1/2005	11/30/2012	1		0		3.00	ID	NA	<input type="checkbox"/>	NA		

USE **Recreation Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	23	1.29	0		126.00	AD	FS	<input type="checkbox"/>	FS		

USE **General Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2005	11/30/2012	40		0		33.90	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2005	11/30/2012	39		15	8.89	8.50	AD	NS	<input type="checkbox"/>	NS	pH	5b
Low pH	pH	12/1/2005	11/30/2012	39		0		6.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	29				100.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	285	141.32	0		200.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	157	14.49	0		50.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	30		0		0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	26		0		0.11	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	30		0		0.20	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	30		14	35.81	26.70	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0818_01 Lowermost portion of the reservoir, adjacent to the dam.

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	279	0.07	0		10.00	AD	FS	<input type="checkbox"/>	FS		

AUID 0818_02 Caney Creek cove

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
High pH	pH	12/1/2005	11/30/2012						ID	NA	<input checked="" type="checkbox"/>	NS	pH	5b
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	285				200.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	157				50.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	29				100.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012						ID	NA	<input checked="" type="checkbox"/>	CS	ammonia	

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	279				10.00	AD	FS	<input type="checkbox"/>	FS		

AUID 0818_03 Clear Creek cove

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
High pH	pH	12/1/2005	11/30/2012						ID	NA	<input checked="" type="checkbox"/>	NS	pH	5b
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	29				100.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	285				200.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	157				50.00	AD	FS	<input type="checkbox"/>	FS		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	279				10.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0818_04 Lower portion of reservoir east of Key Ranch Estates

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	36		2	4.45	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	36		0		3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	25	1.29	0		126.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2005	11/30/2012	37		0		33.90	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2005	11/30/2012	37		11	8.95	8.50	AD	NS	<input type="checkbox"/>	NS	pH	5b
Low pH	pH	12/1/2005	11/30/2012	37		0		6.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	285	141.32	0		200.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	157	14.49	0		50.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	29				100.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	30		0		0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	30		15	38.43	26.70	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	30		0		0.20	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	27		0		0.11	AD	NC	<input type="checkbox"/>	NC		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	279	0.07	0		10.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0818_05 Cove off lower portion of reservoir adjacent to Clearview Estates

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
High pH	pH	12/1/2005	11/30/2012						ID	NA	<input checked="" type="checkbox"/>	NS	pH	5b
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	285				200.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	157				50.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	29				100.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012						ID	NA	<input checked="" type="checkbox"/>	CS	ammonia	

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	279				10.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0818_06 Middle portion of reservoir downstream of Twin Creeks cove

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	102		9	4.43	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	102		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/1/2005	11/30/2012	11		2	4.1	5.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/1/2005	11/30/2012	11		1	2.4	3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	51	1.39	0		126.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2005	11/30/2012	107		0		33.90	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2005	11/30/2012	105		24	8.91	8.50	AD	NS	<input type="checkbox"/>	NS	pH	5b
Low pH	pH	12/1/2005	11/30/2012	105		0		6.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	285	141.32	0		200.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	157	14.49	0		50.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	29	21.67	0		100.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	63		0		0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	53		2	0.13	0.11	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	61		2	0.2	0.20	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	62		39	42.15	26.70	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	279	0.07	0		10.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0818_07 Twin Creeks cove

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
High pH	pH	12/1/2005	11/30/2012						ID	NA	<input checked="" type="checkbox"/>	NS	pH	5b
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	29				100.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	285				200.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	157				50.00	AD	FS	<input type="checkbox"/>	FS		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	279				10.00	AD	FS	<input type="checkbox"/>	FS		

AUID 0818_08 Prairie Creek cove

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
High pH	pH	12/1/2005	11/30/2012	19		13	8.89	8.50	AD	NS	<input type="checkbox"/>	NS	pH	5b
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	285				200.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	157				50.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	29				100.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012						ID	NA	<input checked="" type="checkbox"/>	CS	ammonia	
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012						ID	NA	<input checked="" type="checkbox"/>	CS	chlorophyll-a	

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	279				10.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0818_09 Upper portion of reservoir adjacent to Lacy Fork cove

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	37		0		5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	37		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/1/2005	11/30/2012	1		0		5.00	ID	NA	<input type="checkbox"/>	NA		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/1/2005	11/30/2012	1		0		3.00	ID	NA	<input type="checkbox"/>	NA		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	25	1.27	0		126.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2005	11/30/2012	38		0		33.90	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2005	11/30/2012	38		13	8.94	8.50	AD	NS	<input type="checkbox"/>	NS	pH	5b
Low pH	pH	12/1/2005	11/30/2012	38		0		6.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	285	141.32	0		200.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	157	14.49	0		50.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	29				100.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	31		0		0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	27		1	0.12	0.11	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	31		6	0.28	0.20	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	31		21	49	26.70	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	279	0.07	0		10.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0818_10 Lacy Fork cove

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	285				200.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	157				50.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	29				100.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012						ID	NA	<input checked="" type="checkbox"/>	CS	chlorophyll-a	

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	279				10.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0818_11 Upper portion of reservoir east of Tolosa

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	36		0		5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	36		0		3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	25	1.33	0		126.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2005	11/30/2012	37		0		33.90	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2005	11/30/2012	37		14	8.87	8.50	AD	NS	<input type="checkbox"/>	NS	pH	5b
Low pH	pH	12/1/2005	11/30/2012	37		0		6.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	285	141.32	0		200.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	157	14.49	0		50.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	29				100.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2003	11/30/2012	14		0		0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2003	11/30/2012	13		0		0.11	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2003	11/30/2012	14		2	0.25	0.20	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2003	11/30/2012	13		6	42.85	26.70	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	279	0.07	0		10.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0818_12 Uppermost portion of reservoir downstream of Kings Creek

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	1		0		5.00	ID	NA	<input type="checkbox"/>	NA		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	1		0		3.00	ID	NA	<input type="checkbox"/>	NA		
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/1/2005	11/30/2012	2		0		5.00	ID	NA	<input type="checkbox"/>	NA		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/1/2005	11/30/2012	2		0		3.00	ID	NA	<input type="checkbox"/>	NA		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2005	11/30/2012	1		0		33.90	ID	NA	<input type="checkbox"/>	NA		
High pH	pH	12/1/2005	11/30/2012	1		1	9.3	8.50	ID	NA	<input checked="" type="checkbox"/>	NS	pH	5b
Low pH	pH	12/1/2005	11/30/2012	1		0		6.00	ID	NA	<input type="checkbox"/>	NA		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	285	141.32	0		200.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	157				50.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	29				100.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	2		0		0.37	ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	2		2	0.24	0.20	ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	2		2	112.05	26.70	ID	NA	<input type="checkbox"/>	NA		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	279	0.07	0		10.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0818_13 Cedar Creek cove

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012						ID	NA	<input checked="" type="checkbox"/>	CS	depressed dissolved oxygen	

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	29				100.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	157				50.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	285				200.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012						ID	NA	<input checked="" type="checkbox"/>	CS	ammonia	
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012						ID	NA	<input checked="" type="checkbox"/>	CS	total phosphorus	
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012						ID	NA	<input checked="" type="checkbox"/>	CS	chlorophyll-a	

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	279				10.00	AD	FS	<input type="checkbox"/>	FS		

AUID 0818_14 Remainder of reservoir

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	285				200.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	157				50.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	29				100.00	AD	FS	<input type="checkbox"/>	FS		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	279				10.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

SEGID 0819 East Fork Trinity River

AUID 0819_01 Entire segment

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	59		2	3.1	4.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	59		1	2.3	3.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/1/2005	11/30/2012	19		1	3.81	4.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/1/2005	11/30/2012	19		1	2.84	3.00	AD	FS	<input type="checkbox"/>	FS		
Toxic Substances in sediment	PCBs	12/1/2005	11/30/2012	1		0		676.00	ID	NA	<input type="checkbox"/>	NA		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	45	88.31	0		126.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2005	11/30/2012	69		0		32.80	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2005	11/30/2012	69		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2005	11/30/2012	69		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	71	564.53	1		500.00	AD	NS	<input type="checkbox"/>	NS	total dissolved solids	5c
Dissolved Solids	Chloride	12/1/2005	11/30/2012	73	97.68	0		100.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	75	123.67	1		100.00	AD	NS	<input type="checkbox"/>	NS	sulfate	5c
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	73		67	10.47	1.95	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	75		24	0.83	0.33	AD	CS	<input type="checkbox"/>	CS	ammonia	
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	60		53	2.58	0.69	AD	CS	<input type="checkbox"/>	CS	total phosphorus	
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	73		26	22.65	14.10	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

SEGID 0819B Buffalo Creek

AUID 0819B_01 Entire water body.

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012					1.95	ID	NA	<input checked="" type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012					0.69	ID	NA	<input checked="" type="checkbox"/>	CS	total phosphorus	

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

SEGID **0820** **Lake Ray Hubbard**

AUID **0820_01** Lower portion of East Fork arm, centering on IH 30

USE **Aquatic Life Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	69		0		5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	69		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/1/2005	11/30/2012	12		0		460.30	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Aluminum	12/1/2005	11/30/2012	11		0		991.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2005	11/30/2012	11		0		115.19	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2005	11/30/2012	14		0		63.18	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2005	11/30/2012	12		0		13.93	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2005	11/30/2012	14		0		560.41	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	14		0		8.42	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	12/1/2005	11/30/2012	14		0		340.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	14	0.12	0		0.24	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2005	11/30/2012	14	2.50	0		72.90	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2005	11/30/2012	12	0.78	0		9.31	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2005	11/30/2012	14	0.50	0		2.46	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/1/2005	11/30/2012	12	2.48	0		51.13	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2005	11/30/2012	11	2.50	0		116.13	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic	12/1/2005	11/30/2012	14	2.50	0		150.00	AD	FS	<input type="checkbox"/>	FS		

USE **General Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2005	11/30/2012	70		0		33.90	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0820_01 Lower portion of East Fork arm, centering on IH 30

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
High pH	pH	12/1/2005	11/30/2012	70		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2005	11/30/2012	70		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	668	246.24	0		500.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	30	30.90			100.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	30	43.90			100.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	10		0		0.20	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	10		4	33	26.70	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	10		1	0.22	0.11	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	10		1	0.78	0.37	AD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Chromium	12/1/2005	11/30/2012	68	2.50	0		62.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2005	11/30/2012	68	0.50	0		1.15	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel	12/1/2005	11/30/2012	60	2.50	0		332.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Cadmium	12/1/2005	11/30/2012	68	0.15	0		5.00	AD	FS	<input type="checkbox"/>	FS		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Lead	12/1/2005	11/30/2012	68	0.50	0		1.15	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	53	0.12	0		10.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nickel	12/1/2005	11/30/2012	60	2.50	0		332.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Arsenic	12/1/2005	11/30/2012	68	2.55	0		10.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Barium	12/1/2005	11/30/2012	68	49.75	0		2,000.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0820_01 Lower portion of East Fork arm, centering on IH 30

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Cadmium	12/1/2005	11/30/2012	68	0.15	0		5.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Fluoride	12/1/2005	11/30/2012	30	0.33			4.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0820_02 Middle portion of East Fork arm, centering on SH 66

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	86		1		5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	86		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	12		0		8.42	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2004	11/30/2012	12		0		115.19	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/1/2005	11/30/2012	10		0		460.30	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2005	11/30/2012	12		0		63.18	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2005	11/30/2012	12		0		560.41	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	12/1/2005	11/30/2012	12		0		340.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Aluminum	12/1/2004	11/30/2012	11		0		991.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2005	11/30/2012	10		0		13.93	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2005	11/30/2012	12	0.50	0		2.46	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic	12/1/2005	11/30/2012	12	2.50	0		150.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/1/2005	11/30/2012	10	2.26	0		51.13	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2004	11/30/2012	12	2.75	0		116.13	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2005	11/30/2012	10	0.90	0		9.31	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	12	0.12	0		0.24	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2005	11/30/2012	12	2.50	0		72.90	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2005	11/30/2012	86		0		33.90	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2005	11/30/2012	86		0		9.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0820_02 Middle portion of East Fork arm, centering on SH 66

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Low pH	pH	12/1/2005	11/30/2012	86		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	30	43.90			100.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	668	246.24	0		500.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	30	30.90			100.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	23		8		26.70	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	24		0		0.20	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	25		2		0.11	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	24		1		0.37	AD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Cadmium	12/1/2005	11/30/2012	68	0.15	0		5.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Chromium	12/1/2005	11/30/2012	68	2.50	0		62.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2005	11/30/2012	68	0.50	0		1.15	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel	12/1/2005	11/30/2012	60	2.50	0		332.00	AD	FS	<input type="checkbox"/>	FS		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	53	0.12	0		10.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Arsenic	12/1/2005	11/30/2012	68	2.55	0		10.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Barium	12/1/2005	11/30/2012	68	49.75	0		2,000.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Cadmium	12/1/2005	11/30/2012	68	0.15	0		5.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Fluoride	12/1/2005	11/30/2012	30	0.33			4.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Lead	12/1/2005	11/30/2012	68	0.50	0		1.15	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0820_02 Middle portion of East Fork arm, centering on SH 66

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nickel	12/1/2005	11/30/2012	60	2.50	0		332.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0820_04 Lower portion of main body of reservoir extending up from dam to Yankee Cr. Arm.

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	82		4	4.19	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	82		1	2.5	3.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Aluminum	12/1/2005	11/30/2012	11		0		991.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	12/1/2005	11/30/2012	14		0		340.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	14		0		8.42	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2005	11/30/2012	14		0		560.41	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2005	11/30/2012	12		0		13.93	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2005	11/30/2012	14		0		63.18	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/1/2005	11/30/2012	12		0		460.30	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2005	11/30/2012	11		0		115.19	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2005	11/30/2012	14	0.50	0		2.46	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2005	11/30/2012	11	3.67	0		116.13	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/1/2005	11/30/2012	12	2.39	0		51.13	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2005	11/30/2012	14	2.50	0		72.90	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	14	0.12	0		0.24	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic	12/1/2005	11/30/2012	14	2.73	0		150.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2005	11/30/2012	12	1.57	0		9.31	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	11	5.91	0		126.00	LD	NC	<input type="checkbox"/>	NC		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0820_04 Lower portion of main body of reservoir extending up from dam to Yankee Cr. Arm.

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2005	11/30/2012	84		0		33.90	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2005	11/30/2012	83		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2005	11/30/2012	83		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	30	43.90	0		100.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	668	246.24	0		500.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	30	30.90	0		100.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	24		1	0.38	0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	24		3	0.17	0.11	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	23		0		0.20	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	23		8	40.53	26.70	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Cadmium	12/1/2005	11/30/2012	68	0.15	0		5.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel	12/1/2005	11/30/2012	60	2.50	0		332.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Chromium	12/1/2005	11/30/2012	68	2.50	0		62.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2005	11/30/2012	68	0.50	0		1.15	AD	FS	<input type="checkbox"/>	FS		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Arsenic	12/1/2005	11/30/2012	68	2.55	0		10.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Barium	12/1/2005	11/30/2012	68	49.75	0		2,000.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Cadmium	12/1/2005	11/30/2012	68	0.15	0		5.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Fluoride	12/1/2005	11/30/2012	30	0.33	0		4.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0820_04 Lower portion of main body of reservoir extending up from dam to Yankee Cr. Arm.

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Lead	12/1/2005	11/30/2012	68	0.50	0		1.15	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nickel	12/1/2005	11/30/2012	60	2.50	0		332.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	53	0.12	0		10.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0820_05 Mid-reservoir, I30 crossing Rowlett Cr. Arm to Yankee Cr. Arm

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	69		1	4.7	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	69		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	12/1/2005	11/30/2012	14		0		340.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/1/2005	11/30/2012	12		0		460.30	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2005	11/30/2012	11		0		115.19	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2005	11/30/2012	14		0		63.18	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	14		0		8.42	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Aluminum	12/1/2005	11/30/2012	12		0		991.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2005	11/30/2012	14		0		560.41	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2005	11/30/2012	12		0		13.93	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic	12/1/2005	11/30/2012	14	2.50	0		150.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	14	0.12	0		0.24	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2005	11/30/2012	14	2.50	0		72.90	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2005	11/30/2012	12	0.86	0		9.31	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2005	11/30/2012	14	0.50	0		2.46	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/1/2005	11/30/2012	12	2.35	0		51.13	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2005	11/30/2012	11	3.03	0		116.13	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2005	11/30/2012	70		0		33.90	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2005	11/30/2012	70		0		9.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0820_05 Mid-reservoir, I30 crossing Rowlett Cr. Arm to Yankee Cr. Arm

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Low pH	pH	12/1/2005	11/30/2012	70		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	30	43.90			100.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	668	246.24	0		500.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	30	30.90			100.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	10		0		0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	10		2	0.19	0.11	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	10		0		0.20	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	10		3	33	26.70	AD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Cadmium	12/1/2005	11/30/2012	68	0.15	0		5.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Chromium	12/1/2005	11/30/2012	68	2.50	0		62.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2005	11/30/2012	68	0.50	0		1.15	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel	12/1/2005	11/30/2012	60	2.50	0		332.00	AD	FS	<input type="checkbox"/>	FS		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Cadmium	12/1/2005	11/30/2012	68	0.15	0		5.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	53	0.12	0		10.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nickel	12/1/2005	11/30/2012	60	2.50	0		332.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Lead	12/1/2005	11/30/2012	68	0.50	0		1.15	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Barium	12/1/2005	11/30/2012	68	49.75	0		2,000.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Arsenic	12/1/2005	11/30/2012	68	2.55	0		10.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0820_05 Mid-reservoir, I30 crossing Rowlett Cr. Arm to Yankee Cr. Arm

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Fluoride	12/1/2005	11/30/2012	30	0.33			4.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0820_06 Outfall canal from Lake Lavon Dam

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	67		1	4.9	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	67		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	12/1/2005	11/30/2012	14		0		340.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/1/2005	11/30/2012	14		0		460.30	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2005	11/30/2012	14		0		63.18	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2005	11/30/2012	14		0		13.93	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	14		0		8.42	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2005	11/30/2012	13		0		115.19	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Aluminum	12/1/2005	11/30/2012	11		0		991.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2005	11/30/2012	14		0		560.41	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2005	11/30/2012	14	0.50	0		2.46	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/1/2005	11/30/2012	14	2.90	0		51.13	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2005	11/30/2012	13	3.81	0		116.13	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2005	11/30/2012	14	1.82	0		9.31	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2005	11/30/2012	14	2.50	0		72.90	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic	12/1/2005	11/30/2012	14	2.50	0		150.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	14	0.12	0		0.24	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2005	11/30/2012	70		0		33.90	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2005	11/30/2012	70		0		9.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0820_06 Outfall canal from Lake Lavon Dam

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Low pH	pH	12/1/2005	11/30/2012	70		1	5.4	6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	668	246.24	0		500.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	30	30.90			100.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	30	43.90			100.00	AD	FS	<input type="checkbox"/>	FS		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Lead	12/1/2005	11/30/2012	68	0.50	0		1.15	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel	12/1/2005	11/30/2012	60	2.50	0		332.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Cadmium	12/1/2005	11/30/2012	68	0.15	0		5.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Chromium	12/1/2005	11/30/2012	68	2.50	0		62.00	AD	FS	<input type="checkbox"/>	FS		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Arsenic	12/1/2005	11/30/2012	68	2.55	0		10.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Barium	12/1/2005	11/30/2012	68	49.75	0		2,000.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Cadmium	12/1/2005	11/30/2012	68	0.15	0		5.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Fluoride	12/1/2005	11/30/2012	30	0.33			4.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Lead	12/1/2005	11/30/2012	68	0.50	0		1.15	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nickel	12/1/2005	11/30/2012	60	2.50	0		332.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	53				10.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

SEGID 0820B Rowlett Creek

AUID 0820B_01 Entire water body

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	92		0		4.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	92		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	26		0		19.19	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2005	11/30/2012	22		0		236.45	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/1/2005	11/30/2012	24		0		943.81	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2005	11/30/2012	26		0		157.13	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2005	11/30/2012	26		0		1,123.05	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	12/1/2005	11/30/2012	26		0		340.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Aluminum	12/1/2005	11/30/2012	21		0		991.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2005	11/30/2012	25		0		31.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic	12/1/2005	11/30/2012	26	2.50	0		150.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	26	0.12	0		0.24	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2005	11/30/2012	26	2.74	0		72.90	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2005	11/30/2012	25	3.03	0		9.31	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2005	11/30/2012	26	0.50	0		2.46	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/1/2005	11/30/2012	24	3.82	0		51.13	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2005	11/30/2012	22	6.46	0		116.13	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	24	364.14	1		126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	5c

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0820B_01 Entire water body

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	24		1	0.38	0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	24		1	1.26	0.69	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	23		0		14.10	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	22		18	4.98	1.95	AD	CS	<input type="checkbox"/>	CS	nitrate	

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Chromium	12/1/2005	11/30/2012	26	2.74	0		502.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2005	11/30/2012	26	0.50	0		3.83	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel	12/1/2005	11/30/2012	24	3.82	0		1,140.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

SEGID 0820C Muddy Creek

AUID 0820C_01 Entire creek

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	68		1	4.8	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	68		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	12/1/2005	11/30/2012	13		0		340.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/1/2005	11/30/2012	13		0		460.30	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2005	11/30/2012	13		0		63.18	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2005	11/30/2012	13		1	18.4	17.06	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	13		0		8.42	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2005	11/30/2012	12		0		115.19	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Aluminum	12/1/2002	11/30/2012	13		0		991.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2005	11/30/2012	13		0		560.41	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2005	11/30/2012	13	0.50	0		2.46	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/1/2005	11/30/2012	13	7.37	0		51.13	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2005	11/30/2012	12	13.38	0		116.13	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2005	11/30/2012	13	10.64			11.21	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2005	11/30/2012	13	2.50	0		72.90	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic	12/1/2005	11/30/2012	13	2.50	0		150.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	13	0.12	0		0.24	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	32	42.69	0		126.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0820C_01 Entire creek

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012						ID	NA	<input checked="" type="checkbox"/>	CS	nitrate	

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Chromium	12/1/2005	11/30/2012	13	2.50	0		502.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2005	11/30/2012	13	0.50	0		3.83	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel	12/1/2005	11/30/2012	13	7.37	0		1,140.00	AD	FS	<input type="checkbox"/>	FS		

SEGID 0821 Lake Lavon

AUID 0821_01 Lowermost portion of reservoir

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012						ID	NA	<input checked="" type="checkbox"/>	CS	nitrate	

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

SEGID 0821C Wilson Creek

AUID 0821C_01 Entire water body

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	26		3	2.67	4.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	26		2	2.15	3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	22	164.25	1		126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	5c

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	29		4	2.44	1.95	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	28		0		0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	27		0		0.69	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	26		2	22.5	14.10	AD	NC	<input type="checkbox"/>	NC		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

SEGID 0821D East Fork Trinity River above Lake Lavon

AUID 0821D_01 Entire water body

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	22		2	3.4	4.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	22		0		3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	17	150.62	1		126.00	LD	NS	<input checked="" type="checkbox"/>	NS	bacteria	5c

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	22		3	2.45	1.95	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	20		0		14.10	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	22		0		0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	20		2	1.7	0.69	AD	NC	<input type="checkbox"/>	NC		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

SEGID **0822** **Elm Fork Trinity River Below Lewisville Lake**

AUID **0822_01** Lower 11 miles of segment

USE **Aquatic Life Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	73		12	3.99	5.00	AD	CS	<input type="checkbox"/>	CS	depressed dissolved oxygen	
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	73		1	2	3.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2005	11/30/2012	39		0		75.88	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2005	11/30/2012	35		0		132.88	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/1/2005	11/30/2012	10		0		561.69	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Aluminum	12/1/2005	11/30/2012	5		0		991.00	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Copper	12/1/2005	11/30/2012	37		0		16.33	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2005	11/30/2012	39		0		643.41	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	12/1/2005	11/30/2012	12		0		340.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	39		0		9.91	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic	12/1/2005	11/30/2012	12	2.50	0		150.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	39	0.14	0	0.27	0.27	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2005	11/30/2012	39	2.81	0		83.69	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2005	11/30/2012	37	1.66	0		10.75	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2005	11/30/2012	39	0.50	0		2.96	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/1/2005	11/30/2012	10	2.59	0		58.96	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2005	11/30/2012	35	2.90	0		133.97	AD	FS	<input type="checkbox"/>	FS		
Toxic Substances in sediment	PCBs	12/1/2005	11/30/2012	2		0		676.00	ID	NA	<input type="checkbox"/>	NA		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0822_01 Lower 11 miles of segment

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	60	75.00	0		126.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2005	11/30/2012	74		0		32.20	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2005	11/30/2012	74		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2005	11/30/2012	74		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	312	491.40	0		500.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	15	27.89	0		80.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	15	54.82	0		60.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	62		0		0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	61		1	1.28	0.69	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	60		2	5.34	1.95	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	60		32	38.55	14.10	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Cadmium	12/1/2005	11/30/2012	105	0.15	0		5.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Chromium	12/1/2005	11/30/2012	105	2.72	0		62.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2005	11/30/2012	105	0.50	0		1.15	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel	12/1/2005	11/30/2012	49	2.72	0		332.00	AD	FS	<input type="checkbox"/>	FS		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Cadmium	12/1/2005	11/30/2012	105	0.15	0		5.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0822_01 Lower 11 miles of segment

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	85	0.78	0		10.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Arsenic	12/1/2005	11/30/2012	51	2.50	0		10.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Lead	12/1/2005	11/30/2012	105	0.50	0		1.15	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nickel	12/1/2005	11/30/2012	49	2.72	0		332.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0822_02 4.5 miles upstream to 7.5 miles downstream DWU intake

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	101		12	3.88	5.00	AD	CS	<input type="checkbox"/>	CS	depressed dissolved oxygen	
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	101		2	2.55	3.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	40		0		9.91	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2005	11/30/2012	39		0		132.88	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/1/2005	11/30/2012	13		0		530.88	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2005	11/30/2012	40		0		75.88	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2005	11/30/2012	40		0		643.41	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	12/1/2005	11/30/2012	13		0		340.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Aluminum	12/1/2002	11/30/2012	13		0		991.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2005	11/30/2012	38		1	26.94	16.33	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2005	11/30/2012	40	0.50	0		2.96	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2005	11/30/2012	39	4.31	0		133.97	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/1/2005	11/30/2012	13	2.73	0		58.96	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2005	11/30/2012	40	2.78	0		83.69	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	40	0.14	0		0.27	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic	12/1/2005	11/30/2012	13	2.50	0		150.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2005	11/30/2012	38	2.14	0		10.75	AD	FS	<input type="checkbox"/>	FS		
Toxic Substances in sediment	PCBs	12/1/2005	11/30/2012	2		0		676.00	ID	NA	<input type="checkbox"/>	NA		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	26	79.50	0		126.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0822_02 4.5 miles upstream to 7.5 miles downstream DWU intake

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2005	11/30/2012	102		0		32.20	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2005	11/30/2012	102		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2005	11/30/2012	102		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	15				60.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	312	491.40	0		500.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	15				80.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	25		0		1.95	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	27		0		0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	26		0		0.69	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	27		12	19.08	14.10	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Lead	12/1/2005	11/30/2012	105	0.50	0		1.15	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel	12/1/2005	11/30/2012	49	2.72	0		332.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Cadmium	12/1/2005	11/30/2012	105	0.15	0		5.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Chromium	12/1/2005	11/30/2012	105	2.72	0		62.00	AD	FS	<input type="checkbox"/>	FS		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Arsenic	12/1/2005	11/30/2012	51	2.50	0		10.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Barium	12/1/2005	11/30/2012	39	45.26	0		2,000.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Cadmium	12/1/2005	11/30/2012	105	0.15	0		5.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Lead	12/1/2005	11/30/2012	105	0.50	0		1.15	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0822_02 4.5 miles upstream to 7.5 miles downstream DWU intake

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nickel	12/1/2005	11/30/2012	49	2.72	0		332.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	85	0.78	0		10.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0822_03 1.0 mi upstream to 4.5 miles downstream SH 121

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	74		1	3.3	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	74		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2005	11/30/2012	12		0		16.33	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/1/2005	11/30/2012	13		0		530.88	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2005	11/30/2012	13		0		132.88	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2005	11/30/2012	13		0		75.88	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	13		0		9.91	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Aluminum	12/1/2002	11/30/2012	15		0		991.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	12/1/2005	11/30/2012	13		0		340.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2005	11/30/2012	13		0		643.41	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic	12/1/2005	11/30/2012	13	2.50	0		150.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	13	0.14	0		0.27	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2005	11/30/2012	13	2.50	0		83.69	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2005	11/30/2012	12	2.05	0		10.75	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2005	11/30/2012	13	0.50	0		2.96	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/1/2005	11/30/2012	13	2.64	0		58.96	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2005	11/30/2012	13	5.43	0		133.97	AD	FS	<input type="checkbox"/>	FS		
Toxic Substances in sediment	PCBs	12/1/2005	11/30/2012	2		0		676.00	ID	NA	<input type="checkbox"/>	NA		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2005	11/30/2012	75		0		32.20	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0822_03 1.0 mi upstream to 4.5 miles downstream SH 121

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
High pH	pH	12/1/2005	11/30/2012	75		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2005	11/30/2012	75		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	312	491.40	0		500.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	15				80.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	15				60.00	AD	FS	<input type="checkbox"/>	FS		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Cadmium	12/1/2005	11/30/2012	105	0.15	0		5.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Chromium	12/1/2005	11/30/2012	105	2.72	0		62.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2005	11/30/2012	105	0.50	0		1.15	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel	12/1/2005	11/30/2012	49	2.72	0		332.00	AD	FS	<input type="checkbox"/>	FS		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Lead	12/1/2005	11/30/2012	105	0.50	0		1.15	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	85				10.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nickel	12/1/2005	11/30/2012	49	2.72	0		332.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Arsenic	12/1/2005	11/30/2012	51	2.50	0		10.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Barium	12/1/2005	11/30/2012	39	45.26	0		2,000.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Cadmium	12/1/2005	11/30/2012	105	0.15	0		5.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0822_04 Upper 1.5 miles of segment

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	73		0		5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	73		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	13		0		9.91	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2005	11/30/2012	12		0		132.88	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/1/2005	11/30/2012	13		0		530.88	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2005	11/30/2012	13		0		75.88	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2005	11/30/2012	13		0		643.41	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	12/1/2005	11/30/2012	13		0		340.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Aluminum	12/1/2002	11/30/2012	13		0		991.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2005	11/30/2012	12		0		16.33	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	13	0.14	0		0.27	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2005	11/30/2012	12	7.66	0		133.97	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/1/2005	11/30/2012	13	2.88	0		58.96	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2005	11/30/2012	13	0.50	0		2.96	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2005	11/30/2012	13	2.50	0		83.69	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic	12/1/2005	11/30/2012	13	2.50	0		150.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2005	11/30/2012	12	1.42	0		10.75	AD	FS	<input type="checkbox"/>	FS		
Toxic Substances in sediment	PCBs	12/1/2005	11/30/2012	2		0		676.00	ID	NA	<input type="checkbox"/>	NA		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2005	11/30/2012	73		0		32.20	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0822_04 Upper 1.5 miles of segment

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
High pH	pH	12/1/2005	11/30/2012	73		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2005	11/30/2012	73		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	312	491.40	0		500.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	15				80.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	15				60.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012						ID	NA	<input checked="" type="checkbox"/>	CS	chlorophyll-a	

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Nickel	12/1/2005	11/30/2012	49	2.72	0		332.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2005	11/30/2012	105	0.50	0		1.15	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Chromium	12/1/2005	11/30/2012	105	2.72	0		62.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Cadmium	12/1/2005	11/30/2012	105	0.15	0		5.00	AD	FS	<input type="checkbox"/>	FS		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Arsenic	12/1/2005	11/30/2012	51	2.50	0		10.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Barium	12/1/2005	11/30/2012	39	45.26	0		2,000.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Cadmium	12/1/2005	11/30/2012	105	0.15	0		5.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Lead	12/1/2005	11/30/2012	105	0.50	0		1.15	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nickel	12/1/2005	11/30/2012	49	2.72	0		332.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	85				10.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

SEGID 0822A Cottonwood Branch

AUID 0822A_01 A 2.5 mile stretch of Cottonwood Branch running upstream from confluence with Hackberry Creek to approx. 0.5 miles downstream of N. Story Rd., Dallas Co.

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	2		0		3.00	ID	NA	<input type="checkbox"/>	NA		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	2		0		2.00	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Copper	12/1/2005	11/30/2012	1		0		27.42	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Lead	12/1/2005	11/30/2012	1		0		136.86	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Chromium	12/1/2005	11/30/2012	1		0		1,009.28	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	1		0		16.91	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Zinc	12/1/2005	11/30/2012	1		0		211.72	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	1	0.14	0		0.27	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Chromium	12/1/2005	11/30/2012	1	2.50	0		83.69	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Copper	12/1/2005	11/30/2012	1	1.64	0		10.75	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Lead	12/1/2005	11/30/2012	1	0.50	0		2.96	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Zinc	12/1/2005	11/30/2012	1	2.50	0		133.97	ID	NA	<input type="checkbox"/>	NA		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	2	8.83	0		126.00	ID	NA	<input type="checkbox"/>	NA		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	2		0		1.95	ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	2		0		0.33	ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	2		0		0.69	ID	NA	<input type="checkbox"/>	NA		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0822A_01 A 2.5 mile stretch of Cottonwood Branch running upstream from confluence with Hackberry Creek to approx. 0.5 miles downstream of N. Story Rd., Dallas Co.

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	2		1	21	14.10	ID	NA	<input type="checkbox"/>	NA		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Lead	12/1/2005	11/30/2012	1	0.50	0		3.83	ID	NA	<input type="checkbox"/>	NA		
HH Bioaccumulative Toxics in water	Chromium	12/1/2005	11/30/2012	1	2.50	0		502.00	ID	NA	<input type="checkbox"/>	NA		

AUID 0822A_02 A 3.5 mile stretch of Cottonwood Branch running upstream from approximately 0.5 miles downstream of N. Story Rd. to Valley View Rd, Dallas, Co.

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	11		0		3.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	11		0		2.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	20	369.68	1		126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	4a

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Cadmium	12/1/2005	11/30/2012	1					ID	NA	<input type="checkbox"/>	NA		
HH Bioaccumulative Toxics in water	Chromium	12/1/2005	11/30/2012	1				502.00	ID	NA	<input type="checkbox"/>	NA		
HH Bioaccumulative Toxics in water	Lead	12/1/2005	11/30/2012	1				3.83	ID	NA	<input type="checkbox"/>	NA		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

SEGID 0822B Grapevine Creek

AUID 0822B_01 Entire water body

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	10/1/2004	11/30/2012	38		0		2.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	10/1/2004	11/30/2012	38		0		1.50	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	6/1/2005	11/30/2012	37	186.80	0		126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	4a

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	10/1/2004	11/30/2012	13		0		1.95	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	10/1/2004	11/30/2012	13		0		0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	10/1/2004	11/30/2012	14		0		0.69	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	10/1/2004	11/30/2012	12		0		14.10	AD	NC	<input type="checkbox"/>	NC		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

SEGID 0822C Hackberry Creek

AUID 0822C_01

A 5.5 mile stretch of Hackberry Creek running upstream from confluence with S. Fork Hackberry Creek to approximately 2.4 miles upstream of SH 114 in Irving, Dallas Co.

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	37		8	4.06	5.00	AD	CS	<input type="checkbox"/>	CS	depressed dissolved oxygen	
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	38		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2005	11/30/2012	28		0		867.16	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2005	11/30/2012	26		0		23.02	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2005	11/30/2012	28		0		112.34	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2005	11/30/2012	27		0		180.95	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	28		0		14.13	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	28	0.14	0		0.27	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2005	11/30/2012	28	2.75	0		83.69	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2005	11/30/2012	26	2.06	0		10.75	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2005	11/30/2012	28	0.50	0		2.96	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2005	11/30/2012	27	2.67	0		133.97	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	38	63.59	0		126.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	39		0		0.69	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	39		14	34.47	14.10	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0822C_01

A 5.5 mile stretch of Hackberry Creek running upstream from confluence with S. Fork Hackberry Creek to approximately 2.4 miles upstream of SH 114 in Irving, Dallas Co.

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	35		0		1.95	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	37		0		0.33	AD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Chromium	12/1/2005	11/30/2012	28	2.75	0		502.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2005	11/30/2012	28	0.50	0		3.83	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

SEGID 0822D Ski Lake

AUID 0822D_01 Entire segment.

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	71		0		5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	71		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	13		0		9.91	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2005	11/30/2012	13		0		132.88	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/1/2005	11/30/2012	13		0		530.88	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2005	11/30/2012	13		0		75.88	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2005	11/30/2012	13		0		643.41	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	12/1/2005	11/30/2012	13		0		340.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Aluminum	12/1/2002	11/30/2012	14		0		991.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2005	11/30/2012	13		0		16.33	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2005	11/30/2012	13	0.50	0		2.96	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic	12/1/2005	11/30/2012	13	2.50	0		150.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/1/2005	11/30/2012	13	2.59	0		58.96	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2005	11/30/2012	13	5.94	0		133.97	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2005	11/30/2012	13	3.28	0		10.75	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	13	0.18	0		0.27	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2005	11/30/2012	13	2.50	0		83.69	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012						ID	NA	<input checked="" type="checkbox"/>	CS	chlorophyll-a	

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0822D_01 Entire segment.

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Chromium	12/1/2005	11/30/2012	13	2.50	0		502.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2005	11/30/2012	13	0.50	0		3.83	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel	12/1/2005	11/30/2012	13	2.59	0		1,140.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

SEGID 0823 Lewisville Lake

AUID 0823_01 Lowermost portion of reservoir

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	2		1	4.78	5.00	ID	NA	<input type="checkbox"/>	NA		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	2		0		3.00	ID	NA	<input type="checkbox"/>	NA		
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/1/2005	11/30/2012	1		0		5.00	ID	NA	<input type="checkbox"/>	NA		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/1/2005	11/30/2012	1		0		3.00	ID	NA	<input type="checkbox"/>	NA		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2005	11/30/2012	3		0		32.20	ID	NA	<input type="checkbox"/>	NA		
High pH	pH	12/1/2005	11/30/2012	2		0		9.00	ID	NA	<input type="checkbox"/>	NA		
Low pH	pH	12/1/2005	11/30/2012	2		0		6.50	ID	NA	<input type="checkbox"/>	NA		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	309	271.58	0		500.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	1		0		0.37	ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	1		0		0.11	ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	1		0		0.20	ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	1		0		26.70	ID	NA	<input type="checkbox"/>	NA		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Cadmium	12/1/2005	11/30/2012	55				5.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Chromium	12/1/2005	11/30/2012	55				62.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2005	11/30/2012	56				1.15	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel	12/1/2005	11/30/2012	55				332.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0823_01 Lowermost portion of reservoir

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Lead	12/1/2005	11/30/2012	56				1.15	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nickel	12/1/2005	11/30/2012	55				332.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Arsenic	12/1/2005	11/30/2012	56				10.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Barium	12/1/2005	11/30/2012	56				2,000.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Cadmium	12/1/2005	11/30/2012	55				5.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	32	0.16	0		10.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0823_02 Stewart Creek arm

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	72		3	3.63	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	72		1	1.9	3.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	14		0		9.08	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2005	11/30/2012	11		0		123.11	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/1/2005	11/30/2012	14		0		491.90	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2005	11/30/2012	14		0		68.81	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2005	11/30/2012	14		0		597.61	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	12/1/2005	11/30/2012	14		0		340.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Aluminum	12/1/2002	11/30/2012	10		0		991.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2005	11/30/2012	13		0		15.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2005	11/30/2012	14	0.50	0		2.68	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	14	0.13	0		0.26	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2005	11/30/2012	11	16.83	0		124.12	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/1/2005	11/30/2012	14	3.98	0		54.63	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2005	11/30/2012	14	2.50	0		77.74	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic	12/1/2005	11/30/2012	14	2.50	0		150.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2005	11/30/2012	13	3.96	0		9.95	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2005	11/30/2012	74		5	33.66	32.20	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2005	11/30/2012	74		2	9.6	9.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0823_02 Stewart Creek arm

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Low pH	pH	12/1/2005	11/30/2012	74		1	5.9	6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	309	271.58	0		500.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012						ID	NA	<input checked="" type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012						ID	NA	<input checked="" type="checkbox"/>	CS	ammonia	
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012						ID	NA	<input checked="" type="checkbox"/>	CS	total phosphorus	

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Lead	12/1/2005	11/30/2012	56	0.50	0		1.15	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel	12/1/2005	11/30/2012	55	2.74	0		332.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Chromium	12/1/2005	11/30/2012	55	2.50	0		62.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Cadmium	12/1/2005	11/30/2012	55	0.17	0		5.00	AD	FS	<input type="checkbox"/>	FS		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Barium	12/1/2005	11/30/2012	56	38.60	0		2,000.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Cadmium	12/1/2005	11/30/2012	55	0.17	0		5.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Lead	12/1/2005	11/30/2012	56	0.50	0		1.15	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nickel	12/1/2005	11/30/2012	55	2.74	0		332.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	32				10.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Arsenic	12/1/2005	11/30/2012	56	2.50	0		10.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID	0823_03	Hickory Creek arm
-------------	----------------	-------------------

USE	Aquatic Life Use
------------	------------------

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	92		5	3.88	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	92		1	1.4	3.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/1/2005	11/30/2012	22		1	3.5	5.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/1/2005	11/30/2012	22		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2005	11/30/2012	14		0		68.81	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2005	11/30/2012	13		0		123.11	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2005	11/30/2012	14		0		15.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/1/2005	11/30/2012	14		0		491.90	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	14		0		9.08	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	12/1/2005	11/30/2012	14		0		340.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Aluminum	12/1/2005	11/30/2012	12		0		991.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2005	11/30/2012	14		0		597.61	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic	12/1/2005	11/30/2012	14	2.50	0		150.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	14	0.19	0		0.26	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2005	11/30/2012	14	2.50	0		77.74	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2005	11/30/2012	14	1.73	0		9.95	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2005	11/30/2012	14	0.50	0		2.68	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/1/2005	11/30/2012	14	2.33	0		54.63	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2005	11/30/2012	13	5.54	0		124.12	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0823_03 Hickory Creek arm

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2005	11/30/2012	93		3	32.8	32.20	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2005	11/30/2012	93		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2005	11/30/2012	93		3	6	6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	309	271.58	0		500.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	12		1	0.39	0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	12		1	0.17	0.11	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	12		1	0.2	0.20	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	12		5	53.72	26.70	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Lead	12/1/2005	11/30/2012	56	0.50	0		1.15	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel	12/1/2005	11/30/2012	55	2.74	0		332.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Chromium	12/1/2005	11/30/2012	55	2.50	0		62.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Cadmium	12/1/2005	11/30/2012	55	0.17	0		5.00	AD	FS	<input type="checkbox"/>	FS		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Barium	12/1/2005	11/30/2012	56	38.60	0		2,000.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Cadmium	12/1/2005	11/30/2012	55	0.17	0		5.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Lead	12/1/2005	11/30/2012	56	0.50	0		1.15	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nickel	12/1/2005	11/30/2012	55	2.74	0		332.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	32	0.16	0		10.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Arsenic	12/1/2005	11/30/2012	56	2.50	0		10.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0823_04 Little Elm Creek arm

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	69		1	1.7	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	69		1	1.7	3.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Aluminum	12/1/2002	11/30/2012	14		0		991.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	12/1/2005	11/30/2012	14		0		340.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	13		0		9.08	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2005	11/30/2012	13		0		597.61	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2005	11/30/2012	14		0		15.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2005	11/30/2012	14		0		68.81	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/1/2005	11/30/2012	13		0		491.90	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2005	11/30/2012	12		0		123.11	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/1/2005	11/30/2012	13	2.30	0		54.63	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2005	11/30/2012	12	3.79	0		124.12	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2005	11/30/2012	14	0.50	0		2.68	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2005	11/30/2012	13	2.50	0		77.74	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	13	0.13	0		0.26	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic	12/1/2005	11/30/2012	14	2.50	0		150.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2005	11/30/2012	14	1.16	0		9.95	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2005	11/30/2012	70		4	33.05	32.20	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2005	11/30/2012	70		0		9.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0823_04 Little Elm Creek arm

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Low pH	pH	12/1/2005	11/30/2012	70		1	6.4	6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	309	271.58	0		500.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	9		3	0.38	0.37	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	9		1	28	26.70	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	8		1	0.13	0.11	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	9		0		0.20	LD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Cadmium	12/1/2005	11/30/2012	55	0.17	0		5.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Chromium	12/1/2005	11/30/2012	55	2.50	0		62.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2005	11/30/2012	56	0.50	0		1.15	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel	12/1/2005	11/30/2012	55	2.74	0		332.00	AD	FS	<input type="checkbox"/>	FS		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Arsenic	12/1/2005	11/30/2012	56	2.50	0		10.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	32	0.16	0		10.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nickel	12/1/2005	11/30/2012	55	2.74	0		332.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Barium	12/1/2005	11/30/2012	56	38.60	0		2,000.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Lead	12/1/2005	11/30/2012	56	0.50	0		1.15	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Cadmium	12/1/2005	11/30/2012	55	0.17	0		5.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0823_05 Middle portion of reservoir east of Lake Dallas

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	69		4	3.23	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	69		1	0.3	3.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	14		0		9.08	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2005	11/30/2012	12		0		123.11	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/1/2005	11/30/2012	14		0		491.90	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2005	11/30/2012	14		0		68.81	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2005	11/30/2012	14		0		597.61	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	12/1/2005	11/30/2012	14		0		340.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Aluminum	12/1/2002	11/30/2012	12		0		991.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2005	11/30/2012	14		0		15.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	14	0.13	0		0.26	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2005	11/30/2012	12	5.74	0		124.12	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/1/2005	11/30/2012	14	2.30	0		54.63	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2005	11/30/2012	14	0.50	0		2.68	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2005	11/30/2012	14	2.50	0		77.74	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic	12/1/2005	11/30/2012	14	2.50	0		150.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2005	11/30/2012	14	1.56	0		9.95	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2005	11/30/2012	70		1	33	32.20	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2005	11/30/2012	70		0		9.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0823_05 Middle portion of reservoir east of Lake Dallas

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Low pH	pH	12/1/2005	11/30/2012	70		2	6.05	6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	309	271.58	0		500.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	9		2	0.65	0.37	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	9		2	0.18	0.11	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	9		0		0.20	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	9		4	43	26.70	LD	CS	<input type="checkbox"/>	CS	chlorophyll-a	

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Cadmium	12/1/2005	11/30/2012	55	0.17	0		5.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel	12/1/2005	11/30/2012	55	2.74	0		332.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Chromium	12/1/2005	11/30/2012	55	2.50	0		62.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2005	11/30/2012	56	0.50	0		1.15	AD	FS	<input type="checkbox"/>	FS		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Arsenic	12/1/2005	11/30/2012	56	2.50	0		10.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Barium	12/1/2005	11/30/2012	56	38.60	0		2,000.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Cadmium	12/1/2005	11/30/2012	55	0.17	0		5.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Lead	12/1/2005	11/30/2012	56	0.50	0		1.15	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nickel	12/1/2005	11/30/2012	55	2.74	0		332.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	32	0.16	0		10.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0823_06 Remainder of reservoir

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	309				500.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	1		0		0.37	ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	1		0		0.11	ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	1		1	0.9	0.20	ID	NA	<input type="checkbox"/>	NA		
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	1		1	150.1	26.70	ID	NA	<input type="checkbox"/>	NA		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Cadmium	12/1/2005	11/30/2012	55				5.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel	12/1/2005	11/30/2012	55				332.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Chromium	12/1/2005	11/30/2012	55				62.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2005	11/30/2012	56				1.15	AD	FS	<input type="checkbox"/>	FS		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Arsenic	12/1/2005	11/30/2012	56				10.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Barium	12/1/2005	11/30/2012	56				2,000.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Cadmium	12/1/2005	11/30/2012	55				5.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Lead	12/1/2005	11/30/2012	56				1.15	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nickel	12/1/2005	11/30/2012	55				332.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	32	0.16	0		10.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

SEGID 0823A Little Elm Creek

AUID 0823A_01 From the confluence with Lake Lewisville in Denton Co., up to FM 455 in Collin Co. (Lower 12 miles of segment).

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	70		5	4.3	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	70		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	13		0		9.08	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/1/2005	11/30/2012	13		0		491.90	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2005	11/30/2012	13		0		68.81	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2005	11/30/2012	11		0		123.11	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	12/1/2005	11/30/2012	13		0		340.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Aluminum	12/1/2002	11/30/2012	12		0		991.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2005	11/30/2012	12		0		15.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2005	11/30/2012	13		0		597.61	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic	12/1/2005	11/30/2012	13	2.75	0		150.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	13	0.13	0		0.26	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2005	11/30/2012	13	2.50	0		77.74	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2005	11/30/2012	12	3.38	0		9.95	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2005	11/30/2012	13	0.55	0		2.68	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/1/2005	11/30/2012	13	7.39	0		54.63	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2005	11/30/2012	11	8.24	0		124.12	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	14	27.47	0		126.00	LD	NC	<input type="checkbox"/>	NC		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID **0823A_01** From the confluence with Lake Lewisville in Denton Co., up to FM 455 in Collin Co. (Lower 12 miles of segment).

USE **Fish Consumption Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Nickel	12/1/2005	11/30/2012	13	7.39	0		1,140.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Chromium	12/1/2005	11/30/2012	13	2.50	0		502.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2005	11/30/2012	13	0.55	0		3.83	AD	FS	<input type="checkbox"/>	FS		

AUID **0823A_02** From FM 455 in Collin Co., up to 1.4 km above FM 121 in Grayson, Co. near Guenther. (Upper 15 miles of segment).

USE **Fish Consumption Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Chromium	12/1/2005	11/30/2012	13				502.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2005	11/30/2012	13				3.83	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel	12/1/2005	11/30/2012	13				1,140.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

SEGID 0823B Stewart Creek

AUID 0823B_01 Entire segment.

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2002	11/30/2012	18		0		5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2002	11/30/2012	18		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2002	11/30/2012	17		0		178.17	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2002	11/30/2012	18		0		261.62	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Selenium	12/1/2002	11/30/2012	17		0		20.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/1/2002	11/30/2012	18		0		1,044.11	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2002	11/30/2012	18		0		1,238.40	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2002	11/30/2012	19		0		21.55	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	12/1/2002	11/30/2012	19		0		340.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Aluminum	12/1/2002	11/30/2012	18		0		991.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2004	11/30/2012	10		1	34.7	34.52	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2004	11/30/2012	10	17.81	1		21.80	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic	12/1/2002	11/30/2012	19	2.06	0		150.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2002	11/30/2012	18	35.32	0		124.12	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Selenium	12/1/2002	11/30/2012	17	0.39	0		5.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2002	11/30/2012	17	0.45	0		2.68	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2002	11/30/2012	18	2.00	0		77.74	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2002	11/30/2012	19	0.07	0		0.26	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/1/2002	11/30/2012	18	4.83	0		54.63	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0823B_01 Entire segment.

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Toxic Substances in sediment	Mercury	12/1/2002	11/30/2012	9		0		1.06	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Chromium	12/1/2002	11/30/2012	8		0		111.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Zinc	12/1/2002	11/30/2012	8		0		459.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Silver	12/1/2002	11/30/2012	8		0		2.20	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Nickel	12/1/2002	11/30/2012	8		0		48.60	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Iron	12/1/2002	11/30/2012	8		0		40,000.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Manganese	12/1/2002	11/30/2012	8		2	1455	1,100.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Copper	12/1/2002	11/30/2012	8		0		149.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Cadmium	12/1/2002	11/30/2012	9		0		4.98	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Arsenic	12/1/2002	11/30/2012	9		0		33.00	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	Lead	12/1/2002	11/30/2012	8		0		128.00	LD	NC	<input type="checkbox"/>	NC		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2002	11/30/2012	17	97.67	0		126.00	LD	NC	<input type="checkbox"/>	NC		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2002	11/30/2012	19		19	11.3	1.95	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Ammonia	12/1/2002	11/30/2012	19		4	0.86	0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2002	11/30/2012	19		19	2.41	0.69	AD	CS	<input type="checkbox"/>	CS	total phosphorus	
Nutrient Screening Levels	Chlorophyll-a	12/1/2002	11/30/2012	19		0		14.10	AD	NC	<input type="checkbox"/>	NC		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0823B_01 Entire segment.

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Chromium	12/1/2002	11/30/2012	18	2.00	0		502.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2002	11/30/2012	17	0.45	0		3.83	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel	12/1/2002	11/30/2012	18	4.83	0		1,140.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

SEGID 0823C Clear Creek

AUID 0823C_01 Lower 25 miles of segment

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	82		3	4.6	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	82		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/1/2005	11/30/2012	11		0		491.90	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2005	11/30/2012	10		0		123.11	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2005	11/30/2012	11		0		68.81	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2005	11/30/2012	10		0		15.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2005	11/30/2012	11		0		597.61	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	11		0		9.08	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	12/1/2005	11/30/2012	11		0		340.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Aluminum	12/1/2002	11/30/2012	11		0		991.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2005	11/30/2012	10	6.84	0		124.12	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	11	0.13	0	0.26	0.26	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2005	11/30/2012	11	2.50	0		77.74	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2005	11/30/2012	10	1.66	0		9.95	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2005	11/30/2012	11	0.50	0		2.68	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/1/2005	11/30/2012	11	2.71	0		54.63	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic	12/1/2005	11/30/2012	11	2.50	0		150.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	21	104.10			126.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0823C_01 Lower 25 miles of segment

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	23		0		0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	24		0		0.69	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	20		2		14.10	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	25		0		1.95	AD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Nickel	12/1/2005	11/30/2012	11	2.71	0		1,140.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Chromium	12/1/2005	11/30/2012	11	2.50	0		502.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2005	11/30/2012	11	0.50	0		3.83	AD	FS	<input type="checkbox"/>	FS		

AUID 0823C_02 Upper 40 miles of segment

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Nickel	12/1/2005	11/30/2012	11				1,140.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Chromium	12/1/2005	11/30/2012	11				502.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2005	11/30/2012	11				3.83	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

SEGID 0823D Doe Branch

AUID 0823D_01

From the confluence (NHD RC 12030103023518) with Lake Lewisville/Elm Fork Trinity in Denton County to the headwaters (NHD RC 12030103005935) northeast of Celina, Collin Co., TX.

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	14		1	1.4	2.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	14		1	1.4	1.50	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2005	11/30/2012	8		0		13.80	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Zinc	12/1/2005	11/30/2012	6		0		114.19	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Nickel	12/1/2005	11/30/2012	7		0		456.32	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Lead	12/1/2005	11/30/2012	8		0		62.47	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	8		0		8.33	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Aluminum	12/1/2005	11/30/2012	2		0		991.00	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Chromium	12/1/2005	11/30/2012	8		0		555.73	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Arsenic	12/1/2005	11/30/2012	8		0		340.00	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Arsenic	12/1/2005	11/30/2012	8	2.50	0		150.00	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	8	0.13	0		0.26	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Chromium	12/1/2005	11/30/2012	8	2.50	0		77.74	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Copper	12/1/2005	11/30/2012	8	1.16	0		9.95	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Lead	12/1/2005	11/30/2012	8	0.50	0		2.68	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Nickel	12/1/2005	11/30/2012	7	1.86	0		54.63	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Zinc	12/1/2005	11/30/2012	6	2.98	0		124.12	LD	NC	<input type="checkbox"/>	NC		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0823D_01

From the confluence (NHD RC 12030103023518) with Lake Lewisville/Elm Fork Trinity in Denton County to the headwaters (NHD RC 12030103005935) northeast of Celina, Collin Co., TX.

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	14	106.20	0		126.00	LD	NC	<input type="checkbox"/>	NC		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	15		2	22.6	14.10	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	15		0		0.69	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	15		1	6.31	1.95	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	15		1	0.55	0.33	AD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Chromium	12/1/2005	11/30/2012	8	2.50	0		502.00	LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Lead	12/1/2005	11/30/2012	8	0.50	0		3.83	LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Nickel	12/1/2005	11/30/2012	7	1.86	0		1,140.00	LD	NC	<input type="checkbox"/>	NC		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

SEGID **0824** **Elm Fork Trinity River Above Ray Roberts Lake**

AUID **0824_01** Lower 7.5 miles of segment

USE **Aquatic Life Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	71		0		5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	71		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2005	11/30/2012	13		0		11.10	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2005	11/30/2012	14		0		459.97	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2005	11/30/2012	12		0		93.90	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/1/2005	11/30/2012	14		0		375.35	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Aluminum	12/1/2002	11/30/2012	13		0		991.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	14		0		6.66	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	12/1/2005	11/30/2012	14		0		340.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2005	11/30/2012	14		0		48.53	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic	12/1/2005	11/30/2012	14	2.50	0		150.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	14	0.15	0		0.21	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2005	11/30/2012	14	2.50	0		59.83	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2005	11/30/2012	13	3.53	0		7.57	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2005	11/30/2012	14	0.50	0		1.89	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/1/2005	11/30/2012	14	4.78	0		41.69	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2005	11/30/2012	12	14.68	0		94.67	AD	FS	<input type="checkbox"/>	FS		

USE **Recreation Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	12	31.12	0		126.00	LD	NC	<input type="checkbox"/>	NC		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0824_01 Lower 7.5 miles of segment

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2005	11/30/2012	73		0		32.20	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2005	11/30/2012	73		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2005	11/30/2012	73		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	100	411.36	0		700.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	0				14.10	ID	NA	<input checked="" type="checkbox"/>	CS	chlorophyll-a	
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	5		5	4.61	1.95	LD	CS	<input checked="" type="checkbox"/>	CS	nitrate	

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Cadmium	12/1/2005	11/30/2012	14	0.19	0		5.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Chromium	12/1/2005	11/30/2012	14	2.50	0		62.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2005	11/30/2012	14	0.50	0		1.15	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel	12/1/2005	11/30/2012	14	4.78	0		332.00	AD	FS	<input type="checkbox"/>	FS		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Arsenic	12/1/2005	11/30/2012	14	2.50	0		10.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nickel	12/1/2005	11/30/2012	14	4.78	0		332.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Lead	12/1/2005	11/30/2012	14	0.50	0		1.15	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Barium	12/1/2005	11/30/2012	13	51.76	0		2,000.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Cadmium	12/1/2005	11/30/2012	14	0.19	0		5.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0824_02 2 mile reach near unmarked county road, 1.4 km downstream Gainesville WWTP

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	100				700.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	5		5	7.39	1.95	LD	CS	<input checked="" type="checkbox"/>	CS	nitrate	

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Nickel	12/1/2005	11/30/2012	14				332.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2005	11/30/2012	14				1.15	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Cadmium	12/1/2005	11/30/2012	14				5.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Chromium	12/1/2005	11/30/2012	14				62.00	AD	FS	<input type="checkbox"/>	FS		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Arsenic	12/1/2005	11/30/2012	14				10.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Barium	12/1/2005	11/30/2012	13				2,000.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Cadmium	12/1/2005	11/30/2012	14				5.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Lead	12/1/2005	11/30/2012	14				1.15	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nickel	12/1/2005	11/30/2012	14				332.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0824_03 3.5 mile reach near SH 51

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	26		2	4.7	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	27		0	2.6	3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	35	70.90	0		126.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2005	11/30/2012	28		0		32.20	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2005	11/30/2012	28		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2005	11/30/2012	28		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	26	34.18	0		90.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	100	411.36	0		700.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	25	24.46	0		110.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	26		1	2.41	1.95	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	26		1	0.71	0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	27		0		0.69	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	24		13	39.85	14.10	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Cadmium	12/1/2005	11/30/2012	14				5.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Chromium	12/1/2005	11/30/2012	14				62.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2005	11/30/2012	14				1.15	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0824_03 3.5 mile reach near SH 51

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Nickel	12/1/2005	11/30/2012	14				332.00	AD	FS	<input type="checkbox"/>	FS		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Lead	12/1/2005	11/30/2012	14				1.15	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Fluoride	12/1/2005	11/30/2012	25	0.18	0		4.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nickel	12/1/2005	11/30/2012	14				332.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	26	0.67	0		10.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Barium	12/1/2005	11/30/2012	13				2,000.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Arsenic	12/1/2005	11/30/2012	14				10.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Cadmium	12/1/2005	11/30/2012	14				5.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0824_04 25 mile reach near FM 3108

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	100				700.00	AD	FS	<input type="checkbox"/>	FS		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Cadmium	12/1/2005	11/30/2012	14				5.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Chromium	12/1/2005	11/30/2012	14				62.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2005	11/30/2012	14				1.15	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel	12/1/2005	11/30/2012	14				332.00	AD	FS	<input type="checkbox"/>	FS		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nickel	12/1/2005	11/30/2012	14				332.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Arsenic	12/1/2005	11/30/2012	14				10.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Barium	12/1/2005	11/30/2012	13				2,000.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Cadmium	12/1/2005	11/30/2012	14				5.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Lead	12/1/2005	11/30/2012	14				1.15	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0824_05 Upper 48 miles of segment

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	100				700.00	AD	FS	<input type="checkbox"/>	FS		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Chromium	12/1/2005	11/30/2012	14				62.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2005	11/30/2012	14				1.15	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel	12/1/2005	11/30/2012	14				332.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Cadmium	12/1/2005	11/30/2012	14				5.00	AD	FS	<input type="checkbox"/>	FS		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Arsenic	12/1/2005	11/30/2012	14				10.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Barium	12/1/2005	11/30/2012	13				2,000.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Cadmium	12/1/2005	11/30/2012	14				5.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Lead	12/1/2005	11/30/2012	14				1.15	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

SEGID 0825 Denton Creek

AUID 0825_01 Entire segment

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	92		3	3.97	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	92		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2005	11/30/2012	12		1	35.53	16.60	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2005	11/30/2012	13		0		652.48	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2005	11/30/2012	13		0		134.82	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/1/2005	11/30/2012	13		0		538.61	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Aluminum	12/1/2002	11/30/2012	18		0		991.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	13		0		10.08	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	12/1/2005	11/30/2012	13		0		340.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2005	11/30/2012	13		0		77.30	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic	12/1/2005	11/30/2012	13	2.50	0		150.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	13	0.14	0		0.28	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2005	11/30/2012	13	2.70	0		84.87	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2005	11/30/2012	12	5.49	0		10.91	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2005	11/30/2012	13	0.59	0		3.01	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/1/2005	11/30/2012	13	2.61	0		59.82	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2005	11/30/2012	13	12.92	0		135.92	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	17	145.67	1		126.00	LD	CN	<input type="checkbox"/>	CN	bacteria	

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0825_01 Entire segment

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2005	11/30/2012	92		0		32.20	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2005	11/30/2012	92		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2005	11/30/2012	92		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	18	35.44	0		80.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	19	48.37	0		60.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	92	272.73	0		500.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	19		4	3	1.95	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	18		2	1.38	0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	19		2	0.88	0.69	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	17		4	19.15	14.10	AD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Cadmium	12/1/2005	11/30/2012	13	0.15	0		5.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Chromium	12/1/2005	11/30/2012	13	2.70	0		62.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2005	11/30/2012	13	0.59	0		1.15	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel	12/1/2005	11/30/2012	13	2.61	0		332.00	AD	FS	<input type="checkbox"/>	FS		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Lead	12/1/2005	11/30/2012	13	0.59	0		1.15	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nickel	12/1/2005	11/30/2012	13	2.61	0		332.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Fluoride	12/1/2005	11/30/2012	19	0.28	0		4.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Barium	12/1/2005	11/30/2012	13	51.69	0		2,000.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID	0825_01	Entire segment
-------------	---------	----------------

USE	Public Water Supply Use
------------	-------------------------

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Arsenic	12/1/2005	11/30/2012	13	2.50	0		10.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Cadmium	12/1/2005	11/30/2012	13	0.15	0		5.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	19	1.35	0		10.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

SEGID **0826** **Grapevine Lake**

AUID **0826_01** Lowermost portion of reservoir

USE **Aquatic Life Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	111		11		5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	111		4		3.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/1/2005	11/30/2012	20		5	4.62	5.00	TR	NA	<input type="checkbox"/>	NA		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/1/2005	11/30/2012	20		4	2.23	3.00	TR	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Aluminum	12/1/2005	11/30/2012	10		0		991.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/1/2005	11/30/2012	13		0		538.61	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2005	11/30/2012	14		0		77.30	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2005	11/30/2012	13		0		16.60	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2005	11/30/2012	14		0		652.48	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	12/1/2005	11/30/2012	14		0		340.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2005	11/30/2012	12		0		134.82	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	14		0		10.08	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2005	11/30/2012	14	0.50	0		3.01	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2005	11/30/2012	12	6.53	0		135.92	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/1/2005	11/30/2012	13	2.41	0		59.82	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2005	11/30/2012	13	1.37	0		10.91	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2005	11/30/2012	14	2.50	0		84.87	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic	12/1/2005	11/30/2012	14	2.50	0		150.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	14	0.14	0		0.28	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0826_01 Lowermost portion of reservoir

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	9	3.60				LD	NC	<input type="checkbox"/>	NC		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2005	11/30/2012	103		0		33.90	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2005	11/30/2012	112		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2005	11/30/2012	112		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	378	246.86	0		500.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	24	30.04			80.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	24	31.38			60.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	21		5		0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	39		5	31.95	26.70	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	29		0		0.20	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	31		1		0.11	AD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Cadmium	12/1/2005	11/30/2012	42	0.15	0		5.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Chromium	12/1/2005	11/30/2012	42	2.56	0		62.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2005	11/30/2012	42	0.50	0		1.15	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel	12/1/2005	11/30/2012	41	2.31	0		332.00	AD	FS	<input type="checkbox"/>	FS		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Arsenic	12/1/2005	11/30/2012	42	2.50	0		10.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0826_01 Lowermost portion of reservoir

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Barium	12/1/2005	11/30/2012	41	53.49	0		2,000.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Cadmium	12/1/2005	11/30/2012	42	0.15	0		5.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Fluoride	12/1/2005	11/30/2012	24	0.27			4.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Lead	12/1/2005	11/30/2012	42	0.50	0		1.15	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nickel	12/1/2005	11/30/2012	41	2.31	0		332.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	47	0.14	0		10.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0826_02 Morehead Creek cove

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	20		0		5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	20		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/1/2005	11/30/2012	20		0		5.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/1/2005	11/30/2012	20		0		3.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2005	11/30/2012	20		0		33.90	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2005	11/30/2012	20		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2005	11/30/2012	20		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	24	31.38			60.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	378	246.85	0		500.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	24	30.04			80.00	AD	FS	<input type="checkbox"/>	FS		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Nickel	12/1/2005	11/30/2012	41				332.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2005	11/30/2012	42				1.15	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Cadmium	12/1/2005	11/30/2012	42				5.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Chromium	12/1/2005	11/30/2012	42				62.00	AD	FS	<input type="checkbox"/>	FS		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Barium	12/1/2005	11/30/2012	41				2,000.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	47				10.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0826_02 Morehead Creek cove

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nickel	12/1/2005	11/30/2012	41				332.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Lead	12/1/2005	11/30/2012	42				1.15	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Fluoride	12/1/2005	11/30/2012	24	0.27			4.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Arsenic	12/1/2005	11/30/2012	42				10.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Cadmium	12/1/2005	11/30/2012	42				5.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0826_03 Lower portion of reservoir north of Oak Grove Park

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	378	246.85			500.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	24	30.04			80.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	24	31.38			60.00	AD	FS	<input type="checkbox"/>	FS		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Cadmium	12/1/2005	11/30/2012	42				5.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Chromium	12/1/2005	11/30/2012	42				62.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2005	11/30/2012	42				1.15	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel	12/1/2005	11/30/2012	41				332.00	AD	FS	<input type="checkbox"/>	FS		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Fluoride	12/1/2005	11/30/2012	24	0.27			4.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	47				10.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Lead	12/1/2005	11/30/2012	42				1.15	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Cadmium	12/1/2005	11/30/2012	42				5.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Arsenic	12/1/2005	11/30/2012	42				10.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Barium	12/1/2005	11/30/2012	41				2,000.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nickel	12/1/2005	11/30/2012	41				332.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0826_04 North Main Slough cove

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	20		0		5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	20		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/1/2005	11/30/2012	20		0		5.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/1/2005	11/30/2012	20		1	2.5	3.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2005	11/30/2012	20		0		33.90	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2005	11/30/2012	20		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2005	11/30/2012	20		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	348	246.85	0		500.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	24	30.04			80.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	24	31.38			60.00	AD	FS	<input type="checkbox"/>	FS		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Chromium	12/1/2005	11/30/2012	42				62.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2005	11/30/2012	42				1.15	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Cadmium	12/1/2005	11/30/2012	42				5.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel	12/1/2005	11/30/2012	41				332.00	AD	FS	<input type="checkbox"/>	FS		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Arsenic	12/1/2005	11/30/2012	42				10.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Barium	12/1/2005	11/30/2012	41				2,000.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0826_04 North Main Slough cove

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Cadmium	12/1/2005	11/30/2012	42				5.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Fluoride	12/1/2005	11/30/2012	24	0.27			4.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Lead	12/1/2005	11/30/2012	42				1.15	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nickel	12/1/2005	11/30/2012	41				332.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	47				10.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0826_05 Middle portion of reservoir east of Meadowmere Park

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	80		3	3.67	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	80		1	1.5	3.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2005	11/30/2012	14		0		652.48	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2005	11/30/2012	12		0		134.82	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/1/2005	11/30/2012	14		0		538.61	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2005	11/30/2012	14		0		16.60	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	14		0		10.08	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	12/1/2005	11/30/2012	14		0		340.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Aluminum	12/1/2002	11/30/2012	13		0		991.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2005	11/30/2012	14		0		77.30	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic	12/1/2005	11/30/2012	14	2.50	0		150.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	14	0.14	0		0.28	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2005	11/30/2012	14	2.50	0		84.87	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2005	11/30/2012	14	1.25	0		10.91	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2005	11/30/2012	14	0.50	0		3.01	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/1/2005	11/30/2012	14	2.24	0		59.82	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2005	11/30/2012	12	6.34	0		135.92	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2005	11/30/2012	81		1	34	33.90	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2005	11/30/2012	81		0		9.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0826_05 Middle portion of reservoir east of Meadowmere Park

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Low pH	pH	12/1/2005	11/30/2012	81		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	24	31.38			60.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	378	246.85	0		500.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	24	30.04			80.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	19		2	0.4	0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	19		0		0.11	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	19		0		0.20	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	19		3	29.47	26.70	AD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Cadmium	12/1/2005	11/30/2012	42	0.15	0		5.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Chromium	12/1/2005	11/30/2012	42	2.56	0		62.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2005	11/30/2012	42	0.50	0		1.15	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel	12/1/2005	11/30/2012	41	2.31	0		332.00	AD	FS	<input type="checkbox"/>	FS		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Lead	12/1/2005	11/30/2012	42	0.50	0		1.15	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nickel	12/1/2005	11/30/2012	41	2.31	0		332.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Fluoride	12/1/2005	11/30/2012	24	0.27			4.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Barium	12/1/2005	11/30/2012	41	53.49	0		2,000.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Arsenic	12/1/2005	11/30/2012	42	2.50	0		10.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Cadmium	12/1/2005	11/30/2012	42	0.15	0		5.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0826_05 Middle portion of reservoir east of Meadowmere Park

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	47	0.14	0		10.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0826_06 Middle portion of reservoir southeast of Walnut Grove Park

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	79		2	2.75	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	79		1	1.2	3.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	14		0		10.08	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2005	11/30/2012	12		0		134.82	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/1/2005	11/30/2012	14		0		538.61	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2005	11/30/2012	14		0		77.30	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2005	11/30/2012	14		0		652.48	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	12/1/2005	11/30/2012	14		0		340.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Aluminum	12/1/2005	11/30/2012	12		0		991.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2005	11/30/2012	14		0		16.60	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	14	0.14	0		0.28	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/1/2005	11/30/2012	14	2.27	0		59.82	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2005	11/30/2012	12	4.66	0		135.92	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2005	11/30/2012	14	0.50	0		3.01	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic	12/1/2005	11/30/2012	14	2.50	0		150.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2005	11/30/2012	14	1.82	0		10.91	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2005	11/30/2012	14	2.68	0		84.87	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	9	4.09	0		126.00	LD	NC	<input type="checkbox"/>	NC		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0826_06 Middle portion of reservoir southeast of Walnut Grove Park

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2005	11/30/2012	81		0		33.90	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2005	11/30/2012	80		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2005	11/30/2012	80		1	6.3	6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	378	246.85	0		500.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	24	30.04	0		80.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	24	31.38	0		60.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	9		0		0.20	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	10		5	34.84	26.70	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	10		1	0.12	0.11	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	10		3	0.44	0.37	AD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Chromium	12/1/2005	11/30/2012	42	2.56	0		62.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2005	11/30/2012	42	0.50	0		1.15	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel	12/1/2005	11/30/2012	41	2.31	0		332.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Cadmium	12/1/2005	11/30/2012	42	0.15	0		5.00	AD	FS	<input type="checkbox"/>	FS		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Arsenic	12/1/2005	11/30/2012	42	2.50	0		10.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Barium	12/1/2005	11/30/2012	41	53.49	0		2,000.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Cadmium	12/1/2005	11/30/2012	42	0.15	0		5.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Fluoride	12/1/2005	11/30/2012	24	0.27	0		4.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0826_06 Middle portion of reservoir southeast of Walnut Grove Park

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Lead	12/1/2005	11/30/2012	42	0.50	0		1.15	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nickel	12/1/2005	11/30/2012	41	2.31	0		332.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	47	0.14	0		10.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0826_07 Upper portion of reservoir east of Marshall Creek Park

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	10		0		5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	10		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/1/2005	11/30/2012	10		0		5.00	TR	NA	<input type="checkbox"/>	NA		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/1/2005	11/30/2012	10		2	2.65	3.00	TR	NA	<input type="checkbox"/>	NA		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2005	11/30/2012	10		0		33.90	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2005	11/30/2012	10		4	9.48	9.00	AD	NS	<input type="checkbox"/>	NS	pH	5c
Low pH	pH	12/1/2005	11/30/2012	10		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	24	31.38			60.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	378	246.85	0		500.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	24	30.04			80.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	24		10	0.4	0.37	AD	CS	<input checked="" type="checkbox"/>	CS	nitrate	

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Chromium	12/1/2005	11/30/2012	42				62.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2005	11/30/2012	42				1.15	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel	12/1/2005	11/30/2012	41				332.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Cadmium	12/1/2005	11/30/2012	42				5.00	AD	FS	<input type="checkbox"/>	FS		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Lead	12/1/2005	11/30/2012	42				1.15	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0826_07 Upper portion of reservoir east of Marshall Creek Park

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Arsenic	12/1/2005	11/30/2012	42				10.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	47				10.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nickel	12/1/2005	11/30/2012	41				332.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Fluoride	12/1/2005	11/30/2012	24	0.27			4.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Barium	12/1/2005	11/30/2012	41				2,000.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Cadmium	12/1/2005	11/30/2012	42				5.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0826_08 Remainder of reservoir

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	40		0		5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	40		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/1/2005	11/30/2012	39		0		5.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/1/2005	11/30/2012	39		0		3.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2005	11/30/2012	40		0		33.90	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2005	11/30/2012	40		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2005	11/30/2012	40		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	24	31.38			60.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	24	30.04			80.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	378	246.85	0		500.00	AD	FS	<input type="checkbox"/>	FS		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Chromium	12/1/2005	11/30/2012	42				62.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2005	11/30/2012	42				1.15	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel	12/1/2005	11/30/2012	41				332.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Cadmium	12/1/2005	11/30/2012	42				5.00	AD	FS	<input type="checkbox"/>	FS		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Fluoride	12/1/2005	11/30/2012	24	0.27			4.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	47				10.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0826_08 Remainder of reservoir

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Lead	12/1/2005	11/30/2012	42				1.15	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Cadmium	12/1/2005	11/30/2012	42				5.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Barium	12/1/2005	11/30/2012	41				2,000.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Arsenic	12/1/2005	11/30/2012	42				10.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nickel	12/1/2005	11/30/2012	41				332.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

SEGID 0826A Denton Creek

AUID 0826A_01 Lower 7.9 miles of creek

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	74		2	3.75	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	74		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2005	11/30/2012	11		0		16.60	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2005	11/30/2012	12		0		134.82	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/1/2005	11/30/2012	13		0		538.61	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2005	11/30/2012	13		0		77.30	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2005	11/30/2012	13		0		652.48	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	13		0		10.08	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Aluminum	12/1/2002	11/30/2012	12		0		991.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	12/1/2005	11/30/2012	13		0		340.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2005	11/30/2012	12	21.46	0		135.92	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic	12/1/2005	11/30/2012	13	2.50	0		150.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	13	0.14	0		0.28	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2005	11/30/2012	13	2.97	0		84.87	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2005	11/30/2012	11	3.97	0		10.91	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2005	11/30/2012	13	0.50	0		3.01	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/1/2005	11/30/2012	13	3.58	0		59.82	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012						ID	NA	<input checked="" type="checkbox"/>	CS	nitrate	

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0826A_01 Lower 7.9 miles of creek

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Chromium	12/1/2005	11/30/2012	25	2.93	0		502.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2005	11/30/2012	25	0.50	0		3.83	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel	12/1/2005	11/30/2012	25	3.39	0		1,140.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0826A_02 15.7 miles upstream to 7.4 miles down stream of FM 156

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	54		2	3	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	54		1	1.5	3.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	12/1/2005	11/30/2012	12		0		340.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/1/2005	11/30/2012	12		0		538.61	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2005	11/30/2012	12		0		77.30	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2005	11/30/2012	10		0		16.60	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	12		0		10.08	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2005	11/30/2012	11		0		134.82	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Aluminum	12/1/2005	11/30/2012	10		0		991.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2005	11/30/2012	12		0		652.48	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2005	11/30/2012	12	0.50	0		3.01	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2005	11/30/2012	11	10.41	0		135.92	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/1/2005	11/30/2012	12	3.19	0		59.82	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2005	11/30/2012	10	2.10	0		10.91	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2005	11/30/2012	12	2.89	0		84.87	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic	12/1/2005	11/30/2012	12	2.50	0		150.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	12	0.14	0		0.28	AD	FS	<input type="checkbox"/>	FS		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Chromium	12/1/2005	11/30/2012	25	2.93	0		502.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2005	11/30/2012	25	0.50	0		3.83	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0826A_02 15.7 miles upstream to 7.4 miles down stream of FM 156

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Nickel	12/1/2005	11/30/2012	25	3.39	0		1,140.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

SEGID 0827 White Rock Lake

AUID 0827_01 Entire segment

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	15		1	4.33	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	15		0		3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	12	4.47	0		126.00	LD	NC	<input type="checkbox"/>	NC		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2005	11/30/2012	15		0		33.90	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2005	11/30/2012	15		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2005	11/30/2012	15		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	13	222.36	0		400.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	14	25.10	0		100.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	15	39.08	0		100.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	14		3	0.7	0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	14		1	0.22	0.11	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	14		0		0.20	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	13		9	43.52	26.70	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

SEGID 0827A White Rock Creek above White Rock Lake

AUID 0827A_01 From the headwaters of White Rock Lake upstream to the upper end of the water body at NHD RC 12030105001118.

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	14	1024.80	1		126.00	LD	NS	<input checked="" type="checkbox"/>	CN	bacteria	

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	35		10	2.43	1.95	AD	CS	<input checked="" type="checkbox"/>	CS	nitrate	

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

SEGID 0828 Lake Arlington

AUID 0828_01 Lowermost portion of lake along western half of dam

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	30				100.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	132				300.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	97				100.00	AD	FS	<input type="checkbox"/>	FS		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bioaccumulative Toxics in fish tissue	Lead	12/1/2005	11/30/2012	2		0		0.60	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Selenium	12/1/2005	11/30/2012	2		0		4.38	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Arsenic	12/1/2005	11/30/2012	2		0		0.04	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	PCBs	12/1/2005	11/30/2012	2		0		0.13	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Zinc	12/1/2005	11/30/2012	2		0		525.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Nickel	12/1/2005	11/30/2012	2		0		35.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Mirex	12/1/2005	11/30/2012	2		0		0.04	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Mercury	12/1/2005	11/30/2012	2		0		0.53	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Hexachlorobenzene (HCB)	12/1/2005	11/30/2012	2		0		0.61	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Heptachlor epoxide	12/1/2005	11/30/2012	2		0		0.25	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Heptachlor	12/1/2005	11/30/2012	2		0		0.20	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Dieldrin	12/1/2005	11/30/2012	2		0		0.06	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Copper	12/1/2005	11/30/2012	2		0		250.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Cadmium	12/1/2005	11/30/2012	2		0		0.23	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Aldrin	12/1/2005	11/30/2012	2		0		0.14	ID	NA	<input type="checkbox"/>	NA		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID	0828_01	Lowermost portion of lake along western half of dam
-------------	----------------	---

USE	Fish Consumption Use
------------	-----------------------------

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bioaccumulative Toxics in fish tissue	Toxaphene	12/1/2005	11/30/2012	2		0		0.83	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Chromium	12/1/2005	11/30/2012	2		0		5.25	ID	NA	<input type="checkbox"/>	NA		

USE	Public Water Supply Use
------------	--------------------------------

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	143				10.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0828_02 Lowermost portion of lake along eastern half of dam

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	30		1	4.29	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	30		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/1/2005	11/30/2012	8		0		5.00	LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/1/2005	11/30/2012	8		0		3.00	LD	NC	<input type="checkbox"/>	NC		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	58	5.16	0		126.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2005	11/30/2012	30		1	34	33.90	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2005	11/30/2012	30		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2005	11/30/2012	30		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	30	32.53	0		100.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	132	198.07	0		300.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	97	18.69	0		100.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	30		19	44.96	26.70	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	30		0		0.20	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	31		1	0.55	0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	25		1	0.14	0.11	AD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bioaccumulative Toxics in fish tissue	Hexachlorobenzene (HCB)	12/1/2005	11/30/2012	2		0		0.61	ID	NA	<input type="checkbox"/>	NA		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0828_02 Lowermost portion of lake along eastern half of dam

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bioaccumulative Toxics in fish tissue	Toxaphene	12/1/2005	11/30/2012	2		0		0.83	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Zinc	12/1/2005	11/30/2012	2		0		525.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Nickel	12/1/2005	11/30/2012	2		0		35.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	PCBs	12/1/2005	11/30/2012	2		0		0.13	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Mirex	12/1/2005	11/30/2012	2		0		0.04	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Mercury	12/1/2005	11/30/2012	2		0		0.53	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Lead	12/1/2005	11/30/2012	2		0		0.60	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Heptachlor	12/1/2005	11/30/2012	2		0		0.20	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Dieldrin	12/1/2005	11/30/2012	2		0		0.06	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Copper	12/1/2005	11/30/2012	2		0		250.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Selenium	12/1/2005	11/30/2012	2		0		4.38	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Chromium	12/1/2005	11/30/2012	2		0		5.25	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Cadmium	12/1/2005	11/30/2012	2		0		0.23	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Arsenic	12/1/2005	11/30/2012	2		0		0.04	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Aldrin	12/1/2005	11/30/2012	2		0		0.14	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Heptachlor epoxide	12/1/2005	11/30/2012	2		0		0.25	ID	NA	<input type="checkbox"/>	NA		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	143	0.14	0		10.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID	0828_03	Western half of lower portion of lake
-------------	----------------	---------------------------------------

USE	General Use
------------	--------------------

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	132				300.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	97				100.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	30				100.00	AD	FS	<input type="checkbox"/>	FS		

USE	Fish Consumption Use
------------	-----------------------------

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bioaccumulative Toxics in fish tissue	Lead	12/1/2005	11/30/2012	2		0		0.60	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Zinc	12/1/2005	11/30/2012	2		0		525.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Selenium	12/1/2005	11/30/2012	2		0		4.38	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	PCBs	12/1/2005	11/30/2012	2		0		0.13	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Chromium	12/1/2005	11/30/2012	2		0		5.25	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Nickel	12/1/2005	11/30/2012	2		0		35.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Toxaphene	12/1/2005	11/30/2012	2		0		0.83	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Mirex	12/1/2005	11/30/2012	2		0		0.04	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Mercury	12/1/2005	11/30/2012	2		0		0.53	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Hexachlorobenzene (HCB)	12/1/2005	11/30/2012	2		0		0.61	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Heptachlor epoxide	12/1/2005	11/30/2012	2		0		0.25	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Heptachlor	12/1/2005	11/30/2012	2		0		0.20	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Copper	12/1/2005	11/30/2012	2		0		250.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Cadmium	12/1/2005	11/30/2012	2		0		0.23	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Arsenic	12/1/2005	11/30/2012	2		0		0.04	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Aldrin	12/1/2005	11/30/2012	2		0		0.14	ID	NA	<input type="checkbox"/>	NA		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID	0828_03	Western half of lower portion of lake
-------------	----------------	---------------------------------------

USE	Fish Consumption Use
------------	-----------------------------

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bioaccumulative Toxics in fish tissue	Dieldrin	12/1/2005	11/30/2012	2		0		0.06	ID	NA	<input type="checkbox"/>	NA		

USE	Public Water Supply Use
------------	--------------------------------

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	143				10.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0828_04 Eastern half of lower portion of lake

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	1		1	3.68	5.00	ID	NA	<input type="checkbox"/>	NA		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	1		0		3.00	ID	NA	<input type="checkbox"/>	NA		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2005	11/30/2012	2		0		33.90	ID	NA	<input type="checkbox"/>	NA		
High pH	pH	12/1/2005	11/30/2012	1		0		9.00	ID	NA	<input type="checkbox"/>	NA		
Low pH	pH	12/1/2005	11/30/2012	1		0		6.50	ID	NA	<input type="checkbox"/>	NA		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	132	198.07	0		300.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	97				100.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	30				100.00	AD	FS	<input type="checkbox"/>	FS		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bioaccumulative Toxics in fish tissue	Lead	12/1/2005	11/30/2012	2		0		0.60	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Toxaphene	12/1/2005	11/30/2012	2		0		0.83	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Zinc	12/1/2005	11/30/2012	2		0		525.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Selenium	12/1/2005	11/30/2012	2		0		4.38	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	PCBs	12/1/2005	11/30/2012	2		0		0.13	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Nickel	12/1/2005	11/30/2012	2		0		35.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Mercury	12/1/2005	11/30/2012	2		0		0.53	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Hexachlorobenzene (HCB)	12/1/2005	11/30/2012	2		0		0.61	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Arsenic	12/1/2005	11/30/2012	2		0		0.04	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Mirex	12/1/2005	11/30/2012	2		0		0.04	ID	NA	<input type="checkbox"/>	NA		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0828_04 Eastern half of lower portion of lake

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bioaccumulative Toxics in fish tissue	Aldrin	12/1/2005	11/30/2012	2		0		0.14	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Heptachlor epoxide	12/1/2005	11/30/2012	2		0		0.25	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Cadmium	12/1/2005	11/30/2012	2		0		0.23	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Chromium	12/1/2005	11/30/2012	2		0		5.25	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Copper	12/1/2005	11/30/2012	2		0		250.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Dieldrin	12/1/2005	11/30/2012	2		0		0.06	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Heptachlor	12/1/2005	11/30/2012	2		0		0.20	ID	NA	<input type="checkbox"/>	NA		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	143				10.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0828_05 Western half of upper portion of lake

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	30		0		5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	30		0		3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	23	17.14	0		126.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2005	11/30/2012	30		1	34.5	33.90	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2005	11/30/2012	30		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2005	11/30/2012	30		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	30				100.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	97	18.69	0		100.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	132	198.07	0		300.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	14		0		0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	12		0		0.11	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	13		3	0.34	0.20	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	14		10	48.99	26.70	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bioaccumulative Toxics in fish tissue	Heptachlor epoxide	12/1/2005	11/30/2012	2		0		0.25	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Toxaphene	12/1/2005	11/30/2012	2		0		0.83	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Zinc	12/1/2005	11/30/2012	2		0		525.00	ID	NA	<input type="checkbox"/>	NA		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0828_05 Western half of upper portion of lake

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bioaccumulative Toxics in fish tissue	Selenium	12/1/2005	11/30/2012	2		0		4.38	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	PCBs	12/1/2005	11/30/2012	2		0		0.13	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Nickel	12/1/2005	11/30/2012	2		0		35.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Mirex	12/1/2005	11/30/2012	2		0		0.04	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Mercury	12/1/2005	11/30/2012	2		0		0.53	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Hexachlorobenzene (HCB)	12/1/2005	11/30/2012	2		0		0.61	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Heptachlor	12/1/2005	11/30/2012	2		0		0.20	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Dieldrin	12/1/2005	11/30/2012	2		0		0.06	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Copper	12/1/2005	11/30/2012	2		0		250.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Chromium	12/1/2005	11/30/2012	2		0		5.25	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Cadmium	12/1/2005	11/30/2012	2		0		0.23	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Arsenic	12/1/2005	11/30/2012	2		0		0.04	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Aldrin	12/1/2005	11/30/2012	2		0		0.14	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Lead	12/1/2005	11/30/2012	2		0		0.60	ID	NA	<input type="checkbox"/>	NA		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	143	0.14	0		10.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0828_06 Eastern half of upper portion of lake

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	30		0		5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	30		0		3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	33	8.02	0		126.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2005	11/30/2012	30		1	34.2	33.90	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2005	11/30/2012	30		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2005	11/30/2012	30		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	132	198.07	0		300.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	97	18.69	0		100.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	30		0		100.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	31		19	47.04	26.70	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	31		1	0.56	0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	26		0		0.11	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	31		0		0.20	AD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bioaccumulative Toxics in fish tissue	Mercury	12/1/2005	11/30/2012	2		0		0.53	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Mirex	12/1/2005	11/30/2012	2		0		0.04	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Nickel	12/1/2005	11/30/2012	2		0		35.00	ID	NA	<input type="checkbox"/>	NA		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0828_06 Eastern half of upper portion of lake

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bioaccumulative Toxics in fish tissue	PCBs	12/1/2005	11/30/2012	2		0		0.13	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Selenium	12/1/2005	11/30/2012	2		0		4.38	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Lead	12/1/2005	11/30/2012	2		0		0.60	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Toxaphene	12/1/2005	11/30/2012	2		0		0.83	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Dieldrin	12/1/2005	11/30/2012	2		0		0.06	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Zinc	12/1/2005	11/30/2012	2		0		525.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Hexachlorobenzene (HCB)	12/1/2005	11/30/2012	2		0		0.61	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Heptachlor	12/1/2005	11/30/2012	2		0		0.20	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Copper	12/1/2005	11/30/2012	2		0		250.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Chromium	12/1/2005	11/30/2012	2		0		5.25	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Cadmium	12/1/2005	11/30/2012	2		0		0.23	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Arsenic	12/1/2005	11/30/2012	2		0		0.04	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Aldrin	12/1/2005	11/30/2012	2		0		0.14	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Heptachlor epoxide	12/1/2005	11/30/2012	2		0		0.25	ID	NA	<input type="checkbox"/>	NA		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	143	0.14	0		10.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID	0828_07	Uppermost portion of lake
-------------	----------------	---------------------------

USE	Aquatic Life Use
------------	-------------------------

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	28		1	4.7	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	28		0		3.00	AD	FS	<input type="checkbox"/>	FS		

USE	Recreation Use
------------	-----------------------

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	24	108.25	0		126.00	AD	FS	<input type="checkbox"/>	FS		

USE	General Use
------------	--------------------

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2005	11/30/2012	28		0		33.90	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2005	11/30/2012	28		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2005	11/30/2012	28		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	132	198.07	0		300.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	97	18.69	0		100.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	30				100.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	21		4	0.58	0.20	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	20		3	43.9	26.70	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	18		0		0.11	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	20		9	0.47	0.37	AD	CS	<input type="checkbox"/>	CS	nitrate	

USE	Fish Consumption Use
------------	-----------------------------

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bioaccumulative Toxics in fish tissue	Copper	12/1/2005	11/30/2012	2		0		250.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Lead	12/1/2005	11/30/2012	2		0		0.60	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Selenium	12/1/2005	11/30/2012	2		0		4.38	ID	NA	<input type="checkbox"/>	NA		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0828_07 Uppermost portion of lake

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bioaccumulative Toxics in fish tissue	PCBs	12/1/2005	11/30/2012	2		0		0.13	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Nickel	12/1/2005	11/30/2012	2		0		35.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Mirex	12/1/2005	11/30/2012	2		0		0.04	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Toxaphene	12/1/2005	11/30/2012	2		0		0.83	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Mercury	12/1/2005	11/30/2012	2		0		0.53	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Zinc	12/1/2005	11/30/2012	2		0		525.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Hexachlorobenzene (HCB)	12/1/2005	11/30/2012	2		0		0.61	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Heptachlor epoxide	12/1/2005	11/30/2012	2		0		0.25	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Dieldrin	12/1/2005	11/30/2012	2		0		0.06	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Chromium	12/1/2005	11/30/2012	2		0		5.25	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Cadmium	12/1/2005	11/30/2012	2		0		0.23	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Arsenic	12/1/2005	11/30/2012	2		0		0.04	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Aldrin	12/1/2005	11/30/2012	2		0		0.14	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Heptachlor	12/1/2005	11/30/2012	2		0		0.20	ID	NA	<input type="checkbox"/>	NA		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	143	0.14	0		10.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0828_08 Remainder of lake

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/1/2005	11/30/2012	97				100.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	30				100.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	132				300.00	AD	FS	<input type="checkbox"/>	FS		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bioaccumulative Toxics in fish tissue	PCBs	12/1/2005	11/30/2012	2		0		0.13	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Toxaphene	12/1/2005	11/30/2012	2		0		0.83	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Aldrin	12/1/2005	11/30/2012	2		0		0.14	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Selenium	12/1/2005	11/30/2012	2		0		4.38	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Nickel	12/1/2005	11/30/2012	2		0		35.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Mirex	12/1/2005	11/30/2012	2		0		0.04	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Mercury	12/1/2005	11/30/2012	2		0		0.53	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Lead	12/1/2005	11/30/2012	2		0		0.60	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Heptachlor epoxide	12/1/2005	11/30/2012	2		0		0.25	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Heptachlor	12/1/2005	11/30/2012	2		0		0.20	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Dieldrin	12/1/2005	11/30/2012	2		0		0.06	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Copper	12/1/2005	11/30/2012	2		0		250.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Zinc	12/1/2005	11/30/2012	2		0		525.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Chromium	12/1/2005	11/30/2012	2		0		5.25	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Cadmium	12/1/2005	11/30/2012	2		0		0.23	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Arsenic	12/1/2005	11/30/2012	2		0		0.04	ID	NA	<input type="checkbox"/>	NA		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID	0828_08	Remainder of lake
-------------	----------------	-------------------

USE	Fish Consumption Use
------------	-----------------------------

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bioaccumulative Toxics in fish tissue	Hexachlorobenzene (HCB)	12/1/2005	11/30/2012	2		0		0.61	ID	NA	<input type="checkbox"/>	NA		

USE	Public Water Supply Use
------------	--------------------------------

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	143				10.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

SEGID 0828A Village Creek

AUID 0828A_01 From Lake Arlington to the headwaters

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	20		0		3.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	20		0		2.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	19		0		8.58	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2005	11/30/2012	19		0		569.76	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2005	11/30/2012	17		0		14.20	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2005	11/30/2012	3		0		64.58	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Nickel	12/1/2005	11/30/2012	18		0		468.24	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2005	11/30/2012	19		0		117.18	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2005	11/30/2012	19	1.08	0		74.11	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/1/2005	11/30/2012	18	2.50	0		52.01	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2005	11/30/2012	19	25.29	0		118.14	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	19	0.12	0		0.25	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2005	11/30/2012	3	0.50	0		2.52	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Copper	12/1/2005	11/30/2012	17	1.11	0		9.47	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	25	302.36	1		126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	5c

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	7		1	11.92	1.95	LD	NC	<input type="checkbox"/>	NC		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0828A_01 From Lake Arlington to the headwaters

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	6		0		0.33	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	7		0		0.69	LD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Chromium	12/1/2005	11/30/2012	19	1.08	0		502.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2005	11/30/2012	3	0.50	0		3.83	ID	NA	<input type="checkbox"/>	NA		
HH Bioaccumulative Toxics in water	Nickel	12/1/2005	11/30/2012	18	2.50	0		1,140.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

SEGID **0829** **Clear Fork Trinity River Below Benbrook Lake**

AUID **0829_01** From the confluence with West Fork Trinity River to 1 mile upstream.

USE **Aquatic Life Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Toxic Substances in sediment	PCBs	12/1/2005	11/30/2012	5		0		676.00	LD	NC	<input type="checkbox"/>	NC		

USE **Fish Consumption Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Restricted and No-Consumption	12/1/2003	11/30/2010						OE	NS	<input type="checkbox"/>	NS	dioxin in edible tissue	5a
DSHS Advisories, Closures, and Risk Assessments	Restricted and No-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	PCBs in edible tissue	5a

USE **Public Water Supply Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Fluoride	12/1/2005	11/30/2012	28				4.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	27				10.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0829_02 From 1 mile upstream of the confluence with West Fork Trinity River up to the confluence with Mary's Creek.

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	105		3	4.8	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	105		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Toxic Substances in sediment	PCBs	12/1/2005	11/30/2012	5		0		676.00	LD	NC	<input type="checkbox"/>	NC		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	46	126.10	1		126.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2005	11/30/2012	109		1	34	33.90	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2005	11/30/2012	109		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2005	11/30/2012	109		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	27		0		1.95	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	26		0		0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	26		0		0.69	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	26		7	19.17	14.10	AD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Restricted and No-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	dioxin in edible tissue	5a
DSHS Advisories, Closures, and Risk Assessments	Restricted and No-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	PCBs in edible tissue	5a

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Fluoride	12/1/2005	11/30/2012	28	0.29	0		4.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID **0829_02** From 1 mile upstream of the confluence with West Fork Trinity River up to the confluence with Mary's Creek.

USE **Public Water Supply Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	27	0.28	0		10.00	AD	FS	<input type="checkbox"/>	FS		

AUID **0829_03** From the confluence with Mary's Creek up to Benbrook Dam in Tarrant County, TX.

USE **Fish Consumption Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Restricted and No-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	dioxin in edible tissue	5a
DSHS Advisories, Closures, and Risk Assessments	Restricted and No-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	PCBs in edible tissue	5a

SEGID **0829A Lake Como**

AUID **0829A_01** Entire lake

USE **Fish Consumption Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bioaccumulative Toxics in fish tissue	Arsenic	12/1/2005	11/30/2012	0				0.04	ID	NA	<input checked="" type="checkbox"/>	CS	arsenic in edible tissue	

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

SEGID 0830 Benbrook Lake

AUID 0830_01 Lower portion of reservoir

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	55		7	3.23	5.00	AD	CS	<input type="checkbox"/>	CS	depressed dissolved oxygen	
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	55		1	1.74	3.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/1/2005	11/30/2012	3		0		5.00	ID	NA	<input type="checkbox"/>	NA		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/1/2005	11/30/2012	3		0		3.00	ID	NA	<input type="checkbox"/>	NA		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	48	4.76	0		126.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2005	11/30/2012	59		0		33.90	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2005	11/30/2012	55		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2005	11/30/2012	55		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	174	204.60	0		300.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	147	23.32	0		75.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	30	28.31	0		75.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	58		0		0.20	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	53		21	37.11	26.70	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	52		0		0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	49		12	0.2	0.11	AD	NC	<input type="checkbox"/>	NC		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0830_01 Lower portion of reservoir

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	222	0.08	0		10.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0830_02 Middle portion of reservoir

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	40		1	4.85	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	40		0		3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	40	3.21	0		126.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2005	11/30/2012	43		0		33.90	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2005	11/30/2012	40		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2005	11/30/2012	40		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	174	204.60	0		300.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	147	23.32	0		75.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	30				75.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	42		0		0.20	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	41		16	41.57	26.70	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	42		0		0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	40		7	0.52	0.11	AD	NC	<input type="checkbox"/>	NC		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	222	0.08	0		10.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0830_03 Upper portion of reservoir

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	37		0		5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	37		0		3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	34	6.67	0		126.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2005	11/30/2012	37		0		33.90	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2005	11/30/2012	37		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2005	11/30/2012	37		1	3.2	6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	174	204.60	0		300.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	147	23.32	0		75.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	30				75.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	33		4	0.18	0.11	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	35		2	0.22	0.20	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	36		1	0.39	0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	36		16	42.91	26.70	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	222	0.08	0		10.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0830_05 Rock/Mustang Creek arm of Benbrook Lake.

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	32		1	3.65	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	32		0		3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	31	4.06	0		126.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2005	11/30/2012	32		0		33.90	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2005	11/30/2012	32		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2005	11/30/2012	32		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	174	204.60	0		300.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	147	23.32	0		75.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	30				75.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	31		0		0.20	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	27		2	0.18	0.11	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	32		0		0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	31		18	38.49	26.70	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	222	0.08	0		10.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

SEGID 0831 Clear Fork Trinity River Below Lake Weatherford

AUID 0831_01 Lower 12.75 miles, downstream from South Fork Trinity River confluence

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	22		1	4.3	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	22		0		3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	30	122.63	0		126.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2005	11/30/2012	23		0		32.20	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2005	11/30/2012	23		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2005	11/30/2012	23		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	21	436.22	0		500.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	22	53.85	0		100.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	21	50.57	0		100.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	22		3	2.23	0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	21		12	1.02	0.69	AD	CS	<input type="checkbox"/>	CS	total phosphorus	
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	21		7	2.86	1.95	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	19		0		14.10	AD	NC	<input type="checkbox"/>	NC		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Fluoride	12/1/2005	11/30/2012	20	0.86	0		4.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0831_01 Lower 12.75 miles, downstream from South Fork Trinity River confluence

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	19	1.78	0		10.00	AD	FS	<input type="checkbox"/>	FS		

AUID 0831_03 From the confluence with South Fork of Trinity R. to a point 2 mi upstream

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	16	33.93	0		126.00	LD	NC	<input type="checkbox"/>	NC		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	21				500.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	22				100.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	21				100.00	AD	FS	<input type="checkbox"/>	FS		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Fluoride	12/1/2005	11/30/2012	20				4.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	19				10.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0831_04 2 mi upstream of South Fork Trinity River confluence to Squaw Ck. Confluence

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/1/2005	11/30/2012	0				5.00	ID	NA	<input checked="" type="checkbox"/>	NS	depressed dissolved oxygen	5c
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/1/2005	11/30/2012	0				3.00	ID	NA	<input checked="" type="checkbox"/>	NS	depressed dissolved oxygen	5c

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	16	36.58	0		126.00	LD	NC	<input type="checkbox"/>	NC		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Chloride	12/1/2005	11/30/2012	22				100.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	21				100.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	21				500.00	AD	FS	<input type="checkbox"/>	FS		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	19				10.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Fluoride	12/1/2005	11/30/2012	20				4.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID **0831_05** From the confluence of Squaw Ck. to Lake Weatherford Dam

USE **Aquatic Life Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	0				5.00	ID	NA	<input checked="" type="checkbox"/>	CS	depressed dissolved oxygen	
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/1/2005	11/30/2012	0				5.00	ID	NA	<input checked="" type="checkbox"/>	NS	depressed dissolved oxygen	5c
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/1/2005	11/30/2012	0		0		3.00	ID	NA	<input checked="" type="checkbox"/>	NS	depressed dissolved oxygen	5c

USE **General Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	21				500.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	22				100.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	21				100.00	AD	FS	<input type="checkbox"/>	FS		

USE **Public Water Supply Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Fluoride	12/1/2005	11/30/2012	20				4.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	19				10.00	AD	FS	<input type="checkbox"/>	FS		

SEGID **0831A** **South Fork Trinity River**

AUID **0831A_01** Eleven mile stretch of S. Fork Trinity River running upstream from confluence with Clear Fork Trinity River to confluence with Willow Creek, Parker Co.

USE **General Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	0				0.69	ID	NA	<input checked="" type="checkbox"/>	CS	total phosphorus	

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

SEGID 0831B Unnamed Tributary of South Fork Trinity River

AUID 0831B_01 Entire segment.

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	0				5.00	ID	NA	<input checked="" type="checkbox"/>	CS	depressed dissolved oxygen	

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

SEGID **0832 Lake Weatherford**

AUID **0832_01** Entire reservoir

USE **Aquatic Life Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	20		0	4.21	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	20		0		3.00	AD	FS	<input type="checkbox"/>	FS		

USE **Recreation Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	13	5.83	0		126.00	LD	NC	<input type="checkbox"/>	NC		

USE **General Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2005	11/30/2012	20		0		33.90	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2005	11/30/2012	20		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2005	11/30/2012	20		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	20	240.76	0		500.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	20	28.85	0		100.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	20	30.30	0		100.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	20		0		0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	20		0	0.17	0.11	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	19		0		0.20	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	18		10	34.67	26.70	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	

USE **Public Water Supply Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Fluoride	12/1/2005	11/30/2012	20	0.16	0		4.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID **0832_01** Entire reservoir

USE **Public Water Supply Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	20	0.07	0		10.00	AD	FS	<input type="checkbox"/>	FS		

SEGID **0833** Clear Fork Trinity River Above Lake Weatherford

AUID **0833_03** From the confluence of McKnight Branch to the confluence of Strickland Ck. approximately 8 kilometers (5 miles) upstream of FM 51 in Parker County.

USE **Aquatic Life Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	0		0		5.00	ID	NA	<input checked="" type="checkbox"/>	CS	depressed dissolved oxygen	
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/1/2005	11/30/2012	0				5.00	ID	NA	<input checked="" type="checkbox"/>	NS	depressed dissolved oxygen	5b
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/1/2005	11/30/2012	2		1	1.72	3.00	ID	NA	<input checked="" type="checkbox"/>	NS	depressed dissolved oxygen	5b

AUID **0833_04** From the confluence with Dobbs Branch to confluence with McKnight Branch

USE **Aquatic Life Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	0		0		3.00	ID	NA	<input checked="" type="checkbox"/>	NS	depressed dissolved oxygen	5b
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/1/2005	11/30/2012	0				3.00	ID	NA	<input checked="" type="checkbox"/>	CN	depressed dissolved oxygen	

AUID **0833_05** From the confluence of Dobbs Ck. to the lower end of segment

USE **Aquatic Life Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012						ID	NA	<input checked="" type="checkbox"/>	CS	depressed dissolved oxygen	
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012						ID	NA	<input checked="" type="checkbox"/>	NS	depressed dissolved oxygen	5c

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

SEGID **0834** **Lake Amon G. Carter**

AUID **0834_01** Entire reservoir

USE **Aquatic Life Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	12		0		5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	12		0		3.00	AD	FS	<input type="checkbox"/>	FS		

USE **Recreation Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2002	11/30/2012	14	3.22	0		126.00	LD	NC	<input type="checkbox"/>	NC		

USE **General Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2005	11/30/2012	12		0		33.90	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2005	11/30/2012	12		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2005	11/30/2012	12		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	12	188.60	0		400.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	12	20.50	0		150.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	12	12.25	0		150.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	11		0		0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	11		0		26.70	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	12		1	0.13	0.11	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	11		0		0.20	AD	NC	<input type="checkbox"/>	NC		

USE **Public Water Supply Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Fluoride	12/1/2005	11/30/2012	12	0.25	0		4.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0834_01 Entire reservoir

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	11	0.08	0		10.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

SEGID 0836 Richland-Chambers Reservoir

AUID 0836_01 Lowermost portion of reservoir, adjacent to dam

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	32		3	4.4	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	32		0		3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	23	1.40	0		126.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2005	11/30/2012	32		0		32.80	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2005	11/30/2012	32		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2005	11/30/2012	32		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	30				110.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	260	173.69	0		400.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	144	10.16	0		75.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	28		3	34.5	26.70	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	27		0		0.20	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	24		0		0.11	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	28		7	0.43	0.37	AD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bioaccumulative Toxics in fish tissue	Mirex	12/1/2005	11/30/2012	2		0		0.04	ID	NA	<input type="checkbox"/>	NA		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0836_01 Lowermost portion of reservoir, adjacent to dam

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bioaccumulative Toxics in fish tissue	Toxaphene	12/1/2005	11/30/2012	2		0		0.83	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Zinc	12/1/2005	11/30/2012	2		0		525.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Selenium	12/1/2005	11/30/2012	2		0		4.38	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Nickel	12/1/2005	11/30/2012	2		0		35.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Mercury	12/1/2005	11/30/2012	2		0		0.53	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Lead	12/1/2005	11/30/2012	2		0		0.60	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Hexachlorobenzene (HCB)	12/1/2005	11/30/2012	2		0		0.61	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Heptachlor	12/1/2005	11/30/2012	2		0		0.20	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Dieldrin	12/1/2005	11/30/2012	2		0		0.06	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Copper	12/1/2005	11/30/2012	2		0		250.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Chromium	12/1/2005	11/30/2012	2		0		5.25	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Cadmium	12/1/2005	11/30/2012	2		0		0.23	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Arsenic	12/1/2005	11/30/2012	2		0		0.04	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Aldrin	12/1/2005	11/30/2012	2		0		0.14	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Heptachlor epoxide	12/1/2005	11/30/2012	2		0		0.25	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	PCBs	12/1/2005	11/30/2012	2		0		0.13	ID	NA	<input type="checkbox"/>	NA		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	250	0.15	0		10.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0836_02 Confluence of Richland and Chambers Creek arms

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	36		0		5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	36		0		3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	26	1.04	0		126.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2005	11/30/2012	36		0		32.80	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2005	11/30/2012	36		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2005	11/30/2012	36		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	30				110.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	144	10.16	0		75.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	260	173.69	0		400.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	30		6	0.41	0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	26		2	0.2	0.11	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	30		0		0.20	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	30		8	34.44	26.70	AD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bioaccumulative Toxics in fish tissue	Hexachlorobenzene (HCB)	12/1/2005	11/30/2012	2		0		0.61	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Toxaphene	12/1/2005	11/30/2012	2		0		0.83	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Zinc	12/1/2005	11/30/2012	2		0		525.00	ID	NA	<input type="checkbox"/>	NA		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0836_02 Confluence of Richland and Chambers Creek arms

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bioaccumulative Toxics in fish tissue	Selenium	12/1/2005	11/30/2012	2		0		4.38	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	PCBs	12/1/2005	11/30/2012	2		0		0.13	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Nickel	12/1/2005	11/30/2012	2		0		35.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Mirex	12/1/2005	11/30/2012	2		0		0.04	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Lead	12/1/2005	11/30/2012	2		0		0.60	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Arsenic	12/1/2005	11/30/2012	2		0		0.04	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Mercury	12/1/2005	11/30/2012	2		0		0.53	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Aldrin	12/1/2005	11/30/2012	2		0		0.14	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Cadmium	12/1/2005	11/30/2012	2		0		0.23	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Chromium	12/1/2005	11/30/2012	2		0		5.25	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Copper	12/1/2005	11/30/2012	2		0		250.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Dieldrin	12/1/2005	11/30/2012	2		0		0.06	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Heptachlor	12/1/2005	11/30/2012	2		0		0.20	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Heptachlor epoxide	12/1/2005	11/30/2012	2		0		0.25	ID	NA	<input type="checkbox"/>	NA		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	250	0.15	0		10.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0836_03 Lower portion of Chambers Creek arm

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	67		1	4.58	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	67		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/1/2005	11/30/2012	4		0		5.00	LD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/1/2005	11/30/2012	4		0		3.00	LD	NC	<input type="checkbox"/>	NC		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	34	1.25	0		126.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2005	11/30/2012	71		0		32.80	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2005	11/30/2012	68		1	11.35	9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2005	11/30/2012	68		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	260	173.69	0		400.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	144	10.16	0		75.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	30	28.19	0		110.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	31		7	38.14	26.70	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	31		4	0.5	0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	27		2	0.14	0.11	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	31		1	0.38	0.20	AD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bioaccumulative Toxics in fish tissue	Mercury	12/1/2005	11/30/2012	2		0		0.53	ID	NA	<input type="checkbox"/>	NA		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0836_03 Lower portion of Chambers Creek arm

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bioaccumulative Toxics in fish tissue	Mirex	12/1/2005	11/30/2012	2		0		0.04	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Nickel	12/1/2005	11/30/2012	2		0		35.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	PCBs	12/1/2005	11/30/2012	2		0		0.13	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Lead	12/1/2005	11/30/2012	2		0		0.60	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Zinc	12/1/2005	11/30/2012	2		0		525.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Dieldrin	12/1/2005	11/30/2012	2		0		0.06	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Toxaphene	12/1/2005	11/30/2012	2		0		0.83	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Selenium	12/1/2005	11/30/2012	2		0		4.38	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Hexachlorobenzene (HCB)	12/1/2005	11/30/2012	2		0		0.61	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Heptachlor	12/1/2005	11/30/2012	2		0		0.20	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Copper	12/1/2005	11/30/2012	2		0		250.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Chromium	12/1/2005	11/30/2012	2		0		5.25	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Cadmium	12/1/2005	11/30/2012	2		0		0.23	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Arsenic	12/1/2005	11/30/2012	2		0		0.04	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Aldrin	12/1/2005	11/30/2012	2		0		0.14	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Heptachlor epoxide	12/1/2005	11/30/2012	2		0		0.25	ID	NA	<input type="checkbox"/>	NA		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	250	0.15	0		10.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0836_04 Upper portion of Chambers Creek arm

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	36		1	4.93	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	36		0		3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	25	1.72	0		126.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2005	11/30/2012	36		0		32.80	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2005	11/30/2012	36		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2005	11/30/2012	36		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	260	173.69	0		400.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	144	10.16	0		75.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	30	28.19	0		110.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	13		4	0.3	0.20	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	13		5	32.56	26.70	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	11		0		0.11	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	13		4	0.63	0.37	AD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bioaccumulative Toxics in fish tissue	Copper	12/1/2005	11/30/2012	2		0		250.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Lead	12/1/2005	11/30/2012	2		0		0.60	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Zinc	12/1/2005	11/30/2012	2		0		525.00	ID	NA	<input type="checkbox"/>	NA		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0836_04 Upper portion of Chambers Creek arm

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bioaccumulative Toxics in fish tissue	Selenium	12/1/2005	11/30/2012	2		0		4.38	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	PCBs	12/1/2005	11/30/2012	2		0		0.13	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Nickel	12/1/2005	11/30/2012	2		0		35.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Mirex	12/1/2005	11/30/2012	2		0		0.04	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Mercury	12/1/2005	11/30/2012	2		0		0.53	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Toxaphene	12/1/2005	11/30/2012	2		0		0.83	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Hexachlorobenzene (HCB)	12/1/2005	11/30/2012	2		0		0.61	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Heptachlor epoxide	12/1/2005	11/30/2012	2		0		0.25	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Dieldrin	12/1/2005	11/30/2012	2		0		0.06	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Chromium	12/1/2005	11/30/2012	2		0		5.25	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Cadmium	12/1/2005	11/30/2012	2		0		0.23	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Arsenic	12/1/2005	11/30/2012	2		0		0.04	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Aldrin	12/1/2005	11/30/2012	2		0		0.14	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Heptachlor	12/1/2005	11/30/2012	2		0		0.20	ID	NA	<input type="checkbox"/>	NA		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	250	0.15	0		10.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0836_05 Lower portion of Richland Creek arm

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	36		1	4.74	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	36		0		3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	27	1.07	0		126.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2005	11/30/2012	36		0		32.80	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2005	11/30/2012	36		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2005	11/30/2012	36		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	260	173.69	0		400.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	144	10.16	0		75.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	30	28.19	0		110.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	28		0		0.20	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	29		11	35.89	26.70	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	25		3	0.14	0.11	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	29		1	0.48	0.37	AD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bioaccumulative Toxics in fish tissue	Chromium	12/1/2005	11/30/2012	2		0		5.25	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Lead	12/1/2005	11/30/2012	2		0		0.60	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Selenium	12/1/2005	11/30/2012	2		0		4.38	ID	NA	<input type="checkbox"/>	NA		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0836_05 Lower portion of Richland Creek arm

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bioaccumulative Toxics in fish tissue	PCBs	12/1/2005	11/30/2012	2		0		0.13	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Nickel	12/1/2005	11/30/2012	2		0		35.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Toxaphene	12/1/2005	11/30/2012	2		0		0.83	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Mirex	12/1/2005	11/30/2012	2		0		0.04	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Mercury	12/1/2005	11/30/2012	2		0		0.53	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Zinc	12/1/2005	11/30/2012	2		0		525.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Hexachlorobenzene (HCB)	12/1/2005	11/30/2012	2		0		0.61	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Heptachlor epoxide	12/1/2005	11/30/2012	2		0		0.25	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Heptachlor	12/1/2005	11/30/2012	2		0		0.20	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Copper	12/1/2005	11/30/2012	2		0		250.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Cadmium	12/1/2005	11/30/2012	2		0		0.23	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Arsenic	12/1/2005	11/30/2012	2		0		0.04	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Aldrin	12/1/2005	11/30/2012	2		0		0.14	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Dieldrin	12/1/2005	11/30/2012	2		0		0.06	ID	NA	<input type="checkbox"/>	NA		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	250	0.15	0		10.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0836_06 Upper portion of Richland Creek arm

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	36		0		5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	36		0		3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	27	2.05	0		126.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2005	11/30/2012	36		0		32.80	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2005	11/30/2012	36		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2005	11/30/2012	36		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	260	173.69	0		400.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	144	10.16	0		75.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	30				110.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	13		4	0.26	0.20	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	13		1	28	26.70	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	11		2	0.14	0.11	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	13		3	0.93	0.37	AD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bioaccumulative Toxics in fish tissue	Chromium	12/1/2005	11/30/2012	2		0		5.25	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Lead	12/1/2005	11/30/2012	2		0		0.60	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Zinc	12/1/2005	11/30/2012	2		0		525.00	ID	NA	<input type="checkbox"/>	NA		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0836_06 Upper portion of Richland Creek arm

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bioaccumulative Toxics in fish tissue	Selenium	12/1/2005	11/30/2012	2		0		4.38	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	PCBs	12/1/2005	11/30/2012	2		0		0.13	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Nickel	12/1/2005	11/30/2012	2		0		35.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Mirex	12/1/2005	11/30/2012	2		0		0.04	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Mercury	12/1/2005	11/30/2012	2		0		0.53	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Toxaphene	12/1/2005	11/30/2012	2		0		0.83	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Hexachlorobenzene (HCB)	12/1/2005	11/30/2012	2		0		0.61	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Heptachlor epoxide	12/1/2005	11/30/2012	2		0		0.25	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Heptachlor	12/1/2005	11/30/2012	2		0		0.20	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Copper	12/1/2005	11/30/2012	2		0		250.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Cadmium	12/1/2005	11/30/2012	2		0		0.23	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Arsenic	12/1/2005	11/30/2012	2		0		0.04	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Aldrin	12/1/2005	11/30/2012	2		0		0.14	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Dieldrin	12/1/2005	11/30/2012	2		0		0.06	ID	NA	<input type="checkbox"/>	NA		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	250	0.15	0		10.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID	0836_07	Remainder of reservoir
-------------	----------------	------------------------

USE	General Use
------------	--------------------

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	260				400.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	30				110.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	144				75.00	AD	FS	<input type="checkbox"/>	FS		

USE	Fish Consumption Use
------------	-----------------------------

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bioaccumulative Toxics in fish tissue	Nickel	12/1/2005	11/30/2012	2		0		35.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Toxaphene	12/1/2005	11/30/2012	2		0		0.83	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Zinc	12/1/2005	11/30/2012	2		0		525.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	PCBs	12/1/2005	11/30/2012	2		0		0.13	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Mirex	12/1/2005	11/30/2012	2		0		0.04	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Mercury	12/1/2005	11/30/2012	2		0		0.53	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Lead	12/1/2005	11/30/2012	2		0		0.60	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Hexachlorobenzene (HCB)	12/1/2005	11/30/2012	2		0		0.61	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Heptachlor	12/1/2005	11/30/2012	2		0		0.20	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Dieldrin	12/1/2005	11/30/2012	2		0		0.06	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Copper	12/1/2005	11/30/2012	2		0		250.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Chromium	12/1/2005	11/30/2012	2		0		5.25	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Cadmium	12/1/2005	11/30/2012	2		0		0.23	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Arsenic	12/1/2005	11/30/2012	2		0		0.04	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Aldrin	12/1/2005	11/30/2012	2		0		0.14	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Heptachlor epoxide	12/1/2005	11/30/2012	2		0		0.25	ID	NA	<input type="checkbox"/>	NA		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0836_07 Remainder of reservoir

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bioaccumulative Toxics in fish tissue	Selenium	12/1/2005	11/30/2012	2		0		4.38	ID	NA	<input type="checkbox"/>	NA		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	250				10.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0836_08 Post Oak Creek Arm off of Chambers Creek Arm of Richland Chambers Reservoir.

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	30				110.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	260				400.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	144				75.00	AD	FS	<input type="checkbox"/>	FS		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bioaccumulative Toxics in fish tissue	Hexachlorobenzene (HCB)	12/1/2005	11/30/2012	2		0		0.61	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Toxaphene	12/1/2005	11/30/2012	2		0		0.83	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	PCBs	12/1/2005	11/30/2012	2		0		0.13	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Selenium	12/1/2005	11/30/2012	2		0		4.38	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Nickel	12/1/2005	11/30/2012	2		0		35.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Mirex	12/1/2005	11/30/2012	2		0		0.04	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Mercury	12/1/2005	11/30/2012	2		0		0.53	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Lead	12/1/2005	11/30/2012	2		0		0.60	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Arsenic	12/1/2005	11/30/2012	2		0		0.04	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Heptachlor epoxide	12/1/2005	11/30/2012	2		0		0.25	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Aldrin	12/1/2005	11/30/2012	2		0		0.14	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Cadmium	12/1/2005	11/30/2012	2		0		0.23	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Zinc	12/1/2005	11/30/2012	2		0		525.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Chromium	12/1/2005	11/30/2012	2		0		5.25	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Copper	12/1/2005	11/30/2012	2		0		250.00	ID	NA	<input type="checkbox"/>	NA		
Bioaccumulative Toxics in fish tissue	Dieldrin	12/1/2005	11/30/2012	2		0		0.06	ID	NA	<input type="checkbox"/>	NA		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID **0836_08** Post Oak Creek Arm off of Chambers Creek Arm of Richland Chambers Reservoir.

USE **Fish Consumption Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bioaccumulative Toxics in fish tissue	Heptachlor	12/1/2005	11/30/2012	2		0		0.20	ID	NA	<input type="checkbox"/>	NA		

USE **Public Water Supply Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	250				10.00	AD	FS	<input type="checkbox"/>	FS		

SEGID **0836B Cedar Creek**

AUID **0836B_01** Entire segment.

USE **Aquatic Life Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	0				5.00	ID	NA	<input checked="" type="checkbox"/>	CS	depressed dissolved oxygen	
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/1/2005	11/30/2012	0				5.00	ID	NA	<input checked="" type="checkbox"/>	NS	depressed dissolved oxygen	5b

SEGID **0836C Grape Creek**

AUID **0836C_01** Entire segment.

USE **Aquatic Life Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	0				3.00	ID	NA	<input checked="" type="checkbox"/>	CS	depressed dissolved oxygen	
Dissolved Oxygen 24hr average	Dissolved Oxygen 24hr Avg	12/1/2005	11/30/2012	0				3.00	ID	NA	<input checked="" type="checkbox"/>	CN	depressed dissolved oxygen	
Dissolved Oxygen 24hr minimum	Dissolved Oxygen 24hr Min	12/1/2005	11/30/2012	0				2.00	ID	NA	<input checked="" type="checkbox"/>	CN	depressed dissolved oxygen	

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

SEGID 0836D Post Oak Creek

AUID 0836D_01 Entire segment.

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	0				5.00	ID	NA	<input checked="" type="checkbox"/>	CS	depressed dissolved oxygen	

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

SEGID **0837** **Richland Creek Above Richland-Chambers Reservoir**

AUID **0837_01** Entire segment

USE **Aquatic Life Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	13		7	4.14	5.00	AD	CS	<input type="checkbox"/>	CS	depressed dissolved oxygen	
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	13		0		3.00	AD	FS	<input type="checkbox"/>	FS		

USE **Recreation Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	11	111.47	0		126.00	LD	NC	<input type="checkbox"/>	NC		

USE **General Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2005	11/30/2012	13		0		32.20	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2005	11/30/2012	13		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2005	11/30/2012	13		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	13	22.23	0		145.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	13	36.62	0		170.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	13	278.52	0		500.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	13		0		0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	11		0		0.69	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	12		6	25.52	14.10	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	13		2	5.02	1.95	AD	NC	<input type="checkbox"/>	NC		

USE **Public Water Supply Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Fluoride	12/1/2005	11/30/2012	13	0.27	0		4.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID	0837_01	Entire segment
-------------	---------	----------------

USE	Public Water Supply Use
------------	-------------------------

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	13	1.07	0		10.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

SEGID 0838 Joe Pool Lake

AUID 0838_01 Lowermost portion of reservoir adjacent to the dam

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	25		0		5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	25		0		3.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2005	11/30/2012	38		0		32.20	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2005	11/30/2012	25		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2005	11/30/2012	25		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	97	336.96	0		500.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	36	21.49	0		100.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	35	118.56	0		250.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	18		0		0.20	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2002	11/30/2012	11		1	67.1	26.70	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	18		0		0.11	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	18		0		0.37	AD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Chromium	12/1/2005	11/30/2012	3				62.00	ID	NA	<input type="checkbox"/>	NA		
HH Bioaccumulative Toxics in water	Lead	12/1/2005	11/30/2012	3				1.15	ID	NA	<input type="checkbox"/>	NA		
HH Bioaccumulative Toxics in water	Benzene	12/1/2002	11/30/2012	21	0.08	0		5.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Ethylbenzene	12/1/2002	11/30/2012	21	0.06	0		700.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0838_01 Lowermost portion of reservoir adjacent to the dam

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Cadmium	12/1/2005	11/30/2012	3				5.00	ID	NA	<input type="checkbox"/>	NA		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Lead	12/1/2005	11/30/2012	3				1.15	ID	NA	<input type="checkbox"/>	NA		
Surface Water HH criteria for PWS average	Ethylbenzene	12/1/2002	11/30/2012	21	0.06	0		700.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Toluene	12/1/2002	11/30/2012	21	0.13	0		1,000.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Benzene	12/1/2002	11/30/2012	21	0.08	0		5.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	65	0.23	0		10.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Cadmium	12/1/2005	11/30/2012	3				5.00	ID	NA	<input type="checkbox"/>	NA		
Surface Water HH criteria for PWS average	Selenium	12/1/2005	11/30/2012	1				50.00	ID	NA	<input type="checkbox"/>	NA		
Surface Water Toxic Substances average concern	MTBE	12/1/2005	11/30/2012	3	0.47	0		240.00	ID	NA	<input type="checkbox"/>	NA		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0838_02 Mountain Creek arm

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	45		2	4.35	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	45		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	3		0		16.83	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Chromium	12/1/2005	11/30/2012	3		0		1,005.17	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Copper	12/1/2005	11/30/2012	1		0		27.29	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Lead	12/1/2005	11/30/2012	3		0		136.14	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Selenium	12/1/2005	11/30/2012	1		0		20.00	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Zinc	12/1/2005	11/30/2012	3		0		210.82	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Copper	12/1/2005	11/30/2012	1	1.93	0		13.62	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Zinc	12/1/2005	11/30/2012	3	3.80	0		169.39	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Lead	12/1/2005	11/30/2012	3	0.50	0		3.99	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	3	0.15	0		0.33	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Selenium	12/1/2005	11/30/2012	1	0.75	0		5.00	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Chromium	12/1/2005	11/30/2012	3	2.50	0		104.99	ID	NA	<input type="checkbox"/>	NA		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	34	26.13	0		126.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2005	11/30/2012	51		0		32.20	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2005	11/30/2012	45		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2005	11/30/2012	45		0		6.50	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0838_02 Mountain Creek arm

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	97	336.96	0		500.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	36	21.49	0		100.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	35	118.56	0		250.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	28		9	0.74	0.37	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	28		1	0.31	0.11	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	27		2	0.31	0.20	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	16		3	80.9	26.70	AD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Lead	12/1/2005	11/30/2012	3	0.50	0		1.15	ID	NA	<input type="checkbox"/>	NA		
HH Bioaccumulative Toxics in water	Chromium	12/1/2005	11/30/2012	3	2.50	0		62.00	ID	NA	<input type="checkbox"/>	NA		
HH Bioaccumulative Toxics in water	Cadmium	12/1/2005	11/30/2012	3	0.15	0		5.00	ID	NA	<input type="checkbox"/>	NA		
HH Bioaccumulative Toxics in water	Ethylbenzene	12/1/2002	11/30/2012	21				700.00	AD	FS	<input type="checkbox"/>	FS		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Ethylbenzene	12/1/2002	11/30/2012	21				700.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Toluene	12/1/2002	11/30/2012	21				1,000.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Benzene	12/1/2002	11/30/2012	21				5.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Selenium	12/1/2005	11/30/2012	1	0.75	0		50.00	ID	NA	<input type="checkbox"/>	NA		
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	65	0.23	0		10.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Lead	12/1/2005	11/30/2012	3	0.50	0		1.15	ID	NA	<input type="checkbox"/>	NA		
Surface Water HH criteria for PWS average	Cadmium	12/1/2005	11/30/2012	3	0.15	0		5.00	ID	NA	<input type="checkbox"/>	NA		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0838_02 Mountain Creek arm

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water Toxic Substances average concern	MTBE	12/1/2005	11/30/2012	3				240.00	ID	NA	<input type="checkbox"/>	NA		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0838_03 Walnut Creek arm

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2002	11/30/2012	15		0		5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2002	11/30/2012	15		0		3.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2002	11/30/2012	27		0		32.20	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2002	11/30/2012	15		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2002	11/30/2012	15		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	36	21.49	0		100.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	35	118.56	0		250.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	97	336.96	0		500.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2002	11/30/2012	27		0		0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2002	11/30/2012	27		0		0.11	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2002	11/30/2012	9		0		0.20	LD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Ethylbenzene	12/1/2002	11/30/2012	21				700.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Cadmium	12/1/2005	11/30/2012	3				5.00	ID	NA	<input type="checkbox"/>	NA		
HH Bioaccumulative Toxics in water	Chromium	12/1/2005	11/30/2012	3				62.00	ID	NA	<input type="checkbox"/>	NA		
HH Bioaccumulative Toxics in water	Lead	12/1/2005	11/30/2012	3				1.15	ID	NA	<input type="checkbox"/>	NA		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Toluene	12/1/2002	11/30/2012	21				1,000.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0838_03 Walnut Creek arm

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Ethylbenzene	12/1/2002	11/30/2012	21				700.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Benzene	12/1/2002	11/30/2012	21				5.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Selenium	12/1/2005	11/30/2012	1				50.00	ID	NA	<input type="checkbox"/>	NA		
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	65	0.23	0		10.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Cadmium	12/1/2005	11/30/2012	3				5.00	ID	NA	<input type="checkbox"/>	NA		
Surface Water HH criteria for PWS average	Lead	12/1/2005	11/30/2012	3				1.15	ID	NA	<input type="checkbox"/>	NA		
Surface Water Toxic Substances average concern	MTBE	12/1/2005	11/30/2012	3				240.00	ID	NA	<input type="checkbox"/>	NA		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

SEGID 0838A Mountain Creek

AUID 0838A_01 Entire segment.

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2002	11/30/2012	17		0		3.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2002	11/30/2012	17		0		2.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/1/2005	11/30/2012	4		0		1,980.67	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Aluminum	12/1/2005	11/30/2012	4		0		991.00	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Zinc	12/1/2005	11/30/2012	4		0		496.78	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Lead	12/1/2005	11/30/2012	4		0		388.05	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Copper	12/1/2005	11/30/2012	4		0		70.78	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Chromium	12/1/2005	11/30/2012	4		0		2,301.72	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	4		0		44.89	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Arsenic	12/1/2005	11/30/2012	4		0		340.00	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	4	0.04	0		0.33	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Chromium	12/1/2005	11/30/2012	4	0.06	0		104.99	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Copper	12/1/2005	11/30/2012	4	3.75	0		13.62	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Lead	12/1/2005	11/30/2012	4	0.11	0		3.99	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Nickel	12/1/2005	11/30/2012	4	4.55	0		74.53	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Zinc	12/1/2005	11/30/2012	4	3.60	0		169.39	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Arsenic	12/1/2005	11/30/2012	4	2.58	0		150.00	LD	NC	<input type="checkbox"/>	NC		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2002	11/30/2012	17		3	2.82	1.95	AD	NC	<input type="checkbox"/>	NC		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID	0838A_01	Entire segment.
-------------	-----------------	-----------------

USE	General Use
------------	--------------------

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Ammonia	12/1/2002	11/30/2012	17		1	0.62	0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2002	11/30/2012	6		0		0.69	LD	NC	<input type="checkbox"/>	NC		

USE	Fish Consumption Use
------------	-----------------------------

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Chromium	12/1/2005	11/30/2012	2	0.07	0		502.00	ID	NA	<input type="checkbox"/>	NA		
HH Bioaccumulative Toxics in water	Lead	12/1/2005	11/30/2012	2	0.16	0		3.83	ID	NA	<input type="checkbox"/>	NA		
HH Bioaccumulative Toxics in water	Nickel	12/1/2005	11/30/2012	2	3.80	0		1,140.00	ID	NA	<input type="checkbox"/>	NA		
HH Bioaccumulative Toxics in water	Antimony	12/1/2005	11/30/2012	2	0.25	0		1,071.00	ID	NA	<input type="checkbox"/>	NA		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

SEGID 0838B Sugar Creek

AUID 0838B_01 Entire segment.

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	65		1	2.8	3.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	65		0		2.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2002	11/30/2012	9		0		148.26	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Selenium	12/1/2005	11/30/2012	2		0		20.00	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Lead	12/1/2002	11/30/2012	10		0		87.26	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2005	11/30/2012	3		0		18.45	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Cadmium	12/1/2002	11/30/2012	10		0		11.24	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2002	11/30/2012	10		0		715.23	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2002	11/30/2012	10	2.75	0		104.99	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2002	11/30/2012	9	3.99	0		169.39	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Selenium	12/1/2005	11/30/2012	2	0.75	0		5.00	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Lead	12/1/2002	11/30/2012	10	0.50	0		3.99	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2002	11/30/2012	10	0.15	0		0.33	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2005	11/30/2012	3	2.59	0		13.62	ID	NA	<input type="checkbox"/>	NA		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	82	59.30	0		126.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	27		4	75.53	14.10	AD	NC	<input type="checkbox"/>	NC		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID	0838B_01	Entire segment.
-------------	-----------------	-----------------

USE	General Use
------------	--------------------

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	25		0		1.95	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	27		0		0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	26		0		0.69	AD	NC	<input type="checkbox"/>	NC		

USE	Fish Consumption Use
------------	-----------------------------

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Chromium	12/1/2002	11/30/2012	10	2.75	0		502.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2002	11/30/2012	10	0.50	0		3.83	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

SEGID 0838C Walnut Creek

AUID 0838C_01 From the confluence with Joe Pool Lake up to the headwaters at Spring Street in Burleson.

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	42		2	0.95	3.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	42		2	0.95	2.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2002	11/30/2012	23		0		1,931.53	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2002	11/30/2012	23		0		414.36	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Selenium	12/1/2005	11/30/2012	1		0		20.00	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Nickel	12/1/2002	11/30/2012	17		0		696.87	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2002	11/30/2012	23		0		312.47	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2002	11/30/2012	23		0		36.48	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	12/1/2002	11/30/2012	17		0		340.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Aluminum	12/1/2002	11/30/2012	17		0		991.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2002	11/30/2012	21		0		22.11	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2002	11/30/2012	23	1.33	0		104.99	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2002	11/30/2012	23	4.82	0		169.39	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Selenium	12/1/2005	11/30/2012	1	0.75	0		5.00	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Nickel	12/1/2002	11/30/2012	17	4.80	0		74.53	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2002	11/30/2012	21	4.20	0		13.62	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2002	11/30/2012	23	0.06	0		0.33	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic	12/1/2002	11/30/2012	17	1.15	0		150.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2002	11/30/2012	23	0.23	0		3.99	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0838C_01 From the confluence with Joe Pool Lake up to the headwaters at Spring Street in Burleson.

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	54	195.60	1		126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	5b

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	17		0		0.69	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	11		1	29.2	14.10	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	20		1	2.54	1.95	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	20		0		0.33	AD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Lead	12/1/2002	11/30/2012	22	0.24	0		3.83	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel	12/1/2002	11/30/2012	16	4.96	0		1,140.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Antimony	12/1/2002	11/30/2012	16	0.16	0		1,071.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Chromium	12/1/2002	11/30/2012	22	1.39	0		502.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

SEGID 0838D Hollings Branch

AUID 0838D_01 Hollings Branch from the confluence of the Mountain Creek arm of Joe Pool Lake upstream to the headwater 500 m downstream of US 67 in Midlothian

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	34		0		2.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	34		0		1.50	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	31	27.80			126.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	10		1		14.10	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	11		0		0.69	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	6		0		1.95	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	11		0		0.33	AD	NC	<input type="checkbox"/>	NC		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

SEGID 0838E Soap Creek

AUID 0838E_01 Soap Creek from the confluence of the Mountain Creek arm of Joe Pool Lake upstream to the headwater 6.6 km (3.98 miles) upstream of US 67 in Midlothian

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	32		0		2.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	32		0		1.50	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	29	57.70			126.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	9		0		14.10	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	9		0		0.69	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	10		0		0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	6		0		1.95	LD	NC	<input type="checkbox"/>	NC		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

SEGID **0839** **Elm Fork Trinity River Below Ray Roberts Lake**

AUID **0839_01** Entire segment

USE **Aquatic Life Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	71		0	3	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	71		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Aluminum	12/1/2005	11/30/2012	10		0		991.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	12/1/2005	11/30/2012	15		0		340.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	15		0		8.42	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2005	11/30/2012	15		0		560.41	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2005	11/30/2012	14		0		13.93	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2005	11/30/2012	15		0		63.18	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/1/2005	11/30/2012	14		0		460.30	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2005	11/30/2012	13		0		115.19	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2005	11/30/2012	15	2.50	0		72.90	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2005	11/30/2012	13	7.47	0		116.13	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/1/2005	11/30/2012	14	1.60	0		51.13	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2005	11/30/2012	14	1.35	0		9.31	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	15	0.12	0		0.24	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic	12/1/2005	11/30/2012	15	2.50	0		150.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2005	11/30/2012	15	0.50	0		2.46	AD	FS	<input type="checkbox"/>	FS		

USE **General Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2005	11/30/2012	71		0		32.20	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0839_01 Entire segment

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
High pH	pH	12/1/2005	11/30/2012	71		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2005	11/30/2012	71		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	71	178.16	0		500.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2002	11/30/2012	2	20.50	0		80.00	ID	NA	<input type="checkbox"/>	NA		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Cadmium	12/1/2005	11/30/2012	15	0.15	0		5.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Chromium	12/1/2005	11/30/2012	15	2.50	0		62.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2005	11/30/2012	15	0.50	0		1.15	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel	12/1/2005	11/30/2012	14	1.60	0		332.00	AD	FS	<input type="checkbox"/>	FS		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Cadmium	12/1/2005	11/30/2012	15	0.15	0		5.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Lead	12/1/2005	11/30/2012	15	0.50	0		1.15	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Arsenic	12/1/2005	11/30/2012	15	2.50	0		10.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nickel	12/1/2005	11/30/2012	14	1.60	0		332.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Barium	12/1/2005	11/30/2012	14	53.83	0		2,000.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

SEGID 0840 Ray Roberts Lake

AUID 0840_01 Lowermost portion of reservoir adjacent to dam

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2002	11/30/2012	113		0		5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2002	11/30/2012	113		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2002	11/30/2012	20		0		8.16	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2002	11/30/2012	18		0		112.20	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/1/2002	11/30/2012	19		0		448.35	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2002	11/30/2012	20		0		61.07	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2002	11/30/2012	20		0		546.32	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	12/1/2002	11/30/2012	20		0		340.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Aluminum	12/1/2002	11/30/2012	11		0		991.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2002	11/30/2012	19		0		13.53	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2002	11/30/2012	20	2.75	0		71.07	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/1/2002	11/30/2012	19	1.91	0		49.80	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2002	11/30/2012	18	6.98	0		113.11	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2002	11/30/2012	20	0.12	0		0.24	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic	12/1/2002	11/30/2012	20	2.50	0		150.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2002	11/30/2012	19	1.06	0		9.06	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2002	11/30/2012	20	0.50	0		2.38	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2002	11/30/2012	7	2.87	0		126.00	LD	NC	<input type="checkbox"/>	NC		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0840_01 Lowermost portion of reservoir adjacent to dam

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2002	11/30/2012	114		0		32.20	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2002	11/30/2012	113		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2002	11/30/2012	113		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	18	15.67	0		60.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	434	168.40	0		500.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	18	13.67	0		80.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Chlorophyll-a	12/1/2002	11/30/2012	18		0		26.70	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2002	11/30/2012	19		0		0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2002	11/30/2012	20		0		0.11	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2002	11/30/2012	19		0		0.20	AD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Nickel	12/1/2005	11/30/2012	70	1.86	0		332.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2005	11/30/2012	73	0.50	0		1.15	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Chromium	12/1/2005	11/30/2012	73	2.50	0		62.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Cadmium	12/1/2005	11/30/2012	73	0.15	0		5.00	AD	FS	<input type="checkbox"/>	FS		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Arsenic	12/1/2005	11/30/2012	73	2.50	0		10.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Barium	12/1/2005	11/30/2012	68	49.92	0		2,000.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Cadmium	12/1/2005	11/30/2012	73	0.15	0		5.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Fluoride	12/1/2005	11/30/2012	18	0.14	0		4.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0840_01 Lowermost portion of reservoir adjacent to dam

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Lead	12/1/2005	11/30/2012	73	0.50	0		1.15	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nickel	12/1/2005	11/30/2012	70	1.86	0		332.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	48	0.12	0		10.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0840_02 Lower portion of Jordan Creek arm west of Pilot Point

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2002	11/30/2012	100		1	2.4	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2002	11/30/2012	100		1	2.4	3.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2002	11/30/2012	20		0		546.32	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2002	11/30/2012	18		0		112.20	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/1/2002	11/30/2012	19		0		448.35	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2002	11/30/2012	19		0		13.53	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2002	11/30/2012	20		0		8.16	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	12/1/2002	11/30/2012	20		0		340.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Aluminum	12/1/2002	11/30/2012	16		0		991.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2002	11/30/2012	20		0		61.07	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic	12/1/2002	11/30/2012	20	2.50	0		150.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2002	11/30/2012	20	0.12	0		0.24	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2002	11/30/2012	20	2.75	0		71.07	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2002	11/30/2012	19	0.96	0		9.06	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2002	11/30/2012	20	0.50	0		2.38	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/1/2002	11/30/2012	19	1.94	0		49.80	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2002	11/30/2012	18	5.36	0		113.11	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2002	11/30/2012	101		0		32.20	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2002	11/30/2012	101		1	9.1	9.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0840_02 Lower portion of Jordan Creek arm west of Pilot Point

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Low pH	pH	12/1/2002	11/30/2012	101		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	434	168.40	0		500.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	18				60.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2002	11/30/2012	28	15.29	0		80.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2002	11/30/2012	10		0		0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2002	11/30/2012	10		0		0.11	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2002	11/30/2012	10		0		0.20	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2002	11/30/2012	10		0		26.70	AD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Cadmium	12/1/2005	11/30/2012	73	0.15	0		5.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Chromium	12/1/2005	11/30/2012	73	2.50	0		62.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2005	11/30/2012	73	0.50	0		1.15	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel	12/1/2005	11/30/2012	70	1.86	0		332.00	AD	FS	<input type="checkbox"/>	FS		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Lead	12/1/2005	11/30/2012	73	0.50	0		1.15	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nickel	12/1/2005	11/30/2012	70	1.86	0		332.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Fluoride	12/1/2005	11/30/2012	18				4.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Barium	12/1/2005	11/30/2012	68	49.92	0		2,000.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Arsenic	12/1/2005	11/30/2012	73	2.50	0		10.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Cadmium	12/1/2005	11/30/2012	73	0.15	0		5.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0840_02 Lower portion of Jordan Creek arm west of Pilot Point

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	48	0.12	0		10.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0840_03 Upper portion of Jordan Creek arm

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2002	11/30/2012	106		5	4.11	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2002	11/30/2012	106		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	12/1/2002	11/30/2012	20		0		340.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2002	11/30/2012	16		0		112.20	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/1/2002	11/30/2012	20		0		448.35	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2002	11/30/2012	20		0		61.07	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2002	11/30/2012	19		0		13.53	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2002	11/30/2012	20		0		8.16	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Aluminum	12/1/2002	11/30/2012	12		0		991.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2002	11/30/2012	20		0		546.32	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2002	11/30/2012	20	0.50	0		2.38	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2002	11/30/2012	16	3.88	0		113.11	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/1/2002	11/30/2012	20	2.98	0		49.80	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2002	11/30/2012	20	2.75	0		71.07	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2002	11/30/2012	20	0.12	0		0.24	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic	12/1/2002	11/30/2012	20	2.50	0		150.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2002	11/30/2012	19	2.09	0		9.06	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2002	11/30/2012	108		0		32.20	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2002	11/30/2012	108		0		9.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0840_03 Upper portion of Jordan Creek arm

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Low pH	pH	12/1/2002	11/30/2012	108		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	434	168.40	0		500.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2002	11/30/2012	28	15.29	0		80.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	18				60.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012						ID	NA	<input checked="" type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012						ID	NA	<input checked="" type="checkbox"/>	CS	ammonia	
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012						ID	NA	<input checked="" type="checkbox"/>	CS	total phosphorus	

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Chromium	12/1/2005	11/30/2012	73	2.50	0		62.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2005	11/30/2012	73	0.50	0		1.15	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Cadmium	12/1/2005	11/30/2012	73	0.15	0		5.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel	12/1/2005	11/30/2012	70	1.86	0		332.00	AD	FS	<input type="checkbox"/>	FS		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Arsenic	12/1/2005	11/30/2012	73	2.50	0		10.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Barium	12/1/2005	11/30/2012	68	49.92	0		2,000.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Cadmium	12/1/2005	11/30/2012	73	0.15	0		5.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Fluoride	12/1/2005	11/30/2012	18				4.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Lead	12/1/2005	11/30/2012	73	0.50	0		1.15	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nickel	12/1/2005	11/30/2012	70	1.86	0		332.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	48				10.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0840_04 Buck Creek cove

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2002	11/30/2012	106		1	3.2	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2002	11/30/2012	106		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/1/2002	11/30/2012	20		0		448.35	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2002	11/30/2012	19		0		13.53	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2002	11/30/2012	16		0		112.20	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2002	11/30/2012	20		0		61.07	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2002	11/30/2012	20		0		8.16	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	12/1/2002	11/30/2012	20		0		340.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Aluminum	12/1/2002	11/30/2012	15		0		991.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2002	11/30/2012	20		0		546.32	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2002	11/30/2012	20	0.50	0		2.38	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/1/2002	11/30/2012	20	2.29	0		49.80	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2002	11/30/2012	19	1.30	0		9.06	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2002	11/30/2012	20	2.75	0		71.07	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2002	11/30/2012	20	0.12	0		0.24	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic	12/1/2002	11/30/2012	20	2.50	0		150.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2002	11/30/2012	16	5.64	0		113.11	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2002	11/30/2012	107		1	32.4	32.20	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2002	11/30/2012	108		1	9.1	9.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0840_04 Buck Creek cove

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Low pH	pH	12/1/2002	11/30/2012	108		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	434	168.40	0		500.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2002	11/30/2012	28	15.29	0		80.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	18				60.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012						ID	NA	<input checked="" type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012						ID	NA	<input checked="" type="checkbox"/>	CS	ammonia	

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Chromium	12/1/2005	11/30/2012	73	2.50	0		62.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2005	11/30/2012	73	0.50	0		1.15	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel	12/1/2005	11/30/2012	70	1.86	0		332.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Cadmium	12/1/2005	11/30/2012	73	0.15	0		5.00	AD	FS	<input type="checkbox"/>	FS		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Fluoride	12/1/2005	11/30/2012	18				4.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	48				10.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Lead	12/1/2005	11/30/2012	73	0.50	0		1.15	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Cadmium	12/1/2005	11/30/2012	73	0.15	0		5.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Barium	12/1/2005	11/30/2012	68	49.92	0		2,000.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Arsenic	12/1/2005	11/30/2012	73	2.50	0		10.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nickel	12/1/2005	11/30/2012	70	1.86	0		332.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0840_05 Lower portion of Elm Fork arm

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	434				500.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	18				80.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	18				60.00	AD	FS	<input type="checkbox"/>	FS		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Lead	12/1/2005	11/30/2012	73				1.15	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Cadmium	12/1/2005	11/30/2012	73				5.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Chromium	12/1/2005	11/30/2012	73				62.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel	12/1/2005	11/30/2012	70				332.00	AD	FS	<input type="checkbox"/>	FS		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Barium	12/1/2005	11/30/2012	68				2,000.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Cadmium	12/1/2005	11/30/2012	73				5.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Fluoride	12/1/2005	11/30/2012	18				4.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Lead	12/1/2005	11/30/2012	73				1.15	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nickel	12/1/2005	11/30/2012	70				332.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	48				10.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Arsenic	12/1/2005	11/30/2012	73				10.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0840_06 Middle portion of Elm Fork arm

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2002	11/30/2012	10		0		5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2002	11/30/2012	10		0		3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2002	11/30/2012	7	4.55	0		126.00	LD	NC	<input type="checkbox"/>	NC		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2002	11/30/2012	10		0		32.20	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2002	11/30/2012	10		1	9.3	9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2002	11/30/2012	10		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	434	168.40	0		500.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	18	13.67	0		80.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	18	15.67	0		60.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Total Phosphorus	12/1/2002	11/30/2012	9		0		0.20	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2002	11/30/2012	10		0		0.11	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2002	11/30/2012	10		2	0.48	0.37	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2002	11/30/2012	8		0		26.70	LD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Cadmium	12/1/2005	11/30/2012	73				5.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Chromium	12/1/2005	11/30/2012	73				62.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2005	11/30/2012	73				1.15	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0840_06 Middle portion of Elm Fork arm

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Nickel	12/1/2005	11/30/2012	70				332.00	AD	FS	<input type="checkbox"/>	FS		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Cadmium	12/1/2005	11/30/2012	73				5.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	48	0.12	0		10.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nickel	12/1/2005	11/30/2012	70				332.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Fluoride	12/1/2005	11/30/2012	18	0.14	0		4.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Barium	12/1/2005	11/30/2012	68				2,000.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Arsenic	12/1/2005	11/30/2012	73				10.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Lead	12/1/2005	11/30/2012	73				1.15	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0840_07 Upper portion of Elm Fork arm

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2002	11/30/2012	101		0		5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2002	11/30/2012	101		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2002	11/30/2012	19		0		13.53	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2002	11/30/2012	18		0		112.20	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/1/2002	11/30/2012	19		0		448.35	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2002	11/30/2012	20		0		61.07	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2002	11/30/2012	20		0		8.16	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Aluminum	12/1/2002	11/30/2012	14		0		991.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2002	11/30/2012	20		0		546.32	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	12/1/2002	11/30/2012	20		0		340.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic	12/1/2002	11/30/2012	20	2.50	0		150.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2002	11/30/2012	20	0.12	0		0.24	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2002	11/30/2012	20	2.88	0		71.07	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2002	11/30/2012	19	1.54	0		9.06	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2002	11/30/2012	20	0.50	0		2.38	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/1/2002	11/30/2012	19	2.03	0		49.80	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2002	11/30/2012	18	7.73	0		113.11	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2002	11/30/2012	101		0		32.20	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2002	11/30/2012	101		0		9.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0840_07 Upper portion of Elm Fork arm

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Low pH	pH	12/1/2002	11/30/2012	101		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	18				60.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	434	168.40	0		500.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2002	11/30/2012	28	15.29	0		80.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Nitrate	12/1/2002	11/30/2012	9		0		0.37	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2002	11/30/2012	8		0		0.11	LD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2002	11/30/2012	10		0		0.20	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2002	11/30/2012	10		0		26.70	AD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Cadmium	12/1/2005	11/30/2012	73	0.15	0		5.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Chromium	12/1/2005	11/30/2012	73	2.50	0		62.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2005	11/30/2012	73	0.50	0		1.15	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel	12/1/2005	11/30/2012	70	1.86	0		332.00	AD	FS	<input type="checkbox"/>	FS		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Lead	12/1/2005	11/30/2012	73	0.50	0		1.15	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Arsenic	12/1/2005	11/30/2012	73	2.50	0		10.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	48	0.12	0		10.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nickel	12/1/2005	11/30/2012	70	1.86	0		332.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Fluoride	12/1/2005	11/30/2012	18				4.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Barium	12/1/2005	11/30/2012	68	49.92	0		2,000.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0840_07 Upper portion of Elm Fork arm

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Cadmium	12/1/2005	11/30/2012	73	0.15	0		5.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0840_08 Remainder of reservoir

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2002	11/30/2012	60		28	3.88	5.00	AD	CS	<input type="checkbox"/>	CS	depressed dissolved oxygen	
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2002	11/30/2012	60		6	2.44	3.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2002	11/30/2012	60		0		32.20	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2002	11/30/2012	60		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2002	11/30/2012	60		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	434	168.40	0		500.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	18				80.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	18				60.00	AD	FS	<input type="checkbox"/>	FS		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Cadmium	12/1/2005	11/30/2012	73				5.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Chromium	12/1/2005	11/30/2012	73				62.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2005	11/30/2012	73				1.15	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel	12/1/2005	11/30/2012	70				332.00	AD	FS	<input type="checkbox"/>	FS		

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Lead	12/1/2005	11/30/2012	73				1.15	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nitrate	12/1/2005	11/30/2012	48				10.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Nickel	12/1/2005	11/30/2012	70				332.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Fluoride	12/1/2005	11/30/2012	18				4.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0840_08 Remainder of reservoir

USE Public Water Supply Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Surface Water HH criteria for PWS average	Cadmium	12/1/2005	11/30/2012	73				5.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Arsenic	12/1/2005	11/30/2012	73				10.00	AD	FS	<input type="checkbox"/>	FS		
Surface Water HH criteria for PWS average	Barium	12/1/2005	11/30/2012	68				2,000.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

SEGID 0841 Lower West Fork Trinity River

AUID 0841_01 From confluence of the Elm Fork Trinity River to the confluence with Johnson Creek.

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	63		0		2.50	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	63		0		1.50	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Aluminum	12/1/2005	11/30/2012	10		0		991.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	12/1/2005	11/30/2012	14		0		340.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2005	11/30/2012	12		0		23.67	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/1/2002	11/30/2012	11		0		740.84	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2005	11/30/2012	10		0		185.53	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic	12/1/2005	11/30/2012	14	2.50	0		150.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2005	11/30/2012	10	8.72	0		175.93	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/1/2002	11/30/2012	11	3.29	0		77.40	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2005	11/30/2012	12	2.09	0		14.15	AD	FS	<input type="checkbox"/>	FS		
Toxic Substances in sediment	PCBs	12/1/2002	11/30/2012	6		0		676.00	LD	NC	<input type="checkbox"/>	NC		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	42	193.32	1		126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	4a

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2005	11/30/2012	65		0		35.00	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2005	11/30/2012	65		0		9.00	AD	FS	<input type="checkbox"/>	FS		
Low pH	pH	12/1/2005	11/30/2012	65		0		6.50	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID **0841_01** From confluence of the Elm Fork Trinity River to the confluence with Johnson Creek.

USE **General Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	126	430.41	0		850.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	44	70.63	0		175.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	44	58.24	0		175.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	41		12	22.33	14.10	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	42		37	10.12	1.95	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	43		1	1.52	0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	41		26	1.51	0.69	AD	CS	<input type="checkbox"/>	CS	total phosphorus	

USE **Fish Consumption Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Restricted and No-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	dioxin in edible tissue	5a
DSHS Advisories, Closures, and Risk Assessments	Restricted and No-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	PCBs in edible tissue	5a
HH Bioaccumulative Toxics in water	Chromium	12/1/2002	11/30/2012	10				502.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2002	11/30/2012	9				3.83	LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Nickel	12/1/2002	11/30/2012	7	3.22	0		1,140.00	LD	NC	<input type="checkbox"/>	NC		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0841_02 From the confluence with Johnson Creek upstream to the confluence of Village Creek.

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	82		1	2.4	2.50	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	82		0		1.50	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2002	11/30/2012	10		0		16.58	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2002	11/30/2012	10		0		992.80	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2005	11/30/2012	3		0		26.90	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Lead	12/1/2002	11/30/2012	9		0		133.97	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Selenium	12/1/2005	11/30/2012	1		0		20.00	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Zinc	12/1/2005	11/30/2012	4		0		179.11	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Selenium	12/1/2005	11/30/2012	1	0.75	0		5.00	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Lead	12/1/2002	11/30/2012	9	0.72	0		4.18	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Cadmium	12/1/2002	11/30/2012	10	0.15	0		0.34	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2002	11/30/2012	10	2.75	0		108.91	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2005	11/30/2012	3	2.46	0		14.15	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Zinc	12/1/2005	11/30/2012	4	10.09	0		175.93	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	PCBs	12/1/2002	11/30/2012	6		0		676.00	LD	NC	<input type="checkbox"/>	NC		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	83	152.99	1		126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	4a

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Water Temperature	Temperature	12/1/2005	11/30/2012	83		0		35.00	AD	FS	<input type="checkbox"/>	FS		
High pH	pH	12/1/2005	11/30/2012	82		0		9.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0841_02 From the confluence with Johnson Creek upstream to the confluence of Village Creek.

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Low pH	pH	12/1/2005	11/30/2012	82		0		6.50	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Total Dissolved Solids	12/1/2005	11/30/2012	126	430.41	0		850.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Chloride	12/1/2005	11/30/2012	44	70.63	0		175.00	AD	FS	<input type="checkbox"/>	FS		
Dissolved Solids	Sulfate	12/1/2005	11/30/2012	44	58.24	0		175.00	AD	FS	<input type="checkbox"/>	FS		
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	27		1	0.35	0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	23		18	1.48	0.69	AD	CS	<input type="checkbox"/>	CS	total phosphorus	
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	26		23	10.27	1.95	AD	CS	<input type="checkbox"/>	CS	nitrate	
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	25		7	20.91	14.10	AD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Restricted and No-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	dioxin in edible tissue	5a
DSHS Advisories, Closures, and Risk Assessments	Restricted and No-Consumption	12/1/2003	11/30/2010						OE	NS	<input checked="" type="checkbox"/>	NS	PCBs in edible tissue	5a
HH Bioaccumulative Toxics in water	Chromium	12/1/2002	11/30/2012	10	2.75	0		502.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2002	11/30/2012	9	0.72	0		3.83	LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Nickel	12/1/2002	11/30/2012	7				1,140.00	LD	NC	<input type="checkbox"/>	NC		

SEGID 0841A Mountain Creek Lake

AUID 0841A_01 Entire reservoir

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
DSHS Advisories, Closures, and Risk Assessments	Aquatic Life Closure	12/1/2005	11/30/2012						OE	NS	<input checked="" type="checkbox"/>	NS	dioxin in edible tissue	4a
DSHS Advisories, Closures, and Risk Assessments	Restricted-Consumption	12/1/2003	11/30/2010						OE	NS	<input type="checkbox"/>	NS	PCBs in edible tissue	4a

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

SEGID 0841B Bear Creek

AUID 0841B_01 Entire segment.

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	188		5	2.04	3.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	188		2	1.5	2.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Selenium	12/1/2005	11/30/2012	10		0		20.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2005	11/30/2012	76		0		170.89	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2005	11/30/2012	70		0		252.97	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/1/2002	11/30/2012	18		0		1,461.98	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2005	11/30/2012	75		0		1,198.81	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	76		0		20.74	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	12/1/2002	11/30/2012	19		0		340.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Aluminum	12/1/2002	11/30/2012	18		0		991.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2005	11/30/2012	64		0		33.42	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2005	11/30/2012	64	2.51	0		14.15	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic	12/1/2002	11/30/2012	19	2.21	0		150.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2005	11/30/2012	70	3.00	0		175.93	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Selenium	12/1/2005	11/30/2012	10	0.33	0		5.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2005	11/30/2012	76	0.52	0		4.18	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2005	11/30/2012	75	3.08	0		108.91	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	76	0.14	0		0.34	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/1/2002	11/30/2012	18	4.83	0		77.40	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0841B_01 Entire segment.

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Toxic Substances in sediment	Manganese	12/1/2005	11/30/2012	3		0		1,100.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Zinc	12/1/2005	11/30/2012	3		0		459.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Silver	12/1/2005	11/30/2012	3		0		2.20	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	PCBs	12/1/2005	11/30/2012	1		0		676.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Iron	12/1/2005	11/30/2012	3		0		40,000.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Mercury	12/1/2005	11/30/2012	2		0		1.06	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Copper	12/1/2005	11/30/2012	3		0		149.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Chromium	12/1/2005	11/30/2012	3		0		111.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Cadmium	12/1/2005	11/30/2012	3		0		4.98	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Arsenic	12/1/2005	11/30/2012	3		0		33.00	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Nickel	12/1/2005	11/30/2012	3		0		48.60	ID	NA	<input type="checkbox"/>	NA		
Toxic Substances in sediment	Lead	12/1/2005	11/30/2012	3		0		128.00	ID	NA	<input type="checkbox"/>	NA		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	228	117.23	0		126.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	115		0		0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	113		1	0.74	0.69	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	106		0		1.95	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	112		9	19.52	14.10	AD	NC	<input type="checkbox"/>	NC		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0841B_01 Entire segment.

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Chromium	12/1/2005	11/30/2012	75	3.08	0		502.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2005	11/30/2012	76	0.52	0		3.83	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel	12/1/2002	11/30/2012	18	4.83	0		1,140.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

SEGID 0841C Arbor Creek

AUID 0841C_01 Entire segment.

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2002	11/30/2012	16		0		5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2002	11/30/2012	16		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2002	11/30/2012	5		0		13.55	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Zinc	12/1/2002	11/30/2012	5		0		174.50	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Selenium	12/1/2002	11/30/2012	1		0		20.00	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Chromium	12/1/2002	11/30/2012	5		0		837.28	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Copper	12/1/2002	11/30/2012	3		0		47.97	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Lead	12/1/2002	11/30/2012	4		0		107.31	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Selenium	12/1/2002	11/30/2012	1	1.00	0		5.00	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Zinc	12/1/2002	11/30/2012	5	9.18	0		175.93	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Lead	12/1/2002	11/30/2012	4	0.50	0		4.18	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Copper	12/1/2002	11/30/2012	3	1.93	0		14.15	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Chromium	12/1/2002	11/30/2012	5	3.00	0		108.91	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Cadmium	12/1/2002	11/30/2012	5	0.15	0		0.34	LD	NC	<input type="checkbox"/>	NC		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2002	11/30/2012	56	116.94	0		126.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2002	11/30/2012	15		0		1.95	AD	NC	<input type="checkbox"/>	NC		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0841C_01 Entire segment.

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Ammonia	12/1/2002	11/30/2012	17		1	0.83	0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2002	11/30/2012	16		0		0.69	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2002	11/30/2012	14		1	36	14.10	AD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Chromium	12/1/2002	11/30/2012	5	3.00	0		502.00	LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Lead	12/1/2002	11/30/2012	4	0.50	0		3.83	LD	NC	<input type="checkbox"/>	NC		

SEGID 0841D Big Bear Creek

AUID 0841D_01 From the confluence with Little Bear Creek to SH 26, Tarrant County.

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	20		0		3.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	20		0		2.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	15	68.41	0		126.00	LD	NC	<input type="checkbox"/>	NC		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	19		1	5.08	1.95	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	18		0		0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	19		1	1	0.69	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	17		2	23.75	14.10	AD	NC	<input type="checkbox"/>	NC		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

SEGID 0841E Copart Branch Mountain Creek

AUID 0841E_01 Entire segment.

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	64		1	2.9	3.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	64		0		2.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2005	11/30/2012	5		0		142.53	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Selenium	12/1/2005	11/30/2012	1		0		20.00	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Lead	12/1/2002	11/30/2012	10		0		244.05	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2005	11/30/2012	4		0		46.11	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Cadmium	12/1/2002	11/30/2012	10		0		28.89	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2002	11/30/2012	8		0		688.49	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Lead	12/1/2002	11/30/2012	10	0.50	0		4.18	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Selenium	12/1/2005	11/30/2012	1	0.75	0		5.00	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Zinc	12/1/2005	11/30/2012	5	13.56	0		175.93	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Cadmium	12/1/2002	11/30/2012	10	0.15	0		0.34	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2005	11/30/2012	4	1.64	0		14.15	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Chromium	12/1/2002	11/30/2012	8	2.81	0		108.91	LD	NC	<input type="checkbox"/>	NC		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	80	89.98	0		126.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	26		1	34.8	14.10	AD	NC	<input type="checkbox"/>	NC		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID	0841E_01	Entire segment.
-------------	-----------------	-----------------

USE	General Use
------------	--------------------

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	27	0	0	1.95	AD	NC	<input type="checkbox"/>	NC			
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	28	0	0	0.33	AD	NC	<input type="checkbox"/>	NC			
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	26	0	0	0.69	AD	NC	<input type="checkbox"/>	NC			

USE	Fish Consumption Use
------------	-----------------------------

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Chromium	12/1/2002	11/30/2012	8	2.81	0	502.00	LD	NC	<input type="checkbox"/>	NC			
HH Bioaccumulative Toxics in water	Lead	12/1/2002	11/30/2012	10	0.50	0	3.83	AD	FS	<input type="checkbox"/>	FS			

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

SEGID 0841F Cottonwood Creek

AUID 0841F_01 Entire Segment.

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	171		29	4.1	5.00	AD	CS	<input type="checkbox"/>	CS	depressed dissolved oxygen	
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	173		1	1.8	3.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2005	11/30/2012	33		0		837.28	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Selenium	12/1/2005	11/30/2012	4		0		20.00	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Zinc	12/1/2005	11/30/2012	30		0		174.50	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/1/2005	11/30/2012	17		0		696.87	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2005	11/30/2012	26		0		22.11	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	36		0		13.55	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2005	11/30/2012	21		0		107.31	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	36	0.15	0		0.34	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2005	11/30/2012	33	1.80	0		108.91	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2005	11/30/2012	26	1.44	0		14.15	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2005	11/30/2012	21	0.50	0		4.18	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/1/2005	11/30/2012	17	2.50	0		77.40	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Selenium	12/1/2005	11/30/2012	4	0.75	0		5.00	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Zinc	12/1/2005	11/30/2012	30	18.85	0		175.93	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	229	252.07	1		126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	5a

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0841F_01 Entire Segment.

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	64		0		0.69	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	69		0		0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	67		0		1.95	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	64		2	17.7	14.10	AD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Chromium	12/1/2005	11/30/2012	33	1.80	0		502.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2005	11/30/2012	21	0.50	0		3.83	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel	12/1/2005	11/30/2012	17	2.50	0		1,140.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

SEGID 0841G Dalworth Creek

AUID 0841G_01 Entire segment.

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	36		7	3.89	5.00	AD	CS	<input type="checkbox"/>	CS	depressed dissolved oxygen	
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	36		1	1	3.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	5		0		44.49	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Zinc	12/1/2005	11/30/2012	4		0		492.95	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Lead	12/1/2005	11/30/2012	5		0		384.51	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Chromium	12/1/2005	11/30/2012	5		0		2,284.56	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Copper	12/1/2005	11/30/2012	3		0		70.17	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Zinc	12/1/2005	11/30/2012	4	10.19	0		175.93	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	5	0.15	0		0.34	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Chromium	12/1/2005	11/30/2012	5	2.50	0		108.91	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Copper	12/1/2005	11/30/2012	3	1.70	0		14.15	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Lead	12/1/2005	11/30/2012	5	0.50	0		4.18	LD	NC	<input type="checkbox"/>	NC		
Toxic Substances in sediment	PCBs	12/1/2005	11/30/2012	1		0		676.00	ID	NA	<input type="checkbox"/>	NA		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	41	773.97	1		126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	4a

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	13		0		1.95	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	13		1	17.57	0.33	AD	NC	<input type="checkbox"/>	NC		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0841G_01 Entire segment.

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	12		2	1.09	0.69	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	13		0		14.10	AD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Chromium	12/1/2005	11/30/2012	5	2.50	0		502.00	LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Lead	12/1/2005	11/30/2012	5	0.50	0		3.83	LD	NC	<input type="checkbox"/>	NC		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

SEGID 0841H Delaware Creek

AUID 0841H_01 Entire segment.

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	27		1	2.4	3.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	27		0		2.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2005	11/30/2012	28		0		697.43	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2005	11/30/2012	27		0		17.92	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2005	11/30/2012	28		0		84.41	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2005	11/30/2012	27		0		144.44	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	28		0		10.91	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2005	11/30/2012	28	0.50	0		4.18	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	28	0.15	0		0.34	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2005	11/30/2012	27	3.09	0		175.93	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2005	11/30/2012	28	2.71	0		108.91	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2005	11/30/2012	27	1.97	0		14.15	AD	FS	<input type="checkbox"/>	FS		
Toxic Substances in sediment	PCBs	12/1/2005	11/30/2012	1		0		676.00	ID	NA	<input type="checkbox"/>	NA		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	28	128.50	1		126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	4a

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	23		0		1.95	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	28		1	0.44	0.33	AD	NC	<input type="checkbox"/>	NC		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0841H_01 Entire segment.

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	29		0		0.69	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	28		6	39.03	14.10	AD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Chromium	12/1/2005	11/30/2012	28	2.71	0		502.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2005	11/30/2012	28	0.50	0		3.83	AD	FS	<input type="checkbox"/>	FS		

SEGID 0841J Estelle Creek

AUID 0841J_01 Entire segment.

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	2		0		2.00	ID	NA	<input type="checkbox"/>	NA		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	2		0		1.50	ID	NA	<input type="checkbox"/>	NA		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	2	21.91	0		126.00	ID	NA	<input checked="" type="checkbox"/>	NS	bacteria	4a

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

SEGID 0841K Fish Creek

AUID 0841K_01

From South Belt Line Road (FM 1382) upstream to the upper end of the creek south of West Bardin Road (NHD RC 12030102000107) in Arlington, Tarrant County. From South Belt Line Road (FM 1382) upstream to the upper end of creek south of West Bardin Road.

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	149		33		5.00	AD	CS	<input type="checkbox"/>	CS	depressed dissolved oxygen	
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	106		6	2.27	3.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/1/2005	11/30/2012	31		0		696.87	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2005	11/30/2012	43		0		174.50	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Selenium	12/1/2005	11/30/2012	2		0		20.00	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	44		0		13.55	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2005	11/30/2012	16		0		107.31	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2005	11/30/2012	43		0		837.28	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2005	11/30/2012	35		0		22.11	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	44	0.15	0		0.34	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2005	11/30/2012	43	1.38	0		108.91	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2005	11/30/2012	35	1.56	0		14.15	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2005	11/30/2012	16	0.50	0		4.18	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/1/2005	11/30/2012	31	2.59	0		77.40	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Selenium	12/1/2005	11/30/2012	2	0.75	0		5.00	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Zinc	12/1/2005	11/30/2012	43	19.99	0		175.93	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	193	215.00	1		126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	5b

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0841K_01

From South Belt Line Road (FM 1382) upstream to the upper end of the creek south of West Bardin Road (NHD RC 12030102000107) in Arlington, Tarrant County. From South Belt Line Road (FM 1382) upstream to the upper end of creek south of West Bardin Road.

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	65		11		14.10	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	53		0		1.95	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	52		0		0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	69		0		0.69	AD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Chromium	12/1/2005	11/30/2012	43	1.38	0		502.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2005	11/30/2012	16	0.50	0		3.83	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel	12/1/2005	11/30/2012	31	2.59	0		1,140.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

SEGID 0841L Johnson Creek

AUID 0841L_01 From the confluence with the Lower West Fork Trinity River, upstream to just south of Mayfield Road in Arlington, Tarrant, Co..

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	151		22	3.9	5.00	AD	CS	<input type="checkbox"/>	CS	depressed dissolved oxygen	
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	151		2	2.4	3.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	49		0		18.87	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2005	11/30/2012	45		0		232.95	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Selenium	12/1/2005	11/30/2012	3		0		20.00	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Nickel	12/1/2005	11/30/2012	33		0		603.57	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2005	11/30/2012	20		0		154.23	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2005	11/30/2012	49		0		1,106.96	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2005	11/30/2012	38		0		30.49	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Selenium	12/1/2005	11/30/2012	3	0.75	0		5.00	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Copper	12/1/2005	11/30/2012	38	1.59	0		14.15	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2005	11/30/2012	45	20.18	0		175.93	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	49	0.15	0		0.34	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/1/2005	11/30/2012	33	2.50	0		77.40	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2005	11/30/2012	49	1.54	0		108.91	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2005	11/30/2012	20	0.50	0		4.18	AD	FS	<input type="checkbox"/>	FS		
Toxic Substances in sediment	PCBs	12/1/2005	11/30/2012	1		0		676.00	ID	NA	<input type="checkbox"/>	NA		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	193	172.66	1		126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	4a

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0841L_01 From the confluence with the Lower West Fork Trinity River, upstream to just south of Mayfield Road in Arlington, Tarrant, Co..

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	68		0		0.69	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	67		6	120.67	14.10	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	52		1	0.48	0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	69		0		1.95	AD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Lead	12/1/2005	11/30/2012	20	0.50	0		3.83	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel	12/1/2005	11/30/2012	33	2.50	0		1,140.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Chromium	12/1/2005	11/30/2012	49	1.54	0		502.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

SEGID 0841M Kee Branch

AUID 0841M_01 Entire Segment.

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	13		1	2.2	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	13		1	2.2	3.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2005	11/30/2012	18		0		174.50	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/1/2005	11/30/2012	17		0		696.87	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2005	11/30/2012	3		0		107.31	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	18		0		13.55	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2005	11/30/2012	18		0		837.28	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2005	11/30/2012	16		0		22.11	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	18	0.15	0		0.34	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2005	11/30/2012	18	1.08	0		108.91	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2005	11/30/2012	16	1.55	0		14.15	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2005	11/30/2012	3	0.50	0		4.18	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Nickel	12/1/2005	11/30/2012	17	3.68	0		77.40	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2005	11/30/2012	18	23.75	0		175.93	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	34	197.24	1		126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	4a

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Chromium	12/1/2005	11/30/2012	18	1.08	0		502.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0841M_01 Entire Segment.

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Lead	12/1/2005	11/30/2012	3	0.50	0		3.83	ID	NA	<input type="checkbox"/>	NA		
HH Bioaccumulative Toxics in water	Nickel	12/1/2005	11/30/2012	17	3.68	0		1,140.00	AD	FS	<input type="checkbox"/>	FS		

SEGID 0841N Kirby Creek

AUID 0841N_01 Entire segment

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	38		12	4.03	5.00	AD	CS	<input checked="" type="checkbox"/>	CS	depressed dissolved oxygen	

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	100	582.40	1		126.00	AD	NS	<input checked="" type="checkbox"/>	NS	bacteria	5b

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

SEGID 08410 Mountain Creek

AUID 08410_01 Entire segment.

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	201		21	3.79	5.00	AD	CS	<input type="checkbox"/>	CS	depressed dissolved oxygen	
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	201		4	2.25	3.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Aluminum	8/1/2004	11/30/2012	11		0		991.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Arsenic	8/1/2004	11/30/2012	10		0		340.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	27		0		19.76	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2005	11/30/2012	27		0		1,151.09	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2005	11/30/2012	18		0		31.89	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2005	11/30/2012	27		0		162.20	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	8/1/2004	11/30/2012	11		0		546.33	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Selenium	12/1/2005	11/30/2012	2		0		20.00	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Zinc	12/1/2005	11/30/2012	24		0		242.56	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2005	11/30/2012	27	0.47	0		4.18	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2005	11/30/2012	24	4.05	0		175.93	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Selenium	12/1/2005	11/30/2012	2	0.75	0		5.00	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Nickel	8/1/2004	11/30/2012	11	2.24	0		77.40	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2005	11/30/2012	27	1.96	0		108.91	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Arsenic	8/1/2004	11/30/2012	10	1.17	0		150.00	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2005	11/30/2012	18	2.10	0		14.15	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	27	0.13	0		0.34	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0841O_01 Entire segment.

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Toxic Substances in sediment	PCBs	12/1/2005	11/30/2012	2		0		676.00	ID	NA	<input type="checkbox"/>	NA		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	242	45.58	0		126.00	AD	FS	<input type="checkbox"/>	FS		

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	87		1	1.21	0.69	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	80		15	26.13	14.10	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	93		7	1.23	0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	91		1	9.52	1.95	AD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Lead	12/1/2005	11/30/2012	21	0.58	0		3.83	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel	8/1/2004	11/30/2012	3	2.17	0		1,140.00	ID	NA	<input type="checkbox"/>	NA		
HH Bioaccumulative Toxics in water	Chromium	12/1/2005	11/30/2012	21	2.50	0		502.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

SEGID 0841P North Fork Cottonwood Creek

AUID 0841P_01 Entire segment.

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	64		13	3.68	5.00	AD	CS	<input type="checkbox"/>	CS	depressed dissolved oxygen	
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	65		3	2.43	3.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	26		0		17.32	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/1/2005	11/30/2012	18		0		862.97	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2005	11/30/2012	23		0		216.17	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Selenium	12/1/2005	11/30/2012	1		0		20.00	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Lead	12/1/2005	11/30/2012	10		0		130.36	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2005	11/30/2012	25		0		1,029.80	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2005	11/30/2012	19		0		28.06	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	26	0.15	0		0.34	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2005	11/30/2012	25	1.42	0		108.91	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2005	11/30/2012	19	1.43	0		14.15	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2005	11/30/2012	10	0.63	0		4.18	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Nickel	12/1/2005	11/30/2012	18	2.50	0		77.40	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Selenium	12/1/2005	11/30/2012	1	0.75	0		5.00	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Zinc	12/1/2005	11/30/2012	23	20.71	0		175.93	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	89	142.13	1		126.00	JQ	CN	<input type="checkbox"/>	CN	bacteria	

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0841P_01 Entire segment.

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	42		0		1.95	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	37		1	56	14.10	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	23		0		0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	41		0		0.69	AD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Chromium	12/1/2005	11/30/2012	25	1.42	0		502.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2005	11/30/2012	10	0.63	0		3.83	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Nickel	12/1/2005	11/30/2012	18	2.50	0		1,140.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

SEGID 0841Q North Fork Fish Creek

AUID 0841Q_01 Entire segment.

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	53		10	3.85	5.00	AD	CS	<input type="checkbox"/>	CS	depressed dissolved oxygen	
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	53		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	6		0		17.81	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Zinc	12/1/2005	11/30/2012	5		0		221.49	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Selenium	12/1/2005	11/30/2012	2		0		20.00	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Lead	12/1/2005	11/30/2012	6		0		144.82	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Chromium	12/1/2005	11/30/2012	5		0		1,054.30	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Copper	12/1/2005	11/30/2012	3		0		41.49	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Chromium	12/1/2005	11/30/2012	5	2.50	0		108.91	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Selenium	12/1/2005	11/30/2012	2	0.75	0		5.00	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Zinc	12/1/2005	11/30/2012	5	5.72	0		175.93	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Copper	12/1/2005	11/30/2012	3	2.30	0		14.15	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	6	0.15	0		0.34	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Lead	12/1/2005	11/30/2012	6	0.50	0		4.18	LD	NC	<input type="checkbox"/>	NC		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	68	142.56	1		126.00	JQ	CN	<input type="checkbox"/>	CN	bacteria	

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	23		0		1.95	AD	NC	<input type="checkbox"/>	NC		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0841Q_01 Entire segment.

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	25		1	0.36	0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	24		0		0.69	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	24		0		14.10	AD	NC	<input type="checkbox"/>	NC		

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Chromium	12/1/2005	11/30/2012	5	2.50	0		502.00	LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Lead	12/1/2005	11/30/2012	6	0.50	0		3.83	LD	NC	<input type="checkbox"/>	NC		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

SEGID 0841R Rush Creek

AUID 0841R_01 Entire segment.

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	39		1	2.8	3.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	39		0		2.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2005	11/30/2012	51		0		837.28	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Nickel	12/1/2005	11/30/2012	48		0		696.87	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2005	11/30/2012	50		0		174.50	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	51		0		13.55	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2005	11/30/2012	9		0		107.31	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Copper	12/1/2005	11/30/2012	45		1	6	22.11	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	51	0.16	0		0.34	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2005	11/30/2012	51	1.09	0		108.91	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2005	11/30/2012	45	1.34	0		14.15	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2005	11/30/2012	9	0.50	0		4.18	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Nickel	12/1/2005	11/30/2012	48	2.50	0		77.40	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2005	11/30/2012	50	24.17	0		175.93	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	51	153.89	1		126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	4a

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	16		0		1.95	AD	NC	<input type="checkbox"/>	NC		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID 0841R_01 Entire segment.

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	16		1	0.84	0.69	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	16		7	33	14.10	AD	CS	<input type="checkbox"/>	CS	chlorophyll-a	

USE Fish Consumption Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Chromium	12/1/2005	11/30/2012	51	1.09	0		502.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Lead	12/1/2005	11/30/2012	9	0.50	0		3.83	LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Nickel	12/1/2005	11/30/2012	48	2.50	0		1,140.00	AD	FS	<input type="checkbox"/>	FS		

SEGID 0841S Vilbig Lakes

AUID 0841S_01 A 5 acre area in NW corner of Vilbig Lakes, near confluence with unnamed creek, approx. 100 m south of intersection of Rusdell Rd./Marvel Dr. in Irving, Dallas, Co.

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	84		1	4.48	5.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	84		0		3.00	AD	FS	<input type="checkbox"/>	FS		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	76	14.97	0		126.00	AD	FS	<input type="checkbox"/>	FS		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

SEGID 0841T Village Creek

AUID 0841T_01 A 7 mile stretch of Village Creek running upstream from confluence with West Fork Trinity River to SH 303 approx. 0.75 mi. downstream of Lake Arlington.

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	13		0		3.00	AD	NC	<input type="checkbox"/>	NC		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	13		0		2.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	19		0		13.55	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2005	11/30/2012	19		0		837.28	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Copper	12/1/2005	11/30/2012	17		0		22.11	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Lead	12/1/2005	11/30/2012	3		0		107.31	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Nickel	12/1/2005	11/30/2012	18		0		696.87	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Zinc	12/1/2005	11/30/2012	19		0		174.50	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Lead	12/1/2005	11/30/2012	3	0.50	0		4.18	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Nickel	12/1/2005	11/30/2012	18	2.50	0		77.40	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Chromium	12/1/2005	11/30/2012	19	1.08	0		108.91	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	19	0.15	0		0.34	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Copper	12/1/2005	11/30/2012	17	1.00	0		14.15	AD	FS	<input type="checkbox"/>	FS		
Chronic Toxic Substances in water	Zinc	12/1/2005	11/30/2012	19	23.82	0		175.93	AD	FS	<input type="checkbox"/>	FS		
Toxic Substances in sediment	PCBs	12/1/2005	11/30/2012	1		0		676.00	ID	NA	<input type="checkbox"/>	NA		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	19	163.73	1		126.00	LD	NS	<input checked="" type="checkbox"/>	NS	bacteria	4a

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID **0841T_01** A 7 mile stretch of Village Creek running upstream from confluence with West Fork Trinity River to SH 303 approx. 0.75 mi. downstream of Lake Arlington.

USE **Fish Consumption Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Lead	12/1/2005	11/30/2012	3	0.50	0		3.83	ID	NA	<input type="checkbox"/>	NA		
HH Bioaccumulative Toxics in water	Nickel	12/1/2005	11/30/2012	18	2.50	0		1,140.00	AD	FS	<input type="checkbox"/>	FS		
HH Bioaccumulative Toxics in water	Chromium	12/1/2005	11/30/2012	19	1.08	0		502.00	AD	FS	<input type="checkbox"/>	FS		

SEGID **0841U** **West Irving Creek**

AUID **0841U_01** A 4 mile stretch of West Irving Branch running upstream from approx. 0.4 mi. downstream of Oakdale Rd. to just south of Sowers Road in Irving, Dallas Co.

USE **Aquatic Life Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	2		0		2.00	ID	NA	<input type="checkbox"/>	NA		
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	2		0		1.50	ID	NA	<input type="checkbox"/>	NA		

USE **Recreation Use**

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	14	223.08	1		126.00	LD	NS	<input checked="" type="checkbox"/>	NS	bacteria	4a

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

SEGID 0841V Crockett Branch

AUID 0841V_01 Entire Segment.

USE Aquatic Life Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Dissolved Oxygen grab screening level	Dissolved Oxygen Grab	12/1/2005	11/30/2012	65		14	4.23	5.00	AD	CS	<input type="checkbox"/>	CS	depressed dissolved oxygen	
Dissolved Oxygen grab minimum	Dissolved Oxygen Grab	12/1/2005	11/30/2012	65		0		3.00	AD	FS	<input type="checkbox"/>	FS		
Acute Toxic Substances in water	Chromium	12/1/2005	11/30/2012	5		0		837.28	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Selenium	12/1/2005	11/30/2012	1		0		20.00	ID	NA	<input type="checkbox"/>	NA		
Acute Toxic Substances in water	Zinc	12/1/2005	11/30/2012	5		0		302.28	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	7		0		25.43	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Lead	12/1/2005	11/30/2012	7		0		212.93	LD	NC	<input type="checkbox"/>	NC		
Acute Toxic Substances in water	Copper	12/1/2005	11/30/2012	4		0		40.74	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Selenium	12/1/2005	11/30/2012	1	0.75	0		5.00	ID	NA	<input type="checkbox"/>	NA		
Chronic Toxic Substances in water	Zinc	12/1/2005	11/30/2012	5	5.18	0		175.93	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Lead	12/1/2005	11/30/2012	7	0.50	0		4.18	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Copper	12/1/2005	11/30/2012	4	2.89	0		14.15	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Chromium	12/1/2005	11/30/2012	5	3.67	0		108.91	LD	NC	<input type="checkbox"/>	NC		
Chronic Toxic Substances in water	Cadmium	12/1/2005	11/30/2012	7	0.15	0		0.34	LD	NC	<input type="checkbox"/>	NC		

USE Recreation Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Bacteria Geomean	E. coli	12/1/2005	11/30/2012	79	689.04	1		126.00	AD	NS	<input type="checkbox"/>	NS	bacteria	5c

USE General Use

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Nitrate	12/1/2005	11/30/2012	25		1	1.99	1.95	AD	NC	<input type="checkbox"/>	NC		

2014 Texas Integrated Report: Assessment Results for Basin 8 - Trinity River

AUID	0841V_01	Entire Segment.
-------------	-----------------	-----------------

USE	General Use
------------	--------------------

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
Nutrient Screening Levels	Ammonia	12/1/2005	11/30/2012	27		3	1.05	0.33	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Total Phosphorus	12/1/2005	11/30/2012	25		1	1.02	0.69	AD	NC	<input type="checkbox"/>	NC		
Nutrient Screening Levels	Chlorophyll-a	12/1/2005	11/30/2012	26		2	30.3	14.10	AD	NC	<input type="checkbox"/>	NC		

USE	Fish Consumption Use
------------	-----------------------------

Method	Parameter	ASMT Start Date	ASMT End Date	# Assd	Mean assd	# exceed	Mean exceed	Criteria	DS Qual	LOS	CF	Int LOS	TCEQ Cause	Cat
HH Bioaccumulative Toxics in water	Lead	12/1/2005	11/30/2012	7	0.50	0		3.83	LD	NC	<input type="checkbox"/>	NC		
HH Bioaccumulative Toxics in water	Chromium	12/1/2005	11/30/2012	5	3.67	0		502.00	LD	NC	<input type="checkbox"/>	NC		