

WYNNE
BIRDWELL
JOHNSON

AGENDA

Monday, May 7, 1990

TEXAS WATER COMMISSION

2:00 p.m.
Room 118

- Item 1. SELECTION OF A MAXIMUM OF TWO PROFESSIONAL ENVIRONMENTAL ENGINEERING SERVICE FIRMS AND AUTHORIZATION OF THE EXECUTIVE DIRECTOR TO ENTER INTO A CONTRACT TO ASSIST THE TWC IN INVESTIGATIVE AND REMEDIAL ACTIVITIES AT VARIOUS SITES LOCATED THROUGHOUT THE STATE OF TEXAS WHERE PETROLEUM PRODUCTS HAVE BEEN RELEASED FROM UNDERGROUND STORAGE TANKS. THIS MULTI-SITE PROJECT WILL BE ADMINISTERED BY THE TWC THROUGH THE LEAKING UNDERGROUND STORAGE TANK TRUST FUND COOPERATIVE AGREEMENT WITH THE U.S. EPA. (Several Counties) Jameson/Lien/Bohl.

CONTINUED TO MAY 16, 1990 AT 3 P.M.

OLD BUSINESS

Monday, May 7, 1990

TEXAS WATER COMMISSION

2:00 p.m.
Room 118

Item carried forward from the Agenda of April 30, 1990 and May 3, 1990

- Item 1. CONSIDERATION OF MOTION OF PETITIONERS, THE DEVERS CANAL RICE PRODUCERS ASSOCIATION, INC., ET AL., FOR ISSUANCE OF A SECOND INTERLOCUTORY ORDER TO SET REASONABLE TERMS FOR THE SUPPLY OF WATER AND COMPEL CONTINUING SERVICE FROM RESPONDENT, THE TRINITY WATER RESERVE D/B/A DEVERS CANAL SYSTEM. Docket No. 8388-M.

WYNNE
BIRDWELL
JOHNSON

OLD BUSINESS

Monday, May 7, 1990

TEXAS WATER COMMISSION

2:00 p.m.
Room 118

Item carried forward from the Agenda of April 30, 1990 and May 3, 1990.

- Item 1. CONSIDERATION OF MOTION OF PETITIONERS, THE DEVERS CANAL RICE PRODUCERS ASSOCIATION, INC., ET AL., FOR ISSUANCE OF A SECOND INTERLOCUTORY ORDER TO SET REASONABLE TERMS FOR THE SUPPLY OF WATER AND COMPEL CONTINUING SERVICE FROM RESPONDENT, THE TRINITY WATER RESERVE D/B/A DEVERS CANAL SYSTEM. Docket No. 8388-M.

An emergency addition to the agenda is necessary due to reasonably unforeseen circumstances wherein petitioners allege there is an immediate need for water which is being withheld in violation of a prior interlocutory order of the Commission.

COMMISSION ISSUED AN ORDER ESTABLISHING PROCEDURES FOR REQUEST FOR INTERLOCUTORY RELIEF AND PERMITTED A WITHDRAWAL OF THE PETITIONER'S MOTION, JB/CJ