

HALL  
REED  
GARNER

UNCONTESTED AGENDA

Wednesday, January 6, 1993

TEXAS WATER COMMISSION

9:00 a.m.

Room 118

Item 1. Consideration of an application by EXXON COMPANY, U.S.A. - BAYTOWN for a Class 2 Modification to Permit No. HW50111 in accordance with 31 TAC Section 305.69. Exxon operates a hazardous and industrial solid waste land treatment unit for three local Exxon plants and refineries. The land treatment unit is on the south side of Decker Drive (Spur 330) and south of Interstate Highway 10 in Baytown, Harris County, Texas.

APPROVED, PR/PG

Item 2. Consideration of an application by MILES, INC. for a Class 2 Modification to Permit No. HW50173 in accordance with 31 TAC Section 305.69. Miles, Inc. operates an organic chemical plant and is a large quantity generator of hazardous waste. The facility is located on a 727-acre tract of land east of Cedar Bayou, approximately one-half mile south of the intersection of FM 565 and FM 1405 near the City of Baytown in Chambers County, Texas.

APPROVED, PR/PG

Item 3. APPLICATION BY CITY OF ALAMO for a permit (Proposed Permit No. 13633-01) to authorize a discharge of treated domestic wastewater effluent at a volume not to exceed an average flow of 2,000,000 gallons per day. The proposed wastewater treatment facilities will serve the City of Alamo and Southern Frozen Foods. The plant site is approximately 14,000 feet south along South Tower Road from the intersection of Tower Road and U.S. 83 Business Highway or approximately 17,000 feet south from the intersection of South Tower Road with U.S. 83 Expressway in Hidalgo County, Texas.

APPROVED, PG/PR

Item 4. APPLICATION BY CITY OF EDMONSON for a permit (Proposed Permit No. 13611-01) to authorize disposal of treated domestic sewage effluent by irrigation on 10 acres of land. The disposal volume is not to exceed an average of 20,000 gallons per day. Application rates for the irrigated land are not to exceed 2.24 acre-feet/acre/year. The wastewater treatment facility

and irrigation site are located approximately 2000 feet south and 3700 feet west of the intersection of State Highway 194 and Farm-to-Market Road 1424 in Hale County, Texas.

APPROVED, PG/PR

Item 5. APPLICATION BY GIRLSTOWN, U.S.A. for a permit (Proposed Permit No. 13603-01) to authorize disposal of treated domestic sewage effluent by evaporation and irrigation on 150 acres of land. The disposal volume is not to exceed an average of 25,000 gallons per day. The wastewater treatment facility will serve Girlstown, U.S.A. Application rates for the irrigated land are not to exceed 3.0 acre-feet/acre/year. The wastewater treatment facility and irrigation site are located approximately 0.75 mile west and 8.8 miles south of the intersection of Farm-to-Market Road 1780 and Texas Highway 114 in the City of Whiteface in Cochran County, Texas.

APPROVED, PG/PR

Item 6. APPLICATION BY CITY OF SAN ANGELO for an amendment to Permit No. 10641-03 to authorize an increase in the volume of treated domestic wastewater effluent disposed of by irrigation from 11,300,000 gallons per day average (30-day average) to 16,300,000 gallons per day average (30-day average). The proposed amendment would also increase the amount of land used for irrigation from 2,296 acres of City-owned land (574 acres of pasture grass and 1,722 acres of corn overseeded with winter wheat) to a total of 2,787 acres of land in the final phase (697 acres of pasture grass and 2,090 acres of corn overseeded with winter wheat). Application rates for the irrigated land shall not exceed 6.4 acre-feet/acre/year (6.69 acre-feet for pasture grass and 6.14 acre-feet for corn/wheat double crop system). The wastewater treatment facility and irrigation site are approximately 3.5 miles east-northeast of the intersection of Farm-to-Market Road 380 and State Highway 306 in Tom Green County, Texas.

APPROVED, PG/PR

Item 7. APPLICATION BY CITY OF TEXLINE for an amendment to Permit No. 11029-01 to authorize an increase in the disposal volume of treated domestic sewage effluent from 30,000 gallons per day average to 45,300 gallons per day average. The applicant disposes of treated effluent by irrigation on 45 acres of pastureland. Application rates for the irrigated land are not to exceed 1.13 acre-feet/acre/year. The plant site and irrigation site are southeast of and adjacent to Farm-to-Market Road 296, just north of the City limits of Texline in Dallam County, Texas.

APPROVED, PG/PR

Item 8. APPLICATION BY DOW CHEMICAL COMPANY for a minor amendment to Permit No. 00007 to authorize an increase in the permitted daily average flow due to expansion and increase of production activities via Internal Outfall 303. The flow increase is a volume not to exceed an average flow of 35,000,000 gallons per

day to a volume not to exceed from an average flow of 41,800,000 gallons per day via Internal Outfall 303. The permit authorizes a discharge of once through cooling water and previously monitored effluents at a volume not to exceed 500,000,000 gallons per day average plus flow variable discharges of treated wastewater, which will remain the same. The applicant operates an organic and inorganic chemical manufacturing plant. The plant site is on the north bank of the Brazos River approximately 9000 feet upstream of the State Highway 36 Bridge in the City of Freeport in Brazoria County, Texas.

APPROVED, PG/PR

Item 9. CONSIDERATION OF a staff initiated minor amendment to Permit No. 10422-01, issued to CITY OF INGLESIDE, in order to decrease the flow from a volume not to exceed 2,000,000 gallons per day average to a volume not to exceed 1,720,000 gallons per day average. The plant site is at the Ingleside Warehouse site, off 8th Street, approximately 1/10 mile southwest of the intersection of 8th Street and Farm-to-Market Road 1069 in San Patricio County, Texas.

APPROVED, PG/PR

Item 10. APPLICATION BY RODEN DAIRY, INC. for a minor amendment to Permit No. 03258 to reduce the herd size from 750 head to 500 head. The proposed amendment will also authorize the construction of a storage pond with a surface area of approximately 2.27 acres and a volume of approximately 14.55 acre-feet. The current permit authorizes disposal of waste and wastewater from a dairy which consists of 750 head in confinement. Washdown water, flushwater and stormwater will be retained in two storage ponds, where it will subsequently be used to irrigate agricultural land. Manure/solids will be disposed of as fertilizer on agricultural land. The dairy is adjacent to and just east of County Road 1006, approximately 2 miles northeast of the intersection of State Highway 171 and Farm-to-Market Road 917 in Johnson County, Texas.

APPROVED, PG/PR

Item 11. APPLICATION BY AVALON WATER SUPPLY AND SEWER SERVICE CORPORATION for renewal of Permit No. 11022-01 which authorizes a discharge of treated domestic wastewater effluent at a volume not to exceed an average flow of 41,000 gallons per day. The plant site is approximately 1900 feet south of the intersection of Farm-to-Market Road 55 and State Highway 34 in Ellis County, Texas.

RENEWED, PG/PR

Item 12. APPLICATION BY THE BAYOU CLUB OF HOUSTON for renewal of Permit No. 12233-01 which authorizes a discharge of treated domestic wastewater effluent at a volume not to exceed an average flow of 5,000 gallons per day. The wastewater treatment facilities are at 8550 Memorial Drive in the City of Houston in Harris

County, Texas.

RENEWED, PG/PR

Item 13. APPLICATION BY BROWNSVILLE NAVIGATION DISTRICT for renewal of Permit No. 02817 which authorizes a discharge of treated shrimp processing wastewater, treated domestic wastewater, shrimp boat bilge water and stormwater at a volume not to exceed an average flow of 250,000 gallons per day from a shrimp off-loading and processing facility. The plant site is on the south side of State Highway 48, about 5.4 miles east of the intersection of State Highway 48 and FM 511, northeast of the City of Brownsville, Cameron County, Texas.

RENEWED, PG/PR

Item 14. APPLICATION BY CITY OF DALLAS for renewal of Permit No. 10060-01 which authorizes a discharge of treated domestic wastewater effluent at a volume not to exceed an average flow of 150,000,000 gallons per day. The Central Wastewater Treatment Facilities are on the west bank of the Trinity River at 1020 Sergeant Road in the City of Dallas in Dallas County, Texas.

RENEWED, PG/PR

Item 15. APPLICATION BY CITY OF DETROIT for renewal of Permit No. 10724-01 which authorizes a discharge of treated domestic wastewater effluent at a volume not to exceed an average flow of 108,000 gallons per day. The wastewater treatment facilities are approximately 1200 feet south of U.S. Highway 82, approximately one mile southeast of the intersection of U.S. Highway 82 and Farm-to-Market Road 2573 in Red River County, Texas.

RENEWED, PG/PR

Item 16. APPLICATION BY FINA OIL AND CHEMICAL COMPANY for renewal of Permit No. 01000 which authorizes the discharge of treated process, domestic and utility wastewaters at a volume not to exceed an average flow of 700,000 gallons per day via Outfall 001, and a flow variable discharge of uncontaminated stormwater via Outfall 002. The applicant operates a plant manufacturing polypropylene. The plant site is northeast of the intersection of State Highway 134 (Battleground Road) and Miller Cut Off Road east of the City of Deer Park in Harris County, Texas.

RENEWED, PG/PR

Item 17. APPLICATION BY CITY OF GONZALES for renewal of Permit No. 10488-001 which authorizes a discharge of treated domestic wastewater effluent at a volume not to exceed an average flow of 1,500,000 gallons per day. The wastewater treatment facilities are located approximately 4,000 feet east of U.S. Highway 183 and 5,000 feet south of U.S. Highway 90-A (St. Louis Street), at the confluence of Tinsley Creek and the Guadalupe River, immediately south of the City of Gonzales in

Gonzales County, Texas.

RENEWED, PG/PR

Item 18. APPLICATION BY HARRIS COUNTY MUNICIPAL UTILITY DISTRICT NO. 189 for renewal of Permit No. 12237-01 which authorizes a discharge of treated domestic wastewater effluent at volume not to exceed an average flow of 3,600,000 gallons per day. The wastewater treatment facilities are approximately 1300 feet north of the point where Kuykendahl Road crosses a Harris County Flood Control Ditch and approximately 2400 feet north/northwest of the intersection of Kuykendahl Road and Ella Boulevard in Harris County, Texas.

RENEWED, PG/PR

Item 19. APPLICATION BY CITY OF HOUSTON for renewal of Permit No. 10495-116 which authorizes a discharge of treated domestic wastewater effluent at a final volume not to exceed an average flow of 18,000,000 gallons per day. The wastewater treatment facilities are on the northeast corner of the intersection of Old Westheimer Road and Alief-Clodine Road in the City of Houston, Harris County, Texas.

RENEWED, PG/PR

Item 20. APPLICATION BY CITY OF MENARD for renewal of Permit No. 10345-01 which authorizes a discharge of treated domestic wastewater effluent at a volume not to exceed an average flow of 170,000 gallons per day. The permittee is also authorized to use treated effluent to irrigate 65 acres of land at an application rate of not to exceed 4.8 acre-feet/acre/year. The wastewater treatment plant is on the south bank of the San Saba River, adjacent to Farm to Market Road 2092 and approximately 0.5 mile east of the intersection of Farm to Market Road 2092 and United States Highway 83 in the City of Menard in Menard County, Texas.

RENEWED, PG/PR

Item 21. APPLICATION BY BUFORD G. MOONEY for renewal of Permit No. 11155-01 which authorizes a discharge of treated domestic wastewater effluent at a volume not to exceed an average flow of 31,500 gallons per day from the Longford Place Wastewater Treatment Plant. The plant site is on the east side of State Highway 87, approximately 3 miles north of the intersection of Interstate Highway 10 and State Highway 87 in Orange County, Texas.

RENEWED, PG/PR

Item 22. APPLICATION BY VILLAGE OF OYSTER CREEK for renewal of Permit No. 11837-01 which authorizes a discharge of treated domestic wastewater effluent at a volume not to exceed an average flow of 500,000 gallons per day from the Village of Oyster Creek Wastewater Treatment Facility. The plant site is approximately 1.6 miles southeast of the intersection of State

Highway 332 and Farm to Market Road 523, at the intersection of State Highway 332 and the U.S. Corps of Engineers Flood Control Levee on the west side of the levee in Brazoria County, Texas.

RENEWED, PG/PR

Item 23. APPLICATION BY CITY OF SCHULENBURG for renewal of Permit No. 10115-01 which authorizes a discharge of treated domestic wastewater effluent at a volume not to exceed an average flow of 350,000 gallons per day from Kallus Street wastewater treatment facilities. The plant site is in the 800 block of Kallus Street near its intersection with Hillje Street in the City of Schulenburg, in Fayette County, Texas.

RENEWED, PG/PR

Item 24. APPLICATION BY UNION PACIFIC RAILROAD COMPANY for renewal of Permit No. 01197 which authorizes an intermittent flow of variable discharge of stormwater runoff from a railroad yard. The plant site is at the Eureka Yard at the north end of Radcliff Street in the City of Houston, Harris County, Texas.

RENEWED, PG/PR

Item 25. APPLICATION BY WEST MEMORIAL MUNICIPAL UTILITY DISTRICT for renewal of Permit No. 11152-01 which authorizes a discharge of treated domestic wastewater effluent at a volume not to exceed an average flow of 6,480,000 gallons per day. The wastewater treatment facilities are at 22023 Kingsland Boulevard, approximately 6,000 feet south of Interstate Highway 10 and approximately 1,000 feet west of Mason Road in Harris County, Texas.

RENEWED, PG/PR

Item 26. APPLICATION BY HARRIS COUNTY MUNICIPAL UTILITY DISTRICT NO. 48 FOR APPROVAL OF \$180,000,000 UNLIMITED TAX & REVENUE BONDS, SECOND ISSUE, 6.93% NET EFFECTIVE INTEREST RATE, SERIES 1992. For Commission consideration and action. Applicant requests Commission approval of a bond issue for water supply and wastewater treatment plant capacity costs. (Nelson)

APPROVED, PR/PG

Item 27. APPLICATION BY PALMER PLANTATION MUNICIPAL UTILITY DISTRICT NO. 1 OF FORT BEND COUNTY FOR APPROVAL OF ESCROW RELEASE; \$3,000,000 BOND ISSUE, APPROVED MARCH 28, 1991. For Commission consideration and action. Applicant requests Commission approval for the release of escrowed funds for the regional drainage impact fee. (Romo)

APPROVED, PR/PG

Item 28. APPLICATION OF PAUL B. HILL AND JENNIFER R. HILL DBA CEDAR CREEK WATER SUPPLY for a Water Certificate of Convenience and Necessity in Limestone County, TX (Application No. 9778-C,

Poe)

APPROVED, PR/PG

Item 29. APPLICATION OF PAUL M. KLAUS DBA K & K WATER COMPANY to Transfer Water CCN No. 11836 from Bill Bunte dba Albi Water Company in Bastrop County, TX (Application No. 9785-S, Holck)

APPROVED, PR/PG

Item 30. APPLICATION OF DAROLD E. WINGERT DBA WINGERT WATER SYSTEMS to Transfer a Portion of Water CCN No. 10692 from W & W Water Company, Inc., Amend Water CCN No. 10663, and Decertify a Portion of CCN No. 10692; in Comal County, TX (Application No. 9753-S, Poe)

APPROVED, PR/PG

Item 31. APPLICATION OF GARFIELD WATER SUPPLY CORPORATION to Amend CCN No. 11244 to Include Area of Certificate of Convenience and Necessity (CCN) No. 12293 of Edward R. Rathgeber, Jr. dba River Timber Water Supply in Travis County, TX (Application No. 9382-S, Horst)

APPROVED, PR/PG

Item 32. APPLICATION NO. 5431 BY KEN E. ANDREWS AND COMPANY, INC., WATER USE PERMIT PURSUANT TO TWC SECTION NO. 11.121. FOR COMMISSION ACTION. Applicant seeks authorization to divert 80 acre-feet of water per annum from Bois D'Arc Creek, tributary of the Trinity River, Trinity River Basin, for irrigation use (trees and grass), approximately 22 miles south of Kaufman, Kaufman County, Texas. (Sharon Smith/arc)

APPROVED, PR/PG

Item 33. APPLICATION NO. 23-3997A BY THE CITY OF LAREDO FOR AN AMENDMENT TO CERTIFICATE OF ADJUDICATION NO. 23-3997. FOR COMMISSION ACTION. The City of Laredo seeks to combine all of their water rights owned under 33 separate certificates with 23-3997 and to amend the combined certificate to change the place of use of their water rights and to state their three different diversion points in Webb County, Texas. (SMITH/jme)

APPROVED, PR/PG

Item 34. COMMISSION APPROVAL FOR THREE MEMBERS TO BE NAMED TO THE WATER WELL DRILLERS ADVISORY COUNCIL. (Ambrose)

APPROVED STAFF RECOMMENDATION, PR/PG

Item 35. CONSIDERATION OF THE APPROVAL OF AN ENGINEERING CONTRACT TO PROVIDE TECHNICAL ASSISTANCE TO THE CITIES AND CLUSTERS OF CITIES CONTRACTING WITH TWC TO PARTICIPATE IN THE CLEAN CITIES 2000 PROGRAM. (KADERKA)

APPROVED STAFF RECOMMENDATION, PR/PG

Item 36. CONSIDERATION TO DETERMINE WHETHER EMERGENCY ORDER NO. 92-20E, GRANTED BY THE TEXAS WATER COMMISSION ON NOVEMBER 4, 1992 TO EXPLORER PIPELINE COMPANY, SHOULD BE AFFIRMED, MODIFIED, OR SET ASIDE. (LIGARDE)

AFFIRMED, PR/PG



UNCONTESTED OLD BUSINESS

Wednesday, January 6, 1993

TEXAS WATER COMMISSION

9:00 a.m.

Room 118

Item carried forward from Agenda of October 28, 1992 and November 18, 1992.

- Item 1. APPLICATION NO. 18-1975A BY TEXAS PARKS AND WILDLIFE DEPARTMENT DESIGN AND CONSTRUCTION DIVISION TO AMEND CERTIFICATE NO. 18-1975. FOR COMMISSION ACTION. Applicant seeks authorization to maintain existing impoundments below the spring head at Stockman Springs. Also to document the diversion of 5780 acre-feet of water per annum through the aqueduct of which only 400 acre-feet of water is consumed in the operation of the Heart of the Hills Fisheries Research Station. To reduce the diversion rate from 25 to 15 cfs and to limit diversions into the aqueduct to times when flows are at least 1 cfs in Fessenden Branch Creek

APPROVED, PG/PR

Item carried forward from agenda of December 16, 1992.

- Item 2. APPLICATION NO. 5432 BY NEWPARK SHIPBUILDING AND REPAIR, INC. FOR A WATER USE PERMIT. For Commission consideration. Applicant seeks authorization to divert not to exceed 245 acre-feet of water per annum from Buffalo Bayou, San Jacinto River Basin, for industrial use at their shipbuilding and repair business in Harris County approximately six miles southeast of the Harris County Courthouse. None of the water diverted will be consumed. (SMITH/tls)

CONTINUED TO JANUARY 13, 1993 AT 9:00 A.M.

HALL  
REED  
GARNER

CONTESTED AGENDA

Wednesday, January 6, 1993

TEXAS WATER COMMISSION

9:00 a.m.

Room 118

Item 1. CONSIDERATION OF THE EXECUTIVE DIRECTOR'S PRELIMINARY ENFORCEMENT REPORT AND PETITION FOR AN ENFORCEMENT ORDER ASSESSING ADMINISTRATIVE PENALTIES AND REQUIRING CERTAIN ACTIONS OF E & D WASTE SYSTEMS, INC.; TEXAS SOLID WASTE REGISTRATION NO. 01721. (Ligarde)

CONTINUED TO FEBRUARY 17, 1993 AT 9:00 A.M.

Item 2. CONSIDERATION OF THE EXECUTIVE DIRECTOR'S PETITION FOR ORDER ASSESSING ADMINISTRATIVE PENALTIES AND REQUIRING CERTAIN ACTIONS OF SPENCER ROAD PUBLIC UTILITY DISTRICT, PERMIT NO. 11472-01. (Martinez)

APPROVE STAFF RECOMMENDATION, PR/PG

Item 3. CONSIDERATION OF THE EXECUTIVE DIRECTOR'S PRELIMINARY REPORT AND PETITION FOR ORDER ASSESSING ADMINISTRATIVE PENALTIES AND REQUIRING CERTAIN ACTIONS OF PILGRIM'S PRIDE CORPORATION, RANDEE CORPORATION, AND WINSTON "8" RANCH, SWR NOS. 31660, 40897, AND 39904, RESPECTIVELY, ANGELINA AND NACOGDOCHES COUNTIES, TEXAS. (Hall)

REMANDED TO OFFICE OF HEARINGS EXAMINERS, PR/PG

Item 4. CONSIDERATION OF THE EXECUTIVE DIRECTOR'S PRELIMINARY ENFORCEMENT REPORT AND PETITION FOR AN ENFORCEMENT ORDER ASSESSING ADMINISTRATIVE PENALTIES AND REQUIRING CERTAIN ACTIONS OF THE CITY OF GONZALES; TEXAS SOLID WASTE PERMIT NO. 01248. (Ryland)

APPROVE STAFF RECOMMENDATION AND ISSUE AGREED ORDER, PR/PG

Item 5. CONSIDERATION OF EXAMINER'S PROPOSAL FOR DECISION AND ORDER CONCERNING THE APPLICATION OF HUNTER INDUSTRIAL FACILITIES, INC. (HIFI) FOR PERMITS NOS. 50320 AND WDW-286 THRU WDW-298, TO AUTHORIZE THE OPERATION OF A COMMERCIAL CLASS I HAZARDOUS AND NON-HAZARDOUS INDUSTRIAL SOLID WASTE STORAGE AND PROCESSING FACILITY AND 13 UNDERGROUND INJECTION CONTROL PERMITS TO DRILL, CONSTRUCT AND OPERATE 10 COMMERCIAL HAZARDOUS AND NON-HAZARDOUS WASTE DISPOSAL WELLS AND CREATE

CONTAINMENT CAVERNS FOR THE DISPOSAL OF SOLIDIFIED WASTE; AND THREE NON-HAZARDOUS WASTE DISPOSAL WELLS FOR THE DISPOSAL OF BRINE. THE FACILITY WOULD BE LOCATED IN LIBERTY COUNTY, TEXAS, IN SEGMENT NO. 0902 OF THE TRINITY RIVER-SAN JACINTO COASTAL BASIN. RECOMMENDATION: ISSUANCE OF PERMITS NOS. HW-50320, WDW 286-288 AND 291-296, AND DENIAL OF PERMITS NOS. WDW-289, 290, 297 AND 298. (SULLIVAN/LIMES)

CONTINUED TO JANUARY 6, 1993 AT 10:00 A.M. AT HYATT REGENCY HOTEL

Item 6. THE COMMISSION WILL MEET IN EXECUTIVE SESSION TO DISCUSS PENDING OR CONTEMPLATED LITIGATION, SETTLEMENT OFFERS, AND/OR THE APPOINTMENT, EMPLOYMENT, EVALUATION, REASSIGNMENT, DUTIES, DISCIPLINE OR DISMISSAL OF SPECIFIC COMMISSION EMPLOYEES, as permitted by TEX.REV.CIV.STAT.ANN. art 6252-17 Sections 2(e) and 2(g). No final action, decision or vote with regard to any matter considered in closed session shall be made in the absence of further notice issued in accordance with TEX.REV.CIV.STAT.ANN. art. 6252-17.

NO ACTION TAKEN

Item 7. THE COMMISSION WILL MEET IN EXECUTIVE SESSION TO DISCUSS THE FOLLOWING PENDING LITIGATION AND OTHER LITIGATION THAT MAY ARISE CHALLENGING OR SUPPORTING COMMISSION ACTION RELATED TO THE EDWARDS AQUIFER: DANNY MCFADEN AND TEXAS FARM BUREAU VS. TEXAS WATER COMMISSION, NO. 92-05214, 331ST DISTRICT COURT OF TRAVIS COUNTY; EDWARDS UNDERGROUND WATER DIST. ET AL. VS. LIVING WATERS ARTESIAN SPS. LTD., ET AL., NO. 91-CI-14862, 57TH DISTRICT COURT OF BEXAR COUNTY; SIERRA CLUB, ET AL. VS. LUJAN, ET AL., NO. 91-CA-069, U.S. DISTRICT COURT, WESTERN DIST. OF TEXAS, MIDLAND ODESSA DIV.; GBRA VS. TEXAS FARM BUREAU, ET AL., NO. 92-05226, 299TH DISTRICT COURT OF TRAVIS COUNTY. L.B.TURLOVE, JR. AND JO HELEN BATOT VS. THE STATE OF TEXAS, TEXAS WATER COMMISSION, CAUSE NO. 92-08-18, 127-CV OF UVALDE COUNTY, 38TH JUDICIAL DISTRICT. THE AUTHORITY FOR THIS MEETING IS TEX. REV. CIV. STAT. ANN. ART. 6252-17, SEC. 2 (e).

NO ACTION TAKEN

ADDENDUM TO CONTESTED AGENDA

Wednesday, January 6, 1993

TEXAS WATER COMMISSION

9:00 a.m.

Room 118

Item 8. Commission consideration of the Petition of Sandoz Agro, Inc. for an Emergency Order authorizing the disposal of approximately 5 million gallons of wastewater in a Class I Injection Well at its facility in Beaumont, Jefferson County, Texas. (G. Hall)

APPROVED STAFF RECOMMENDATION AND ISSUE EMERGENCY ORDER, PG/PR

CONTESTED OLD BUSINESS

Wednesday, January 6, 1993

TEXAS WATER COMMISSION

9:00 a.m.

Room 118

Item carried forward from Agenda of October 21, 1992.

- Item 1. CONSIDERATION OF EXECUTIVE DIRECTOR'S PRELIMINARY REPORT AND PETITION FOR ORDER ASSESSING ADMINISTRATIVE PENALTIES AND REQUIRING CERTAIN ACTIONS OF SUSER ENVIRONMENTAL SERVICES, SWR. NO. 52090 (HALL, GLENN)

CONTINUED TO MARCH 10, 1993 AT 9:00 A.M.

Item carried forward from Agenda of November 4, 1992.

- Item 2. CONSIDERATION OF THE EXECUTIVE DIRECTOR'S ENFORCEMENT REPORT AND PETITION FOR ORDER ASSESSING ADMINISTRATIVE PENALTIES AND REQUIRING CERTAIN ACTIONS OF PHILLIPS 66 COMPANY, SWEENEY REFINERY AND PETROCHEMICAL COMPLEX, SWR NO. 30048. (Alvarado)

CONTINUED TO MARCH 10, 1993 AT 9:00 A.M.

EMERGENCY ADDENDUM TO CONTESTED AGENDA

Wednesday, January 6, 1993

TEXAS WATER COMMISSION

10:00 a.m.

Hyatt Regency Hotel

208 Barton Springs Road

Texas Ball Room

Item carried forward from agenda of January 6, 1993 at 9:00 a.m.

- Item 1. CONSIDERATION OF EXAMINER'S PROPOSAL FOR DECISION AND ORDER CONCERNING THE APPLICATION OF HUNTER INDUSTRIAL FACILITIES, INC. (HIFI) FOR PERMITS NOS. 50320 AND WDW-286 THRU WDW-298, TO AUTHORIZE THE OPERATION OF A COMMERCIAL CLASS I HAZARDOUS AND NON-HAZARDOUS INDUSTRIAL SOLID WASTE STORAGE AND PROCESSING FACILITY AND 13 UNDERGROUND INJECTION CONTROL PERMITS TO DRILL, CONSTRUCT AND OPERATE 10 COMMERCIAL HAZARDOUS AND NON-HAZARDOUS WASTE DISPOSAL WELLS AND CREATE CONTAINMENT CAVERNS FOR THE DISPOSAL OF SOLIDIFIED WASTE; AND THREE NON-HAZARDOUS WASTE DISPOSAL WELLS FOR THE DISPOSAL OF BRINE. THE FACILITY WOULD BE LOCATED IN LIBERTY COUNTY, TEXAS, IN SEGMENT NO. 0902 OF THE TRINITY RIVER-SAN JACINTO COASTAL BASIN. RECOMMENDATION: ISSUANCE OF PERMITS NOS. HW-50320, WDW 286-288 AND 291-296, AND DENIAL OF PERMITS NOS. WDW-289, 290, 297 AND 298. (SULLIVAN/LIMES)

Deny Examiner's Proposal For Decision and Order, and Denied all permits under this application. JH/PR/PG

(Emergency Posting for an urgent public necessity is required because of the numerous inquiries to the Examiner's Proposal for Decision of Hunter Industrial Facilities, Inc. (HIFI) permits, and the meeting will adjourn to Hyatt Regency Hotel. Our room at the Stephen F. Austin Bldg. cannot accommodate the number of people expected to attend this meeting.)