# TEXAS COMMISSION ON ENVIRONMENTAL QUALITY



# NOTICE OF HEARING JOHNSON COUNTY SPECIAL UTILITY DISTRICT SOAH Docket No. 582-17-4464 TCEQ Docket No. 2017-0366-MWD Permit No. WQ0014350001

### APPLICATION.

Johnson County Special Utility District, P.O. Box 509, Cleburne, Texas 76033, has applied to the Texas Commission on Environmental Quality (TCEQ) for a major amendment to Texas Pollutant Discharge Elimination System (TPDES) Permit No. WQ0014350001 to authorize an increase in the discharge of treated domestic wastewater from a daily average flow not to exceed 700,000 gallons per day to a daily average flow not to exceed 790,000 gallons per day. TCEQ received this application on April 5, 2016.

The facility is located approximately 2.5 miles northeast of the intersection of State Highway 174 and Farm-to-Market Road 917 in the City of Burleson, in Johnson County, Texas 76028. The treated effluent is discharged to Village Creek; thence to Lake Arlington in Segment No. 0828 of the Trinity River Basin. The unclassified receiving water use is limited aquatic life use for Village Creek. The designated uses for Segment No. 0828 are high aquatic life use, public water supply, and primary contact recreation. In accordance with Title 30 of the Texas Administrative Code (TAC) Section 307.5 and the TCEO procedures to implement the Texas Surface Water Quality Standards (June 2010), an antidegradation review of the receiving waters was performed. A Tier 1 antidegradation review has preliminarily determined that existing water quality uses will not be impaired by this permit action. Numerical and narrative criteria to protect existing uses will be maintained. This review has preliminarily determined that no water bodies with exceptional, high, or intermediate aquatic life uses are present within the stream reach assessed; therefore, no Tier 2 degradation determination is required. No significant degradation of water quality is expected in water bodies with exceptional, high, or intermediate aquatic life uses downstream, and existing uses will be maintained and protected. The preliminary determination can be reexamined and may be modified if new information is received.

The TCEQ Executive Director has prepared a draft permit which, if approved, would establish the conditions under which the facility must operate. The Executive Director has made a preliminary decision that this permit, if issued, meets all statutory and regulatory requirements. The permit application, Executive Director's preliminary decision, and draft permit are available for viewing and copying at the Johnson County Special Utility District Office, 2849 South Highway 171, Cleburne, Texas. As a public courtesy, we have provided the following Web page to an online map of the site or the

facility's general location. The online map is not part of the application or the notice: < <a href="http://www.tceq.texas.gov/assets/public/hb610/index.html?lat=32.495&lng=-97.350833&zoom=13&type=r">http://www.tceq.texas.gov/assets/public/hb610/index.html?lat=32.495&lng=-97.350833&zoom=13&type=r</a>. For the exact location, refer to the application.

### CONTESTED CASE HEARING.

The State Office of Administrative Hearings (SOAH) will conduct a preliminary hearing at:

10:00 a.m. – July 19, 2017 William P. Clements Building 300 West 15th Street, 4th Floor Austin, Texas 78701

The purpose of a preliminary hearing is to establish jurisdiction, name the parties, establish a procedural schedule for the remainder of the proceeding, allow an opportunity for settlement discussions, and to address other matters as determined by the judge. The evidentiary hearing phase of the proceeding will be similar to a civil trial in state district court. The hearing will address the disputed issues of fact identified in the TCEQ order concerning this application issued on May 18, 2017. In addition to these issues, the judge may consider additional issues if certain factors are met.

The hearing will be conducted in accordance with Chapter 2001, Texas Government Code; Chapter 26, Texas Water Code; and the procedural rules of the TCEQ and SOAH, including 30 TAC Chapter 80 and 1 TAC Chapter 155. The hearing will be held unless all timely hearing requests have been withdrawn or denied.

To request to be a party, you must attend the hearing and show you would be adversely affected by the application in a way not common to members of the general public. Any person may attend the hearing and request to be a party. Only persons named as parties may participate at the hearing.

In accordance with 1 Tex. Admin. Code § 155.401(a), Notice of Hearing, "Parties that are not represented by an attorney may obtain information regarding contested case hearings on the public website of the State Office of Administrative Hearings at <a href="https://www.soah.texas.gov">www.soah.texas.gov</a>, or in printed format upon request to SOAH."

## INFORMATION.

If you need more information about the hearing process for this application, please call the Public Education Program, toll free, at 800-687-4040. General information about the TCEQ can be found at our web site at <a href="http://www.tceq.texas.gov/">http://www.tceq.texas.gov/</a>.

Further information may also be obtained from Johnson County Special Utility District at the address stated above or by calling Mr. Terry Kelley, General Manager, at 817-760-5220.

Persons with disabilities who need special accommodations at the hearing should call the SOAH Docketing Department at 512-475-3445, at least one week prior to the hearing.

Issued: June 9, 2017

Bridget C. Bohon
Bridget C. Bohac, Chief Clerk

Texas Commission on Environmental Quality