

Surface Water Quality Monitoring Procedures, Volume 1:

Physical and Chemical Monitoring Methods

Prepared by
Monitoring and Assessment Section
Water Quality Planning Division
Texas Commission on Environmental Quality

RG-415
Revised August 2012



Bryan W. Shaw, Ph.D., *Chairman*
Carlos Rubinstein, *Commissioner*
Toby Baker, *Commissioner*

Zak Covar, *Executive Director*

We authorize you to use or reproduce any original material contained in this publication—that is, any material we did not obtain from other sources. Please acknowledge the TCEQ as your source.

Copies of this publication are available for public use through the Texas State Library, other state depository libraries, and the TCEQ Library, in compliance with state depository law. For more information on TCEQ publications, call 512-239-0028 or visit our Web site at:

www.tceq.texas.gov/publications

Published and distributed
by the
Texas Commission on Environmental Quality
PO Box 13087
Austin TX 78711-3087

The TCEQ is an equal opportunity employer. The agency does not allow discrimination on the basis of race, color, religion, national origin, sex, disability, age, sexual orientation or veteran status. In compliance with the Americans with Disabilities Act, this document may be requested in alternate formats by contacting the TCEQ at 512-239-0028, Fax 512-239-4488, or 1-800-RELAY-TX (TDD), or by writing PO Box 13087, Austin, TX 78711-3087.

How is our customer service? www.tceq.texas.gov/customersurvey

CONTENTS

Chapter 1. Introduction

Purpose	1-1
SWQM and Clean Rivers Programs	1-1
How SWQM Procedures Are Used	1-1
Legal Authority	1-2
Contact Information	1-2
Getting Resources.....	1-2

Chapter 2. General Monitoring Guidelines

Monitoring Categories.....	2-1
Routine Monitoring.....	2-1
Coordinated Monitoring Schedule and Planning	2-2
Routine Monitoring During Extended Drought	2-2
Special-Project Monitoring.....	2-3
Sediment Sampling for Metals and Organics	2-3
Fish-Tissue Sampling	2-4
Where to Collect Samples	2-4
Sampling Considerations.....	2-4
Permit-Support Monitoring.....	2-4
Systematic Watershed Monitoring.....	2-5
Selecting a Monitoring Site	2-5
Site Access	2-6
Historical Sites	2-6
Water Quality.....	2-6
Designated Uses.....	2-7
Locating Representative Sites.....	2-7
Spatial Considerations.....	2-7
Type of Water Body	2-8
Mixing Zones	2-8
Monitoring Below Dams	2-9
Temporal Considerations	2-9
Generating New Monitoring Stations.....	2-10
Flow Conditions for Collecting Samples	2-10
Metals-in-Water Samples	2-10
Sediment and Tissue Samples	2-10
Flow Data Requirements	2-10
Required Equipment	2-11
SWQM Internet Resources	2-11
Guidance Documents	2-11
Forms Online.....	2-11
Quality Control	2-11
Interim Method Changes.....	2-11
Alternate SWQM Sample Collection Methods.....	2-11
Data Reporting.....	2-12
Minimum Data Requirements for the Assessment of Surface Waters.....	2-12

Chapter 3. Field Measurements

Recording Field Data.....	3-1
Recording Field Observations	3-2
General Observations.....	3-2

Other Information Recorded.....	3-3
Water and Sediment Samples.....	3-3
Tissue Samples.....	3-3
Biological Samples.....	3-3
Field Measurements	3-3
Where to Collect Field Measurements.....	3-3
Depth of Field Measurements	3-4
Field Parameters.....	3-5
Required Monitoring Equipment.....	3-5
Water Temperature	3-5
Equipment	3-5
Procedures for Sampling	3-5
pH.....	3-5
Equipment	3-5
Procedures for Sampling	3-5
Dissolved Oxygen.....	3-5
Equipment	3-5
Procedures for Sampling	3-5
24-Hour Dissolved Oxygen	3-6
Sampling for Compliance with Standards for the Aquatic-Life Use.....	3-6
Unattended Data Collection: Dissolved Oxygen.....	3-6
Specific Conductance.....	3-10
Equipment	3-10
Procedures for Sampling	3-10
Salinity	3-10
Equipment	3-10
Procedures for Sampling	3-10
Field Measurements from a Bucket.....	3-11
Secchi-Disk Transparency	3-11
Importance of Secchi-Disk Transparency Data.....	3-11
Equipment	3-11
Procedures for Sampling	3-12
Secchi Tube	3-13
Chlorine Residual	3-14
Field Data Reporting.....	3-14
General Rounding Rules	3-14
Other Field Observations	3-14
Days Since Last Significant Precipitation	3-14
Flow Severity	3-15
Pool Characteristics (Flow Severity = 1).....	3-18
Reporting the Flow-Measurement Method	3-18
Flow.....	3-18
Considerations when Measuring Flow.....	3-18
Exceptions to Flow-Reporting Requirements	3-19
Methods for Measuring Flow.....	3-19
Instantaneous Flow Measurement	3-19
Equipment	3-19
Procedure for Measuring Flow.....	3-19
Flow-Gauging Stations.....	3-28
Guidelines for Using a SonTek FlowTracker (Acoustic Doppler Velocimeter).....	3-32
Getting Started with the Equipment	3-32
Setup Parameters Menu.....	3-32
Units	3-33

Average Time	3-33
Data-Collection Mode	3-33
System Functions Menu	3-34
Starting Data Collection in the Discharge Mode.....	3-34
FlowTracker Software.....	3-39
Portable Cutthroat Flume	3-43
Flow Estimate (ft ³ /s).....	3-45
Chapter 4. Collecting and Analyzing Bacteriological Samples	
National Environmental Laboratory Accreditation Program (NELAP).....	4-1
Bacteriological-Sample Collection.....	4-1
Sample-Collection Bottles	4-1
IDEXX Containers	4-1
Other Containers.....	4-1
Sampling Considerations	4-3
Sample Collection.....	4-3
Sample Labeling.....	4-3
Documenting Sample Collection.....	4-3
Sample Treatment in the Presence of Chlorine.....	4-4
Sample Preservation	4-4
Sample Shipping.....	4-4
Quality-Control Samples.....	4-4
Sample Holding Time	4-4
Selecting an Indicator for Classified Water Bodies	4-5
Selecting an Indicator for Unclassified Water Bodies	4-5
Program-Specific Requirements and Guidance.....	4-5
Selecting a Method	4-6
<i>E. coli</i>	4-6
Enterococci.....	4-6
Fecal Coliform.....	4-6
Selecting Sample Dilutions.....	4-6
Reporting Rules	4-7
IDEXX Methods.....	4-7
All Bacteriological Methods	4-7
Quality-Control Requirements.....	4-7
Bacteriological Laboratory Duplicate	4-7
Comparison Counting.....	4-8
Chapter 5. Collecting Water Samples	
General Principles	5-1
Required Equipment	5-1
Depth of Sample Collection.....	5-1
Where to Collect Samples.....	5-1
Collecting Water Samples from a Bridge.....	5-1
Collecting Water Samples and Field Measurements from the Same Container.....	5-2
Collecting Water-Chemistry Samples	5-2
Conventional Parameters	5-2
Nutrient Sample Collection	5-3
Sample Containers and Volumes	5-4
Container Label	5-4
Sample Preservation	5-5
Field QC Samples.....	5-5
Metals-in-Water Samples.....	5-5

Routine Status Monitoring for Metals.....	5-5
Sample-Collection Depth	5-6
Sampling Equipment and Preparation	5-6
Field Filtration.....	5-6
Labeling the Sample Container	5-7
Sample Preservation	5-8
Companion Samples for Metals in Water	5-8
Clean Hands / Dirty Hands Sampling	5-8
Metals-in-Water Collection Procedures	5-9
TCEQ Houston Laboratory Clean Metals Kit—Sampling Procedure.....	5-10
Requirements for Collecting QC Samples for Metals in Water.....	5-13
Collecting Field Equipment Blanks.....	5-14
Blank Water.....	5-14
Organics-in-Water Samples	5-14
Sample Containers and Collection	5-14
Methyl-Tert-Butyl Ether (MTBE).....	5-15
Perchlorate.....	5-16
Propellants, Explosives, and Pyrotechnics (PEPs).....	5-16
Miscellaneous Parameters.....	5-16
Hexavalent Chromium	5-16
Cyanide.....	5-16
Handling and Shipping Samples	5-17
Data Reporting	5-17

Chapter 6. Collecting Sediment Samples

Sediment Samples	6-1
Characteristics of Sediment	6-1
Characteristics of an Ideal Site	6-1
Selecting the Appropriate Sediment Type for Analysis.....	6-2
Required Equipment.....	6-2
General Collection Procedure.....	6-3
Metals, Pesticides, and Semivolatile Organics in Sediment	6-4
Collecting Metal, Semivolatile, or Pesticide Samples	6-5
Sediment Conventionals	6-5
Volatile Organics in Sediment.....	6-5
Sample Containers	6-6
Sample Size.....	6-6
Labeling	6-6
Preservation	6-6
Handling and Shipping Samples	6-6
Field Notes	6-7
Data Reporting.....	6-7

Chapter 7. Collecting Tissue Samples

Guidelines for Tissue Sampling in Texas.....	7-1
Selecting a Sample Type.....	7-1
Background Conditions.....	7-1
Long-Term Trends	7-2
Ecosystem Health.....	7-2
Human-Health Risk.....	7-2
Site Description	7-3
Notifying the TPWD in Advance of Collecting.....	7-3
Safety.....	7-3

Sampling Techniques for Fish.....	7-4
Collection Methods.....	7-4
Required Equipment	7-4
Handling Fish Specimens.....	7-4
Selecting Specimens	7-4
Time of Collection.....	7-4
Sample Size	7-4
Species Selection.....	7-5
Composite Samples	7-5
Other Tissue Types.....	7-5
Selecting Species Specific to a Study or Investigation.....	7-5
Collecting Information in the Field	7-5
Sample Preparation for Edible Portions.....	7-5
Preparing Fish Samples in the Laboratory	7-5
Preparing Fish Samples in the Field.....	7-6
Preparing Crab Samples	7-7
Preparing Whole-Organism Samples.....	7-7
Fish	7-7
Crabs.....	7-7
Crayfish and Prawns.....	7-8
Oysters, Clams, Rangia, and Mussels	7-8
Handling and Shipping Samples	7-8
Labeling.....	7-8
Preservation.....	7-8
Shipping Samples	7-9
Submitting Tissue Data	7-9

Chapter 8. Calibrating and Maintaining Multiprobe Instruments

Calibration Logs for SWQM.....	8-1
Temperature-Controlled Environment	8-2
Rinsing the Sensors	8-2
Temperature-Sensor Check	8-2
Calibration Standards and Multiprobe-Sensor Solutions	8-3
Specific-Conductance Calibration Standards.....	8-3
Calibrating Hydrolab Instruments	8-3
Specific Conductance.....	8-3
Series 3 (DataSonde 3, H2O, Recorder, Reporter) and Quanta Sondes.....	8-3
Series 4, Series 4a, and Series 5 Sondes (DataSonde and MiniSonde).....	8-5
Reporting Salinity.....	8-5
pH Sensor.....	8-4
Dissolved-Oxygen Sensor.....	8-6
Clark Polarographic DO Cell	8-6
Luminescent DO Cell—Series 5 Sondes Only.....	8-7
Calibrating YSI Instruments.....	8-9
Specific Conductance.....	8-9
Before Calibration	8-9
Calibration	8-10
Conductivity Cell Constant	8-10
pH Two-Point Calibration.....	8-10
pH 7	8-10
pH 4 or 10.....	8-11
pH Millivolt Response.....	8-11
Dissolved-Oxygen Sensor.....	8-12

DO (Rapid Pulse Sensor) Calibration for Instantaneous Sampling.....	8-12
DO (Rapid Pulse Sensor) Indicators.....	8-13
DO (Rapid Pulse Sensor) Calibration for Unattended Sampling	8-13
DO ROX Optical-Sensor Calibration.....	8-14
Barometric Pressure.....	8-14
Internal Barometer Check	8-14
Absolute Barometric Pressure	8-15
Calculating a DO Calibration Value (mg/L).....	8-16
Calibrating the Depth Sensor.....	8-16
Calibration Summary	8-17
Post-Calibration Check.....	8-17
24-Hour DO Monitoring	8-17
Post-Calibration Check—Error Limits.....	8-19
General Maintenance.....	8-20
Short-Term Instrument Storage	8-20
Scheduled Maintenance	8-20
Hydrolab Multiprobes.....	8-20
YSI Multiprobes.....	8-25
Long-Term Storage of Hydrolab Instruments.....	8-27
Downloading Data.....	8-27

Chapter 9. Required Equipment and Spare Parts

Routine Field Measurements.....	9-1
Water Sampling.....	9-1
Bacteriological Sampling	9-1
<i>E. coli</i> and Enterococci	9-1
Sediment Sampling.....	9-1
Fish-Tissue Sampling	9-2
Other Office and Field Equipment	9-2
Optional Equipment	9-2

Chapter 10. Quality Assurance and Quality Control

Quality Assurance	10-1
Quality-Assurance Documents	10-1
Technical and Monitoring Systems Audits	10-1
Records Review	10-2
Procedures for Instrument Calibration	10-2
Data and Sample Collection Procedures	10-2
TSA Review Follow-Up	10-3
Annual Workshop on Surface Water Quality Monitoring	10-3
Quality-Control Samples.....	10-4
QC Sample Results	10-4
Field Split (Required)	10-4
Equipment Blank (Required for Metals in Water).....	10-4
Field Blank (Required for Total Metals in Water).....	10-6
VOA Trip Blank (Required).....	10-6
Laboratory Equipment Blank for Metals-in-Water Supplies.....	10-6
Optional QC Samples	10-6
Equipment Blank—Other than Metals	10-6
Field Blanks—Other than Total Metals	10-6
Field (Environmental) Duplicates	10-7
Sediment and Tissue Samples	10-7
Tracking QC Data.....	10-7

Chapter 11. Field Safety

Basic Safety Preparation.....	11-1
Transporting Chemicals.....	11-2
Wading	11-3
Working from Bridges.....	11-3
Working from Boats	11-4
Personal Flotation Devices	11-6
Collecting Fish	11-7
Electrofishing.....	11-7
General Electrofishing Safety.....	11-7
Backpack Electrofishing.....	11-7
Boat Electrofishing.....	11-8
Working with Nets.....	11-8
Working with Fish	11-8
Contaminated Water.....	11-8
Weather	11-9
Lightning Safety	11-9
Temperature Exposure.....	11-9
Cold Emergencies.....	11-9
Heat Emergencies.....	11-10
Plants and Animals.....	11-10

Appendixes

A. Monitoring Resources Online.....	A-1
B. Glossary	B-1
C. Conversion Table.....	C-1
D. Abbreviations	D-1

References.....	E-1
-----------------	-----

Tables

2.1 Objectives for Permit-Support Monitoring.....	2-5
2.2 Objectives for Systematic Watershed Monitoring.....	2-6
2.3 Mixing-Zone Boundaries.....	2-9
3.1 Final Format for Reporting Field Data (Rounding, Significant Figures).....	3-16
3.2 Flow-Severity Values	3-17
3.3 <i>Example 1</i> : Streamflow Measurement in a Small Stream < 5 Feet Wide and ≤ 2.5 Feet Deep.....	3-28
3.4 <i>Example 2</i> : Streamflow Measurement in a Larger Stream > 5 Feet Wide and ≤ 2.5 Feet Deep.....	3-29
3.5 <i>Example 3</i> : Streamflow Measurement in a Larger Stream > 5 Feet Wide and > 2.5 Feet Deep.....	3-30
3.6 Streamflow (Discharge) Measurement Form	3-31
3.7 Cutthroat-Flume Flow Conversion.....	3-44
5.1 Components of a Standard Metals-in-Water Sample-Collection Kit	5-7
5.2 Quick Reference Guide—Water-Sample Collection Methods, Preservation, Storage, and Handling.....	5-18
5.3 Summary of Quality-Control Samples for Water.....	5-22
6.1 Quick Reference Guide—Sediment-Sample Collection Methods, Preservation, Storage, and Handling.....	6-8
7.1 Target Species and Suggested Minimum Sizes.....	7-10
7.2 Quick Reference Guide—Procedures for Collecting Fish Tissue	7-15

8.1 DO Saturation Values in mg/L (Oxygen Content of Air-Saturated Freshwater at 760 mm Hg)	8-18
8.2 Multiprobe Calibration: Summary	8-19
8.3 Error Limits for the Post-Calibration Check	8-19
8.4 pH-Calibration Standards	8-30
10.1 Summary of Quality-Control Sampling	10-5
11.1 Basic Safety-Equipment Checklist	11-2
11.2 Boating-Safety Checklist	11-5
11.3 Types of Personal Flotation Devices	11-6
11.4 Common Wildlife Hazards	11-11
11.5 Common Plant Hazards	11-14

Figures

3.1 Index, Non-Index, and Critical Periods	3-7
3.2 Deploying an Instrument for 24-Hour Monitoring	3-8
3.3 Secchi Disk	3-12
3.4 Secchi Tube	3-13
3.5 Selecting a Stream Reach	3-20
3.6 Measuring the Stream Width	3-21
3.7 Determining the Midpoint of the Cross-Section	3-22
3.8 Measuring the Depth at Each Midpoint	3-22
3.9 Measuring the Depth Using a Top-Setting Wading Rod	3-23
3.10 Top-Setting Wading Rod	3-23
3.11 Setting the Flow Sensor at Depths \leq 2.5 Feet	3-24
3.12 Setting the Flow Sensor at Depths $>$ 2.5 Feet	3-24
3.13 Measuring Velocity	3-25
3.14 Recording Flow Data	3-26
3.15 Streamflow (Discharge) Measurement	3-26
3.16 Calculating Streamflow (Discharge)	3-27
3.17 Start-up Screen	3-32
3.18 Main Menu Screen	3-33
3.19 Setup Parameters—Average Time and Discharge Mode Screen	3-33
3.20 Streamflow-Measurement Method	3-33
3.21 System Function Screens	3-34
3.22 FlowTracker Keypad	3-34
3.23 Data File Name Menu	3-35
3.24 Staff and Gauge Height Menu	3-35
3.25 Starting Edge Screen	3-36
3.26 Set Location Screen	3-36
3.27 Final Discharge Measurement Screens	3-38
3.28 FlowTracker Probe Orientation Relative to Streamflow	3-38
3.29 Updating-Display Screen	3-39
3.30 Velocity and QC Data Screen	3-39
3.31 FlowTracker Main Screen	3-40
3.32 FlowExporter Options Window	3-41
3.33 Discharge Measurement Summary Report	3-42
3.34 Quality Control Summary Report	3-42
3.35 Portable Cutthroat Flume	3-43
3.36 Top View of the Cutthroat Flume	3-43
3.37 Staff Gauge	3-46
3.38 Staff Gauge Established at Low Flow	3-47
3.39 Flow Graph	3-48
4.1 IDEXX Certificates of Quality Request Form	4-2

4.2 IDEXX Quality-Control Certificate	4-2
5.1 Whatman GD/X Syringe Filter and Filtration Apparatus.....	5-4
5.2 Collecting a Dissolved-Metals Sample with a TCEQ Clean Metals Kit	5-9
6.1 Sediment Characteristics	6-1
6.2 Typical Sediment Stratification.....	6-2
6.3 Sediment Dredges.....	6-3
6.4 (A) Emptying the Sample into a Pan; (B) Sediment Sample.....	6-4
6.5 Compositing a Sediment Sample in a Bucket or Pan.....	6-4
6.6 Collecting a Sample Directly from the Dredge	6-5
7.1 Fish-Collection Reporting Form.....	7-12
7.2 Species-Collection Report.....	7-13
8.1 Standard Setup for Calibrating Hydrolab Sondes.....	8-4
8.2 Water-Saturated-Air Calibration of the LDO Sensor	8-8
8.2 Replacing the DO Membrane.....	8-23