



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

City of Garland Water Utilities Laboratory

2500 E. Centerville Road
Garland, TX 75040-6811

Certificate: T104704376-18-14

Expiration Date: 11/30/2018

Issue Date: 6/29/2018

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: *Drinking Water*

Method SM 9223-IDEXX Laboratories
Colilert®-18 Test

Analyte	AB	Analyte ID	Method ID
Total coliforms and E. coli (P/A)	TX	2502	20214602



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

City of Garland Water Utilities Laboratory

2500 E. Centerville Road
Garland, TX 75040-6811

Certificate: T104704376-18-14

Expiration Date: 11/30/2018

Issue Date: 6/29/2018

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: *Non-Potable Water*

Method EPA 1664

Analyte	AB	Analyte ID	Method ID
n-Hexane Extractable Material (HEM) (O&G)	TX	1803	10127807

Method EPA 200.8

Analyte	AB	Analyte ID	Method ID
Aluminum	TX	1000	10014605
Antimony	TX	1005	10014605
Arsenic	TX	1010	10014605
Barium	TX	1015	10014605
Beryllium	TX	1020	10014605
Cadmium	TX	1030	10014605
Chromium	TX	1040	10014605
Copper	TX	1055	10014605
Lead	TX	1075	10014605
Manganese	TX	1090	10014605
Molybdenum	TX	1100	10014605
Nickel	TX	1105	10014605
Selenium	TX	1140	10014605
Thallium	TX	1165	10014605
Zinc	TX	1190	10014605

Method EPA 608

Analyte	AB	Analyte ID	Method ID
4,4'-DDD	TX	7355	10103603
4,4'-DDE	TX	7360	10103603
4,4'-DDT	TX	7365	10103603
Aldrin	TX	7025	10103603
alpha-BHC (alpha-Hexachlorocyclohexane)	TX	7110	10103603
Aroclor-1016 (PCB-1016)	TX	8880	10103603
Aroclor-1221 (PCB-1221)	TX	8885	10103603
Aroclor-1232 (PCB-1232)	TX	8890	10103603
Aroclor-1242 (PCB-1242)	TX	8895	10103603



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

City of Garland Water Utilities Laboratory

2500 E. Centerville Road
Garland, TX 75040-6811

Certificate: T104704376-18-14

Expiration Date: 11/30/2018

Issue Date: 6/29/2018

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: *Non-Potable Water*

Aroclor-1248 (PCB-1248)	TX	8900	10103603
Aroclor-1254 (PCB-1254)	TX	8905	10103603
Aroclor-1260 (PCB-1260)	TX	8910	10103603
beta-BHC (beta-Hexachlorocyclohexane)	TX	7115	10103603
Chlordane (tech.)	TX	7250	10103603
delta-BHC (delta-Hexachlorocyclohexane)	TX	7105	10103603
Dieldrin	TX	7470	10103603
Endosulfan II	TX	7515	10103603
Endosulfan sulfate	TX	7520	10103603
Endrin	TX	7540	10103603
Endrin aldehyde	TX	7530	10103603
gamma-BHC (Lindane, gamma-Hexachlorocyclohexane)	TX	7120	10103603
Heptachlor	TX	7685	10103603
Heptachlor epoxide	TX	7690	10103603
Toxaphene (Chlorinated camphene)	TX	8250	10103603

Method EPA 624

Analyte	AB	Analyte ID	Method ID
1,1,1-Trichloroethane	TX	5160	10107207
1,1,2,2-Tetrachloroethane	TX	5110	10107207
1,1,2-Trichloroethane	TX	5165	10107207
1,1-Dichloroethane	TX	4630	10107207
1,1-Dichloroethylene	TX	4640	10107207
1,2-Dichlorobenzene	TX	4610	10107207
1,2-Dichloroethane (Ethylene dichloride)	TX	4635	10107207
1,2-Dichloropropane	TX	4655	10107207
1,3-Dichlorobenzene	TX	4615	10107207
1,4-Dichlorobenzene	TX	4620	10107207
2-Chloroethyl vinyl ether	TX	4500	10107207
Acrolein (Propenal)	TX	4325	10107207
Acrylonitrile	TX	4340	10107207



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

City of Garland Water Utilities Laboratory

2500 E. Centerville Road
Garland, TX 75040-6811

Certificate: T104704376-18-14

Expiration Date: 11/30/2018

Issue Date: 6/29/2018

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: *Non-Potable Water*

Benzene	TX	4375	10107207
Bromodichloromethane	TX	4395	10107207
Bromoform	TX	4400	10107207
Carbon tetrachloride	TX	4455	10107207
Chlorobenzene	TX	4475	10107207
Chlorodibromomethane	TX	4575	10107207
Chloroethane (Ethyl chloride)	TX	4485	10107207
Chloroform	TX	4505	10107207
cis-1,3-Dichloropropene	TX	4680	10107207
Ethylbenzene	TX	4765	10107207
Methyl chloride (Chloromethane)	TX	4960	10107207
Methylene chloride (Dichloromethane)	TX	4975	10107207
Tetrachloroethylene (Perchloroethylene)	TX	5115	10107207
Toluene	TX	5140	10107207
trans-1,2-Dichloroethylene	TX	4700	10107207
trans-1,3-Dichloropropylene	TX	4685	10107207
Trichloroethene (Trichloroethylene)	TX	5170	10107207
Trichlorofluoromethane (Fluorotrichloromethane, Freon 11)	TX	5175	10107207
Vinyl chloride	TX	5235	10107207

Method EPA 625

Analyte	AB	Analyte ID	Method ID
1,2,4-Trichlorobenzene	TX	5155	10107401
2,2'-Oxybis(1-chloropropane) (bis(2-Chloro-1-methylethyl)ether)	TX	4659	10107401
2,4,6-Trichlorophenol	TX	6840	10107401
2,4-Dimethylphenol	TX	6130	10107401
2,4-Dinitrophenol	TX	6175	10107401
2,4-Dinitrotoluene (2,4-DNT)	TX	6185	10107401
2,6-Dinitrotoluene (2,6-DNT)	TX	6190	10107401
2-Chloronaphthalene	TX	5795	10107401
2-Chlorophenol	TX	5800	10107401



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

City of Garland Water Utilities Laboratory

2500 E. Centerville Road
Garland, TX 75040-6811

Certificate: T104704376-18-14

Expiration Date: 11/30/2018

Issue Date: 6/29/2018

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

2-Methyl-4,6-dinitrophenol (4,6-Dinitro-2-methylphenol)	TX	6360	10107401
2-Nitrophenol	TX	6490	10107401
3,3'-Dichlorobenzidine	TX	5945	10107401
4-Bromophenyl phenyl ether (BDE-3)	TX	5660	10107401
4-Chloro-3-methylphenol	TX	5700	10107401
4-Chlorophenyl phenylether	TX	5825	10107401
4-Nitrophenol	TX	6500	10107401
Acenaphthene	TX	5500	10107401
Acenaphthylene	TX	5505	10107401
Anthracene	TX	5555	10107401
Benzidine	TX	5595	10107401
Benzo(a)anthracene	TX	5575	10107401
Benzo(a)pyrene	TX	5580	10107401
Benzo(b)fluoranthene	TX	5585	10107401
Benzo(g,h,i)perylene	TX	5590	10107401
Benzo(k)fluoranthene	TX	5600	10107401
bis(2-Chloroethoxy)methane	TX	5760	10107401
bis(2-Chloroethyl) ether	TX	5765	10107401
bis(2-Ethylhexyl) phthalate (Di(2-Ethylhexyl) phthalate, DEHP)	TX	6065	10107401
Butyl benzyl phthalate	TX	5670	10107401
Chrysene	TX	5855	10107401
Dibenz(a,h) anthracene	TX	5895	10107401
Diethyl phthalate	TX	6070	10107401
Dimethyl phthalate	TX	6135	10107401
Di-n-butyl phthalate	TX	5925	10107401
Di-n-octyl phthalate	TX	6200	10107401
Fluoranthene	TX	6265	10107401
Fluorene	TX	6270	10107401
Hexachlorobenzene	TX	6275	10107401
Hexachlorobutadiene	TX	4835	10107401



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

City of Garland Water Utilities Laboratory

2500 E. Centerville Road
Garland, TX 75040-6811

Certificate: T104704376-18-14

Expiration Date: 11/30/2018

Issue Date: 6/29/2018

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: *Non-Potable Water*

Hexachlorocyclopentadiene	TX	6285	10107401
Hexachloroethane	TX	4840	10107401
Indeno(1,2,3-cd) pyrene	TX	6315	10107401
Isophorone	TX	6320	10107401
Naphthalene	TX	5005	10107401
Nitrobenzene	TX	5015	10107401
n-Nitrosodimethylamine	TX	6530	10107401
n-Nitrosodi-n-propylamine	TX	6545	10107401
n-Nitrosodiphenylamine	TX	6535	10107401
Pentachlorophenol	TX	6605	10107401
Phenanthrene	TX	6615	10107401
Phenol	TX	6625	10107401
Pyrene	TX	6665	10107401

Method IDEXX Laboratories Colilert®-18

Analyte	AB	Analyte ID	Method ID
Escherichia coli (enumeration)	TX	2525	20212800

Method SM 2540 C

Analyte	AB	Analyte ID	Method ID
Residue-filterable (TDS)	TX	1955	20049803

Method SM 2540 D

Analyte	AB	Analyte ID	Method ID
Residue-nonfilterable (TSS)	TX	1960	20004802

Method SM 4500-H+ B

Analyte	AB	Analyte ID	Method ID
pH	TX	1900	20104603

Method SM 4500-NH3 G

Analyte	AB	Analyte ID	Method ID
Ammonia as N	TX	1515	20023205

Method SM 5210 B

Analyte	AB	Analyte ID	Method ID
Biochemical oxygen demand (BOD)	TX	1530	20027401



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

City of Garland Water Utilities Laboratory

2500 E. Centerville Road
Garland, TX 75040-6811

Certificate: T104704376-18-14

Expiration Date: 11/30/2018

Issue Date: 6/29/2018

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: *Non-Potable Water*

Carbonaceous BOD, CBOD

TX

1555

20027401