



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

Culligan Analytical Laboratory

**9399 West Higgins Road, Suite 1100
Rosemont, IL 60018-4940**

Certificate: T104704329-18-11
Expiration Date: 5/31/2019
Issue Date: 6/1/2018

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: *Drinking Water*

Method EPA 200.7

Analyte	AB	Analyte ID	Method ID
Aluminum	IL	1000	10013806
Barium	IL	1015	10013806
Copper	IL	1055	10013806
Iron	IL	1070	10013806
Magnesium	IL	1085	10013806
Manganese	IL	1090	10013806
Nickel	IL	1105	10013806
Sodium	IL	1155	10013806
Zinc	IL	1190	10013806

Method EPA 200.8

Analyte	AB	Analyte ID	Method ID
Aluminum	IL	1000	10014605
Antimony	IL	1005	10014605
Arsenic	IL	1010	10014605
Barium	IL	1015	10014605
Beryllium	IL	1020	10014605
Cadmium	IL	1030	10014605
Chromium	IL	1040	10014605
Copper	IL	1055	10014605
Lead	IL	1075	10014605
Manganese	IL	1090	10014605
Nickel	IL	1105	10014605
Selenium	IL	1140	10014605
Silver	IL	1150	10014605
Thallium	IL	1165	10014605
Zinc	IL	1190	10014605

Method EPA 300.0

Analyte	AB	Analyte ID	Method ID
Chloride	IL	1575	10053200



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

Culligan Analytical Laboratory
9399 West Higgins Road, Suite 1100
Rosemont, IL 60018-4940

Certificate: T104704329-18-11
Expiration Date: 5/31/2019
Issue Date: 6/1/2018

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: *Drinking Water*

Fluoride	IL	1730	10053200
Nitrate as N	IL	1810	10053200
Nitrite as N	IL	1840	10053200
Sulfate	IL	2000	10053200

Method SM 9223-IDEXX Laboratories
Colilert®-18 Test

Analyte	AB	Analyte ID	Method ID
Total coliforms and E. coli (P/A)	IL	2502	20214602