



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

San Antonio River Authority Regional Environmental Laboratory
 600 E Euclid Ave
 San Antonio, TX 78212-4405

Certificate: T104704262-18-22
 Expiration Date: 2/28/2019
 Issue Date: 3/7/2018

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: *Drinking Water*

Method EPA 120.1

| Analyte | AB | Analyte ID | Method ID |
|--------------|----|------------|-----------|
| Conductivity | TX | 1610 | 10006403 |

Method EPA 200.8

| Analyte | AB | Analyte ID | Method ID |
|-----------|----|------------|-----------|
| Aluminum | TX | 1000 | 10014605 |
| Antimony | TX | 1005 | 10014605 |
| Arsenic | TX | 1010 | 10014605 |
| Barium | TX | 1015 | 10014605 |
| Beryllium | TX | 1020 | 10014605 |
| Cadmium | TX | 1030 | 10014605 |
| Chromium | TX | 1040 | 10014605 |
| Copper | TX | 1055 | 10014605 |
| Lead | TX | 1075 | 10014605 |
| Manganese | TX | 1090 | 10014605 |
| Mercury | TX | 1095 | 10014605 |
| Nickel | TX | 1105 | 10014605 |
| Selenium | TX | 1140 | 10014605 |
| Silver | TX | 1150 | 10014605 |
| Thallium | TX | 1165 | 10014605 |
| Uranium | TX | 3035 | 10014605 |
| Zinc | TX | 1190 | 10014605 |

Method EPA 300.0

| Analyte | AB | Analyte ID | Method ID |
|--------------|----|------------|-----------|
| Bromide | TX | 1540 | 10053200 |
| Chloride | TX | 1575 | 10053200 |
| Fluoride | TX | 1730 | 10053200 |
| Nitrate as N | TX | 1810 | 10053200 |
| Nitrite as N | TX | 1840 | 10053200 |
| Sulfate | TX | 2000 | 10053200 |



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

San Antonio River Authority Regional Environmental Laboratory
 600 E Euclid Ave
 San Antonio, TX 78212-4405

Certificate: T104704262-18-22
 Expiration Date: 2/28/2019
 Issue Date: 3/7/2018

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: *Drinking Water*

Method IDEXX Laboratories SimPlate®

| | | | |
|---------------------------|-----------|-------------------|------------------|
| Analyte | AB | Analyte ID | Method ID |
| Heterotrophic plate count | TX | 2555 | 60032602 |

Method SM 2340 C

| | | | |
|-------------------------------------|-----------|-------------------|------------------|
| Analyte | AB | Analyte ID | Method ID |
| Total hardness as CaCO ₃ | TX | 1755 | 20047001 |

Method SM 2540 C

| | | | |
|--------------------------|-----------|-------------------|------------------|
| Analyte | AB | Analyte ID | Method ID |
| Residue-filterable (TDS) | TX | 1955 | 20049803 |

Method SM 2540 D

| | | | |
|-----------------------------|-----------|-------------------|------------------|
| Analyte | AB | Analyte ID | Method ID |
| Residue-nonfilterable (TSS) | TX | 1960 | 20004802 |

Method SM 9223-IDEXX Laboratories Colilert®-18 Test

| | | | |
|-----------------------------------|-----------|-------------------|------------------|
| Analyte | AB | Analyte ID | Method ID |
| Total coliforms and E. coli (P/A) | TX | 2502 | 20214602 |

Method SM 9223-IDEXX Laboratories Colilert®-18 Quanti-Tray Test

| | | | |
|--------------------------------|-----------|-------------------|------------------|
| Analyte | AB | Analyte ID | Method ID |
| Escherichia coli (enumeration) | TX | 2525 | 20211603 |



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

San Antonio River Authority Regional Environmental Laboratory
 600 E Euclid Ave
 San Antonio, TX 78212-4405

Certificate: T104704262-18-22
 Expiration Date: 2/28/2019
 Issue Date: 3/7/2018

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

| Method | AB | Analyte ID | Method ID |
|------------------------------------|----|------------|-----------|
| Method EPA 120.1 | | | |
| Analyte Conductivity | TX | 1610 | 10006403 |
| Method EPA 160.4 | | | |
| Analyte Residue-volatile | TX | 1970 | 10010409 |
| Method EPA 180.1 | | | |
| Analyte Turbidity | TX | 2055 | 10011606 |
| Method EPA 200.8 | | | |
| Analyte Aluminum | TX | 1000 | 10014605 |
| Antimony | TX | 1005 | 10014605 |
| Arsenic | TX | 1010 | 10014605 |
| Barium | TX | 1015 | 10014605 |
| Beryllium | TX | 1020 | 10014605 |
| Cadmium | TX | 1030 | 10014605 |
| Calcium | TX | 1035 | 10014605 |
| Chromium | TX | 1040 | 10014605 |
| Cobalt | TX | 1050 | 10014605 |
| Copper | TX | 1055 | 10014605 |
| Iron | TX | 1070 | 10014605 |
| Lead | TX | 1075 | 10014605 |
| Magnesium | TX | 1085 | 10014605 |
| Manganese | TX | 1090 | 10014605 |
| Molybdenum | TX | 1100 | 10014605 |
| Nickel | TX | 1105 | 10014605 |
| Potassium | TX | 1125 | 10014605 |
| Selenium | TX | 1140 | 10014605 |
| Silver | TX | 1150 | 10014605 |
| Sodium | TX | 1155 | 10014605 |



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

San Antonio River Authority Regional Environmental Laboratory
 600 E Euclid Ave
 San Antonio, TX 78212-4405

Certificate: T104704262-18-22
 Expiration Date: 2/28/2019
 Issue Date: 3/7/2018

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Non-Potable Water

| | | | |
|---|-----------|-------------------|------------------|
| Thallium | TX | 1165 | 10014605 |
| Uranium | TX | 3035 | 10014605 |
| Zinc | TX | 1190 | 10014605 |
| Method EPA 245.1 | | | |
| Analyte | AB | Analyte ID | Method ID |
| Mercury | TX | 1095 | 10036609 |
| Method EPA 300.0 | | | |
| Analyte | AB | Analyte ID | Method ID |
| Bromide | TX | 1540 | 10053200 |
| Chloride | TX | 1575 | 10053200 |
| Fluoride | TX | 1730 | 10053200 |
| Nitrate as N | TX | 1810 | 10053200 |
| Nitrite as N | TX | 1840 | 10053200 |
| Sulfate | TX | 2000 | 10053200 |
| Method EPA 351.2 | | | |
| Analyte | AB | Analyte ID | Method ID |
| Kjeldahl Nitrogen (Total Kjeldahl Nitrogen-TKN) | TX | 1790 | 10065404 |
| Method EPA 365.3 | | | |
| Analyte | AB | Analyte ID | Method ID |
| Orthophosphate as P | TX | 1870 | 10070801 |
| Phosphorus | TX | 1910 | 10070801 |
| Method SM 2320 B | | | |
| Analyte | AB | Analyte ID | Method ID |
| Alkalinity as CaCO ₃ | TX | 1505 | 20045005 |
| Method SM 2340 B | | | |
| Analyte | AB | Analyte ID | Method ID |
| Total hardness as CaCO ₃ | TX | 1755 | 20046008 |
| Method SM 2340 C | | | |
| Analyte | AB | Analyte ID | Method ID |
| Total hardness as CaCO ₃ | TX | 1755 | 20047001 |



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

San Antonio River Authority Regional Environmental Laboratory
 600 E Euclid Ave
 San Antonio, TX 78212-4405

Certificate: T104704262-18-22
 Expiration Date: 2/28/2019
 Issue Date: 3/7/2018

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: *Non-Potable Water*

| Method | AB | Analyte ID | Method ID |
|---|----|------------|-----------|
| SM 2540 C | | | |
| Analyte Residue-filterable (TDS) | TX | 1955 | 20049803 |
| SM 2540 D | | | |
| Analyte Residue-nonfilterable (TSS) | TX | 1960 | 20004802 |
| SM 4500-H+ B | | | |
| Analyte pH | TX | 1900 | 20104603 |
| SM 4500-NH3 D | | | |
| Analyte Ammonia as N | TX | 1515 | 20108809 |
| SM 5210 B | | | |
| Analyte Biochemical oxygen demand (BOD) | TX | 1530 | 20027401 |
| Carbonaceous BOD, CBOD | TX | 1555 | 20027401 |
| SM 5310 C | | | |
| Analyte Total Organic Carbon (TOC) | TX | 2040 | 20138209 |
| SM 9223 B | | | |
| Analyte Escherichia coli (enumeration) | TX | 2525 | 20211205 |



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

San Antonio River Authority Regional Environmental Laboratory
 600 E Euclid Ave
 San Antonio, TX 78212-4405

Certificate: T104704262-18-22
 Expiration Date: 2/28/2019
 Issue Date: 3/7/2018

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: Solid & Chemical Materials

Method EPA 6010

| Analyte | AB | Analyte ID | Method ID |
|------------|----|------------|-----------|
| Aluminum | TX | 1000 | 10155905 |
| Antimony | TX | 1005 | 10155905 |
| Arsenic | TX | 1010 | 10155905 |
| Barium | TX | 1015 | 10155905 |
| Beryllium | TX | 1020 | 10155905 |
| Cadmium | TX | 1030 | 10155905 |
| Calcium | TX | 1035 | 10155905 |
| Chromium | TX | 1040 | 10155905 |
| Cobalt | TX | 1050 | 10155905 |
| Copper | TX | 1055 | 10155905 |
| Iron | TX | 1070 | 10155905 |
| Lead | TX | 1075 | 10155905 |
| Lithium | TX | 1080 | 10155905 |
| Magnesium | TX | 1085 | 10155905 |
| Manganese | TX | 1090 | 10155905 |
| Molybdenum | TX | 1100 | 10155905 |
| Nickel | TX | 1105 | 10155905 |
| Phosphorus | TX | 1910 | 10155905 |
| Potassium | TX | 1125 | 10155905 |
| Selenium | TX | 1140 | 10155905 |
| Silver | TX | 1150 | 10155905 |
| Sodium | TX | 1155 | 10155905 |
| Strontium | TX | 1160 | 10155905 |
| Thallium | TX | 1165 | 10155905 |
| Tin | TX | 1175 | 10155905 |
| Titanium | TX | 1180 | 10155905 |
| Vanadium | TX | 1185 | 10155905 |
| Zinc | TX | 1190 | 10155905 |



Texas Commission on Environmental Quality



NELAP - Recognized Laboratory Fields of Accreditation

San Antonio River Authority Regional Environmental Laboratory
600 E Euclid Ave
San Antonio, TX 78212-4405

Certificate: T104704262-18-22
Expiration Date: 2/28/2019
Issue Date: 3/7/2018

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

Matrix: *Solid & Chemical Materials*

Method EPA 7471

Analyte
Mercury

AB
TX

Analyte ID
1095

Method ID
10166457

Method SM 9223 B

Analyte
Escherichia coli (enumeration)

AB
TX

Analyte ID
2525

Method ID
20211205