



# Texas Commission on Environmental Quality



## NELAP - Recognized Laboratory Fields of Accreditation

Xcel Energy - Denver Testing Laboratory

9500 Interstate 76  
Henderson, CO 80640-8246

Certificate: T104704462-18-13  
Expiration Date: 7/31/2019  
Issue Date: 8/1/2018

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

---

**Matrix: *Non-Potable Water***

---

**Method EPA 1311**

Analyte	AB	Analyte ID	Method ID
TCLP	TX	849	10118806

**Method EPA 200.7**

Analyte	AB	Analyte ID	Method ID
Aluminum	TX	1000	10013806
Antimony	TX	1005	10013806
Arsenic	TX	1010	10013806
Barium	TX	1015	10013806
Beryllium	TX	1020	10013806
Boron	TX	1025	10013806
Cadmium	TX	1030	10013806
Calcium	TX	1035	10013806
Chromium	TX	1040	10013806
Cobalt	TX	1050	10013806
Copper	TX	1055	10013806
Iron	TX	1070	10013806
Lead	TX	1075	10013806
Lithium	TX	1080	10013806
Magnesium	TX	1085	10013806
Manganese	TX	1090	10013806
Molybdenum	TX	1100	10013806
Nickel	TX	1105	10013806
Potassium	TX	1125	10013806
Selenium	TX	1140	10013806
Silver	TX	1150	10013806
Sodium	TX	1155	10013806
Strontium	TX	1160	10013806
Thallium	TX	1165	10013806
Vanadium	TX	1185	10013806
Zinc	TX	1190	10013806



# Texas Commission on Environmental Quality



## NELAP - Recognized Laboratory Fields of Accreditation

Xcel Energy - Denver Testing Laboratory

9500 Interstate 76  
Henderson, CO 80640-8246

Certificate: T104704462-18-13  
Expiration Date: 7/31/2019  
Issue Date: 8/1/2018

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

---

### Matrix: *Non-Potable Water*

---

#### Method EPA 200.8

Analyte	AB	Analyte ID	Method ID
Antimony	TX	1005	10014605
Arsenic	TX	1010	10014605
Barium	TX	1015	10014605
Beryllium	TX	1020	10014605
Cadmium	TX	1030	10014605
Chromium	TX	1040	10014605
Cobalt	TX	1050	10014605
Copper	TX	1055	10014605
Lead	TX	1075	10014605
Manganese	TX	1090	10014605
Molybdenum	TX	1100	10014605
Nickel	TX	1105	10014605
Selenium	TX	1140	10014605
Silver	TX	1150	10014605
Thallium	TX	1165	10014605
Vanadium	TX	1185	10014605
Zinc	TX	1190	10014605

#### Method EPA 300.0

Analyte	AB	Analyte ID	Method ID
Chloride	TX	1575	10053200
Fluoride	TX	1730	10053200
Nitrate as N	TX	1810	10053200
Nitrite as N	TX	1840	10053200
Sulfate	TX	2000	10053200

#### Method SM 2320 B

Analyte	AB	Analyte ID	Method ID
Alkalinity as CaCO3	TX	1505	20045005

#### Method SM 2340 B

Analyte	AB	Analyte ID	Method ID
---------	----	------------	-----------



# Texas Commission on Environmental Quality



## NELAP - Recognized Laboratory Fields of Accreditation

Xcel Energy - Denver Testing Laboratory

9500 Interstate 76  
Henderson, CO 80640-8246

Certificate: T104704462-18-13  
Expiration Date: 7/31/2019  
Issue Date: 8/1/2018

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

**Matrix: Non-Potable Water**

Total hardness as CaCO3	TX	1755	20046008
<b>Method</b> SM 2540 B			
<b>Analyte</b>	<b>AB</b>	<b>Analyte ID</b>	<b>Method ID</b>
Residue-total (total solids)	TX	1950	20004608
<b>Method</b> SM 2540 C			
<b>Analyte</b>	<b>AB</b>	<b>Analyte ID</b>	<b>Method ID</b>
Residue-filterable (TDS)	TX	1955	20049803
<b>Method</b> SM 2540 D			
<b>Analyte</b>	<b>AB</b>	<b>Analyte ID</b>	<b>Method ID</b>
Residue-nonfilterable (TSS)	TX	1960	20004802
<b>Method</b> SM 3500-Cr B			
<b>Analyte</b>	<b>AB</b>	<b>Analyte ID</b>	<b>Method ID</b>
Chromium (VI)	TX	1045	20065809
<b>Method</b> SM 4500-NH3 D			
<b>Analyte</b>	<b>AB</b>	<b>Analyte ID</b>	<b>Method ID</b>
Ammonia as N	TX	1515	20108809
<b>Method</b> SM 4500-P E			
<b>Analyte</b>	<b>AB</b>	<b>Analyte ID</b>	<b>Method ID</b>
Phosphorus	TX	1910	20025803
<b>Method</b> SM 5310 C			
<b>Analyte</b>	<b>AB</b>	<b>Analyte ID</b>	<b>Method ID</b>
Total Organic Carbon (TOC)	TX	2040	20138209



# Texas Commission on Environmental Quality



## NELAP - Recognized Laboratory Fields of Accreditation

Xcel Energy - Denver Testing Laboratory

9500 Interstate 76  
Henderson, CO 80640-8246

Certificate: T104704462-18-13  
Expiration Date: 7/31/2019  
Issue Date: 8/1/2018

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

---

**Matrix: Solid & Chemical Materials**

---

**Method EPA 1311**

Analyte	AB	Analyte ID	Method ID
TCLP	TX	849	10118806

**Method EPA 6010**

Analyte	AB	Analyte ID	Method ID
Antimony	TX	1005	10155905
Arsenic	TX	1010	10155905
Barium	TX	1015	10155905
Beryllium	TX	1020	10155905
Boron	TX	1025	10155905
Cadmium	TX	1030	10155905
Calcium	TX	1035	10155905
Chromium	TX	1040	10155905
Cobalt	TX	1050	10155905
Copper	TX	1055	10155905
Iron	TX	1070	10155905
Lead	TX	1075	10155905
Magnesium	TX	1085	10155905
Manganese	TX	1090	10155905
Molybdenum	TX	1100	10155905
Nickel	TX	1105	10155905
Potassium	TX	1125	10155905
Selenium	TX	1140	10155905
Silver	TX	1150	10155905
Sodium	TX	1155	10155905
Thallium	TX	1165	10155905
Vanadium	TX	1185	10155905
Zinc	TX	1190	10155905

**Method EPA 8082**

Analyte	AB	Analyte ID	Method ID
Aroclor-1016 (PCB-1016)	TX	8880	10179201



# Texas Commission on Environmental Quality



## NELAP - Recognized Laboratory Fields of Accreditation

Xcel Energy - Denver Testing Laboratory  
9500 Interstate 76  
Henderson, CO 80640-8246

Certificate: T104704462-18-13  
Expiration Date: 7/31/2019  
Issue Date: 8/1/2018

These fields of accreditation supercede all previous fields. The Texas Commission on Environmental Quality urges customers to verify the laboratory's current accreditation status for particular methods and analyses.

---

**Matrix: *Solid & Chemical Materials***

---

Aroclor-1242 (PCB-1242)	TX	8895	10179201
Aroclor-1254 (PCB-1254)	TX	8905	10179201
Aroclor-1260 (PCB-1260)	TX	8910	10179201
PCBs (total)	TX	8870	10179201