

Segment ID: 1202 **Water body name:** Brazos River Below Navasota River

Freshwater Stream

Brazos River Basin

Total size:

199

Miles

| Assessment Year | Assessment Method | Status of Use Support or Concern | Location | Location size | # of samples | # of exceedances | Mean |
|-----------------|-------------------|----------------------------------|----------|---------------|--------------|------------------|------|
|-----------------|-------------------|----------------------------------|----------|---------------|--------------|------------------|------|

Aquatic Life Use

| | | | | | | | |
|------|-------------------------------|--------------------------|--|----|----|---|--|
| 2002 | Dissolved Oxygen grab average | Not Assess-Not Represent | Lower segment | 48 | 9 | 0 | |
| 2002 | Dissolved Oxygen grab average | No Concern | Middle of segment to 2 miles downstream of the city of Rosenberg | 22 | 21 | 0 | |
| 2002 | Dissolved Oxygen grab average | Not Assess-Not Represent | Middle of segment to 2.5 mi. north of the city of San Felipe | 29 | 10 | 0 | |
| 2002 | Dissolved Oxygen grab average | No Concern | Middle of segment to the city of Fulsher | 42 | 19 | 0 | |
| 2002 | Dissolved Oxygen grab average | No Concern | Upper portion of segment | 40 | 46 | 0 | |
| 2002 | Dissolved Oxygen grab minimum | Not Assess-Not Represent | Lower segment | 48 | 9 | 0 | |
| 2002 | Dissolved Oxygen grab minimum | Fully Supporting | Middle of segment to 2 miles downstream of the city of Rosenberg | 22 | 21 | 0 | |
| 2002 | Dissolved Oxygen grab minimum | Not Assess-Not Represent | Middle of segment to 2.5 mi. north of the city of San Felipe | 29 | 10 | 0 | |
| 2002 | Dissolved Oxygen grab minimum | Fully Supporting | Middle of segment to the city of Fulsher | 42 | 19 | 0 | |
| 2002 | Dissolved Oxygen grab minimum | Fully Supporting | Upper portion of segment | 40 | 46 | 0 | |
| 2002 | Dissolved Oxygen 24hr average | Not Assessed | Lower segment | 48 | 0 | | |
| 2002 | Dissolved Oxygen 24hr average | Not Assessed | Middle of segment to 2 miles downstream of the city of Rosenberg | 22 | 0 | | |
| 2002 | Dissolved Oxygen 24hr average | Not Assessed | Middle of segment to 2.5 mi. north of the city of San Felipe | 29 | 0 | | |
| 2002 | Dissolved Oxygen 24hr average | Not Assessed | Middle of segment to the city of Fulsher | 42 | 0 | | |
| 2002 | Dissolved Oxygen 24hr average | Not Assessed | Upper portion of segment | 40 | 0 | | |
| 2002 | Dissolved Oxygen 24hr minimum | Not Assessed | Lower segment | 48 | 0 | | |
| 2002 | Dissolved Oxygen 24hr minimum | Not Assessed | Middle of segment to 2 miles downstream of the city of Rosenberg | 22 | 0 | | |

Segment ID: 1202 Water body name: Brazos River Below Navasota River

Freshwater Stream

Brazos River Basin

Total size:

199

Miles

| Assessment Year | Assessment Method | Status of Use Support or Concern | Location | Location size | # of samples | # of exceedances | Mean |
|-----------------|-------------------|----------------------------------|----------|---------------|--------------|------------------|------|
|-----------------|-------------------|----------------------------------|----------|---------------|--------------|------------------|------|

Aquatic Life Use (continued)

| | | | | | | | |
|------|-------------------------------|------------------|--|----|---|--|--|
| 2002 | Dissolved Oxygen 24hr minimum | Not Assessed | Middle of segment to 2.5 mi. north of the city of San Felipe | 29 | 0 | | |
| 2002 | Dissolved Oxygen 24hr minimum | Not Assessed | Middle of segment to the city of Fulsher | 42 | 0 | | |
| 2002 | Dissolved Oxygen 24hr minimum | Not Assessed | Upper portion of segment | 40 | 0 | | |
| 2002 | Overall Aquatic Life Use | Not Assessed | Lower segment | 48 | | | |
| 2002 | Overall Aquatic Life Use | Fully Supporting | Middle of segment to 2 miles downstream of the city of Rosenberg | 22 | | | |
| 2002 | Overall Aquatic Life Use | Not Assessed | Middle of segment to 2.5 mi. north of the city of San Felipe | 29 | | | |
| 2002 | Overall Aquatic Life Use | Fully Supporting | Middle of segment to the city of Fulsher | 42 | | | |
| 2002 | Overall Aquatic Life Use | Not Assessed | Segment located between the cities of Rosenberg and Thompsons | 18 | | | |
| 2002 | Overall Aquatic Life Use | Fully Supporting | Upper portion of segment | 40 | | | |

Contact Recreation Use

| | | | | | | | |
|------|------------------------------|--------------------------|--|----|---|---|--|
| 2002 | E. coli single sample | Not Assessed | Lower segment | 48 | 0 | | |
| 2002 | E. coli single sample | Not Assess-Not Represent | Middle of segment to 2.5 mi. north of the city of San Felipe | 29 | 0 | | |
| 2002 | E. coli single sample | Not Assessed | Middle of segment to the city of Fulsher | 42 | 0 | | |
| 2002 | E. coli single sample | Not Assessed | Upper portion of segment | 40 | 0 | | |
| 2002 | E. coli geometric mean | Not Assessed | Lower segment | 48 | 0 | | |
| 2002 | E. coli geometric mean | Not Assess-Not Represent | Middle of segment to 2.5 mi. north of the city of San Felipe | 29 | 0 | | |
| 2002 | E. coli geometric mean | Not Assessed | Middle of segment to the city of Fulsher | 42 | 0 | | |
| 2002 | E. coli geometric mean | Not Assessed | Upper portion of segment | 40 | 0 | | |
| 2002 | Fecal coliform single sample | Not Assess-Not Represent | Lower segment | 48 | 8 | 4 | |

Segment ID: 1202 **Water body name:** Brazos River Below Navasota River

Freshwater Stream

Brazos River Basin

Total size:

199

Miles

| Assessment Year | Assessment Method | Status of Use Support or Concern | Location | Location size | # of samples | # of exceedances | Mean |
|-----------------|-------------------|----------------------------------|----------|---------------|--------------|------------------|------|
|-----------------|-------------------|----------------------------------|----------|---------------|--------------|------------------|------|

Contact Recreation Use (continued)

| | | | | | | | |
|------|-------------------------------|--------------------------|--|----|----|----|------|
| 2002 | Fecal coliform single sample | Not Assess-Not Represent | Middle of segment to 2.5 mi. north of the city of San Felipe | 29 | 7 | 0 | |
| 2002 | Fecal coliform single sample | Use Concern | Middle of segment to the city of Fulsher | 42 | 16 | 5 | |
| 2002 | Fecal coliform single sample | Use Concern | Upper portion of segment | 40 | 40 | 12 | |
| 2002 | Fecal coliform geometric mean | Not Assess-Not Represent | Lower segment | 48 | 8 | | 347 |
| 2002 | Fecal coliform geometric mean | Not Assess-Not Represent | Middle of segment to 2.5 mi. north of the city of San Felipe | 29 | 7 | | 61.7 |
| 2002 | Fecal coliform geometric mean | Fully Supporting | Middle of segment to the city of Fulsher | 42 | 16 | | 73.5 |
| 2002 | Fecal coliform geometric mean | Fully Supporting | Upper portion of segment | 40 | 40 | | 95 |
| 2002 | Overall Recreation Use | Not Assessed | Lower segment | 48 | | | |
| 2002 | Overall Recreation Use | Not Assessed | Middle of segment to 2 miles downstream of the city of Rosenberg | 22 | | | |
| 2002 | Overall Recreation Use | Not Assessed | Middle of segment to 2.5 mi. north of the city of San Felipe | 29 | | | |
| 2002 | Overall Recreation Use | Fully Supporting | Middle of segment to the city of Fulsher | 42 | | | |
| 2002 | Overall Recreation Use | Not Assessed | Segment located between the cities of Rosenberg and Thompsons | 18 | | | |
| 2002 | Overall Recreation Use | Fully Supporting | Upper portion of segment | 40 | | | |

General Use

| | | | | | | | |
|------|-------------------|--------------------------|--|----|----|---|--|
| 2002 | Water Temperature | Not Assess-Not Represent | Lower segment | 48 | 10 | 0 | |
| 2002 | Water Temperature | Fully Supporting | Middle of segment to 2 miles downstream of the city of Rosenberg | 22 | 23 | 0 | |
| 2002 | Water Temperature | Not Assess-Not Represent | Middle of segment to 2.5 mi. north of the city of San Felipe | 29 | 10 | 0 | |
| 2002 | Water Temperature | Fully Supporting | Middle of segment to the city of Fulsher | 42 | 21 | 0 | |

Segment ID: 1202 **Water body name:** Brazos River Below Navasota River

Freshwater Stream

Brazos River Basin

Total size:

199

Miles

| Assessment Year | Assessment Method | Status of Use Support or Concern | Location | Location size | # of samples | # of exceedances | Mean |
|-----------------|-------------------|----------------------------------|----------|---------------|--------------|------------------|------|
|-----------------|-------------------|----------------------------------|----------|---------------|--------------|------------------|------|

General Use (continued)

| | | | | | | | |
|------|-------------------|--------------------------|--|----|----|---|-------|
| 2002 | Water Temperature | Fully Supporting | Upper portion of segment | 40 | 49 | 0 | |
| 2002 | pH | Not Assess-Not Represent | Lower segment | 48 | 10 | 0 | |
| 2002 | pH | Fully Supporting | Middle of segment to 2 miles downstream of the city of Rosenberg | 22 | 21 | 0 | |
| 2002 | pH | Not Assess-Not Represent | Middle of segment to 2.5 mi. north of the city of San Felipe | 29 | 10 | 0 | |
| 2002 | pH | Fully Supporting | Middle of segment to the city of Fulsher | 42 | 21 | 0 | |
| 2002 | pH | Fully Supporting | Upper portion of segment | 40 | 46 | 0 | |
| 2002 | Chloride | Fully Supporting | Lower segment | 48 | 96 | | 87.19 |
| 2002 | Chloride | Fully Supporting | Middle of segment to 2 miles downstream of the city of Rosenberg | 22 | 96 | | 87.19 |
| 2002 | Chloride | Fully Supporting | Middle of segment to 2.5 mi. north of the city of San Felipe | 29 | 96 | | 87.19 |
| 2002 | Chloride | Fully Supporting | Middle of segment to the city of Fulsher | 42 | 96 | | 87.19 |
| 2002 | Chloride | Fully Supporting | Segment located between the cities of Rosenberg and Thompsons | 18 | 96 | | 87.19 |
| 2002 | Chloride | Fully Supporting | Upper portion of segment | 40 | 96 | | 87.19 |
| 2002 | Sulfate | Fully Supporting | Lower segment | 48 | 95 | | 58.68 |
| 2002 | Sulfate | Fully Supporting | Middle of segment to 2 miles downstream of the city of Rosenberg | 22 | 95 | | 58.68 |
| 2002 | Sulfate | Fully Supporting | Middle of segment to 2.5 mi. north of the city of San Felipe | 29 | 95 | | 58.68 |
| 2002 | Sulfate | Fully Supporting | Middle of segment to the city of Fulsher | 42 | 95 | | 58.68 |
| 2002 | Sulfate | Fully Supporting | Segment located between the cities of Rosenberg and Thompsons | 18 | 95 | | 58.68 |
| 2002 | Sulfate | Fully Supporting | Upper portion of segment | 40 | 95 | | 58.68 |

Segment ID: 1202 **Water body name:** Brazos River Below Navasota River

Freshwater Stream

Brazos River Basin

Total size:

199

Miles

| Assessment Year | Assessment Method | Status of Use Support or Concern | Location | Location size | # of samples | # of exceedances | Mean |
|-----------------|-------------------|----------------------------------|----------|---------------|--------------|------------------|------|
|-----------------|-------------------|----------------------------------|----------|---------------|--------------|------------------|------|

General Use (continued)

| | | | | | | | |
|------|------------------------|------------------|--|----|-----|--|-------|
| 2002 | Total Dissolved Solids | Fully Supporting | Lower segment | 48 | 107 | | 433.6 |
| 2002 | Total Dissolved Solids | Fully Supporting | Middle of segment to 2 miles downstream of the city of Rosenberg | 22 | 107 | | 433.6 |
| 2002 | Total Dissolved Solids | Fully Supporting | Middle of segment to 2.5 mi. north of the city of San Felipe | 29 | 107 | | 433.6 |
| 2002 | Total Dissolved Solids | Fully Supporting | Middle of segment to the city of Fulsher | 42 | 107 | | 433.6 |
| 2002 | Total Dissolved Solids | Fully Supporting | Segment located between the cities of Rosenberg and Thompsons | 18 | 107 | | 433.6 |
| 2002 | Total Dissolved Solids | Fully Supporting | Upper portion of segment | 40 | 107 | | 433.6 |
| 2002 | Overall General Use | Fully Supporting | Lower segment | 48 | | | |
| 2002 | Overall General Use | Fully Supporting | Middle of segment to 2 miles downstream of the city of Rosenberg | 22 | | | |
| 2002 | Overall General Use | Fully Supporting | Middle of segment to 2.5 mi. north of the city of San Felipe | 29 | | | |
| 2002 | Overall General Use | Fully Supporting | Middle of segment to the city of Fulsher | 42 | | | |
| 2002 | Overall General Use | Fully Supporting | Segment located between the cities of Rosenberg and Thompsons | 18 | | | |
| 2002 | Overall General Use | Fully Supporting | Upper portion of segment | 40 | | | |

Fish Consumption Use

| | | | | | | | |
|------|------------------------------|--------------|--|----|--|--|--|
| 2002 | Overall Fish Consumption Use | Not Assessed | Lower segment | 48 | | | |
| 2002 | Overall Fish Consumption Use | Not Assessed | Middle of segment to 2 miles downstream of the city of Rosenberg | 22 | | | |
| 2002 | Overall Fish Consumption Use | Not Assessed | Middle of segment to 2.5 mi. north of the city of San Felipe | 29 | | | |
| 2002 | Overall Fish Consumption Use | Not Assessed | Middle of segment to the city of Fulsher | 42 | | | |
| 2002 | Overall Fish Consumption Use | Not Assessed | Segment located between the cities of Rosenberg and Thompsons | 18 | | | |

Segment ID: 1202 **Water body name:** Brazos River Below Navasota River

Freshwater Stream

Brazos River Basin

Total size:

199

Miles

| Assessment Year | Assessment Method | Status of Use Support or Concern | Location | Location size | # of samples | # of exceedances | Mean |
|-----------------|-------------------|----------------------------------|----------|---------------|--------------|------------------|------|
|-----------------|-------------------|----------------------------------|----------|---------------|--------------|------------------|------|

Fish Consumption Use (continued)

| | | | | | | | |
|------|------------------------------|--------------|--------------------------|----|--|--|--|
| 2002 | Overall Fish Consumption Use | Not Assessed | Upper portion of segment | 40 | | | |
|------|------------------------------|--------------|--------------------------|----|--|--|--|

Public Water Supply Use

| | | | | | | | |
|------|---------------------------------|------------------|--|----|--|--|--|
| 2002 | Overall Public Water Supply Use | Fully Supporting | Lower segment | 48 | | | |
| 2002 | Overall Public Water Supply Use | Fully Supporting | Middle of segment to 2 miles downstream of the city of Rosenberg | 22 | | | |
| 2002 | Overall Public Water Supply Use | Fully Supporting | Middle of segment to 2.5 mi. north of the city of San Felipe | 29 | | | |
| 2002 | Overall Public Water Supply Use | Fully Supporting | Middle of segment to the city of Fulsher | 42 | | | |
| 2002 | Overall Public Water Supply Use | Fully Supporting | Segment located between the cities of Rosenberg and Thompsons | 18 | | | |
| 2002 | Overall Public Water Supply Use | Fully Supporting | Upper portion of segment | 40 | | | |

Overall Use Support

| | | | | | | | |
|------|--|------------------|--|----|--|--|--|
| 2002 | | Fully Supporting | Lower segment | 48 | | | |
| 2002 | | Fully Supporting | Middle of segment to 2 miles downstream of the city of Rosenberg | 22 | | | |
| 2002 | | Fully Supporting | Middle of segment to 2.5 mi. north of the city of San Felipe | 29 | | | |
| 2002 | | Fully Supporting | Middle of segment to the city of Fulsher | 42 | | | |
| 2002 | | Fully Supporting | Segment located between the cities of Rosenberg and Thompsons | 18 | | | |
| 2002 | | Fully Supporting | Upper portion of segment | 40 | | | |

Nutrient Enrichment Concern

| | | | | | | | |
|------|------------------|--------------|--|----|----|---|--|
| 2002 | Ammonia Nitrogen | Not Assessed | Lower segment | 48 | 0 | | |
| 2002 | Ammonia Nitrogen | No Concern | Middle of segment to 2 miles downstream of the city of Rosenberg | 22 | 21 | 0 | |

Segment ID: 1202 Water body name: Brazos River Below Navasota River

Freshwater Stream Brazos River Basin Total size: 199 Miles

| Assessment Year | Assessment Method | Status of Use Support or Concern | Location | Location size | # of samples | # of exceedances | Mean |
|-----------------|-------------------|----------------------------------|----------|---------------|--------------|------------------|------|
|-----------------|-------------------|----------------------------------|----------|---------------|--------------|------------------|------|

Nutrient Enrichment Concern (continued)

| | | | | | | | |
|------|----------------------------|--------------------------|--|----|----|---|--|
| 2002 | Ammonia Nitrogen | Not Assessed | Middle of segment to 2.5 mi. north of the city of San Felipe | 29 | 0 | | |
| 2002 | Ammonia Nitrogen | Not Assessed | Middle of segment to the city of Fulsher | 42 | 4 | 0 | |
| 2002 | Ammonia Nitrogen | No Concern | Upper portion of segment | 40 | 13 | 0 | |
| 2002 | Nitrite + Nitrate Nitrogen | Not Assess-Not Represent | Lower segment | 48 | 8 | 0 | |
| 2002 | Nitrite + Nitrate Nitrogen | No Concern | Middle of segment to 2 miles downstream of the city of Rosenberg | 22 | 21 | 0 | |
| 2002 | Nitrite + Nitrate Nitrogen | Not Assess-Not Represent | Middle of segment to 2.5 mi. north of the city of San Felipe | 29 | 10 | 0 | |
| 2002 | Nitrite + Nitrate Nitrogen | No Concern | Middle of segment to the city of Fulsher | 42 | 17 | 0 | |
| 2002 | Nitrite + Nitrate Nitrogen | No Concern | Upper portion of segment | 40 | 40 | 1 | |
| 2002 | Orthophosphorus | Not Assess-Not Represent | Lower segment | 48 | 8 | 0 | |
| 2002 | Orthophosphorus | No Concern | Middle of segment to 2 miles downstream of the city of Rosenberg | 22 | 21 | 0 | |
| 2002 | Orthophosphorus | Not Assess-Not Represent | Middle of segment to 2.5 mi. north of the city of San Felipe | 29 | 10 | 0 | |
| 2002 | Orthophosphorus | No Concern | Middle of segment to the city of Fulsher | 42 | 17 | 0 | |
| 2002 | Orthophosphorus | No Concern | Upper portion of segment | 40 | 39 | 0 | |
| 2002 | Total Phosphorus | Not Assessed | Lower segment | 48 | 0 | | |
| 2002 | Total Phosphorus | Not Assessed | Middle of segment to 2 miles downstream of the city of Rosenberg | 22 | 0 | | |
| 2002 | Total Phosphorus | Not Assessed | Middle of segment to 2.5 mi. north of the city of San Felipe | 29 | 0 | | |
| 2002 | Total Phosphorus | Not Assessed | Middle of segment to the city of Fulsher | 42 | 4 | 1 | |
| 2002 | Total Phosphorus | No Concern | Upper portion of segment | 40 | 13 | 0 | |

Segment ID: 1202 **Water body name:** Brazos River Below Navasota River

Freshwater Stream

Brazos River Basin

Total size:

199

Miles

| Assessment Year | Assessment Method | Status of Use Support or Concern | Location | Location size | # of samples | # of exceedances | Mean |
|-----------------|-------------------|----------------------------------|----------|---------------|--------------|------------------|------|
|-----------------|-------------------|----------------------------------|----------|---------------|--------------|------------------|------|

Nutrient Enrichment Concern (continued)

| | | | | | | | |
|------|--------------------------------------|--------------|--|----|--|--|--|
| 2002 | Overall Nutrient Enrichment Concerns | Not Assessed | Lower segment | 48 | | | |
| 2002 | Overall Nutrient Enrichment Concerns | No Concern | Middle of segment to 2 miles downstream of the city of Rosenberg | 22 | | | |
| 2002 | Overall Nutrient Enrichment Concerns | Not Assessed | Middle of segment to 2.5 mi. north of the city of San Felipe | 29 | | | |
| 2002 | Overall Nutrient Enrichment Concerns | No Concern | Middle of segment to the city of Fulsher | 42 | | | |
| 2002 | Overall Nutrient Enrichment Concerns | Not Assessed | Segment located between the cities of Rosenberg and Thompsons | 18 | | | |
| 2002 | Overall Nutrient Enrichment Concerns | No Concern | Upper portion of segment | 40 | | | |

Algal Growth Concern

| | | | | | | | |
|------|---------------|--------------|--|----|----|---|--|
| 2002 | Chlorophyll a | Not Assessed | Lower segment | 48 | 0 | | |
| 2002 | Chlorophyll a | Not Assessed | Middle of segment to 2 miles downstream of the city of Rosenberg | 22 | 0 | | |
| 2002 | Chlorophyll a | Not Assessed | Middle of segment to 2.5 mi. north of the city of San Felipe | 29 | 0 | | |
| 2002 | Chlorophyll a | Not Assessed | Middle of segment to the city of Fulsher | 42 | 4 | 0 | |
| 2002 | Chlorophyll a | Not Assessed | Segment located between the cities of Rosenberg and Thompsons | 18 | | | |
| 2002 | Chlorophyll a | Concern | Upper portion of segment | 40 | 13 | 5 | |

Sediment Contaminants Concern

| | | | | | | | |
|------|---------------------------------------|--------------|--|----|--|--|--|
| 2002 | Overall Sediment Contaminant Concerns | Not Assessed | Lower segment | 48 | | | |
| 2002 | Overall Sediment Contaminant Concerns | Not Assessed | Middle of segment to 2 miles downstream of the city of Rosenberg | 22 | | | |

Segment ID: 1202 **Water body name:** Brazos River Below Navasota River

Freshwater Stream Brazos River Basin Total size: 199 Miles

| Assessment Year | Assessment Method | Status of Use Support or Concern | Location | Location size | # of samples | # of exceedances | Mean |
|-----------------|-------------------|----------------------------------|----------|---------------|--------------|------------------|------|
|-----------------|-------------------|----------------------------------|----------|---------------|--------------|------------------|------|

Sediment Contaminants Concern (continued)

| | | | | | | | |
|------|---------------------------------------|--------------|---|----|--|--|--|
| 2002 | Overall Sediment Contaminant Concerns | Not Assessed | Middle of segment to 2.5 mi. north of the city of San Felipe | 29 | | | |
| 2002 | Overall Sediment Contaminant Concerns | Not Assessed | Middle of segment to the city of Fulsher | 42 | | | |
| 2002 | Overall Sediment Contaminant Concerns | Not Assessed | Segment located between the cities of Rosenberg and Thompsons | 18 | | | |
| 2002 | Overall Sediment Contaminant Concerns | Not Assessed | Upper portion of segment | 40 | | | |

Fish Tissue Contaminants Concern

| | | | | | | | |
|------|--|--------------|--|----|--|--|--|
| 2002 | Overall Fish Tissue Contaminant Concerns | Not Assessed | Lower segment | 48 | | | |
| 2002 | Overall Fish Tissue Contaminant Concerns | Not Assessed | Middle of segment to 2 miles downstream of the city of Rosenberg | 22 | | | |
| 2002 | Overall Fish Tissue Contaminant Concerns | Not Assessed | Middle of segment to 2.5 mi. north of the city of San Felipe | 29 | | | |
| 2002 | Overall Fish Tissue Contaminant Concerns | Not Assessed | Middle of segment to the city of Fulsher | 42 | | | |
| 2002 | Overall Fish Tissue Contaminant Concerns | Not Assessed | Segment located between the cities of Rosenberg and Thompsons | 18 | | | |
| 2002 | Overall Fish Tissue Contaminant Concerns | Not Assessed | Upper portion of segment | 40 | | | |

Public Water Supply Concern

| | | | | | | | |
|------|--------------------------|------------|--|----|--|--|--|
| 2002 | Finished Water: Chloride | No Concern | Lower segment | 48 | | | |
| 2002 | Finished Water: Chloride | No Concern | Middle of segment to 2 miles downstream of the city of Rosenberg | 22 | | | |
| 2002 | Finished Water: Chloride | No Concern | Middle of segment to 2.5 mi. north of the city of San Felipe | 29 | | | |
| 2002 | Finished Water: Chloride | No Concern | Middle of segment to the city of Fulsher | 42 | | | |

Segment ID: 1202 **Water body name:** Brazos River Below Navasota River

Freshwater Stream Brazos River Basin Total size: 199 Miles

| Assessment Year | Assessment Method | Status of Use Support or Concern | Location | Location size | # of samples | # of exceedances | Mean |
|-----------------|-------------------|----------------------------------|----------|---------------|--------------|------------------|------|
|-----------------|-------------------|----------------------------------|----------|---------------|--------------|------------------|------|

Public Water Supply Concern (continued)

| | | | | | | | |
|------|--|------------|--|----|--|--|--|
| 2002 | Finished Water: Chloride | No Concern | Segment located between the cities of Rosenberg and Thompsons | 18 | | | |
| 2002 | Finished Water: Chloride | No Concern | Upper portion of segment | 40 | | | |
| 2002 | Finished Water: Sulfate | No Concern | Lower segment | 48 | | | |
| 2002 | Finished Water: Sulfate | No Concern | Middle of segment to 2 miles downstream of the city of Rosenberg | 22 | | | |
| 2002 | Finished Water: Sulfate | No Concern | Middle of segment to 2.5 mi. north of the city of San Felipe | 29 | | | |
| 2002 | Finished Water: Sulfate | No Concern | Middle of segment to the city of Fulsher | 42 | | | |
| 2002 | Finished Water: Sulfate | No Concern | Segment located between the cities of Rosenberg and Thompsons | 18 | | | |
| 2002 | Finished Water: Sulfate | No Concern | Upper portion of segment | 40 | | | |
| 2002 | Finished Water: Total Dissolved Solids | No Concern | Lower segment | 48 | | | |
| 2002 | Finished Water: Total Dissolved Solids | No Concern | Middle of segment to 2 miles downstream of the city of Rosenberg | 22 | | | |
| 2002 | Finished Water: Total Dissolved Solids | No Concern | Middle of segment to 2.5 mi. north of the city of San Felipe | 29 | | | |
| 2002 | Finished Water: Total Dissolved Solids | No Concern | Middle of segment to the city of Fulsher | 42 | | | |
| 2002 | Finished Water: Total Dissolved Solids | No Concern | Segment located between the cities of Rosenberg and Thompsons | 18 | | | |
| 2002 | Finished Water: Total Dissolved Solids | No Concern | Upper portion of segment | 40 | | | |
| 2002 | Finished Water: MTBE | No Concern | Lower segment | 48 | | | |
| 2002 | Finished Water: MTBE | No Concern | Middle of segment to 2 miles downstream of the city of Rosenberg | 22 | | | |

Segment ID: 1202 Water body name: Brazos River Below Navasota River

Freshwater Stream Brazos River Basin Total size: 199 Miles

| Assessment Year | Assessment Method | Status of Use Support or Concern | Location | Location size | # of samples | # of exceedances | Mean |
|-----------------|-------------------|----------------------------------|----------|---------------|--------------|------------------|------|
|-----------------|-------------------|----------------------------------|----------|---------------|--------------|------------------|------|

Public Water Supply Concern (continued)

| | | | | | | | |
|------|-----------------------------|--------------|--|----|----|--|-------|
| 2002 | Finished Water: MTBE | No Concern | Middle of segment to 2.5 mi. north of the city of San Felipe | 29 | | | |
| 2002 | Finished Water: MTBE | No Concern | Middle of segment to the city of Fulsher | 42 | | | |
| 2002 | Finished Water: MTBE | No Concern | Segment located between the cities of Rosenberg and Thompsons | 18 | | | |
| 2002 | Finished Water: MTBE | No Concern | Upper portion of segment | 40 | | | |
| 2002 | Finished Water: Perchlorate | Not Assessed | Lower segment | 48 | | | |
| 2002 | Finished Water: Perchlorate | Not Assessed | Middle of segment to 2 miles downstream of the city of Rosenberg | 22 | | | |
| 2002 | Finished Water: Perchlorate | Not Assessed | Middle of segment to 2.5 mi. north of the city of San Felipe | 29 | | | |
| 2002 | Finished Water: Perchlorate | Not Assessed | Middle of segment to the city of Fulsher | 42 | | | |
| 2002 | Finished Water: Perchlorate | Not Assessed | Segment located between the cities of Rosenberg and Thompsons | 18 | | | |
| 2002 | Finished Water: Perchlorate | Not Assessed | Upper portion of segment | 40 | | | |
| 2002 | Finished Water: Overall | No Concern | Lower segment | 48 | | | |
| 2002 | Finished Water: Overall | No Concern | Middle of segment to 2 miles downstream of the city of Rosenberg | 22 | | | |
| 2002 | Finished Water: Overall | No Concern | Middle of segment to 2.5 mi. north of the city of San Felipe | 29 | | | |
| 2002 | Finished Water: Overall | No Concern | Middle of segment to the city of Fulsher | 42 | | | |
| 2002 | Finished Water: Overall | No Concern | Segment located between the cities of Rosenberg and Thompsons | 18 | | | |
| 2002 | Finished Water: Overall | No Concern | Upper portion of segment | 40 | | | |
| 2002 | Surface Water: Chloride | No Concern | Lower segment | 48 | 96 | | 87.19 |
| 2002 | Surface Water: Chloride | No Concern | Middle of segment to 2 miles downstream of the city of Rosenberg | 22 | 96 | | 87.19 |

Segment ID: 1202 Water body name: Brazos River Below Navasota River

Freshwater Stream

Brazos River Basin

Total size:

199

Miles

| Assessment Year | Assessment Method | Status of Use Support or Concern | Location | Location size | # of samples | # of exceedances | Mean |
|-----------------|-------------------|----------------------------------|----------|---------------|--------------|------------------|------|
|-----------------|-------------------|----------------------------------|----------|---------------|--------------|------------------|------|

Public Water Supply Concern (continued)

| | | | | | | | |
|------|---------------------------------------|------------|--|----|-----|--|-------|
| 2002 | Surface Water: Chloride | No Concern | Middle of segment to 2.5 mi. north of the city of San Felipe | 29 | 96 | | 87.19 |
| 2002 | Surface Water: Chloride | No Concern | Middle of segment to the city of Fulsher | 42 | 96 | | 87.19 |
| 2002 | Surface Water: Chloride | No Concern | Segment located between the cities of Rosenberg and Thompsons | 18 | 96 | | 87.19 |
| 2002 | Surface Water: Chloride | No Concern | Upper portion of segment | 40 | 96 | | 87.19 |
| 2002 | Surface Water: Sulfate | No Concern | Lower segment | 48 | 95 | | 58.68 |
| 2002 | Surface Water: Sulfate | No Concern | Middle of segment to 2 miles downstream of the city of Rosenberg | 22 | 95 | | 58.68 |
| 2002 | Surface Water: Sulfate | No Concern | Middle of segment to 2.5 mi. north of the city of San Felipe | 29 | 95 | | 58.68 |
| 2002 | Surface Water: Sulfate | No Concern | Middle of segment to the city of Fulsher | 42 | 95 | | 58.68 |
| 2002 | Surface Water: Sulfate | No Concern | Segment located between the cities of Rosenberg and Thompsons | 18 | 95 | | 58.68 |
| 2002 | Surface Water: Sulfate | No Concern | Upper portion of segment | 40 | 95 | | 58.68 |
| 2002 | Surface Water: Total Dissolved Solids | No Concern | Lower segment | 48 | 107 | | 433.6 |
| 2002 | Surface Water: Total Dissolved Solids | No Concern | Middle of segment to 2 miles downstream of the city of Rosenberg | 22 | 107 | | 433.6 |
| 2002 | Surface Water: Total Dissolved Solids | No Concern | Middle of segment to 2.5 mi. north of the city of San Felipe | 29 | 107 | | 433.6 |
| 2002 | Surface Water: Total Dissolved Solids | No Concern | Middle of segment to the city of Fulsher | 42 | 107 | | 433.6 |
| 2002 | Surface Water: Total Dissolved Solids | No Concern | Segment located between the cities of Rosenberg and Thompsons | 18 | 107 | | 433.6 |
| 2002 | Surface Water: Total Dissolved Solids | No Concern | Upper portion of segment | 40 | 107 | | 433.6 |
| 2002 | Surface Water: Overall | No Concern | Lower segment | 48 | | | |

Segment ID: 1202 **Water body name:** Brazos River Below Navasota River

Freshwater Stream Brazos River Basin Total size: 199 Miles

| Assessment Year | Assessment Method | Status of Use Support or Concern | Location | Location size | # of samples | # of exceedances | Mean |
|-----------------|-------------------|----------------------------------|----------|---------------|--------------|------------------|------|
|-----------------|-------------------|----------------------------------|----------|---------------|--------------|------------------|------|

Public Water Supply Concern (continued)

| | | | | | | | |
|------|--------------------------------------|------------|--|----|--|--|--|
| 2002 | Surface Water: Overall | No Concern | Middle of segment to 2 miles downstream of the city of Rosenberg | 22 | | | |
| 2002 | Surface Water: Overall | No Concern | Middle of segment to 2.5 mi. north of the city of San Felipe | 29 | | | |
| 2002 | Surface Water: Overall | No Concern | Middle of segment to the city of Fulsher | 42 | | | |
| 2002 | Surface Water: Overall | No Concern | Segment located between the cities of Rosenberg and Thompsons | 18 | | | |
| 2002 | Surface Water: Overall | No Concern | Upper portion of segment | 40 | | | |
| 2002 | Overall Public Water Supply Concerns | No Concern | Lower segment | 48 | | | |
| 2002 | Overall Public Water Supply Concerns | No Concern | Middle of segment to 2 miles downstream of the city of Rosenberg | 22 | | | |
| 2002 | Overall Public Water Supply Concerns | No Concern | Middle of segment to 2.5 mi. north of the city of San Felipe | 29 | | | |
| 2002 | Overall Public Water Supply Concerns | No Concern | Middle of segment to the city of Fulsher | 42 | | | |
| 2002 | Overall Public Water Supply Concerns | No Concern | Segment located between the cities of Rosenberg and Thompsons | 18 | | | |
| 2002 | Overall Public Water Supply Concerns | No Concern | Upper portion of segment | 40 | | | |

Narrative Criteria Concern

| | | | | | | | |
|------|-------------------------------------|------------|--|----|--|--|--|
| 2002 | Overall Narrative Criteria Concerns | No Concern | Lower segment | 48 | | | |
| 2002 | Overall Narrative Criteria Concerns | No Concern | Middle of segment to 2 miles downstream of the city of Rosenberg | 22 | | | |
| 2002 | Overall Narrative Criteria Concerns | No Concern | Middle of segment to 2.5 mi. north of the city of San Felipe | 29 | | | |
| 2002 | Overall Narrative Criteria Concerns | No Concern | Middle of segment to the city of Fulsher | 42 | | | |

Segment ID: 1202 **Water body name:** Brazos River Below Navasota River

Freshwater Stream Brazos River Basin Total size: 199 Miles

| Assessment Year | Assessment Method | Status of Use Support or Concern | Location | Location size | # of samples | # of exceedances | Mean |
|-----------------|-------------------|----------------------------------|----------|---------------|--------------|------------------|------|
|-----------------|-------------------|----------------------------------|----------|---------------|--------------|------------------|------|

Narrative Criteria Concern (continued)

| | | | | | | | |
|------|-------------------------------------|------------|---|----|--|--|--|
| 2002 | Overall Narrative Criteria Concerns | No Concern | Segment located between the cities of Rosenberg and Thompsons | 18 | | | |
| 2002 | Overall Narrative Criteria Concerns | No Concern | Upper portion of segment | 40 | | | |

Overall Secondary Concern

| | | | | | | | |
|------|--|------------|--|----|--|--|--|
| 2002 | | No Concern | Lower segment | 48 | | | |
| 2002 | | No Concern | Middle of segment to 2 miles downstream of the city of Rosenberg | 22 | | | |
| 2002 | | No Concern | Middle of segment to 2.5 mi. north of the city of San Felipe | 29 | | | |
| 2002 | | No Concern | Middle of segment to the city of Fulsher | 42 | | | |
| 2002 | | No Concern | Segment located between the cities of Rosenberg and Thompsons | 18 | | | |
| 2002 | | Concern | Upper portion of segment | 40 | | | |