



















**Texas Commission on Environmental Quality  
Title 40 Code of Federal Regulations NSPS 60, Subpart XXX  
Checklist for Conditions and Requirements  
Municipal Solid Waste Landfills (MSWLF)**

<b>Check the Most Appropriate Answer and Fill in the Blanks.</b>		
<b>Regulation</b>	<b>40 CFR § 60.763 Operational Standards for Collection and Control Systems</b>	<b>Response</b>
Does this landfill have a gas collection and control system (GCCS) used to comply with the provisions of § 60.762(b)(2)?		<input type="checkbox"/> YES <input type="checkbox"/> NO
If NO, attach a detailed explanation and skip the remainder of this section (§ 60.763) of the checklist.		
<i><b>Note:</b> Compliance with § 60.762(b)(2) is required within 30 months after the first annual report in which the emission rate equals or exceeds 34 megagrams per year, unless Tier 2 or Tier 3 sampling demonstrates that the emission rate is less than 34 megagrams per year, as specified in § 60.767(c)(4), or Tier 4 surface emissions monitoring shows a surface methane emission concentration of less than 500 parts per million, as specified in § 60.767(c)(4)(iii).</i>		
(a)	Will the collection system operate such that gas is collected from each area, cell, or group of cells in which solid waste has been in place for the following periods?	<input type="checkbox"/> YES <input type="checkbox"/> NO
<input type="checkbox"/> 5 years or more if active <input type="checkbox"/> 2 years or more if closed or at final grade		
(b)	Will the collection system be operated with negative pressure at each wellhead except under the following conditions?	<input type="checkbox"/> YES <input type="checkbox"/> NO
<input type="checkbox"/> a fire or increased well temperature		
<i><b>Note:</b> The owner or operator shall record instances when positive pressure occurs in efforts to avoid a fire.</i>		
<i>These records shall be submitted with the annual reports as provided in § 60.767(g)(1).</i>		
<input type="checkbox"/> use of a geo membrane or synthetic cover		
<i><b>Note:</b> The owner or operator shall develop acceptable pressure limits in the GCCS design plan.</i>		
<input type="checkbox"/> a decommissioned well		
<i><b>Note:</b> A well may experience a static positive pressure after shutting down to accommodate for declining flows.</i>		
All design changes shall be approved by the Agency, as specified in § 60.767(c).		
If NO, a passive collection system must comply with the provisions of § 60.762(b)(2)(ii)(D)		
(c)	Will each interior wellhead in the collection system operate with a landfill gas temperature less than 55 degrees Celsius?	<input type="checkbox"/> YES <input type="checkbox"/> NO

**Texas Commission on Environmental Quality  
Title 40 Code of Federal Regulations NSPS 60, Subpart XXX  
Checklist for Conditions and Requirements  
Municipal Solid Waste Landfills (MSWLF)**

<b>Check the Most Appropriate Answer and Fill in the Blanks.</b>		
<b>Regulation</b>	<b>40 CFR § 60.763 Operational Standards for Collection and Control Systems</b>	<b>Response</b>
<i><b>Note:</b> The owner or operator may establish a higher operating temperature at a particular well.</i>		
A higher operating temperature demonstration shall show supporting data that the elevated parameter does not cause fires or significantly inhibit anaerobic decomposition by killing methanogens.		
Attach supporting data.		
(d)	Will the collection system be operated so that the methane concentration is less than 500 parts per million above background at the surface of the landfill?	<input type="checkbox"/> YES <input type="checkbox"/> NO
<i><b>Note:</b> To determine if this level is exceeded, the owner or operator shall conduct surface testing, using an organic vapor analyzer, flame ionization detector, or other portable monitor meeting the specifications provided in § 60.765(d), around the perimeter of the collection area and along a pattern that traverses the landfill at 30-meter intervals and where visual observations indicate elevated concentrations of landfill gas, such as distressed vegetation and cracks or seeps in the cover. The owner or operator may establish an alternative traversing pattern that ensures equivalent coverage. A surface monitoring design plan shall be developed that includes a topographical map with the monitoring route and the rationale for any site-specific deviations from the 30-meter intervals. Areas with steep slopes or other dangerous areas may be excluded from the surface testing.</i>		
If NO, attach a detailed explanation.		
(e)	Will the collection system be operated such that all collected gases are vented to a control system designed and operated in compliance with § 60.762(b)(2)(iii)?	<input type="checkbox"/> YES <input type="checkbox"/> NO
<i><b>Note:</b> In the event the collection or control system is inoperable, the gas mover system shall be shut down and all valves in the gas collection and control system contributing to venting of the gas to the atmosphere shall be closed within 1 hour.</i>		
If NO, attach a detailed explanation.		
(f)	Will the control or treatment system be operated at all times when the collected gas is routed to the system?	<input type="checkbox"/> YES <input type="checkbox"/> NO
If NO, attach a detailed explanation.		
(g)	If monitoring demonstrates that the operational requirements in paragraphs (b), (c), or (d) of this section are not met, will corrective action be taken as specified in § 60.765(a)(3), and § 60.765(a)(5) or § 60.765(c)?	<input type="checkbox"/> YES <input type="checkbox"/> NO
<i><b>Note:</b> If corrective actions are taken as specified in § 60.765, the monitored exceedance is not a violation of the operational requirements in this section.</i>		

**Texas Commission on Environmental Quality  
Title 40 Code of Federal Regulations NSPS 60, Subpart XXX  
Checklist for Conditions and Requirements  
Municipal Solid Waste Landfills (MSWLF)**

<b>Check the Most Appropriate Answer and Fill in the Blanks.</b>		
<b>Regulation</b>	<b>40 CFR § 60.764 Test Methods and Procedures</b>	<b>Response</b>
If NO, attach a detailed explanation.		
(a)(1)	Tier 1 Are you calculating the NMOC emission rate for the landfill for the first time under Tier 1?	<input type="checkbox"/> YES <input type="checkbox"/> NO
<i><b>Note:</b> If you are calculating the NMOC emission rate for purposes of determining when the gas collection and control system can be removed as provided in § 60.762(b)(2)(v), answer this question “NO” and skip to (b) below.</i>		
<i>If YES, you may use either the equation provided in paragraph (a)(1)(i) of this section or the equation provided in paragraph (a)(1)(ii) of this section. Both equations may be used if the actual year-to-year solid waste acceptance rate is known, as specified in paragraph (a)(1)(i), for part of the life of the landfill and the actual year-to-year solid waste acceptance rate is unknown, as specified in paragraph (a)(1)(ii), for part of the life of the landfill. The values to be used in both equations are 0.05 per year for k, 170 cubic meters per megagram for L<sub>o</sub>, and 4,000 parts per million by volume as hexane for the C<sub>NMOC</sub>. For landfills located in geographical areas with a thirty-year annual average precipitation of less than 25 inches, as measured at the nearest representative official meteorological site, the k value to be used is 0.02 per year.</i>		
(a)(1)(i)(A)	Did you use the following equation for years in which the actual year-to-year solid waste acceptance rate is known?	<input type="checkbox"/> YES <input type="checkbox"/> NO
$M_{NMOC} = \sum_{i=1}^n 2 k L_o M_i (e^{-kt_i})(C_{NMOC})(3.6 \times 10^{-9})$ <p>where M<sub>NMOC</sub> = Total NMOC emission rate from the landfill, megagrams per year  k=methane generation rate constant, year<sup>-1</sup>  L<sub>o</sub>=methane generation potential, cubic meters per megagram solid waste  M<sub>i</sub>=mass of solid waste in the ith section, megagrams  t<sub>i</sub>=age of the i<sup>th</sup> section, years  C<sub>NMOC</sub>=concentration of NMOC, parts per million by volume as hexane  3.6 × 10<sup>-9</sup>=conversion factor</p>		
<i><b>Note:</b> The mass of nondegradable solid waste may be subtracted from the total mass of solid waste in a particular section of the landfill when calculating the value for M<sub>i</sub> if documentation of the nature and amount of such wastes is maintained.</i>		

**Texas Commission on Environmental Quality  
Title 40 Code of Federal Regulations NSPS 60, Subpart XXX  
Checklist for Conditions and Requirements  
Municipal Solid Waste Landfills (MSWLF)**

<b>Check the Most Appropriate Answer and Fill in the Blanks.</b>		
<b>Regulation</b>	<b>40 CFR § 60.764 Test Methods and Procedures</b>	<b>Response</b>
(a)(1)(ii)(A)	Did you use the following equation for years in which the actual year-to-year solid waste acceptance rate is unknown?	<input type="checkbox"/> YES <input type="checkbox"/> NO
$M_{\text{NMOC}} = 2L_o R (e^{-kc} - e^{-kt}) C_{\text{NMOC}} (3.6 \times 10^{-9})$ where: $M_{\text{NMOC}}$ =mass emission rate of NMOC, megagrams per year $L_o$ =methane generation potential, cubic meters per megagram solid waste $R$ =average annual acceptance rate, megagrams per year $k$ =methane generation rate constant, year <sup>-1</sup> $t$ =age of landfill, years $C_{\text{NMOC}}$ =concentration of NMOC, parts per million by volume as hexane $c$ =time since closure, years; for active landfill $c=0$ and $e^{-kc}=1$ $3.6 \times 10^{-9}$ =conversion factor		
<i><b>Note:</b> The mass of nondegradable solid waste may be subtracted from the total mass of solid waste in a particular section of the landfill when calculating the value for R, if documentation of the nature and amount of such wastes is maintained.</i>		
(a)(1)	What is the NMOC emission rate calculated using the above equation(s)?	
	_____ megagrams per year	
Check which equation applies.		
<input type="checkbox"/> (a)(1)(i)(A)		
<input type="checkbox"/> (a)(1)(ii)(A)		
(a)(2)	Tier 1 Compare the NMOC emission rate calculated in (a)(1) above to the standard of 34 megagrams per year.	
Check which one applies:		
<input type="checkbox"/> the calculated NMOC emission rate is less than 34 megagrams per year		
(a)(2)(i)	Tier 1 If the calculated NMOC emission rate is less than 34 megagrams per year, do both of the following:	
<input type="checkbox"/> recalculate the NMOC mass emission rate annually as required under § 60.762(b)		

**Texas Commission on Environmental Quality  
Title 40 Code of Federal Regulations NSPS 60, Subpart XXX  
Checklist for Conditions and Requirements  
Municipal Solid Waste Landfills (MSWLF)**

<b>Check the Most Appropriate Answer and Fill in the Blanks.</b>		
<b>Regulation</b>	<b>40 CFR § 60.764 Test Methods and Procedures</b>	<b>Response</b>
(a)(2)(ii)	Tier 1 If the calculated NMOC emission rate is $\geq 34$ megagrams per year, do either of the following:	
<input type="checkbox"/>	submit a gas collection and control system design plan within 1 year as specified in §60.767(c) and install and operate a gas collection and control system within 30 months according to § 60.762(b)(2)(ii) and (iii), or	
<input type="checkbox"/>	determine a site-specific NMOC concentration and recalculate the NMOC emission rate using the Tier 2 procedures provided in paragraph (a)(3) of this section	
<input type="checkbox"/>	determine a site-specific NMOC concentration and recalculate the NMOC emission rate using the Tier 3 procedures provided in paragraph (a)(4) of this section	
(a)(3)	Tier 2 Are you required to determine the NMOC concentration?	<input type="checkbox"/> YES <input type="checkbox"/> NO
If NO, skip to (a)(4) below.		
(a)(3)	Tier 2 Determine the NMOC concentration using the following sampling procedure:	
<input type="checkbox"/>	install at least two sample probes per hectare of landfill surface that has retained waste for at least 2 years	
<input type="checkbox"/>	if the landfill is larger than 25 hectares in area, only 50 samples are required	
<input type="checkbox"/>	the sample probes should be located to avoid known areas of nondegradable solid waste	
<input type="checkbox"/>	the owner or operator shall collect and analyze one sample of landfill gas from each probe to determine the NMOC concentration using Method 25 or 25C of Appendix A	
<input type="checkbox"/>	taking composite samples from different probes into a single cylinder is allowed; however, equal sample volumes must be taken from each probe	
<input type="checkbox"/>	for each composite, the sampling rate, collection times, beginning and ending cylinder vacuums, or alternative volume measurements must be recorded to verify that composite volumes are equal	
<input type="checkbox"/>	composite sample volumes should not be less than one liter unless evidence can be provided to substantiate the accuracy of smaller volumes	
<input type="checkbox"/>	terminate compositing before the cylinder approaches ambient pressure where measurement accuracy diminishes	
<input type="checkbox"/>	if more than the required number of samples are taken, all samples must be used in the analysis	
<input type="checkbox"/>	the landfill owner or operator must divide the NMOC concentration from Method 25 or 25C of Appendix A by six to convert from CNMOC as carbon to CNMOC as hexane	
<input type="checkbox"/>	if the landfill has an active or passive gas removal system in place, Method 25 or 25C samples may be collected from these systems instead of surface probes provided the removal system can be shown to provide sampling as representative as the two-sampling probe per hectare requirement	

**Texas Commission on Environmental Quality  
Title 40 Code of Federal Regulations NSPS 60, Subpart XXX  
Checklist for Conditions and Requirements  
Municipal Solid Waste Landfills (MSWLF)**

<b>Check the Most Appropriate Answer and Fill in the Blanks.</b>		
<b>Regulation</b>	<b>40 CFR § 60.764 Test Methods and Procedures</b>	<b>Response</b>
<input type="checkbox"/>	for active collection systems (already installed to control odor, etc.), samples may be collected from the common header pipe before the gas moving or condensate removal equipment (preapproval is not required)	
<input type="checkbox"/>	for these systems, a minimum of three samples must be collected from the header pipe	
(a)(3)(i)	Tier 2. Within 60 days after the date of completing each performance test, the owner or operator must submit the results according to § 60.767(i)(1).	
(a)(3)(ii)	Tier 2. Recalculate the NMOC emission rate using the equations provided in paragraph (a)(1)(i) or (a)(1)(ii) of this section and using the average NMOC concentration from the collected samples instead of the default value in the equation provided in paragraph (a)(1) of this section.	
(a)(3)(ii)	Tier 2. What is the NMOC emission rate calculated using the Tier 2 method specified in (a)(3)(ii) above?	
	_____ megagrams per year	
(a)(3)(iii)	Tier 2 If the resulting NMOC emission rate calculated using the site-specific NMOC concentration is less than 34 megagrams per year, then do one of the following:	
<input type="checkbox"/>	submit a periodic estimate of the emission rate report as provided in § 60.767(b)(1), and	
<input type="checkbox"/>	recalculate the NMOC mass emission rate annually as required under § 60.762(b), and	
<input type="checkbox"/>	retest the site-specific NMOC concentration every 5 years using the methods specified in this section	
(a)(3)(iv)	Tier 2 If the resulting NMOC emission rate is greater than or equal to 34 megagrams per year, do one of the following:	
<input type="checkbox"/>	submit a gas collection and control system design plan within 1 year as specified in §60.767(c) and install and operate a gas collection and control system within 30 months according to§ 60.762(b)(2)(ii) and (iii)	
<input type="checkbox"/>	determine a site-specific methane generation rate constant and recalculate the NMOC emission rate using the site-specific methane generation rate using the Tier 3 procedures specified in paragraph (a)(4) of this section; or	
<input type="checkbox"/>	conduct a surface emission monitoring demonstration using the Tier 4 procedures specified in paragraph (a)(6) of this section	
(a)(4)	Tier 3 Are you required to calculate a site-specific methane generation rate constant?	<input type="checkbox"/> YES <input type="checkbox"/> NO
If NO, skip to (a)(5) below.		

**Texas Commission on Environmental Quality  
Title 40 Code of Federal Regulations NSPS 60, Subpart XXX  
Checklist for Conditions and Requirements  
Municipal Solid Waste Landfills (MSWLF)**

<b>Check the Most Appropriate Answer and Fill in the Blanks.</b>		
<b>Regulation</b>	<b>40 CFR § 60.764 Test Methods and Procedures</b>	<b>Response</b>
(a)(4)	Tier 3 Did you use the procedures provided in Method 2E of Appendix A to calculate the site-specific methane generation rate constant?	<input type="checkbox"/> YES <input type="checkbox"/> NO
If YES, you should estimate the NMOC emission rate using equations in paragraph (a)(1)(i) or (a)(1)(ii) of this section and using a site-specific methane generation rate constant k, and the site-specific NMOC concentration as determined in paragraph (a)(3) of this section instead of the default values provided in paragraph (a)(1) of this section.		
If NO attach a detailed explanation of the method used, as allowed under § 60.764(a)(5), and a copy of the US EPA approval letter as required by § 60.760(b) and skip to (a)(5) below.		
(a)(4)	Tier 3 What is the NMOC emission rate calculated using the site-specific methane generation rate and concentration of NMOC?	
_____ megagrams per year		
(a)(4)	Tier 3 Compare the NMOC emission rate calculated in (a)(4) above to the standard of 34 megagrams per year.	
<input type="checkbox"/> the calculated NMOC emission rate is $\geq 34$ megagrams per year		
<input type="checkbox"/> the calculated NMOC emission rate is $< 34$ megagrams per year		
(a)(4)(i)	Tier 3 If the NMOC emission rate as calculated using the site-specific methane generation rate and concentration of NMOC is greater than or equal to 34 megagrams per year, do one the following:	
<input type="checkbox"/> submit a gas collection and control system design plan within 1 year as specified in §60.767(c) and install and operate a gas collection and control system within 30 months according to § 60.762(b)(2)(ii) and (iii), or		
<input type="checkbox"/> conduct a surface emission monitoring demonstration using the Tier 4 procedures specified in paragraph (a)(6)		
(a)(4)(ii)	Tier 3 If the calculated NMOC emission rate is $< 34$ megagrams per year, do both of the following:	
<input type="checkbox"/> submit a periodic emission rate report as provided in § 60.767(b)(1), and		
<input type="checkbox"/> recalculate the NMOC mass emission rate annually using Equation 1 or Equation 2 in paragraph (a)(1) of this section and using the site-specific Tier 2 NMOC concentration and Tier 3 methane generation rate constant and submit a periodic NMOC emission rate report as provided in §60.767(b)(1)		
<b>Note:</b> The calculation of the methane generation rate constant is performed only once, and the value obtained from this test shall be used in all subsequent annual NMOC emission rate calculations.		

**Texas Commission on Environmental Quality  
Title 40 Code of Federal Regulations NSPS 60, Subpart XXX  
Checklist for Conditions and Requirements  
Municipal Solid Waste Landfills (MSWLF)**

<b>Check the Most Appropriate Answer and Fill in the Blanks.</b>		
<b>Regulation</b>	<b>40 CFR § 60.764 Test Methods and Procedures</b>	<b>Response</b>
(a)(5)	Have you used other methods to determine the NMOC concentration or a site-specific k as an alternative to the methods required in paragraphs (a)(3) and (a)(4) above?	<input type="checkbox"/> YES <input type="checkbox"/> NO
If NO, skip to (b) below.		
(a)(5)	Have the alternatives to the methods required in paragraphs (a)(3) and (a)(4) of this section been approved by the US Environmental Protection Agency?	<input type="checkbox"/> YES <input type="checkbox"/> NO
If NO, then such alternative methods may not be used.		
<b>Note:</b> Authority for the approval of these alternatives is retained by the EPA and cannot be transferred to the State, as per § 60.760(b). If you have received such approval, please attach a copy of the related documentation for verification purposes		
(a)(6)	Tier 4 Are you required to demonstrate that surface methane emissions are below 500 parts per million?	<input type="checkbox"/> YES <input type="checkbox"/> NO
If NO, then skip to (b) below		
If YES, note that Tier 4 is only allowed if NMOC emissions calculated using Tier 1 or 2 are $\geq 34$ megagrams per year and $< 50$ megagrams per year and landfill must meet criteria in (a)(6)(viii) of this section. If both Tier 1 and Tier 2 indicate NMOC emissions of $\geq 50$ megagrams per year, Tier 4 cannot be used.		
(a)(6)(i)	Tier 4 Are surface concentrations of methane measured along the perimeter of the landfill and along a pattern that traverses the landfill at no more than 30-meter intervals using an organic vapor analyzer, flame ionization detector, or other portable monitor meeting the specification provided in § 60.765(d)?	<input type="checkbox"/> YES <input type="checkbox"/> NO
(a)(6)(ii)	Tier 4 Is the background concentration determined by moving the probe inlet upwind and downwind at least 30 meters from the waste mass boundary of the landfill?	<input type="checkbox"/> YES <input type="checkbox"/> NO
(a)(6)(iii)	Tier 4 Is surface emission monitoring performed in accordance with section 8.3.1 of Method 21 of appendix A of this part, except that the probe inlet must be placed no more than 5 centimeters above the landfill surface?	<input type="checkbox"/> YES <input type="checkbox"/> NO
(a)(6)(iii)	Tier 4 Is the constant measurement of distance above the surface based on a mechanical device such as with a wheel on a pole, except as described in paragraph (a)(6)(iii)(A)?	<input type="checkbox"/> YES <input type="checkbox"/> NO



**Texas Commission on Environmental Quality  
Title 40 Code of Federal Regulations NSPS 60, Subpart XXX  
Checklist for Conditions and Requirements  
Municipal Solid Waste Landfills (MSWLF)**

<b>Check the Most Appropriate Answer and Fill in the Blanks.</b>		
<b>Regulation</b>	<b>40 CFR § 60.764 Test Methods and Procedures</b>	<b>Response</b>
(a)(6)(iii)(A)	Tier 4 Is a wind barrier used when onsite average wind speed exceeds 4 mph or 2 meters per second or gusts exceed 10 mph?	<input type="checkbox"/> YES <input type="checkbox"/> NO
<p><b>Note:</b> Average onsite wind speed must be determined in an open area at 5-minute intervals using an onsite anemometer with a continuous recorder and data logger for the entire duration of the monitoring event. The wind barrier must surround the SEM monitor, and must be placed on the ground, to ensure wind turbulence is blocked. SEM cannot be conducted if average wind speed exceeds 25 miles per hour.</p>		
(a)(6)(iii)(B)	Tier 4 Are landfill face areas where visual observations indicate elevated concentrations of landfill gas, such as distressed vegetation and cracks or seeps in the cover, and all cover penetrations monitored using a device meeting specification in § 60.765(d)?	<input type="checkbox"/> YES <input type="checkbox"/> NO
(a)(6)(iv)	Tier 4 Are records of surface emission monitoring maintained as provide in § 60.768(g) and has a Tier 4 surface emissions report been submitted as provided in § 60.767(c)(4)(iii)?	<input type="checkbox"/> YES <input type="checkbox"/> NO
(a)(6)(v)	Tier 4 Has there been any measured concentration of methane of 500 parts per million or greater from the surface of the landfill?	<input type="checkbox"/> YES <input type="checkbox"/> NO
If NO, skip to (a)(6)(vi).		
If YES, continue to the next question.		
(a)(6)(v)	Tier 4 Has a gas collection and control system design plan been submitted within 1 year of the first measured concentration of methane of 500 parts per million or greater according to § 60.767(c)?	<input type="checkbox"/> YES <input type="checkbox"/> NO
(a)(6)(v)	Tier 4 Has a gas collection and control system, according to § 60.762(b)(2)(ii) and (iii), been installed and operated within 30 months of the most recent NMOC emission rate report in which NMOC emission rate ≥ 34 megagrams per year based on Tier 2?	<input type="checkbox"/> YES <input type="checkbox"/> NO
(a)(6)(vi)	Tier 4 If after 4 consecutive quarterly monitoring periods at a landfill, other than a closed landfill, there is no measured concentration of methane of 500 parts per million or greater, will quarterly surface emission monitoring using the methods in this section be continued?	<input type="checkbox"/> YES <input type="checkbox"/> NO
(a)(6)(vii)	Tier 4 If after 4 consecutive quarterly monitoring periods at a closed landfill there is no measured concentration of methane of 500 parts per million or greater, will annual surface emission monitoring using the methods specified in this section be conducted?	<input type="checkbox"/> YES <input type="checkbox"/> NO

**Texas Commission on Environmental Quality**  
**Title 40 Code of Federal Regulations NSPS 60, Subpart XXX**  
**Checklist for Conditions and Requirements**  
**Municipal Solid Waste Landfills (MSWLF)**

<b>Check the Most Appropriate Answer and Fill in the Blanks.</b>		
<b>Regulation</b>	<b>40 CFR § 60.764 Test Methods and Procedures</b>	<b>Response</b>
(a)(6)(viii)	Tier 4 If a landfill has installed and operates a collection and control system not required by this subpart, then the system must meet the following:	
<input type="checkbox"/>	system must have operated for 6570 out of 8760 hours preceding the Tier 4 surface emissions monitoring demonstration, and	
<input type="checkbox"/>	during Tier 4 monitoring demonstration, the system must operate as it normally would to collect and control as much landfill gas as possible	
(b)	After a gas collection and control system (GCCS) been installed in compliance with § 60.765, are you seeking to determine when the GCCS can be removed as provided in § 60.762(b)(2)(v)?	<input type="checkbox"/> YES <input type="checkbox"/> NO
If NO, skip to (c) below.		
(b)	To determining when the system can be capped, removed or decommissioned as provided in §60.762(b)(2)(v), you shall calculate the NMOC emission rate using the following equation.	
$M_{NMOC} = 1.89 \times 10^{-3} Q_{LFG} C_{NMOC}$ where, $M_{NMOC}$ = mass emission rate of NMOC, megagrams per year $Q_{LFG}$ = flow rate of landfill gas, cubic meters per minute $C_{NMOC}$ = NMOC concentration, parts per million by volume as hexane		
<b>Note:</b> The flow rate of landfill gas, $Q_{LFG}$ , shall be determined by measuring the total landfill gas flow rate at the common header pipe that leads to the control device using a gas flow measuring device calibrated according to the provisions of section 10 of Method 2E of Appendix A.		
<b>Note:</b> The average NMOC concentration, $C_{NMOC}$ , shall be determined by collecting and analyzing landfill gas sampled from the common header pipe before the gas moving or condensate removal equipment using the procedures in Method 25C or Method 25 of Appendix A. The sample location on the common header pipe shall be before any condensate removal or other gas refining units. The landfill owner or operator shall divide the NMOC concentration from Method 25 or Method 25C of Appendix A by six to convert from $C_{NMOC}$ as carbon to $C_{NMOC}$ as hexane.		
<b>Note:</b> The owner or operator may use another method to determine landfill gas flow rate and NMOC concentration if the method has been approved by the Agency. If using an alternate method, please attach a detailed explanation.		
<b>Note:</b> Within 60 days after the date of completing each performance test, the owner or operator must submit the results of the test, including any associated fuel analyses, according to § 60.767(i)(1)		
(c)	Are you required to calculate emissions for PSD purposes?	<input type="checkbox"/> YES <input type="checkbox"/> NO
If NO, skip to (d) below.		

**Texas Commission on Environmental Quality  
 Title 40 Code of Federal Regulations NSPS 60, Subpart XXX  
 Checklist for Conditions and Requirements  
 Municipal Solid Waste Landfills (MSWLF)**

<b>Check the Most Appropriate Answer and Fill in the Blanks.</b>		
<b>Regulation</b>	<b>40 CFR § 60.764 Test Methods and Procedures</b>	<b>Response</b>
(c)	Have AP-42 or other approved measurement procedures been used to estimate the NMOC emission rate for comparison to the PSD major source and significance levels in §§51.166 or 52.21 of this chapter?	<input type="checkbox"/> YES <input type="checkbox"/> NO
<b>Note:</b> Attach the calculations and an explanation of the methodology used.		
(d)	Does the gas collection and control system (GCCS) design plan include any alternatives to the test methods provisions of § 60.764?	<input type="checkbox"/> YES <input type="checkbox"/> NO
If YES, attach a detailed explanation.		
(d)	Have you completed (or will you perform) the gas control system initial performance test required in § 60.762(b)(2)(iii)(B)?	<input type="checkbox"/> YES <input type="checkbox"/> NO
<b>Note:</b> The following equation shall be used to calculate efficiency:		
$\text{Control Efficiency} = (\text{NMOC}_{\text{in}} - \text{NMOC}_{\text{out}}) / (\text{NMOC}_{\text{in}})$ where, $\text{NMOC}_{\text{in}}$ = mass of NMOC entering control device $\text{NMOC}_{\text{out}}$ = mass of NMOC exiting control device		
(d)	Which test method will be used to determine compliance with the 98 weight-percent efficiency or the 20 ppmv outlet concentration level requirement?	
<input type="checkbox"/> Method 25 <input type="checkbox"/> Method 25C <input type="checkbox"/> Method 18 <input type="checkbox"/> another method approved by the Agency as provided by § 60.762(b)(2)(i)(B)		
<b>Note:</b> In cases where the outlet concentration is less than 50 ppm NMOC as carbon (8 ppm NMOC as hexane), Method 25A should be used in place of Method 25.		
<b>Note:</b> If using Method 18 of Appendix A, the minimum list of compounds to be tested shall be those published in the most recent Compilation of Air Pollutant Emission Factors (AP-42).		
<b>Note:</b> If using an alternate method, please attach a detailed explanation.		
(d)	Which test method will be used to determine oxygen for correcting the NMOC concentration as hexane to 3 percent?	
<input type="checkbox"/> Method 3 <input type="checkbox"/> Method 3A <input type="checkbox"/> Method 3C		

**Texas Commission on Environmental Quality  
Title 40 Code of Federal Regulations NSPS 60, Subpart XXX  
Checklist for Conditions and Requirements  
Municipal Solid Waste Landfills (MSWLF)**

<b>Check the Most Appropriate Answer and Fill in the Blanks.</b>		
<b>Regulation</b>	<b>40 CFR § 60.764 Test Methods and Procedures</b>	<b>Response</b>
(e)	Will the net heating value of the combusted landfill gas as determined in §60.18(f)(3) be calculated from the concentration of methane in the landfill gas as measured by Method 3C for the performance test required in §60.762(b)(2)(iii)(A)?	<input type="checkbox"/> YES <input type="checkbox"/> NO
If NO, attach detailed explanation.		
<i><b>Note:</b> A minimum of three 30-minute Method 3C samples are determined. The measurement of other organic components, hydrogen, and carbon monoxide is not applicable. Method 3C may be used to determine the landfill gas molecular weight for calculating the flare gas exit velocity under §60.18(f)(4).</i>		
<i><b>Note:</b> Within 60 days after the date of completing each performance test (as defined in §60.8), the owner or operator must submit the results of the performance tests, including any associated fuel analyses, required by §60.764(b) or (d) according to §60.767(i)(1).</i>		
<b>Regulation</b>	<b>40 CFR § 60.765 Compliance Provisions</b>	<b>Response</b>
(a)	Does the gas collection and control system (GCCS) design plan include any alternatives to the compliance measures of § 60.765?	<input type="checkbox"/> YES <input type="checkbox"/> NO
If YES, attach a detailed explanation.		
If NO, you must use the methods specified in (a)(1) through (a)(6) below to determine whether the gas collection system is in compliance with § 60.762(b)(2)(ii).		
(a)(1)	Are you calculating the maximum expected gas generation flow rate from the landfill to determine compliance with § 60.762(b)(2)(ii)(C)(1)?	<input type="checkbox"/> YES <input type="checkbox"/> NO
If YES, use one of the following equations, (a)(1)(i) or (a)(1)(ii).		
If NO, attach a detailed explanation.		
<i><b>Note:</b> The <math>k</math> and <math>L_o</math> kinetic factors should be those published in the most recent <i>Compilation of Air Pollutant Emission Factors (AP-42)</i> or other site-specific values demonstrated to be appropriate and approved by the Agency. If <math>k</math> has been determined as specified in § 60.764(a)(4), the value of <math>k</math> determined from the test shall be used. A value of no more than 15 years shall be used for the intended use period of the gas mover equipment. The active life of the landfill is the age of the landfill plus the estimated number of years until closure.</i>		

**Texas Commission on Environmental Quality  
 Title 40 Code of Federal Regulations NSPS 60, Subpart XXX  
 Checklist for Conditions and Requirements  
 Municipal Solid Waste Landfills (MSWLF)**

<b>Check the Most Appropriate Answer and Fill in the Blanks.</b>		
<b>Regulation</b>	<b>40 CFR § 60.765 Compliance Provisions</b>	<b>Response</b>
(a)(1)(i)	Did you calculate the maximum expected gas generation flow rate using the following equation for sites with an unknown year-to-year solid waste acceptance rate?	<input type="checkbox"/> YES <input type="checkbox"/> NO
$Q_m = 2L_o R (e^{-kc} - e^{-kt})$ where: $Q_m$ = maximum expected gas generation flow rate, cubic meters per year $L_o$ = methane generation potential, cubic meters per megagram solid waste $R$ = average annual acceptance rate, megagrams per year $k$ = methane generation rate constant, year <sup>-1</sup> $t$ = age of the landfill at equipment installation plus the time the owner or operator intends to use the gas mover equipment or active life of the landfill, whichever is less. If the equipment is installed after closure, $t$ is the age of the landfill at installation, years $c$ = time since closure, years (for active landfill $c=0$ and $e^{-kc} = 1$ )		
(a)(1)(ii)	Did you calculate the maximum expected gas generation flow rate using the following equation for sites with a known year-to-year solid waste acceptance rate?	<input type="checkbox"/> YES <input type="checkbox"/> NO
$Q_M = \sum_{i=1}^n k L_o M_i (e^{-kt_i})$ where, $Q_M$ = maximum expected gas generation flow rate, cubic meters per year $k$ = methane generation rate constant, year <sup>-1</sup> $L_o$ = methane generation potential, cubic meters per megagram solid waste $M_i$ = mass of solid waste in the 1 <sup>st</sup> section, megagrams $t_i$ = age of the 1 <sup>st</sup> section, years		
(a)(1)(iii)	Has a gas collection and control system already been installed?	<input type="checkbox"/> YES <input type="checkbox"/> NO
If NO, skip to (a)(2) below.		
(a)(1)(iii)	Did you use actual flow data to project the maximum expected gas generation flow rate instead of, or in conjunction with, the equations in (a)(1)(i) and (a)(1)(ii) above?	<input type="checkbox"/> YES <input type="checkbox"/> NO
If YES, attach a detailed explanation.		
<b>Note:</b> <i>If the landfill is still accepting waste, the actual measured flow data will not equal the maximum expected gas generation rate, so calculations using the equations in paragraphs (a)(1)(i) or (a)(1)(ii) or other methods shall be used to predict the maximum expected gas generation rate over the intended period of use of the gas control system equipment.</i>		

**Texas Commission on Environmental Quality  
Title 40 Code of Federal Regulations NSPS 60, Subpart XXX  
Checklist for Conditions and Requirements  
Municipal Solid Waste Landfills (MSWLF)**

<b>Check the Most Appropriate Answer and Fill in the Blanks.</b>		
<b>Regulation</b>	<b>40 CFR § 60.765 Compliance Provisions</b>	<b>Response</b>
(a)(2)	Are you seeking to demonstrate compliance with the provision of § 60.762(b)(2)(ii)(C)(2) for sufficient density of gas collectors?	<input type="checkbox"/> YES <input type="checkbox"/> NO
If NO, attach a detailed explanation.		
(a)(2)	Does the GCCS design plan include a system of vertical wells, horizontal collectors, or other collection devices, satisfactory to the Agency, capable of controlling and extracting gas from all portions of the landfill sufficient to meet all operational and performance standards?	<input type="checkbox"/> YES <input type="checkbox"/> NO
(a)(3)	Are you seeking to demonstrate compliance with the provision of § 60.762(b)(2)(ii)(C)(3) for sufficient gas collection system flow rate?	<input type="checkbox"/> YES <input type="checkbox"/> NO
If NO, attach a detailed explanation.		
(a)(3)	Will you measure gauge pressure in the gas collection header at each individual well each month?	<input type="checkbox"/> YES <input type="checkbox"/> NO
(a)(3)	Will you initiate action to correct the positive pressure within 5 calendar days, except for the three conditions allowed under § 60.763(b), if a positive pressure exists?	<input type="checkbox"/> YES <input type="checkbox"/> NO
If NO, attach a detailed explanation.		
<b>Note:</b> Any attempted corrective measure shall not cause exceedances of other operational or performance standards.		
(a)(3)(i)	If negative pressure cannot be achieved without excess air infiltration within 15 calendar days of the first measurement of positive pressure, will you conduct a root cause analysis and correct the exceedance as soon as practicable, but no later than 60 days after positive pressure was first measured?	<input type="checkbox"/> YES <input type="checkbox"/> NO
<b>Note:</b> The owner or operator must keep records according to §60.768(e)(3).		
(a)(3)(ii)	If corrective actions cannot be fully implemented within 60 days following the positive pressure measurement for which the root cause analysis was required, will you conduct a corrective action analysis and develop an implementation schedule to complete the corrective action(s) as soon as practicable, but no more than 120 days following the positive pressure measurement?	<input type="checkbox"/> YES <input type="checkbox"/> NO

**Texas Commission on Environmental Quality**  
**Title 40 Code of Federal Regulations NSPS 60, Subpart XXX**  
**Checklist for Conditions and Requirements**  
**Municipal Solid Waste Landfills (MSWLF)**

<b>Check the Most Appropriate Answer and Fill in the Blanks.</b>		
<b>Regulation</b>	<b>40 CFR § 60.765 Compliance Provisions</b>	<b>Response</b>
<i><b>Note:</b> The owner or operator must submit the items listed in §60.767(g)(7) as part of the next annual report. The owner or operator must keep records according to §60.768(e)(4).</i>		
(a)(3)(iii)	If corrective actions are expected to take longer than 120 days to complete after the initial exceedance, will you submit the root cause analysis, corrective action analysis, and corresponding implementation timeline to the Administrator, according to §60.767(g)(7) and §60.767(j)?	<input type="checkbox"/> YES <input type="checkbox"/> NO
<i><b>Note:</b> The owner or operator must keep records according to §60.768(e)(5).</i>		
<i><b>Note:</b> Paragraph (a)(4) has been intentionally left blank in this section. Please move on to (a)(5).</i>		
(a)(5)	Are you seeking to identify whether excess air infiltration into the landfill is occurring?	<input type="checkbox"/> YES <input type="checkbox"/> NO
If NO, attach a detailed explanation.		
(a)(5)	Will you monitor each well monthly for temperature as provided in § 60.763(c)?	<input type="checkbox"/> YES <input type="checkbox"/> NO
(a)(5)	Will you take the following correction action(s) if any well exceeds one or more of the limits for these operating parameters?	<input type="checkbox"/> YES <input type="checkbox"/> NO
<input type="checkbox"/> initiate action to correct the exceedance within 5 calendar days		
<input type="checkbox"/> any attempted corrective measure shall not cause exceedances of other operational or performance standards		
(a)(5)(i)	If landfill gas temperature of < 55 °C cannot be achieved within 15 days of first measurement of gas temperature > 55 °C, will a root cause analysis be conducted, and the exceedance corrected no later than 60 days after first temperature measurement > 55°C?	<input type="checkbox"/> YES <input type="checkbox"/> NO
<i><b>Note:</b> Records must be kept according to §60.768(e)(3).</i>		
(a)(5)(ii)	If corrective action cannot be implemented within 60 days of positive pressure measurement, will a corrective action analysis be conducted, and an implementation schedule developed to complete corrective action no later than 120 days following initial measurement of > 55° C?	<input type="checkbox"/> YES <input type="checkbox"/> NO
<i><b>Note:</b> Items listed in §60.767(g)(7) must be submitted as part of next annual report. Records must be kept according to §60.768(e)(4).</i>		
(a)(5)(iii)	If corrective action is expected to take > 120 days, will a root cause analysis, corrective action analysis, and corresponding implementation timeline be submitted to the Administrator, according to §60.767(g)(7) and §60.767(j)?	<input type="checkbox"/> YES <input type="checkbox"/> NO

**Texas Commission on Environmental Quality  
Title 40 Code of Federal Regulations NSPS 60, Subpart XXX  
Checklist for Conditions and Requirements  
Municipal Solid Waste Landfills (MSWLF)**

<b>Check the Most Appropriate Answer and Fill in the Blanks.</b>		
<b>Regulation</b>	<b>40 CFR § 60.765 Compliance Provisions</b>	<b>Response</b>
<i>Note: Records must be kept according to §60.768(e)(5).</i>		
(a)(6)	Are you seeking to demonstrate compliance with § 60.762(b)(2)(ii)(C)(4) through the use of a collection system not conforming to the specifications provided in § 60.769?	<input type="checkbox"/> YES <input type="checkbox"/> NO
If NO, skip to (b) below.		
(a)(6)	Have you provided information satisfactory to the Agency as specified in § 60.767(c)(3) which demonstrates that off-site migration is being controlled?	<input type="checkbox"/> YES <input type="checkbox"/> NO
If YES, attach the relevant information to this checklist.		
(b)	Are you seeking to comply with the provisions of § 60.763(a)?	<input type="checkbox"/> YES <input type="checkbox"/> NO
If NO, attach a detailed explanation.		
(b)	Have you placed each well or design component as specified in the approved GCCS design plan as provided in § 60.767(c)?	<input type="checkbox"/> YES <input type="checkbox"/> NO
(b)	Was each well installed no later than 60 days after the date on which the initial solid waste has been in place for the period(s) specified below?	<input type="checkbox"/> YES <input type="checkbox"/> NO
<input type="checkbox"/> 5 years or more if active <input type="checkbox"/> 2 years or more if closed or at final grade		
(c)	Are you seeking to demonstrate compliance with the surface methane operational standard as provided in § 60.763(d)?	<input type="checkbox"/> YES <input type="checkbox"/> NO
If NO, attach a detailed explanation.		
(c)(1)	Will you monitor surface concentrations of methane along the entire perimeter of the collection area and along a pattern that traverses the landfill at 30 meter intervals (or a site-specific established spacing) for each collection area on a quarterly basis using an organic vapor analyzer, flame ionization detector, or other portable monitor meeting the specifications provided in paragraph (d) below?	<input type="checkbox"/> YES <input type="checkbox"/> NO
<i>Note: This requirement applies after installation of the collection system.</i>		
(c)(2)	Will you determine the background concentration by moving the probe inlet upwind and downwind outside the boundary of the landfill at a distance of at least 30 meters from the perimeter wells?	<input type="checkbox"/> YES <input type="checkbox"/> NO
(c)(3)	Will monitoring of surface emissions be performed in accordance with section 8.3.1 of Method 21 of Appendix A, except that the probe inlet shall be placed within 5 to 10 centimeters of the ground?	<input type="checkbox"/> YES <input type="checkbox"/> NO



**Texas Commission on Environmental Quality  
Title 40 Code of Federal Regulations NSPS 60, Subpart XXX  
Checklist for Conditions and Requirements  
Municipal Solid Waste Landfills (MSWLF)**

<b>Check the Most Appropriate Answer and Fill in the Blanks.</b>		
<b>Regulation</b>	<b>40 CFR § 60.765 Compliance Provisions</b>	<b>Response</b>
<i><b>Note:</b> Monitoring shall be performed during typical meteorological conditions.</i>		
(c)(4)	Will any reading of 500 parts per million or more above background at any location be recorded as a monitored exceedance?	<input type="checkbox"/> YES <input type="checkbox"/> NO
(c)(4)	Will the following actions be taken when a monitored exceedance occurs?	<input type="checkbox"/> YES <input type="checkbox"/> NO
<input type="checkbox"/> The location of each monitored exceedance shall be marked, and the location recorded.		
<input type="checkbox"/> Cover maintenance or adjustments to the vacuum of the adjacent wells to increase the gas collection in the vicinity of each exceedance shall be made and the location shall be re-monitored within 10 calendar days of detecting the exceedance.		
<input type="checkbox"/> If the re-monitoring of the location shows a second exceedance, additional corrective action shall be taken, and the location shall be monitored again within 10 days of the second exceedance. If the re-monitoring shows a third exceedance for the same location, the action specified in paragraph (c)(4)(v) of this section shall be taken, and no further monitoring of that location is required until the action specified in paragraph (c)(4)(v) has been taken.		
<input type="checkbox"/> Any location that initially showed an exceedance but has a methane concentration less than 500 ppm methane above background at the 10-day re-monitoring specified in paragraph (c)(4)(ii) or (c)(4)(iii) of this section shall be re-monitored 1 month from the initial exceedance. If the 1-month re-monitoring shows a concentration less than 500 parts per million above background, no further monitoring of that location is required until the next quarterly monitoring period. If the 1-month re-monitoring shows an exceedance, the actions specified in paragraph (c)(4)(iii) or (c)(4)(v) shall be taken.		
<input type="checkbox"/> For any location where monitored methane concentration equals or exceeds 500 parts per million above background three times within a quarterly period, a new well or other collection device shall be installed within 120 calendar days of the initial exceedance.		
<i><b>Note:</b> As long as the specified actions are taken, the exceedance is not a violation of the operational requirements of § 60.763(d).</i>		
<i><b>Note:</b> An alternative remedy to the exceedance, such as upgrading the blower, header pipes or control device, and a corresponding timeline for installation may be submitted to the Agency for approval.</i>		
(c)(5)	Have you implemented a program to monitor for cover integrity and implement cover repairs as necessary on a monthly basis?	<input type="checkbox"/> YES <input type="checkbox"/> NO

**Texas Commission on Environmental Quality  
Title 40 Code of Federal Regulations NSPS 60, Subpart XXX  
Checklist for Conditions and Requirements  
Municipal Solid Waste Landfills (MSWLF)**

<b>Check the Most Appropriate Answer and Fill in the Blanks.</b>		
<b>Regulation</b>	<b>40 CFR § 60.765 Compliance Provisions</b>	<b>Response</b>
If NO, attach a detailed explanation		
(d)	Are you seeking to comply with the provisions of § 60.765(c) or §60.764(a)(6) for instrumentation specifications and procedures for surface emission monitoring?	<input type="checkbox"/> YES <input type="checkbox"/> NO
If YES, verify compliance with the instrumentation specifications and procedures for surface emission monitoring devices by answering questions (d)(1) through (d)(4) below.		
If NO, attach a detailed explanation.		
(d)(1)	Will the portable analyzer meet the instrument specifications provided in section 6 of Method 21 of Appendix A, except that "methane" shall replace all references to VOC?	<input type="checkbox"/> YES <input type="checkbox"/> NO
(d)(2)	Will the calibration gas be methane, diluted to a nominal concentration of 500 parts per million in air?	<input type="checkbox"/> YES <input type="checkbox"/> NO
If NO, attach a detailed explanation.		
(d)(3)	Will the instrument evaluation procedures of section 8.1 of Method 21 of Appendix A be used to meet the performance evaluation requirements in section 8.1 of Method 21 of Appendix A?	<input type="checkbox"/> YES <input type="checkbox"/> NO
If NO, attach a detailed explanation.		
(d)(4)	Will the calibration procedures provided in sections 8 and 10 of Method 21 of Appendix A be followed immediately before commencing a surface monitoring survey?	<input type="checkbox"/> YES <input type="checkbox"/> NO
If NO, attach a detailed explanation.		
(e)	Will you comply with the provisions of § 60.765 at all times, including periods of start-up, shutdown, and malfunction?	<input type="checkbox"/> YES <input type="checkbox"/> NO
<b>Note:</b> During periods of start-up, shutdown, and malfunction, work practice specified in §60.763(e) shall be complied with in lieu of the compliance provisions in §60.765.		
If NO, attach a detailed explanation.		

**Texas Commission on Environmental Quality  
Title 40 Code of Federal Regulations NSPS 60, Subpart XXX  
Checklist for Conditions and Requirements  
Municipal Solid Waste Landfills (MSWLF)**

<b>Check the Most Appropriate Answer and Fill in the Blanks.</b>		
<b>Regulation</b>	<b>40 CFR § 60.766 Monitoring of Operations</b>	<b>Response</b>
Does the gas collection and control system (GCCS) design plan include any alternatives to the monitoring provisions of § 60.766?		<input type="checkbox"/> YES <input type="checkbox"/> NO
If YES, attach a detailed explanation.		
(a)	Will this landfill have an active gas collection system which complies with § 60.762(b)(2)(ii)(C)?	<input type="checkbox"/> YES <input type="checkbox"/> NO
If NO, attach an explanation and skip to (b) below.		
(a)	Will a sampling port and a thermometer, other temperature measuring device, or an access port for temperature measurement be installed at each wellhead?	<input type="checkbox"/> YES <input type="checkbox"/> NO
If NO, attach a detailed explanation.		
(a)(1)	Will the gauge pressure in the gas collection header be measured on a monthly basis as provided in § 60.765(a)(3)?	<input type="checkbox"/> YES <input type="checkbox"/> NO
If NO, attach a detailed explanation.		
(a)(2)	Will the nitrogen or oxygen concentration in the landfill gas be monitored on a monthly basis ?	<input type="checkbox"/> YES <input type="checkbox"/> NO
If NO, attach a detailed explanation.		
(a)(2)(i)	Will the nitrogen level be determined using Method 3C, unless an alternative test method is established as allowed by §60.767(c)(2)?	<input type="checkbox"/> YES <input type="checkbox"/> NO
(a)(2)(ii)	Unless an alternative test method is established as allowed by §60.767(c)(2), will the oxygen level be determined by an oxygen meter using Method 3A, 3C, or ASTM D6522-11, except for the following?	<input type="checkbox"/> YES <input type="checkbox"/> NO
<input type="checkbox"/> Span must be set between 10 and 12 percent oxygen.		
<input type="checkbox"/> Data recorder is not required.		
<input type="checkbox"/> Two calibration gases are required, a zero and span.		
<input type="checkbox"/> Calibration error check is not required.		
<input type="checkbox"/> Allowable sample bias, zero drift, and calibration drift are ± 10 percent.		
If NO, attach a detailed explanation.		
(a)(2)(iii)	Will a portable gas composition analyzer be used to monitor the oxygen levels provided the analyzer is calibrated and it meets all quality control requirements for Method 3A or ASTM D6522-11?	<input type="checkbox"/> YES <input type="checkbox"/> NO

**Texas Commission on Environmental Quality  
Title 40 Code of Federal Regulations NSPS 60, Subpart XXX  
Checklist for Conditions and Requirements  
Municipal Solid Waste Landfills (MSWLF)**

<b>Check the Most Appropriate Answer and Fill in the Blanks.</b>		
<b>Regulation</b>	<b>40 CFR § 60.766 Monitoring of Operations</b>	<b>Response</b>
If NO, attach a detailed explanation.		
(a)(3)	Will the temperature of the landfill gas be monitored on a monthly basis as provided in § 60.765(a)(5)?	<input type="checkbox"/> YES <input type="checkbox"/> NO
<i>Note: Temperature measuring device must be calibrated annually using the procedure in 40 CFR part 60, appendix A-1, Method 2, Section 10.3.</i>		
If NO, attach a detailed explanation.		
(b)	Will this landfill have an enclosed combustor which complies with § 60.762(b)(2)(iii)?	<input type="checkbox"/> YES <input type="checkbox"/> NO
If NO, skip to (c) below.		
(b)	Will the equipment listed in (b)(1) and (b)(2) below be calibrated, maintained, and operated according to the manufacturer's specifications?	<input type="checkbox"/> YES <input type="checkbox"/> NO
If NO, attach a detailed explanation.		
(b)(1)	Will the temperature monitoring device be equipped with a continuous recorder and have a minimum accuracy of ±1% of the temperature being measured expressed in degrees Celsius, or ±0.5 degrees Celsius, whichever is greater?	<input type="checkbox"/> YES <input type="checkbox"/> NO
<i>Note: A temperature monitoring device is not required for boilers or process heaters with design heat input capacity greater than or equal to 44 megawatts.</i>		
If NO, attach a detailed explanation.		
(b)(2)	Will a device be used to record flow to or bypass of the control device?	<input type="checkbox"/> YES <input type="checkbox"/> NO
If NO, attach a detailed explanation.		
(b)(2)(i)	Will a gas flow rate measuring device that records the flow to the control device at least every 15 minutes be installed, calibrated, and maintained?	<input type="checkbox"/> YES <input type="checkbox"/> NO
If NO, attach a detailed explanation.		
(b)(2)(ii)	The bypass line valve must be secured in the closed position with a car-seal or a lock-and-key type configuration?	<input type="checkbox"/> YES <input type="checkbox"/> NO
(b)(2)(ii)	Will a visual inspection of the seal or closure mechanism be performed at least once every month to ensure that the valve is maintained in the closed position and that the gas flow is not diverted through the bypass line?	<input type="checkbox"/> YES <input type="checkbox"/> NO

**Texas Commission on Environmental Quality  
Title 40 Code of Federal Regulations NSPS 60, Subpart XXX  
Checklist for Conditions and Requirements  
Municipal Solid Waste Landfills (MSWLF)**

<b>Check the Most Appropriate Answer and Fill in the Blanks.</b>		
<b>Regulation</b>	<b>40 CFR § 60.766 Monitoring of Operations</b>	<b>Response</b>
If NO, attach a detailed explanation.		
(c)	Will this landfill have an open flare which complies with § 60.762(b)(2)(iii) that is, § 60.18?	<input type="checkbox"/> YES <input type="checkbox"/> NO
If NO, skip to (d) below.		
(c)	Will the equipment listed in (c)(1) and (c)(2) below be calibrated, maintained, and operated according to the manufacturer's specifications?	<input type="checkbox"/> YES <input type="checkbox"/> NO
<i>If NO, attach a detailed explanation.</i>		
(c)(1)	Will a heat sensing device, such as an ultraviolet beam sensor or thermocouple, be used at the pilot light or the flame itself to indicate the continuous presence of a flame?	<input type="checkbox"/> YES <input type="checkbox"/> NO
If NO, attach a detailed explanation.		
(c)(2)	Will a device be used to record flow to or bypass of the flare?	<input type="checkbox"/> YES <input type="checkbox"/> NO
If NO, attach a detailed explanation.		
(c)(2)(i)	Will a gas flow rate measuring device that records the flow to the control device at least every 15 minutes be installed, calibrated, and maintained?	<input type="checkbox"/> YES <input type="checkbox"/> NO
If NO, attach a detailed explanation.		
(c)(2)(ii)	Will the bypass line valve be secured in the closed position with a car-seal or a lock-and-key type configuration?	<input type="checkbox"/> YES <input type="checkbox"/> NO
If NO, attach a detailed explanation.		
(c)(2)(ii)	Will a visual inspection of the seal or closure mechanism be performed at least once every month to ensure that the valve is maintained in the closed position and that the gas flow is not diverted through the bypass line?	<input type="checkbox"/> YES <input type="checkbox"/> NO
If NO, attach a detailed explanation.		
(d)	Will this landfill seek to demonstrate compliance with §60.762(b)(2)(iii) using a control device other than an open flare, an enclosed combustor, or a treatment system?	<input type="checkbox"/> YES <input type="checkbox"/> NO
If YES, submit the control device's engineering design and operational parameters for Agency approval prior to construction.		

**Texas Commission on Environmental Quality  
Title 40 Code of Federal Regulations NSPS 60, Subpart XXX  
Checklist for Conditions and Requirements  
Municipal Solid Waste Landfills (MSWLF)**

<b>Check the Most Appropriate Answer and Fill in the Blanks.</b>		
<b>Regulation</b>	<b>40 CFR § 60.766 Monitoring of Operations</b>	<b>Response</b>
If NO, skip to (e) below.		
(d)	Does the GCCS design plan include information describing the operation of the control device, the operating parameters that would indicate proper performance, and appropriate monitoring procedures?	<input type="checkbox"/> YES <input type="checkbox"/> NO
<i><b>Note:</b> The Agency will review the information and either approve it, or request that additional information be submitted. The Agency also may specify additional appropriate monitoring procedures.</i>		
(e)	Are you seeking to install a collection system that does not meet the specifications in § 60.769 or seeking to monitor alternative parameters to those required by § 60.763 through § 60.766?	<input type="checkbox"/> YES <input type="checkbox"/> NO
If NO, skip to (f) below.		
(e)	Does the GCCS design plan include information describing the design and operation of the collection system, the operating parameters that would indicate proper performance, and appropriate monitoring procedures?	<input type="checkbox"/> YES <input type="checkbox"/> NO
<i><b>Note:</b> The Agency may specify additional appropriate monitoring procedures.</i>		
If NO, attach a detailed explanation.		
(f)	Are you seeking to demonstrated compliance with the 500 parts per million surface methane operational standard in §60.763(d)?	<input type="checkbox"/> YES <input type="checkbox"/> NO
If NO, skip to (g) below.		
(f)	Are surface concentrations of methane monitored according to the procedures in §60.765(c) and the instrument specifications in §60.765(d)?	<input type="checkbox"/> YES <input type="checkbox"/> NO
If NO, attach a detailed explanation.		
<i><b>Note:</b> Any closed landfill that has no monitored exceedances of the operational standard in three consecutive quarterly monitoring periods may skip to annual monitoring. Any methane reading of 500 ppm or more above background detected during the annual monitoring returns the frequency for that landfill to quarterly monitoring.</i>		

**Texas Commission on Environmental Quality  
Title 40 Code of Federal Regulations NSPS 60, Subpart XXX  
Checklist for Conditions and Requirements  
Municipal Solid Waste Landfills (MSWLF)**

<b>Check the Most Appropriate Answer and Fill in the Blanks.</b>		
<b>Regulation</b>	<b>40 CFR § 60.766 Monitoring of Operations</b>	<b>Response</b>
(g)	Are you seeking to demonstrated compliance with §60.762(b)(2)(iii) using a landfill gas treatment system?	<input type="checkbox"/> YES <input type="checkbox"/> NO
If NO, skip to (h) below.		
(g)	Will you maintain and operate all monitoring systems associated with the treatment system in accordance with the site-specific treatment system monitoring plan required in §60.768(b)(5)(ii) and calibrate, maintain, and operate according to the manufacturer's specifications a device that records flow to the treatment system and bypass of the treatment system?	<input type="checkbox"/> YES <input type="checkbox"/> NO
If NO, attach a detailed explanation.		
(g)(1)	Will you install, calibrate, and maintain a gas flow rate measuring device that records the flow to the treatment system at least every 15 minutes?	<input type="checkbox"/> YES <input type="checkbox"/> NO
If NO, attach a detailed explanation.		
(g)(2)	Will the bypass line valve be secured in the closed position with a car-seal or a lock-and-key type configuration?	<input type="checkbox"/> YES <input type="checkbox"/> NO
(g)(2)	Will a visual inspection of the seal or closure mechanism must be performed at least once every month to ensure that the valve is maintained in the closed position and that the gas flow is not diverted through the bypass line?	<input type="checkbox"/> YES <input type="checkbox"/> NO
If NO, attach a detailed explanation.		
(h)	Will you meet the monitoring requirements of paragraphs (b), (c) (d) and (g) of this section at all times the affected source is operating, except for periods of monitoring system malfunctions, repairs associated with monitoring system malfunctions, and required monitoring system quality assurance or quality control activities?	<input type="checkbox"/> YES <input type="checkbox"/> NO
If NO, attach a detailed explanation.		
<b>Note:</b> A monitoring system malfunction is any sudden, infrequent, not reasonably preventable failure of the monitoring system to provide valid data. Monitoring system failures that are caused in part by poor maintenance or careless operation are not malfunctions. You are required to complete monitoring system repairs in response to monitoring system malfunctions and to return the monitoring system to operation as expeditiously as practicable.		

**Texas Commission on Environmental Quality  
 Title 40 Code of Federal Regulations NSPS 60, Subpart XXX  
 Checklist for Conditions and Requirements  
 Municipal Solid Waste Landfills (MSWLF)**

<b>Check the Most Appropriate Answer and Fill in the Blanks.</b>		
<b>Regulation</b>	<b>40 CFR § 60.767 Reporting Requirements</b>	<b>Response</b>
	Does the gas collection and control system (GCCS) design plan include any alternatives to the reporting provisions of § 60.767?	<input type="checkbox"/> YES <input type="checkbox"/> NO
If YES, attach a detailed explanation.		
(a)	Are you submitting a design capacity report?	<input type="checkbox"/> YES <input type="checkbox"/> NO
If YES and you are submitting an amended design capacity report, skip to (a)(3) below.		
If YES and you are submitting an initial design capacity report, continue.		
If NO, skip to (b) below.		
(a)(1)(i) (a)(1)(ii)	On what date did construction, modification, or reconstruction of this landfill commence?	
MM/DD/YYYY: _____		
<b>Note:</b> If this date is after July 17, 2014 but before August 29, 2016, the initial design capacity report was due no later than November 28, 2016.		
<b>Note:</b> If this date is after August 29, 2016, the initial design capacity report was (or is) due within ninety (90) days after the date on which construction, modification, or reconstruction commenced.		
(a)(1)(i) (a)(1)(ii)	On what date did you submit the initial design capacity report?	
MM/DD/YYYY: _____		
(a)(2)(i)	Does the initial design capacity report contain a map or plot of the landfill?	<input type="checkbox"/> YES <input type="checkbox"/> NO
<b>Note:</b> The map or plot must provide the size and location of the landfill and identify all areas where solid waste may be landfilled according to the permit issued by the State, local, or tribal agency responsible for regulating the landfill.		



**Texas Commission on Environmental Quality  
 Title 40 Code of Federal Regulations NSPS 60, Subpart XXX  
 Checklist for Conditions and Requirements  
 Municipal Solid Waste Landfills (MSWLF)**

<b>Check the Most Appropriate Answer and Fill in the Blanks</b>		
<b>Regulation</b>	<b>40 CFR § 60.767 Reporting Requirements</b>	<b>Response</b>
(a)(2)(ii)	Does the initial design capacity report contain the maximum design capacity of the landfill?	<input type="checkbox"/> YES <input type="checkbox"/> NO
<p><b>Note:</b> Where the maximum design capacity is specified in the permit issued by the State, local, or tribal agency responsible for regulating the landfill, a copy of the permit specifying the maximum design capacity may be submitted as part of the report. If the maximum design capacity of the landfill is not specified in the permit, the maximum design capacity shall be calculated using good engineering practices. The calculations shall be provided, along with the relevant parameters as part of the report. The landfill may calculate design capacity in either megagrams or cubic meters for comparison with the exemption values. If the owner or operator chooses to convert the design capacity from volume to mass or from mass to volume to demonstrate its design capacity is less than 2.5 million megagrams or 2.5 million cubic meters, the calculation must include a site-specific density, which must be recalculated annually. Any density conversions must be documented and submitted with the design capacity report. The State, Tribal, or local agency may request other reasonable information as may be necessary to verify the maximum design capacity of the landfill.</p>		
Attach the Initial Design Capacity Report Submittal Form to the Report and submit as instructed.		
If NO, attach a detailed explanation.		
(a)(3)	Are you submitting an amended design capacity report?	<input type="checkbox"/> YES <input type="checkbox"/> NO
If YES, continue. Attach the Amended Design Capacity Report Submittal Form to the Report and submit as instructed.		
If NO, skip to (b) below and attach a detailed explanation.		
<p><b>Note:</b> The report must be submitted within 90 days of an increase in the maximum design capacity of the landfill to or above 2.5 million megagrams and 2.5 million cubic meters.</p>		
(a)(3)	What is the increased maximum design capacity being reported?	
_____ megagrams      _____ million m <sup>3</sup>		
<p><b>Note:</b> This increase in design capacity may result from an increase in the permitted volume of the landfill or an increase in the density as documented in the annual recalculation required in § 60.768(f).</p>		
(b)	Are you submitting an NMOC emission rate report?	<input type="checkbox"/> YES <input type="checkbox"/> NO

**Texas Commission on Environmental Quality  
Title 40 Code of Federal Regulations NSPS 60, Subpart XXX  
Checklist for Conditions and Requirements  
Municipal Solid Waste Landfills (MSWLF)**

Check the Most Appropriate Answer and Fill in the Blanks		
Regulation	40 CFR § 60.767 Reporting Requirements	Response
If NO, skip to (b)(3) below.		
(b)(1)	What type of NMOC emission rate report are you submitting?	
<input type="checkbox"/> initial		
<input type="checkbox"/> Annual		
<input type="checkbox"/> 5-year estimate in lieu of an annual report		
<i><b>Note:</b> If the estimated NMOC emission rate as reported in the annual report to the Agency is less than 34 megagrams per year in each of the next 5 consecutive years, the owner or operator may elect to submit an estimate of the NMOC emission rate for the next 5-year period in lieu of the annual report.</i>		
Attach NMOC Emission Report Submittal Form and submit as instructed.		
(b)(1)	Which formulas and procedures were used to calculate the NMOC emission rate in this report?	
<input type="checkbox"/> § 60.764(a)		
<input type="checkbox"/> § 60.764(b)		
(b)(1)(i)	Is the initial NMOC emission rate report combined with the initial design capacity report or submitted as a separate report?	
<input type="checkbox"/> combined report		
<input type="checkbox"/> separate report		
(b)(1)(i)(A)	On what date did construction, modification, or reconstruction of this landfill commence?	
MM/DD/YYYY: _____		
<i><b>Note:</b> If this date is after July 17, 2014, but before August 29, 2016, the initial NMOC emission rate report was due no later than November 28, 2016.</i>		
<i><b>Note:</b> If this date is after August 29, 2016, the initial NMOC emission rate report was (or is) due within ninety (90) days after the date on which construction, modification, or reconstruction commenced.</i>		
(b)(1)(i)	On what date did you submit the initial NMOC emission rate report?	
MM/DD/YYYY: _____		
<i><b>Note:</b> Subsequent reports must be submitted annually thereafter.</i>		
(b)(1)(ii)	If you are submitting a 5-year estimate, what is the 5-year period covered by the report?	
MM/DD/YYYY: _____ to _____		

**Texas Commission on Environmental Quality  
Title 40 Code of Federal Regulations NSPS 60, Subpart XXX  
Checklist for Conditions and Requirements  
Municipal Solid Waste Landfills (MSWLF)**

<b>Check the Most Appropriate Answer and Fill in the Blanks</b>		
<b>Regulation</b>	<b>40 CFR § 60.767 Reporting Requirements</b>	<b>Response</b>
<p><b>Note:</b> This estimate shall be revised at least once every 5 years. If the actual waste acceptance rate exceeds the estimated waste acceptance rate in any year reported in the 5-year estimate, a revised 5-year estimate shall be submitted to the Agency. The revised estimate shall cover the 5-year period beginning with the year in which the actual waste acceptance rate exceeded the estimated waste acceptance rate.</p>		
(b)(2)	Does the NMOC emission rate report include all the data, calculations, sample reports and measurements used to estimate the annual or 5-year emissions?	<input type="checkbox"/> YES <input type="checkbox"/> NO
<p><b>Note:</b> If submitting a 5-year estimate, the estimate shall include the current amount of solid waste-in-place and the estimated waste acceptance rate for each year of the 5 years for which an NMOC emission rate is estimated. All data and calculations upon which this estimate is based shall be provided to the Agency.</p>		
<p><b>Note:</b> The Agency may request such additional information as may be necessary to verify the reported NMOC emission rate.</p>		
If NO, attach a detailed explanation.		
(b)(3)	Are you claiming exemption from the requirements of paragraphs (b)(1) and (b)(2) of this section?	<input type="checkbox"/> YES <input type="checkbox"/> NO
If NO, skip to (c) below.		
(b)(3)	Has a gas collection and control system for compliance with § 60.762(b)(2) been installed?	<input type="checkbox"/> YES <input type="checkbox"/> NO
If NO, attach a detailed explanation.		
(b)(3)	Has the gas collection and control system been in operation and in compliance with §§ 60.763 and 60.765 during the period for which you claim exemption from the requirements of (b)(1) and (b)(2)?	<input type="checkbox"/> YES <input type="checkbox"/> NO
If NO, attach a detailed explanation.		
(c)	Are you submitting a gas collection and control system design plan that was prepared and approved by a professional engineer?	<input type="checkbox"/> YES <input type="checkbox"/> NO
If YES, Attach Gas Collection and Control System Design Plan Submittal Form and submit as instructed.		
If NO, attach a detailed explanation.		
(c)(1)	Does the collection and control system as described in the design plan meet the design requirements in §60.762(b)(2)?	<input type="checkbox"/> YES <input type="checkbox"/> NO
If NO, attach a detailed explanation.		
(c)(2)	Does the design plan include any alternatives to the operational standards, test methods, procedures, compliance measures, monitoring, recordkeeping or reporting provisions of §§60.763 through 60.768?	<input type="checkbox"/> YES <input type="checkbox"/> NO

**Texas Commission on Environmental Quality  
Title 40 Code of Federal Regulations NSPS 60, Subpart XXX  
Checklist for Conditions and Requirements  
Municipal Solid Waste Landfills (MSWLF)**

<b>Check the Most Appropriate Answer and Fill in the Blanks</b>		
<b>Regulation</b>	<b>40 CFR § 60.767 Reporting Requirements</b>	<b>Response</b>
If NO, attach a detailed explanation.		
(c)(3)	Does the design plan conform with specifications for active collection systems in §60.769 or include a demonstration to the Administrator's satisfaction of the sufficiency of the alternative provisions to §60.769?	<input type="checkbox"/> YES <input type="checkbox"/> NO
If NO, attach a detailed explanation.		
(c)(4)	Has a collection and control system design plan been submitted to the Administrator for approval within 1 year of the first NMOC emission rate report in which the NMOC emission rate equals or exceeds 34 megagrams per year or meets the following requirement?	<input type="checkbox"/> YES <input type="checkbox"/> NO
<input type="checkbox"/> If NMOC emission rate is recalculated as provided in §60.764(a)(3) and is less than 34 megagrams per year, annual periodic reporting must be resumed, using the Tier 2 determined site-specific NMOC concentration, until the calculated emission rate is equal to or greater than 34 megagrams per year or the landfill is closed		
<b>Note:</b> Revised NMOC emission rate report, with the recalculated emission rate based on NMOC sampling and analysis, must be submitted, following the procedures in paragraph (i)(2) of this section, within 180 days of the first calculated exceedance of 34 megagrams per year		
<input type="checkbox"/> If NMOC emission rate is recalculated as provided in §60.764(a)(4) and is less than 34 megagrams per year, annual periodic reporting must be resumed.		
<b>Note:</b> The resulting site-specific methane generation rate constant <i>k</i> must be used in the emission rate calculation until such time as the emissions rate calculation results in an exceedance. The revised NMOC emission rate report based on the provisions of §60.764(a)(4) and the resulting site-specific methane generation rate constant <i>k</i> must be submitted, following the procedure specified in paragraph (i)(2) of this section, to the Administrator within 1 year of the first calculated emission rate equaling or exceeding 34 megagrams per year.		

**Texas Commission on Environmental Quality  
 Title 40 Code of Federal Regulations NSPS 60, Subpart XXX  
 Checklist for Conditions and Requirements  
 Municipal Solid Waste Landfills (MSWLF)**

<b>Check the Most Appropriate Answer and Fill in the Blanks</b>		
<b>Regulation</b>	<b>40 CFR § 60.767 Reporting Requirements</b>	<b>Response</b>
<input type="checkbox"/>	<p>If site-specific surface methane emissions are demonstrated to be below 500 parts per million methane, based on the provisions of §60.764(a)(6), then the owner or operator must submit annually a Tier 4 surface emissions report as specified in this paragraph following the procedure specified in paragraph (i)(2) of this section until a surface emissions readings of 500 parts per million methane or greater is found.</p>	
	<p><b>Note:</b> <i>If the Tier 4 surface emissions report shows no surface emissions readings of 500 parts per million methane or greater for four consecutive quarters at a closed landfill, then the landfill owner or operator may reduce Tier 4 monitoring from a quarterly to an annual frequency. The Administrator may request such additional information as may be necessary to verify the reported instantaneous surface emission readings. The Tier 4 surface emissions report must clearly identify the location, date and time (to nearest second), average wind speeds including wind gusts, and reading (in parts per million) of any value 500 parts per million methane or greater, other than non-repeatable, momentary readings. For location, you must determine the latitude and longitude coordinates using an instrument with an accuracy of at least 4 meters. The coordinates must be in decimal degrees with at least five decimal places. The Tier 4 surface emission report must also include the results of the most recent Tier 1 and Tier 2 results in order to verify that the landfill does not exceed 50 Mg/yr of NMOC.</i></p>	
	<p><b>Note:</b> <i>The initial Tier 4 surface emissions report must be submitted annually, starting within 30 days of completing the fourth quarter of Tier 4 surface emissions monitoring that demonstrates that site-specific surface methane emissions are below 500 parts per million methane, and following the procedure specified in paragraph (i)(2) of this section.</i></p>	
	<p><b>Note:</b> <i>The Tier 4 surface emissions report must be submitted within 1 year of the first measured surface exceedance of 500 parts per million methane, following the procedure specified in paragraph (i)(2) of this section.</i></p>	

**Texas Commission on Environmental Quality  
Title 40 Code of Federal Regulations NSPS 60, Subpart XXX  
Checklist for Conditions and Requirements  
Municipal Solid Waste Landfills (MSWLF)**

<b>Check the Most Appropriate Answer and Fill in the Blanks</b>		
<b>Regulation</b>	<b>40 CFR § 60.767 Reporting Requirements</b>	<b>Response</b>
(c)(5)	Will you notify the Administrator that the design plan is completed and submit a copy of the plan's signature page.?	<input type="checkbox"/> YES <input type="checkbox"/> NO
<p><i><b>Note:</b> The Administrator has 90 days to decide whether the design plan should be submitted for review. If the Administrator chooses to review the plan, the approval process continues as described in paragraph (c)(6) of this section. However, if the Administrator indicates that submission is not required or does not respond within 90 days, the landfill owner or operator can continue to implement the plan with the recognition that the owner or operator is proceeding at their own risk. In the event that the design plan is required to be modified to obtain approval, the owner or operator must take any steps necessary to conform any prior actions to the approved design plan and any failure to do so could result in an enforcement action.</i></p>		
If NO, attach a detailed explanation		
<p><i><b>Note:</b> As per (c)(6) of this section, upon receipt of an initial or revised design plan, the Administrator must review the information submitted under paragraphs (c)(1) through (3) of this section and either approve it, disapprove it, or request that additional information be submitted. Because of the many site-specific factors involved with landfill gas system design, alternative systems may be necessary. A wide variety of system designs are possible, such as vertical wells, combination horizontal and vertical collection systems, or horizontal trenches only, leachate collection components, and passive systems. If the Administrator does not approve or disapprove the design plan or does not request that additional information be submitted within 90 days of receipt, then the owner or operator may continue with implementation of the design plan, recognizing they would be proceeding at their own risk.</i></p>		
(c)(7)	If the owner or operator chooses to demonstrate compliance with the emission control requirements of this subpart using a treatment system as defined in this subpart, will a site-specific treatment system monitoring plan be prepared as specified in §60.768(b)(5)?	<input type="checkbox"/> YES <input type="checkbox"/> NO
Attach the site-specific treatment system monitoring plan.		
If NO, attach a detailed explanation.		
(d)	Is a revised design plan being submitted?	<input type="checkbox"/> YES <input type="checkbox"/> NO
If NO, move on to question (e) below.		
(d)	Will a revised design plan be submitted at least 90 days before expanding operations to an area not covered by the previously approved design plan or prior to installing or expanding the gas collection system in a way that is not consistent with the design plan that was submitted to the Administrator according to paragraph (c) of this section?	<input type="checkbox"/> YES <input type="checkbox"/> NO

**Texas Commission on Environmental Quality  
 Title 40 Code of Federal Regulations NSPS 60, Subpart XXX  
 Checklist for Conditions and Requirements  
 Municipal Solid Waste Landfills (MSWLF)**

<b>Check the Most Appropriate Answer and Fill in the Blanks</b>		
<b>Regulation</b>	<b>40 CFR § 60.767 Reporting Requirements</b>	<b>Response</b>
If NO, please provide a detailed explanation.		
(e)	Are you submitting a closure report?	<input type="checkbox"/> YES <input type="checkbox"/> NO
If YES, the report must be submitted to the Agency within 30 days of waste acceptance cessation. Attach Closure Report to the Closure Report Submittal Form and submit as instructed.		
If NO, skip to (f) below.		
(e)	What is the date of waste acceptance cessation?	
MM/DD/YYYY: _____		
<b>Note:</b> If a closure report has been submitted to the Agency, no additional wastes may be placed into the landfill without filing a notification of modification as described under § 60.7(a)(4).		
(e)	Has a permanent closure taken place in accordance with the requirements of 40 CFR § 258.60?	<input type="checkbox"/> YES <input type="checkbox"/> NO
<b>Note:</b> The Agency may request additional information to verify permanent closure.		
If NO, attach a detailed explanation.		
(f)	Are you submitting a Control Equipment Removal Report?	<input type="checkbox"/> YES <input type="checkbox"/> NO
If YES, the report must be submitted to the Agency 30 days prior to removal or cessation of operation of the control equipment.		
If NO, skip to (g) below.		
(f)	What is the date on which the control equipment will be removed or will cease operation?	
MM/DD/YYYY: _____		
<input type="checkbox"/> removal		
<input type="checkbox"/> cease operation		
(f)(1) (f)(2)	Does the Equipment Removal Report contain all of the following items?	<input type="checkbox"/> YES <input type="checkbox"/> NO

**Texas Commission on Environmental Quality  
Title 40 Code of Federal Regulations NSPS 60, Subpart XXX  
Checklist for Conditions and Requirements  
Municipal Solid Waste Landfills (MSWLF)**

<b>Check the Most Appropriate Answer and Fill in the Blanks</b>		
<b>Regulation</b>	<b>40 CFR § 60.767 Reporting Requirements</b>	<b>Response</b>
<input type="checkbox"/>	a copy of the closure report submitted in accordance with paragraph (e) of this section	
<input type="checkbox"/>	a copy of the initial performance test report demonstrating that the 15-year minimum control period has expired, unless the report of the results of the performance test has been submitted to the EPA via the EPA's CDX, or information that demonstrates that the GCCS will be unable to operate for 15 years due to declining gas flows	
<i><b>Note:</b> In the equipment removal report, the process unit(s) tested, the pollutant(s) tested, and the date that such performance test was conducted may be submitted in lieu of the performance test report if the report has been previously submitted to the EPA's CDX</i>		
<input type="checkbox"/>	dated copies of three successive NMOC emission rate reports demonstrating that the landfill is no longer producing 34 megagrams or greater of NMOC per year, unless the NMOC emission rate reports have been submitted to the EPA via the EPA's CDX	
<i><b>Note:</b> If the NMOC emission rate reports have been previously submitted to the EPA's CDX, a statement that the NMOC emission rate reports have been submitted electronically and the dates that the reports were submitted to the EPA's CDX may be submitted in the equipment removal report in lieu of the NMOC emission rate reports.</i>		
<i><b>Note:</b> The Agency may request such additional information as may be necessary to verify that all of the conditions for removal in § 60.762(b)(2)(v) have been met.</i>		
Attach Control Equipment Removal Report to the Control Equipment Removal Report Submittal Form and submit as instructed.		
(g)	Are you submitting an Annual Report of recorded information for an active gas collection system as specified in § 60.767(g)(1) through § 60.767(g)(7)?	<input type="checkbox"/> YES <input type="checkbox"/> NO
If NO, skip to (h) below.		
(g)	What is the date of installation and start-up of the gas collection and control system?	
MM/DD/YYYY: _____		
<i><b>Note:</b> The initial annual report shall be submitted within 180 days of installation and start-up of the gas collection and control system and shall include the initial performance test report required under § 60.8, unless the report of the results of the performance test has been submitted to the EPA via the EPA's CDX. In the initial annual report, the process unit(s) tested, the pollutant(s) tested, and the date that such performance test was conducted may be submitted in lieu of the performance test report if the report has been previously submitted to the EPA's CDX.</i>		
(g)(1)-(g)(7)	Indicate below which types of recorded information are included in the report:	(g)(1)-(g)(7)



**Texas Commission on Environmental Quality  
Title 40 Code of Federal Regulations NSPS 60, Subpart XXX  
Checklist for Conditions and Requirements  
Municipal Solid Waste Landfills (MSWLF)**

<b>Check the Most Appropriate Answer and Fill in the Blanks</b>		
<b>Regulation</b>	<b>40 CFR § 60.767 Reporting Requirements</b>	<b>Response</b>
<input type="checkbox"/>	value and length of time for exceedance of applicable parameters monitored under § 60.766(a), § 60.766(b), § 60.766(c), § 60.656(d), and § 60.766(g)	
<b>Note:</b> For enclosed combustion devices and flares, reportable exceedances are defined under § 60.768(c).		
<input type="checkbox"/>	description and duration of all periods when the gas stream is diverted from the control device or treatment system through a bypass line or the indication of bypass flow as specified under § 60.766	
<input type="checkbox"/>	description and duration of all periods when the control device or treatment system was not operating and length of time the control device or treatment system was not operating	
<input type="checkbox"/>	all periods when the collection system was not operating	
<input type="checkbox"/>	the location of each exceedance of the 500 parts per million methane concentration as provided in § 60.763(d) and the concentration recorded at each location for which an exceedance was recorded in the previous month	
<b>Note:</b> For location, you must determine the latitude and longitude coordinates using an instrument with an accuracy of at least 4 meters. The coordinates must be in decimal degrees with at least five decimal places.		
<input type="checkbox"/>	the date of installation and the location of each well or collection system expansion added pursuant to § 60.765(a)(3), § 60.765(a)(5), § 60.765(b), and § 60.765(c)(4)	
<input type="checkbox"/>	the root cause analysis conducted, including a description of the recommended corrective action(s), the date for corrective action(s) already completed following the positive pressure reading, and, for action(s) not already completed, a schedule for implementation, including proposed commencement and completion dates for any corrective action analysis for which corrective actions are required in §60.765(a)(3) or (5) and that take more than 60 days to correct the exceedance	
Attach Annual Report to the Annual Report Submittal Form and submit as instructed.		
(h)	Are you submitting the Initial Performance Test Report required under § 60.8 for a gas collection and control system?	<input type="checkbox"/> YES <input type="checkbox"/> NO
If NO, skip to the checklist for § 60.768 Recordkeeping Requirements.		
(h)(1)-(h)(6)	Does the Initial Performance Test Report include all of the following required information?	<input type="checkbox"/> YES <input type="checkbox"/> NO
<input type="checkbox"/>	a diagram of the collection system showing collection system positioning including all wells, horizontal collectors, surface collectors, or other gas extraction devices, including the locations of any areas excluded from collection and the proposed sites for the future collection system expansion	
<input type="checkbox"/>	the data upon which the sufficient density of wells, horizontal collectors, surface collectors, or other gas extraction devices and the gas mover equipment sizing are based	
<input type="checkbox"/>	the documentation of the presence of asbestos or nondegradable material for each area from which collection wells have been excluded based on the presence of asbestos or nondegradable material	

**Texas Commission on Environmental Quality  
Title 40 Code of Federal Regulations NSPS 60, Subpart XXX  
Checklist for Conditions and Requirements  
Municipal Solid Waste Landfills (MSWLF)**

<b>Check the Most Appropriate Answer and Fill in the Blanks</b>		
<b>Regulation</b>	<b>40 CFR § 60.767 Reporting Requirements</b>	<b>Response</b>
<input type="checkbox"/>	the sum of the gas generation flow rates for all areas from which collection wells have been excluded based on nonproductivity and the calculations of gas generation flow rate for each excluded area	
<input type="checkbox"/>	the provisions for increasing gas mover equipment capacity with increased gas generation flow rate, if the present gas mover equipment is inadequate to move the maximum flow rate expected over the life of the landfill	
<input type="checkbox"/>	the provisions for the control of off-site migration	
If NO, attach a detailed explanation		
(i)	Will you submit reports electronically according to paragraphs (i)(1) and (2) of this section?	<input type="checkbox"/> YES <input type="checkbox"/> NO
(i)(1)	Will you submit the results of each performance test according to the following procedures within 60 days after the date of completing each performance test (as defined in §60.8)?	<input type="checkbox"/> YES <input type="checkbox"/> NO
<input type="checkbox"/>	For data collected using test methods supported by the EPA's Electronic Reporting Tool (ERT) as listed on the EPA's ERT website ( <a href="https://www3.epa.gov/ttn/chief/ert/ert_info.html">https://www3.epa.gov/ttn/chief/ert/ert_info.html</a> ) at the time of the test, you must submit the results of the performance test to the EPA via the Compliance and Emissions Data Reporting Interface (CEDRI). CEDRI can be accessed through the EPA's Central Data Exchange (CDX) ( <a href="https://cdx.epa.gov/">https://cdx.epa.gov/</a> ). Performance test data must be submitted in a file format generated through the use of the EPA's ERT or an alternative file format consistent with the extensible markup language (XML) schema listed on the EPA's ERT website, once the XML schema is available. If you claim that some of the performance test information being submitted is confidential business information (CBI), you must submit a complete file generated through the use of the EPA's ERT or an alternate electronic file consistent with the XML schema listed on the EPA's ERT website, including information claimed to be CBI, on a compact disc, flash drive or other commonly used electronic storage media to the EPA. The electronic media must be clearly marked as CBI and mailed to U.S. EPA/OAQPS/CORE CBI Office, Attention: Group Leader, Measurement Policy Group, MD C404-02, 4930 Old Page Rd., Durham, NC 27703. The same ERT or alternate file with the CBI omitted must be submitted to the EPA via the EPA's CDX as described earlier in this paragraph.	
<input type="checkbox"/>	For data collected using test methods that are not supported by the EPA's ERT as listed on the EPA's ERT website at the time of the test, you must submit the results of the performance test to the Administrator at the appropriate address listed in §60.4.	

**Texas Commission on Environmental Quality  
Title 40 Code of Federal Regulations NSPS 60, Subpart XXX  
Checklist for Conditions and Requirements  
Municipal Solid Waste Landfills (MSWLF)**

<b>Check the Most Appropriate Answer and Fill in the Blanks</b>		
<b>Regulation</b>	<b>40 CFR § 60.767 Reporting Requirements</b>	<b>Response</b>
(i)(2)	If required to submit reports following the procedure specified in this paragraph, will the reports be submitted to the EPA via the CEDRI?	<input type="checkbox"/> YES <input type="checkbox"/> NO
<p><b>Note:</b> The owner or operator must use the appropriate electronic report in CEDRI for this subpart or an alternate electronic file format consistent with the XML schema listed on the CEDRI website (<a href="https://www3.epa.gov/ttn/chief/cedri/index.html">https://www3.epa.gov/ttn/chief/cedri/index.html</a>). If the reporting form specific to this subpart is not available in CEDRI at the time that the report is due, the owner or operator must submit the report to the Administrator at the appropriate address listed in §60.4. Once the form has been available in CEDRI for 90 calendar days, the owner or operator must begin submitting all subsequent reports via CEDRI. The reports must be submitted by the deadlines specified in this subpart, regardless of the method in which the reports are submitted.</p>		
If NO, attach a detailed explanation		
(j)	For corrective actions, will you submit documents according to the following requirements?	<input type="checkbox"/> YES <input type="checkbox"/> NO
<input type="checkbox"/> For corrective action that is required according to §60.765(a)(3)(iii) or (a)(5)(iii) and is expected to take longer than 120 days after the initial exceedance to complete, you must submit the root cause analysis, corrective action analysis, and corresponding implementation timeline to the Administrator as soon as practicable but no later than 75 days after the first measurement of positive pressure or temperature monitoring value of 55 degrees Celsius (131 degrees Fahrenheit). The Administrator must approve the plan for corrective action and the corresponding timeline.		
<input type="checkbox"/> For corrective action that is required according to §60.765(a)(3)(iii) or (a)(5)(iii) and is not completed within 60 days after the initial exceedance, you must submit a notification to the Administrator as soon as practicable but no later than 75 days after the first measurement of positive pressure or temperature exceedance.		
If NO, attach a detailed explanation		
(k)	Will you employ a leachate recirculation or added liquids, based on a Research, Development, and Demonstration permit (issued through Resource Conservation and Recovery Act, subtitle D, part 258), within the last 10 years and submit to the Administrator, annually, following the procedure specified in paragraph (i)(2) of this section, the following information?	<input type="checkbox"/> YES <input type="checkbox"/> NO
<input type="checkbox"/> Volume of leachate recirculated (gallons per year) and the reported basis of those estimates (records or engineering estimates).		
<input type="checkbox"/> Total volume of all other liquids added (gallons per year) and the reported basis of those estimates (records or engineering estimates).		

**Texas Commission on Environmental Quality  
Title 40 Code of Federal Regulations NSPS 60, Subpart XXX  
Checklist for Conditions and Requirements  
Municipal Solid Waste Landfills (MSWLF)**

<b>Check the Most Appropriate Answer and Fill in the Blanks</b>		
<b>Regulation</b>	<b>40 CFR § 60.767 Reporting Requirements</b>	<b>Response</b>
<input type="checkbox"/>	Surface area (acres) over which the leachate is recirculated (or otherwise applied).	
<input type="checkbox"/>	Surface area (acres) over which any other liquids are applied.	
<input type="checkbox"/>	The total waste disposed (megagrams) in the areas with recirculated leachate and/or added liquids based on on-site records to the extent data are available, or engineering estimates and the reported basis of those estimates.	
<input type="checkbox"/>	The annual waste acceptance rates (megagrams per year) in the areas with recirculated leachate and/or added liquids, based on on-site records to the extent data are available, or engineering estimates.	
<b>Note:</b> <i>The initial report must contain items in paragraph (k)(1) through (6) of this section per year for the initial annual reporting period as well as for each of the previous 10 years, to the extent historical data are available in on-site records, and the report must be submitted no later than: September 27, 2017, for landfills that commenced construction, modification, or reconstruction after July 17, 2014 but before August 29, 2016 containing data for the first 12 months after August 29, 2016; or thirteen (13) months after the date of commenced construction, modification, or reconstruction for landfills that commence construction, modification, or reconstruction after August 29, 2016 containing data for the first 12 months after August 29, 2016.</i>		
<b>Note:</b> <i>Subsequent annual reports must contain items in paragraph (k)(1) through (6) of this section for the 365-day period following the 365-day period included in the previous annual report, and the report must be submitted no later than 365 days after the date the previous report was submitted.</i>		
<b>Note:</b> <i>Landfills may cease annual reporting of items in paragraphs (k)(1) through (7) of this section once they have submitted the closure report in paragraph (e) of this section.</i>		
If NO, attach a detailed explanation		
(l)	For Tier 4 notification, will you provide a notification of the date(s) upon which it intends to demonstrate site-specific surface methane emissions are below 500 parts per million methane, based on the Tier 4 provisions of §60.764(a)(6)?	<input type="checkbox"/> YES <input type="checkbox"/> NO
<b>Note:</b> <i>The landfill must also include a description of the wind barrier to be used during the SEM in the notification. Notification must be postmarked not less than 30 days prior to such date.</i>		
<b>Note:</b> <i>If there is a delay to the scheduled Tier 4 SEM date due to weather conditions, including not meeting the wind requirements in §60.764(a)(6)(iii)(A), the owner or operator of a landfill shall notify the Administrator by email or telephone no later than 48 hours before any delay or cancellation in the original test date, and arrange an updated date with the Administrator by mutual agreement.</i>		

**Texas Commission on Environmental Quality  
Title 40 Code of Federal Regulations NSPS 60, Subpart XXX  
Checklist for Conditions and Requirements  
Municipal Solid Waste Landfills (MSWLF)**

<b>Check the Most Appropriate Answer and Fill in the Blanks</b>		
<b>Regulation</b>	<b>40 CFR § 60.768 Recordkeeping Requirements</b>	<b>Response</b>
If NO, attach a detailed explanation		
Attach the Initial Performance Test Report for the Control System Submittal Form and submit as instructed.		
If performance testing was waived under § 60.8(a)(4) attach a copy of the approval letter.		
(a)	Are you keeping (for at least 5 years) up-to-date, readily accessible, on-site records of the following?	<input type="checkbox"/> YES <input type="checkbox"/> NO
<input type="checkbox"/> the design capacity report which triggered § 60.762(b)		
<input type="checkbox"/> the current amount of solid waste in-place		
<input type="checkbox"/> the year-by-year waste acceptance rate		
<b>Note:</b> These records are required if the calculated NMOC emission rate is $\geq 34$ megagrams per year.		
<b>Note:</b> Off-site records may be maintained if they are retrievable within 4 hours. Either paper copy or electronic formats are acceptable.		
If NO, attach a detailed explanation		
(b)	Are you keeping up-to-date, readily accessible records of the control equipment data listed in paragraphs (b)(1) through (b)(5) below?	<input type="checkbox"/> YES <input type="checkbox"/> NO
<input type="checkbox"/> data measured during the initial performance test or compliance determination will be kept for the life of the control equipment		
<input type="checkbox"/> records of subsequent tests or monitoring will be maintained for a minimum of 5 years		
<input type="checkbox"/> records of the control device vendor specifications shall be maintained until equipment removal		
If NO, attach a detailed explanation.		
(b)(1)	Are you seeking to demonstrate compliance with § 60.762(b)(2)(ii) for a GCCS installation?	<input type="checkbox"/> YES <input type="checkbox"/> NO
If NO, skip to (b)(2) below.		
(b)(1)(i)	Are you keeping records of the maximum expected gas generation flow rate as calculated in § 60.765(a)(1)?	<input type="checkbox"/> YES <input type="checkbox"/> NO

**Texas Commission on Environmental Quality  
Title 40 Code of Federal Regulations NSPS 60, Subpart XXX  
Checklist for Conditions and Requirements  
Municipal Solid Waste Landfills (MSWLF)**

<b>Check the Most Appropriate Answer and Fill in the Blanks</b>		
<b>Regulation</b>	<b>40 CFR § 60.768 Recordkeeping Requirements</b>	<b>Response</b>
<i>Note: If you are using another agency-approved method to determine the maximum gas generation flow rate, attach a detailed explanation.</i>		
If NO, attach a detailed explanation.		
(b)(1)(ii)	Are you keeping records of the density of wells, horizontal collectors, surface collectors, or other gas extraction devices determined using the procedures specified in § 60.769(a)(1)?	<input type="checkbox"/> YES <input type="checkbox"/> NO
If NO, attach a detailed explanation.		
(b)(2)	Are you seeking to demonstrate compliance with § 60.762(b)(2)(iii), GCCS Control System, through use of an enclosed combustion device other than a boiler or process heater with a design heat input capacity ≥ 44 megawatts?	<input type="checkbox"/> YES <input type="checkbox"/> NO
If NO, skip to (b)(3) below.		
(b)(2)(i)	Are you keeping records of the average combustion temperature measured at least every 15 minutes and averaged over the same time period of the performance test?	<input type="checkbox"/> YES <input type="checkbox"/> NO
If NO, attach a detailed explanation.		
(b)(2)(ii)	Are you keeping records of the percent reduction of NMOC achieved by the control device as determined by the method specified in § 60.762(b)(2)(iii)(B)?	<input type="checkbox"/> YES <input type="checkbox"/> NO
If NO, attach a detailed explanation.		
(b)(3)	Are you seeking to demonstrate compliance with § 60.762(b)(2)(iii)(B)(1) through use of a boiler or process heater of any size?	<input type="checkbox"/> YES <input type="checkbox"/> NO
If NO, skip to (b)(4) below.		
(b)(3)	Are you keeping a record of the description of the location at which the collected gas vent stream is introduced into the boiler or process heater over the same time period of the performance testing?	<input type="checkbox"/> YES <input type="checkbox"/> NO
If NO, attach a detailed explanation.		
(b)(4)	Are you seeking to demonstrate compliance with § 60.762(b)(2)(iii)(A) through use of an open flare?	<input type="checkbox"/> YES <input type="checkbox"/> NO

**Texas Commission on Environmental Quality  
Title 40 Code of Federal Regulations NSPS 60, Subpart XXX  
Checklist for Conditions and Requirements  
Municipal Solid Waste Landfills (MSWLF)**

<b>Check the Most Appropriate Answer and Fill in the Blanks</b>		
<b>Regulation</b>	<b>40 CFR § 60.768 Recordkeeping Requirements</b>	<b>Response</b>
If NO, skip to (b)(5) below.		
(b)(4)	Are you keeping the following required records?	<input type="checkbox"/> YES <input type="checkbox"/> NO
<input type="checkbox"/> flare type (i.e., steam-assisted, air-assisted, or nonassisted)		
<input type="checkbox"/> all visible emission readings, heat content determination, flow rate or bypass flow rate measurements, and exit velocity determinations made during the performance test as specified in § 60.18		
<input type="checkbox"/> continuous records of the flare pilot flame or flare flame monitoring and records of all periods of operations during which the pilot flame of the flare flame is absent		
If NO, attach a detailed explanation.		
(b)(5)	Are you seeking to demonstrate compliance with §60.762(b)(2)(iii) through use of a landfill gas treatment system?	<input type="checkbox"/> YES <input type="checkbox"/> NO
If NO, skip to (c) below.		
(b)(5)	Are you keeping the following required records?	<input type="checkbox"/> YES <input type="checkbox"/> NO
<input type="checkbox"/> records of the flow of landfill gas to, and bypass of, the treatment system		
<input type="checkbox"/> monitoring records of parameters that are identified in the treatment system monitoring plan and that ensure the treatment system is operating properly for each intended end use of the treated landfill gas.		
<b>Note:</b> <i>At a minimum, records should include records of filtration, de-watering, and compression parameters that ensure the treatment system is operating properly for each intended end use of the treated landfill gas</i>		
<input type="checkbox"/> monitoring methods, frequencies, and operating ranges for each monitored operating parameter based on manufacturer's recommendations or engineering analysis for each intended end use of the treated landfill gas		
<input type="checkbox"/> documentation of the monitoring methods and ranges, along with justification for their use		
<input type="checkbox"/> identify who is responsible (by job title) for data collection		
<input type="checkbox"/> processes and methods used to collect the necessary data		
<input type="checkbox"/> description of the procedures and methods that are used for quality assurance, maintenance, and repair of all continuous monitoring systems		
(c)	Are you keeping (for at least 5 years) up-to-date, readily accessible, records of the following?	<input type="checkbox"/> YES <input type="checkbox"/> NO
<input type="checkbox"/> continuous records of the equipment operating parameters specified to be monitored in § 60.766		
<input type="checkbox"/> records for periods of operation during which the parameter boundaries established during the most recent performance test are exceeded		

**Texas Commission on Environmental Quality  
Title 40 Code of Federal Regulations NSPS 60, Subpart XXX  
Checklist for Conditions and Requirements  
Municipal Solid Waste Landfills (MSWLF)**

Check the Most Appropriate Answer and Fill in the Blanks		
Regulation	40 CFR § 60.768 Recordkeeping Requirements	Response
If NO, attach a detailed explanation.		
(c)(1)	Are you keeping records of the following exceedances?	<input type="checkbox"/> YES <input type="checkbox"/> NO
<b>Note:</b> <i>These exceedances should also be reported under § 60.767(g).</i>		
<input type="checkbox"/> for enclosed combustors except for boilers and process heaters with design heat input capacity of $\geq 44$ megawatts, all 3-hour periods of operation during which the average combustion temperature was more than 28 degrees C below the average combustion temperature during the most recent performance test at which compliance with § 60.762(b)(2)(iii) was determined.		
<input type="checkbox"/> for boilers or process heaters, whenever there is a change in the location at which the vent stream is introduced into the flame zone as required under paragraph (b)(3) of this section		
If NO, attach a detailed explanation.		
(c)(2)	Are you keeping continuous records of the indication of flow to the control device or the indication of bypass flow or records of monthly inspections of car-seals or lock-and-key configurations used to seal bypass lines, specified under § 60.766?	<input type="checkbox"/> YES <input type="checkbox"/> NO
If NO, attach a detailed explanation.		
(c)(3)	Does the landfill use as a control device a boiler or process heater with a design heat input capacity $\geq 44$ megawatts?	<input type="checkbox"/> YES <input type="checkbox"/> NO
If NO, skip to (c)(4) below.		
(c)(3)	Are you keeping records of all periods of operation of the boiler or process heater?	<input type="checkbox"/> YES <input type="checkbox"/> NO
<b>Note:</b> <i>Such records could include records of steam use, fuel use, or monitoring data collected pursuant to other State, local, Tribal, or Federal regulatory requirements.</i>		
If NO, attach a detailed explanation.		
(c)(4)	Does the landfill use an open flare as a control device?	<input type="checkbox"/> YES <input type="checkbox"/> NO
If NO, skip to (d) below.		
(c)(4)	Are you keeping the following required records?	<input type="checkbox"/> YES <input type="checkbox"/> NO
<input type="checkbox"/> continuous records of the flame or flare pilot flame monitoring specified under § 60.766(c)		
<input type="checkbox"/> records of all periods of operation in which the flame or flare pilot flame is absent		



**Texas Commission on Environmental Quality  
Title 40 Code of Federal Regulations NSPS 60, Subpart XXX  
Checklist for Conditions and Requirements  
Municipal Solid Waste Landfills (MSWLF)**

<b>Check the Most Appropriate Answer and Fill in the Blanks</b>		
<b>Regulation</b>	<b>40 CFR § 60.768 Recordkeeping Requirements</b>	<b>Response</b>
If NO, attach a detailed explanation.		
(c)(5)	Does the landfill use an active collection system designed in accordance with § 60.762(b)(2)(ii)?	<input type="checkbox"/> YES <input type="checkbox"/> NO
If NO, skip to (d) below.		
(c)(5)	Are you keeping records of periods when the collection system or control device is not operating?	<input type="checkbox"/> YES <input type="checkbox"/> NO
If NO, attach a detailed explanation.		
(d)	Are you keeping for the life of the collection system an up-to-date, readily accessible plot map showing each existing and planned collector in the system and providing a unique identification location label for each collector?	<input type="checkbox"/> YES <input type="checkbox"/> NO
If NO, attach a detailed explanation.		
(d)(1)	Are you keeping up-to-date, readily accessible records of the installation date and location of all newly installed collectors as specified under § 60.765(b)?	<input type="checkbox"/> YES <input type="checkbox"/> NO
If NO, attach a detailed explanation.		
(d)(2)	Are you keeping readily accessible documentation of the nature, date of deposition, amount, and location of asbestos-containing or nondegradable waste excluded from collection as provided in § 60.769(a)(3)(i) as well as any nonproductive areas excluded from collection as provided in § 60.769(a)(3)(ii)?	<input type="checkbox"/> YES <input type="checkbox"/> NO
If NO, attach a detailed explanation.		
(e)	Are you keeping (for at least 5 years) up-to-date, readily accessible records of the following?	<input type="checkbox"/> YES <input type="checkbox"/> NO
<input type="checkbox"/> all collection and control system exceedances of the operational standards in § 60.763		
<input type="checkbox"/> the reading in the subsequent month whether or not the second reading is an exceedance		
<input type="checkbox"/> the location of each exceedance		
<input type="checkbox"/> each wellhead temperature monitoring value of 55 degrees Celsius (131 degrees Fahrenheit) or above, each wellhead nitrogen level at or above 20 percent, and each wellhead oxygen level at or above 5 percent		
<input type="checkbox"/> for any root cause analysis for which corrective actions are required in §60.765(a)(3)(i) or (a)(5)(i), keep a record of the root cause analysis conducted, including a description of the recommended corrective action(s) taken, and the date(s) the corrective action(s) were completed		

**Texas Commission on Environmental Quality  
Title 40 Code of Federal Regulations NSPS 60, Subpart XXX  
Checklist for Conditions and Requirements  
Municipal Solid Waste Landfills (MSWLF)**

<b>Check the Most Appropriate Answer and Fill in the Blanks</b>		
<b>Regulation</b>	<b>40 CFR § 60.768 Recordkeeping Requirements</b>	<b>Response</b>
<input type="checkbox"/>	for any root cause analysis for which corrective actions are required in §60.765(a)(3)(i) or (a)(5)(i), keep a record of the root cause analysis conducted, including a description of the recommended corrective action(s) taken, and the date(s) the corrective action(s) were completed	
<input type="checkbox"/>	for any root cause analysis for which corrective actions are required in §60.765(a)(3)(ii) or (a)(5)(ii), keep a record of the root cause analysis conducted, the corrective action analysis, the date for corrective action(s) already completed following the positive pressure reading or high temperature reading, and, for action(s) not already completed, a schedule for implementation, including proposed commencement and completion dates	
<input type="checkbox"/>	for any root cause analysis for which corrective actions are required in §60.765(a)(3)(iii) or (a)(5)(iii), keep a record of the root cause analysis conducted, the corrective action analysis, the date for corrective action(s) already completed following the positive pressure reading or high temperature reading, for action(s) not already completed, a schedule for implementation, including proposed commencement and completion dates, and a copy of any comments or final approval on the corrective action analysis or schedule from the regulatory agency	
If NO, attach a detailed explanation.		
(f)	Have you converted design capacity from volume to mass or mass to volume to demonstrate that landfill design capacity is less than 2.5 million megagrams or 2.5 million cubic meters, as provided in the definition of "design capacity"?	<input type="checkbox"/> YES <input type="checkbox"/> NO
If NO, skip to (g) below.		
(f)	Are you keeping readily accessible, on-site records of the following conversion-related data?	<input type="checkbox"/> YES <input type="checkbox"/> NO
<input type="checkbox"/> the annual recalculation of site-specific density		
<input type="checkbox"/> the design capacity		
<input type="checkbox"/> the supporting documentation		
<b>Note:</b> <i>Off-site records may be maintained if they are retrievable within 4 hours. Either paper copy or electronic formats are acceptable.</i>		
If NO, attach a detailed explanation.		
(g)	Are you demonstrating that site-specific surface methane emissions are below 500 parts per million by conducting surface emission monitoring under the Tier 4 procedures specified in §60.764(a)(6)?	<input type="checkbox"/> YES <input type="checkbox"/> NO

**Texas Commission on Environmental Quality  
Title 40 Code of Federal Regulations NSPS 60, Subpart XXX  
Checklist for Conditions and Requirements  
Municipal Solid Waste Landfills (MSWLF)**

<b>Check the Most Appropriate Answer and Fill in the Blanks</b>		
<b>Regulation</b>	<b>40 CFR § 60.768 Recordkeeping Requirements</b>	<b>Response</b>
If NO, skip to (h) below.		
(g)	Are you keeping (for at least 5 years) up-to-date, readily accessible records of all surface emissions monitoring and information related to monitoring instrument calibrations conducted according to sections 8 and 10 of Method 21 of appendix A of this part, including all of the following?	<input type="checkbox"/> YES <input type="checkbox"/> NO
<input type="checkbox"/>	calibration records that includes: date of calibration and initials of operator performing the calibration; calibration gas cylinder identification, certification date, and certified concentration; instrument scale(s) used; description of any corrective action taken if the meter readout could not be adjusted to correspond to the calibration gas value; and, if an owner or operator makes their own calibration gas, a description of the procedure used	
<input type="checkbox"/>	digital photographs of the instrument setup, including the wind barrier	
<b>Note:</b> <i>The photographs must be time and date-stamped and taken at the first sampling location prior to sampling and at the last sampling location after sampling at the end of each sampling day, for the duration of the Tier 4 monitoring demonstration.</i>		
<input type="checkbox"/>	timestamp of each surface scan reading that is detailed to the nearest second, based on when the sample collection begins and a log for the length of time each sample was taken using a stopwatch	
<input type="checkbox"/>	location of each surface scan reading, the owner or operator must determine the coordinates using an instrument with an accuracy of at least 4 meters, coordinates must be in decimal degrees with at least five decimal places.	
<input type="checkbox"/>	monitored methane concentration (parts per million) of each reading	
<input type="checkbox"/>	background methane concentration (parts per million) after each instrument calibration test	
<input type="checkbox"/>	adjusted methane concentration using most recent calibration (parts per million)	
<input type="checkbox"/>	for readings taken at each surface penetration, the unique identification location label matching the label specified in paragraph (d) of this section	
<input type="checkbox"/>	records of the operating hours of the gas collection system for each destruction device	

**Texas Commission on Environmental Quality  
Title 40 Code of Federal Regulations NSPS 60, Subpart XXX  
Checklist for Conditions and Requirements  
Municipal Solid Waste Landfills (MSWLF)**

<b>Check the Most Appropriate Answer and Fill in the Blanks</b>		
<b>Regulation</b>	<b>40 CFR § 60.768 Recordkeeping Requirements</b>	<b>Response</b>
If NO, attach a detailed explanation.		
(h)	Are you keep for at least 5 years up-to-date, readily accessible records of all collection and control system monitoring data for parameters measured in §60.766(a)(1), (2), and (3)?	<input type="checkbox"/> YES <input type="checkbox"/> NO
If NO, attach a detailed explanation.		
<i><b>Note:</b> Any records required to be maintained by this subpart that are submitted electronically via the EPA's CDX may be maintained in electronic format.</i>		
<i><b>Note:</b> For each owner or operator reporting leachate or other liquids addition under §60.767(k), keep records of any engineering calculations or company records used to estimate the quantities of leachate or liquids added, the surface areas for which the leachate or liquids were applied, and the estimates of annual waste acceptance or total waste in place in the areas where leachate or liquids were applied.</i>		
<b>Regulation</b>	<b>40 CFR § 60.769 Specifications for Active Collection Systems</b>	<b>Response</b>
(a)	Is this landfill required to comply with § 60.762(b)(2)(i)?	<input type="checkbox"/> YES <input type="checkbox"/> NO
If YES, continue.		
If NO, skip the remainder of this checklist.		
<i><b>Note:</b> Compliance with § 60.762(b)(2)(i) is required if the calculated NMOC emission rate is greater than or equal to 34 megagrams per year.</i>		
(a)	Have procedures and alternative mean of control (AMOC) for the GCCS been approved by the agency as provided in § 60.767(c)(2) and (3)?	<input type="checkbox"/> YES <input type="checkbox"/> NO
If YES, attach a detailed explanation of these alternative procedures and proof of agency AMOC approval.		
If NO, continue.		
(a)	Will you site active collection wells, horizontal collectors, surface collectors, or other extraction devices at a sufficient density throughout all gas producing areas?	<input type="checkbox"/> YES <input type="checkbox"/> NO
If NO, attach a detailed explanation.		
(a)(1)	Are the collection devices within the interior and along the perimeter areas certified by a professional engineer to achieve comprehensive control of surface gas emissions?	<input type="checkbox"/> YES <input type="checkbox"/> NO
<i><b>Note:</b> The following issues shall be addressed in the design: depths of refuse, refuse gas generation rates and flow characteristics, cover properties, gas system expandability, leachate and condensate management, accessibility, compatibility with filling operations, integration with closure end use, air intrusion control, corrosion resistance, fill settlement, resistance to the refuse decomposition heat, and ability to isolate individual components or sections for repair or troubleshooting without shutting down entire collection system.</i>		

**Texas Commission on Environmental Quality  
 Title 40 Code of Federal Regulations NSPS 60, Subpart XXX  
 Checklist for Conditions and Requirements  
 Municipal Solid Waste Landfills (MSWLF)**

<b>Check the Most Appropriate Answer and Fill in the Blanks</b>		
<b>Regulation</b>	<b>40 CFR § 60.769 Specifications for Active Collection Systems</b>	<b>Response</b>
If NO, attach a detailed explanation.		
(a)(2)	Does the density of gas collection devices determined by the design in paragraph (a)(1) of this section address landfill gas migration issues and augmentation of the collection system through the use of active or passive systems at the landfill perimeter or exterior?	<input type="checkbox"/> YES <input type="checkbox"/> NO
If NO, attach a detailed explanation.		
(a)(3)	Will the placement of gas collection devices determined by the design in paragraph (a)(1) of this section control all gas producing areas, except as provided by paragraphs (a)(3)(i) and (a)(3)(ii) of this section?	<input type="checkbox"/> YES <input type="checkbox"/> NO
If NO, attach a detailed explanation.		
(a)(3)(i)	Will this landfill have any segregated area(s) of asbestos or nondegradable material?	<input type="checkbox"/> YES <input type="checkbox"/> NO
(a)(3)(ii)	Will such area(s) be excluded from collection and documented as being excluded as provided under § 60.768(d)?	<input type="checkbox"/> YES <input type="checkbox"/> NO

**Texas Commission on Environmental Quality  
Title 40 Code of Federal Regulations NSPS 60, Subpart XXX  
Checklist for Conditions and Requirements  
Municipal Solid Waste Landfills (MSWLF)**

Check the Most Appropriate Answer and Fill in the Blanks		
Regulation	40 CFR § 60.769 Specifications for Active Collection Systems	Response
<b>Note:</b> The documentation shall provide the nature, date of deposition, location and amount of asbestos or nondegradable material deposited in the area and shall be provided to the Agency upon request.		
(a)(3)(ii)	Can this site demonstrate that all excluded, nonproductive areas of the landfill contribute less than 1 percent of the total amount of NMOC emissions from the landfill?	<input type="checkbox"/> YES <input type="checkbox"/> NO
<p>If YES, nonproductive area of the landfill may be excluded from control. The amount, location, and age of the material shall be documented and provided to the Agency upon request. A separate NMOC emissions estimate shall be made for each section proposed for exclusion, and the sum of all such sections shall be compared to the NMOC emissions estimate for the entire landfill. Emissions from each section shall be computed using the following equation:</p> $Q_i = 2 k L_o M_i (e^{-kt} i) (C_{NMOC}) (3.6 \times 10^{-9})$ <p>where, <math>Q_i</math> = NMOC emission rate from the <math>i^{\text{th}}</math> section, Mg per year  <math>k</math> = methane generation rate constant, year<sup>-1</sup>  <math>L_o</math> = methane generation potential, cubic meters per Mg solid waste  <math>M_i</math> = mass of the degradable solid waste in the <math>i^{\text{th}}</math> section, Mg  <math>t_i</math> = age of the solid waste in the <math>i^{\text{th}}</math> section, years  <math>C_{NMOC}</math> = concentration of nonmethane organic compounds, parts per million by volume  <math>3.6 \times 10^{-9}</math> = conversion factor</p> <p>If NO, this equation cannot be used, skip to (b) below.</p>		
<b>Note:</b> If the owner/operator is proposing to exclude, or cease gas collection and control from, nonproductive physically separated (e.g., separately lined) closed areas that already have gas collection systems, NMOC emissions from each physically separated closed area must be computed using either Equation 3 in §60.764(b) or Equation 7 in paragraph (a)(3)(ii)(A) of this section.		
<b>Note:</b> The mass of nondegradable solid waste contained within the given section may be subtracted from the total mass of the section when estimating emissions provided the nature, location, age, and amount of the nondegradable material is documented as provided in paragraph (a)(3)(i) of this section.		
(a)(3)(iii)	Were the values for $k$ and $C_{NMOC}$ used in (a)(3)(ii) above determined by field testing?	<input type="checkbox"/> YES <input type="checkbox"/> NO
<b>Note:</b> The values for $k$ and $C_{NMOC}$ determined in field testing must be used if field testing has been performed in determining the NMOC emission rate or the radii of influence (this distance from the well center to a point in the landfill where the pressure gradient applied by the blower or compressor approaches zero).		
If NO, skip the next two questions.		
(a)(3)(iii) year-1	What is the value of $k$ as determined by field testing? _____ year <sup>-1</sup>	
(a)(3)(iii)	What is the value of $C_{NMOC}$ as determined by field testing? _____ ppmv	
(a)(3)(iii)	Were default values for $k$ , $L_o$ , and $C_{NMOC}$ provided in § 60.764(a)(1) or the alternative values from § 60.764(a)(5) used in (a)(3)(ii) above?	<input type="checkbox"/> YES <input type="checkbox"/> NO

**Texas Commission on Environmental Quality  
Title 40 Code of Federal Regulations NSPS 60, Subpart XXX  
Checklist for Conditions and Requirements  
Municipal Solid Waste Landfills (MSWLF)**

<b>Check the Most Appropriate Answer and Fill in the Blanks</b>		
<b>Regulation</b>	<b>40 CFR § 60.769 Specifications for Active Collection Systems</b>	<b>Response</b>
(b)	Is the collection and control system required to comply with § 60.762(b)(2)(ii)(A)?	<input type="checkbox"/> YES <input type="checkbox"/> NO
If YES, complete sections (b) and (c) below.		
If NO, attach an explanation.		
<b>Note:</b> Compliance with § 60.762(b)(2)(i) is required if the calculated NMOC emission rate is greater than or equal to 34 megagrams per year.		
(b)(1)	Will the landfill gas extraction components be constructed of polyvinyl chloride (PVC), high density polyethylene (HDPE) pipe, fiberglass, stainless steel, or other nonporous corrosion resistant material of suitable dimensions?	<input type="checkbox"/> YES <input type="checkbox"/> NO
<b>Note:</b> To be considered suitably sized, extraction components must be able to: convey projected amounts of gases; withstand installation, static, and settlement forces; and withstand planned overburden or traffic loads.		
If NO, attach a detailed explanation.		
(b)(1)	Will the collection system extend as necessary to comply with emission and migration standards?	<input type="checkbox"/> YES <input type="checkbox"/> NO
If NO, attach a detailed explanation.		
(b)(1)	Will collection devices such as wells and horizontal collectors be perforated to allow gas entry without head loss sufficient to impair performance across the intended extent of control?	<input type="checkbox"/> YES <input type="checkbox"/> NO
If NO, attach a detailed explanation.		
(b)(1)	Will perforations be situated with regard to the need to prevent excessive air infiltration?	<input type="checkbox"/> YES <input type="checkbox"/> NO
If NO, attach a detailed explanation.		
(b)(2)	Will vertical wells be placed so as not to endanger underlying liners and to address the occurrence of water within the landfill?	<input type="checkbox"/> YES <input type="checkbox"/> NO
If NO, attach a detailed explanation.		
(b)(2)	Will holes and trenches constructed for piped wells and horizontal collectors be of sufficient cross-section so as to allow for their proper construction and completion including, for example, centering of pipes and placement of gravel backfill?	<input type="checkbox"/> YES <input type="checkbox"/> NO

**Texas Commission on Environmental Quality  
Title 40 Code of Federal Regulations NSPS 60, Subpart XXX  
Checklist for Conditions and Requirements  
Municipal Solid Waste Landfills (MSWLF)**

<b>Check the Most Appropriate Answer and Fill in the Blanks</b>		
<b>Regulation</b>	<b>40 CFR § 60.769 Specifications for Active Collection Systems</b>	<b>Response</b>
If NO, attach a detailed explanation.		
(b)(2)	Will collection devices be designed so as not to allow indirect short circuiting of air into the cover or refuse into the collection system or gas into the air?	<input type="checkbox"/> YES <input type="checkbox"/> NO
If NO, attach a detailed explanation.		
(b)(2)	Will any gravel used around pipe perforations be of a dimension so as not to penetrate or block perforations?	<input type="checkbox"/> YES <input type="checkbox"/> NO
If NO, attach a detailed explanation.		
(b)(3)	Will collection devices be connected to the collection header pipes below or above the landfill surface?	<input type="checkbox"/> YES <input type="checkbox"/> NO
<input type="checkbox"/> above <input type="checkbox"/> below <input type="checkbox"/> both		
If NO, attach a detailed explanation.		
(b)(3)	Will the connector assembly include a positive closing throttle valve, any necessary seals and couplings, access couplings and at least one sampling port?	<input type="checkbox"/> YES <input type="checkbox"/> NO
<i>If NO, attach a detailed explanation.</i>		
(b)(3)	Will the collection devices be constructed of PVC, HDPE, fiberglass, stainless steel, or other nonporous material of suitable thickness?	<input type="checkbox"/> YES <input type="checkbox"/> NO
If NO, attach a detailed explanation.		
(c)	Will the landfill gas be conveyed through collection header pipe(s) to a control system which complies with § 60.762(b)(2)(iii)?	<input type="checkbox"/> YES <input type="checkbox"/> NO
<b>Note:</b> <i>If the site has approval for an alternate means of control under the provisions of § 60.767(c)(3) if so, attach proof of approval.</i>		
If NO, attach a detailed explanation.		
(c)(1)	Is this an existing collection system?	<input type="checkbox"/> YES <input type="checkbox"/> NO
If YES, continue.		
If NO, skip to (c)(2).		
(c)(1)	Is flow data available?	<input type="checkbox"/> YES <input type="checkbox"/> NO



**Texas Commission on Environmental Quality  
 Title 40 Code of Federal Regulations NSPS 60, Subpart XXX  
 Checklist for Conditions and Requirements  
 Municipal Solid Waste Landfills (MSWLF)**

<b>Check the Most Appropriate Answer and Fill in the Blanks</b>		
<b>Regulation</b>	<b>40 CFR § 60.769 Specifications for Active Collection Systems</b>	<b>Response</b>
If YES, use the flow data to project the maximum flow rate.		
If NO, the maximum flow rate shall be calculated per § 60.765(a)(1).		
(c)(2)	Will the maximum flow rate be calculated in accordance with § 60.765(a)(1)?	<input type="checkbox"/> YES <input type="checkbox"/> NO
If NO, attach a detailed explanation.		
(c)	Will the gas mover equipment be sized to handle the maximum gas generation flow rate expected over the intended use period?	<input type="checkbox"/> YES <input type="checkbox"/> NO
If NO, attach a detailed explanation.		
<b>Note:</b> <i>The maximum gas generation flow rate must be calculated as specified in § 60.765(a)(1).</i>		