



Texas Commission on Environmental Quality

Form OP-UA51 Dryer/Kiln/Oven Attributes

General:

This form is used to provide a description and data pertaining to ovens, dryers, and kilns with potentially applicable requirements associated with a particular regulated entity number and application. Each table number, along with the possibility of a corresponding letter (i.e., Table 1a, Table 1b), corresponds to a certain state or federal rule. If the rule on the table is not potentially applicable to an oven, dryer, or kiln, then it should be left blank and need not be submitted with the application. If the codes entered by the applicant show negative applicability to the rule or sections of the rule represented on the table, then the applicant need not complete the remainder of the table(s) that corresponds to the rule. Further instruction as to which questions should be answered and which questions should not be answered are located in the “Specific” section of the instruction text. The following is included in this form:

- Table 1:** Title 40 Code of Federal Regulations Part 60 (40 CFR Part 60)
Subpart PP: Standards of Performance for Ammonium Sulfate Manufacture
- Table 2:** Title 40 Code of Federal Regulations Part 61 (40 CFR Part 61)
Subpart E: National Emission Standard for Mercury
- Table 3:** Title 40 Code of Federal Regulations Part 61 (40 CFR Part 61)
Subpart K: National Emission Standards for Radionuclide Emissions from Elemental Phosphorus Plants
- Table 4a - 4b:** Title 30 TAC Chapter 117, Subchapter B: Combustion Control at Major Industrial, Commercial, and Institutional Sources in Ozone Nonattainment Areas, Dryers, Kilns, and Ovens
- Table 5:** Title 30 Texas Administrative Code Chapter 117 (30 TAC Chapter 117)
Subchapter E, Division 2: Cement Kilns
- Table 6:** Title 30 Texas Administrative Code Chapter 111 (30 TAC Chapter 111)
Subchapter A, Division 2: Incineration
- Table 7a – 7c:** Title 40 Code of Federal Regulations Part 63 (40 CFR Part 63)
Subpart EEE: Hazardous Waste Combustors

The Texas Commission on Environmental Quality (TCEQ) regulated entity number (RNXXXXXXXXXX) and the application area name from Form OP-1 (Site Information Summary) must appear in the header of each page for the purpose of identification for the initial submittal. The date of the initial form submittal must also be included and should be consistent throughout the application (MM/DD/YYYY). Leave the permit number blank for the initial form submittal. If this form is included as part of the permit revision process, enter the permit number assigned by the TCEQ, the area name (from Form OP-1), the date of the revision submittal.

Unit attribute questions that do not require a response from all applicants are preceded by qualification criteria in the instructions. If the unit does not meet the qualification criteria, a response to the question is not required. Anytime a response is not required based on the qualification criteria, leave the space on the form blank.

Notwithstanding any qualification criteria in the form instructions or information provided in other TCEQ guidance, the applicant may leave an attribute question blank (or indicate “N/A” for “Not Applicable”) if the attribute is not needed for the applicable requirement determinations of a regulation for a unit.

In some situations, the applicant has the option of selecting alternate requirements, limitations, and/or practices for a unit. Note that these alternate requirements, limitations, and/or practices must have the required approval from the TCEQ Executive Director and/or the U.S. Environmental Protection Agency (EPA) Administrator before the federal operating permit application is submitted.

The Texas Commission on Environmental Quality (TCEQ) requires that a Core Data Form be submitted on all incoming registrations unless all of the following are met: the Regulated Entity and Customer Reference Numbers have been issued by the TCEQ and no core data information has changed. The Central Registry, a common record area of the TCEQ, maintains information about the TCEQ customers and regulated activities, such a company names, addresses, and telephone numbers. This information is commonly referred to as “core data.” The Central Registry provides the regulated community with a central access point within the agency to check core data and make changes when necessary. When core data about a facility is moved to the Central Registry, two new identification numbers are assigned: the Customer reference (CN) number and the Regulated Entity (RN) number.

The Core Data Form is required if facility records are not yet part of the Central Registry or if core data for a facility has changed. If this is the initial registration, permit, or license for a facility site, then the Core Data Form must be completed an submitted with application or registration forms. If amending, modifying, or otherwise updating an existing record for a facility site, the Core Data Form is not required, unless any core data information has changed. To review additional information regarding the Central Registry, go to the TCEQ Web site at www.tceq.texas.gov/permitting/central_registry/index.html.

Specific:

**Table 1: Title 40 Code of Federal Regulations Part 60 (40 CFR Part 60)
Subpart PP: Standards of Performance for Ammonium Sulfate Manufacture**

★ **Complete this table only for ammonium sulfate dryers within an ammonium sulfate manufacturing plant in the caprolactam by-product, synthetic, and coke oven by-product sectors of the ammonium sulfate industry.**

Unit ID No.: Enter the identification number (ID No.) for the ammonium sulfate dryer (maximum 10 characters) as listed on Form OP-SUM (Individual Unit Summary).

SOP Index No.: Site operating permit (SOP) applicants should indicate the SOP index number for the unit or group of units (maximum 15 characters consisting of numeric, alphanumeric characters, and/or dashes prefixed by a code for the applicable regulation [i.e., 60KB-XXXX]). For additional information relating to SOP index numbers, please go to the TCEQ Web site at www.tceq.texas.gov/assets/public/permitting/air/Guidance/Title_V/additional_fop_guidance.pdf.

Construction Date: Select one of the following options that describe the date of commencement of the most recent construction or modification of the ammonium sulfate dryer. Enter the code on the form.

Code	Description
80-	On or before February 4, 1980
80+	After February 4, 1980

▼ **Continue only if “Construction Date” is “80+.”**

Weigh Scales: Enter “YES” if the plant, where the ammonium sulfate dryer is located, uses weigh scales to directly measure production rate of ammonium sulfate. Otherwise, enter “NO.”

▼ **Continue only if “Weigh Scales” is “NO.”**

Material Balance: Select one of the following options for the type of plant at which the ammonium sulfate dryer is located. Enter the code on the form.

Code	Description
SCOB	The ammonium sulfate dryer is located at a synthetic or coke oven by-product ammonium sulfate plant (the ammonium sulfate production rate is determined by material balance)
CAPB	The ammonium sulfate dryer is located at a caprolactam by-product ammonium sulfate plant (the ammonium sulfate production rate is determined by material balance)

**Table 2: Title 40 Code of Federal Regulations Part 61 (40 CFR Part 61)
Subpart E: National Emission Standard for Mercury**

★ **Complete only for dryers of wastewater treatment plant sludge.**

Unit ID No.: Enter the identification number (ID No.) for the dryer (maximum 10 characters) as listed on Form OP-SUM (Individual Unit Summary).

SOP Index No.: Site operating permit (SOP) applicants should indicate the SOP index number for the unit or group of units (maximum 15 characters consisting of numeric, alphanumeric characters, and/or dashes prefixed by a code for the applicable regulation [i.e., 60KB-XXXX]). For additional information relating to SOP index numbers, please go to the TCEQ Web site at www.tceq.texas.gov/assets/public/permitting/air/Guidance/Title_V/additional_fop_guidance.pdf.

Emissions Testing Waiver: Enter “YES” if a waiver of emission testing has been obtained under 40 CFR § 61.13. Otherwise, enter “NO.”

Waiver ID No.: If a waiver has been approved by the EPA Administrator, then enter the corresponding unique identifier (maximum 10 characters) for each unit or process. If the unique identifier is unavailable, then enter the date of the approval letter. The unique identifier and/or the date of the approval letter are contained in the Compliance File under the appropriate account number. Otherwise, leave this column blank.

▼ **Continue only if “Emissions Testing Waiver” is “NO.”**

Sludge Sampling: Enter “YES” if sludge sampling is conducted. Otherwise, enter “NO.”

Mercury Emissions: Enter “YES” if mercury emissions exceed 1,600 grams per 24-hour period. Otherwise, enter “NO.”

**Table 3: Title 40 Code of Federal Regulations Part 61 (40 CFR Part 61)
Subpart K: National Emission Standards for Radionuclide Emissions from Elemental Phosphorus Plants**

★ **Complete only for calciner or nodulizing kilns located at an elemental phosphorus plant.**

Unit ID No.: Enter the identification number (ID No.) for the calciner or nodulizing kiln (maximum 10 characters) as listed on Form OP-SUM (Individual Unit Summary).

SOP Index No.: Site operating permit (SOP) applicants should indicate the SOP index number for the unit or group of units (maximum 15 characters consisting of numeric, alphanumeric characters, and/or dashes prefixed by a code for the applicable regulation [i.e., 60KB-XXXX]). For additional information relating to SOP index numbers, please go to the TCEQ Web site at www.tceq.texas.gov/assets/public/permitting/air/Guidance/Title_V/additional_fop_guidance.pdf.

Alternate Operating Condition: Enter “YES” if calciner or nodulizing kiln is using an alternate operating condition (AOC), approved by the EPA Administrator. Otherwise, enter “NO.”

AOC ID No.: If an AOC has been approved by the EPA Administrator, then enter the corresponding AOC unique identifier for each unit or process. If the unique identifier is unavailable, then enter the date of the AOC approval letter. The unique identifier and/or the date of the approval letter are contained in the Compliance File under the appropriate account number. Otherwise, leave this column blank.

★ **Complete “Free-Jet Scrubber System” only if “Alternate Operating Condition” is “NO.”**

Free-Jet Scrubber System: Enter “YES” if a Hydro-Sonic® Tandem Nozzle Fixed Throat Free-Jet Scrubber System is in place. Otherwise, enter “NO.”

★ **Complete “Wet Scrubber” only if “Free-Jet Scrubber System” is “NO.”**

Wet Scrubber: Enter “YES” if a wet-scrubber is being used for emissions control. Otherwise, enter “NO.”

Control Device ID No.: If applicable, enter the identification number for the control device to which emissions are routed (maximum 10 characters). This number should be consistent with the control device identification number listed on Form OP-SUM (Individual Unit Summary). Use multiple lines if more than one control device is used. If there is no control device, then leave this column blank.

Table 4a: Title 30 Texas Administrative Code, Chapter 117 (30 TAC Chapter 117), Subchapter B: Combustion Control at Major Industrial, Commercial, and Institutional Sources in Ozone Nonattainment Areas, Dryers, Kilns, and Ovens.

★ **Complete Tables 4a - 4b only for units located at a major source of NO_x in the Houston/Galveston/Brazoria or Dallas/Fort Worth Eight-Hour ozone nonattainment areas.**

Unit ID No.: Enter the identification (ID No.) for the unit (maximum 10 characters) as listed on Form OP-SUM (Individual Unit Summary).

SOP Index No.: Site operating permit (SOP) applicants should indicate the SOP index number for the unit or group of units (maximum 15 characters consisting of numeric, alphanumeric characters, and/or dashes prefixed by a code for the applicable regulation [i.e., 60KB-XXXX]). For additional information relating to SOP index number, please go to the TCEQ Web site at www.tceq.texas.gov/assets/public/permitting/air/Guidance/Title_V/additional_fop_guidance.pdf.

Unit Type: Select one of the following options that describe the unit. Enter the code on the form.

For units located in the Houston/Galveston/Brazoria ozone nonattainment area:

Code	Description
MGDRY	Magnesium chloride fluidized bed dryer
LKILN	Lime kiln
AGKILN	Lightweight aggregate kiln
OTHER1	Kiln, dryer or oven other than listed above

For unit located in the Dallas/Fort Worth Eight-Hour ozone nonattainment area:

Code	Description
LKILN	Lime kiln
BKILN	Brick kiln
CKILN	Ceramic kiln
FGOVN	Curing oven used for the production of mineral wool-type or textile type fiberglass
OV/HTR	Oven or heater
DRYER	Dryer used in organic solvent, printing ink, clay, brick, ceramic tile, calcining or vitrifying processes
SDRYER	Spray dryer used in ceramic tile manufacturing processes
OTHER2	Other not listed above such as fiberglass forming oven or heater used exclusively for comfort heat in area of occupancy

▼ Do not continue if “Unit Type” is “OTHER1” or “OTHER2”

Maximum Rated Capacity: Select one of the following options for the maximum rated capacity (MRC), as defined in 30 TAC Chapter 117, of the unit. Enter the code on the form.

Code	Description
5-	MRC is 5 MMBtu/hr or less
5-100	MRC is greater than 5 MMBtu/hr but less than 100 MMBtu/hr
100	MRC is 100 MMBtu/hr or greater

▼ Do not continue if “Unit Type” is “BKILN,” “CKILN,” “FGOVN,” “OV/HTR,” “DRYER” or “SDRYER” and “Maximum Rated Capacity” is “5-.”

★ Complete “Fuel Fired” only if “Unit Type” is “OV/HTR,” “DRYER” OR “SDRYER.”

Fuel Fired: Enter “YES” if the dryer, heater, or oven is fired with natural gas. Otherwise, enter “NO.”

▼ Do not continue if “Unit Type” is “OV/HTR,” “DRYER” or “SDRYER” and “Fuel-Fired” is “NO.”

★ Complete “N-Bound” only if “Unit Type” is “FGOVN.”

N-Bound: Enter “YES” if the curing oven uses nitrogen-bound chemical additives. Otherwise, enter “NO.”

▼ Do not continue if “N-Bound” is “YES.”

NO_x Emission Limitation: Select the option that describes the NO_x emission specification that applies to the unit. Enter the code on the form.

Code	Description
310	Complying with the requirements of 30 TAC § 117.310(a) [relating to Emission Specifications for Attainment Demonstration] <i>(use for units in the Houston/Galveston/Brazoria ozone nonattainment area)</i>
SC	Unit is complying with a Source Cap under Title 30 TAC § 117.423 <i>(use for incinerators in the Dallas/Fort Worth Eight-Hour ozone nonattainment area)</i>
410	Complying with the requirements of 30 TAC § 117.410(b) [relating to Emission Specifications for Eight-Hour Attainment Demonstration] <i>(use for units in the Dallas/Fort Worth Eight-Hour ozone nonattainment area)</i>
ACF	Unit is complying with an annual capacity factor specification under Title 30 TAC §§ 117.310(d)(3) and 117.310(a)(17) or under § 117.410(b)(14)

★ Complete “23C-Option” only if “NO_x Emission Limitation” is “SC.”

23C-Option: Select one of the following § 117.423(c)(1) options for monitoring. Enter the code on the form.

Code	Description
23C-A	NO _x , CO, O ₂ (or CO ₂) CEMS and a totalizing fuel flow meter per § 117.423(c)(1)(A).
23C-B	PEMS and a totalizing fuel flow meter per § 117.423(c)(1)(B).
23C-C	Rate measured by hourly emission rate testing per § 117.423(c)(1)(C).

★ Complete “Kiln Lb/Ton NO_x Limit” only if “Unit Type” is “BKILN” or “CKILN” and unit is in Dallas/Fort Worth Eight-Hour ozone nonattainment area.

Kiln LB/TON NO_x Limit: Enter “YES” if the brick or ceramic kiln uses the lb/ton of product NO_x emission limit (instead of 40% reduction). Otherwise, enter “NO.”

NO_x Reduction (ICI): Select one of the following NO_x reduction options. Enter the code on the form.

Code	Description
POST1	Post combustion control technique with urea or ammonia injection
POST2	Post combustion control technique with chemical reagent other than urea or ammonia
OTHER	Other post combustion control method
WATER	Water or steam injection
NONE	No NO _x reduction

NO_x Monitoring System: Select one of the following monitoring system options. Enter the code on the form.

Code	Description
CEMS	Continuous emissions monitoring system complying with 30 TAC § 117.8100(a)(1)
CEMS75	Continuous emissions monitoring system complying with 40 CFR Part 75 requirements under 30 TAC § 117.8100(a)(5)
PEMS	Predictive emissions monitoring system
MERT	Maximum emission rate testing

**Table 4b: Title 30 Texas Administrative Code, Chapter 117 (30 TAC Chapter 117)
Subchapter B: Combustion Control at Major Industrial, Commercial, and Institutional Sources in Ozone Nonattainment Areas; Dryers, Kilns and Ovens**

Unit ID No.: Enter the identification (ID No.) for the unit (maximum 10 characters) as listed on Form OP-SUM (Individual Unit Summary).

SOP Index No.: Site operating permit (SOP) applicants should indicate the SOP index number for the unit or group of units (maximum 15 characters consisting of numeric, alphanumeric characters, and/or dashes prefixed by a code for the applicable regulation [i.e., 60KB-XXXX]). For additional information relating to SOP index number, please go to the TCEQ Web site at www.tceq.texas.gov/assets/public/permitting/air/Guidance/Title_V/additional_fop_guidance.pdf.

Fuel Flow Monitoring: Select one of the following options to indicate how fuel flow is monitored. Enter the code on the form.

Code	Description
X40A	Fuel flow is with a totalizing fuel flow meter per 30 TAC §§ 117.340(a) or 117.440(a)
X40A2-A	Unit operates with a NO _x and diluent CEMS and monitors stack exhaust flow per 30 TAC §§ 117.340(a) (2)(A) or 117.440(a) (2)(A)
X40A2-B	Unit vents to a common stack with a NO _x and diluent CEMS and uses a single totalizing fuel flow meter per 30 TAC §§ 117.340(a) (2)(B) or 117.440(a) (2)(B).

CO Emission Limitation: Title 30 TAC Chapter 117 provides options to be in compliance with the carbon monoxide (CO) emission specifications of 30 TAC Chapter 117. Select one of the following options. Enter the code on the form.

Code	Description
310	Complying with 30 TAC § 117.310(c)(1) [relating to Emission Specifications for Attainment Demonstration] <i>(use for units in the Houston/Galveston/Beaumont ozone nonattainment area)</i>
410	Complying with 30 TAC § 117.410(d)(1) [relating to Emission Specifications for Eight-Hour Attainment Demonstration] <i>(use for units in the Houston/Galveston/Beaumont ozone nonattainment area)</i>
ACSS	Complying with an Alternative Case Specific Specification under 30 TAC §§ 117.325 or 117.425

CO Monitoring System: Select one of the following options to indicate how the unit is monitored for CO exhaust emissions. Enter the code on the form.

Code	Description
CEMS	Continuous emissions monitoring system complying with 30 TAC § 117.8100(a)(1)
PEMS	Predictive emissions monitoring system complying with 30 TAC § 117.8100(b)
SAMP	Sampling CO with a portable analyzer under 30 TAC § 117.8120(2)

▼ **Continue only if “NO_x Reduction (ICI)” is “POST1.”**

NH₃ Emission Limitation: Title 30 TAC Chapter 117 provides two options to be in compliance with the ammonia (NH₃) emission specifications of 30 TAC Chapter 117. Select one of the following options. Enter the code on the form.

Code	Description
310	Complying with 30 TAC § 117.310(c)(2) [relating to Emission Specifications for Attainment Demonstration] <i>(use for units in the Houston/Galveston/Beaumont ozone nonattainment area)</i>
410	Complying with 30 TAC § 117.410(d)(2) [relating to Emission Specifications for Eight-Hour Attainment Demonstration] <i>(use for units in the Dallas/Fort Worth ozone nonattainment area)</i>
ACSS	Complying with an Alternative Case Specific Specification under 30 TAC §§ 117.325 or 117.425

NH₃ Monitoring: Select one of the following options to indicate how the unit is monitored for NH₃ emissions. Enter the code on the form.

Code	Description
CEMS	Continuous emissions monitoring system
PEMS	Predictive emissions monitoring system
MBAL	Mass balance
OXY	Oxidation of ammonia to nitric oxide (NO)
STUBE	Stain tube

**Table 5: Title 30 Texas Administrative Code Chapter 117 (30 TAC Chapter 117)
Subchapter E, Division 2: Cement Kilns**

★ **Complete this table only for portland cement kilns located in Bexar, Comal, Ellis, Hays, or McClennan Counties.**

Unit ID No.: Enter the identification number (ID No.) for the kiln (maximum 10 characters) as listed on Form OP-SUM (Individual Unit Summary).

SOP Index No.: Site operating permit (SOP) applicants should indicate the SOP index number for the unit or group of units (maximum 15 characters consisting of numeric, alphanumeric characters, and/or dashes prefixed by a code for the applicable regulation [i.e., 60KB-XXXX]). For additional information relating to SOP index numbers, please go to the TCEQ Web site at www.tceq.texas.gov/assets/public/permitting/air/Guidance/Title_V/additional_fop_guidance.pdf.

Date Placed in Service: Select one of the following options to indicate the date that the portland cement kiln was placed in service. Enter the code on the form.

Code	Description
99-	Before December 31, 1999
99-06	On or after December 31, 1999 but before January 1, 2006
06+	On or after January 1, 2006

★ Complete “Kilns at Account Before January 1, 2001” only if site is located in Ellis County.

Kilns at Account Before January 1, 2001: Enter “YES” if there were any portland cement kilns in operation at the account before January 1, 2001. Otherwise, enter “NO.”

▼ Do not continue if the site is located in Ellis County is and “Kilns at Account before January 1, 2001” is “NO.”

Complying WITH SOURCE CAP: Enter “YES” if the kiln is located at an account that is complying with the source cap specified in 30 TAC § 117.3120. Otherwise, enter “NO.”

▼ Do not continue if the site is located in Bexar, Comal, Hays or McClennan County, “Date Placed in Service” is “99-06” or “06+,” and “Complying with Source Cap” is “NO.”

Kiln Type: Select one of the following options for the type of portland cement kiln. Enter the code on the form.

Code	Description
LWK	Long wet kiln
LDK	Long dry kiln
PREHTRK	Preheater kiln
PRECALK	Preheater-precalciner kiln or precalciner kiln

★ Complete “NO_x Control” if site is located in Bexar, Comal, Hays or McClennan County and “Date Placed in Service” is “99-” or if site is located in Ellis County, “Date Placed in Service” is “99-” and “Complying with Source Cap” is “NO.”

NO_x Control: Select one of the following options to indicate the type of control used for NO_x. Enter the code on the form.

For kilns of type “LWK” or “LDK”:

Code	Description
LNB/MKF	A low-NO _x burner and either mid-kiln firing or some other form of secondary combustion is achieving equivalent NO _x reductions under § 117.3110(c)(1).
30RED	Achieving at least 30% reductions in NO _x emissions under § 117.3110(c)(2).
WA	A weighted average for multiple cement kilns at the same account is used to comply with the NO _x emission specifications as allowed under § 117.3110(b).
3010A	The kiln meets emission limits in § 117.3110(a)

For kilns of type, “PREHTRK” or “PRECALK”:

Code	Description
LNB/PC	Either a low-NO _x burner or a low-NO _x precalciner is used to control NO _x under § 117.3110(d).
WA	A weighted average for multiple cement kilns at the same account is used to comply with the NO _x emission specifications as allowed under § 117.3110(b).
3010A	The kiln meets emission limits in § 117.3110(a)

NO_x Monitoring Type: Select one of the following options to indicate the type of monitoring system used to monitor the exhaust NO_x emissions from the kiln. Enter the code on the form.

Code	Description
CEMS	Continuous emissions monitoring system
PEMS	Predictive emissions monitoring system

★ Complete “Alternative Case Specific Specifications for NH₃” only if the site is located in Ellis County.

Alternative Case Specific Specifications for NH₃: Enter “YES” if the applicant is complying with the Alternative Case Specific Specifications under § 117.3125. Otherwise, enter “NO.”

**Table 6: Title 30 Texas Administrative Code Chapter 111 (30 TAC Chapter 111)
Subchapter A, Division 2: Incineration**

Unit ID No.: Enter the identification number (ID No.) for the unit (maximum 10 characters) as listed on Form OP-SUM (Individual Unit Summary).

SOP/GOP Index No.: Site operating permit (SOP) applicants should indicate the SOP index number for the unit or group of units (maximum 15 characters consisting of numeric, alphanumeric characters, and/or dashes prefixed by a code for the applicable regulation [i.e., 60KB-XXXX]). For additional information relating to SOP index numbers please go to the TCEQ Web site at www.tceq.texas.gov/assets/public/permitting/air/Guidance/Title_V/additional_fop_guidance.pdf.

Hazardous Waste: Enter “YES” if the unit combusts hazardous waste as a fuel for energy recovery and the facility accepts hazardous waste as a fuel from off-site sources which involves a commercial transaction or a change of ownership of the waste and the facility is not regulated at 40 CFR Part 264 or 265, Subpart O. Otherwise, enter “NO”.

▼ **Continue only if “Hazardous Waste” is “YES.”**

Monitor: Enter “YES” if the unit has a continuous opacity or carbon monoxide monitor (or equivalent). Otherwise, enter “NO.”

**Table 7a: Title 40 Code of Federal Regulations Part 63 (40 CFR Part 63)
Subpart EEE: Hazardous Waste Combustors**

★ **Complete this table for solid or liquid fueled boilers that burn hazardous waste, and are located at an area source or a major source, and do not meet the criteria in Table 1 of § 63.1200(b)**

Unit ID No.: Enter the identification number (ID No.) for the unit (maximum 10 characters) as listed on Form OP-SUM (Individual Unit Summary).

SOP/GOP Index No.: Site operating permit (SOP) applicants should indicate the SOP index number for the unit or group of units (maximum 15 characters consisting of numeric, alphanumeric characters, and/or dashes prefixed by a code for the applicable regulation [i.e., 60KB-XXXX]). For additional information relating to SOP index numbers please go to the TCEQ Web site at www.tceq.texas.gov/assets/public/permitting/air/Guidance/Title_V/additional_fop_guidance.pdf.

Type Kiln: Select one of the following options. Enter the code on the form.

Code	Description
CEMENT	Cement kiln
AGG	Lightweight aggregate kiln

Existing Source: Enter “YES” if the kiln is an existing source (construction or reconstruction commenced on or before April 20, 2004). Otherwise, enter “NO.”

Inlet Temp: Enter “YES” if the gas temperature at the inlet of the initial PM control device is 400 degrees F or lower. Otherwise, enter “NO.”

★ **Complete “Inline Raw Dual Stks” only if “Type Kiln” is “CEMENT.”**

Inline Raw Dual Stks.: Enter “YES” if the kiln has in-line raw mill with dual stacks. Otherwise, enter “NO.”

Hg ALT: Enter “YES” if the kiln is complying with the alternate Hg standards in § 63.1206(b). Otherwise, enter “NO.”

★ **Complete “Hg MTEC” and “Hg Feedrate” only if “Hg Alt” is “NO.”**

Hg MTEC: Enter “YES” if the kiln is complying with the maximum theoretical emission concentration. Otherwise, enter “NO.”

Hg Feedrate: Enter “YES” if extrapolation of feedrate levels is used for Hg. Otherwise, enter “NO.”

**Table 7b: Title 40 Code of Federal Regulations Part 63 (40 CFR Part 63)
Subpart EEE: Hazardous Waste Combustors**

Unit ID No.: Enter the identification number (ID No.) for the unit (maximum 10 characters) as listed on Form OP-SUM (Individual Unit Summary).

SOP/GOP Index No.: Site operating permit (SOP) applicants should indicate the SOP index number for the unit or group of units (maximum 15 characters consisting of numeric, alphanumeric characters, and/or dashes prefixed by a code for the applicable regulation [i.e., 60KB-XXXX]). For additional information relating to SOP index numbers please go to the TCEQ Web site at www.tceq.texas.gov/assets/public/permitting/air/Guidance/Title_V/additional_fop_guidance.pdf.

Semivol ALT: Enter “YES” if the kiln is complying with the alternate semi-volatile metals standards in § 63.1206(b). Otherwise, enter “NO.”

Lowvol ALT: Enter “YES” if the kiln is complying with the alternate low volatile metals standards in § 63.1206(b). Otherwise, enter “NO.”

★ **Complete “Met Feedrate” if “Semivol Alt” and/or “Lowvol Alt” are “NO.”**

Met Feedrate: Enter “YES” if extrapolation of feedrate levels is used for semi-volatile and/or low volatile metals. Otherwise, enter “NO.”

CO/THC Standard: Select one of the following options. Enter the code on the form.

For cement kilns:

Code	Description
1206-1	Complying with § 63.1206(b)(13)(i)(A)(1) or § 63.1206(b)(13)(i)(B)(1) [hydrocarbons in the main stack]
1206-2	Complying with § 63.1206(b)(13)(i)(A)(2) or § 63.1206(b)(13)(i)(B)(2)(i) [hydrocarbons both in the by-pass duct and at a preheater tower combustion gas monitoring location]
1206-3	Complying with § 63.1206(b)(13)(i)(A)(3) or § 63.1206(b)(13)(i)(B)(3)(i) [only firing location of hazardous waste upstream of the point where combustion gases are diverted into the bypass duct is at the kiln end where products are normally discharged]
CO-5MID	Complying with the CO standard in § 63.1220(a)(5)(i)(A) or § 63.1220(b)(5)(i)(A)(1) [for kilns equipped with a by-pass duct or midkiln gas sampling system]
THC-5MID	Complying with the THC standard in § 63.1220(a)(5)(i)(B) or § 63.1220(b)(5)(i)(A)(2) [for kilns equipped with a by-pass duct or midkiln gas sampling system]

For cement kilns:

Code	Description
CO-5	Complying with the CO standard in § 63.1220(a)(5)(ii)(B) or § 63.1220(b)(5)(ii)(B)(1)
THC-5	Complying with the THC standard in § 63.1220(a)(5)(ii)(A) or § 63.1220(b)(5)(ii)(A)

For lightweight aggregate kilns:

Code	Description
CO-5A	Complying with the CO standard in § 63.1221(a)(5)(i) or (b)(5)(i)
THC-5A	Complying with the THC standard in § 63.1221(a)(5)(ii) or (b)(5)(ii)

★ **Complete “No Previous Kiln” only if “Type Kiln” is “Cement” and “Existing Source” is “NO.”**

No Previous Kiln: Enter “YES” if the kiln was constructed after April 19, 1996 at a site where a cement kiln did not previously exist. Otherwise, enter “NO.”

Chlorine ALT: Enter “YES” if the kiln is complying with the alternate hydrogen chloride/chlorine gas standards in § 63.1206(b). Otherwise, enter “NO.”

Baghouse: Enter “YES” if the kiln is equipped with a baghouse. Otherwise, enter “NO.”

**Table 7c: Title 40 Code of Federal Regulations Part 63 (40 CFR Part 63)
Subpart EEE: Hazardous Waste Combustors**

Unit ID No.: Enter the identification number (ID No.) for the unit (maximum 10 characters) as listed on Form OP-SUM (Individual Unit Summary).

SOP/GOP Index No.: Site operating permit (SOP) applicants should indicate the SOP index number for the unit or group of units (maximum 15 characters consisting of numeric, alphanumeric characters, and/or dashes prefixed by a code for the applicable regulation [i.e., 60KB-XXXX]). For additional information relating to SOP index numbers, please go to the TCEQ Web site at www.tceq.texas.gov/assets/public/permitting/air/Guidance/Title_V/additional_fop_guidance.pdf.

★ **Complete “PM Detection” only if “Baghouse” is “YES.”**

PM Detection: Enter “YES” if a PM detection system is used. Otherwise, enter “NO.”

Dioxin-Listed: Enter “YES” if the furnace burns the dioxin-listed hazardous wastes F020, F021, F022, F023, F026, or F027. Otherwise, enter “NO.”

DRE Previous Test: Enter “YES” if previous testing was used to document conformance with the DRE standard. Otherwise, enter “NO.”

★ **Complete “Feed Zone” only if “DRE Previous Test” is “YES.”**

Feed Zone: Enter “YES” if the source feeds waste at a location other than the normal flame zone. Otherwise, enter “NO.”

★ **Complete “Inline Raw Mill” only if “Type Kiln” is “CEMENT.”**

Inline Raw Mill: Enter “YES” if the kiln has in-line raw mill. Otherwise, enter “NO.”

★ **Complete “Preheater Dual Stks” only if “Type Kiln” is “CEMENT.”**

Preheater Dual Stacks: Enter “YES” if the kiln is a preheater/precalciner kiln with dual stacks. Otherwise, enter “NO.”

**Texas Commission on Environmental Quality
 Dryer/Kiln/Oven Attributes
 Form OP-UA51 (Page 3)
 Federal Operating Permit Program**

**Table 3: Title 40 Code of Federal Regulations Part 61 (40 CFR Part 61)
 Subpart K: National Emission Standard for Radionuclide Emissions from Elemental Phosphorus Plants**

Date:	Regulated Entity No.:	Permit No.:
Area Name:		Customer Reference No.:

Unit ID No.	SOP Index No.	Alternate Operating Condition	AOC ID No.	Free-Jet Scrubber System	Wet Scrubber	Control Device ID No.

**Texas Commission on Environmental Quality
 Dryer/Kiln/Oven Attributes
 Form OP-UA51 (Page 6)
 Federal Operating Permit Program**

**Table 5: Title 30 Texas Administrative Code Chapter 117 (30 TAC Chapter 117)
 Subchapter E, Division 2: Cement Kilns**

Date:	Regulated Entity No.:	Permit No.:
Area Name:		Customer Reference No.:

Unit ID No.	SOP Index No.	Date Placed in Service	Kilns at Account before 01/01/2001	Complying with Source Cap	Kiln Type	NO _x Control	NO _x Monitoring Type Weighted Average	Alternative Case Specific Specifications for NH ₃

**Texas Commission on Environmental Quality
 Dryer/Kiln/Oven Attributes
 Form OP-UA51 (Page 10)
 Federal Operating Permit Program**

**Table 7c: Title 40 Code of Federal Regulations Part 63 (40 CFR Part 63)
 Subpart EEE: Hazardous Waste Combustors**

Date:	Regulated Entity No.:	Permit No.:
Area Name:		Customer Reference No.:

Unit ID No.	SOP Index No.	PM Detection	Dioxin-Listed	DRE Previous Test	Feed Zone	Inline Raw Mill	Preheater Dual Stks