

FEDERAL OPERATING PERMIT

A FEDERAL OPERATING PERMIT IS HEREBY ISSUED TO

Enterprise Products Operating LLC

AUTHORIZING THE OPERATION OF

Waha Gas Plant
Natural Gas Liquids

LOCATED AT

Reeves County, Texas

Latitude 31° 16' 43" Longitude 103° 6' 35"

Regulated Entity Number: RN102522539

This permit is issued in accordance with and subject to the Texas Clean Air Act (TCAA), Chapter 382 of the Texas Health and Safety Code and Title 30 Texas Administrative Code Chapter 122 (30 TAC Chapter 122), Federal Operating Permits. Under 30 TAC Chapter 122, this permit constitutes the permit holder's authority to operate the site and emission units listed in this permit. Operations of the site and emission units listed in this permit are subject to all additional rules or amended rules and orders of the Commission pursuant to the TCAA.

This permit does not relieve the permit holder from the responsibility of obtaining New Source Review authorization for new, modified, or existing facilities in accordance with 30 TAC Chapter 116, Control of Air Pollution by Permits for New Construction or Modification.

The site and emission units authorized by this permit shall be operated in accordance with 30 TAC Chapter 122, the general terms and conditions, special terms and conditions, and attachments contained herein.

This permit shall expire five years from the date of issuance. The renewal requirements specified in 30 TAC § 122.241 must be satisfied in order to renew the authorization to operate the site and emission units.

Permit No: O3183 Issuance Date: _____

For the Commission

Table of Contents

Section	Page
General Terms and Conditions	1
Special Terms and Conditions	1
Emission Limitations and Standards, Monitoring and Testing, and Recordkeeping and Reporting	1
Additional Monitoring Requirements	4
New Source Review Authorization Requirements	5
Compliance Requirements.....	6
Permit Location.....	7
Permit Shield (30 TAC § 122.148)	7
Attachments	8
Applicable Requirements Summary	9
Additional Monitoring Requirements	14
Permit Shield.....	17
New Source Review Authorization References.....	22
Schedules.....	28
Appendix A	30
Acronym List	31

General Terms and Conditions

The permit holder shall comply with all terms and conditions contained in 30 TAC § 122.143 (General Terms and Conditions), 30 TAC § 122.144 (Recordkeeping Terms and Conditions), 30 TAC § 122.145 (Reporting Terms and Conditions), and 30 TAC § 122.146 (Compliance Certification Terms and Conditions).

In accordance with 30 TAC § 122.144(1), records of required monitoring data and support information required by this permit, or any applicable requirement codified in this permit, are required to be maintained for a period of five years from the date of the monitoring report, sample, or application unless a longer data retention period is specified in an applicable requirement. The five year record retention period supersedes any less stringent retention requirement that may be specified in a condition of a permit identified in the New Source Review Authorization attachment.

If the permit holder chooses to demonstrate that this permit is no longer required, a written request to void this permit shall be submitted to the Texas Commission on Environmental Quality (TCEQ) by the Responsible Official in accordance with 30 TAC § 122.161(e). The permit holder shall comply with the permit's requirements, including compliance certification and deviation reporting, until notified by the TCEQ that this permit is voided.

The permit holder shall comply with 30 TAC Chapter 116 by obtaining a New Source Review authorization prior to new construction or modification of emission units located in the area covered by this permit.

All reports required by this permit must include in the submittal a cover letter which identifies the following information: company name, TCEQ regulated entity number, air account number (if assigned), site name, area name (if applicable), and Air Permits Division permit number(s).

Special Terms and Conditions: Emission Limitations and Standards, Monitoring and Testing, and Recordkeeping and Reporting

1. Permit holder shall comply with the following requirements:
 - A. Emission units (including groups and processes) in the Applicable Requirements Summary attachment shall meet the limitations, standards, equipment specifications, monitoring, recordkeeping, reporting, testing, and other requirements listed in the Applicable Requirements Summary attachment to assure compliance with the permit.
 - B. The textual description in the column titled "Textual Description" in the Applicable Requirements Summary attachment is not enforceable and is not deemed as a substitute for the actual regulatory language. The Textual Description is provided for information purposes only.

- C. A citation listed on the Applicable Requirements Summary attachment, which has a notation [G] listed before it, shall include the referenced section and subsection for all commission rules, or paragraphs for all federal and state regulations and all subordinate paragraphs, subparagraphs and clauses, subclauses, and items contained within the referenced citation as applicable requirements.
 - D. When a grouped citation, notated with a [G] in the Applicable Requirements Summary, contains multiple compliance options, the permit holder must keep records of when each compliance option was used.
 - E. Emission units subject to 40 CFR Part 63, Subpart HH and Subpart ZZZZ, as identified in the attached Applicable Requirements Summary table, are subject to 30 TAC Chapter 113, Subchapter C, §113.390 and §113.1090 which incorporate the 40 CFR Part 63 Subparts, by reference.
2. The permit holder shall comply with the following sections of 30 TAC Chapter 101 (General Air Quality Rules):
- A. Title 30 TAC § 101.1 (relating to Definitions), insofar as the terms defined in this section are used to define the terms used in other applicable requirements
 - B. Title 30 TAC § 101.3 (relating to Circumvention)
 - C. Title 30 TAC § 101.8 (relating to Sampling), if such action has been requested by the TCEQ
 - D. Title 30 TAC § 101.9 (relating to Sampling Ports), if such action has been requested by the TCEQ
 - E. Title 30 TAC § 101.10 (relating to Emissions Inventory Requirements)
 - F. Title 30 TAC § 101.201 (relating to Emission Event Reporting and Recordkeeping Requirements)
 - G. Title 30 TAC § 101.211 (relating to Scheduled Maintenance, Start-up, and Shutdown Reporting and Recordkeeping Requirements)
 - H. Title 30 TAC § 101.221 (relating to Operational Requirements)
 - I. Title 30 TAC § 101.222 (relating to Demonstrations)
 - J. Title 30 TAC § 101.223 (relating to Actions to Reduce Excessive Emissions)
3. Permit holder shall comply with the following requirements of 30 TAC Chapter 111:

- A. Emission limits on nonagricultural processes, except for the steam generators specified in 30 TAC § 111.153, shall comply with the following requirements:
 - (i) Emissions of PM from any source may not exceed the allowable rates as required in 30 TAC § 111.151(a) (relating to Allowable Emissions Limits)
 - (ii) Sources with an effective stack height (h_e) less than the standard effective stack height (H_e), must reduce the allowable emission level by multiplying it by $[h_e/H_e]^2$ as required in 30 TAC § 111.151(b)
 - (iii) Effective stack height shall be calculated by the equation specified in 30 TAC § 111.151(c)
 - B. Outdoor burning, as stated in 30 TAC § 111.201, shall not be authorized unless the following requirements are satisfied:
 - (i) Title 30 TAC § 111.207 (relating to Exception for Recreation, Ceremony, Cooking, and Warmth)
 - (ii) Title 30 TAC § 111.219 (relating to General Requirements for Allowable Outdoor Burning)
 - (iii) Title 30 TAC § 111.221 (relating to Responsibility for Consequences of Outdoor Burning)
4. The permit holder shall comply with the following requirements for units subject to any subpart of 40 CFR Part 60, unless otherwise stated in the applicable subpart:
- A. Title 40 CFR § 60.7 (relating to Notification and Recordkeeping)
 - B. Title 40 CFR § 60.8 (relating to Performance Tests)
 - C. Title 40 CFR § 60.11 (relating to Compliance with Standards and Maintenance Requirements)
 - D. Title 40 CFR § 60.12 (relating to Circumvention)
 - E. Title 40 CFR § 60.13 (relating to Monitoring Requirements)
 - F. Title 40 CFR § 60.14 (relating to Modification)
 - G. Title 40 CFR § 60.15 (relating to Reconstruction)
 - H. Title 40 CFR § 60.19 (relating to General Notification and Reporting Requirements)

5. The permit holder shall comply with the requirements of 30 TAC Chapter 113, Subchapter C, § 113.100 for units subject to any subpart of 40 CFR Part 63, unless otherwise stated in the applicable subpart.
6. For each gasoline dispensing facility, with a throughput of less than 10,000 gallons per month as specified in 40 CFR Part 63, Subpart CCCCC, the permit holder shall comply with the following requirements (Title 30 TAC, Subchapter C, § 113.1380 incorporated by reference):
 - A. Title 40 CFR § 63.11111(e), for records of monthly throughput
 - B. Title 40 CFR § 63.11111(i), for compliance due to increase of throughput
 - C. Title 40 CFR § 63.11113(c), for compliance due to increase of throughput
 - D. Title 40 CFR § 63.11115(a), for operation of the source
 - E. Title 40 CFR § 63.11116(a) and (a)(1) - (4), for work practices
 - F. Title 40 CFR § 63.11116(b), for records availability
 - G. Title 40 CFR § 63.11116(d), for portable gasoline containers
7. The permit holder shall comply with certified registrations submitted to the TCEQ for purposes of establishing federally enforceable emission limits. A copy of the certified registration shall be maintained with the permit. Records sufficient to demonstrate compliance with the established limits shall be maintained. The certified registration and records demonstrating compliance shall be provided, on request, to representatives of the appropriate TCEQ regional office and any local air pollution control agency having jurisdiction over the site. The permit holder shall submit updated certified registrations when changes at the site require establishment of new emission limits. If changes result in emissions that do not remain below major source thresholds, the permit holder shall submit a revision application to codify the appropriate requirements in the permit.

Additional Monitoring Requirements

8. The permit holder shall comply with the periodic monitoring requirements as specified in the attached “Periodic Monitoring Summary” upon issuance of the permit. Except for, as applicable, monitoring malfunctions, associated repairs, and required quality assurance or control activities (including, as applicable, calibration checks and required zero and span adjustments), the permit holder shall conduct all monitoring in continuous operation (or shall collect data at all required intervals) at all times that the pollutant-specific emissions unit is operating. The permit holder may elect to collect monitoring data on a more frequent basis and average the data, consistent with the averaging time specified in the “Periodic Monitoring Summary,” for purposes of determining whether a

deviation has occurred. However, the additional data points must be collected on a regular basis. In no event shall data be collected and used in particular instances to avoid reporting deviations. Deviations shall be reported according to 30 TAC § 122.145 (Reporting Terms and Conditions).

New Source Review Authorization Requirements

9. Permit holder shall comply with the requirements of New Source Review authorizations issued or claimed by the permit holder for the permitted area, including permits, permits by rule, standard permits, flexible permits, special permits, permits for existing facilities including Voluntary Emissions Reduction Permits and Electric Generating Facility Permits issued under 30 TAC Chapter 116, Subchapter I, or special exemptions referenced in the New Source Review Authorization References attachment. These requirements:
 - A. Are incorporated by reference into this permit as applicable requirements
 - B. Shall be located with this operating permit
 - C. Are not eligible for a permit shield
10. The permit holder shall comply with the general requirements of 30 TAC Chapter 106, Subchapter A or the general requirements, if any, in effect at the time of the claim of any PBR.
11. The permit holder shall maintain records to demonstrate compliance with any emission limitation or standard that is specified in a permit by rule (PBR) or Standard Permit listed in the New Source Review Authorizations attachment. The records shall yield reliable data from the relevant time period that are representative of the emission unit's compliance with the PBR or Standard Permit. These records may include, but are not limited to, production capacity and throughput, hours of operation, material safety data sheets (MSDS), chemical composition of raw materials, speciation of air contaminant data, engineering calculations, maintenance records, fugitive data, performance tests, capture/control device efficiencies, direct pollutant monitoring (CEMS, COMS, or PEMS), or control device parametric monitoring. These records shall be made readily accessible and available as required by 30 TAC § 122.144.
 - A. If applicable, monitoring of control device performance or general work practice standards shall be made in accordance with the TCEQ Periodic Monitoring Guidance document.
 - B. Any monitoring or recordkeeping data indicating noncompliance with the PBR or Standard Permit shall be considered and reported as a deviation according to 30 TAC § 122.145 (Reporting Terms and Conditions).
12. The permit holder shall comply with the following requirements for Air Quality Standard Permits:

- A. Registration requirements listed in 30 TAC § 116.611, unless otherwise provided for in an Air Quality Standard Permit
- B. General Conditions listed in 30 TAC § 116.615, unless otherwise provided for in an Air Quality Standard Permit
- C. Applicable requirements of 30 TAC § 116.620 for Installation and/or Modification of Oil and Gas Facilities based on the information contained in the registration application.

Compliance Requirements

- 13. The permit holder shall certify compliance in accordance with 30 TAC § 122.146. The permit holder shall comply with 30 TAC § 122.146 using at a minimum, but not limited to, the continuous or intermittent compliance method data from monitoring, recordkeeping, reporting, or testing required by the permit and any other credible evidence or information. The certification period may not exceed 12 months and the certification must be submitted within 30 days after the end of the period being certified.
- 14. The permit holder shall adhere to the provisions in the Compliance Schedule attachment of this permit and submit certified progress reports consistent with the schedule established under 30 TAC § 122.132(e)(4)(C) and including the information specified in 30 TAC § 122.142(e)(2). Those emission units listed in the Compliance Schedule attachment shall adhere with the requirements in the Compliance Schedule attachment until operating fully in compliance with the applicable requirements.
- 15. Use of Discrete Emission Credits to comply with the applicable requirements:
 - A. Unless otherwise prohibited, the permit holder may use discrete emission credits to comply with the following applicable requirements listed elsewhere in this permit:
 - (i) Title 30 TAC Chapter 115
 - (ii) Title 30 TAC Chapter 117
 - (iii) If applicable, offsets for Title 30 TAC Chapter 116
 - (iv) Temporarily exceed state NSR permit allowables
 - B. The permit holder shall comply with the following requirements in order to use the credit to comply with the applicable requirements:
 - (i) The permit holder must notify the TCEQ according to 30 TAC § 101.376(d)

- (ii) The discrete emission credits to be used must meet all the geographic, timeliness, applicable pollutant type, and availability requirements listed in 30 TAC Chapter 101, Subchapter H, Division 4
- (iii) The executive director has approved the use of the discrete emission credits according to 30 TAC § 101.376(d)(1)(A)
- (iv) The permit holder keeps records of the use of credits towards compliance with the applicable requirements in accordance with 30 TAC § 101.372(h) and 30 TAC Chapter 122

Permit Location

- 16. The permit holder shall maintain a copy of this permit and records related to requirements listed in this permit at Enterprise Products Operating LLC, 1100 Louisiana Street, Houston, Texas 77002.

Permit Shield (30 TAC § 122.148)

- 17. A permit shield is granted for the emission units, groups, or processes specified in the attached “Permit Shield.” Compliance with the conditions of the permit shall be deemed compliance with the specified potentially applicable requirements or specified potentially applicable state-only requirements listed in the attachment “Permit Shield.” Permit shield provisions shall not be modified by the executive director until notification is provided to the permit holder. No later than 90 days after notification of a change in a determination made by the executive director, the permit holder shall apply for the appropriate permit revision to reflect the new determination. Provisional terms are not eligible for this permit shield. Any term or condition, under a permit shield, shall not be protected by the permit shield if it is replaced by a provisional term or condition or the basis of the term and condition changes.

Attachments

Applicable Requirements Summary

Additional Monitoring Requirements

Permit Shield

New Source Review Authorization References

Schedules

Applicable Requirements Summary

Unit Summary 10

Applicable Requirements Summary 12

Note: A “none” entry may be noted for some emission sources in this permit’s “Applicable Requirements Summary” under the heading of “Monitoring and Testing Requirements” and/or “Recordkeeping Requirements” and/or “Reporting Requirements.” Such a notation indicates that there are no requirements for the indicated emission source as identified under the respective column heading(s) for the stated portion of the regulation when the emission source is operating under the conditions of the specified SOP Index Number. However, other relevant requirements pursuant to 30 TAC Chapter 122 including Recordkeeping Terms and Conditions (30 TAC § 122.144), Reporting Terms and Conditions (30 TAC § 122.145), and Compliance Certification Terms and Conditions (30 TAC § 122.146) continue to apply.

Unit Summary

Unit/Group/ Process ID No.	Unit Type	Group/Inclusive Units	SOP Index No.	Regulation	Requirement Driver
GRP-111A	EMISSION POINTS/STATIONARY VENTS/PROCESS VENTS	BLR-1S, BLR-3S, TURB-SAT1S, TURB-SAT2S, TURB-SAT3S, TURB-SAT4S, WAUK-1S	R1111-01	30 TAC Chapter 111, Visible Emissions	No changing attributes.
GRP-111B	EMISSION POINTS/STATIONARY VENTS/PROCESS VENTS	DEHY-HTRS, FORD-1S, TURB- GE1S	R1111-01	30 TAC Chapter 111, Visible Emissions	No changing attributes.
FLARE-1	FLARES	N/A	R1111-01	30 TAC Chapter 111, Visible Emissions	No changing attributes.
DEHY-GLY	GLYCOL DEHYDRATION	N/A	63HH-01	40 CFR Part 63, Subpart HH	No changing attributes.
FORD-1	SRIC ENGINES	N/A	63ZZZZ-01	40 CFR Part 63, Subpart ZZZZ	No changing attributes.
WAUK-1	SRIC ENGINES	N/A	63ZZZZ-01	40 CFR Part 63, Subpart ZZZZ	No changing attributes.

Unit Summary

Unit/Group/ Process ID No.	Unit Type	Group/Inclusive Units	SOP Index No.	Regulation	Requirement Driver
TURB-GE1	STATIONARY TURBINES	N/A	60GG-01	40 CFR Part 60, Subpart GG	<p>PEAK LOAD HEAT INPUT = Heat Input is greater than 100 MMBtu/hr (107.2 GJ/hr), CONSTUCT/MODIF DATE = After October 3, 1977 and on or before January 27, 1982., NSPS GG SERVICE TYPE = Type of service other than research and development, emergency, military or electrical utility generation., FEDERAL REGISTER = Required in the September 10, 1979 Federal Register (44 FR 52792) to comply with 40 CFR § 60.332(a)(1)., TURBINE CYCLE = Unit does not recover heat from the gas turbine exhaust to preheat inlet combustion air; or to heat water or generate steam.</p>

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
GRP-111A	EP	R1111-01	OPACITY	30 TAC Chapter 111, Visible Emissions	§ 111.111(a)(1)(A) § 111.111(a)(1)(E)	Visible emissions from any stationary vent shall not exceed an opacity of 30% averaged over a six minute period.	[G]§ 111.111(a)(1)(F) ** See Periodic Monitoring Summary	None	None
GRP-111B	EP	R1111-01	OPACITY	30 TAC Chapter 111, Visible Emissions	§ 111.111(a)(1)(B) § 111.111(a)(1)(E)	Visible emissions from any stationary vent shall not exceed an opacity of 20% averaged over a six minute period for any source on which construction was begun after January 31, 1972.	[G]§ 111.111(a)(1)(F) ** See Periodic Monitoring Summary	None	None
FLARE-1	EU	R1111-01	OPACITY	30 TAC Chapter 111, Visible Emissions	§ 111.111(a)(4)(A)	Visible emissions from a process gas flare shall not be permitted for more than five minutes in any two-hour period, except for emission event emissions as provided in §101.222(b).	§ 111.111(a)(4)(A)(i) § 111.111(a)(4)(A)(ii)	§ 111.111(a)(4)(A)(ii)	None
DEHY-GLY	EU	63HH-01	112(B) HAPS	40 CFR Part 63, Subpart HH	§ 63.764(e)(1)(ii) § 63.764(a) § 63.764(e)(1)	The actual average emissions of benzene from the glycol dehydration unit process vent are < 0.90 megagram/yr.	[G]§ 63.772(b)(2)	§ 63.760(a)(1)(ii) § 63.774(a) § 63.774(d)(1)(ii)	None
FORD-1	EU	63ZZZZ-01	112(B) HAPS	40 CFR Part 63, Subpart ZZZZ	§ 63.6603 The permit holder shall comply with the applicable limitation, standard and/or equipment specification requirements of 40 CFR Part 63, Subpart ZZZZ	The permit holder shall comply with the applicable requirements of 40 CFR Part 63, Subpart ZZZZ	The permit holder shall comply with the applicable monitoring and testing requirements of 40 CFR Part 63, Subpart ZZZZ	The permit holder shall comply with the applicable recordkeeping requirements of 40 CFR Part 63, Subpart ZZZZ	The permit holder shall comply with the applicable reporting requirements of 40 CFR Part 63, Subpart ZZZZ

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
WAUK-1	EU	63ZZZZ-01	112(B) HAPS	40 CFR Part 63, Subpart ZZZZ	§ 63.6603 The permit holder shall comply with the applicable limitation, standard and/or equipment specification requirements of 40 CFR Part 63, Subpart ZZZZ	The permit holder shall comply with the applicable requirements of 40 CFR Part 63, Subpart ZZZZ	The permit holder shall comply with the applicable monitoring and testing requirements of 40 CFR Part 63, Subpart ZZZZ	The permit holder shall comply with the applicable recordkeeping requirements of 40 CFR Part 63, Subpart ZZZZ	The permit holder shall comply with the applicable reporting requirements of 40 CFR Part 63, Subpart ZZZZ
TURB-GE1	EU	60GG-01	SO ₂	40 CFR Part 60, Subpart GG	§ 60.333(b)	No stationary gas turbine shall burn any fuel which contains sulfur in excess of 0.8% by weight.	§ 60.334(h) [G]§ 60.334(h)(3)	None	None

Additional Monitoring Requirements

Periodic Monitoring Summary.....15

Periodic Monitoring Summary

Unit/Group/Process Information	
ID No.: GRP-111A	
Control Device ID No.: N/A	Control Device Type: N/A
Applicable Regulatory Requirement	
Name: 30 TAC Chapter 111, Visible Emissions	SOP Index No.: R1111-01
Pollutant: OPACITY	Main Standard: § 111.111(a)(1)(A)
Monitoring Information	
Indicator: Fuel Type	
Minimum Frequency: Annually or at any time an alternate fuel is used	
Averaging Period: n/a	
Deviation Limit: Firing an alternate fuel for a period of greater than or equal to 24 hours, or visible emissions present during the firing of an alternate fuel, or opacity greater than 30% during these occurrences.	
<p>Periodic Monitoring Text: Record the type of fuel used by the unit. If an alternate fuel is fired, either alone or in combination with the specified gas, for a period greater than or equal to 24 consecutive hours it shall be considered and reported as a deviation or the permit holder shall conduct an observation of the stationary vent for each such period to determine if visible emissions are observed. Any time an alternate fuel is fired for a period of greater than 7 consecutive days then visible emissions observations will be conducted no less than once per week. Documentation of all observations shall be maintained. If visible emissions are present during the firing of an alternate fuel, the permit holder shall either list this occurrence as a deviation or the permit holder may determine the opacity consistent with Test Method 9. Any opacity readings that are above the opacity limit from the underlying applicable requirement shall be reported as a deviation.</p>	

Periodic Monitoring Summary

Unit/Group/Process Information	
ID No.: GRP-111B	
Control Device ID No.: N/A	Control Device Type: N/A
Applicable Regulatory Requirement	
Name: 30 TAC Chapter 111, Visible Emissions	SOP Index No.: R1111-01
Pollutant: OPACITY	Main Standard: § 111.111(a)(1)(B)
Monitoring Information	
Indicator: Fuel Type	
Minimum Frequency: Annually or at any time an alternate fuel is used	
Averaging Period: n/a	
Deviation Limit: Firing an alternate fuel for a period of greater than or equal to 24 hours, or visible emissions present during the firing of an alternate fuel, or opacity greater than 20% during these occurrences.	
<p>Periodic Monitoring Text: Record the type of fuel used by the unit. If an alternate fuel is fired, either alone or in combination with the specified gas, for a period greater than or equal to 24 consecutive hours it shall be considered and reported as a deviation or the permit holder shall conduct an observation of the stationary vent for each such period to determine if visible emissions are observed. Any time an alternate fuel is fired for a period of greater than 7 consecutive days then visible emissions observations will be conducted no less than once per week. Documentation of all observations shall be maintained. If visible emissions are present during the firing of an alternate fuel, the permit holder shall either list this occurrence as a deviation or the permit holder may determine the opacity consistent with Test Method 9. Any opacity readings that are above the opacity limit from the underlying applicable requirement shall be reported as a deviation.</p>	

Permit Shield

Permit Shield 18

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

Unit/Group/Process		Regulation	Basis of Determination
ID No.	Group/Inclusive Units		
BLR-1	N/A	40 CFR Part 60, Subpart D	Not constructed, reconstructed, or modified after 08/17/1971.
BLR-1	N/A	40 CFR Part 60, Subpart Da	The boiler is not an electric utility steam generating unit.
BLR-1	N/A	40 CFR Part 60, Subpart Db	Not constructed, reconstructed, or modified after 06/19/1984.
BLR-1	N/A	40 CFR Part 60, Subpart Dc	Not constructed, reconstructed, or modified after 06/09/1989.
BLR-3	N/A	40 CFR Part 60, Subpart D	Not constructed, reconstructed, or modified after 08/17/1971.
BLR-3	N/A	40 CFR Part 60, Subpart Da	The boiler is not an electric utility steam generating unit.
BLR-3	N/A	40 CFR Part 60, Subpart Db	Not constructed, reconstructed, or modified after 06/19/1984.
BLR-3	N/A	40 CFR Part 60, Subpart Dc	Not constructed, reconstructed, or modified after 06/09/1989.
FUG	N/A	40 CFR Part 60, Subpart KKK	Facility was constructed, reconstructed, or modified prior to 01/20/1984.
PRO-AMINE	N/A	30 TAC Chapter 112, Sulfur Compounds	The sweetening unit is not a sulfur recovery plant.

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

Unit/Group/Process		Regulation	Basis of Determination
ID No.	Group/Inclusive Units		
PRO-AMINE	N/A	40 CFR Part 60, Subpart LLL	The facility was constructed, reconstructed, or modified prior to 01/20/1984.
FORD-1	N/A	40 CFR Part 60, Subpart JJJJ	The SI ICE engine was constructed, reconstructed, or modified before 06/12/2006.
WAUK-1	N/A	40 CFR Part 60, Subpart JJJJ	The SI ICE engine was constructed, reconstructed, or modified before 06/12/2006.
GRP-TURB1	TURB-SAT1, TURB-SAT2, TURB-SAT3, TURB-SAT4	40 CFR Part 60, Subpart GG	The turbines were constructed, reconstructed, or modified before 10/03/1977.
GRP-TURB1	TURB-SAT1, TURB-SAT2, TURB-SAT3, TURB-SAT4	40 CFR Part 60, Subpart KKKK	The turbines were constructed, reconstructed, or modified before 02/18/2005.
GRP-TURB1	TURB-SAT1, TURB-SAT2, TURB-SAT3, TURB-SAT4	40 CFR Part 63, Subpart YYYY	The turbines are not located at a major source of HAPs.
TURB-GE1	N/A	40 CFR Part 60, Subpart KKKK	The turbine was constructed, reconstructed, or modified before 02/18/05.
TURB-GE1	N/A	40 CFR Part 63, Subpart YYYY	The turbine is not located at a major source of HAPs.

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

Unit/Group/Process		Regulation	Basis of Determination
ID No.	Group/Inclusive Units		
GRPTK1	TANK 13, TANK 16, TANK STG2	40 CFR Part 60, Subpart K	Constructed after 05/19/1978.
GRPTK1	TANK 13, TANK 16, TANK STG2	40 CFR Part 60, Subpart Ka	Constructed after 07/23/1984.
GRPTK1	TANK 13, TANK 16, TANK STG2	40 CFR Part 60, Subpart Kb	Tank capacity is less than 19,800 gallons.
GRPTK2	TANK STG1, TANK STG4, TANK STG5, TANK STG6, TANK STG7, TANK STG8, TANK STG9	40 CFR Part 60, Subpart K	Constructed after 05/19/1978.
GRPTK2	TANK STG1, TANK STG4, TANK STG5, TANK STG6, TANK STG7, TANK STG8, TANK STG9	40 CFR Part 60, Subpart Ka	Constructed after 07/23/1984.
GRPTK2	TANK STG1, TANK STG4, TANK STG5, TANK STG6, TANK STG7, TANK STG8, TANK STG9	40 CFR Part 60, Subpart Kb	Stores material with a vapor pressure less than 15.0 kPa (2.2 psia).
GRPTK3	TANK 10, TANK 11, TANK 15, TANK 17, TANK 18, TANK 19, TANK STG3	40 CFR Part 60, Subpart K	Constructed, reconstructed, or modified prior to 06/11/1973.

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

Unit/Group/Process		Regulation	Basis of Determination
ID No.	Group/Inclusive Units		
GRPTK3	TANK 10, TANK 11, TANK 15, TANK 17, TANK 18, TANK 19, TANK STG3	40 CFR Part 60, Subpart Ka	Constructed, reconstructed, or modified prior to 05/18/1978.
GRPTK3	TANK 10, TANK 11, TANK 15, TANK 17, TANK 18, TANK 19, TANK STG3	40 CFR Part 60, Subpart Kb	Constructed, reconstructed, or modified prior to 07/23/1984.
GRPTK4	TANK 14	40 CFR Part 60, Subpart K	Constructed after 05/19/1978.
GRPTK4	TANK 14	40 CFR Part 60, Subpart Ka	Tank does not store petroleum liquid.
GRPTK4	TANK 14	40 CFR Part 60, Subpart Kb	Constructed, reconstructed, or modified prior to 07/23/1984.

New Source Review Authorization References

New Source Review Authorization References 23

New Source Review Authorization References by Emission Unit..... 25

New Source Review Authorization References

The New Source Review authorizations listed in the table below are applicable requirements under 30 TAC Chapter 122 and enforceable under this operating permit.

Title 30 TAC Chapter 116 Permits, Special Permits, and Other Authorizations (Other Than Permits By Rule, PSD Permits, or NA Permits) for the Application Area.	
Authorization No.: 31701	Issuance Date: 10/21/2005
Authorization No.: 73442	Issuance Date: 08/16/2010
Permits By Rule (30 TAC Chapter 106) for the Application Area	
Number: 106.263	Version No./Date: 11/01/2001
Number: 106.264	Version No./Date: 03/14/1997
Number: 106.264	Version No./Date: 09/04/2000
Number: 106.352	Version No./Date: 09/04/2000
Number: 106.355	Version No./Date: 11/01/2001
Number: 106.359	Version No./Date: 09/10/2013
Number: 106.472	Version No./Date: 03/14/1997
Number: 106.472	Version No./Date: 09/01/1999
Number: 106.472	Version No./Date: 09/04/2000
Number: 106.512	Version No./Date: 06/13/2001
Number: 6	Version No./Date: 01/08/1980
Number: 6	Version No./Date: 09/12/1989
Number: 9	Version No./Date: 05/08/1972
Number: 51	Version No./Date: 11/05/1986
Number: 53	Version No./Date: 11/05/1986
Number: 57	Version No./Date: 01/08/1980
Number: 58	Version No./Date: 05/08/1972
Number: 59	Version No./Date: 05/08/1972
Number: 60	Version No./Date: 01/08/1980
Number: 64	Version No./Date: 05/08/1972
Number: 66	Version No./Date: 11/05/1986
Number: 70	Version No./Date: 05/08/1972
Number: 70	Version No./Date: 01/11/1985

New Source Review Authorization References

The New Source Review authorizations listed in the table below are applicable requirements under 30 TAC Chapter 122 and enforceable under this operating permit.

Number: 70	Version No./Date: 03/15/1985
Number: 72	Version No./Date: 01/08/1980
Number: 82	Version No./Date: 12/01/1972
Number: 107	Version No./Date: 08/30/1988

New Source Review Authorization References by Emissions Unit

The following is a list of New Source Review (NSR) authorizations for emission units listed elsewhere in this operating permit. The NSR authorizations are applicable requirements under 30 TAC Chapter 122 and enforceable under this operating permit.

Unit/Group/Process ID No.	Emission Unit Name/Description	New Source Review Authorization
BDV-1	BLOW DOWN VENT 1 - 6" STATION (DISCHARGE) VENT	070/01/11/1985
BDV-2	BLOW DOWN VENT 2 - 4" FUEL GAS VENT	070/01/11/1985
BDV-3	BLOW DOWN VENT 3 - 6" STATION (SUCTION) VENT	070/01/11/1985
BDV-4	BLOW DOWN VENT 4 - 4" START GAS VENT	070/01/11/1985
BDV-5	BLOW DOWN VENT 5 - 6" UNITS VENT	070/01/11/1985
BDV-6	BLOW DOWN VENT 6 - 10" GE VENT	070/01/11/1985
BDV-7	BLOW DOWN VENT 7 - 10" ESD VENT	070/01/11/1985
BLR-1	BOILER NO. 1	106.352/09/04/2000
BLR-1S	BOILER NO. 1 STACK	106.352/09/04/2000
BLR-3	BOILER NO. 3	106.352/09/04/2000
BLR-3S	BOILER NO. 3 STACK	106.352/09/04/2000
DEHY-GLY	TEG DEHYDRATOR	31701
DEHY-HTR	GLYCOL DEHYDRATOR REBOILER	31701
DEHY-HTRS	GLYCOL DEHYDRATOR REBOILER STACK	31701
FLARE-1	PLANT FLARE #1	73442
FORD-1S	UTILITY WATER PUMP ENGINE STACK	006/09/12/1989
FORD-1	UTILITY WATER PUMP ENGINE	006/09/12/1989
FUG	PLANT FUGITIVES	072/01/08/1980

New Source Review Authorization References by Emissions Unit

The following is a list of New Source Review (NSR) authorizations for emission units listed elsewhere in this operating permit. The NSR authorizations are applicable requirements under 30 TAC Chapter 122 and enforceable under this operating permit.

Unit/Group/Process ID No.	Emission Unit Name/Description	New Source Review Authorization
OWS-1	OIL-WATER SEPARATOR 1	070/05/08/1972
OWS-2	OIL-WATER SEPARATOR 2	070/05/08/1972
PRO-AMINE	AMINE GAS SWEETENING UNIT	066/11/05/1986
TANK 10	DIESEL STORAGE TANK	058/05/08/1972
TANK 11	GASOLINE STORAGE TANK	064/05/08/1972
TANK 13	AMINE STORAGE TANK	106.472/03/14/1997
TANK 14	GLYCOL STORAGE TANK	057/01/08/1980
TANK 15	LUBE OIL STORAGE TANK	059/05/08/1972
TANK 16	AMINE SURGE TANK	106.472/03/14/1997
TANK 17	GE LUBE OIL TANK	059/05/08/1972
TANK 18	GE LUBE OIL TANK	059/05/08/1972
TANK 19	LUBE OIL TANK	059/05/08/1972
TANK STG1	DRIP TANK 1	106.472/09/04/2000
TANK STG2	DRIP TANK 2	106.472/03/14/1997
TANK STG3	DRIP TANK 3	058/05/08/1972
TANK STG4	DRIP TANK 4	106.472/03/14/1997
TANK STG5	DRIP TANK 5	106.472/03/14/1997
TANK STG6	DRIP TANK 6	106.472/03/14/1997

New Source Review Authorization References by Emissions Unit

The following is a list of New Source Review (NSR) authorizations for emission units listed elsewhere in this operating permit. The NSR authorizations are applicable requirements under 30 TAC Chapter 122 and enforceable under this operating permit.

Unit/Group/Process ID No.	Emission Unit Name/Description	New Source Review Authorization
TANK STG7	DRIP TANK 7	106.472/03/14/1997
TANK STG8	DRIP TANK 8	106.472/03/14/1997
TANK STG9	DRIP TANK 9	106.472/03/14/1997
TURB-GE1	GE FRAME 5 TURBINE	006/01/08/1980
TURB-GE1S	GE FRAME 5 TURBINE STACK	006/01/08/1980
TURB-SAT1	SOLAR SATURN TURBINE 1	082/12/01/1972
TURB-SAT1S	SOLAR SATURN TURBINE 1 STACK	082/12/01/1972
TURB-SAT2	SOLAR SATURN TURBINE 2	082/12/01/1972
TURB-SAT2S	SOLAR SATURN TURBINE 2 STACK	082/12/01/1972
TURB-SAT3	SOLAR SATURN TURBINE 3	082/12/01/1972
TURB-SAT3S	SOLAR SATURN TURBINE 3 STACK	082/12/01/1972
TURB-SAT4	SOLAR SATURN TURBINE 4	082/12/01/1972
TURB-SAT4S	SOLAR SATURN TURBINE 4 STACK	082/12/01/1972
WAUK-1S	WAUKESHA 7042 GL ENGINE STACK	106.512/06/13/2001
WAUK-1	WAUKESHA 7042 GL ENGINE	106.512/06/13/2001

Schedules

Compliance Schedule 29

Compliance Schedule

A. Compliance Schedule				
1. Specific Non-Compliance Situation				
Unit/Group/ Process ID. No(s).	SOP Index No.	Pollutant	Applicable Requirement	
			Citation	Text Description
DEHY-GLY	63HH-01	VOC	30 TAC 116.620	THE DEHYDRATOR DOES NOT OPERATE AS REPRESENTED IN STANDARD PERMIT REGISTRATION NO. 31701.
2. Compliance Status Assessment Method and Records Location				
Compliance Status Assessment Method			Location of Records/Documentation	
Citation	Text Description			
116.620	Glycol dehydrator representations made in the Standard Permit registration application, 2005.		Notice of Disclosure under the Self-Audit Privilege Act, March 20, 2014.	
3. Non-compliance Situation Description				
The dehydrator regenerator system does not operate as represented in the application for Standard Permit Registration No. 31701.				
4. Corrective Action Plan Description				
The dehydrator regenerative system will be reviewed to evaluate permitting requirements. Once determined, the Standard Permit registration representations will be revised to accurately reflect the operating conditions of the emission source.				
5. List of Activities/Milestones to Implement the Corrective Action Plan				
1	Engineering review of the unit will be performed to evaluate permitting requirements, by 04/30/2014.			
2	A Standard Permit Registration Revisions application will be prepared with representative revisions and submitted to the TCEQ, Air Permits Division, by 05/30/2014.			
6. Previously Submitted Compliance Plan(s)		Type of Action		Date Submitted
		N/A		
7. Progress Report Submission Schedule		EVERY SIX MONTHS UNTIL THE CORRECTIVE ACTION IS COMPLETE.		

Appendix A

Acronym List31

Acronym List

The following abbreviations or acronyms may be used in this permit:

ACFM	actual cubic feet per minute
AMOC	alternate means of control
ARP	Acid Rain Program
ASTM	American Society of Testing and Materials
B/PA	Beaumont/Port Arthur (nonattainment area)
CAM	Compliance Assurance Monitoring
CD	control device
COMS	continuous opacity monitoring system
CVS	closed-vent system
D/FW	Dallas/Fort Worth (nonattainment area)
DR	Designated Representative
ELP	El Paso (nonattainment area)
EP	emission point
EPA	U.S. Environmental Protection Agency
EU	emission unit
FCAA Amendments	Federal Clean Air Act Amendments
FOP	federal operating permit
GF	grandfathered
gr/100 scf	grains per 100 standard cubic feet
HAP	hazardous air pollutant
H/G/B	Houston/Galveston/Brazoria (nonattainment area)
H ₂ S	hydrogen sulfide
ID No.	identification number
lb/hr	pound(s) per hour
MMBtu/hr	Million British thermal units per hour
MRRT	monitoring, recordkeeping, reporting, and testing
NA	nonattainment
N/A	not applicable
NADB	National Allowance Data Base
NO _x	nitrogen oxides
NSPS	New Source Performance Standard (40 CFR Part 60)
NSR	New Source Review
ORIS	Office of Regulatory Information Systems
Pb	lead
PBR	Permit By Rule
PM	particulate matter
ppmv	parts per million by volume
PSD	prevention of significant deterioration
RO	Responsible Official
SO ₂	sulfur dioxide
TCEQ	Texas Commission on Environmental Quality
TSP	total suspended particulate
TVP	true vapor pressure
U.S.C.	United States Code
VOC	volatile organic compound