

FEDERAL OPERATING PERMIT

A FEDERAL OPERATING PERMIT IS HEREBY ISSUED TO
General Dynamics Ordnance and Tactical Systems, Inc.

AUTHORIZING THE OPERATION OF
Garland Plant
Ammunition

LOCATED AT
Dallas County, Texas
Latitude 32° 55' 21" Longitude 96° 38' 18"
Regulated Entity Number: RN102660909

This permit is issued in accordance with and subject to the Texas Clean Air Act (TCAA), Chapter 382 of the Texas Health and Safety Code and Title 30 Texas Administrative Code Chapter 122 (30 TAC Chapter 122), Federal Operating Permits. Under 30 TAC Chapter 122, this permit constitutes the permit holder's authority to operate the site and emission units listed in this permit. Operations of the site and emission units listed in this permit are subject to all additional rules or amended rules and orders of the Commission pursuant to the TCAA.

This permit does not relieve the permit holder from the responsibility of obtaining New Source Review authorization for new, modified, or existing facilities in accordance with 30 TAC Chapter 116, Control of Air Pollution by Permits for New Construction or Modification.

The site and emission units authorized by this permit shall be operated in accordance with 30 TAC Chapter 122, the general terms and conditions, special terms and conditions, and attachments contained herein.

This permit shall expire five years from the date of issuance. The renewal requirements specified in 30 TAC § 122.241 must be satisfied in order to renew the authorization to operate the site and emission units.

Permit No: 02594 Issuance Date: _____

For the Commission

Table of Contents

Section	Page
General Terms and Conditions	1
Special Terms and Conditions	1
Emission Limitations and Standards, Monitoring and Testing, and Recordkeeping and Reporting	1
New Source Review Authorization Requirements	7
Compliance Requirements.....	8
Protection of Stratospheric Ozone.....	10
Permit Location.....	10
Permit Shield (30 TAC § 122.148)	10
Attachments	11
Applicable Requirements Summary	12
Permit Shield.....	60
New Source Review Authorization References.....	63
Appendix A	71
Acronym List	72

General Terms and Conditions

The permit holder shall comply with all terms and conditions contained in 30 TAC § 122.143 (General Terms and Conditions), 30 TAC § 122.144 (Recordkeeping Terms and Conditions), 30 TAC § 122.145 (Reporting Terms and Conditions), and 30 TAC § 122.146 (Compliance Certification Terms and Conditions).

In accordance with 30 TAC § 122.144(1), records of required monitoring data and support information required by this permit, or any applicable requirement codified in this permit, are required to be maintained for a period of five years from the date of the monitoring report, sample, or application unless a longer data retention period is specified in an applicable requirement. The five year record retention period supersedes any less stringent retention requirement that may be specified in a condition of a permit identified in the New Source Review Authorization attachment.

If the permit holder chooses to demonstrate that this permit is no longer required, a written request to void this permit shall be submitted to the Texas Commission on Environmental Quality (TCEQ) by the Responsible Official in accordance with 30 TAC § 122.161(e). The permit holder shall comply with the permit's requirements, including compliance certification and deviation reporting, until notified by the TCEQ that this permit is voided.

The permit holder shall comply with 30 TAC Chapter 116 by obtaining a New Source Review authorization prior to new construction or modification of emission units located in the area covered by this permit.

All reports required by this permit must include in the submittal a cover letter which identifies the following information: company name, TCEQ regulated entity number, air account number (if assigned), site name, area name (if applicable), and Air Permits Division permit number(s).

Special Terms and Conditions: Emission Limitations and Standards, Monitoring and Testing, and Recordkeeping and Reporting

1. Permit holder shall comply with the following requirements:
 - A. Emission units (including groups and processes) in the Applicable Requirements Summary attachment shall meet the limitations, standards, equipment specifications, monitoring, recordkeeping, reporting, testing, and other requirements listed in the Applicable Requirements Summary attachment to assure compliance with the permit.
 - B. The textual description in the column titled "Textual Description" in the Applicable Requirements Summary attachment is not enforceable and is not deemed as a substitute for the actual regulatory language. The Textual Description is provided for information purposes only.

- C. A citation listed on the Applicable Requirements Summary attachment, which has a notation [G] listed before it, shall include the referenced section and subsection for all commission rules, or paragraphs for all federal and state regulations and all subordinate paragraphs, subparagraphs and clauses, subclauses, and items contained within the referenced citation as applicable requirements.
 - D. When a grouped citation, notated with a [G] in the Applicable Requirements Summary, contains multiple compliance options, the permit holder must keep records of when each compliance option was used.
 - E. Emission units subject to 40 CFR Part 63, Subpart GG as identified in the attached Applicable Requirements Summary table are subject to 30 TAC Chapter 113, Subchapter C, § 113.380 which incorporates the 40 CFR Part 63 Subpart by reference.
2. The permit holder shall comply with the following sections of 30 TAC Chapter 101 (General Air Quality Rules):
- A. Title 30 TAC § 101.1 (relating to Definitions), insofar as the terms defined in this section are used to define the terms used in other applicable requirements
 - B. Title 30 TAC § 101.3 (relating to Circumvention)
 - C. Title 30 TAC § 101.8 (relating to Sampling), if such action has been requested by the TCEQ
 - D. Title 30 TAC § 101.9 (relating to Sampling Ports), if such action has been requested by the TCEQ
 - E. Title 30 TAC § 101.10 (relating to Emissions Inventory Requirements)
 - F. Title 30 TAC § 101.201 (relating to Emission Event Reporting and Recordkeeping Requirements)
 - G. Title 30 TAC § 101.211 (relating to Scheduled Maintenance, Start-up, and Shutdown Reporting and Recordkeeping Requirements)
 - H. Title 30 TAC § 101.221 (relating to Operational Requirements)
 - I. Title 30 TAC § 101.222 (relating to Demonstrations)
 - J. Title 30 TAC § 101.223 (relating to Actions to Reduce Excessive Emissions)
3. Permit holder shall comply with the following requirements of 30 TAC Chapter 111:

A. Visible emissions from stationary vents with a flow rate of less than 100,000 actual cubic feet per minute and constructed either before or after January 31, 1972 that are not listed in the Applicable Requirements Summary attachment for 30 TAC Chapter 111, Subchapter A, Division 1, shall not exceed 20% opacity averaged over a six minute period. The permit holder shall comply with the following requirements for stationary vents at the site subject to this standard:

- (i) Title 30 TAC § 111.111(a)(1)(B) (relating to Requirements for Specified Sources)
- (ii) Title 30 TAC § 111.111(a)(1)(E)
- (iii) Title 30 TAC § 111.111(a)(1)(F)(i), (ii), (iii), or (iv)
- (iv) For emission units with vent emissions subject to 30 TAC § 111.111(a)(1)(B), complying with 30 TAC § 111.111(a)(1)(F)(ii), (iii), or (iv), and capable of producing visible emissions from, but not limited to, particulate matter, acid gases and NO_x, the permit holder shall also comply with the following periodic monitoring requirements for the purpose of annual compliance certification under 30 TAC § 122.146. These periodic monitoring requirements do not apply to vents that are not capable of producing visible emissions such as vents that emit only colorless VOCs; vents from non-fuming liquids; vents that provide passive ventilation, such as plumbing vents; or vent emissions from any other source that does not obstruct the transmission of light. Vents, as specified in the “Applicable Requirements Summary” attachment, that are subject to the emission limitation of 30 TAC § 111.111(a)(1)(B) are not subject to the following periodic monitoring requirements:
 - (1) An observation of stationary vents from emission units in operation shall be conducted at least once during each calendar quarter unless the emission unit is not operating for the entire quarter.
 - (2) For stationary vents from a combustion source, if an alternative to the normally fired fuel is fired for a period greater than or equal to 24 consecutive hours, the permit holder shall conduct an observation of the stationary vent for each such period to determine if visible emissions are present. If such period is greater than 3 months, observations shall be conducted once during each quarter. Supplementing the normally fired fuel with natural gas or fuel gas to increase the net heating value to the minimum required value does not constitute creation of an alternative fuel.

- (3) Records of all observations shall be maintained.
- (4) Visible emissions observations of emission units operated during daylight hours shall be conducted no earlier than one hour after sunrise and no later than one hour before sunset. Visible emissions observations of emission units operated only at night must be made with additional lighting and the temporary installation of contrasting backgrounds. Visible emissions observations shall be made during times when the activities described in 30 TAC § 111.111(a)(1)(E) are not taking place. Visible emissions shall be determined with each stationary vent in clear view of the observer. The observer shall be at least 15 feet, but not more than 0.25 mile, away from each stationary vent during the observation. For outdoor locations, the observer shall select a position where the sun is not directly in the observer's eyes. When condensed water vapor is present within the plume, as it emerges from the emissions outlet, observations must be made beyond the point in the plume at which condensed water vapor is no longer visible. When water vapor within the plume condenses and becomes visible at a distance from the emissions outlet, the observation shall be evaluated at the outlet prior to condensation of water vapor. A certified opacity reader is not required for visible emissions observations.
- (5) Compliance Certification:
 - (a) If visible emissions are not present during the observation, the RO may certify that the source is in compliance with the applicable opacity requirement in 30 TAC § 111.111(a)(1) and (a)(1)(B).
 - (b) However, if visible emissions are present during the observation, the permit holder shall either list this occurrence as a deviation on the next deviation report as required under 30 TAC § 122.145(2) or conduct the appropriate opacity test specified in 30 TAC § 111.111(a)(1)(F) as soon as practicable, but no later than 24 hours after observing visible emissions to determine if the source is in compliance with the opacity requirements. If an opacity test is performed and the source is determined to be in compliance, the RO may certify that the source is in compliance with the applicable opacity requirement. However, if an opacity test is performed and the source is determined to be out of compliance, the permit holder shall list this occurrence as a deviation

on the next deviation report as required under 30 TAC § 122.145(2). The opacity test must be performed by a certified opacity reader.

- (c) Some vents may be subject to multiple visible emission or monitoring requirements. All credible data must be considered when certifying compliance with this requirement even if the observation or monitoring was performed to demonstrate compliance with a different requirement.

B. For visible emissions from a building, enclosed facility, or other structure; the permit holder shall comply with the following requirements:

- (i) Title 30 TAC § 111.111(a)(7)(A) (relating to Requirements for Specified Sources)
- (ii) Title 30 TAC § 111.111(a)(7)(B)(i) or (ii)
- (iii) For a building containing an air emission source, enclosed facility, or other structure containing or associated with an air emission source subject to 30 TAC § 111.111(a)(7)(A), complying with 30 TAC § 111.111(a)(7)(B)(i) or (ii), and capable of producing visible emissions from, but not limited to, particulate matter, acid gases and NO_x, the permit holder shall also comply with the following periodic monitoring requirements for the purpose of annual compliance certification under 30 TAC § 122.146:
 - (1) An observation of visible emissions from a building containing an air emission source, enclosed facility, or other structure containing or associated with an air emission source which is required to comply with 30 TAC § 111.111(a)(7)(A) shall be conducted at least once during each calendar quarter unless the air emission source or enclosed facility is not operating for the entire quarter.
 - (2) Records of all observations shall be maintained.
 - (3) Visible emissions observations of air emission sources or enclosed facilities operated during daylight hours shall be conducted no earlier than one hour after sunrise and no later than one hour before sunset. Visible emissions observations of air emission sources or enclosed facilities operated only at night must be made with additional lighting and the temporary installation of contrasting backgrounds. Visible emissions shall be determined with each emissions outlet in clear view of the observer. The observer shall be at least 15 feet, but not more than 0.25 mile, away from each emissions

outlet during the observation. For outdoor locations, the observer shall select a position where the sun is not directly in the observer's eyes. When condensed water vapor is present within the plume, as it emerges from the emissions outlet, observations must be made beyond the point in the plume at which condensed water vapor is no longer visible. When water vapor within the plume condenses and becomes visible at a distance from the emissions outlet, the observation shall be evaluated at the outlet prior to condensation of water vapor. A certified opacity reader is not required for visible emissions observations.

(4) Compliance Certification:

- (a) If visible emissions are not present during the observation, the RO may certify that the source is in compliance with the applicable opacity requirement in 30 TAC § 111.111(a)(7) and (a)(7)(A)
- (b) However, if visible emissions are present during the observation, the permit holder shall either list this occurrence as a deviation on the next deviation report as required under 30 TAC § 122.145(2) or conduct the appropriate opacity test specified in 30 TAC § 111.111(a)(7)(B) as soon as practicable, but no later than 24 hours after observing visible emissions to determine if the source is in compliance with the opacity requirements. If an opacity test is performed and the source is determined to be in compliance, the RO may certify that the source is in compliance with the applicable opacity requirement. However, if an opacity test is performed and the source is determined to be out of compliance, the permit holder shall list this occurrence as a deviation on the next deviation report as required under 30 TAC § 122.145(2). The opacity test must be performed by a certified opacity reader

- C. Certification of opacity readers determining opacities under Method 9 (as outlined in 40 CFR Part 60, Appendix A) to comply with opacity monitoring requirements shall be accomplished by completing the Visible Emissions Evaluators Course, or approved agency equivalent, no more than 180 days before the opacity reading.
- D. Emission limits on nonagricultural processes, except for the steam generators specified in 30 TAC § 111.153, shall comply with the following requirements:

- (i) Emissions of PM from any source may not exceed the allowable rates as required in 30 TAC § 111.151(a) (relating to Allowable Emissions Limits)
 - (ii) Sources with an effective stack height (h_e) less than the standard effective stack height (H_e), must reduce the allowable emission level by multiplying it by $[h_e/H_e]^2$ as required in 30 TAC § 111.151(b)
 - (iii) Effective stack height shall be calculated by the equation specified in 30 TAC § 111.151(c)
- 4. For storage vessels maintaining working pressure as specified in 30 TAC Chapter 115, Subchapter B, Division 1: Storage of Volatile Organic Compounds, the permit holder shall comply with the requirements of 30 TAC § 115.112(e)(1).
- 5. The permit holder shall comply with the requirements of 30 TAC Chapter 113, Subchapter C, § 113.100 for units subject to any subpart of 40 CFR Part 63, unless otherwise stated in the applicable subpart.
- 6. For sources subject to emission standards in 40 CFR Part 63, Subpart GG, the permit holder shall comply with the requirements below (Title 30 TAC Chapter 113, Subchapter C, § 113.380 incorporated by reference):
 - A. Title 40 CFR § 63.748 (relating to Standards: Handling and Storage of Waste)
 - B. Title 40 CFR § 63.749(a) (relating to Compliance Dates and Determinations)
- 7. The permit holder shall comply with certified registrations submitted to the TCEQ for purposes of establishing federally enforceable emission limits. A copy of the certified registration shall be maintained with the permit. Records sufficient to demonstrate compliance with the established limits shall be maintained. The certified registration and records demonstrating compliance shall be provided, on request, to representatives of the appropriate TCEQ regional office and any local air pollution control agency having jurisdiction over the site. The permit holder shall submit updated certified registrations when changes at the site require establishment of new emission limits. If changes result in emissions that do not remain below major source thresholds, the permit holder shall submit a revision application to codify the appropriate requirements in the permit.

New Source Review Authorization Requirements

- 8. Permit holder shall comply with the requirements of New Source Review authorizations issued or claimed by the permit holder for the permitted area, including permits, permits by rule, standard permits, flexible permits, special permits, permits for existing facilities including Voluntary Emissions Reduction

Permits and Electric Generating Facility Permits issued under 30 TAC Chapter 116, Subchapter I, or special exemptions referenced in the New Source Review Authorization References attachment. These requirements:

- A. Are incorporated by reference into this permit as applicable requirements
 - B. Shall be located with this operating permit
 - C. Are not eligible for a permit shield
9. The permit holder shall comply with the general requirements of 30 TAC Chapter 106, Subchapter A or the general requirements, if any, in effect at the time of the claim of any PBR.
10. The permit holder shall maintain records to demonstrate compliance with any emission limitation or standard that is specified in a permit by rule (PBR) or Standard Permit listed in the New Source Review Authorizations attachment. The records shall yield reliable data from the relevant time period that are representative of the emission unit's compliance with the PBR or Standard Permit. These records may include, but are not limited to, production capacity and throughput, hours of operation, safety data sheets (SDS), chemical composition of raw materials, speciation of air contaminant data, engineering calculations, maintenance records, fugitive data, performance tests, capture/control device efficiencies, direct pollutant monitoring (CEMS, COMS, or PEMS), or control device parametric monitoring. These records shall be made readily accessible and available as required by 30 TAC § 122.144. Any monitoring or recordkeeping data indicating noncompliance with the PBR or Standard Permit shall be considered and reported as a deviation according to 30 TAC § 122.145 (Reporting Terms and Conditions).

Compliance Requirements

11. The permit holder shall certify compliance in accordance with 30 TAC § 122.146. The permit holder shall comply with 30 TAC § 122.146 using at a minimum, but not limited to, the continuous or intermittent compliance method data from monitoring, recordkeeping, reporting, or testing required by the permit and any other credible evidence or information. The certification period may not exceed 12 months and the certification must be submitted within 30 days after the end of the period being certified.
12. Use of Emission Credits to comply with applicable requirements:
- A. Unless otherwise prohibited, the permit holder may use emission credits to comply with the following applicable requirements listed elsewhere in this permit:
 - (i) Title 30 TAC Chapter 115

- (ii) Title 30 TAC Chapter 117
 - (iii) Offsets for Title 30 TAC Chapter 116
- B. The permit holder shall comply with the following requirements in order to use the emission credits to comply with the applicable requirements:
- (i) The permit holder must notify the TCEQ according to 30 TAC § 101.306(c)(2)
 - (ii) The emission credits to be used must meet all the geographic, timeliness, applicable pollutant type, and availability requirements listed in 30 TAC Chapter 101, Subchapter H, Division 1
 - (iii) The executive director has approved the use of the credit according to 30 TAC § 101.306(c)(2)
 - (iv) The permit holder keeps records of the use of credits towards compliance with the applicable requirements in accordance with 30 TAC § 101.302(g) and 30 TAC Chapter 122
 - (v) Title 30 TAC § 101.305 (relating to Emission Reductions Achieved Outside the United States)
13. Use of Discrete Emission Credits to comply with the applicable requirements:
- A. Unless otherwise prohibited, the permit holder may use discrete emission credits to comply with the following applicable requirements listed elsewhere in this permit:
- (i) Title 30 TAC Chapter 115
 - (ii) Title 30 TAC Chapter 117
 - (iii) If applicable, offsets for Title 30 TAC Chapter 116
 - (iv) Temporarily exceed state NSR permit allowables
- B. The permit holder shall comply with the following requirements in order to use the credit to comply with the applicable requirements:
- (i) The permit holder must notify the TCEQ according to 30 TAC § 101.376(d)
 - (ii) The discrete emission credits to be used must meet all the geographic, timeliness, applicable pollutant type, and availability requirements listed in 30 TAC Chapter 101, Subchapter H, Division 4

- (iii) The executive director has approved the use of the discrete emission credits according to 30 TAC § 101.376(d)(1)(A)
- (iv) The permit holder keeps records of the use of credits towards compliance with the applicable requirements in accordance with 30 TAC § 101.372(h) and 30 TAC Chapter 122
- (v) Title 30 TAC § 101.375 (relating to Emission Reductions Achieved Outside the United States)

Protection of Stratospheric Ozone

- 14. Permit holders at a site subject to Title VI of the FCAA Amendments shall meet the following requirements for protection of stratospheric ozone:
 - A. Any on site servicing, maintenance, and repair on refrigeration and nonmotor vehicle air-conditioning appliances using ozone-depleting refrigerants or non-exempt substitutes shall be conducted in accordance with 40 CFR Part 82, Subpart F. Permit holders shall ensure that repairs on or refrigerant removal from refrigeration and nonmotor vehicle air-conditioning appliances using ozone-depleting refrigerants are performed only by properly certified technicians using certified equipment. Records shall be maintained as required by 40 CFR Part 82, Subpart F.

Permit Location

- 15. The permit holder shall maintain a copy of this permit and records related to requirements listed in this permit on site.

Permit Shield (30 TAC § 122.148)

- 16. A permit shield is granted for the emission units, groups, or processes specified in the attached “Permit Shield.” Compliance with the conditions of the permit shall be deemed compliance with the specified potentially applicable requirements or specified potentially applicable state-only requirements listed in the attachment “Permit Shield.” Permit shield provisions shall not be modified by the executive director until notification is provided to the permit holder. No later than 90 days after notification of a change in a determination made by the executive director, the permit holder shall apply for the appropriate permit revision to reflect the new determination. Provisional terms are not eligible for this permit shield. Any term or condition, under a permit shield, shall not be protected by the permit shield if it is replaced by a provisional term or condition or the basis of the term and condition changes.

Attachments

Applicable Requirements Summary

Permit Shield

New Source Review Authorization References

Applicable Requirements Summary

Unit Summary13

Applicable Requirements Summary 34

Note: A “none” entry may be noted for some emission sources in this permit’s “Applicable Requirements Summary” under the heading of “Monitoring and Testing Requirements” and/or “Recordkeeping Requirements” and/or “Reporting Requirements.” Such a notation indicates that there are no requirements for the indicated emission source as identified under the respective column heading(s) for the stated portion of the regulation when the emission source is operating under the conditions of the specified SOP Index Number. However, other relevant requirements pursuant to 30 TAC Chapter 122 including Recordkeeping Terms and Conditions (30 TAC § 122.144), Reporting Terms and Conditions (30 TAC § 122.145), and Compliance Certification Terms and Conditions (30 TAC § 122.146) continue to apply.

Unit Summary

Unit/Group/ Process ID No.	Unit Type	Group/Inclusive Units	SOP Index No.	Regulation	Requirement Driver
25A-OILREC	VOLATILE ORGANIC COMPOUND WATER SEPARATORS	N/A	R5137	30 TAC Chapter 115, Water Separation	No changing attributes.
GRPTNK	STORAGE TANKS/ VESSELS	TANK-24-4, TANK-24-5, TANK-29-1, TANK-29-2, TANK-29-3, TANK-29-4, TANK-39-1A, TANK-39-1B, TANK-39-1C, TANK-39-1D, TANK-WC1, TANK-WC2, TANK-WC3	R115	30 TAC Chapter 115, Storage of VOCs	No changing attributes.
LOADCOOL	LOADING/UNLOADING OPERATIONS	N/A	R5211-3	30 TAC Chapter 115, Loading and Unloading of VOC	No changing attributes.
LOADUOIL	LOADING/UNLOADING OPERATIONS	N/A	R5211-3	30 TAC Chapter 115, Loading and Unloading of VOC	No changing attributes.
PRO18BPTR4	SURFACE COATING OPERATIONS	N/A	R5421-P	30 TAC Chapter 115, Surface Coating Operations	Aerospace Coating Type = Primer., Comply with 40 CFR § 63.750 = The facility is complying with the test method requirements of 40 CFR § 63.750.
PRO18BPTR4	SURFACE COATING OPERATIONS	N/A	R5421-S	30 TAC Chapter 115, Surface Coating Operations	Aerospace Coating Type = Specialty coatings.

Unit Summary

Unit/Group/ Process ID No.	Unit Type	Group/Inclusive Units	SOP Index No.	Regulation	Requirement Driver
PRO18BPTR4	SURFACE COATING OPERATIONS	N/A	R5421-T	30 TAC Chapter 115, Surface Coating Operations	Aerospace Coating Type = Topcoat., Comply with 40 CFR § 63.750 = The facility is complying with the test method requirements of 40 CFR § 63.750.
PRO18BPTR4	SURFACE COATING OPERATIONS	N/A	63GG-P	40 CFR Part 63, Subpart GG	Application Type = Primer application operation., HAP and VOC less than Content Limits = The manufacturer's supplied data for any of the waterborne coatings demonstrates that organic HAP and VOC contents are not less than or equal to the organic HAP and VOC content limits for its coating type., Emission Control = No control device is used to reduce organic HAP emissions., Alternative Monitoring Methods = The request to use alternative monitoring method(s) has not been approved by the EPA Administrator or no such request has been made., Low HAP Content = The coating is not a low HAP content primer., HAP Averaging = Mass of organic HAP emitted per volume of coating (less water) as applied is determined using procedures in

Unit Summary

Unit/Group/ Process ID No.	Unit Type	Group/Inclusive Units	SOP Index No.	Regulation	Requirement Driver
					§ 63.750(c)., VOC Averaging = Mass of VOC emitted per volume of coating (less water and exempt solvents) as applied is determined using the procedures in § 63.750(e).
PRO18BPTR4	SURFACE COATING OPERATIONS	N/A	63GG-T	40 CFR Part 63, Subpart GG	Application Type = Topcoat operation., HAP and VOC less than Content Limits = The manufacturer's supplied data for any of the waterborne coatings demonstrates that organic HAP and VOC contents are not less than or equal to the organic HAP and VOC content limits for its coating type., Emission Control = No control device is used to reduce organic HAP emissions., Alternative Monitoring Methods = The request to use alternative monitoring method(s) has not been approved by the EPA Administrator or no such request has been made., HAP Averaging = Mass of organic HAP emitted per volume of coating (less water) as applied is determined using procedures in § 63.750(c)., VOC Averaging = Mass of VOC emitted per volume of coating (less water and exempt solvents)

Unit Summary

Unit/Group/ Process ID No.	Unit Type	Group/Inclusive Units	SOP Index No.	Regulation	Requirement Driver
					as applied is determined using the procedures in § 63.750(e).
PRO18BPTR4	SURFACE COATING OPERATIONS	N/A	63GG-TW	40 CFR Part 63, Subpart GG	Application Type = Topcoat operation., HAP and VOC less than Content Limits = The manufacturer's supplied data for any of the waterborne coatings demonstrates that organic HAP and VOC contents are less than or equal to the organic HAP and VOC content limits for its coating type.
PRO18BSB24	SURFACE COATING OPERATIONS	N/A	R5421-P	30 TAC Chapter 115, Surface Coating Operations	Aerospace Coating Type = Primer., Comply with 40 CFR § 63.750 = The facility is complying with the test method requirements of 40 CFR § 63.750.
PRO18BSB24	SURFACE COATING OPERATIONS	N/A	R5421-S	30 TAC Chapter 115, Surface Coating Operations	Aerospace Coating Type = Specialty coatings.
PRO18BSB24	SURFACE COATING OPERATIONS	N/A	R5421-T	30 TAC Chapter 115, Surface Coating Operations	Aerospace Coating Type = Topcoat., Comply with 40 CFR § 63.750 = The facility is complying with the test method requirements of 40 CFR § 63.750.
PRO18BSB24	SURFACE COATING OPERATIONS	N/A	63GG-P	40 CFR Part 63, Subpart GG	Application Type = Primer application operation., HAP and

Unit Summary

Unit/Group/ Process ID No.	Unit Type	Group/Inclusive Units	SOP Index No.	Regulation	Requirement Driver
					<p>VOC less than Content Limits = The manufacturer's supplied data for any of the waterborne coatings demonstrates that organic HAP and VOC contents are not less than or equal to the organic HAP and VOC content limits for its coating type., Emission Control = No control device is used to reduce organic HAP emissions., Alternative Monitoring Methods = The request to use alternative monitoring method(s) has not been approved by the EPA Administrator or no such request has been made., Low HAP Content = The coating is not a low HAP content primer., HAP Averaging = Mass of organic HAP emitted per volume of coating (less water) as applied is determined using procedures in § 63.750(c)., VOC Averaging = Mass of VOC emitted per volume of coating (less water and exempt solvents) as applied is determined using the procedures in § 63.750(e).</p>
PRO18BSB24	SURFACE COATING OPERATIONS	N/A	63GG-T	40 CFR Part 63, Subpart GG	Application Type = Topcoat operation., HAP and VOC less

Unit Summary

Unit/Group/ Process ID No.	Unit Type	Group/Inclusive Units	SOP Index No.	Regulation	Requirement Driver
					<p>than Content Limits = The manufacturer's supplied data for any of the waterborne coatings demonstrates that organic HAP and VOC contents are not less than or equal to the organic HAP and VOC content limits for its coating type., Emission Control = No control device is used to reduce organic HAP emissions., Alternative Monitoring Methods = The request to use alternative monitoring method(s) has not been approved by the EPA Administrator or no such request has been made., HAP Averaging = Mass of organic HAP emitted per volume of coating (less water) as applied is determined using procedures in § 63.750(c)., VOC Averaging = Mass of VOC emitted per volume of coating (less water and exempt solvents) as applied is determined using the procedures in § 63.750(e).</p>
PRO18BSB24	SURFACE COATING OPERATIONS	N/A	63GG-TW	40 CFR Part 63, Subpart GG	<p>Application Type = Topcoat operation., HAP and VOC less than Content Limits = The manufacturer's supplied data for any of the waterborne coatings demonstrates that organic HAP</p>

Unit Summary

Unit/Group/ Process ID No.	Unit Type	Group/Inclusive Units	SOP Index No.	Regulation	Requirement Driver
					and VOC contents are less than or equal to the organic HAP and VOC content limits for its coating type.
PRO18BSB25	SURFACE COATING OPERATIONS	N/A	R5421-P	30 TAC Chapter 115, Surface Coating Operations	Aerospace Coating Type = Primer., Comply with 40 CFR § 63.750 = The facility is complying with the test method requirements of 40 CFR § 63.750.
PRO18BSB25	SURFACE COATING OPERATIONS	N/A	R5421-S	30 TAC Chapter 115, Surface Coating Operations	Aerospace Coating Type = Specialty coatings.
PRO18BSB25	SURFACE COATING OPERATIONS	N/A	R5421-T	30 TAC Chapter 115, Surface Coating Operations	Aerospace Coating Type = Topcoat., Comply with 40 CFR § 63.750 = The facility is complying with the test method requirements of 40 CFR § 63.750.
PRO18BSB25	SURFACE COATING OPERATIONS	N/A	63GG-P	40 CFR Part 63, Subpart GG	Application Type = Primer application operation., HAP and VOC less than Content Limits = The manufacturer's supplied data for any of the waterborne coatings demonstrates that organic HAP and VOC contents are not less than or equal to the organic HAP and VOC content limits for its coating type., Emission Control = No control

Unit Summary

Unit/Group/ Process ID No.	Unit Type	Group/Inclusive Units	SOP Index No.	Regulation	Requirement Driver
					<p>device is used to reduce organic HAP emissions., Alternative Monitoring Methods = The request to use alternative monitoring method(s) has not been approved by the EPA Administrator or no such request has been made., Low HAP Content = The coating is not a low HAP content primer., HAP Averaging = Mass of organic HAP emitted per volume of coating (less water) as applied is determined using procedures in § 63.750(c), VOC Averaging = Mass of VOC emitted per volume of coating (less water and exempt solvents) as applied is determined using the procedures in § 63.750(e).</p>
PRO18BSB25	SURFACE COATING OPERATIONS	N/A	63GG-T	40 CFR Part 63, Subpart GG	<p>Application Type = Topcoat operation., HAP and VOC less than Content Limits = The manufacturer's supplied data for any of the waterborne coatings demonstrates that organic HAP and VOC contents are not less than or equal to the organic HAP and VOC content limits for its coating type., Emission Control = No control device is used to</p>

Unit Summary

Unit/Group/ Process ID No.	Unit Type	Group/Inclusive Units	SOP Index No.	Regulation	Requirement Driver
					reduce organic HAP emissions., Alternative Monitoring Methods = The request to use alternative monitoring method(s) has not been approved by the EPA Administrator or no such request has been made., HAP Averaging = Mass of organic HAP emitted per volume of coating (less water) as applied is determined using procedures in § 63.750(c)., VOC Averaging = Mass of VOC emitted per volume of coating (less water and exempt solvents) as applied is determined using the procedures in § 63.750(e).
PRO18BSB25	SURFACE COATING OPERATIONS	N/A	63GG-TW	40 CFR Part 63, Subpart GG	Application Type = Topcoat operation., HAP and VOC less than Content Limits = The manufacturer's supplied data for any of the waterborne coatings demonstrates that organic HAP and VOC contents are less than or equal to the organic HAP and VOC content limits for its coating type.
PRO18BSB26	SURFACE COATING OPERATIONS	N/A	R5421-P	30 TAC Chapter 115, Surface Coating Operations	Aerospace Coating Type = Primer., Comply with 40 CFR § 63.750 = The facility is complying with the test method

Unit Summary

Unit/Group/ Process ID No.	Unit Type	Group/Inclusive Units	SOP Index No.	Regulation	Requirement Driver
					requirements of 40 CFR § 63.750.
PRO18BSB26	SURFACE COATING OPERATIONS	N/A	R5421-S	30 TAC Chapter 115, Surface Coating Operations	Aerospace Coating Type = Specialty coatings.
PRO18BSB26	SURFACE COATING OPERATIONS	N/A	R5421-T	30 TAC Chapter 115, Surface Coating Operations	Aerospace Coating Type = Topcoat., Comply with 40 CFR § 63.750 = The facility is complying with the test method requirements of 40 CFR § 63.750.
PRO18BSB26	SURFACE COATING OPERATIONS	N/A	63GG-P	40 CFR Part 63, Subpart GG	Application Type = Primer application operation., HAP and VOC less than Content Limits = The manufacturer's supplied data for any of the waterborne coatings demonstrates that organic HAP and VOC contents are not less than or equal to the organic HAP and VOC content limits for its coating type., Emission Control = No control device is used to reduce organic HAP emissions., Alternative Monitoring Methods = The request to use alternative monitoring method(s) has not been approved by the EPA Administrator or no such request has been made., Low HAP Content = The coating is not a

Unit Summary

Unit/Group/ Process ID No.	Unit Type	Group/Inclusive Units	SOP Index No.	Regulation	Requirement Driver
					low HAP content primer., HAP Averaging = Mass of organic HAP emitted per volume of coating (less water) as applied is determined using procedures in § 63.750(c)., VOC Averaging = Mass of VOC emitted per volume of coating (less water and exempt solvents) as applied is determined using the procedures in § 63.750(e).
PRO18BSB26	SURFACE COATING OPERATIONS	N/A	63GG-T	40 CFR Part 63, Subpart GG	Application Type = Topcoat operation., HAP and VOC less than Content Limits = The manufacturer's supplied data for any of the waterborne coatings demonstrates that organic HAP and VOC contents are not less than or equal to the organic HAP and VOC content limits for its coating type., Emission Control = No control device is used to reduce organic HAP emissions., Alternative Monitoring Methods = The request to use alternative monitoring method(s) has not been approved by the EPA Administrator or no such request has been made., HAP Averaging = Mass of organic HAP emitted per volume of coating (less

Unit Summary

Unit/Group/ Process ID No.	Unit Type	Group/Inclusive Units	SOP Index No.	Regulation	Requirement Driver
					water) as applied is determined using procedures in § 63.750(c)., VOC Averaging = Mass of VOC emitted per volume of coating (less water and exempt solvents) as applied is determined using the procedures in § 63.750(e).
PRO18BSB26	SURFACE COATING OPERATIONS	N/A	63GG-TW	40 CFR Part 63, Subpart GG	Application Type = Topcoat operation., HAP and VOC less than Content Limits = The manufacturer's supplied data for any of the waterborne coatings demonstrates that organic HAP and VOC contents are less than or equal to the organic HAP and VOC content limits for its coating type.
PRO19BSB35	SURFACE COATING OPERATIONS	N/A	R5421-P	30 TAC Chapter 115, Surface Coating Operations	Aerospace Coating Type = Primer., Comply with 40 CFR § 63.750 = The facility is complying with the test method requirements of 40 CFR § 63.750.
PRO19BSB35	SURFACE COATING OPERATIONS	N/A	R5421-S	30 TAC Chapter 115, Surface Coating Operations	Aerospace Coating Type = Specialty coatings.
PRO19BSB35	SURFACE COATING OPERATIONS	N/A	R5421-T	30 TAC Chapter 115, Surface Coating Operations	Aerospace Coating Type = Topcoat., Comply with 40 CFR § 63.750 = The facility is complying with the test method

Unit Summary

Unit/Group/ Process ID No.	Unit Type	Group/Inclusive Units	SOP Index No.	Regulation	Requirement Driver
					requirements of 40 CFR § 63.750.
PRO19BSB35	SURFACE COATING OPERATIONS	N/A	63GG-P	40 CFR Part 63, Subpart GG	<p>Application Type = Primer application operation., HAP and VOC less than Content Limits = The manufacturer's supplied data for any of the waterborne coatings demonstrates that organic HAP and VOC contents are not less than or equal to the organic HAP and VOC content limits for its coating type., Emission Control = No control device is used to reduce organic HAP emissions., Alternative Monitoring Methods = The request to use alternative monitoring method(s) has not been approved by the EPA Administrator or no such request has been made., Low HAP Content = The coating is not a low HAP content primer., HAP Averaging = Mass of organic HAP emitted per volume of coating (less water) as applied is determined using procedures in § 63.750(c)., VOC Averaging = Mass of VOC emitted per volume of coating (less water and exempt solvents) as applied is</p>

Unit Summary

Unit/Group/ Process ID No.	Unit Type	Group/Inclusive Units	SOP Index No.	Regulation	Requirement Driver
					determined using the procedures in § 63.750(e).
PRO19BSB35	SURFACE COATING OPERATIONS	N/A	63GG-T	40 CFR Part 63, Subpart GG	Application Type = Topcoat operation., HAP and VOC less than Content Limits = The manufacturer's supplied data for any of the waterborne coatings demonstrates that organic HAP and VOC contents are not less than or equal to the organic HAP and VOC content limits for its coating type., Emission Control = No control device is used to reduce organic HAP emissions., Alternative Monitoring Methods = The request to use alternative monitoring method(s) has not been approved by the EPA Administrator or no such request has been made., HAP Averaging = Mass of organic HAP emitted per volume of coating (less water) as applied is determined using procedures in § 63.750(c)., VOC Averaging = Mass of VOC emitted per volume of coating (less water and exempt solvents) as applied is determined using the procedures in § 63.750(e).
PRO19BSB35	SURFACE COATING	N/A	63GG-TW	40 CFR Part 63, Subpart GG	Application Type = Topcoat

Unit Summary

Unit/Group/ Process ID No.	Unit Type	Group/Inclusive Units	SOP Index No.	Regulation	Requirement Driver
	OPERATIONS				operation., HAP and VOC less than Content Limits = The manufacturer's supplied data for any of the waterborne coatings demonstrates that organic HAP and VOC contents are less than or equal to the organic HAP and VOC content limits for its coating type.
PROHWCL1	CLEANING/DEPAINTING OPERATION	N/A	63GG-H1	40 CFR Part 63, Subpart GG	No changing attributes.
PROHWCL2	CLEANING/DEPAINTING OPERATION	N/A	63GG-H1	40 CFR Part 63, Subpart GG	No changing attributes.
PROHWCL3	CLEANING/DEPAINTING OPERATION	N/A	63GG-H1	40 CFR Part 63, Subpart GG	No changing attributes.
PROHWCL4	CLEANING/DEPAINTING OPERATION	N/A	63GG-H2	40 CFR Part 63, Subpart GG	No changing attributes.
PROHWCL5	CLEANING/DEPAINTING OPERATION	N/A	63GG-H2	40 CFR Part 63, Subpart GG	No changing attributes.
PROLUBE	SURFACE COATING OPERATIONS	N/A	R5421-L	30 TAC Chapter 115, Surface Coating Operations	No changing attributes.
PROPAIN71	SURFACE COATING OPERATIONS	N/A	R5421-P	30 TAC Chapter 115, Surface Coating Operations	Aerospace Coating Type = Primer., Comply with 40 CFR § 63.750 = The facility is complying with the test method requirements of 40 CFR § 63.750.

Unit Summary

Unit/Group/ Process ID No.	Unit Type	Group/Inclusive Units	SOP Index No.	Regulation	Requirement Driver
PROPAIN71	SURFACE COATING OPERATIONS	N/A	R5421-S	30 TAC Chapter 115, Surface Coating Operations	Aerospace Coating Type = Specialty coatings.
PROPAIN71	SURFACE COATING OPERATIONS	N/A	R5421-T	30 TAC Chapter 115, Surface Coating Operations	Aerospace Coating Type = Topcoat., Comply with 40 CFR § 63.750 = The facility is complying with the test method requirements of 40 CFR § 63.750.
PROPAIN71	SURFACE COATING OPERATIONS	N/A	63GG-P	40 CFR Part 63, Subpart GG	Application Type = Primer application operation., HAP and VOC less than Content Limits = The manufacturer's supplied data for any of the waterborne coatings demonstrates that organic HAP and VOC contents are not less than or equal to the organic HAP and VOC content limits for its coating type., Emission Control = No control device is used to reduce organic HAP emissions., Alternative Monitoring Methods = The request to use alternative monitoring method(s) has not been approved by the EPA Administrator or no such request has been made., Low HAP Content = The coating is not a low HAP content primer., HAP Averaging = Mass of organic

Unit Summary

Unit/Group/ Process ID No.	Unit Type	Group/Inclusive Units	SOP Index No.	Regulation	Requirement Driver
					<p>HAP emitted per volume of coating (less water) as applied is determined using procedures in § 63.750(c)., VOC Averaging = Mass of VOC emitted per volume of coating (less water and exempt solvents) as applied is determined using the procedures in § 63.750(e).</p>
PROPAIN71	SURFACE COATING OPERATIONS	N/A	63GG-T	40 CFR Part 63, Subpart GG	<p>Application Type = Topcoat operation., HAP and VOC less than Content Limits = The manufacturer's supplied data for any of the waterborne coatings demonstrates that organic HAP and VOC contents are not less than or equal to the organic HAP and VOC content limits for its coating type., Emission Control = No control device is used to reduce organic HAP emissions., Alternative Monitoring Methods = The request to use alternative monitoring method(s) has not been approved by the EPA Administrator or no such request has been made., HAP Averaging = Mass of organic HAP emitted per volume of coating (less water) as applied is determined using procedures in § 63.750(c).,</p>

Unit Summary

Unit/Group/ Process ID No.	Unit Type	Group/Inclusive Units	SOP Index No.	Regulation	Requirement Driver
					VOC Averaging = Mass of VOC emitted per volume of coating (less water and exempt solvents) as applied is determined using the procedures in § 63.750(e).
PROPAIN71	SURFACE COATING OPERATIONS	N/A	63GG-TW	40 CFR Part 63, Subpart GG	Application Type = Topcoat operation., HAP and VOC less than Content Limits = The manufacturer's supplied data for any of the waterborne coatings demonstrates that organic HAP and VOC contents are less than or equal to the organic HAP and VOC content limits for its coating type.
PROPAIN72	SURFACE COATING OPERATIONS	N/A	R5421-P	30 TAC Chapter 115, Surface Coating Operations	Aerospace Coating Type = Primer., Comply with 40 CFR § 63.750 = The facility is complying with the test method requirements of 40 CFR § 63.750.
PROPAIN72	SURFACE COATING OPERATIONS	N/A	R5421-S	30 TAC Chapter 115, Surface Coating Operations	Aerospace Coating Type = Specialty coatings.
PROPAIN72	SURFACE COATING OPERATIONS	N/A	R5421-T	30 TAC Chapter 115, Surface Coating Operations	Aerospace Coating Type = Topcoat., Comply with 40 CFR § 63.750 = The facility is complying with the test method requirements of 40 CFR § 63.750.

Unit Summary

Unit/Group/ Process ID No.	Unit Type	Group/Inclusive Units	SOP Index No.	Regulation	Requirement Driver
PROPAIN72	SURFACE COATING OPERATIONS	N/A	63GG-P	40 CFR Part 63, Subpart GG	Application Type = Primer application operation., Low HAP Content = The coating is not a low HAP content primer.
PROPAIN72	SURFACE COATING OPERATIONS	N/A	63GG-T	40 CFR Part 63, Subpart GG	Application Type = Topcoat operation.
PROSGCLEAN	CLEANING/DEPAINTING OPERATION	N/A	63GG-G	40 CFR Part 63, Subpart GG	No changing attributes.
PROSPRAY2	SURFACE COATING OPERATIONS	N/A	R5421-P	30 TAC Chapter 115, Surface Coating Operations	Aerospace Coating Type = Primer., Comply with 40 CFR § 63.750 = The facility is complying with the test method requirements of 40 CFR § 63.750.
PROSPRAY2	SURFACE COATING OPERATIONS	N/A	R5421-S	30 TAC Chapter 115, Surface Coating Operations	Aerospace Coating Type = Specialty coatings.
PROSPRAY2	SURFACE COATING OPERATIONS	N/A	R5421-T	30 TAC Chapter 115, Surface Coating Operations	Aerospace Coating Type = Topcoat., Comply with 40 CFR § 63.750 = The facility is complying with the test method requirements of 40 CFR § 63.750.
PROSPRAY2	SURFACE COATING OPERATIONS	N/A	63GG-P	40 CFR Part 63, Subpart GG	Application Type = Primer application operation., Low HAP Content = The coating is not a low HAP content primer.
PROSPRAY2	SURFACE COATING	N/A	63GG-T	40 CFR Part 63, Subpart GG	Application Type = Topcoat

Unit Summary

Unit/Group/ Process ID No.	Unit Type	Group/Inclusive Units	SOP Index No.	Regulation	Requirement Driver
	OPERATIONS				operation.
PROSPRAY3	SURFACE COATING OPERATIONS	N/A	R5421-P	30 TAC Chapter 115, Surface Coating Operations	Aerospace Coating Type = Primer., Comply with 40 CFR § 63.750 = The facility is complying with the test method requirements of 40 CFR § 63.750.
PROSPRAY3	SURFACE COATING OPERATIONS	N/A	R5421-S	30 TAC Chapter 115, Surface Coating Operations	Aerospace Coating Type = Specialty coatings.
PROSPRAY3	SURFACE COATING OPERATIONS	N/A	R5421-T	30 TAC Chapter 115, Surface Coating Operations	Aerospace Coating Type = Topcoat., Comply with 40 CFR § 63.750 = The facility is complying with the test method requirements of 40 CFR § 63.750.
PROSPRAY3	SURFACE COATING OPERATIONS	N/A	63GG-P	40 CFR Part 63, Subpart GG	Application Type = Primer application operation., Low HAP Content = The coating is not a low HAP content primer.
PROSPRAY3	SURFACE COATING OPERATIONS	N/A	63GG-T	40 CFR Part 63, Subpart GG	Application Type = Topcoat operation.
PROTOUCH	SURFACE COATING OPERATIONS	N/A	R5421	30 TAC Chapter 115, Surface Coating Operations	No changing attributes.
UNLOAD242	LOADING/UNLOADING OPERATIONS	N/A	R5211-1	30 TAC Chapter 115, Loading and Unloading of VOC	No changing attributes.
UNLOAD243D	LOADING/UNLOADING OPERATIONS	N/A	R5211-2	30 TAC Chapter 115, Loading and Unloading of VOC	No changing attributes.

Unit Summary

Unit/Group/ Process ID No.	Unit Type	Group/Inclusive Units	SOP Index No.	Regulation	Requirement Driver
UNLOAD243K	LOADING/UNLOADING OPERATIONS	N/A	R5211-2	30 TAC Chapter 115, Loading and Unloading of VOC	No changing attributes.
UNLOADOIL	LOADING/UNLOADING OPERATIONS	N/A	R5211-2	30 TAC Chapter 115, Loading and Unloading of VOC	No changing attributes.

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
25A-OILREC	EU	R5137	VOC	30 TAC Chapter 115, Water Separation	§ 115.137(a)(2) [G]§ 115.132(a)(4)	Any single or multiple compartment VOC water separator which separates materials having a true vapor pressure of VOC < .5 psia obtained from any equipment is exempt from §115.132(a).	[G]§ 115.135(a) § 115.136(a)(1) § 115.136(a)(3) § 115.136(a)(4)	§ 115.136(a)(1) § 115.136(a)(3) § 115.136(a)(4)	None
GRPTNK	EU	R115	VOC	30 TAC Chapter 115, Storage of VOCs	§ 115.111(a)(1)	Except as provided in § 115.118, a storage tank storing VOC with a true vapor pressure less than 1.5 psia is exempt from the requirements of this division.	[G]§ 115.117	§ 115.118(a)(1) § 115.118(a)(5) § 115.118(a)(7)	None
LOADCOOL	EU	R5211-3	VOC	30 TAC Chapter 115, Loading and Unloading of VOC	§ 115.217(a)(1) § 115.214(a)(1)(B) § 115.214(a)(1)(D) § 115.214(a)(1)(D)(i)	Vapor pressure (at land-based operations). All land-based loading and unloading of VOC with a true vapor pressure less than 0.5 psia is exempt from the requirements of this division, except as specified.	§ 115.214(a)(1)(A) § 115.214(a)(1)(A)(i) § 115.215 § 115.215(4)	§ 115.216 § 115.216(2) § 115.216(3)(B)	None
LOADUOIL	EU	R5211-3	VOC	30 TAC Chapter 115, Loading and Unloading of VOC	§ 115.217(a)(1) § 115.214(a)(1)(B) § 115.214(a)(1)(D) § 115.214(a)(1)(D)(i)	Vapor pressure (at land-based operations). All land-based loading and unloading of VOC with a true vapor pressure less than 0.5 psia is exempt from the requirements of this division, except as specified.	§ 115.214(a)(1)(A) § 115.214(a)(1)(A)(i) § 115.215 § 115.215(4)	§ 115.216 § 115.216(2) § 115.216(3)(B)	None
PRO18BPTR4	PRO	R5421-P	VOC	30 TAC Chapter 115, Surface Coating Operations	§ 115.420 The permit holder shall comply with the	The permit holder shall comply with the applicable requirements	The permit holder shall comply with the applicable	The permit holder shall comply with the applicable	The permit holder shall comply with the applicable reporting

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
					applicable limitation, standard and/or equipment specification requirements of 30 TAC Chapter 115, Surface Coating Operations	of 30 TAC Chapter 115, Surface Coating Operations	monitoring and testing requirements of 30 TAC Chapter 115, Surface Coating Operations	recordkeeping requirements of 30 TAC Chapter 115, Surface Coating Operations	requirements of 30 TAC Chapter 115, Surface Coating Operations
PRO18BPTR4	PRO	R5421-S	VOC	30 TAC Chapter 115, Surface Coating Operations	§ 115.420 The permit holder shall comply with the applicable limitation, standard and/or equipment specification requirements of 30 TAC Chapter 115, Surface Coating Operations	The permit holder shall comply with the applicable requirements of 30 TAC Chapter 115, Surface Coating Operations	The permit holder shall comply with the applicable monitoring and testing requirements of 30 TAC Chapter 115, Surface Coating Operations	The permit holder shall comply with the applicable recordkeeping requirements of 30 TAC Chapter 115, Surface Coating Operations	The permit holder shall comply with the applicable reporting requirements of 30 TAC Chapter 115, Surface Coating Operations
PRO18BPTR4	PRO	R5421-T	VOC	30 TAC Chapter 115, Surface Coating Operations	§ 115.420 The permit holder shall comply with the applicable limitation, standard and/or equipment specification requirements of 30 TAC Chapter 115, Surface Coating Operations	The permit holder shall comply with the applicable requirements of 30 TAC Chapter 115, Surface Coating Operations	The permit holder shall comply with the applicable monitoring and testing requirements of 30 TAC Chapter 115, Surface Coating Operations	The permit holder shall comply with the applicable recordkeeping requirements of 30 TAC Chapter 115, Surface Coating Operations	The permit holder shall comply with the applicable reporting requirements of 30 TAC Chapter 115, Surface Coating Operations
PRO18BPTR4	PRO	63GG-P	VHAP	40 CFR Part 63, Subpart GG	§ 63.745(c)(1) § 63.741(g) [G]§ 63.743(a) § 63.745(b) [G]§ 63.745(f)(1) § 63.745(f)(2) [G]§ 63.745(f)(3)	Organic HAP emissions from primers shall be limited to an organic HAP content level of 350 g/l (2.9 lb/gal), or less, of primer as applied or 540 g/l (4.5 lb/gal), or less, for	§ 63.749(d)(1) § 63.750(c)(1) § 63.750(c)(2) § 63.750(c)(3) [G]§ 63.750(i)	§ 63.752(a) § 63.752(c) [G]§ 63.752(c)(2) § 63.753(a)(1) § 63.753(a)(1)(i)	§ 63.750(c)(2) § 63.753(a)(1) § 63.753(a)(1)(i) § 63.753(a)(2) § 63.753(c)(1) § 63.753(c)(1)(i) § 63.753(c)(1)(vii)

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
					§ 63.749(d)(3) § 63.749(d)(3)(f) § 63.749(d)(3)(iii)(A) § 63.749(d)(3)(iii)(B) § 63.749(d)(3)(iv)	general aviation rework facilities.			
PRO18BPTR4	PRO	63GG-P	VOC	40 CFR Part 63, Subpart GG	§ 63.745(c)(2) § 63.741(g) [G]§ 63.743(a) § 63.745(b) [G]§ 63.745(f)(1) § 63.745(f)(2) [G]§ 63.745(f)(3) § 63.749(d)(3) § 63.749(d)(3)(i) § 63.749(d)(3)(iii)(A) § 63.749(d)(3)(iii)(B) § 63.749(d)(3)(iv)	VOC emissions from primers shall be limited to an VOC content level of 350 g/l (2.9 lb/gal), or less, of primer as applied or 540 g/l (4.5 lb/gal), or less, for general aviation rework facilities.	§ 63.749(d)(1) § 63.750(e)(1) § 63.750(e)(2) § 63.750(e)(3)(i) § 63.750(e)(3)(ii) [G]§ 63.750(i)	§ 63.750(e)(3)(ii) § 63.752(a) § 63.752(c) § 63.752(c)(1) [G]§ 63.752(c)(2) § 63.753(a)(1) § 63.753(a)(1)(i)	§ 63.753(a)(1) § 63.753(a)(1)(i) § 63.753(a)(2) § 63.753(c)(1) § 63.753(c)(1)(i) § 63.753(c)(1)(vii)
PRO18BPTR4	PRO	63GG-T	VHAP	40 CFR Part 63, Subpart GG	§ 63.745(c)(3) § 63.741(g) [G]§ 63.743(a) § 63.745(b) [G]§ 63.745(f)(1) § 63.745(f)(2) [G]§ 63.745(f)(3) § 63.749(d)(4) § 63.749(d)(4)(f) § 63.749(d)(4)(iii)(A) § 63.749(d)(4)(iii)(B) § 63.749(d)(4)(iv)	Organic HAP emissions from topcoats and self priming topcoats shall be limited to organic HAP content levels of 420 g/l, or less, of coating as applied and 540 g/l, or less, for general aviation rework facilities.	§ 63.749(d)(1) § 63.750(c)(1) § 63.750(c)(2) § 63.750(c)(3) [G]§ 63.750(i)	§ 63.752(a) § 63.752(c) [G]§ 63.752(c)(2) § 63.753(a)(1) § 63.753(a)(1)(i)	§ 63.750(c)(2) § 63.753(a)(1) § 63.753(a)(1)(i) § 63.753(a)(2) § 63.753(c)(1) § 63.753(c)(1)(i) § 63.753(c)(1)(vii)
PRO18BPTR4	PRO	63GG-T	VOC	40 CFR Part 63, Subpart GG	§ 63.745(c)(4) § 63.741(g) [G]§ 63.743(a) § 63.745(b) [G]§ 63.745(f)(1) § 63.745(f)(2) [G]§ 63.745(f)(3) § 63.749(d)(4)	VOC emissions from topcoats and self priming topcoats shall be limited to VOC content levels of 420 g/l, or less, of coating as applied and 540 g/l, or less, for general aviation rework facilities.	§ 63.749(d)(1) § 63.750(e)(1) § 63.750(e)(2) § 63.750(e)(3)(i) § 63.750(e)(3)(ii) [G]§ 63.750(i)	§ 63.750(e)(3)(ii) § 63.752(a) § 63.752(c) § 63.752(c)(1) [G]§ 63.752(c)(2) § 63.753(a)(1) § 63.753(a)(1)(i)	§ 63.753(a)(1) § 63.753(a)(1)(i) § 63.753(a)(2) § 63.753(c)(1) § 63.753(c)(1)(i) § 63.753(c)(1)(vii)

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
					§ 63.749(d)(4)(i) § 63.749(d)(4)(iii)(A) § 63.749(d)(4)(iii)(B) § 63.749(d)(4)(iv)				
PRO18BPTR4	PRO	63GG-TW	VHAP/VOC	40 CFR Part 63, Subpart GG	§ 63.741(i) [G]§ 63.743(a) § 63.745(b) [G]§ 63.745(f)(1) § 63.745(f)(2) [G]§ 63.745(f)(3)	Waterborne coatings with data demonstrating that organic HAP and VOC contents are organic HAP and VOC content of its coating type are exempt from specified requirements. Recordkeeping required.	None	§ 63.741(i) § 63.752(a) § 63.753(a)(1) § 63.753(a)(1)(i)	§ 63.753(a)(1) § 63.753(a)(1)(i) § 63.753(a)(2)
PRO18BSB24	PRO	R5421-P	VOC	30 TAC Chapter 115, Surface Coating Operations	§ 115.420 The permit holder shall comply with the applicable limitation, standard and/or equipment specification requirements of 30 TAC Chapter 115, Surface Coating Operations	The permit holder shall comply with the applicable requirements of 30 TAC Chapter 115, Surface Coating Operations	The permit holder shall comply with the applicable monitoring and testing requirements of 30 TAC Chapter 115, Surface Coating Operations	The permit holder shall comply with the applicable recordkeeping requirements of 30 TAC Chapter 115, Surface Coating Operations	The permit holder shall comply with the applicable reporting requirements of 30 TAC Chapter 115, Surface Coating Operations
PRO18BSB24	PRO	R5421-S	VOC	30 TAC Chapter 115, Surface Coating Operations	§ 115.420 The permit holder shall comply with the applicable limitation, standard and/or equipment specification requirements of 30 TAC Chapter 115, Surface Coating Operations	The permit holder shall comply with the applicable requirements of 30 TAC Chapter 115, Surface Coating Operations	The permit holder shall comply with the applicable monitoring and testing requirements of 30 TAC Chapter 115, Surface Coating Operations	The permit holder shall comply with the applicable recordkeeping requirements of 30 TAC Chapter 115, Surface Coating Operations	The permit holder shall comply with the applicable reporting requirements of 30 TAC Chapter 115, Surface Coating Operations
PRO18BSB24	PRO	R5421-T	VOC	30 TAC Chapter	§ 115.420	The permit holder shall	The permit holder	The permit holder shall	The permit holder shall

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
				115, Surface Coating Operations	The permit holder shall comply with the applicable limitation, standard and/or equipment specification requirements of 30 TAC Chapter 115, Surface Coating Operations	comply with the applicable requirements of 30 TAC Chapter 115, Surface Coating Operations	shall comply with the applicable monitoring and testing requirements of 30 TAC Chapter 115, Surface Coating Operations	comply with the applicable recordkeeping requirements of 30 TAC Chapter 115, Surface Coating Operations	comply with the applicable reporting requirements of 30 TAC Chapter 115, Surface Coating Operations
PRO18BSB24	PRO	63GG-P	VHAP	40 CFR Part 63, Subpart GG	§ 63.745(c)(1) § 63.741(g) [G]§ 63.743(a) § 63.745(b) [G]§ 63.745(f)(1) § 63.745(f)(2) [G]§ 63.745(f)(3) § 63.749(d)(3) § 63.749(d)(3)(i) § 63.749(d)(3)(iii)(A) § 63.749(d)(3)(iii)(B) § 63.749(d)(3)(iv)	Organic HAP emissions from primers shall be limited to an organic HAP content level of 350 g/l (2.9 lb/gal), or less, of primer as applied or 540 g/l (4.5 lb/gal), or less, for general aviation rework facilities.	§ 63.749(d)(1) § 63.750(c)(1) § 63.750(c)(2) § 63.750(c)(3) [G]§ 63.750(i)	§ 63.752(a) § 63.752(c) [G]§ 63.752(c)(2) § 63.753(a)(1) § 63.753(a)(1)(i)	§ 63.750(c)(2) § 63.753(a)(1) § 63.753(a)(1)(i) § 63.753(a)(2) § 63.753(c)(1) § 63.753(c)(1)(i) § 63.753(c)(1)(vii)
PRO18BSB24	PRO	63GG-P	VOC	40 CFR Part 63, Subpart GG	§ 63.745(c)(2) § 63.741(g) [G]§ 63.743(a) § 63.745(b) [G]§ 63.745(f)(1) § 63.745(f)(2) [G]§ 63.745(f)(3) § 63.749(d)(3) § 63.749(d)(3)(i) § 63.749(d)(3)(iii)(A) § 63.749(d)(3)(iii)(B) § 63.749(d)(3)(iv)	VOC emissions from primers shall be limited to an VOC content level of 350 g/l (2.9 lb/gal), or less, of primer as applied or 540 g/l (4.5 lb/gal), or less, for general aviation rework facilities.	§ 63.749(d)(1) § 63.750(e)(1) § 63.750(e)(2) § 63.750(e)(3)(i) § 63.750(e)(3)(ii) [G]§ 63.750(i)	§ 63.750(e)(3)(ii) § 63.752(a) § 63.752(c) § 63.752(c)(1) [G]§ 63.752(c)(2) § 63.753(a)(1) § 63.753(a)(1)(i)	§ 63.753(a)(1) § 63.753(a)(1)(i) § 63.753(a)(2) § 63.753(c)(1) § 63.753(c)(1)(i) § 63.753(c)(1)(vii)
PRO18BSB24	PRO	63GG-T	VHAP	40 CFR Part 63, Subpart GG	§ 63.745(c)(3) § 63.741(g) [G]§ 63.743(a)	Organic HAP emissions from topcoats and self priming topcoats shall be	§ 63.749(d)(1) § 63.750(c)(1) § 63.750(c)(2)	§ 63.752(a) § 63.752(c) [G]§ 63.752(c)(2)	§ 63.750(c)(2) § 63.753(a)(1) § 63.753(a)(1)(i)

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
					§ 63.745(b) [G]§ 63.745(f)(1) § 63.745(f)(2) [G]§ 63.745(f)(3) § 63.749(d)(4) § 63.749(d)(4)(i) § 63.749(d)(4)(iii)(A) § 63.749(d)(4)(iii)(B) § 63.749(d)(4)(iv)	limited to organic HAP content levels of 420 g/l, or less, of coating as applied and 540 g/l, or less, for general aviation rework facilities.	§ 63.750(c)(3) [G]§ 63.750(i)	§ 63.753(a)(1) § 63.753(a)(1)(i)	§ 63.753(a)(2) § 63.753(c)(1) § 63.753(c)(1)(i) § 63.753(c)(1)(vii)
PRO18BSB24	PRO	63GG-T	VOC	40 CFR Part 63, Subpart GG	§ 63.745(c)(4) § 63.741(g) [G]§ 63.743(a) § 63.745(b) [G]§ 63.745(f)(1) § 63.745(f)(2) [G]§ 63.745(f)(3) § 63.749(d)(4) § 63.749(d)(4)(i) § 63.749(d)(4)(iii)(A) § 63.749(d)(4)(iii)(B) § 63.749(d)(4)(iv)	VOC emissions from topcoats and self priming topcoats shall be limited to VOC content levels of 420 g/l, or less, of coating as applied and 540 g/l, or less, for general aviation rework facilities.	§ 63.749(d)(1) § 63.750(e)(1) § 63.750(e)(2) § 63.750(e)(3)(i) § 63.750(e)(3)(ii) [G]§ 63.750(i)	§ 63.750(e)(3)(ii) § 63.752(a) § 63.752(c) § 63.752(c)(1) [G]§ 63.752(c)(2) § 63.753(a)(1) § 63.753(a)(1)(i)	§ 63.753(a)(1) § 63.753(a)(1)(i) § 63.753(a)(2) § 63.753(c)(1) § 63.753(c)(1)(i) § 63.753(c)(1)(vii)
PRO18BSB24	PRO	63GG-TW	VHAP/VOC	40 CFR Part 63, Subpart GG	§ 63.741(i) [G]§ 63.743(a) § 63.745(b) [G]§ 63.745(f)(1) § 63.745(f)(2) [G]§ 63.745(f)(3)	Waterborne coatings with data demonstrating that organic HAP and VOC contents are organic HAP and VOC content of its coating type are exempt from specified requirements. Recordkeeping required.	None	§ 63.741(i) § 63.752(a) § 63.753(a)(1) § 63.753(a)(1)(i)	§ 63.753(a)(1) § 63.753(a)(1)(i) § 63.753(a)(2)
PRO18BSB25	PRO	R5421-P	VOC	30 TAC Chapter 115, Surface Coating Operations	§ 115.420 The permit holder shall comply with the applicable limitation, standard and/or equipment specification	The permit holder shall comply with the applicable requirements of 30 TAC Chapter 115, Surface Coating Operations	The permit holder shall comply with the applicable monitoring and testing requirements of 30 TAC Chapter 115, Surface Coating	The permit holder shall comply with the applicable recordkeeping requirements of 30 TAC Chapter 115, Surface Coating Operations	The permit holder shall comply with the applicable reporting requirements of 30 TAC Chapter 115, Surface Coating Operations

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
					requirements of 30 TAC Chapter 115, Surface Coating Operations		Operations		
PRO18BSB25	PRO	R5421-S	VOC	30 TAC Chapter 115, Surface Coating Operations	§ 115.420 The permit holder shall comply with the applicable limitation, standard and/or equipment specification requirements of 30 TAC Chapter 115, Surface Coating Operations	The permit holder shall comply with the applicable requirements of 30 TAC Chapter 115, Surface Coating Operations	The permit holder shall comply with the applicable monitoring and testing requirements of 30 TAC Chapter 115, Surface Coating Operations	The permit holder shall comply with the applicable recordkeeping requirements of 30 TAC Chapter 115, Surface Coating Operations	The permit holder shall comply with the applicable reporting requirements of 30 TAC Chapter 115, Surface Coating Operations
PRO18BSB25	PRO	R5421-T	VOC	30 TAC Chapter 115, Surface Coating Operations	§ 115.420 The permit holder shall comply with the applicable limitation, standard and/or equipment specification requirements of 30 TAC Chapter 115, Surface Coating Operations	The permit holder shall comply with the applicable requirements of 30 TAC Chapter 115, Surface Coating Operations	The permit holder shall comply with the applicable monitoring and testing requirements of 30 TAC Chapter 115, Surface Coating Operations	The permit holder shall comply with the applicable recordkeeping requirements of 30 TAC Chapter 115, Surface Coating Operations	The permit holder shall comply with the applicable reporting requirements of 30 TAC Chapter 115, Surface Coating Operations
PRO18BSB25	PRO	63GG-P	VHAP	40 CFR Part 63, Subpart GG	§ 63.745(c)(1) § 63.741(g) [G]§ 63.743(a) § 63.745(b) [G]§ 63.745(f)(1) § 63.745(f)(2) [G]§ 63.745(f)(3) § 63.749(d)(3) § 63.749(d)(3)(i) § 63.749(d)(3)(iii)(A) § 63.749(d)(3)(iii)(B)	Organic HAP emissions from primers shall be limited to an organic HAP content level of 350 g/l (2.9 lb/gal), or less, of primer as applied or 540 g/l (4.5 lb/gal), or less, for general aviation rework facilities.	§ 63.749(d)(1) § 63.750(c)(1) § 63.750(c)(2) § 63.750(c)(3) [G]§ 63.750(i)	§ 63.752(a) § 63.752(c) [G]§ 63.752(c)(2) § 63.753(a)(1) § 63.753(a)(1)(i)	§ 63.750(c)(2) § 63.753(a)(1) § 63.753(a)(1)(i) § 63.753(a)(2) § 63.753(c)(1) § 63.753(c)(1)(i) § 63.753(c)(1)(vii)

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
					§ 63.749(d)(3)(iv)				
PRO18BSB25	PRO	63GG-P	VOC	40 CFR Part 63, Subpart GG	§ 63.745(c)(2) § 63.741(g) [G]§ 63.743(a) § 63.745(b) [G]§ 63.745(f)(1) § 63.745(f)(2) [G]§ 63.745(f)(3) § 63.749(d)(3) § 63.749(d)(3)(i) § 63.749(d)(3)(iii)(A) § 63.749(d)(3)(iii)(B) § 63.749(d)(3)(iv)	VOC emissions from primers shall be limited to an VOC content level of 350 g/l (2.9 lb/gal), or less, of primer as applied or 540 g/l (4.5 lb/gal), or less, for general aviation rework facilities.	§ 63.749(d)(1) § 63.750(e)(1) § 63.750(e)(2) § 63.750(e)(3)(i) § 63.750(e)(3)(ii) [G]§ 63.750(i)	§ 63.750(e)(3)(ii) § 63.752(a) § 63.752(c) § 63.752(c)(1) [G]§ 63.752(c)(2) § 63.753(a)(1) § 63.753(a)(1)(i)	§ 63.753(a)(1) § 63.753(a)(1)(i) § 63.753(a)(2) § 63.753(c)(1) § 63.753(c)(1)(i) § 63.753(c)(1)(vii)
PRO18BSB25	PRO	63GG-T	VHAP	40 CFR Part 63, Subpart GG	§ 63.745(c)(3) § 63.741(g) [G]§ 63.743(a) § 63.745(b) [G]§ 63.745(f)(1) § 63.745(f)(2) [G]§ 63.745(f)(3) § 63.749(d)(4) § 63.749(d)(4)(i) § 63.749(d)(4)(iii)(A) § 63.749(d)(4)(iii)(B) § 63.749(d)(4)(iv)	Organic HAP emissions from topcoats and self priming topcoats shall be limited to organic HAP content levels of 420 g/l, or less, of coating as applied and 540 g/l, or less, for general aviation rework facilities.	§ 63.749(d)(1) § 63.750(c)(1) § 63.750(c)(2) § 63.750(c)(3) [G]§ 63.750(i)	§ 63.752(a) § 63.752(c) [G]§ 63.752(c)(2) § 63.753(a)(1) § 63.753(a)(1)(i)	§ 63.750(c)(2) § 63.753(a)(1) § 63.753(a)(1)(i) § 63.753(a)(2) § 63.753(c)(1) § 63.753(c)(1)(i) § 63.753(c)(1)(vii)
PRO18BSB25	PRO	63GG-T	VOC	40 CFR Part 63, Subpart GG	§ 63.745(c)(4) § 63.741(g) [G]§ 63.743(a) § 63.745(b) [G]§ 63.745(f)(1) § 63.745(f)(2) [G]§ 63.745(f)(3) § 63.749(d)(4) § 63.749(d)(4)(i) § 63.749(d)(4)(iii)(A) § 63.749(d)(4)(iii)(B) § 63.749(d)(4)(iv)	VOC emissions from topcoats and self priming topcoats shall be limited to VOC content levels of 420 g/l, or less, of coating as applied and 540 g/l, or less, for general aviation rework facilities.	§ 63.749(d)(1) § 63.750(e)(1) § 63.750(e)(2) § 63.750(e)(3)(i) § 63.750(e)(3)(ii) [G]§ 63.750(i)	§ 63.750(e)(3)(ii) § 63.752(a) § 63.752(c) § 63.752(c)(1) [G]§ 63.752(c)(2) § 63.753(a)(1) § 63.753(a)(1)(i)	§ 63.753(a)(1) § 63.753(a)(1)(i) § 63.753(a)(2) § 63.753(c)(1) § 63.753(c)(1)(i) § 63.753(c)(1)(vii)

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
PRO18BSB25	PRO	63GG-TW	VHAP/VOC	40 CFR Part 63, Subpart GG	§ 63.741(i) [G]§ 63.743(a) § 63.745(b) [G]§ 63.745(f)(1) § 63.745(f)(2) [G]§ 63.745(f)(3)	Waterborne coatings with data demonstrating that organic HAP and VOC contents are organic HAP and VOC content of its coating type are exempt from specified requirements. Recordkeeping required.	None	§ 63.741(i) § 63.752(a) § 63.753(a)(1) § 63.753(a)(1)(i)	§ 63.753(a)(1) § 63.753(a)(1)(i) § 63.753(a)(2)
PRO18BSB26	PRO	R5421-P	VOC	30 TAC Chapter 115, Surface Coating Operations	§ 115.420 The permit holder shall comply with the applicable limitation, standard and/or equipment specification requirements of 30 TAC Chapter 115, Surface Coating Operations	The permit holder shall comply with the applicable requirements of 30 TAC Chapter 115, Surface Coating Operations	The permit holder shall comply with the applicable monitoring and testing requirements of 30 TAC Chapter 115, Surface Coating Operations	The permit holder shall comply with the applicable recordkeeping requirements of 30 TAC Chapter 115, Surface Coating Operations	The permit holder shall comply with the applicable reporting requirements of 30 TAC Chapter 115, Surface Coating Operations
PRO18BSB26	PRO	R5421-S	VOC	30 TAC Chapter 115, Surface Coating Operations	§ 115.420 The permit holder shall comply with the applicable limitation, standard and/or equipment specification requirements of 30 TAC Chapter 115, Surface Coating Operations	The permit holder shall comply with the applicable requirements of 30 TAC Chapter 115, Surface Coating Operations	The permit holder shall comply with the applicable monitoring and testing requirements of 30 TAC Chapter 115, Surface Coating Operations	The permit holder shall comply with the applicable recordkeeping requirements of 30 TAC Chapter 115, Surface Coating Operations	The permit holder shall comply with the applicable reporting requirements of 30 TAC Chapter 115, Surface Coating Operations
PRO18BSB26	PRO	R5421-T	VOC	30 TAC Chapter 115, Surface Coating Operations	§ 115.420 The permit holder shall comply with the applicable limitation, standard and/or equipment	The permit holder shall comply with the applicable requirements of 30 TAC Chapter 115, Surface Coating Operations	The permit holder shall comply with the applicable monitoring and testing requirements of 30 TAC Chapter	The permit holder shall comply with the applicable recordkeeping requirements of 30 TAC Chapter 115, Surface	The permit holder shall comply with the applicable reporting requirements of 30 TAC Chapter 115, Surface Coating Operations

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
					specification requirements of 30 TAC Chapter 115, Surface Coating Operations		115, Surface Coating Operations	Coating Operations	
PRO18BSB26	PRO	63GG-P	VHAP	40 CFR Part 63, Subpart GG	§ 63.745(c)(1) § 63.741(g) [G]§ 63.743(a) § 63.745(b) [G]§ 63.745(f)(1) § 63.745(f)(2) [G]§ 63.745(f)(3) § 63.749(d)(3) § 63.749(d)(3)(i) § 63.749(d)(3)(iii)(A) § 63.749(d)(3)(iii)(B) § 63.749(d)(3)(iv)	Organic HAP emissions from primers shall be limited to an organic HAP content level of 350 g/l (2.9 lb/gal), or less, of primer as applied or 540 g/l (4.5 lb/gal), or less, for general aviation rework facilities.	§ 63.749(d)(1) § 63.750(c)(1) § 63.750(c)(2) § 63.750(c)(3) [G]§ 63.750(i)	§ 63.752(a) § 63.752(c) [G]§ 63.752(c)(2) § 63.753(a)(1) § 63.753(a)(1)(i)	§ 63.750(c)(2) § 63.753(a)(1) § 63.753(a)(1)(i) § 63.753(a)(2) § 63.753(c)(1) § 63.753(c)(1)(i) § 63.753(c)(1)(vii)
PRO18BSB26	PRO	63GG-P	VOC	40 CFR Part 63, Subpart GG	§ 63.745(c)(2) § 63.741(g) [G]§ 63.743(a) § 63.745(b) [G]§ 63.745(f)(1) § 63.745(f)(2) [G]§ 63.745(f)(3) § 63.749(d)(3) § 63.749(d)(3)(i) § 63.749(d)(3)(iii)(A) § 63.749(d)(3)(iii)(B) § 63.749(d)(3)(iv)	VOC emissions from primers shall be limited to an VOC content level of 350 g/l (2.9 lb/gal), or less, of primer as applied or 540 g/l (4.5 lb/gal), or less, for general aviation rework facilities.	§ 63.749(d)(1) § 63.750(e)(1) § 63.750(e)(2) § 63.750(e)(3)(i) § 63.750(e)(3)(ii) [G]§ 63.750(i)	§ 63.750(e)(3)(ii) § 63.752(a) § 63.752(c) § 63.752(c)(1) [G]§ 63.752(c)(2) § 63.753(a)(1) § 63.753(a)(1)(i)	§ 63.753(a)(1) § 63.753(a)(1)(i) § 63.753(a)(2) § 63.753(c)(1) § 63.753(c)(1)(i) § 63.753(c)(1)(vii)
PRO18BSB26	PRO	63GG-T	VHAP	40 CFR Part 63, Subpart GG	§ 63.745(c)(3) § 63.741(g) [G]§ 63.743(a) § 63.745(b) [G]§ 63.745(f)(1) § 63.745(f)(2) [G]§ 63.745(f)(3) § 63.749(d)(4)	Organic HAP emissions from topcoats and self priming topcoats shall be limited to organic HAP content levels of 420 g/l, or less, of coating as applied and 540 g/l, or less, for general aviation	§ 63.749(d)(1) § 63.750(c)(1) § 63.750(c)(2) § 63.750(c)(3) [G]§ 63.750(i)	§ 63.752(a) § 63.752(c) [G]§ 63.752(c)(2) § 63.753(a)(1) § 63.753(a)(1)(i)	§ 63.750(c)(2) § 63.753(a)(1) § 63.753(a)(1)(i) § 63.753(a)(2) § 63.753(c)(1) § 63.753(c)(1)(i) § 63.753(c)(1)(vii)

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
					§ 63.749(d)(4)(i) § 63.749(d)(4)(iii)(A) § 63.749(d)(4)(iii)(B) § 63.749(d)(4)(iv)	rework facilities.			
PRO18BSB26	PRO	63GG-T	VOC	40 CFR Part 63, Subpart GG	§ 63.745(c)(4) § 63.741(g) [G]§ 63.743(a) § 63.745(b) [G]§ 63.745(f)(1) § 63.745(f)(2) [G]§ 63.745(f)(3) § 63.749(d)(4) § 63.749(d)(4)(i) § 63.749(d)(4)(iii)(A) § 63.749(d)(4)(iii)(B) § 63.749(d)(4)(iv)	VOC emissions from topcoats and self priming topcoats shall be limited to VOC content levels of 420 g/l, or less, of coating as applied and 540 g/l, or less, for general aviation rework facilities.	§ 63.749(d)(1) § 63.750(e)(1) § 63.750(e)(2) § 63.750(e)(3)(i) § 63.750(e)(3)(ii) [G]§ 63.750(i)	§ 63.750(e)(3)(ii) § 63.752(a) § 63.752(c) § 63.752(c)(1) [G]§ 63.752(c)(2) § 63.753(a)(1) § 63.753(a)(1)(i)	§ 63.753(a)(1) § 63.753(a)(1)(i) § 63.753(a)(2) § 63.753(c)(1) § 63.753(c)(1)(i) § 63.753(c)(1)(vii)
PRO18BSB26	PRO	63GG-TW	VHAP/VOC	40 CFR Part 63, Subpart GG	§ 63.741(i) [G]§ 63.743(a) § 63.745(b) [G]§ 63.745(f)(1) § 63.745(f)(2) [G]§ 63.745(f)(3)	Waterborne coatings with data demonstrating that organic HAP and VOC contents are organic HAP and VOC content of its coating type are exempt from specified requirements. Recordkeeping required.	None	§ 63.741(i) § 63.752(a) § 63.753(a)(1) § 63.753(a)(1)(i)	§ 63.753(a)(1) § 63.753(a)(1)(i) § 63.753(a)(2)
PRO19BSB35	PRO	R5421-P	VOC	30 TAC Chapter 115, Surface Coating Operations	§ 115.420 The permit holder shall comply with the applicable limitation, standard and/or equipment specification requirements of 30 TAC Chapter 115, Surface Coating Operations	The permit holder shall comply with the applicable requirements of 30 TAC Chapter 115, Surface Coating Operations	The permit holder shall comply with the applicable monitoring and testing requirements of 30 TAC Chapter 115, Surface Coating Operations	The permit holder shall comply with the applicable recordkeeping requirements of 30 TAC Chapter 115, Surface Coating Operations	The permit holder shall comply with the applicable reporting requirements of 30 TAC Chapter 115, Surface Coating Operations

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
PRO19BSB35	PRO	R5421-S	VOC	30 TAC Chapter 115, Surface Coating Operations	§ 115.420 The permit holder shall comply with the applicable limitation, standard and/or equipment specification requirements of 30 TAC Chapter 115, Surface Coating Operations	The permit holder shall comply with the applicable requirements of 30 TAC Chapter 115, Surface Coating Operations	The permit holder shall comply with the applicable monitoring and testing requirements of 30 TAC Chapter 115, Surface Coating Operations	The permit holder shall comply with the applicable recordkeeping requirements of 30 TAC Chapter 115, Surface Coating Operations	The permit holder shall comply with the applicable reporting requirements of 30 TAC Chapter 115, Surface Coating Operations
PRO19BSB35	PRO	R5421-T	VOC	30 TAC Chapter 115, Surface Coating Operations	§ 115.420 The permit holder shall comply with the applicable limitation, standard and/or equipment specification requirements of 30 TAC Chapter 115, Surface Coating Operations	The permit holder shall comply with the applicable requirements of 30 TAC Chapter 115, Surface Coating Operations	The permit holder shall comply with the applicable monitoring and testing requirements of 30 TAC Chapter 115, Surface Coating Operations	The permit holder shall comply with the applicable recordkeeping requirements of 30 TAC Chapter 115, Surface Coating Operations	The permit holder shall comply with the applicable reporting requirements of 30 TAC Chapter 115, Surface Coating Operations
PRO19BSB35	PRO	63GG-P	VHAP	40 CFR Part 63, Subpart GG	§ 63.745(c)(1) § 63.741(g) [G]§ 63.743(a) § 63.745(b) [G]§ 63.745(f)(1) § 63.745(f)(2) [G]§ 63.745(f)(3) § 63.749(d)(3) § 63.749(d)(3)(i) § 63.749(d)(3)(iii)(A) § 63.749(d)(3)(iii)(B) § 63.749(d)(3)(iv)	Organic HAP emissions from primers shall be limited to an organic HAP content level of 350 g/l (2.9 lb/gal), or less, of primer as applied or 540 g/l (4.5 lb/gal), or less, for general aviation rework facilities.	§ 63.749(d)(1) § 63.750(c)(1) § 63.750(c)(2) § 63.750(c)(3) [G]§ 63.750(i)	§ 63.752(a) § 63.752(c) [G]§ 63.752(c)(2) § 63.753(a)(1) § 63.753(a)(1)(i)	§ 63.750(c)(2) § 63.753(a)(1) § 63.753(a)(1)(i) § 63.753(a)(2) § 63.753(c)(1) § 63.753(c)(1)(i) § 63.753(c)(1)(vii)
PRO19BSB35	PRO	63GG-P	VOC	40 CFR Part 63, Subpart GG	§ 63.745(c)(2) § 63.741(g) [G]§ 63.743(a)	VOC emissions from primers shall be limited to an VOC content level of	§ 63.749(d)(1) § 63.750(e)(1) § 63.750(e)(2)	§ 63.750(e)(3)(ii) § 63.752(a) § 63.752(c)	§ 63.753(a)(1) § 63.753(a)(1)(i) § 63.753(a)(2)

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
					§ 63.745(b) [G]§ 63.745(f)(1) § 63.745(f)(2) [G]§ 63.745(f)(3) § 63.749(d)(3) § 63.749(d)(3)(f) § 63.749(d)(3)(iii)(A) § 63.749(d)(3)(iii)(B) § 63.749(d)(3)(iv)	350 g/l (2.9 lb/gal), or less, of primer as applied or 540 g/l (4.5 lb/gal), or less, for general aviation rework facilities.	§ 63.750(e)(3)(i) § 63.750(e)(3)(ii) [G]§ 63.750(i)	§ 63.752(c)(1) [G]§ 63.752(c)(2) § 63.753(a)(1) § 63.753(a)(1)(f)	§ 63.753(c)(1) § 63.753(c)(1)(i) § 63.753(c)(1)(vii)
PRO19BSB35	PRO	63GG-T	VHAP	40 CFR Part 63, Subpart GG	§ 63.745(c)(3) § 63.741(g) [G]§ 63.743(a) § 63.745(b) [G]§ 63.745(f)(1) § 63.745(f)(2) [G]§ 63.745(f)(3) § 63.749(d)(4) § 63.749(d)(4)(i) § 63.749(d)(4)(iii)(A) § 63.749(d)(4)(iii)(B) § 63.749(d)(4)(iv)	Organic HAP emissions from topcoats and self priming topcoats shall be limited to organic HAP content levels of 420 g/l, or less, of coating as applied and 540 g/l, or less, for general aviation rework facilities.	§ 63.749(d)(1) § 63.750(c)(1) § 63.750(c)(2) § 63.750(c)(3) [G]§ 63.750(i)	§ 63.752(a) § 63.752(c) [G]§ 63.752(c)(2) § 63.753(a)(1) § 63.753(a)(1)(i)	§ 63.750(c)(2) § 63.753(a)(1) § 63.753(a)(1)(i) § 63.753(a)(2) § 63.753(c)(1) § 63.753(c)(1)(i) § 63.753(c)(1)(vii)
PRO19BSB35	PRO	63GG-T	VOC	40 CFR Part 63, Subpart GG	§ 63.745(c)(4) § 63.741(g) [G]§ 63.743(a) § 63.745(b) [G]§ 63.745(f)(1) § 63.745(f)(2) [G]§ 63.745(f)(3) § 63.749(d)(4) § 63.749(d)(4)(f) § 63.749(d)(4)(iii)(A) § 63.749(d)(4)(iii)(B) § 63.749(d)(4)(iv)	VOC emissions from topcoats and self priming topcoats shall be limited to VOC content levels of 420 g/l, or less, of coating as applied and 540 g/l, or less, for general aviation rework facilities.	§ 63.749(d)(1) § 63.750(e)(1) § 63.750(e)(2) § 63.750(e)(3)(i) § 63.750(e)(3)(ii) [G]§ 63.750(i)	§ 63.750(e)(3)(ii) § 63.752(a) § 63.752(c) § 63.752(c)(1) [G]§ 63.752(c)(2) § 63.753(a)(1) § 63.753(a)(1)(f)	§ 63.753(a)(1) § 63.753(a)(1)(i) § 63.753(a)(2) § 63.753(c)(1) § 63.753(c)(1)(i) § 63.753(c)(1)(vii)
PRO19BSB35	PRO	63GG-TW	VHAP/VOC	40 CFR Part 63, Subpart GG	§ 63.741(i) [G]§ 63.743(a) § 63.745(b) [G]§ 63.745(f)(1)	Waterborne coatings with data demonstrating that organic HAP and VOC contents are organic HAP	None	§ 63.741(i) § 63.752(a) § 63.753(a)(1) § 63.753(a)(1)(f)	§ 63.753(a)(1) § 63.753(a)(1)(i) § 63.753(a)(2)

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
					§ 63.745(f)(2) [G]§ 63.745(f)(3)	and VOC content of its coating type are exempt from specified requirements. Recordkeeping required.			
PROHWCL1	PRO	63GG-H1	VHAP/VOC	40 CFR Part 63, Subpart GG	§ 63.744(b) [G]§ 63.743(a) [G]§ 63.744(a) § 63.744(b)(1) § 63.744(b)(2) § 63.744(b)(3) § 63.749(c) § 63.749(c)(1)	New or existing hand-wipe cleaning operations shall use solvents that meet §63.744(b)(1), (b)(2) or (b)(3). De minimis HAP/VOC solutions are exempt from requirements.	§ 63.750(a) [G]§ 63.750(b)	§ 63.752(a) § 63.752(b)(1) [G]§ 63.752(b)(2) [G]§ 63.752(b)(3) § 63.753(a)(1) § 63.753(a)(1)(i)	§ 63.753(a)(1) § 63.753(a)(1)(i) § 63.753(a)(2) § 63.753(b) § 63.753(b)(1) § 63.753(b)(1)(i) § 63.753(b)(1)(ii) § 63.753(b)(1)(v)
PROHWCL2	PRO	63GG-H1	VHAP/VOC	40 CFR Part 63, Subpart GG	§ 63.744(b) [G]§ 63.743(a) [G]§ 63.744(a) § 63.744(b)(1) § 63.744(b)(2) § 63.744(b)(3) § 63.749(c) § 63.749(c)(1)	New or existing hand-wipe cleaning operations shall use solvents that meet §63.744(b)(1), (b)(2) or (b)(3). De minimis HAP/VOC solutions are exempt from requirements.	§ 63.750(a) [G]§ 63.750(b)	§ 63.752(a) § 63.752(b)(1) [G]§ 63.752(b)(2) [G]§ 63.752(b)(3) § 63.753(a)(1) § 63.753(a)(1)(i)	§ 63.753(a)(1) § 63.753(a)(1)(i) § 63.753(a)(2) § 63.753(b) § 63.753(b)(1) § 63.753(b)(1)(i) § 63.753(b)(1)(ii) § 63.753(b)(1)(v)
PROHWCL3	PRO	63GG-H1	VHAP/VOC	40 CFR Part 63, Subpart GG	§ 63.744(b) [G]§ 63.743(a) [G]§ 63.744(a) § 63.744(b)(1) § 63.744(b)(2) § 63.744(b)(3) § 63.749(c) § 63.749(c)(1)	New or existing hand-wipe cleaning operations shall use solvents that meet §63.744(b)(1), (b)(2) or (b)(3). De minimis HAP/VOC solutions are exempt from requirements.	§ 63.750(a) [G]§ 63.750(b)	§ 63.752(a) § 63.752(b)(1) [G]§ 63.752(b)(2) [G]§ 63.752(b)(3) § 63.753(a)(1) § 63.753(a)(1)(i)	§ 63.753(a)(1) § 63.753(a)(1)(i) § 63.753(a)(2) § 63.753(b) § 63.753(b)(1) § 63.753(b)(1)(i) § 63.753(b)(1)(ii) § 63.753(b)(1)(v)
PROHWCL4	PRO	63GG-H2	VHAP/VOC	40 CFR Part 63, Subpart GG	[G]§ 63.744(e) [G]§ 63.743(a) [G]§ 63.744(a) § 63.749(c)	The following cleaning operations are exempt from the requirements of §63.744(b) of this section: §63.744(e)(1)-(12).	§ 63.750(a) [G]§ 63.750(b)	§ 63.752(a) [G]§ 63.752(b)(4) § 63.753(a)(1) § 63.753(a)(1)(i)	§ 63.753(a)(1) § 63.753(a)(1)(i) § 63.753(a)(2) § 63.753(b) § 63.753(b)(1) § 63.753(b)(1)(v)

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
PROHWCL5	PRO	63GG-H2	VHAP/VOC	40 CFR Part 63, Subpart GG	[G]§ 63.744(e) [G]§ 63.743(a) [G]§ 63.744(a) § 63.749(c)	The following cleaning operations are exempt from the requirements of §63.744(b) of this section: §63.744(e)(1)-(12).	§ 63.750(a) [G]§ 63.750(b)	§ 63.752(a) [G]§ 63.752(b)(4) § 63.753(a)(1) § 63.753(a)(1)(i)	§ 63.753(a)(1) § 63.753(a)(1)(i) § 63.753(a)(2) § 63.753(b) § 63.753(b)(1) § 63.753(b)(1)(v)
PROLUBE	PRO	R5421-L	VOC	30 TAC Chapter 115, Surface Coating Operations	§ 115.420 The permit holder shall comply with the applicable limitation, standard and/or equipment specification requirements of 30 TAC Chapter 115, Surface Coating Operations	The permit holder shall comply with the applicable requirements of 30 TAC Chapter 115, Surface Coating Operations	The permit holder shall comply with the applicable monitoring and testing requirements of 30 TAC Chapter 115, Surface Coating Operations	The permit holder shall comply with the applicable recordkeeping requirements of 30 TAC Chapter 115, Surface Coating Operations	The permit holder shall comply with the applicable reporting requirements of 30 TAC Chapter 115, Surface Coating Operations
PROPAINT71	PRO	R5421-P	VOC	30 TAC Chapter 115, Surface Coating Operations	§ 115.420 The permit holder shall comply with the applicable limitation, standard and/or equipment specification requirements of 30 TAC Chapter 115, Surface Coating Operations	The permit holder shall comply with the applicable requirements of 30 TAC Chapter 115, Surface Coating Operations	The permit holder shall comply with the applicable monitoring and testing requirements of 30 TAC Chapter 115, Surface Coating Operations	The permit holder shall comply with the applicable recordkeeping requirements of 30 TAC Chapter 115, Surface Coating Operations	The permit holder shall comply with the applicable reporting requirements of 30 TAC Chapter 115, Surface Coating Operations
PROPAINT71	PRO	R5421-S	VOC	30 TAC Chapter 115, Surface Coating Operations	§ 115.420 The permit holder shall comply with the applicable limitation, standard and/or equipment specification requirements of 30 TAC Chapter 115,	The permit holder shall comply with the applicable requirements of 30 TAC Chapter 115, Surface Coating Operations	The permit holder shall comply with the applicable monitoring and testing requirements of 30 TAC Chapter 115, Surface Coating Operations	The permit holder shall comply with the applicable recordkeeping requirements of 30 TAC Chapter 115, Surface Coating Operations	The permit holder shall comply with the applicable reporting requirements of 30 TAC Chapter 115, Surface Coating Operations

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
					Surface Coating Operations				
PROPAINT71	PRO	R5421-T	VOC	30 TAC Chapter 115, Surface Coating Operations	§ 115.420 The permit holder shall comply with the applicable limitation, standard and/or equipment specification requirements of 30 TAC Chapter 115, Surface Coating Operations	The permit holder shall comply with the applicable requirements of 30 TAC Chapter 115, Surface Coating Operations	The permit holder shall comply with the applicable monitoring and testing requirements of 30 TAC Chapter 115, Surface Coating Operations	The permit holder shall comply with the applicable recordkeeping requirements of 30 TAC Chapter 115, Surface Coating Operations	The permit holder shall comply with the applicable reporting requirements of 30 TAC Chapter 115, Surface Coating Operations
PROPAINT71	PRO	63GG-P	VHAP	40 CFR Part 63, Subpart GG	§ 63.745(c)(1) § 63.741(g) [G]§ 63.743(a) § 63.745(b) [G]§ 63.745(f)(1) § 63.745(f)(2) [G]§ 63.745(f)(3) § 63.749(d)(3) § 63.749(d)(3)(i) § 63.749(d)(3)(iii)(A) § 63.749(d)(3)(iii)(B) § 63.749(d)(3)(iv)	Organic HAP emissions from primers shall be limited to an organic HAP content level of 350 g/l (2.9 lb/gal), or less, of primer as applied or 540 g/l (4.5 lb/gal), or less, for general aviation rework facilities.	§ 63.749(d)(1) § 63.750(c)(1) § 63.750(c)(2) § 63.750(c)(3) [G]§ 63.750(i)	§ 63.752(a) § 63.752(c) [G]§ 63.752(c)(2) § 63.753(a)(1) § 63.753(a)(1)(i)	§ 63.750(c)(2) § 63.753(a)(1) § 63.753(a)(1)(i) § 63.753(a)(2) § 63.753(c)(1) § 63.753(c)(1)(i) § 63.753(c)(1)(vii)
PROPAINT71	PRO	63GG-P	VOC	40 CFR Part 63, Subpart GG	§ 63.745(c)(2) § 63.741(g) [G]§ 63.743(a) § 63.745(b) [G]§ 63.745(f)(1) § 63.745(f)(2) [G]§ 63.745(f)(3) § 63.749(d)(3) § 63.749(d)(3)(i) § 63.749(d)(3)(iii)(A) § 63.749(d)(3)(iii)(B) § 63.749(d)(3)(iv)	VOC emissions from primers shall be limited to an VOC content level of 350 g/l (2.9 lb/gal), or less, of primer as applied or 540 g/l (4.5 lb/gal), or less, for general aviation rework facilities.	§ 63.749(d)(1) § 63.750(e)(1) § 63.750(e)(2) § 63.750(e)(3)(i) § 63.750(e)(3)(ii) [G]§ 63.750(i)	§ 63.750(e)(3)(ii) § 63.752(a) § 63.752(c) § 63.752(c)(1) [G]§ 63.752(c)(2) § 63.753(a)(1) § 63.753(a)(1)(i)	§ 63.753(a)(1) § 63.753(a)(1)(i) § 63.753(a)(2) § 63.753(c)(1) § 63.753(c)(1)(i) § 63.753(c)(1)(vii)

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
PROPAINT71	PRO	63GG-T	VHAP	40 CFR Part 63, Subpart GG	§ 63.745(c)(3) § 63.741(g) [G]§ 63.743(a) § 63.745(b) [G]§ 63.745(f)(1) § 63.745(f)(2) [G]§ 63.745(f)(3) § 63.749(d)(4) § 63.749(d)(4)(i) § 63.749(d)(4)(iii)(A) § 63.749(d)(4)(iii)(B) § 63.749(d)(4)(iv)	Organic HAP emissions from topcoats and self priming topcoats shall be limited to organic HAP content levels of 420 g/l, or less, of coating as applied and 540 g/l, or less, for general aviation rework facilities.	§ 63.749(d)(1) § 63.750(c)(1) § 63.750(c)(2) § 63.750(c)(3) [G]§ 63.750(i)	§ 63.752(a) § 63.752(c) [G]§ 63.752(c)(2) § 63.753(a)(1) § 63.753(a)(1)(i)	§ 63.750(c)(2) § 63.753(a)(1) § 63.753(a)(1)(i) § 63.753(a)(2) § 63.753(c)(1) § 63.753(c)(1)(i) § 63.753(c)(1)(vii)
PROPAINT71	PRO	63GG-T	VOC	40 CFR Part 63, Subpart GG	§ 63.745(c)(4) § 63.741(g) [G]§ 63.743(a) § 63.745(b) [G]§ 63.745(f)(1) § 63.745(f)(2) [G]§ 63.745(f)(3) § 63.749(d)(4) § 63.749(d)(4)(i) § 63.749(d)(4)(iii)(A) § 63.749(d)(4)(iii)(B) § 63.749(d)(4)(iv)	VOC emissions from topcoats and self priming topcoats shall be limited to VOC content levels of 420 g/l, or less, of coating as applied and 540 g/l, or less, for general aviation rework facilities.	§ 63.749(d)(1) § 63.750(e)(1) § 63.750(e)(2) § 63.750(e)(3)(i) § 63.750(e)(3)(ii) [G]§ 63.750(i)	§ 63.750(e)(3)(ii) § 63.752(a) § 63.752(c) § 63.752(c)(1) [G]§ 63.752(c)(2) § 63.753(a)(1) § 63.753(a)(1)(i)	§ 63.753(a)(1) § 63.753(a)(1)(i) § 63.753(a)(2) § 63.753(c)(1) § 63.753(c)(1)(i) § 63.753(c)(1)(vii)
PROPAINT71	PRO	63GG-TW	VHAP/VOC	40 CFR Part 63, Subpart GG	§ 63.741(i) [G]§ 63.743(a) § 63.745(b) [G]§ 63.745(f)(1) § 63.745(f)(2) [G]§ 63.745(f)(3)	Waterborne coatings with data demonstrating that organic HAP and VOC contents are organic HAP and VOC content of its coating type are exempt from specified requirements. Recordkeeping required.	None	§ 63.741(i) § 63.752(a) § 63.753(a)(1) § 63.753(a)(1)(i)	§ 63.753(a)(1) § 63.753(a)(1)(i) § 63.753(a)(2)
PROPAINT72	PRO	R5421-P	VOC	30 TAC Chapter 115, Surface Coating Operations	§ 115.420 The permit holder shall comply with the applicable limitation,	The permit holder shall comply with the applicable requirements of 30 TAC Chapter 115,	The permit holder shall comply with the applicable monitoring and	The permit holder shall comply with the applicable recordkeeping	The permit holder shall comply with the applicable reporting requirements of 30 TAC

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
					standard and/or equipment specification requirements of 30 TAC Chapter 115, Surface Coating Operations	Surface Coating Operations	testing requirements of 30 TAC Chapter 115, Surface Coating Operations	requirements of 30 TAC Chapter 115, Surface Coating Operations	Chapter 115, Surface Coating Operations
PROPAINT72	PRO	R5421-S	VOC	30 TAC Chapter 115, Surface Coating Operations	§ 115.420 The permit holder shall comply with the applicable limitation, standard and/or equipment specification requirements of 30 TAC Chapter 115, Surface Coating Operations	The permit holder shall comply with the applicable requirements of 30 TAC Chapter 115, Surface Coating Operations	The permit holder shall comply with the applicable monitoring and testing requirements of 30 TAC Chapter 115, Surface Coating Operations	The permit holder shall comply with the applicable recordkeeping requirements of 30 TAC Chapter 115, Surface Coating Operations	The permit holder shall comply with the applicable reporting requirements of 30 TAC Chapter 115, Surface Coating Operations
PROPAINT72	PRO	R5421-T	VOC	30 TAC Chapter 115, Surface Coating Operations	§ 115.420 The permit holder shall comply with the applicable limitation, standard and/or equipment specification requirements of 30 TAC Chapter 115, Surface Coating Operations	The permit holder shall comply with the applicable requirements of 30 TAC Chapter 115, Surface Coating Operations	The permit holder shall comply with the applicable monitoring and testing requirements of 30 TAC Chapter 115, Surface Coating Operations	The permit holder shall comply with the applicable recordkeeping requirements of 30 TAC Chapter 115, Surface Coating Operations	The permit holder shall comply with the applicable reporting requirements of 30 TAC Chapter 115, Surface Coating Operations
PROPAINT72	PRO	63GG-P	VHAP	40 CFR Part 63, Subpart GG	§ 63.745(c)(1) § 63.741(g) [G]§ 63.743(a) § 63.745(b) [G]§ 63.745(f)(1) § 63.745(f)(2) [G]§ 63.745(f)(3) § 63.749(d)(3)	Organic HAP emissions from primers shall be limited to an organic HAP content level of 350 g/l (2.9 lb/gal), or less, of primer as applied or 540 g/l (4.5 lb/gal), or less, for general aviation rework	§ 63.749(d)(1) § 63.750(c)(1) § 63.750(c)(2) § 63.750(c)(3) [G]§ 63.750(i)	§ 63.752(a) § 63.752(c) [G]§ 63.752(c)(2) § 63.753(a)(1) § 63.753(a)(1)(i)	§ 63.750(c)(2) § 63.753(a)(1) § 63.753(a)(1)(i) § 63.753(a)(2) § 63.753(c)(1) § 63.753(c)(1)(i) § 63.753(c)(1)(vii)

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
					§ 63.749(d)(3)(i) § 63.749(d)(3)(iii)(A) § 63.749(d)(3)(iii)(B) § 63.749(d)(3)(iv)	facilities.			
PROPAINT72	PRO	63GG-P	VOC	40 CFR Part 63, Subpart GG	§ 63.745(c)(2) § 63.741(g) [G]§ 63.743(a) § 63.745(b) [G]§ 63.745(f)(1) § 63.745(f)(2) [G]§ 63.745(f)(3) § 63.749(d)(3) § 63.749(d)(3)(i) § 63.749(d)(3)(iii)(A) § 63.749(d)(3)(iii)(B) § 63.749(d)(3)(iv)	VOC emissions from primers shall be limited to an VOC content level of 350 g/l (2.9 lb/gal), or less, of primer as applied or 540 g/l (4.5 lb/gal), or less, for general aviation rework facilities.	§ 63.749(d)(1) § 63.750(e)(1) § 63.750(e)(2) § 63.750(e)(3)(i) § 63.750(e)(3)(ii) [G]§ 63.750(i)	§ 63.750(e)(3)(ii) § 63.752(a) § 63.752(c) § 63.752(c)(1) [G]§ 63.752(c)(2) § 63.753(a)(1) § 63.753(a)(1)(i)	§ 63.753(a)(1) § 63.753(a)(1)(i) § 63.753(a)(2) § 63.753(c)(1) § 63.753(c)(1)(i) § 63.753(c)(1)(vii)
PROPAINT72	PRO	63GG-T	VHAP	40 CFR Part 63, Subpart GG	§ 63.745(c)(3) § 63.741(g) [G]§ 63.743(a) § 63.745(b) [G]§ 63.745(f)(1) § 63.745(f)(2) [G]§ 63.745(f)(3) § 63.749(d)(4) § 63.749(d)(4)(i) § 63.749(d)(4)(iii)(A) § 63.749(d)(4)(iii)(B) § 63.749(d)(4)(iv)	Organic HAP emissions from topcoats and self priming topcoats shall be limited to organic HAP content levels of 420 g/l, or less, of coating as applied and 540 g/l, or less, for general aviation rework facilities.	§ 63.749(d)(1) § 63.750(c)(1) § 63.750(c)(2) § 63.750(c)(3) [G]§ 63.750(i)	§ 63.752(a) § 63.752(c) [G]§ 63.752(c)(2) § 63.753(a)(1) § 63.753(a)(1)(i)	§ 63.750(c)(2) § 63.753(a)(1) § 63.753(a)(1)(i) § 63.753(a)(2) § 63.753(c)(1) § 63.753(c)(1)(i) § 63.753(c)(1)(vii)
PROPAINT72	PRO	63GG-T	VOC	40 CFR Part 63, Subpart GG	§ 63.745(c)(4) § 63.741(g) [G]§ 63.743(a) § 63.745(b) [G]§ 63.745(f)(1) § 63.745(f)(2) [G]§ 63.745(f)(3) § 63.749(d)(4) § 63.749(d)(4)(i)	VOC emissions from topcoats and self priming topcoats shall be limited to VOC content levels of 420 g/l, or less, of coating as applied and 540 g/l, or less, for general aviation rework facilities.	§ 63.749(d)(1) § 63.750(e)(1) § 63.750(e)(2) § 63.750(e)(3)(i) § 63.750(e)(3)(ii) [G]§ 63.750(i)	§ 63.750(e)(3)(ii) § 63.752(a) § 63.752(c) § 63.752(c)(1) [G]§ 63.752(c)(2) § 63.753(a)(1) § 63.753(a)(1)(i)	§ 63.753(a)(1) § 63.753(a)(1)(i) § 63.753(a)(2) § 63.753(c)(1) § 63.753(c)(1)(i) § 63.753(c)(1)(vii)

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
					§ 63.749(d)(4)(iii)(A) § 63.749(d)(4)(iii)(B) § 63.749(d)(4)(iv)				
PROSGCLEAN	PRO	63GG-G	VHAP/VOC	40 CFR Part 63, Subpart GG	§ 63.744(c) [G]§ 63.743(a) [G]§ 63.744(a) [G]§ 63.744(c)(1) § 63.744(c)(3) § 63.749(c) § 63.749(c)(2) § 63.749(c)(2)(i) § 63.749(c)(2)(ii) § 63.749(c)(2)(iii)	O/O of new/existing spray gun cleaning operation shall use techniques specified in § 63.744(c)(1)-(c)(4). Solutions with de minimis levels of HAP/VOC are exempt from these requirements.	§ 63.749(c)(2)(iii) § 63.751(a)	§ 63.752(a) § 63.752(b)(1) [G]§ 63.752(b)(5) § 63.753(a)(1) § 63.753(a)(1)(i)	§ 63.753(a)(1) § 63.753(a)(1)(i) § 63.753(a)(2) § 63.753(b) § 63.753(b)(1) § 63.753(b)(1)(iii) § 63.753(b)(1)(iv) § 63.753(b)(1)(v)
PROSPRAY2	PRO	R5421-P	VOC	30 TAC Chapter 115, Surface Coating Operations	§ 115.420 The permit holder shall comply with the applicable limitation, standard and/or equipment specification requirements of 30 TAC Chapter 115, Surface Coating Operations	The permit holder shall comply with the applicable requirements of 30 TAC Chapter 115, Surface Coating Operations	The permit holder shall comply with the applicable monitoring and testing requirements of 30 TAC Chapter 115, Surface Coating Operations	The permit holder shall comply with the applicable recordkeeping requirements of 30 TAC Chapter 115, Surface Coating Operations	The permit holder shall comply with the applicable reporting requirements of 30 TAC Chapter 115, Surface Coating Operations
PROSPRAY2	PRO	R5421-S	VOC	30 TAC Chapter 115, Surface Coating Operations	§ 115.420 The permit holder shall comply with the applicable limitation, standard and/or equipment specification requirements of 30 TAC Chapter 115, Surface Coating Operations	The permit holder shall comply with the applicable requirements of 30 TAC Chapter 115, Surface Coating Operations	The permit holder shall comply with the applicable monitoring and testing requirements of 30 TAC Chapter 115, Surface Coating Operations	The permit holder shall comply with the applicable recordkeeping requirements of 30 TAC Chapter 115, Surface Coating Operations	The permit holder shall comply with the applicable reporting requirements of 30 TAC Chapter 115, Surface Coating Operations
PROSPRAY2	PRO	R5421-T	VOC	30 TAC Chapter	§ 115.420	The permit holder shall	The permit holder	The permit holder shall	The permit holder shall

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
				115, Surface Coating Operations	The permit holder shall comply with the applicable limitation, standard and/or equipment specification requirements of 30 TAC Chapter 115, Surface Coating Operations	comply with the applicable requirements of 30 TAC Chapter 115, Surface Coating Operations	shall comply with the applicable monitoring and testing requirements of 30 TAC Chapter 115, Surface Coating Operations	comply with the applicable recordkeeping requirements of 30 TAC Chapter 115, Surface Coating Operations	comply with the applicable reporting requirements of 30 TAC Chapter 115, Surface Coating Operations
PROSPRAY2	PRO	63GG-P	VHAP	40 CFR Part 63, Subpart GG	§ 63.745(c)(1) § 63.741(g) [G]§ 63.743(a) § 63.745(b) [G]§ 63.745(f)(1) § 63.745(f)(2) [G]§ 63.745(f)(3) § 63.749(d)(3) § 63.749(d)(3)(i) § 63.749(d)(3)(iii)(A) § 63.749(d)(3)(iii)(B) § 63.749(d)(3)(iv)	Organic HAP emissions from primers shall be limited to an organic HAP content level of 350 g/l (2.9 lb/gal), or less, of primer as applied or 540 g/l (4.5 lb/gal), or less, for general aviation rework facilities.	§ 63.749(d)(1) § 63.750(c)(1) § 63.750(c)(2) § 63.750(c)(3) [G]§ 63.750(i)	§ 63.752(a) § 63.752(c) [G]§ 63.752(c)(2) § 63.753(a)(1) § 63.753(a)(1)(i)	§ 63.750(c)(2) § 63.753(a)(1) § 63.753(a)(1)(i) § 63.753(a)(2) § 63.753(c)(1) § 63.753(c)(1)(i) § 63.753(c)(1)(vii)
PROSPRAY2	PRO	63GG-P	VOC	40 CFR Part 63, Subpart GG	§ 63.745(c)(2) § 63.741(g) [G]§ 63.743(a) § 63.745(b) [G]§ 63.745(f)(1) § 63.745(f)(2) [G]§ 63.745(f)(3) § 63.749(d)(3) § 63.749(d)(3)(i) § 63.749(d)(3)(iii)(A) § 63.749(d)(3)(iii)(B) § 63.749(d)(3)(iv)	VOC emissions from primers shall be limited to an VOC content level of 350 g/l (2.9 lb/gal), or less, of primer as applied or 540 g/l (4.5 lb/gal), or less, for general aviation rework facilities.	§ 63.749(d)(1) § 63.750(e)(1) § 63.750(e)(2) § 63.750(e)(3)(i) § 63.750(e)(3)(ii) [G]§ 63.750(i)	§ 63.750(e)(3)(ii) § 63.752(a) § 63.752(c) § 63.752(c)(1) [G]§ 63.752(c)(2) § 63.753(a)(1) § 63.753(a)(1)(i)	§ 63.753(a)(1) § 63.753(a)(1)(i) § 63.753(a)(2) § 63.753(c)(1) § 63.753(c)(1)(i) § 63.753(c)(1)(vii)
PROSPRAY2	PRO	63GG-T	VHAP	40 CFR Part 63, Subpart GG	§ 63.745(c)(3) § 63.741(g) [G]§ 63.743(a)	Organic HAP emissions from topcoats and self priming topcoats shall be	§ 63.749(d)(1) § 63.750(c)(1) § 63.750(c)(2)	§ 63.752(a) § 63.752(c) [G]§ 63.752(c)(2)	§ 63.750(c)(2) § 63.753(a)(1) § 63.753(a)(1)(i)

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
					§ 63.745(b) [G]§ 63.745(f)(1) § 63.745(f)(2) [G]§ 63.745(f)(3) § 63.749(d)(4) § 63.749(d)(4)(i) § 63.749(d)(4)(iii)(A) § 63.749(d)(4)(iii)(B) § 63.749(d)(4)(iv)	limited to organic HAP content levels of 420 g/l, or less, of coating as applied and 540 g/l, or less, for general aviation rework facilities.	§ 63.750(c)(3) [G]§ 63.750(i)	§ 63.753(a)(1) § 63.753(a)(1)(i)	§ 63.753(a)(2) § 63.753(c)(1) § 63.753(c)(1)(i) § 63.753(c)(1)(vii)
PROSPRAY2	PRO	63GG-T	VOC	40 CFR Part 63, Subpart GG	§ 63.745(c)(4) § 63.741(g) [G]§ 63.743(a) § 63.745(b) [G]§ 63.745(f)(1) § 63.745(f)(2) [G]§ 63.745(f)(3) § 63.749(d)(4) § 63.749(d)(4)(i) § 63.749(d)(4)(iii)(A) § 63.749(d)(4)(iii)(B) § 63.749(d)(4)(iv)	VOC emissions from topcoats and self priming topcoats shall be limited to VOC content levels of 420 g/l, or less, of coating as applied and 540 g/l, or less, for general aviation rework facilities.	§ 63.749(d)(1) § 63.750(e)(1) § 63.750(e)(2) § 63.750(e)(3)(i) § 63.750(e)(3)(ii) [G]§ 63.750(i)	§ 63.750(e)(3)(ii) § 63.752(a) § 63.752(c) § 63.752(c)(1) [G]§ 63.752(c)(2) § 63.753(a)(1) § 63.753(a)(1)(i)	§ 63.753(a)(1) § 63.753(a)(1)(i) § 63.753(a)(2) § 63.753(c)(1) § 63.753(c)(1)(i) § 63.753(c)(1)(vii)
PROSPRAY3	PRO	R5421-P	VOC	30 TAC Chapter 115, Surface Coating Operations	§ 115.420 The permit holder shall comply with the applicable limitation, standard and/or equipment specification requirements of 30 TAC Chapter 115, Surface Coating Operations	The permit holder shall comply with the applicable requirements of 30 TAC Chapter 115, Surface Coating Operations	The permit holder shall comply with the applicable monitoring and testing requirements of 30 TAC Chapter 115, Surface Coating Operations	The permit holder shall comply with the applicable recordkeeping requirements of 30 TAC Chapter 115, Surface Coating Operations	The permit holder shall comply with the applicable reporting requirements of 30 TAC Chapter 115, Surface Coating Operations
PROSPRAY3	PRO	R5421-S	VOC	30 TAC Chapter 115, Surface Coating Operations	§ 115.420 The permit holder shall comply with the applicable limitation, standard and/or	The permit holder shall comply with the applicable requirements of 30 TAC Chapter 115, Surface Coating	The permit holder shall comply with the applicable monitoring and testing requirements	The permit holder shall comply with the applicable recordkeeping requirements of 30 TAC	The permit holder shall comply with the applicable reporting requirements of 30 TAC Chapter 115, Surface

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
					equipment specification requirements of 30 TAC Chapter 115, Surface Coating Operations	Operations	of 30 TAC Chapter 115, Surface Coating Operations	Chapter 115, Surface Coating Operations	Coating Operations
PROSPRAY3	PRO	R5421-T	VOC	30 TAC Chapter 115, Surface Coating Operations	§ 115.420 The permit holder shall comply with the applicable limitation, standard and/or equipment specification requirements of 30 TAC Chapter 115, Surface Coating Operations	The permit holder shall comply with the applicable requirements of 30 TAC Chapter 115, Surface Coating Operations	The permit holder shall comply with the applicable monitoring and testing requirements of 30 TAC Chapter 115, Surface Coating Operations	The permit holder shall comply with the applicable recordkeeping requirements of 30 TAC Chapter 115, Surface Coating Operations	The permit holder shall comply with the applicable reporting requirements of 30 TAC Chapter 115, Surface Coating Operations
PROSPRAY3	PRO	63GG-P	VHAP	40 CFR Part 63, Subpart GG	§ 63.745(c)(1) § 63.741(g) [G]§ 63.743(a) § 63.745(b) [G]§ 63.745(f)(1) § 63.745(f)(2) [G]§ 63.745(f)(3) § 63.749(d)(3) § 63.749(d)(3)(i) § 63.749(d)(3)(iii)(A) § 63.749(d)(3)(iii)(B) § 63.749(d)(3)(iv)	Organic HAP emissions from primers shall be limited to an organic HAP content level of 350 g/l (2.9 lb/gal), or less, of primer as applied or 540 g/l (4.5 lb/gal), or less, for general aviation rework facilities.	§ 63.749(d)(1) § 63.750(c)(1) § 63.750(c)(2) § 63.750(c)(3) [G]§ 63.750(i)	§ 63.752(a) § 63.752(c) [G]§ 63.752(c)(2) § 63.753(a)(1) § 63.753(a)(1)(i)	§ 63.750(c)(2) § 63.753(a)(1) § 63.753(a)(1)(i) § 63.753(a)(2) § 63.753(c)(1) § 63.753(c)(1)(i) § 63.753(c)(1)(vii)
PROSPRAY3	PRO	63GG-P	VOC	40 CFR Part 63, Subpart GG	§ 63.745(c)(2) § 63.741(g) [G]§ 63.743(a) § 63.745(b) [G]§ 63.745(f)(1) § 63.745(f)(2) [G]§ 63.745(f)(3) § 63.749(d)(3)	VOC emissions from primers shall be limited to an VOC content level of 350 g/l (2.9 lb/gal), or less, of primer as applied or 540 g/l (4.5 lb/gal), or less, for general aviation rework facilities.	§ 63.749(d)(1) § 63.750(e)(1) § 63.750(e)(2) § 63.750(e)(3)(i) § 63.750(e)(3)(ii) [G]§ 63.750(i)	§ 63.750(e)(3)(ii) § 63.752(a) § 63.752(c) § 63.752(c)(1) [G]§ 63.752(c)(2) § 63.753(a)(1) § 63.753(a)(1)(i)	§ 63.753(a)(1) § 63.753(a)(1)(i) § 63.753(a)(2) § 63.753(c)(1) § 63.753(c)(1)(i) § 63.753(c)(1)(vii)

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
					§ 63.749(d)(3)(i) § 63.749(d)(3)(iii)(A) § 63.749(d)(3)(iii)(B) § 63.749(d)(3)(iv)				
PROSPRAY3	PRO	63GG-T	VHAP	40 CFR Part 63, Subpart GG	§ 63.745(c)(3) § 63.741(g) [G]§ 63.743(a) § 63.745(b) [G]§ 63.745(f)(1) § 63.745(f)(2) [G]§ 63.745(f)(3) § 63.749(d)(4) § 63.749(d)(4)(i) § 63.749(d)(4)(iii)(A) § 63.749(d)(4)(iii)(B) § 63.749(d)(4)(iv)	Organic HAP emissions from topcoats and self priming topcoats shall be limited to organic HAP content levels of 420 g/l, or less, of coating as applied and 540 g/l, or less, for general aviation rework facilities.	§ 63.749(d)(1) § 63.750(c)(1) § 63.750(c)(2) § 63.750(c)(3) [G]§ 63.750(i)	§ 63.752(a) § 63.752(c) [G]§ 63.752(c)(2) § 63.753(a)(1) § 63.753(a)(1)(i)	§ 63.750(c)(2) § 63.753(a)(1) § 63.753(a)(1)(i) § 63.753(a)(2) § 63.753(c)(1) § 63.753(c)(1)(i) § 63.753(c)(1)(vii)
PROSPRAY3	PRO	63GG-T	VOC	40 CFR Part 63, Subpart GG	§ 63.745(c)(4) § 63.741(g) [G]§ 63.743(a) § 63.745(b) [G]§ 63.745(f)(1) § 63.745(f)(2) [G]§ 63.745(f)(3) § 63.749(d)(4) § 63.749(d)(4)(i) § 63.749(d)(4)(iii)(A) § 63.749(d)(4)(iii)(B) § 63.749(d)(4)(iv)	VOC emissions from topcoats and self priming topcoats shall be limited to VOC content levels of 420 g/l, or less, of coating as applied and 540 g/l, or less, for general aviation rework facilities.	§ 63.749(d)(1) § 63.750(e)(1) § 63.750(e)(2) § 63.750(e)(3)(i) § 63.750(e)(3)(ii) [G]§ 63.750(i)	§ 63.750(e)(3)(ii) § 63.752(a) § 63.752(c) § 63.752(c)(1) [G]§ 63.752(c)(2) § 63.753(a)(1) § 63.753(a)(1)(i)	§ 63.753(a)(1) § 63.753(a)(1)(i) § 63.753(a)(2) § 63.753(c)(1) § 63.753(c)(1)(i) § 63.753(c)(1)(vii)
PROTOUCH	PRO	R5421	VOC	30 TAC Chapter 115, Surface Coating Operations	§ 115.420 The permit holder shall comply with the applicable limitation, standard and/or equipment specification requirements of 30 TAC Chapter 115,	The permit holder shall comply with the applicable requirements of 30 TAC Chapter 115, Surface Coating Operations	The permit holder shall comply with the applicable monitoring and testing requirements of 30 TAC Chapter 115, Surface Coating Operations	The permit holder shall comply with the applicable recordkeeping requirements of 30 TAC Chapter 115, Surface Coating Operations	The permit holder shall comply with the applicable reporting requirements of 30 TAC Chapter 115, Surface Coating Operations

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
					Surface Coating Operations				
UNLOAD242	EU	R5211-1	VOC	30 TAC Chapter 115, Loading and Unloading of VOC	§ 115.217(a)(2)(A) § 115.212(a)(2) [G]§ 115.212(a)(7) § 115.214(a)(1)(B) § 115.214(a)(1)(D) § 115.214(a)(1)(D)(i)	Any plant, excluding gasoline bulk plants, which loads less than 20,000 gpd of VOC with a true vapor pressure of 0.5 psia or greater is exempt from the requirements of this division, except for the specified requirements.	§ 115.214(a)(1)(A) § 115.214(a)(1)(A)(i) § 115.215 § 115.215(4)	§ 115.216 § 115.216(2) § 115.216(3)(B) § 115.216(3)(D)	None
UNLOAD243D	EU	R5211-2	VOC	30 TAC Chapter 115, Loading and Unloading of VOC	§ 115.217(a)(1) § 115.212(a)(2) § 115.214(a)(1)(B) § 115.214(a)(1)(D) § 115.214(a)(1)(D)(i)	Vapor pressure (at land-based operations). All land-based loading and unloading of VOC with a true vapor pressure less than 0.5 psia is exempt from the requirements of this division, except as specified.	§ 115.214(a)(1)(A) § 115.214(a)(1)(A)(i) § 115.215 § 115.215(4)	§ 115.216 § 115.216(2) § 115.216(3)(B)	None
UNLOAD243K	EU	R5211-2	VOC	30 TAC Chapter 115, Loading and Unloading of VOC	§ 115.217(a)(1) § 115.212(a)(2) § 115.214(a)(1)(B) § 115.214(a)(1)(D) § 115.214(a)(1)(D)(i)	Vapor pressure (at land-based operations). All land-based loading and unloading of VOC with a true vapor pressure less than 0.5 psia is exempt from the requirements of this division, except as specified.	§ 115.214(a)(1)(A) § 115.214(a)(1)(A)(i) § 115.215 § 115.215(4)	§ 115.216 § 115.216(2) § 115.216(3)(B)	None
UNLOADOIL	EU	R5211-2	VOC	30 TAC Chapter 115, Loading and Unloading of VOC	§ 115.217(a)(1) § 115.212(a)(2) § 115.214(a)(1)(B) § 115.214(a)(1)(D) § 115.214(a)(1)(D)(i)	Vapor pressure (at land-based operations). All land-based loading and unloading of VOC with a true vapor pressure less than 0.5 psia is exempt	§ 115.214(a)(1)(A) § 115.214(a)(1)(A)(i) § 115.215 § 115.215(4)	§ 115.216 § 115.216(2) § 115.216(3)(B)	None

Applicable Requirements Summary

Unit Group Process ID No.	Unit Group Process Type	SOP Index No.	Pollutant	State Rule or Federal Regulation Name	Emission Limitation, Standard or Equipment Specification Citation	Textual Description (See Special Term and Condition 1.B.)	Monitoring And Testing Requirements	Recordkeeping Requirements (30 TAC § 122.144)	Reporting Requirements (30 TAC § 122.145)
						from the requirements of this division, except as specified.			

Permit Shield

Permit Shield 61

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

Unit/Group/Process		Regulation	Basis of Determination
ID No.	Group/Inclusive Units		
16-BOILER "A"	N/A	30 TAC Chapter 112, Sulfur Compounds	The boiler is not a liquid fuel fired steam generator.
16-BOILER "A"	N/A	30 TAC Chapter 117, Subchapter B	GD-OTS Garland Plant is not a major source for NOx.
16-BOILER "A"	N/A	40 CFR Part 60, Subpart Dc	Boiler constructed and modified before June 9, 1989.
25A-OILREC	N/A	40 CFR Part 63, Subpart VV	GD-OTS is not subject to other subparts that reference this subpart.
8PROCESS-8	N/A	40 CFR Part 63, Subpart N	No chromium electroplating or chromium anodizing takes place.
DCPVAT	N/A	40 CFR Part 63, Subpart N	No chromium electroplating or chromium anodizing takes place.
GRPFUG	25BC-ETCH, 25B-ZYGLO, 25C-GRIND, 39-FORGE-1, 7-AL-TREAT, PLTMCHWLD, PLTMSCFUG, PLTSTENCIL	30 TAC Chapter 115, Pet. Refinery & Petrochemicals	Site does not contain an applicable source.
GRPFUG	25BC-ETCH, 25B-ZYGLO, 25C-GRIND, 39-FORGE-1, 7-AL-TREAT, PLTMCHWLD, PLTMSCFUG, PLTSTENCIL	40 CFR Part 60, Subpart VV	Site does not contain an applicable source.
GRPHTR	25B-HEATSE, 25C-HEATLE, 25C-TFURN, 7-HEAT-SB	30 TAC Chapter 117, Subchapter B	GD-OTS Garland Plant is not a major source for NOx,

Permit Shield

The Executive Director of the TCEQ has determined that the permit holder is not required to comply with the specific regulation(s) identified for each emission unit, group, or process in this table.

Unit/Group/Process		Regulation	Basis of Determination
ID No.	Group/Inclusive Units		
GRPOVEN	20-2-OVENS, 20-3-OVEN, 25B-AGE-1, 25B-AGE-6, 25B-AGE-7, 25C-12000, 25C-1500, 25C-1600, 25C-2000, 25C-2500, 25C-4350, 25C-6000, 25C-8000, 39-OVEN-2, 39-OVEN-4, CMBS-19-2	30 TAC Chapter 117, Subchapter B	GD-OTS Garland Plant is not a major source for NOx.
GRPPMVENT	25C-DC-2, 30-DC-PROC, SHOT-6-1	30 TAC Chapter 115, Vent Gas Controls	Vents contain no VOC.
GRPTNK	TANK-24-4, TANK-24-5, TANK-29-1, TANK-29-2, TANK-29-3, TANK-29-4, TANK-39-1A, TANK-39-1B, TANK-39-1C, TANK-39-1D, TANK-WC1, TANK-WC2, TANK-WC3	40 CFR Part 60, Subpart Kb	Tanks are less than 10,600 gallons.
GRPVENT	25A-GRIND	30 TAC Chapter 115, Vent Gas Controls	There are no VOC emissions from these sources.
PROLUBE	N/A	40 CFR Part 63, Subpart GG	Specialty coatings are exempt from the requirements of this subpart.
PROTOUCH	N/A	40 CFR Part 63, Subpart GG	Touch-up painting is considered a specialty coating and is exempt for the requirements of this subpart.
SHOT-20-1	N/A	30 TAC Chapter 115, Vent Gas Controls	Vents contain no VOC.
WW-2	N/A	30 TAC Chapter 115, Industrial Wastewater	No affected source category streams are handled.

New Source Review Authorization References

New Source Review Authorization References 64

New Source Review Authorization References by Emission Unit..... 66

New Source Review Authorization References

The New Source Review authorizations listed in the table below are applicable requirements under 30 TAC Chapter 122 and enforceable under this operating permit.

Title 30 TAC Chapter 116 Permits, Special Permits, and Other Authorizations (Other Than Permits By Rule, PSD Permits, or NA Permits) for the Application Area.	
Authorization No.: 48894	Issuance Date: 12/22/2009
Authorization No.: 51412	Issuance Date: 12/03/2012
Authorization No.: 116.119(a)(1)	Issuance Date: 09/04/2000
Permits By Rule (30 TAC Chapter 106) for the Application Area	
Number: 106.183	Version No./Date: 09/04/2000
Number: 106.227	Version No./Date: 09/04/2000
Number: 106.261	Version No./Date: 11/01/2003
Number: 106.262	Version No./Date: 11/01/2003
Number: 106.263	Version No./Date: 11/01/2001
Number: 106.265	Version No./Date: 09/04/2000
Number: 106.266	Version No./Date: 09/04/2000
Number: 106.316	Version No./Date: 09/04/2000
Number: 106.320	Version No./Date: 09/04/2000
Number: 106.371	Version No./Date: 09/04/2000
Number: 106.372	Version No./Date: 09/04/2000
Number: 106.375	Version No./Date: 09/04/2000
Number: 106.411	Version No./Date: 09/04/2000
Number: 106.418	Version No./Date: 09/04/2000
Number: 106.433	Version No./Date: 09/04/2000
Number: 106.452	Version No./Date: 09/04/2000
Number: 106.454	Version No./Date: 11/01/2001
Number: 106.472	Version No./Date: 09/04/2000
Number: 106.473	Version No./Date: 09/04/2000
Number: 106.532	Version No./Date: 09/04/2000
Number: 7	Version No./Date: 09/23/1982
Number: 7	Version No./Date: 03/15/1985

New Source Review Authorization References

The New Source Review authorizations listed in the table below are applicable requirements under 30 TAC Chapter 122 and enforceable under this operating permit.

Number: 7	Version No./Date: 11/05/1986
Number: 41	Version No./Date: 09/23/1982
Number: 41	Version No./Date: 05/04/1994
Number: 44	Version No./Date: 09/23/1982
Number: 46	Version No./Date: 09/23/1982
Number: 57	Version No./Date: 09/23/1982
Number: 57	Version No./Date: 07/20/1992
Number: 65	Version No./Date: 09/23/1982
Number: 102	Version No./Date: 09/23/1982
Number: 102	Version No./Date: 03/15/1985

New Source Review Authorization References by Emissions Unit

The following is a list of New Source Review (NSR) authorizations for emission units listed elsewhere in this operating permit. The NSR authorizations are applicable requirements under 30 TAC Chapter 122 and enforceable under this operating permit.

Unit/Group/Process ID No.	Emission Unit Name/Description	New Source Review Authorization
16-BOILER "A"	BOILER "A"	7/11/05/1986
20-2-OVENS	HEAT TREAT OVENS (2) BLDG 20	106.183/09/04/2000
20-3-OVEN	OVEN NEW BLDG 20	106.183/09/04/2000
25A-GRIND	GRINDING	48894, 106.265/09/04/2000
25A-OILREC	WASTE OIL RECOVERY-BLDG 25A	106.532/09/04/2000
25B-AGE-1	AGE OVEN BLDG. 25	48894, 106.183/09/04/2000
25B-AGE-6	AGE OVEN 6 BLDG 25B	106.183/09/04/2000
25B-AGE-7	AGE OVEN 7 BLDG 25B	106.183/09/04/2000
25BC-ETCH	ETCHING - BLDGS 25B & 25C	106.375/09/04/2000
25B-HEATSE	HEATER FOR SMALL ETCH LINE	106.183/09/04/2000
25B-ZYGLO	ZYGLO APPLICATION	106.316/09/04/2000
25C-12000	12000 STOCK OVEN	106.183/09/04/2000
25C-1500	1500 STOCK OVEN	106.183/09/04/2000
25C-1600	1600 STOCK OVEN	106.183/09/04/2000
25C-2000	2000 STOCK OVEN	106.183/09/04/2000
25C-2500	2500 STOCK OVEN	106.183/09/04/2000
25C-4350	4350 STOCK OVEN	106.183/09/04/2000
25C-6000	6000 STOCK OVEN	106.183/09/04/2000

New Source Review Authorization References by Emissions Unit

The following is a list of New Source Review (NSR) authorizations for emission units listed elsewhere in this operating permit. The NSR authorizations are applicable requirements under 30 TAC Chapter 122 and enforceable under this operating permit.

Unit/Group/Process ID No.	Emission Unit Name/Description	New Source Review Authorization
25C-8000	8000 STOCK OVEN	106.183/09/04/2000
25C-DC-2	MAGNESIUM BLASTING BLDG 25C	51412
25C-GRIND	GRINDING ALUMINUM	106.375/09/04/2000
25C-HEATLE	HEATER FOR LARGE ETCH LINE	106.183/09/04/2000
25C-TFURN	TITANIUM FURNACE IN BLDG. 25C	106.183/09/04/2000
30-DC-PROC	WELDING PROCESS DUST COLLECTOR BLDG 30	44/09/23/1982
39-FORGE-1	12000 TON PRESS BLDG 39	41/09/23/1982
39-OVEN-2	OVEN-BLDG. 39	48894, 106.183/09/04/2000
39-OVEN-4	STOCK OVEN IN BLDG. 39	106.183/09/04/2000
7-AL-TREAT	SALT BATH-ALUMINUM TREATING	106.375/09/04/2000
7-HEAT-SB	GAS FIRED HEATER FOR SALT BATH IN BLDG. 7	106.183/09/04/2000
8PROCESS-8	8 STAGE PARCOLINE SYSTEM - BLDG. 18A	106.375/09/04/2000
CMBS-19-2	OVEN-BLDG 19	106.183/09/04/2000
DCPVAT	DICHROMATE PROCESS VAT	106.375/09/04/2000
LOADCOOL	LOADING OF WASTE COOLANT FOR OFF-SITE RECYCLING	106.472/09/04/2000
LOADUOIL	LOADING OF USED OIL FOR OFF-SITE RECYCLING	106.472/09/04/2000
PLTMCHWLD	PLANTWIDE MACHINING WELDING	106.227/09/04/2000, 106.265/09/04/2000, 106.266/09/04/2000

New Source Review Authorization References by Emissions Unit

The following is a list of New Source Review (NSR) authorizations for emission units listed elsewhere in this operating permit. The NSR authorizations are applicable requirements under 30 TAC Chapter 122 and enforceable under this operating permit.

Unit/Group/Process ID No.	Emission Unit Name/Description	New Source Review Authorization
PLTMSCFUG	PLANTWIDE FUGITIVE	106.371/09/04/2000, 106.372/09/04/2000, 106.532/09/04/2000
PLTSTENCIL	PLANTWIDE STENCILING	106.418/09/04/2000
PRO18BPTR4	PAINT BOOTH 18B-PTR-4	48894
PRO18BSB24	PAINT BOOTH 18B-SB-24	48894
PRO18BSB25	PAINT BOOTH 18B-SB-25	48894
PRO18BSB26	PAINT BOOTH 18B-SB-26	48894
PRO19BSB35	PAINT BOOTH 19B-SB-35	48894
PROHWCL1	TOLUENE WIPE-DOWN	116.119(a)(1)
PROHWCL2	MISCELLANEOUS TOLUENE CLEANING BY HAND	116.119(a)(1)
PROHWCL3	HAND WIPE CLEANING WITH 600 SOLVENT	116.119(a)(1)
PROHWCL4	CLEANING AND SURFACE ACTIVATION PRIOR TO ADHESIVE	116.119(a)(1)
PROHWCL5	CLEANING AND CLEANING SOLVENT USAGE FOR R&D	116.119(a)(1)
PROLUBE	LUBRICANT APPLICATION	116.119(a)(1), 106.261/11/01/2003, 106.262/11/01/2003
PROPAIN71	PAINT BOOTH PAINT-7-1	48894
PROPAIN72	PAINT BOOTH PAINT-7-2	106.433/09/04/2000
PROSGCLEAN	SPRAY GUN CLEANING	48894

New Source Review Authorization References by Emissions Unit

The following is a list of New Source Review (NSR) authorizations for emission units listed elsewhere in this operating permit. The NSR authorizations are applicable requirements under 30 TAC Chapter 122 and enforceable under this operating permit.

Unit/Group/Process ID No.	Emission Unit Name/Description	New Source Review Authorization
PROSPRAY2	PAINT BOOTH 19B-SPRAY2	106.433/09/04/2000
PROSPRAY3	PAINT BOOTH 19B-SPRAY3	106.433/09/04/2000
PROTOUCH	TOUCH UP PAINTING	116.119(a)(1)
SHOT-20-1	SHOTBLAST - BLDG 20	106.452/09/04/2000
SHOT-6-1	SHOTBLASTING 1 BLDG 6	51412
TANK-24-4	SPENT OIL/COOLANT TANKS - BLDG. 24	106.472/09/04/2000
TANK-24-5	USED OIL TANK - BLDG. 24A	106.472/09/04/2000
TANK-29-1	HYDRAULIC OIL TANK - BLDG. 29	106.472/09/04/2000
TANK-29-2	HYDRAULIC OIL TANK - BLDG. 29	106.472/09/04/2000
TANK-29-3	HYDRAULIC OIL TANK - BLDG. 29	106.472/09/04/2000
TANK-29-4	HYDRAULIC OIL TANK - BLDG. 29	106.472/09/04/2000
TANK-39-1A	USED OIL TANK - BLDG. 39	106.472/09/04/2000
TANK-39-1B	USED OIL TANK - BLDG. 39	106.472/09/04/2000
TANK-39-1C	USED OIL TANK - BLDG. 39	106.472/09/04/2000
TANK-39-1D	USED OIL TANK - BLDG. 39	106.472/09/04/2000
TANK-WC1	WASTE COOLANT TANK - BLDG. 33	106.472/09/04/2000
TANK-WC2	WASTE COOLANT TANK - BLDG. 33	106.472/09/04/2000
TANK-WC3	WASTE COOLANT TANK - BLDG. 25A	106.472/09/04/2000

New Source Review Authorization References by Emissions Unit

The following is a list of New Source Review (NSR) authorizations for emission units listed elsewhere in this operating permit. The NSR authorizations are applicable requirements under 30 TAC Chapter 122 and enforceable under this operating permit.

Unit/Group/Process ID No.	Emission Unit Name/Description	New Source Review Authorization
UNLOAD242	UNLOADING OF GASOLINE	106.473/09/04/2000
UNLOAD243D	UNLOADING OF DIESEL	106.472/09/04/2000
UNLOAD243K	UNLOADING OF KEROSENE	106.472/09/04/2000
UNLOADOIL	UNLOADING OF HYDRAULIC OIL	106.472/09/04/2000
WW-2	WASTEWATER TREATMENT BLDG 18A	106.532/09/04/2000

Appendix A

Acronym List 72

Acronym List

The following abbreviations or acronyms may be used in this permit:

ACFM	actual cubic feet per minute
AMOC.....	alternate means of control
ARP	Acid Rain Program
ASTM	American Society of Testing and Materials
B/PA.....	Beaumont/Port Arthur (nonattainment area)
CAM	Compliance Assurance Monitoring
CD	control device
COMS.....	continuous opacity monitoring system
CVS.....	closed-vent system
D/FW	Dallas/Fort Worth (nonattainment area)
DR	Designated Representative
ELP	El Paso (nonattainment area)
EP	emission point
EPA	U.S. Environmental Protection Agency
EU	emission unit
FCAA Amendments	Federal Clean Air Act Amendments
FOP	federal operating permit
GF.....	grandfathered
gr/100 scf.....	grains per 100 standard cubic feet
HAP.....	hazardous air pollutant
H/G/B.....	Houston/Galveston/Brazoria (nonattainment area)
H ₂ S	hydrogen sulfide
ID No.....	identification number
lb/hr	pound(s) per hour
MMBtu/hr.....	Million British thermal units per hour
MRRT.....	monitoring, recordkeeping, reporting, and testing
NA	nonattainment
N/A.....	not applicable
NADB	National Allowance Data Base
NO _x	nitrogen oxides
NSPS	New Source Performance Standard (40 CFR Part 60)
NSR.....	New Source Review
ORIS.....	Office of Regulatory Information Systems
Pb	lead
PBR	Permit By Rule
PM.....	particulate matter
ppmv	parts per million by volume
PSD	prevention of significant deterioration
RO	Responsible Official
SO ₂	sulfur dioxide
TCEQ.....	Texas Commission on Environmental Quality
TSP	total suspended particulate
TVP.....	true vapor pressure
U.S.C.	United States Code
VOC.....	volatile organic compound